





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-EAG-13-480	2450	FW1 FW	990.6	452400	5434486	331	-57	681.0	684.0	3.0	4.67	
								<i>including</i>				
OSK-EAG-13-480	2450	FW1 FW	990.6	452400	5434486	331	-57	683.0	684.0	1.0	11.8	
								<i>including</i>				
OSK-EAG-13-480	2450	FW2	990.6	452400	5434486	331	-57	692.0	694.0	2.0	6.68	
OSK-EAG-13-480	2450	FW2	990.6	452400	5434486	331	-57	692.0	693.0	1.0	12.4	
								<i>including</i>				
OSK-EAG-13-480	2450	FW2	990.6	452400	5434486	331	-57	722.7	725.5	2.8	4.09	
								<i>including</i>				
OSK-EAG-13-480	2450	FW2	990.6	452400	5434486	331	-57	728.0	730.0	2.0	19.5	
								<i>including</i>				
OSK-EAG-13-480	2450	FW2	990.6	452400	5434486	331	-57	729.3	729.7	0.4	82.6	
								<i>including</i>				
OSK-EAG-13-480	2450	FW2	990.6	452400	5434486	331	-57	749.5	751.6	2.1	59.5	15.2
								<i>including</i>				
OSK-EAG-13-480	2450	FW3	990.6	452400	5434486	331	-57	750.7	751.0	0.3	410	100
								<i>including</i>				
OSK-EAG-13-480	2450	FW3	990.6	452400	5434486	331	-57	804.0	814.4	10.4	9.65	
								<i>including</i>				
								<i>and</i>				
OSK-EAG-13-480	2450	FW3	990.6	452400	5434486	331	-57	807.5	810.4	2.9	25.5	
								<i>including</i>				
OSK-EAG-13-480	2450	FW3	990.6	452400	5434486	331	-57	814.1	814.4	0.3	25.0	
								<i>including</i>				
OSK-EAG-13-480	2450	FW3	990.6	452400	5434486	331	-57	820.0	822.6	2.6	6.44	
								<i>including</i>				
OSK-EAG-13-480	2450	FW3	990.6	452400	5434486	331	-57	821.4	821.7	0.3	31.5	
OSK-EAG-13-480	2450	FW3U	990.6	452400	5434486	331	-57	835.0	837.0	2.0	3.55	
OSK-EAG-13-480	2450	FW3U	990.6	452400	5434486	331	-57	911.8	914.0	2.2	7.04	
OSK-EAG-13-480	2450	FW3U	990.6	452400	5434486	331	-57	923.0	925.0	2.0	5.90	
OSK-EAG-13-480-W1	2425	Underdog	651.0	452400	5434486	331	-57	634.4	640.8	6.4	5.98	
								<i>including</i>				
OSK-EAG-13-480-W1	2425	Underdog	651.0	452400	5434486	331	-57	636.4	636.7	0.3	56.6	
								<i>including</i>				
OSK-EAG-13-480-W1	2425	Underdog	651.0	452400	5434486	331	-57	644.1	646.3	2.2	34.5	
								<i>including</i>				
OSK-EAG-13-480-W2	2425	Underdog	770.2	452400	5434486	331	-57	644.7	645.7	1.0	56.2	
								<i>including</i>				
OSK-EAG-13-480-W2	2425	Underdog	770.2	452400	5434486	331	-57	656.0	660.1	4.1	88.0	11.5
								<i>including</i>				
OSK-EAG-13-480-W2	2425	Underdog	770.2	452400	5434486	331	-57	659.8	660.1	0.3	1145	100
								<i>including</i>				
OSK-EAG-13-480-W2	2425	Underdog	770.2	452400	5434486	331	-57	694.9	697.6	2.7	3.93	
								<i>including</i>				
OSK-EAG-13-480-W2	2425	Underdog	770.2	452400	5434486	331	-57	694.9	695.6	0.7	11.2	
OSK-EAG-13-494	2750	Wolf	1197.0	452731	5434537	330	-60	738.5	740.6	2.1	6.52	
								<i>including</i>				
OSK-EAG-13-494	2750	Wolf	1197.0	452731	5434537	330	-60	740.0	740.6	0.6	19.6	
OSK-EAG-13-494	2750	Wolf	1197.0	452731	5434537	330	-60	749.0	751.0	2.0	4.56	
OSK-EAG-13-502	2625	FW3U HW	802.0	452506	5434696	330	-57	688.5	690.5	2.0	28.0	
OSK-EAG-13-502	2625	FW3 Upper	802.0	452506	5434696	330	-57	695.5	698.2	2.7	37.9	31.6
								<i>including</i>				
								<i>including</i>				
								<i>and</i>				
OSK-EAG-13-503	2075	Underdog	918.0	451969	5434525	330	-56	695.5	695.8	0.3	66.3	
								<i>including</i>				
OSK-EAG-13-503	2075	Underdog	918.0	451969	5434525	330	-56	695.8	696.1	0.3	38.4	
								<i>including</i>				
OSK-EAG-13-503	2075	Underdog	918.0	451969	5434525	330	-56	696.1	696.6	0.5	134	100
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	342.5	344.9	2.4	8.96	
								<i>including</i>				
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	343.5	344.9	1.4	13.3	
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	746.9	749.9	3.0	15.9	
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	753.0	755.1	2.1	4.22	
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	753.0	755.1	2.1	4.22	
OSK-EAG-13-505	2025	FW1	852.3	451930	5434493	330	-51	329.0	333.8	4.8	8.37	
								<i>including</i>				
OSK-EAG-13-505	2025	FW1	852.3	451930	5434493	330	-51	332.0	332.8	0.8	28.8	
OSK-EAG-13-508	2700	Z27	627.0	452588	5434698	330	-60	611.0	613.4	2.4	11.6	
								<i>including</i>				
OSK-EAG-13-508	2700	Z27	627.0	452588	5434698	330	-60	612.5	613.4	0.9	30.4	
OSK-EAG-13-509	2625	Zone 27	579.4	452523	5434658	330	-57	536.8	539.2	2.4	4.32	
OSK-EAG-13-513	2650	FW4	1131.0	452629	5434514	330	-55	1050.0	1054.0	4.0	10.6	
								<i>including</i>				
OSK-EAG-13-520	2650	FW3U	872.0	452568	5434633	330	-55	1050.0	1052.0	2.0	18.0	
OSK-EAG-13-520	2650	FW3U	872.0	452568	5434633	330	-55	839.3	841.6	2.3	3.00	
OBM-15-552	2400	Caribou S1	1246.7	452390	5434436	329	-60	449.0	452.0	3.0	5.70	
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	707.0	711.0	4.0	2.28	
OBM-15-552	2400	FW1	1246.7	452390	5434436	329	-60	743.0	757.0	14.0	0.43	
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	881.0	882.0	1.0	29.2	
								<i>including</i>				
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	881.0	881.5	0.5	57.3	
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	901.0	901.8	0.8	15.6	
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	929.0	931.0	2.0	3.29	
								<i>including</i>				
OBM-15-552	2400	FW3	1246.7	452390	5434436	329	-60	929.8	930.3	0.5	8.83	
								<i>including</i>				
OBM-15-552	2400	FW3	1246.7	452390	5434436	329	-60	937.0	942.8	5.8	1.98	
								<i>including</i>				
OBM-15-552	2400	Footwall of FW3	1246.7	452390	5434436	329	-60	937.7	938.2	0.5	17.5	
OBM-15-552	2400	FW4	1246.7	452390	5434436	329	-60	951.5	951.8	0.3	11.0	
OBM-15-552	2400	FW4	1246.7	452390	5434436	329	-60	1163.5	1164.5	1.0	8.09	
OBM-15-553	2150	-	47.2	452173	5434313	328	-60	<i>No significant results</i>				
OBM-15-554	2150	Caribou W2	1135.0	452173	5434313	336	-61	335.1	339.0	3.9	0.41	
OBM-15-554	2150	FW3	1135.0	452173	5434313	336	-61	922.0	924.0	2.0	1.85	
OBM-15-554	2150	-	1135.0	452173	5434313	336	-61	1082.8	1085.0	2.2	3.10	
OBM-15-554	2150	FW4	1135.0	452173	5434313	336	-61	1094.0	1097.2	3.2	2.43	
OBM-15-554	2150	Footwall of FW4	1135.0	452173	5434313	336	-61	1102.0	1105.0	3.0	6.33	
								<i>including</i>				
OBM-15-555	2400	-	283.5	452428	5434397	330	-60	1102.0	1103.0	1.0	18.2	
OBM-15-556	1850	FW1	1112.3	451899	5434189	330	-60	282.8	284.2	1.4	14.9	
OBM-15-556	1850	FW3	1112.3	451899	5434189	330	-60	677.0	677.3	0.3	65.4	
OBM-15-556	1850	FW4	1112.3	451899	5434189	330	-60	832.8	841.0	8.2	0.07	
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	1057.1	1062.1	5.0	0.41	
								<i>including</i>				
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	200.1	202.1	2.0	4.12	
								<i>including</i>				
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	200.1	200.8	0.7	9.94	
OBM-15-557	2400	Caribou S1	1281.0	452429	5434393	332	-61	350.7	351.2	0.5	9.33	
OBM-15-557	2400	FW1	1281.0	452429	5434393	332	-61	479.5	485.3	5.8	0.75	
								<i>including</i>				
OBM-15-557	2400	FW1	1281.0	452429	5434393	332	-61	852.7	855.0	2.3	4.19	
								<i>including</i>				
OBM-15-557	2400	FW1	1281.0	452429	5434393	332	-61	853.4	854.3	0.9	7.64	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
								101.5	102.5	1.0	194	100
		<i>including</i>										
OBM-16-572	2400	Hanging wall Zone 27	261.0	452262	5434662	331	-50	199.0	203.0	4.0	2.17	
		<i>including</i>										
OBM-16-572	2400	Zone 27	261.0	452262	5434662	331	-50	200.0	200.6	0.6	10.3	
		<i>including</i>										
								226.0	232.0	6.0	1.81	
		<i>including</i>										
		<i>and</i>						229.3	230.0	0.7	5.83	
								231.0	232.0	1.0	3.52	
OBM-16-573	2725	-	651.0	452639	5434672	332	-51	107.0	109.0	2.0	3.77	
OBM-16-573	2725	-	651.0	452639	5434672	332	-51	302.0	304.0	2.0	5.43	
		<i>including</i>										
OBM-16-573	2725	-	651.0	452639	5434672	332	-51	302.0	303.0	1.0	10.6	
		<i>including</i>										
								313.0	315.0	2.0	32.9	
		<i>including</i>										
								313.5	314.6	1.1	59.7	
OBM-16-573	2725	-	651.0	452639	5434672	332	-51	443.4	446.1	2.7	4.86	
		<i>including</i>										
								444.4	444.8	0.4	17.3	
OBM-16-573	2725	Zone 27-3	651.0	452639	5434672	332	-51	569.3	571.8	2.5	15.3	
		<i>including</i>										
								569.3	569.8	0.5	48.8	
OBM-16-574	2175	Caribou W2	228.0	452162	5434397	331	-50	159.0	168.0	9.0	0.75	
		<i>including</i>										
								165.5	165.8	0.3	4.46	
OBM-16-575	2125	Caribou W2	231.0	452118	5434354	331	-50	182.4	193.1	10.7	0.68	
		<i>including</i>										
								187.0	193.1	6.1	1.06	
OBM-16-576	2075		201.0	452068	5434363	331	-50	<i>No significant results</i>				
OBM-16-577	2950	-	143.0	452820	5434777	330	-62	129.0	133.0	4.0	4.13	
		<i>including</i>										
								132.0	133.0	1.0	11.1	
OBM-16-578	2050	Caribou W1	201.0	452040	5434347	331	-50	164.0	179.5	15.5	0.39	
		<i>including</i>										
								171.9	172.5	0.6	3.19	
OBM-16-579	2300	-	249.0	452184	5434611	331	-48	36.6	39.0	2.4	19.7	
		<i>including</i>										
								36.6	37.5	0.9	51.8	
OBM-16-579	2300	Zone 27	249.0	452184	5434611	331	-48	196.5	199.8	3.3	1.28	
OBM-16-580	2950	-	1271.0	452818	5434773	332	-63	441.4	446.8	5.4	4.30	
OBM-16-580	2950	Zone 27	1271.0	452818	5434773	332	-63	672.4	675.8	3.4	9.49	
OBM-16-580	2950	FW4	1271.0	452818	5434773	332	-63	1162.2	1168.2	6.0	19.6	
		<i>including</i>										
		<i>and</i>						1162.2	1162.8	0.6	150	100
								1167.9	1168.2	0.3	97.7	
OBM-16-581	1950	Caribou W	201.0	451955	5434301	331	-50	153.6	166.4	12.8	0.78	
		<i>including</i>										
								153.6	155.1	1.5	3.32	
OBM-16-582	2775	-	509.5	452690	5434696	334	-52	216.0	218.8	2.8	15.9	
OBM-16-583	1700	-	801.0	451766	5434111	334	-55	774.0	777.0	3.0	19.0	
		<i>including</i>										
								776.0	777.0	1.0	55.0	
OBM-16-584	2900	-	83.5	452722	5434870	327	-65	36.0	38.0	2.0	5.67	
		<i>including</i>										
								36.5	37.1	0.6	16.9	
OBM-16-584	2900	Vein	83.5	452722	5434870	327	-65	57.0	59.0	2.0	287	100
		<i>including</i>										
								57.0	58.0	1.0	566	100
OBM-16-584	2900	-	83.5	452722	5434870	327	-65	70.9	74.5	3.6	6.19	
		<i>including</i>										
								73.7	74.5	0.8	26.4	
OBM-16-585	2950		83.5	452768	5434887	330	-67	<i>No significant results</i>				
OBM-16-586	3000	-	152.5	452835	5434860	330	-65	8.6	10.7	2.1	6.62	
OBM-16-586	3000	-	152.5	452835	5434860	330	-65	18.0	21.0	3.0	17.6	
OBM-16-587	3000	-	83.5	452806	5434914	331	-66	12.9	16.3	3.4	3.08	
OBM-16-588	3050	-	101.5	452873	5434899	329	-67	65.9	67.9	2.0	5.45	
		<i>including</i>										
								67.0	67.5	0.5	19.3	
OBM-16-589	3050		83.5	452856	5434930	331	-70	<i>No significant results</i>				
OBM-16-590	1700		747.0	451726	5434183	330	-55	<i>No significant results</i>				
OBM-16-591	3100		119.5	452902	5434948	327	-59	<i>No significant results</i>				
OBM-16-592	2750		50.5	452559	5434841	330	-78	<i>No significant results</i>				
OBM-16-593	2800	Crustiform vein	77.5	452606	5434862	150	-72	46.4	48.6	2.2	5.17	
OBM-16-593	2800	Crustiform vein	77.5	452606	5434862	150	-72	53.0	57.6	4.6	8.43	
		<i>including</i>										
								55.3	55.6	0.3	230	100
OBM-16-594	2850	C-south-2	149.5	452624	5434932	150	-80	88.8	100.0	11.2	1.13	
OBM-16-594	2850	C-south-2	149.5	452624	5434932	150	-80	136.9	139.3	2.4	2.56	
OBM-16-595	2950	New zone	74.5	452679	5435033	150	-80	63.0	65.5	2.5	4.08	
OBM-16-596	2875		26.5	452855	5434568	328	-60	<i>No significant results</i>				
OBM-16-597	2100		276.0	452005	5434512	331	-53	<i>No significant results</i>				
OBM-16-598	2875	Caribou S1	1382.0	452855	5434568	333	-61	504.7	508.0	3.3	9.44	
		<i>including</i>										
								507.0	508.0	1.0	25.1	
OBM-16-598	2875	C-south-3	1382.0	452855	5434568	333	-61	542.1	558.8	16.7	1.62	
OBM-16-598	2875	FW3	1382.0	452855	5434568	333	-61	1115.0	1122.4	7.4	5.56	
		<i>including</i>										
								1118.0	1119.0	1.0	9.33	
		<i>including</i>										
								1121.9	1122.4	0.5	56.8	
OBM-16-599	2100	Zone 27	270.0	451986	5434537	332	-50	193.0	198.6	5.6	2.11	
OBM-16-600	2150	Zone 27 hanging wall	252.0	452030	5434563	331	-48	166.6	170.8	4.2	12.9	
		<i>including</i>										
		<i>and</i>						166.6	167.7	1.1	18.9	
								169.7	170.8	1.1	23.5	
OBM-16-600	2150	Zone 27	252.0	452030	5434563	331	-48	178.5	182.0	3.5	3.36	
OBM-16-601	2600	Caribou	504.0	452476	5434677	332	-51	231.1	233.5	2.4	5.43	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-16-601	2600	Zone 27	504.0	452476	5434677	332	-51	425.0	427.3	2.3	0.90	
OSK-OBM-16-601	2600	FW3U	801.0	452476	5434677	332	-51	657.6	659.6	2.0	16.2	
OSK-OBM-16-601	2600	FW4	801.0	452476	5434677	332	-51	795.0	797.8	2.8	5.26	
		<i>including</i>						797.1	797.8	0.7	20.7	
OBM-16-602	1700	-	759.0	451679	5434254	330	-57	193.5	196.5	3.0	14.1	
		<i>including</i>						194.5	195.1	0.6	68.2	
OBM-16-602	1700	FW1	759.0	451679	5434254	330	-57	407.0	409.0	2.0	7.84	
		<i>including</i>						407.6	408.1	0.5	25.7	
OBM-16-602	1700	FW3	759.0	451679	5434254	330	-57	489.5	491.5	2.0	0.35	
OBM-16-602	1700	FW4	759.0	451679	5434254	330	-57	749.0	751.0	2.0	2.86	
OBM-16-603	2150	Zone 27	249.0	452042	5434548	331	-50	188.0	207.9	19.9	11.4	
		<i>including</i>						188.0	189.4	1.4	54.1	
		<i>and</i>						200.4	207.9	7.5	20.3	
		<i>and</i>						206.0	207.9	1.9	71.6	
		<i>and</i>						206.7	207.0	0.3	142	100
OBM-16-603	2150	Footwall Zone 27	249.0	452042	5434548	331	-50	233.0	235.5	2.5	4.31	
OBM-16-604	2150	Zone 27	279.0	452046	5434533	330	-53	234.0	237.0	3.0	4.29	
OBM-16-605	2575	New zone	443.0	452445	5434705	332	-51	320.0	322.0	2.0	3.64	
OBM-16-605	2575	Zone 27	443.0	452445	5434705	332	-51	345.0	347.8	2.8	0.90	
OBM-16-606	2175	Zone 27	278.6	452072	5434559	331	-50	192.1	197.1	5.0	13.8	
		<i>including</i>						196.0	196.8	0.8	76.9	
OBM-16-607	1700		624.0	451641	5434330	332	-55					FW1 - No significant results
OBM-16-607	1700		624.0	451641	5434330	332	-55					FW3 - No significant results
OBM-16-607	1700		624.0	451641	5434330	332	-55					FW4 - No significant results
OBM-16-608	2225	-	249.0	452095	5434590	331	-50	87.0	89.1	2.1	5.64	
		<i>including</i>						88.3	89.1	0.8	14.2	
OBM-16-608	2225	Zone 27	249.0	452095	5434590	331	-50	177.3	186.6	9.3	10.3	
		<i>including</i>						179.5	181.5	2.0	12.9	
		<i>including</i>						183.0	183.5	0.5	232	100
		<i>including</i>						183.8	184.2	0.4	13.7	
OBM-16-608	2225	Footwall of Zone 27	249.0	452095	5434590	331	-50	201.2	205.0	3.8	7.21	
		<i>including</i>						203.2	204.2	1.0	21.4	
OBM-16-609	2550	Zone 27	555.0	452459	5434642	331	-49	426.5	437.7	11.2	5.21	
OSK-OBM-16-609	2550	FW3U HW	738.0	452459	5434642	331	-49	635.0	637.0	2.0	3.07	
OSK-OBM-16-609	2550	FW3U HW	738.0	452459	5434642	331	-49	641.8	646.0	4.2	1.17	
OSK-OBM-16-609	2550	FW3U	738.0	452459	5434642	331	-49	654.3	662.0	7.7	63.2	23.7
		<i>including</i>						656.0	658.0	2.0	18.9	
		<i>including</i>						660.0	662.0	2.0	222	69.7
OBM-16-610	2225	Zone 27	270.0	452108	5434571	331	-50	191.0	192.0	1.0	8.15	
OBM-16-610	2225	Zone 27	270.0	452108	5434571	331	-50	198.1	203.0	4.9	3.81	
		<i>including</i>						198.1	198.9	0.8	9.06	
		<i>including</i>						202.1	203.0	0.9	6.82	
OBM-16-610	2225	Footwall of Zone 27	270.0	452108	5434571	331	-50	221.0	226.0	5.0	24.2	
		<i>including</i>						223.5	224.5	1.0	419	100
OBM-16-611	2250	-	249.0	452122	5434597	332	-49	87.0	91.5	4.5	4.44	
OBM-16-611	2250	Zone 27	249.0	452122	5434597	332	-49	177.6	182.0	4.4	3.44	
		<i>including</i>						177.6	178.5	0.9	5.70	
OBM-16-612	2775		140.0	452851	5434378	331	-58					Hole abandoned
OBM-16-613	2550	Caribou	251.0	452431	5434676	332	-51	151.0	153.2	2.2	4.83	
OBM-16-613	2550	Footwall Caribou	251.0	452431	5434676	332	-51	157.8	160.0	2.2	4.43	
OBM-16-614	2775	-	1118.0	452851	5434378	333	-60	417.0	419.0	2.0	3.06	
OBM-16-614	2775	Caribou S3	1118.0	452851	5434378	333	-60	797.1	799.6	2.5	0.69	
OBM-16-614	2775	-	1118.0	452851	5434378	333	-60	1020.0	1022.1	2.1	3.85	
OBM-16-614	2775	New zone between FW1 et FW3	1118.0	452851	5434378	333	-60	1026.8	1030.2	3.4	11.2	
		<i>including</i>						1029.9	1030.2	0.3	84.9	
OBM-16-614	2775	New zone between FW1 et FW3	1118.0	452851	5434378	333	-60	1036.7	1039.0	2.3	3.99	
		<i>including</i>						1037.5	1038.0	0.5	13.2	
OBM-16-614-W1	2775	FW0	1518.0	452851	5434378	333	-60	1020.1	1023.0	2.9	4.96	
		<i>including</i>						1020.7	1021.3	0.6	17.9	
OBM-16-614-W1	2775	New zone below I2F intrusion	1518.0	452851	5434378	333	-60	1032.0	1034.0	2.0	3.60	
OBM-16-614-W1	2775	New zone below I2F intrusion	1518.0	452851	5434378	333	-60	1043.7	1046.0	2.3	5.34	
OBM-16-614-W1	2775	FW1	1518.0	452851	5434378	333	-60	1204.0	1206.0	2.0	3.40	
		<i>including</i>						1204.0	1205.0	1.0	6.30	
OBM-16-614-W1	2775	Quartz veins	1518.0	452851	5434378	333	-60	1301.0	1303.0	2.0	3.23	
		<i>including</i>						1301.0	1302.0	1.0	6.40	
OBM-16-614-W1	2775	FW3	1518.0	452851	5434378	333	-60	1340.0	1342.0	2.0	4.22	
		<i>including</i>						1341.0	1342.0	1.0	8.26	
OBM-16-615	2200	Zone 27	84.0	452038	5434645	331	-64	54.5	57.0	2.5	4.35	
OBM-16-616	1675	FW3	402.0	451557	5434464	332	-61	122.4	124.8	2.4	18.9	
		<i>including</i>						123.8	124.5	0.7	37.3	
OBM-16-617	2150	Zone 27	96.0	451986	5434636	327	-73	44.3	50.0	5.7	6.94	
OBM-16-618	2525	Extension Caribou N2	751.5	452426	5434636	333	-51	281.3	283.8	2.5	5.77	
OBM-16-618	2525	-	751.5	452426	5434636	333	-51	286.9	289.0	2.1	6.25	
OBM-16-618	2525	Hanging wall Zone 27	751.5	452426	5434636	333	-51	398.0	408.0	10.0	1.00	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-16-618	2525	footwall Zone 27	751.5	452426	5434636	333	-51	433.5	436.3	2.8	8.96	
		<i>including</i>						435.5	436.3	0.8	23.6	
OBM-16-618	2525	FW3 Upper	751.5	452426	5434636	333	-51	685.0	688.4	3.4	0.14	
OBM-16-619	2150	Zone 27	126.0	451964	5434676	328	-70	69.0	72.1	3.1	1.64	
OBM-16-619	2150	Zone 27-1	126.0	451964	5434676	328	-70	98.5	101.0	2.5	1.61	
		<i>including</i>						99.6	100.0	0.4	8.27	
OBM-16-620	2200	Mallard	75.0	451913	5434866	327	-67	25.0	27.1	2.1	3.70	
OBM-16-621	2250		54.0	451964	5434877	330	-57	<i>Mallard - No significant results</i>				
OBM-16-622	1875		114.0	451605	5434772	330	-71	<i>No significant results</i>				
OBM-16-623	2250		48.0	451951	5434900	330	-57	<i>No significant results</i>				
OBM-16-624	2300	Zone 27	60.0	452117	5434711	150	-67	27.4	30.7	3.3	1.60	
OBM-16-624	2300	Zone 27	60.0	452117	5434711	150	-67	36.7	38.8	2.1	1.09	
OBM-16-625	2525	-	525.0	452404	5434675	333	-51	167.0	169.2	2.2	11.2	
OBM-16-625	2525	-	525.0	452404	5434675	333	-51	269.0	271.0	2.0	4.29	
OBM-16-625	2525	Zone 27 HW	525.0	452404	5434675	333	-51	333.3	336.0	2.7	7.97	
		<i>including</i>						333.3	334.2	0.9	15.6	
OBM-16-625	2525	Zone 27 FW	525.0	452404	5434675	333	-51	349.0	352.0	3.0	3.83	
OBM-16-625	2525	-	525.0	452404	5434675	333	-51	518.7	521.0	2.3	23.8	
OSK-OBM-16-625	2525	FW3U HW	801.0	452404	5434675	331	-51	588.0	590.1	2.1	4.00	
		<i>including</i>						588.5	588.9	0.4	16.9	
OSK-OBM-16-625	2525	FW3U	801.0	452404	5434675	331	-51	605.3	610.6	5.3	0.35	
OBM-16-625	2525		525.0	452404	5434675	333	-51	<i>Caribou - No significant results</i>				
OBM-16-626	2350	Caribou (upper extension)	81.0	452224	5434626	151	-68	40.5	43.0	2.5	41.8	
		<i>including</i>						40.5	41.4	0.9	136	100
OBM-16-626	2350	Crustiform vein	81.0	452224	5434626	151	-68	60.9	63.3	2.4	23.3	
		<i>including</i>						60.9	61.2	0.3	69.6	
		<i>including</i>						62.6	63.3	0.7	40.3	
OBM-16-627	1875		102.0	451590	5434766	320	-56	<i>Crustiform vein - No significant results</i>				
OBM-16-628	2375		29.8	452252	5434613	343	-50	<i>Hole abandoned</i>				
OBM-16-629	1875		81.0	451582	5434795	332	-68	<i>Crustiform vein - No significant results</i>				
OBM-16-630	2350	Zone 27	279.0	452251	5434613	329	-51	244.3	248.6	4.3	1.13	
OSK-OBM-16-630	2375	FW3U HW	699.0	452251	5434613	329	-51	518.2	521.0	2.8	4.82	
OBM-16-631	1800		120.0	451501	5434780	151	-56	<i>Crustiform vein - No significant results</i>				
OBM-16-632	1750		105.0	451462	5434740	155	-51	<i>Crustiform vein - No significant results</i>				
OBM-16-633	2350	Zone 27	271.7	452222	5434637	332	-51	203.6	205.8	2.2	7.81	
		<i>including</i>						204.0	204.3	0.3	51.5	
OBM-16-634	1875		165.0	451547	5434850	146	-57	<i>Crustiform vein - No significant results</i>				
OBM-16-635	2500		99.0	452260	5434862	333	-78	<i>Caribou - No significant results</i>				
OBM-16-636	2350	Caribou	300.0	452240	5434584	331	-50	43.6	51.2	7.6	0.51	
OBM-16-636	2350	Zone 27	300.0	452240	5434584	331	-50	253.1	256.0	2.9	0.56	
OBM-16-636	2350		300.0	452240	5434584	331	-50	<i>C-west-4 - No significant results</i>				
OBX-16-637	N/A		165.0	459413	5439271	360	-49	<i>No significant results</i>				
OBX-16-638	N/A		249.0	459298	5439131	1	-47	<i>No significant results</i>				
OBM-16-639	2825	Shear Zone	266.0	452719	5434725	330	-61	18.0	20.0	2.0	2.96	
OBM-16-640	2325		399.0	452214	5434605	330	-50	<i>No significant results</i>				
OBX-16-641	N/A	Exploration	378.0	459580	5439413	182	-45	249.8	252.3	2.5	1.12	
OBX-16-641	N/A	Exploration	378.0	459580	5439413	182	-45	256.0	259.0	3.0	1.09	
OBM-16-642	2825	New zone	1089.8	452719	5434726	334	-61	318.4	321.0	2.6	10.0	
OBM-16-642	2825	Caribou North 2	1089.8	452719	5434726	334	-61	510.0	521.0	11.0	3.46	
OBM-16-642	2825	Closing of Zone 27-3	1089.8	452719	5434726	334	-61	610.0	620.6	10.6	1.11	
OBM-16-642	2825	FW3	1089.8	452719	5434726	334	-61	816.4	817.8	1.4	0.28	
OBM-16-642	2825	New underdog corridor	1089.8	452719	5434726	334	-61	934.0	937.9	3.9	17.2	
		<i>including</i>						934.0	934.3	0.3	264	100
OBM-16-643	2325	Caribou	300.0	452217	5434580	330	-50	35.0	38.0	3.0	4.95	
OBM-16-643	2325	New zone	300.0	452217	5434580	330	-50	172.0	177.4	5.4	2.48	
		<i>including</i>						174.0	175.0	1.0	6.93	
OBM-16-643	2325	Zone 27	300.0	452217	5434580	330	-50	245.6	247.9	2.3	25.2	
		<i>including</i>						245.6	246.1	0.5	254	100
OBM-16-643	2325	Zone 27 footwall	300.0	452217	5434580	330	-50	261.7	264.0	2.3	5.03	
OBX-16-644	N/A		168.0	459109	5439140	358	-48	<i>No significant results</i>				
OBM-16-645	2325	Pyrite vein	396.0	452201	5434629	330	-50	155.0	155.4	0.4	46.4	
OBM-16-645	2325	Zone 27 (pyrite vein)	396.0	452201	5434629	330	-50	184.3	187.0	2.7	2.31	
		<i>including</i>						184.3	184.6	0.3	6.88	
OBM-16-645	2325	Zone 27 footwall	396.0	452201	5434629	330	-50	219.9	222.0	2.1	5.67	
OBX-16-646	N/A		399.0	458692	5439135	360	-49	<i>No significant results</i>				
OBM-16-647	2500	Caribou	120.0	452381	5434658	332	-44	100.8	103.0	2.2	5.00	
OBM-16-648	2450		87.0	452327	5434649	329	-65	<i>No significant results</i>				
OBM-16-649	2400	Caribou	126.0	452268	5434647	151	-78	37.0	39.1	2.1	4.37	
OBM-16-649	2400	Caribou	126.0	452268	5434647	151	-78	48.6	51.0	2.4	9.55	
OBM-16-649	2400	Caribou	126.0	452268	5434647	151	-78	81.0	83.5	2.5	3.33	
OBM-16-649	2400	Caribou	126.0	452268	5434647	151	-78	95.5	98.0	2.5	3.93	
OBM-16-650	2900		138.0	452749	5434816	331	-45	<i>No significant results</i>				
OBM-16-651	2350	Zone 27	186.0	452213	5434676	322	-46	73.1	79.1	6.0	0.73	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-16-651	2350	Zone 27 footwall	186.0	452213	5434676	322	-46	158.5	163.8	5.3	8.94	
		<i>including</i>						163.3	163.8	0.5	30.5	
OBX-16-652	N/A	Crustiform vein	234.0	448639	5434175	167	-44	208.7	210.2	1.5	12.7	
OBM-16-653	2950		111.4	452727	5434960	330	-51	<i>No significant results</i>				
OBM-16-654	2250	Zone 27	267.0	452134	5434591	330	-52	171.9	183.0	11.1	0.96	
OBM-16-655	2400	New zone	954.0	452439	5434353	333	-61	207.0	209.5	2.5	3.82	
		<i>including</i>						208.0	209.5	1.5	6.82	
OBM-16-655	2400	Tourmaline vein	954.0	452439	5434353	333	-61	410.0	412.0	2.0	10.8	
		<i>including</i>						410.0	411.0	1.0	21.6	
OBM-16-655	2400	Quartz vein in I2F	954.0	452439	5434353	333	-61	539.4	539.8	0.4	6.06	
OBM-16-655	2400	Quartz-carbonate-chlorite vein in I2F	954.0	452439	5434353	333	-61	550.0	550.3	0.3	75.5	
OBM-16-655	2400	New zone	954.0	452439	5434353	333	-61	917.5	928.5	11.0	5.30	
		<i>including</i>						924.0	928.5	4.5	10.2	
OBM-16-656	2500	Caribou	336.0	452359	5434680	329	-48	60.4	62.5	2.1	6.48	
OBM-16-656	2500	Caribou footwall	336.0	452359	5434680	329	-48	67.7	73.4	5.7	6.19	
		<i>including</i>						72.5	73.4	0.9	24.4	
OBM-16-656	2500	New zone	336.0	452359	5434680	329	-48	195.5	198.3	2.8	3.39	
		<i>including</i>						197.8	198.3	0.5	9.20	
OBM-16-656	2500	Hanging wall of Zone 27	336.0	452359	5434680	329	-48	255.2	261.0	5.8	9.04	
		<i>including</i>						260.0	260.5	0.5	73.8	
OBM-16-656	2500	Zone 27	336.0	452359	5434680	329	-48	273.3	276.4	3.1	30.6	
		<i>including</i>						274.2	275.3	1.1	70.8	
OBM-16-656	2500	Zone 27	336.0	452359	5434680	329	-48	296.0	299.0	3.0	8.30	
		<i>including</i>						296.0	297.0	1.0	22.2	
OBX-16-657	N/A		261.0	448718	5433925	360	-55	<i>No significant results</i>				
OBM-16-658	2675	Caribou South 1	924.0	452611	5434621	333	-60	380.0	382.0	2.0	45.8	
		<i>including</i>						380.0	381.0	1.0	90.0	
OBM-16-658	2675	Caribou South 3	924.0	452611	5434621	333	-60	450.0	454.0	4.0	1.66	
OBM-16-658	2675	New zone	924.0	452611	5434621	333	-60	519.0	527.0	8.0	8.90	
		<i>including</i>						521.0	521.8	0.8	18.8	
		<i>and</i>						522.4	523.4	1.0	37.1	
OBM-16-658	2675	Caribou North 2	924.0	452611	5434621	333	-60	562.4	564.5	2.1	3.96	
OBM-16-658	2675	Zone 27-3	924.0	452611	5434621	333	-60	675.0	676.8	1.8	3.98	
		<i>including</i>						676.0	676.8	0.8	8.80	
OBM-16-658	2675	FW3	924.0	452611	5434621	333	-60	851.0	854.0	3.0	0.19	
OBX-16-659	N/A		240.0	448629	5433901	356	-46	<i>No significant results</i>				
OBM-16-660	2500	Caribou	426.0	452376	5434668	329	-52	93.0	98.7	5.7	2.16	
OBM-16-660	2500	Caribou	426.0	452376	5434668	329	-52	125.1	132.0	6.9	7.25	
		<i>including</i>						129.6	130.7	1.1	24.3	
OBM-16-660	2500	Zone 27	426.0	452376	5434668	329	-52	301.7	305.4	3.7	2.24	
OSK-OBM-16-660	2500	FW3U	651.0	452376	5434668	329	-52	573.9	576.8	2.9	15.0	
		<i>including</i>						573.9	575.0	1.1	17.9	
		<i>including</i>						576.0	576.8	0.8	22.8	
OBX-16-661	N/A		555.0	448773	5433866	330	-59	<i>No significant results</i>				
OBM-16-662	2550	Hanging wall of Caribou	210.0	452423	5434665	330	-53	129.3	131.4	2.1	3.09	
OBM-16-662	2550	Caribou	210.0	452423	5434665	330	-53	173.7	179.7	6.0	0.95	
OSK-OBM-16-662	2550	Z27	435.0	452423	5434665	330	-53	395.0	400.0	5.0	4.25	
OBM-16-663	2525	New zone	450.0	452402	5434658	330	-53	233.7	236.1	2.4	30.2	
		<i>including</i>						233.7	234.4	0.7	169	100
OBM-16-663	2525	Zone 27 hanging wall	450.0	452402	5434658	330	-53	366.8	371.0	4.2	2.92	
		<i>including</i>						366.8	367.2	0.4	11.4	
		<i>and</i>						370.0	371.0	1.0	5.11	
OBM-16-663	2525	Zone 27	450.0	452402	5434658	330	-53	383.5	395.2	11.7	5.38	
		<i>including</i>						384.3	388.5	4.2	10.9	
OSK-W-17-663-W1	2525	FW3U	822.2	452402	5434658	330	-53	648.0	650.0	2.0	4.64	
OBM-16-664	2500	Caribou	498.0	452396	5434618	329	-55	172.9	175.9	3.0	7.34	
		<i>including</i>						173.7	174.6	0.9	17.8	
OBM-16-664	2500	Zone 27	498.0	452396	5434618	329	-55	439.3	449.5	10.2	4.64	
		<i>including</i>						439.3	440.0	0.7	29.7	
		<i>and</i>						449.0	449.5	0.5	19.1	
OBM-16-664	2500	Crustiform vein	498.0	452396	5434618	329	-55	453.0	453.3	0.3	178	100
OSK-OBM-16-664	2500	FW3U HW	983.7	452396	5434618	329	-55	649.0	652.0	3.0	12.8	
OSK-OBM-16-664	2500	FW3U	983.7	452396	5434618	329	-55	725.7	728.4	2.7	1.01	
OSK-W-17-664-W1	2500	FW3U HW	996.0	452396	5434618	329	-55	653.0	660.0	7.0	0.52	
OSK-W-17-664-W1	2500	FW3U	996.0	452396	5434618	329	-55	754.0	756.4	2.4	4.89	
		<i>including</i>						754.9	755.8	0.9	12.8	
OBX-16-665	N/A		20.5	449316	5434379	335	-48	<i>No significant results</i>				
OBX-16-666	N/A	New zone	420.0	449316	5434385	335	-48	151.5	152.5	1.0	44.1	
OBX-16-666	N/A	Sheared vein	420.0	449316	5434385	335	-48	284.0	284.3	0.3	184	100
OBM-16-667	2500	Quartz-tourmaline vein	525.0	452410	5434597	330	-55	111.6	114.0	2.4	3.70	
		<i>including</i>						111.6	112.6	1.0	8.86	
OBM-16-667	2500	Zone 27	525.0	452410	5434597	330	-55	482.5	485.5	3.0	0.81	
OSK-OBM-16-667	2500	FW3	852.0	452410	5434597	330	-55	660.5	669.0	8.5	12.5	
		<i>including</i>						663.0	665.0	2.0	37.4	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								663.0	664.2	1.2	50.1	
OBM-16-667	2500		525.0	452410	5434597	330	-55	<i>Caribou - No significant results</i>				
OBM-16-668	2575	Caribou hanging wall	438.0	452450	5434674	330	-45	129.1	131.5	2.4	4.67	
<i>including</i>								130.0	130.6	0.6	17.6	
OBM-16-668	2575	New Zone	438.0	452450	5434674	330	-45	197.0	199.0	2.0	6.36	
<i>including</i>								198.0	199.0	1.0	12.7	
OBM-16-668	2575	New Zone	438.0	452450	5434674	330	-45	220.5	223.0	2.5	29.3	
<i>including</i>								222.1	223.0	0.9	76.1	
OBM-16-668	2575	Zone 27	438.0	452450	5434674	330	-45	351.6	355.6	4.0	7.54	
OBM-16-668	2575		438.0	452450	5434674	330	-45	<i>Caribou - No significant results</i>				
OBM-16-669	2625	Caribou South 2	402.0	452503	5434712	330	-45	141.0	143.0	2.0	0.66	
OBM-16-669	2625	Caribou	402.0	452503	5434712	330	-45	175.8	177.8	2.0	2.98	
OBM-16-669	2625	Caribou footwall	402.0	452503	5434712	330	-45	189.0	192.0	3.0	3.02	
<i>including</i>								189.0	189.8	0.8	6.76	
OBM-16-669	2625	New zone	402.0	452503	5434712	330	-45	307.0	309.0	2.0	5.00	
OBM-16-669	2625	Zone 27	402.0	452503	5434712	330	-45	330.0	332.3	2.3	0.84	
OBM-16-669	2625	Zone 27 footwall	402.0	452503	5434712	330	-45	384.7	387.2	2.5	3.92	
OBX-16-670	N/A		420.0	448298	5432987	333	-45	<i>No significant results</i>				
OBM-16-671	2450	New zone	489.0	452374	5434591	330	-57	89.5	93.0	3.5	3.62	
<i>including</i>								92.0	93.0	1.0	8.04	
OBM-16-671	2450	Crustiform vein	489.0	452374	5434591	330	-57	339.4	342.0	2.6	15.9	
<i>including</i>								339.4	339.8	0.4	152	100
OBM-16-671	2450	New zone	489.0	452374	5434591	330	-57	361.4	365.9	4.5	5.99	
OBM-16-671	2450	Tourmaline vein	489.0	452374	5434591	330	-57	377.1	379.2	2.1	7.37	
<i>including</i>								378.6	379.2	0.6	19.5	
OBM-16-671	2450	Zone 27	489.0	452374	5434591	330	-57	466.5	470.8	4.3	0.49	
OBM-16-671	2450		489.0	452374	5434591	330	-57	<i>Caribou - No significant results</i>				
OBM-16-672	2150	Caribou West 2	351.0	452106	5434431	333	-47	82.5	87.0	4.5	1.69	
OBM-16-672	2150		351.0	452106	5434431	333	-47	<i>Zone 27 - No significant results</i>				
OBM-16-673	2650	Crustiform veining	495.0	452518	5434736	330	-57	117.0	119.6	2.6	3.19	
<i>including</i>								118.8	119.6	0.8	7.61	
OBM-16-673	2650	Caribou South 2	495.0	452518	5434736	330	-57	132.0	134.3	2.3	2.27	
OBM-16-673	2650	Caribou	495.0	452518	5434736	330	-57	226.5	236.7	10.2	0.88	
OBM-16-673	2650	Zone 27 hanging wall	495.0	452518	5434736	330	-57	450.0	453.3	3.3	0.84	
OBM-16-674	2125	New zone	171.0	451921	5434714	150	-60	17.0	19.0	2.0	7.71	
<i>including</i>								17.7	18.0	0.3	50.1	
OBM-16-674	2125	Zone 27 footwall	171.0	451921	5434714	150	-60	61.0	64.0	3.0	2.98	
<i>including</i>								63.0	64.0	1.0	7.19	
OBM-16-674	2125	Zone 27 footwall	171.0	451921	5434714	150	-60	72.0	74.0	2.0	6.62	
<i>including</i>								72.7	74.0	1.3	9.77	
OBM-16-674	2125	Zone 27 footwall	171.0	451921	5434714	150	-60	76.2	78.8	2.6	4.10	
OBM-16-674	2125	Zone 27	171.0	451921	5434714	150	-60	106.3	113.0	6.7	16.6	
<i>including and</i>								106.3	107.0	0.7	47.0	
OBM-16-674	2125	Zone 27 hanging wall	171.0	451921	5434714	150	-60	110.4	111.8	1.4	45.7	
<i>including</i>								159.0	161.2	2.2	10.4	
<i>including</i>								159.6	161.2	1.6	14.3	
OBM-16-675	2425	Caribou	432.0	452338	5434607	332	-55	98.6	101.0	2.4	0.52	
OBM-16-675	2425	New zone	432.0	452338	5434607	332	-55	297.6	301.7	4.1	8.23	
OBM-16-675	2425	Crustiform vein	432.0	452338	5434607	332	-55	331.0	333.0	2.0	9.10	
<i>including</i>								331.5	331.9	0.4	42.8	
OBM-16-675	2425	Zone 27	432.0	452338	5434607	332	-55	395.9	400.2	4.3	3.18	
OBM-16-676	2350	Quartz vein	156.0	452261	5434543	330	-54	25.2	26.0	0.8	43.4	
OBM-16-676	2350	Caribou West 4	156.0	452261	5434543	330	-54	124.5	127.0	2.5	0.49	
OBM-16-677	2350	Zone 27 upper	125.0	452177	5434724	328	-51	43.8	46.0	2.2	3.34	
<i>including</i>								43.8	45.0	1.2	5.73	
OBM-16-677	2350	Zone 27	125.0	452177	5434724	328	-51	70.5	73.0	2.5	4.26	
OBM-16-678	2475	Caribou	186.0	452347	5434661	328	-52	71.0	73.0	2.0	2.07	
OSK-OBM-16-678	2475	Z27	717.0	452347	5434661	330	-53	256.0	258.4	2.4	24.8	
<i>including</i>								257.5	258.4	0.9	65.4	
OSK-OBM-16-678	2475	Z27	717.0	452347	5434661	330	-53	318.0	320.0	2.0	41.5	
<i>including</i>								319.0	320.0	1.0	82.8	
OSK-OBM-16-678	2475	FW3U	717.0	452347	5434661	330	-53	599.0	601.0	2.0	3.22	
OSK-OBM-16-678	2475	FW3U	717.0	452347	5434661	330	-53	604.0	606.2	2.2	3.16	
OSK-OBM-16-678	2475	FW3U	717.0	452347	5434661	330	-53	619.0	621.0	2.0	7.10	
<i>including</i>								620.0	621.0	1.0	12.9	
OBM-16-679	2450	Zone 27 upper	138.0	452254	5434790	325	-65	50.0	53.6	3.6	2.09	
OBM-16-679	2450	Zone 27	138.0	452254	5434790	325	-65	106.5	112.1	5.6	1.35	
OBM-16-680	2800		18.0	452622	5434834	331	-53	<i>Abandoned</i>				
OBM-16-681	2800	New zone	372.0	452626	5434826	331	-53	78.0	80.2	2.2	4.97	
OBM-16-681	2800		372.0	452626	5434826	331	-53	<i>Caribou South 2 - No significant results</i>				
OBM-16-682	2475	Zone 27	129.0	452269	5434798	331	-55	56.0	58.0	2.0	3.47	
<i>including</i>								57.6	58.0	0.4	16.4	
OBM-16-683	2425		39.0	452314	5434640	330	-53	<i>Abandoned</i>				
OBM-16-684	2500	Caribou	210.0	452382	5434629	331	-53	130.0	134.0	4.0	5.22	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								132.0	133.0	1.0	15.0	
OBM-16-685	2425	Caribou	384.0	452315	5434638	332	-53	41.4	43.7	2.3	0.82	
OBM-16-685	2425	Zone 27	384.0	452315	5434638	332	-53	321.7	333.4	11.7	5.40	
<i>including</i>								321.7	325.0	3.3	9.63	
OBM-16-686	2475	Zone 27 hanging wall	195.0	452207	5434907	153	-57	133.5	139.0	5.5	3.89	
<i>including</i>								133.5	134.5	1.0	19.5	
OBM-16-686	2475	Zone 27	195.0	452207	5434907	153	-57	153.0	155.0	2.0	2.39	
<i>including</i>								154.5	155.0	0.5	6.36	
OBM-16-686	2475	Zone 27 footwall	195.0	452207	5434907	153	-57	179.0	181.4	2.4	1.39	
OBM-16-687	2550	New zone	570.0	452476	5434592	330	-56	105.0	107.0	2.0	3.36	
OBM-16-687	2550	New zone	570.0	452476	5434592	330	-56	194.0	197.0	3.0	4.32	
OBM-16-687	2550	Caribou - Caribou South 1 connexion	570.0	452476	5434592	330	-56	309.0	311.6	2.6	0.35	
OBM-16-687	2550	zone (between Caribou S1 and Caribou	570.0	452476	5434592	330	-56	354.0	361.0	7.0	6.61	
<i>including</i>								354.8	355.4	0.6	67.0	
OBM-16-687	2550	Zone 27	570.0	452476	5434592	330	-56	537.9	540.0	2.1	4.78	
<i>including</i>								537.9	539.2	1.3	7.69	
OSK-OBM-16-687	2550	FW3U HW	882.0	452476	5434592	330	-56	749.0	751.0	2.0	3.48	
OBM-16-688	2500		8.6	452207	5434907	148	-61	<i>Abandoned</i>				
OBM-16-689	2725	Caribou	687.0	452630	5434688	330	-54	359.3	370.1	10.8	1.06	
<i>including</i>								359.8	360.8	1.0	3.45	
OBM-16-689	2725	New zone	687.0	452630	5434688	330	-54	492.3	495.4	3.1	9.12	
<i>including</i>								492.3	493.4	1.1	25.1	
OBM-16-689	2725	Zone 27 hanging wall	687.0	452630	5434688	330	-54	577.0	579.3	2.3	4.54	
OBM-16-689	2725	Zone 27 hanging wall	687.0	452630	5434688	330	-54	587.3	589.4	2.1	4.65	
OBM-16-689	2725	Zone 27	687.0	452630	5434688	330	-54	594.0	602.0	8.0	4.36	
<i>including and</i>								597.4	599.3	1.9	12.1	
OBM-16-689	2725	Zone 27 footwall	687.0	452630	5434688	330	-54	601.0	602.0	1.0	6.81	
<i>including</i>								615.7	618.0	2.3	9.85	
<i>including</i>								616.4	617.1	0.7	23.7	
OBM-16-690	2500	Zone 27	198.0	452240	5434915	150	-54	117.4	124.9	7.5	0.32	
OBM-16-691	2550	Caribou	327.6	452456	5434636	331	-53	198.4	200.8	2.4	4.26	
OBM-16-692	2525	Crustiform vein	182.0	452273	5434930	150	-54	42.6	47.0	4.4	13.2	
<i>including</i>								42.6	44.9	2.3	23.9	
<i>including and</i>								43.0	44.0	1.0	27.9	
<i>and</i>								44.6	44.9	0.3	81.1	
OBM-16-692	2525	Zone 27	182.0	452273	5434930	150	-54	161.9	164.0	2.1	0.66	
OBM-16-693	2525	Caribou	540.0	452443	5434600	331	-54	280.3	283.2	2.9	8.22	
<i>including</i>								282.5	283.2	0.7	31.5	
OBM-16-693	2525	Caribou - Caribou South 1 connexion	540.0	452443	5434600	331	-54	297.0	299.6	2.6	5.14	
OBM-16-693	2525	Caribou North 2	540.0	452443	5434600	331	-54	336.0	339.9	3.9	0.11	
OBM-16-693	2525	Zone 27	540.0	452443	5434600	331	-54	499.0	501.0	2.0	3.23	
OBM-16-693	2525	Zone 27 footwall	540.0	452443	5434600	331	-54	504.8	507.0	2.2	3.28	
<i>including</i>								505.5	505.9	0.4	13.3	
OSK-OBM-16-693	2525	FW3U HW	861.0	452443	5434600	331	-54	645.4	649.0	3.6	13.3	
OSK-OBM-16-693	2525	FW3U HW	861.0	452443	5434600	331	-54	654.1	664.0	9.9	30.8	22.2
<i>including</i>								654.1	656.0	1.9	80.0	45.5
<i>including</i>								658.1	661.9	3.8	37.4	32.1
OSK-OBM-16-693	2525	FW3U	861.0	452443	5434600	331	-54	805.0	807.0	2.0	7.36	
<i>including</i>								806.0	807.0	1.0	14.2	
OBM-16-694	2650	Crustiform vein	90.0	452367	5434996	150	-56	19.6	21.6	2.0	7.52	
<i>including</i>								19.6	20.3	0.7	20.5	
OBM-16-695	2850		147.0	452702	5434784	332	-61	<i>Abandoned</i>				
OBM-16-696	2850	Caribou	510.0	452710	5434810	333	-61	348.2	351.5	3.3	5.50	
<i>including</i>								350.0	351.5	1.5	7.82	
OBM-16-697	2575	Quartz tourmaline vein	420.0	452501	5434610	330	-54	228.7	230.7	2.0	16.0	
<i>including</i>								228.7	229.2	0.5	63.5	
OBM-16-697	2575		420.0	452501	5434610	330	-54	<i>Caribou hanging wall -</i>				
OBM-16-697	2575	Caribou	420.0	452501	5434610	330	-54	292.0	302.3	10.3	0.61	
OBM-16-697	2575	Caribou South 1	420.0	452501	5434610	330	-54	315.0	319.3	4.3	1.17	
OBM-16-697	2575	Caribou North 1	420.0	452501	5434610	330	-54	338.0	340.0	2.0	1.23	
OBM-16-697	2575	Caribou North 2	420.0	452501	5434610	330	-54	386.0	388.5	2.5	0.45	
OSK-OBM-16-697	2575	FW3U	885.0	452501	5434610	330	-54	799.0	801.1	2.1	15.3	
<i>including</i>								800.3	801.1	0.8	40.1	
OSK-OBM-16-697	2575	FW3U	885.0	452501	5434610	330	-54	804.1	806.7	2.6	29.1	
<i>including</i>								804.1	804.7	0.6	90.1	
OBM-16-698	2850	New zone, shear	684.0	452738	5434749	332	-60	79.5	82.5	3.0	2.97	
OBM-16-698	2850	New zone	684.0	452738	5434749	332	-60	156.5	159.0	2.5	8.06	
<i>including</i>								156.5	157.5	1.0	19.0	
OBM-16-698	2850	Zone 27 hanging wall - Quartz tourmaline vein	684.0	452738	5434749	332	-60	443.1	446.0	2.9	3.62	
OBM-16-698	2850	Caribou North 2	684.0	452738	5434749	332	-60	492.3	495.8	3.4	4.49	
<i>including</i>								495.1	495.8	0.6	19.3	
OBM-16-699	1600	FW3	351.0	451486	5434418	330	-60	118.5	121.0	2.5	0.02	
OBM-16-699	1600	New zone	351.0	451486	5434418	330	-60	270.0	272.5	2.5	6.63	
OBM-16-700	2550		126.0	452469	5434608	331	-53	<i>Abandoned</i>				



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-16-701	2950	New zone	699.0	452818	5434799	328	-63	262.0	264.0	2.0	3.20	
		<i>including</i>						262.5	263.0	0.5	11.9	
OBM-16-701	2950	Tourmaline veins	699.0	452818	5434799	328	-63	310.7	313.0	2.3	3.66	
		<i>including</i>						310.7	311.0	0.3	12.1	
OBM-16-701	2950	Quartz vein	699.0	452818	5434799	328	-63	374.7	377.0	2.3	3.28	
		<i>including</i>						376.7	377.0	0.3	14.4	
OBM-16-701	2950	New zone	699.0	452818	5434799	328	-63	414.7	420.8	6.1	5.14	
OBM-16-701	2950	Caribou hanging wall	699.0	452818	5434799	328	-63	463.0	470.0	7.0	4.82	
		<i>including</i>						463.0	464.0	1.0	22.4	
OBM-16-701	2950	Crustiform vein	699.0	452818	5434799	328	-63	469.0	471.2	2.2	4.51	
OBM-16-701	2950	Extension of Caribou North 2	699.0	452818	5434799	328	-63	551.1	558.0	6.9	8.86	
		<i>including</i>						557.0	558.0	1.0	47.7	
OBM-16-701	2950	Eastern extension of Zone 27	699.0	452818	5434799	328	-63	620.2	622.3	2.1	6.68	
		<i>including</i>						621.3	622.3	1.0	13.3	
OBM-16-702	2425	Caribou	108.0	452311	5434627	329	-55	52.9	55.7	2.8	2.66	
		<i>including</i>						52.9	53.6	0.7	9.69	
OBM-16-703	1625	New zone	678.0	451622	5434235	329	-56	250.5	252.8	2.3	7.81	
		<i>including</i>						250.5	251.3	0.8	22.0	
OBM-16-703	1625	Quartz-carbonate veins	678.0	451622	5434235	329	-56	256.1	259.0	2.9	3.34	
OBM-16-703	1625	FW1	678.0	451622	5434235	329	-56	300.7	303.0	2.3	18.4	
		<i>including</i>						301.4	302.5	1.1	38.2	
OBM-16-703	1625	New zone	678.0	451622	5434235	329	-56	336.5	338.5	2.0	3.17	
		<i>including</i>						336.5	337.7	1.2	5.09	
OBM-16-703	1625	FW3	678.0	451622	5434235	329	-56	469.5	472.5	3.0	0.60	
OBM-16-704	2425	Caribou	408.0	452311	5434627	329	-57	56.0	58.0	2.0	0.79	
OBM-16-704	2425	Zone 27	408.0	452311	5434627	329	-57	346.0	350.2	4.2	3.55	
OBM-16-704	2425	FW3	408.0	452311	5434627	329	-57	594.9	599.2	4.3	0.72	
OSK-W-16-704-W1	2425	FW3 hanging wall	852.0	452311	5434627	329	-57	641.8	644.5	2.8	6.59	
		<i>including</i>						643.1	643.5	0.4	39.1	
OSK-W-16-704-W1	2425	FW3	852.0	452311	5434627	329	-57	649.6	652.5	2.9	15.5	
		<i>including</i>						649.6	650.3	0.7	63.6	
OSK-W-16-704-W1	2425	New - Underdog corridor	852.0	452311	5434627	329	-57	671.2	677.5	6.3	6.10	
		<i>including</i>						671.2	671.7	0.5	59.3	
OSK-W-16-704-W1	2425	FW4	852.0	452311	5434627	329	-57	797.0	799.0	2.0	25.1	
		<i>including</i>						797.5	798.1	0.6	50.5	
OSK-W-16-705	2650	Caribou South 1	636.0	452599	5434581	333	-60	403.5	405.8	2.3	1.31	
OSK-W-16-705	2650	Caribou South 3	636.0	452599	5434581	333	-60	482.7	485.0	2.3	0.54	
OSK-W-16-705	2650	Wolf	636.0	452599	5434581	333	-60	565.0	567.0	2.0	4.04	
		<i>including</i>						565.7	566.4	0.7	10.7	
OSK-W-16-705	2650	New Zone	636.0	452599	5434581	333	-60	594.0	596.2	2.2	3.64	
OSK-W-16-705	2650	FW3	636.0	452599	5434581	333	-60	899.0	901.9	2.9	3.54	
		<i>including</i>						901.1	901.9	0.8	12.3	
OSK-W-16-706	2575	Caribou South 1	1335.0	452611	5434418	327	-57	549.6	552.6	3.0	8.65	
OSK-W-16-706	2575	FW0	1335.0	452611	5434418	327	-57	829.5	831.6	2.1	1.44	
OSK-W-16-706	2575	FW1	1335.0	452611	5434418	327	-57	950.3	952.6	2.3	12.3	
		<i>including</i>						950.3	951.3	1.0	29.4	
OSK-W-16-706	2575	FW3	1335.0	452611	5434418	327	-57	1135.0	1138.9	3.9	0.72	
OSK-W-16-706-W1	2575	Caribou South 1	1275.0	452611	5434418	327	-57	546.5	563.0	16.5	5.75	
OSK-W-16-706-W1	2575	Caribou South 1 - cut to 100 g/t Au	1275.0	452611	5434418	327	-57	546.5	563.0	16.5	3.53	
		<i>including</i>						549.2	549.5	0.3	222	100
OSK-W-16-706-W1	2575	Caribou South 1 footwall	1275.0	452611	5434418	327	-57	558.3	563.0	4.7	3.41	
		<i>including</i>						558.3	558.7	0.4	14.5	
OSK-W-16-706-W1	2575	FW0	1275.0	452611	5434418	327	-57	818.8	821.3	2.5	28.1	
		<i>including</i>						819.4	820.0	0.6	127	100
OSK-W-16-706-W1	2575	FW1 hanging wall	1275.0	452611	5434418	327	-57	886.2	888.2	2.0	4.93	
		<i>including</i>						886.2	887.2	1.0	9.72	
OSK-W-16-706-W1	2575	FW1	1275.0	452611	5434418	327	-57	902.5	904.5	2.0	2.85	
OSK-W-16-706-W1	2575	FW2	1275.0	452611	5434418	327	-57	981.1	992.0	10.9	10.6	
		<i>including</i>						981.9	983.7	1.8	24.0	
		<i>including</i>						988.5	992.0	3.5	19.4	
OSK-W-16-706-W1	2575	FW2	1275.0	452611	5434418	327	-57	1007.0	1012.0	5.0	7.10	
		<i>including</i>						1008.0	1010.0	2.0	13.8	
OSK-W-16-706-W1	2575	FW2	1275.0	452611	5434418	327	-57	1022.0	1024.3	2.3	18.6	
		<i>including</i>						1022.9	1023.7	0.8	49.9	
OSK-W-16-706-W1	2575	FW3	1275.0	452611	5434418	327	-57	1033.0	1041.9	8.9	16.6	15.9
		<i>including</i>						1033.5	1034.3	0.8	93.6	
		<i>including</i>						1041.0	1041.4	0.4	117	100
OSK-W-16-706-W1	2575	FW4	1275.0	452611	5434418	327	-57	1073.1	1077.0	3.9	8.74	
OSK-W-16-706-W1	2575	New - under Red Dog	1275.0	452611	5434418	327	-57	1248.4	1250.9	2.5	3.95	
OSK-W-16-706-W2	2575	Caribou South 1	1296.0	452611	5434418	327	-57	552.0	556.3	4.3	1.87	
OSK-W-16-706-W2	2575	FW0	1296.0	452611	5434418	327	-57	827.0	829.0	2.0	2.43	
OSK-W-16-706-W2	2575	Quartz-tourmaline veins	1296.0	452611	5434418	327	-57	903.0	905.0	2.0	3.12	
OSK-W-16-706-W2	2575	FW1 (AQ core)	1296.0	452611	5434418	327	-57	945.1	951.4	6.3	9.17	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1018.0	1020.4	2.4	5.67	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1093.8	1098.3	4.5	3.06	
		<i>including</i>						1093.8	1094.4	0.6	12.7	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>and</i>								1097.4	1098.3	0.9	6.44	
OSK-W-16-706-W2	2575	FW3	1296.0	452611	5434418	327	-57	1146.0	1149.5	3.5	4.95	
<i>including</i>								1147.8	1148.2	0.4	35.3	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1176.5	1179.0	2.5	3.20	
<i>including</i>								1177.5	1178.0	0.5	15.7	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1203.2	1205.2	2.0	7.33	
<i>including</i>								1204.2	1204.6	0.4	33.6	
OSK-W-16-706-W3	2575	FW1	1061.0	452611	5434418	327	-57	944.8	952.5	7.7	7.57	
<i>including</i>								944.8	945.9	1.1	9.15	
<i>and</i>								949.0	950.1	1.1	30.0	
OSK-W-16-706-W3	2575	FW2	1061.0	452611	5434418	327	-57	1027.0	1029.2	2.2	7.88	
<i>including</i>								1028.0	1028.7	0.7	20.3	
OSK-W-16-707	2675	Caribou South 2	600.0	452572	5434688	331	-52	247.3	249.5	2.2	11.3	
<i>including</i>								248.3	248.7	0.4	58.6	
OSK-W-16-707	2675	Caribou	600.0	452572	5434688	331	-52	319.5	328.0	8.5	0.78	
OSK-W-16-708	2775	Shear and quartz veins	1257.0	452818	5434423	331	-54	354.0	356.2	2.2	3.65	
<i>including</i>								354.8	355.1	0.3	14.0	
OSK-W-16-708	2775	Caribou South 3	1257.0	452818	5434423	331	-54	625.5	628.0	2.5	1.50	
OSK-W-16-708	2775	New	1257.0	452818	5434423	331	-54	755.6	758.0	2.4	3.36	
OSK-W-16-708	2775	Wolf hanging wall	1257.0	452818	5434423	331	-54	796.0	798.0	2.0	17.1	
OSK-W-16-708	2775	New	1257.0	452818	5434423	331	-54	889.5	891.8	2.3	5.55	
<i>including</i>								891.2	891.8	0.6	19.0	
OSK-W-16-708	2775	FW1	1257.0	452818	5434423	331	-54	1021.7	1024.5	2.8	3.94	
<i>including</i>								1022.5	1023.0	0.5	16.1	
OSK-W-16-708	2775	FW3	1257.0	452818	5434423	331	-54	1204.5	1206.7	2.2	0.09	
OSK-W-16-708-W1	2775	Caribou South 3 footwall	1272.0	452818	5434423	331	-54	633.3	635.9	2.6	1.28	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	706.3	708.7	2.4	3.25	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	729.3	733.0	3.7	3.89	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	738.1	740.7	2.6	4.01	
<i>including</i>								739.0	739.7	0.7	12.0	
OSK-W-16-708-W1	2775	Wolf hanging wall	1272.0	452818	5434423	331	-54	765.5	769.5	4.0	12.2	
OSK-W-16-708-W1	2775	Wolf	1272.0	452818	5434423	331	-54	816.5	820.3	3.8	12.5	
OSK-W-16-708-W1	2775	Wolf footwall	1272.0	452818	5434423	331	-54	834.0	836.4	2.4	4.79	
<i>including</i>								835.6	836.4	0.8	13.9	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	838.1	844.5	6.4	15.4	
<i>including</i>								840.5	843.4	2.9	31.5	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	1069.0	1071.0	2.0	8.27	
<i>including</i>								1069.9	1070.2	0.3	41.7	
OSK-W-16-708-W1	2775	FW3	1272.0	452818	5434423	331	-54	1088.0	1091.0	3.0	3.74	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	1163.0	1165.1	2.1	6.14	
<i>including</i>								1163.0	1164.0	1.0	11.1	
OSK-W-16-708-W2	2775	Caribou South 3	1407.0	452818	5434423	330	-54	633.0	635.6	2.6	3.20	
OSK-W-16-708-W2	2775	Shear - Caribou Corridor	1407.0	452818	5434423	330	-54	668.8	671.0	2.2	7.43	
<i>including</i>								668.8	670.2	1.4	11.4	
OSK-W-16-708-W2	2775	Caribou - Caribou Corridor	1407.0	452818	5434423	330	-54	795.0	798.0	3.0	7.66	
OSK-W-16-708-W2	2775	Wolf - Caribou Corridor	1407.0	452818	5434423	330	-54	841.9	844.7	2.8	4.47	
<i>including</i>								844.3	844.7	0.4	30.3	
OSK-W-16-708-W2	2775	New zone - Underdog	1407.0	452818	5434423	330	-54	1135.5	1142.1	6.6	13.8	
<i>including</i>								1136.1	1138.5	2.4	36.1	
OSK-W-16-708-W2	2775	FW3	1407.0	452818	5434423	330	-54	1274.3	1276.3	2.0	0.63	
OSK-W-16-709	2700	New zone ; Shear	590.0	452647	5434573	330	-59	186.0	188.0	2.0	3.01	
<i>including</i>								186.0	187.0	1.0	5.61	
OSK-W-16-709	2700	New Zone	590.0	452647	5434573	330	-59	349.5	351.5	2.0	3.22	
OSK-W-16-709	2700	Caribou South 1	590.0	452647	5434573	330	-59	418.2	421.9	3.7	4.90	
OSK-W-16-709	2700	Caribou South 3	590.0	452647	5434573	330	-59	499.2	502.0	2.8	0.76	
OSK-W-16-710	2700	Tourmaline breccia	704.0	452649	5434613	331	-60	68.0	70.0	2.0	3.25	
<i>including</i>								69.3	70.0	0.7	8.93	
OSK-W-16-710	2700	New zone	704.0	452649	5434613	331	-60	157.0	159.0	2.0	3.13	
<i>including</i>								157.0	158.3	1.3	4.72	
OSK-W-16-710	2700	New zone	704.0	452649	5434613	331	-60	222.0	225.0	3.0	3.48	
<i>including</i>								222.0	223.5	1.5	6.94	
OSK-W-16-710	2700	Caribou South 1	704.0	452649	5434613	331	-60	402.8	403.5	0.7	1.94	
OSK-W-16-710	2700		704.0	452649	5434613	331	-60	<i>Caribou South 3 ; cross-cut by late felsic dike</i>				
OSK-W-16-710	2700	Quartz-tourmaline veins	704.0	452649	5434613	331	-60	498.0	500.5	2.5	10.8	
<i>including</i>								498.0	499.5	1.5	17.8	
OSK-W-16-710	2700	New zone	704.0	452649	5434613	331	-60	531.0	534.0	3.0	8.32	
<i>including</i>								532.5	534.0	1.5	15.5	
OSK-W-16-710	2700	Wolf	704.0	452649	5434613	331	-60	562.0	568.7	6.7	11.8	
<i>including</i>								565.9	566.6	0.7	212	100
OSK-W-16-710	2700	New zone	704.0	452649	5434613	331	-60	586.0	588.3	2.3	16.2	
<i>including</i>								586.0	587.9	1.9	19.6	
OSK-W-16-710	2700	Caribou North 2	704.0	452649	5434613	331	-60	620.0	623.5	3.5	1.12	
OSK-W-16-711	N/A		393.0	449352	5434556	329	-47	<i>No significant results</i>				
OSK-W-16-712	2775		39.0	452678	5434681	330	-55	<i>Abandoned</i>				
OSK-W-16-713	2775	Caribou	523.0	452678	5434681	331	-56	421.0	423.0	2.0	0.80	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-16-713	2775	Caribou North 2 footwall	523.0	452678	5434681	331	-56	472.0	479.4	7.4	1.43	
OSK-W-16-714	N/A		510.0	449299	5435272	330	-45	No significant results				
OSK-W-16-715	2800	Eastern extension Caribou South 1	804.0	452786	5434527	334	-61	534.5	536.5	2.0	4.85	
OSK-W-16-715	2800	New	804.0	452786	5434527	334	-61	541.5	543.5	2.0	4.17	
OSK-W-16-715	2800	Caribou South 3	804.0	452786	5434527	334	-61	646.0	649.0	3.0	22.6	
		<i>including</i>						647.5	649.0	1.5	41.0	
OSK-W-16-715	2800	New	804.0	452786	5434527	334	-61	668.5	671.5	3.0	6.84	
		<i>including</i>						668.5	670.0	1.5	13.1	
OSK-W-16-715	2800	New	804.0	452786	5434527	334	-61	727.0	729.8	2.8	4.38	
OSK-W-16-715	2800	Quartz vein in Red Dog	804.0	452786	5434527	334	-61	800.8	801.3	0.5	18.9	
OSK-W-16-716	N/A		601.0	448895	5435348	332	-45	No significant results				
OSK-W-16-717	N/A	New	525.0	448758	5435642	331	-45	51.5	53.6	2.1	3.16	
OSK-W-16-717	N/A	New discovery - Fox	525.0	448758	5435642	331	-45	243.9	255.5	11.6	3.22	
OSK-W-16-718	2775	Caribou South 1	798.0	452742	5434571	332	-61	431.9	434.9	3.0	23.2	
		<i>including</i>						432.9	434.2	1.3	44.5	
OSK-W-16-718	2775	Caribou South 3	798.0	452742	5434571	332	-61	515.5	518.0	2.5	1.88	
OSK-W-16-718	2775	New	798.0	452742	5434571	332	-61	537.5	539.7	2.2	3.31	
OSK-W-16-718	2775	Wolf 2	798.0	452742	5434571	332	-61	570.5	575.2	4.7	8.50	
OSK-W-16-718	2775	Quartz-carbonate vein	798.0	452742	5434571	332	-61	679.0	681.2	2.2	10.4	
		<i>including</i>						680.7	681.2	0.5	44.4	
OSK-W-16-718	2775	Wolf	798.0	452742	5434571	332	-61	735.3	737.9	2.6	4.78	
OSK-W-16-719	N/A		501.0	448757	5436406	329	-46	No significant results				
OSK-W-16-720	2775	Caribou	641.0	452665	5434716	332	-56	260.0	265.7	5.7	34.4	20.9
		<i>including</i>						262.0	262.5	0.5	45.9	
		<i>and</i>						263.1	263.6	0.5	105	100
		<i>and</i>						264.3	264.6	0.3	348	100
OSK-W-16-720	2775	Caribou	641.0	452665	5434716	332	-56	394.0	398.4	4.4	5.56	
		<i>including</i>						394.0	394.5	0.5	18.7	
OSK-W-16-720	2775	Caribou North 2 extension	641.0	452665	5434716	332	-56	436.5	439.0	2.5	3.07	
		<i>including</i>						437.0	438.0	1.0	7.25	
OSK-W-16-721	N/A		485.1	448442	5436942	327	-45	No significant results				
OSK-W-16-722	2925	New	773.3	452795	5434812	330	-60	53.0	55.0	2.0	6.08	
		<i>including</i>						53.0	54.0	1.0	12.0	
OSK-W-16-723	N/A		765.0	447874	5436916	332	-44	No significant results				
OSK-W-16-724	3050	New	822.0	452910	5434850	329	-65	157.0	159.0	2.0	3.18	
OSK-W-16-724	3050	New - Caribou Corridor	822.0	452910	5434850	329	-65	385.0	387.5	2.5	3.34	
		<i>including</i>						385.0	386.0	1.0	8.11	
OSK-W-16-724	3050	New - Caribou Corridor	822.0	452910	5434850	329	-65	478.6	480.7	2.1	3.64	
OSK-W-16-724	3050	Caribou North 2 Zone Extension	822.0	452910	5434850	329	-65	576.7	580.0	3.3	5.06	
		<i>including</i>						579.7	580.0	0.3	26.7	
OSK-W-16-725	N/A	Quartz-carbonate veins	582.0	447947	5436106	330	-50	346.7	347.7	1.0	3.07	
OSK-W-16-726	1850	FW3	996.0	451895	5434186	328	-59	837.0	839.9	2.9	0.60	
OSK-W-16-726	1850	New zone under Red Dog	996.0	451895	5434186	328	-59	936.6	938.8	2.2	4.49	
		<i>including</i>						938.5	938.8	0.3	18.5	
OSK-W-16-726-W1	1850	FW3	1106.0	451895	5434186	328	-59	962.9	966.3	3.4	0.27	
OSK-W-16-726-W2	1850		564.0	451895	5434186	328	-59	No significant results				
OSK-W-16-727	1775	FW3 Underdog	381.0	451664	5434446	330	-53	274.4	276.5	2.1	9.45	
		<i>including</i>						274.9	276.0	1.1	17.2	
OSK-W-16-728	3200	Crustiform vein	1419.0	453055	5434890	334	-66	363.0	365.4	2.4	42.2	17.2
		<i>including</i>						363.6	364.0	0.4	250	100
OSK-W-16-728	3200	Crustiform vein	1419.0	453055	5434890	334	-66	404.0	404.5	0.5	23.8	
OSK-W-16-728	3200	Caribou Zone extension	1419.0	453055	5434890	334	-66	478.1	481.2	3.1	391	100
OSK-W-16-728	3200	Caribou Zone extension Cut to 100 g/t Au	1419.0	453055	5434890	334	-66	478.1	481.2	3.1	14.7	
		<i>including</i>						478.1	478.5	0.4	3020	100
OSK-W-16-728	3200	New zone - Caribou corridor	1419.0	453055	5434890	334	-66	581.6	584.0	2.4	3.18	
OSK-W-16-728	3200	Zone 27 - Crustiform vein	1419.0	453055	5434890	334	-66	752.2	754.9	2.7	4.69	
		<i>including</i>						753.1	753.9	0.8	15.6	
OSK-U-16-729	N/A		482.0	450104	5433288	330	-43	No significant results				
OSK-U-16-730	N/A		501.0	449901	5433572	330	-45	No significant results				
OSK-U-16-731	N/A	New zone	498.0	449764	5433851	330	-43	358.5	360.5	2.0	6.78	
		<i>including</i>						358.5	359.4	0.9	11.1	
OSK-U-16-732	N/A	Fox	420.0	448758	5435641	331	-56	65.5	68.5	3.0	8.04	
		<i>including</i>						67.0	68.5	1.5	16.1	
OSK-U-16-733	N/A	Shear veins	501.0	448759	5435642	359	-54	47.3	49.0	1.8	3.40	
		<i>including</i>						47.3	47.8	0.5	9.99	
OSK-U-16-734	N/A	Fox	559.0	448758	5435641	302	-46	407.0	409.1	2.1	39.2	
		<i>including</i>						407.0	407.7	0.7	96.2	
		<i>and</i>						408.8	409.1	0.3	48.0	
OSK-W-16-735	2375	Shear vein	1110.0	452285	5434580	332	-64	58.3	60.5	2.2	13.8	
		<i>including</i>						58.3	58.9	0.6	48.7	
OSK-W-16-735	2375	Caribou	1110.0	452285	5434580	332	-64	101.8	137.2	35.4	17.0	
OSK-W-16-735	2375	Caribou Cut to 100g/t Au	1110.0	452285	5434580	332	-64	101.8	137.2	35.4	6.10	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
								103.0	103.5	0.5	10.1	
								112.0	113.7	1.7	318	100
								112.0	113.0	1.0	486	100
								113.0	113.7	0.7	79.2	
OSK-W-16-735	2375	Zone 27	1110.0	452285	5434580	332	-64	322.8	325.0	2.2	14.6	
								322.8	323.4	0.6	53.0	
OSK-W-16-735	2375	FW1	1110.0	452285	5434580	332	-64	532.4	534.5	2.1	14.1	
								532.4	533.1	0.7	32.8	
								534.2	534.5	0.3	19.6	
OSK-W-16-735	2375	FW1 Footwall	1110.0	452285	5434580	332	-64	554.4	557.8	3.4	10.8	
								554.4	554.8	0.4	76.9	
OSK-W-16-735	2375	FW3	1110.0	452285	5434580	332	-64	676.5	681.1	4.6	0.71	
OSK-W-16-735	2375	FW4 Hangingwall	1110.0	452285	5434580	332	-64	797.8	800.0	2.2	6.75	
								798.8	799.1	0.3	48.4	
OSK-W-16-735	2375	FW4 Hangingwall	1110.0	452285	5434580	332	-64	812.0	814.9	2.9	8.57	
								814.4	814.9	0.5	43.0	
OSK-W-16-735	2375	FW4	1110.0	452285	5434580	332	-64	824.2	828.4	4.2	33.6	24.4
								824.2	824.5	0.3	228	100
								826.8	828.4	1.6	36.8	
OSK-W-16-735-W1	2375	Z27-2	1071.0	452285	5434580	332	-64	345.8	348.0	2.2	4.50	
OSK-W-16-735-W1	2375	Zone 27	1071.0	452285	5434580	332	-64	404.1	406.0	1.9	1.14	
OSK-W-16-735-W1	2375	Quartz vein in Red Dog	1071.0	452285	5434580	332	-64	427.5	428.5	1.0	5.13	
OSK-W-16-735-W1	2375	Quartz vein in Red Dog	1071.0	452285	5434580	332	-64	477.8	478.1	0.3	11.8	
OSK-W-16-735-W1	2375	FW1	1071.0	452285	5434580	332	-64	520.5	527.3	6.8	11.6	8.70
								521.5	522.0	0.5	140	100
OSK-W-16-735-W1	2375	FW3	1071.0	452285	5434580	332	-64	743.3	749.0	5.7	1.04	
OSK-W-16-735-W2	2375	FW1	1089.5	452285	5434580	332	-64	532.2	535.7	3.5	12.2	
OSK-W-16-735-W2	2375	FW1	1089.5	452285	5434580	332	-64	545.8	548.6	2.8	6.80	
OSK-W-16-735-W2	2375	FW3	1089.5	452285	5434580	332	-64	808.5	818.3	9.8	7.92	
OSK-W-16-735-W2	2375	FW3	1089.5	452285	5434580	332	-64	822.7	828.0	5.3	11.7	
								825.0	825.5	0.5	54.1	
OSK-U-16-736	N/A	Fox	589.0	448758	5435640	302	-60	260.6	262.7	2.1	5.14	
OSK-U-16-736	N/A	Fox	589.0	448758	5435640	302	-60	313.0	315.6	2.6	4.32	
OSK-W-16-737	3375		72.0	453236	5434928	332	-66					Abandoned
OSK-U-16-738	N/A	Fox	546.0	448758	5435640	276	-46	217.8	221.7	3.9	2.58	
OSK-U-16-738	N/A	Fox	546.0	448758	5435640	276	-46	272.7	274.4	1.7	2.86	
OSK-W-16-739	3375		42.0	453236	5434928	332	-65					Abandoned
OSK-W-16-740	3375	Vein	1464.0	453238	5434925	340	-66	137.4	140.0	2.6	7.21	
								138.7	139.2	0.5	23.6	
OSK-W-16-740	3375	Lynx	1464.0	453238	5434925	340	-66	159.0	161.0	2.0	4.49	
OSK-W-16-740	3375	Lynx FW	1464.0	453238	5434925	340	-66	248.5	256.7	8.2	4.72	
								249.5	250.1	0.6	13.0	
								255.7	256.7	1.0	19.3	
OSK-W-16-740	3375	Crustiform Vein	1464.0	453238	5434925	340	-66	305.4	310.0	4.6	5.69	
								305.4	306.1	0.7	11.8	
								309.0	310.0	1.0	16.3	
OSK-W-16-740	3375	CN2	1464.0	453238	5434925	340	-66	720.5	722.8	2.3	9.66	
								720.5	721.5	1.0	19.5	
OSK-W-16-740	3375	New UnderDog	1464.0	453238	5434925	340	-66	1389.0	1391.4	2.4	8.71	
								1390.2	1390.5	0.3	67.9	
OSK-W-16-741	2525		246.0	452652	5434236	329	-65					No significant results
OSK-W-16-742	2525		30.0	452651	5434236	330	-64					Abandoned
OSK-W-16-743	2525	New zone	1560.0	452652	5434236	334	-64	672.2	674.7	2.5	6.44	
OSK-W-16-743	2525	New zone	1560.0	452652	5434236	334	-64	701.1	703.8	2.7	4.91	
								703.1	703.8	0.7	15.3	
OSK-W-16-743	2525	CS1	1560.0	452652	5434236	334	-64	776.4	777.3	0.9	1.91	
OSK-W-16-743	2525	New zone	1560.0	452652	5434236	334	-64	790.4	792.8	2.4	4.71	
								790.4	790.7	0.3	37.1	
OSK-W-16-743	2525	FW0	1560.0	452652	5434236	334	-64	1007.0	1009.7	2.7	2.52	
OSK-W-16-743	2525	FW1	1560.0	452652	5434236	334	-64	1173.6	1183.3	9.7	3.37	
								1179.2	1179.8	0.6	13.3	
OSK-W-16-743	2525	FW2	1560.0	452652	5434236	334	-64	1233.7	1236.3	2.6	303	47.0
								1233.7	1235.8	2.1	375	57.7
OSK-W-16-743	2525	FW3	1560.0	452652	5434236	334	-64	1366.0	1368.2	2.2	5.55	
OSK-W-16-743-W1	2525	CS1	1488.0	452652	5434236	334	-64	774.0	776.0	2.0	1.10	
								774.6	775.0	0.4	5.05	
OSK-W-16-743-W1	2525	FW0	1488.0	452652	5434236	334	-64	1000.5	1005.7	5.2	5.77	
								1001.3	1003.7	2.4	11.0	
OSK-W-16-743-W1	2525	FW0 FW	1488.0	452652	5434236	334	-64	1060.0	1063.0	3.0	3.62	
								1060.0	1060.5	0.5	7.97	
OSK-W-16-743-W1	2525	FW2 HW	1488.0	452652	5434236	334	-64	1243.5	1245.6	2.1	6.77	
OSK-W-16-743-W1	2525	FW2	1488.0	452652	5434236	334	-64	1251.8	1254.4	2.6	8.13	
								1252.1	1252.9	0.8	24.0	
OSK-W-16-743-W1	2525	FW3	1488.0	452652	5434236	334	-64	1394.0	1396.0	2.0	6.29	
								1394.0	1394.9	0.9	12.9	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	
OSK-W-16-743-W2	2525	CS1	1625.2	452652	5434236	334	-64	748.0	751.0	3.0	10.3		
			<i>including</i>										
								749.6	751.0	1.4	21.5		
OSK-W-16-743-W2	2525	FW0	1625.2	452652	5434236	334	-64	1160.0	1162.9	2.9	3.52		
OSK-W-16-743-W2	2525	FW1	1625.2	452652	5434236	334	-64	1279.0	1281.0	2.0	1.90		
OSK-W-16-743-W2	2525	FW2	1625.2	452652	5434236	334	-64	1373.7	1376.3	2.6	9.10		
			<i>including</i>										
								1374.5	1375.3	0.8	27.5		
OSK-W-16-743-W2	2525	FW3	1625.2	452652	5434236	334	-64	1465.5	1469.0	3.5	0.64		
OSK-W-17-743-W3	2525	CS1	1473.0	452652	5434236	334	-64	816.9	821.6	4.7	1.28		
OSK-W-17-743-W3	2525	Vein - FW0 corridor	1473.0	452652	5434236	334	-64	1058.0	1060.0	2.0	7.44		
OSK-W-17-743-W3	2525	FW0	1473.0	452652	5434236	334	-64	1066.8	1069.5	2.7	1.43		
OSK-W-17-743-W3	2525	FW3	1473.0	452652	5434236	334	-64	1424.0	1436.0	12.0	0.38		
OSK-W-17-743-W4	2525	CS1	1476.0	452652	5434236	334	-64	796.2	799.0	2.8	585	11.5	
			<i>including</i>										
								796.2	796.5	0.3	5450	100	
OSK-W-17-743-W4	2525	FW0	1476.0	452652	5434236	334	-64	997.0	1004.5	7.5	0.78		
OSK-W-17-743-W4	2525	QTV	1476.0	452652	5434236	334	-64	1075.2	1078.0	2.8	3.89		
OSK-W-17-743-W4	2525	FW1 HW	1476.0	452652	5434236	334	-64	1100.0	1103.0	3.0	6.86		
			<i>including</i>										
								1101.8	1102.2	0.4	42.6		
OSK-W-17-743-W4	2525	FW1 HW	1476.0	452652	5434236	334	-64	1113.6	1116.1	2.5	3.62		
OSK-W-17-743-W4	2525	FW1	1476.0	452652	5434236	334	-64	1139.0	1142.0	3.0	3.21		
OSK-W-17-743-W4	2525	FW2 HW	1476.0	452652	5434236	334	-64	1194.6	1197.0	2.4	16.6		
			<i>including</i>										
								1195.6	1196.0	0.4	95.1		
OSK-W-17-743-W4	2525	FW2	1476.0	452652	5434236	334	-64	1211.6	1213.1	1.5	4.23		
OSK-W-17-743-W4	2525	FW2 FW	1476.0	452652	5434236	334	-64	1282.4	1284.4	2.0	5.42		
			<i>including</i>										
								1282.4	1283.3	0.9	11.4		
OSK-W-17-743-W4	2525	FW3	1476.0	452652	5434236	334	-64	1381.7	1384.5	2.8	0.57		
OSK-W-17-743-W4	2525	FW3 FW	1476.0	452652	5434236	334	-64	1416.0	1418.6	2.6	1.49		
OSK-W-17-743-W5	2525	UnderDog	1554.0	452652	5434236	331	-64	946.5	951.2	4.7	2.30		
OSK-W-17-743-W5	2525	FW0 HW	1554.0	452652	5434236	331	-64	964.5	967.0	2.5	5.36		
OSK-W-17-743-W5	2525	FW1	1554.0	452652	5434236	331	-64	1187.1	1189.1	2.0	4.27		
OSK-W-17-743-W5	2525	FW2	1554.0	452652	5434236	331	-64	1272.7	1275.3	2.6	55.4	19.4	
			<i>including</i>										
								1273.7	1274.2	0.5	287	100	
OSK-W-17-743-W5	2525	FW2 FW	1554.0	452652	5434236	331	-64	1289.3	1291.9	2.6	3.94		
			<i>including</i>										
								1290.3	1290.8	0.5	12.4		
OSK-W-16-744	2775	New zone	689.4	452665	5434732	331	-56	268.0	270.5	2.5	5.24		
			<i>including</i>										
								269.0	270.5	1.5	8.35		
OSK-W-16-744	2775	Caribou	689.4	452665	5434732	331	-56	365.0	374.0	9.0	5.00		
			<i>including</i>										
								372.0	373.0	1.0	31.2		
OSK-W-16-744	2775	Caribou North 2	689.4	452665	5434732	331	-56	417.4	419.9	2.5	4.44		
			<i>including</i>										
								419.5	419.9	0.4	20.0		
OSK-W-16-744	2775	Zone 27	689.4	452665	5434732	331	-56	578.0	594.0	16.0	4.92		
			<i>including</i>										
								578.0	582.0	4.0	15.2		
OSK-W-16-746	2650	Caribou	873.0	452551	5434670	331	-57	343.0	348.2	5.2	5.50		
			<i>including</i>										
								344.8	345.2	0.4	47.2		
OSK-W-16-746	2650	Caribou North 2	873.0	452551	5434670	331	-57	378.2	378.9	0.7	0.16		
OSK-W-16-746	2650	New zone	873.0	452551	5434670	331	-57	455.4	457.2	2.3	3.87		
			<i>including</i>										
								456.9	457.7	0.8	9.29		
OSK-W-16-746	2650	Vein	873.0	452551	5434670	331	-57	603.0	606.7	3.7	16.5		
OSK-W-16-747	2475	Quartz-tourmaline vein	1050.0	452449	5434488	331	-57	153.0	155.0	2.0	3.66		
			<i>including</i>										
								154.0	154.3	0.3	23.6		
OSK-W-16-747	2475	Caribou	1050.0	452449	5434488	331	-57	298.3	300.7	2.4	13.7		
			<i>including</i>										
								298.3	299.3	1.0	31.5		
OSK-W-16-747	2475	Caribou South 1	1050.0	452449	5434488	331	-57	417.0	419.0	2.0	11.4		
			<i>including</i>										
								417.8	418.3	0.5	45.3		
OSK-W-16-747	2475	Caribou North 1	1050.0	452449	5434488	331	-57	467.1	468.9	1.8	2.17		
OSK-W-16-747	2475		1050.0	452449	5434488	331	-57	<i>Zone 27 ; cross-cut by Red Dog</i>					
OSK-W-16-747	2475	FW1	1050.0	452449	5434488	331	-57	677.6	680.0	2.4	3.89		
OSK-W-16-747	2475	FW2	1050.0	452449	5434488	331	-57	813.3	816.0	2.7	6.95		
			<i>including</i>										
								813.3	813.7	0.4	26.2		
			<i>including</i>										
								815.4	815.7	0.3	20.2		
OSK-W-16-747	2475	FW2	1050.0	452449	5434488	331	-57	850.3	856.0	5.7	4.95		
			<i>including</i>										
								853.0	854.8	1.8	8.53		
OSK-W-16-747	2475	FW3	1050.0	452449	5434488	331	-57	911.7	914.0	2.3	3.92		
OSK-W-16-747	2475	FW3	1050.0	452449	5434488	331	-57	936.9	939.3	2.4	6.96		
			<i>including</i>										
								938.1	938.6	0.5	32.5		
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	666.2	669.8	3.6	4.75		
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	683.0	685.0	2.0	12.2		
			<i>including</i>										
								683.0	683.6	0.6	24.2		
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	714.0	716.2	2.2	7.64		
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	721.3	730.0	8.7	20.0	19.7	
			<i>including</i>										
								725.9	728.0	2.1	64.4	63.1	
			<i>including</i>										
								726.5	727.1	0.6	105	100	
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	819.0	821.0	2.0	11.9		
			<i>including</i>										
								819.0	820.0	1.0	23.8		
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	932.0	936.6	4.6	22.5	20.6	
			<i>including</i>										
								932.0	933.2	1.2	78.9	71.7	
OSK-W-18-747-W2	2475	Underdog	798.0	452449	5434488	331	-57	681.0	683.5	2.5	8.58		



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-18-747-W2	2475	Underdog	798.0	452449	5434488	331	-57	712.8	715.3	2.5	7.10	
OSK-W-18-747-W2	2475	Underdog	798.0	452449	5434488	331	-57	784.0	786.0	2.0	4.86	
OSK-W-16-749	2450	CS1	551.5	452486	5434389	332	-58	504.6	510.0	5.4	12.7	
								504.6	505.3	0.7	35.2	
								506.0	510.0	4.0	10.7	
OSK-W-16-749	2450	CS1 FW	551.5	452486	5434389	332	-58	522.0	525.1	3.1	3.43	
OSK-W-16-750	3550	Lynx 1	1658.6	453440	5434933	339	-69	346.0	347.0	1.0	0.65	
OSK-W-16-750	3550	Crustiform vein	1658.6	453440	5434933	339	-69	418.2	420.5	2.3	17.0	
OSK-W-16-750	3550	Caribou	1658.6	453440	5434933	339	-69	709.0	711.0	2.0	41.8	
OSK-W-16-750	3550	UnderDog	1658.6	453440	5434933	339	-69	983.5	985.8	2.3	14.8	
								984.6	985.2	0.6	56.0	
OSK-W-16-750	3550	UnderDog	1658.6	453440	5434933	339	-69	1430.0	1432.0	2.0	4.65	
OSK-W-16-751	3200	Caribou - Shear Zone	942.0	453032	5434930	337	-64	403.0	407.7	4.7	3.09	
OSK-W-16-751	3200	Caribou - Shear Zone	942.0	453032	5434930	337	-64	466.9	469.0	2.1	5.21	
								466.9	467.8	0.9	11.5	
OSK-W-16-751	3200	Caribou	942.0	453032	5434930	337	-64	504.6	507.0	2.4	3.17	
OSK-W-16-751	3200	CN2	942.0	453032	5434930	337	-64	519.2	521.5	2.3	6.57	
OSK-W-16-751	3200	Zone 27	942.0	453032	5434930	337	-64	795.6	796.9	1.3	0.07	
OSK-W-16-753	2725	Caribou South 3	755.0	452756	5434463	332	-58	666.5	674.0	7.5	7.92	
								666.5	670.1	3.6	14.1	
OSK-W-16-753	2725	Caribou	755.0	452756	5434463	332	-58	688.0	690.7	2.7	4.09	
OSK-W-16-754	2675	CS1	1563.0	452767	5434303	332	-59	724.4	726.5	2.1	7.15	
								724.9	725.5	0.6	24.6	
OSK-W-16-754	2675	FW0	1563.0	452767	5434303	332	-59	1108.0	1111.0	3.0	4.94	
								1110.0	1111.0	1.0	11.9	
OSK-W-16-754	2675	FW0 FW	1563.0	452767	5434303	332	-59	1128.4	1131.0	2.6	3.66	
								1129.2	1129.5	0.3	22.0	
OSK-W-16-754	2675	FW1	1563.0	452767	5434303	332	-59	1257.6	1258.9	1.3	2.07	
OSK-W-16-754	2675	FW3	1563.0	452767	5434303	332	-59	1422.7	1430.0	7.3	9.76	
								1424.0	1425.6	1.6	34.6	
OSK-W-16-755	3375	Lynx	1077.0	453213	5434971	336	-65	63.0	69.0	6.0	11.8	
								64.0	64.9	0.9	67.1	
OSK-W-16-755	3375	Lynx Footwall	1077.0	453213	5434971	336	-65	147.0	149.0	2.0	8.12	
								147.4	147.9	0.5	30.4	
OSK-W-16-755	3375	Caribou Hangingwall	1077.0	453213	5434971	336	-65	188.5	191.0	2.5	3.30	
								189.5	190.2	0.7	10.6	
OSK-W-16-755	3375	Caribou	1077.0	453213	5434971	336	-65	568.0	572.9	4.9	2.11	
								569.7	570.2	0.5	11.6	
OSK-W-16-755	3375	CN2	1077.0	453213	5434971	336	-65	617.0	621.8	4.8	2.08	
OSK-W-16-755	3375	Vein	1077.0	453213	5434971	336	-65	668.0	670.0	2.0	5.60	
OSK-W-16-755-W1	3375	CN2	684.0	453213	5434971	336	-65	670.7	674.5	3.8	0.61	
OSK-W-16-756	2750	CS1	801.5	452809	5434390	331	-58	672.8	675.4	2.6	3.29	
								673.8	674.6	0.8	9.66	
OSK-W-16-756	2750	Vein	801.5	452809	5434390	331	-58	756.6	759.1	2.5	3.70	
								758.8	759.1	0.3	26.4	
OSK-W-16-759	3175	Caribou HW	890.0	452988	5434975	330	-65	189.1	193.5	4.4	4.20	
OSK-W-16-759	3175	CN2	890.0	452988	5434975	330	-65	377.4	381.3	3.9	1.53	
OSK-W-16-759	3175	Zone 27	890.0	452988	5434975	330	-65	540.2	542.4	2.2	0.46	
OSK-W-16-760	3550	Lynx HW	1560.0	453403	5434971	331	-65	208.0	211.0	3.0	14.1	
								208.5	211.0	2.5	16.7	
OSK-W-16-760	3550	Lynx	1560.0	453403	5434971	331	-65	223.0	232.0	9.0	95.3	42.7
OSK-W-16-760	3550	Lynx	1560.0	453403	5434971	331	-65	223.0	232.0	9.0	42.7	
								226.3	232.0	5.7	148	65.0
OSK-W-16-760	3550	Crustiform vein	1560.0	453403	5434971	331	-65	250.5	255.0	4.5	7.79	
OSK-W-16-760	3550	Crustiform vein	1560.0	453403	5434971	331	-65	354.3	357.0	2.7	5.50	
OSK-W-16-761	3375	Lynx FW	1386.0	453182	5434993	330	-61	54.5	56.5	2.0	19.4	
OSK-W-16-761	3375	Lynx FW	1386.0	453182	5434993	330	-61	64.7	67.0	2.3	71.3	64.3
OSK-W-16-762	2675	CS1 HW	1311.0	452730	5434409	332	-56	554.0	556.8	2.8	3.29	
								555.0	556.8	1.8	4.95	
OSK-W-16-762	2675	Vein	1311.0	452730	5434409	332	-56	589.0	591.7	2.7	3.12	
OSK-W-16-762	2675	CS1 FW	1311.0	452730	5434409	332	-56	622.0	624.0	2.0	8.89	
								623.0	624.0	1.0	17.7	
OSK-W-16-762	2675	CS3	1311.0	452730	5434409	332	-56	666.0	673.0	7.0	7.61	
OSK-W-16-762	2675	CS3 FW	1311.0	452730	5434409	332	-56	680.0	684.1	4.1	4.70	
								682.0	684.1	2.1	8.95	
OSK-W-16-762	2675	Caribou	1311.0	452730	5434409	332	-56	693.0	696.0	3.0	4.47	
								694.0	695.0	1.0	7.24	
OSK-W-16-762	2675	FW3	1311.0	452730	5434409	332	-56	1158.0	1160.5	2.5	6.59	
								1158.0	1158.8	0.8	17.8	
OSK-W-18-762-W1	2675	Underdog	1299.0	452730	5434409	332	-56	902.0	904.5	2.5	8.70	
								904.0	904.5	0.5	19.9	
OSK-W-18-762-W1	2675	FW4	1299.0	452730	5434409	332	-56	1220.0	1222.0	2.0	11.1	
								1221.0	1221.5	0.5	41.5	
OSK-W-16-764	3350	Caribou extension	1334.8	453147	5435026	329	-60	369.9	374.5	4.6	0.73	
OSK-W-16-764	3350	CN2 extension	1334.8	453147	5435026	329	-60	416.5	420.0	3.5	0.24	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-16-765	3175	New zone	900.0	452955	5435002	329	-63	41.3	52.9	11.6	1.11	
OSK-W-16-765	3175	New zone	900.0	452955	5435002	329	-63	82.6	84.0	1.4	4.52	
		<i>including</i>						82.6	82.9	0.3	20.3	
OSK-W-16-765	3175	Caribou extension	900.0	452955	5435002	329	-63	137.0	139.0	2.0	2.27	
		<i>including</i>						137.0	137.5	0.5	8.82	
OSK-W-16-765	3175	Caribou extension	900.0	452955	5435002	329	-63	141.9	144.1	2.2	2.54	
OSK-W-16-765	3175	CN2 extension	900.0	452955	5435002	329	-63	341.1	344.0	2.9	0.98	
OSK-W-16-765	3175	CN2 extension	900.0	452955	5435002	329	-63	364.3	371.0	6.7	0.21	
OSK-W-16-765	3175	Z27 extension	900.0	452955	5435002	329	-63	576.1	577.1	1.0	0.13	
OSK-W-16-766	2625	Vein - Caribou corridor	707.9	452690	5434340	333	-57	341.9	345.0	3.1	5.17	
		<i>including</i>						343.0	343.6	0.6	16.2	
OSK-W-16-766	2625	CS1	707.9	452690	5434340	333	-57	651.1	653.9	2.8	3.60	
OSK-W-17-766-W1	2600	CS1 FW	741.0	452690	5434340	328	-55	674.8	680.6	5.8	15.6	
		<i>including</i>						676.5	679.5	3.0	27.6	
OSK-W-16-767	2775	Vein - Shear	1605.0	452887	5434330	331	-60	431.7	433.1	1.4	1.70	
		<i>including</i>						432.8	433.1	0.3	6.72	
OSK-W-16-767	2775	Vein in late dyke	1605.0	452887	5434330	331	-60	865.9	870.0	4.1	3.68	
OSK-W-16-767	2775	FW0	1605.0	452887	5434330	331	-60	1121.0	1123.0	2.0	4.14	
		<i>including</i>						1122.0	1123.0	1.0	7.57	
OSK-W-16-767	2775	FW1	1605.0	452887	5434330	331	-60	1359.7	1368.5	8.8	2.06	
		<i>including</i>						1359.7	1360.1	0.4	22.2	
OSK-W-16-767	2775	FW3	1605.0	452887	5434330	331	-60	1535.5	1548.0	12.5	0.49	
OSK-W-16-769	3175	Vein	921.0	452932	5435051	331	-64	235.6	238.7	3.1	3.52	
		<i>including</i>						237.1	237.7	0.6	13.4	
OSK-W-16-769	3175	CN2	921.0	452932	5435051	331	-64	298.0	300.1	2.1	32.8	24.1
OSK-W-17-770	3325		28.5	453095	5435084	327	-61					<i>Abandoned</i>
OSK-W-17-772	3325	Caribou extension	1218.0	453095	5435085	333	-61	233.5	237.1	3.6	1.06	
OSK-W-17-772	3325	Z27 extension	1218.0	453095	5435085	333	-61	466.5	468.6	2.1	0.21	
OSK-W-17-773	3525	Lynx	1444.5	453361	5435006	332	-63	147.5	150.0	2.5	2.50	
		<i>including</i>						148.7	149.3	0.6	8.95	
OSK-W-17-773	3525	FW4	1444.5	453361	5435006	332	-63	1348.0	1350.2	2.2	1.05	
OSK-W-17-774	2800	CS1	1175.0	452731	5434636	333	-57	339.3	343.1	3.8	0.06	
OSK-W-17-774	2800	Wolf	1175.0	452731	5434636	333	-57	565.5	572.6	7.1	1.49	
		<i>including</i>						572.0	572.6	0.6	9.42	
OSK-W-17-774	2800	CN2	1175.0	452731	5434636	333	-57	604.1	608.5	4.4	0.72	
OSK-W-17-774	2800	FW3	1175.0	452731	5434636	333	-57	932.1	934.1	2.0	0.74	
OSK-W-17-774	2800	FW3	1175.0	452731	5434636	333	-57	1028.3	1031.0	2.7	0.75	
OSK-W-17-776	2800	New- Caribou corridor	857.0	452851	5434432	330	-57	584.5	586.6	2.1	5.00	
OSK-W-17-776	2800	CS1	857.0	452851	5434432	330	-57	628.3	630.5	2.2	0.16	
OSK-W-17-776	2800	CS3	857.0	452851	5434432	330	-57	707.3	711.6	4.3	1.09	
OSK-W-17-776	2800	Caribou corridor	857.0	452851	5434432	330	-57	773.5	775.5	2.0	11.2	
OSK-W-17-776	2800	Caribou	857.0	452851	5434432	330	-57	797.0	803.0	6.0	6.42	
		<i>including</i>						797.7	800.3	2.6	10.1	
OSK-W-17-776	2800	Vein in late dyke	857.0	452851	5434432	330	-57	854.4	857.0	2.6	5.65	
		<i>including</i>						854.4	854.7	0.3	42.0	
OSK-W-17-777	2675	Crustiform vein	712.8	452678	5434500	339	-58	380.4	383.4	3.0	5.79	
OSK-W-17-777	2675	CS1	712.8	452678	5434500	339	-58	492.4	492.7	0.3	0.28	
OSK-W-17-777	2675	CS3	712.8	452678	5434500	339	-58	617.0	621.0	4.0	9.01	
		<i>including</i>						618.0	619.0	1.0	18.5	
OSK-W-17-778	2600	Crustiform vein	1362.0	452689	5434339	331	-58	545.0	547.7	2.7	13.5	
		<i>including</i>						546.6	547.0	0.4	90.2	
OSK-W-17-778	2600	CS1	1362.0	452689	5434339	331	-58	642.7	646.2	3.5	15.0	
		<i>including</i>						643.5	644.5	1.0	48.7	
OSK-W-17-778	2600	FW0	1362.0	452689	5434339	331	-58	917.0	919.2	2.2	11.6	
OSK-W-17-778	2600	FW1	1362.0	452689	5434339	331	-58	1095.4	1098.4	3.0	10.6	
OSK-W-17-778	2600	FW1	1362.0	452689	5434339	331	-58	1114.6	1117.1	2.5	9.24	
OSK-W-17-778	2600	FW2	1362.0	452689	5434339	331	-58	1132.0	1134.1	2.1	27.7	19.1
		<i>including</i>						1132.0	1132.4	0.4	145	100
OSK-W-17-778	2600	FW2	1362.0	452689	5434339	331	-58	1158.0	1160.0	2.0	4.49	
OSK-W-17-778	2600	Underdog	1362.0	452689	5434339	331	-58	1221.0	1223.8	2.8	4.52	
OSK-W-17-778	2600	Underdog	1362.0	452689	5434339	331	-58	1232.0	1234.5	2.5	11.3	
		<i>including</i>						1234.0	1234.5	0.5	55.2	
OSK-W-17-778	2600	Underdog	1362.0	452689	5434339	331	-58	1322.0	1324.3	2.3	9.61	
		<i>including</i>						1323.0	1323.6	0.6	34.1	
OSK-W-17-779	3450	Lynx HW	795.0	453302	5434977	327	-67	111.0	115.8	4.8	0.29	
OSK-W-17-779	3450	Lynx	795.0	453302	5434977	327	-67	129.5	132.0	2.5	5.02	
OSK-W-17-779	3450	Quartz-tourmaline vein - Lynx Corridor	795.0	453302	5434977	327	-67	183.0	183.6	0.6	6.65	
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434977	327	-67	257.0	259.0	2.0	4.59	
		<i>including</i>						258.0	259.0	1.0	7.17	
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434977	327	-67	268.0	275.9	7.9	21.6	16.9
		<i>including</i>						268.0	269.0	1.0	8.85	
		<i>and</i>						270.0	271.0	1.0	21.5	
		<i>and</i>						271.7	272.0	0.3	24.2	
		<i>and</i>						274.3	275.9	1.6	78.9	55.3
		<i>including</i>						274.3	275.0	0.7	154	100



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434977	327	-67	282.0	284.5	2.5	18.1	
		<i>including</i>						282.6	284.5	1.9	23.3	
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434977	327	-67	298.0	300.7	2.7	15.6	
		<i>including</i>						298.9	300.0	1.1	33.2	
OSK-W-17-779	3450	Caribou extension	795.0	453302	5434977	327	-67	571.0	573.5	2.5	3.51	
		<i>including</i>						572.9	573.5	0.6	8.54	
OSK-W-17-779	3450	Caribou extension	795.0	453302	5434977	327	-67	605.5	607.5	2.0	4.45	
OSK-W-17-779	3450	Vein	795.0	453302	5434977	327	-67	621.0	622.5	1.5	2.62	
		<i>including</i>						622.1	622.5	0.4	6.92	
OSK-W-17-779	3450	CN2	795.0	453302	5434977	327	-67	676.4	678.7	2.3	1.56	
OSK-W-17-779	3450	Crustiform vein	795.0	453302	5434977	327	-67	725.0	728.2	3.2	4.17	
		<i>including</i>						726.9	727.5	0.6	16.3	
OSK-W-17-780	2850	New - Before Caribou	1551.0	452929	5434374	332	-59	435.9	439.3	3.4	4.46	
		<i>including</i>						435.9	436.3	0.4	10.7	
		<i>including</i>						438.8	439.3	0.5	18.8	
OSK-W-17-780	2850	CS3	1551.0	452929	5434374	332	-59	859.0	862.0	3.0	0.23	
OSK-W-17-780	2850	FW0 HW	1551.0	452929	5434374	332	-59	1036.5	1046.9	10.4	7.41	6.21
		<i>including</i>						1036.5	1037.0	0.5	125	100
OSK-W-17-780	2850	FW0	1551.0	452929	5434374	332	-59	1070.3	1074.3	4.0	3.30	
		<i>including</i>						1072.1	1073.0	0.9	8.61	
OSK-W-17-780	2850	FW0 FW	1551.0	452929	5434374	332	-59	1079.0	1082.0	3.0	3.03	
		<i>including</i>						1079.0	1080.0	1.0	8.21	
OSK-W-17-780	2850	UnderDog	1551.0	452929	5434374	332	-59	1119.0	1121.0	2.0	5.02	
OSK-W-17-780	2850	FW1 HW	1551.0	452929	5434374	332	-59	1248.0	1250.0	2.0	3.02	
OSK-W-17-780	2850	FW1	1551.0	452929	5434374	332	-59	1271.6	1278.4	6.8	10.6	
		<i>including</i>						1276.0	1278.4	2.4	28.9	
OSK-W-17-780	2850	FW3	1551.0	452929	5434374	332	-59	1366.0	1370.0	4.0	34.1	
		<i>including</i>						1368.5	1370.0	1.5	90.5	
OSK-W-17-780	2850	FW3 FW	1551.0	452929	5434374	332	-59	1400.0	1404.0	4.0	9.38	
		<i>including</i>						1401.0	1402.5	1.5	24.4	
OSK-W-17-780-W1	2850	FW0	1533.0	452929	5434374	331	-60	1074.0	1091.0	17.0	5.97	
		<i>including</i>						1079.0	1082.8	3.8	19.7	
OSK-W-17-780-W1	2850	FW3 HW	1533.0	452929	5434374	331	-60	1343.8	1347.2	3.4	83.5	29.4
		<i>including</i>						1346.6	1347.2	0.6	407	100
OSK-W-17-780-W1	2850	FW3 HW	1533.0	452929	5434374	331	-60	1358.5	1360.8	2.3	6.55	
		<i>including</i>						1358.5	1359.0	0.5	19.1	
OSK-W-17-780-W1	2850	FW3	1533.0	452929	5434374	331	-60	1396.5	1398.5	2.0	4.76	
OSK-W-17-781	2700	Crustiform vein	1625.5	452845	5434218	331	-60	518.5	520.5	2.0	15.3	
		<i>including</i>						519.5	520.5	1.0	30.4	
OSK-W-17-781	2700	CS1	1625.5	452845	5434218	331	-60	778.0	780.5	2.5	3.05	
OSK-W-17-781	2700	FW0 HW	1625.5	452845	5434218	331	-60	1145.0	1147.7	2.7	1.49	
OSK-W-17-781	2700	FW0	1625.5	452845	5434218	331	-60	1203.0	1204.0	1.0	0.18	
OSK-W-17-781	2700	FW1	1625.5	452845	5434218	331	-60	1401.8	1405.0	3.3	1.18	
OSK-W-17-781	2700	FW2	1625.5	452845	5434218	331	-60	1466.0	1469.4	3.4	0.87	
OSK-W-17-781	2700	FW3	1625.5	452845	5434218	331	-60	1551.0	1553.0	2.0	2.97	
OSK-W-17-783	3775	Crustiform vein - Lynx FW	1326.0	453535	5435181	329	-72	99.6	101.5	1.9	4.57	
OSK-W-17-783	3775	Caribou extension	1326.0	453535	5435181	329	-72	458.0	460.0	2.0	0.21	
OSK-W-17-784	2825	CS1	894.0	452861	5434488	330	-54	578.5	592.7	14.2	0.96	
OSK-W-17-784	2825	CS3	894.0	452861	5434488	330	-54	660.9	663.3	2.4	0.98	
OSK-W-17-784	2825	Wolf HW	894.0	452861	5434488	330	-54	767.0	770.0	3.0	4.89	
		<i>including</i>						769.5	770.0	0.5	15.1	
OSK-W-17-784	2825	Wolf HW	894.0	452861	5434488	330	-54	780.4	786.1	5.7	3.21	
		<i>including</i>						785.1	786.1	1.0	13.6	
OSK-W-17-784	2825	Wolf	894.0	452861	5434488	330	-54	823.0	827.0	4.0	0.42	
OSK-W-17-785	2625		49.5	452673	5434414	329	-56	<i>Abandoned</i>				
OSK-W-17-786	2625	CS1	717.0	452674	5434411	337	-55	570.3	572.4	2.1	0.26	
OSK-W-17-786	2625	CS3 HW	717.0	452674	5434411	337	-55	652.3	660.1	7.8	5.17	
		<i>including</i>						652.3	656.0	3.7	9.85	
OSK-W-17-786	2625	CS3	717.0	452674	5434411	337	-55	664.0	668.9	4.9	6.64	
		<i>including</i>						667.9	668.9	1.0	20.5	
OSK-W-17-787	3500	Lynx FW	1205.8	453324	5435038	333	-63	118.7	121.1	2.4	0.96	
OSK-W-17-787	3500	Caribou extension	1205.8	453324	5435038	333	-63	507.9	514.4	6.5	7.21	
		<i>including</i>						512.6	513.6	1.0	24.1	
OSK-W-17-787	3500	CN2 extension	1205.8	453324	5435038	333	-63	517.0	521.8	4.8	3.48	
		<i>including</i>						521.2	521.8	0.6	13.1	
OSK-W-17-788	3450	Lynx HW	375.0	453329	5434931	332	-66	164.5	166.5	2.0	3.09	
OSK-W-17-788	3450	Lynx	375.0	453329	5434931	332	-66	233.0	250.3	17.3	17.0	12.8
		<i>including and</i>						236.4	236.9	0.5	153	100
								239.0	240.0	1.0	128	100
OSK-W-17-788	3450	Lynx FW	375.0	453329	5434931	332	-66	295.0	297.0	2.0	6.21	
		<i>including</i>						296.6	297.0	0.4	25.7	
OSK-W-17-788	3450	Lynx FW	375.0	453329	5434931	332	-66	301.0	303.0	2.0	3.76	
OSK-W-17-789	2500	CS1	1278.0	452546	5434388	333	-59	526.1	533.5	7.4	5.12	
		<i>including</i>						527.9	530.0	2.1	16.4	
OSK-W-17-789	2500	CS1 FW	1278.0	452546	5434388	333	-59	538.9	544.1	5.2	7.31	6.39



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								543.8	544.1	0.3	116	100
OSK-W-17-789	2500	CS1 FW	1278.0	452546	5434388	333	-59	583.2	585.7	2.5	3.30	
<i>including</i>								584.4	585.0	0.6	13.3	
OSK-W-17-789	2500	FW0	1278.0	452546	5434388	333	-59	796.8	799.9	3.1	3.01	
OSK-W-17-789	2500	FW1	1278.0	452546	5434388	333	-59	853.0	860.9	7.9	19.4	16.4
<i>including</i>								853.0	857.5	4.5	29.7	
OSK-W-17-789	2500	FW1 FW	1278.0	452546	5434388	333	-59	883.9	885.9	2.0	9.15	
<i>including</i>								884.9	885.6	0.7	24.1	
OSK-W-17-789	2500	FW3	1278.0	452546	5434388	333	-59	964.0	966.3	2.3	8.20	
<i>including</i>								965.0	965.3	0.3	61.7	
OSK-W-17-789-W1	2500	FW0	1197.0	452546	5434388	333	-59	799.5	804.4	4.9	5.63	
<i>including</i>								801.9	802.5	0.6	20.4	
OSK-W-17-789-W1	2500	FW1	1197.0	452546	5434388	333	-59	877.1	880.6	3.5	11.0	
OSK-W-17-789-W1	2500	FW3 HW	1197.0	452546	5434388	333	-59	995.4	997.5	2.1	3.50	
<i>including</i>								995.4	996.0	0.6	10.5	
OSK-W-17-789-W1	2500	FW3	1197.0	452546	5434388	333	-59	1004.1	1006.7	2.6	14.6	
<i>including</i>								1005.2	1006.0	0.8	34.3	
OSK-W-17-789-W1	2500	FW3 / Z14-2	1197.0	452546	5434388	333	-59	1119.8	1122.0	2.2	16.4	
<i>including</i>								1120.4	1121.2	0.8	44.1	
OSK-W-17-789-W2	2500	New / FW0	1194.0	452546	5434388	333	-59	801.0	803.0	2.0	13.2	
OSK-W-17-789-W2	2500	FW1	1194.0	452546	5434388	333	-59	882.0	884.3	2.3	5.00	
OSK-W-17-789-W2	2500	FW1 FW	1194.0	452546	5434388	333	-59	906.5	909.2	2.7	4.79	
OSK-W-17-789-W2	2500	FW3	1194.0	452546	5434388	333	-59	1014.0	1017.0	3.0	8.02	
OSK-W-17-789-W2	2500	FW3 / Z14-2	1194.0	452546	5434388	333	-59	1152.1	1155.2	3.1	25.6	
<i>including</i>								1152.1	1152.7	0.6	44.0	
<i>including</i>								1154.5	1155.2	0.7	67.9	
OSK-W-17-789-W2	2500	FW3 / Z14-2	1194.0	452546	5434388	333	-59	1163.0	1165.7	2.7	5.62	
OSK-W-17-790	3600	Lynx FW	450.0	453457	5434995	332	-66	261.6	265.2	3.6	11.3	
<i>including</i>								261.6	262.3	0.7	28.7	
<i>and</i>								264.7	265.2	0.5	39.9	
OSK-W-17-790	3600	Lynx FW	450.0	453457	5434995	332	-66	269.5	272.5	3.0	4.32	
<i>including</i>								269.5	270.6	1.1	10.1	
OSK-W-17-790	3600	Lynx 2	450.0	453457	5434995	332	-66	293.0	295.0	2.0	8.61	
OSK-W-17-790	3600	Lynx 2	450.0	453457	5434995	332	-66	303.8	308.8	5.0	6.00	
OSK-W-17-790	3600	Lynx 2	450.0	453457	5434995	332	-66	316.9	325.5	8.6	10.5	10.3
<i>including</i>								324.8	325.5	0.7	102	100
OSK-W-17-790	3600	VNCR	450.0	453457	5434995	332	-66	392.5	394.7	2.2	10.9	
OSK-W-17-792	3575	Lynx	438.0	453446	5434959	335	-64	309.5	318.7	9.2	42.1	25.2
<i>including</i>								313.3	314.2	0.9	56.0	
<i>and</i>								315.6	317.6	2.0	162	100
OSK-W-17-792	3575	Crustiform vein	438.0	453446	5434959	335	-64	380.8	384.5	3.7	2.51	
OSK-W-17-795	2625	FW1	1428.0	452646	5434421	333	-65	1110.3	1113.7	3.4	5.53	
<i>including</i>								1110.3	1110.9	0.6	23.1	
OSK-W-17-799	3650	Lynx HW	450.0	453481	5435035	332	-74	309.3	311.2	1.9	10.6	
OSK-W-17-799	3650	Lynx	450.0	453481	5435035	332	-74	319.8	324.4	4.6	50.9	49.7
<i>including</i>								319.8	320.7	0.9	106	100
<i>and</i>								323.1	324.4	1.3	82.7	
OSK-W-17-799	3650	Lynx FW	450.0	453481	5435035	332	-74	339.8	344.2	4.4	63.8	41.4
<i>including</i>								341.5	342.3	0.8	223	100
OSK-W-17-799	3650	Crustiform vein	450.0	453481	5435035	332	-74	402.0	408.5	6.5	11.0	
OSK-W-17-800	3500	Lynx 1	414.0	453367	5434941	330	-58	193.6	196.0	2.4	16.5	
<i>including</i>								194.1	195.0	0.9	40.4	
OSK-W-17-800	3500	VNCR	414.0	453367	5434941	330	-58	306.0	308.8	2.8	35.2	25.4
<i>including</i>								306.5	307.2	0.7	139	100
OSK-W-17-801	3325	Caribou extension	840.0	453192	5434907	333	-69	688.1	691.0	2.9	7.75	
OSK-W-17-801	3325	Caribou extension	840.0	453192	5434907	333	-69	697.0	699.4	2.4	3.70	
OSK-W-17-801	3325	Caribou extension	840.0	453192	5434907	333	-69	758.5	770.4	11.9	5.53	
<i>including</i>								758.5	762.0	3.5	10.6	
OSK-W-17-801	3325	Caribou extension	840.0	453192	5434907	333	-69	777.0	781.4	4.4	3.92	
OSK-W-17-802	3475	Lynx 2	399.0	453375	5434898	330	-54	293.1	298.0	4.9	10.4	
<i>including</i>								297.0	298.0	1.0	37.5	
OSK-W-17-802	3475	Crustiform vein - Lynx corridor	399.0	453375	5434898	330	-54	363.0	366.1	3.1	24.9	
<i>including</i>								365.3	366.1	0.8	73.2	
OSK-W-17-802	3475	Crustiform vein - Lynx corridor	399.0	453375	5434898	330	-54	378.7	381.3	2.6	3.99	
<i>including</i>								379.3	380.5	1.2	6.77	
OSK-W-17-803	3450	Lynx HW	411.0	453305	5434943	331	-64	137.0	139.3	2.3	5.23	
<i>including</i>								137.0	138.5	1.5	7.74	
OSK-W-17-803	3450	Lynx	411.0	453305	5434943	331	-64	169.0	171.9	2.9	19.1	
OSK-W-17-803	3450	Crustiform vein - Lynx corridor	411.0	453305	5434943	331	-64	372.0	374.3	2.3	6.38	
<i>including</i>								372.0	373.2	1.2	11.1	
OSK-W-17-804	2100	Z27 HW	200.5	451941	5434625	342	-42	69.5	71.5	2.0	3.59	
<i>including</i>								69.5	69.8	0.3	19.1	
OSK-W-17-804	2100	Z27	200.5	451941	5434625	342	-42	83.9	86.6	2.7	3.65	
<i>including</i>								86.3	86.6	0.3	27.4	
OSK-W-17-804	2100	Z27-1	200.5	451941	5434625	342	-42	97.4	99.5	2.1	1.46	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-820-W1	2675	FW0 FW	1356.0	452670	5434484	332	-66	949.0	951.0	2.0	9.02	
OSK-W-17-820-W1	2675	FW0 FW	1356.0	452670	5434484	332	-66	981.8	985.0	3.2	21.6	
		<i>including</i>						981.8	983.4	1.6	40.4	
OSK-W-17-820-W1	2675	FW1 FW	1356.0	452670	5434484	332	-66	1044.0	1046.0	2.0	4.26	
		<i>including</i>						1044.0	1045.0	1.0	7.92	
OSK-W-17-820-W1	2675	FW3 HW	1356.0	452670	5434484	332	-66	1109.2	1111.4	2.2	31.7	27.7
		<i>including</i>						1110.8	1111.4	0.6	115	100
OSK-W-17-820-W1	2675	FW3	1356.0	452670	5434484	332	-66	1146.7	1149.0	2.3	47.0	18.1
		<i>including</i>						1147.1	1147.5	0.4	266	100
OSK-W-17-821	2725	FW0 FW	1258.6	452739	5434474	332	-65	975.1	977.3	2.2	5.25	
		<i>including</i>						976.1	976.7	0.6	15.4	
OSK-W-17-821	2725	FW1	1258.6	452739	5434474	332	-65	1041.5	1044.0	2.5	1.48	
OSK-W-17-821	2725	FW3	1258.6	452739	5434474	332	-65	1174.5	1177.8	3.3	9.27	
		<i>including</i>						1176.6	1177.8	1.2	21.0	
OSK-W-17-821-W1	2725	CS3	1416.0	452739	5434474	332	-65	670.0	672.0	2.0	0.90	
OSK-W-17-821-W1	2725	FW0 HW	1416.0	452739	5434474	332	-65	865.0	867.0	2.0	7.31	
		<i>including</i>						865.7	866.0	0.3	44.3	
OSK-W-17-821-W1	2725	FW0	1416.0	452739	5434474	332	-65	905.0	907.0	2.0	7.93	
		<i>including</i>						905.0	906.0	1.0	12.2	
OSK-W-17-821-W1	2725	FW0	1416.0	452739	5434474	332	-65	937.0	941.0	4.0	36.7	35.4
		<i>including</i>						938.0	939.0	1.0	105	100
OSK-W-17-821-W1	2725	FW0 FW	1416.0	452739	5434474	332	-65	952.0	954.0	2.0	16.5	
		<i>including</i>						953.0	954.0	1.0	32.6	
OSK-W-17-821-W1	2725	FW1 HW	1416.0	452739	5434474	332	-65	1079.0	1084.0	5.0	4.63	
		<i>including</i>						1082.0	1083.0	1.0	11.3	
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1110.0	1141.0	31.0	24.9	16.4
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1144.0	1150.0	6.0	10.5	
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1158.0	1180.0	22.0	5.33	
		<i>including</i>						1175.6	1176.3	0.7	29.3	
		<i>including</i>						1178.0	1179.0	1.0	19.5	
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1192.0	1194.0	2.0	3.35	
OSK-W-17-821-W1	2725	FW1 FW	1416.0	452739	5434474	332	-65	1202.8	1207.0	4.2	5.65	
		<i>including</i>						1202.8	1203.1	0.3	48.0	
OSK-W-17-821-W1	2725	New UnderDog	1416.0	452739	5434474	332	-65	1219.4	1223.0	3.6	15.4	
		<i>including</i>						1222.2	1223.0	0.8	40.8	
OSK-W-17-821-W1	2725	New UnderDog	1416.0	452739	5434474	332	-65	1278.0	1285.0	7.0	3.84	
		<i>including</i>						1278.0	1279.0	1.0	9.58	
		<i>including</i>						1284.0	1285.0	1.0	9.62	
OSK-W-17-821-W1	2725	FW3	1416.0	452739	5434474	332	-65	1330.3	1333.0	2.7	5.04	
		<i>including</i>						1330.9	1331.2	0.3	30.1	
OSK-W-17-823	2550	CS1 HW	620.3	452565	5434415	330	-57	486.9	494.0	7.1	13.5	
		<i>including</i>						490.0	492.0	2.0	37.7	
OSK-W-17-823	2550	CS1	620.3	452565	5434415	330	-57	526.4	533.5	7.1	0.41	
OSK-W-17-823	2550	CS1 FW	620.3	452565	5434415	330	-57	552.2	554.3	2.1	5.43	
OSK-W-17-823	2550	Caribou corridor	620.3	452565	5434415	330	-57	574.6	577.2	2.6	4.70	
		<i>including</i>						575.3	576.4	1.1	10.8	
OSK-W-17-823-W1	2550	CS1 HW	618.0	452565	5434415	330	-57	503.0	508.4	5.4	8.05	
		<i>including</i>						507.1	508.4	1.3	23.8	
OSK-W-17-823-W1	2550	CS1	618.0	452565	5434415	330	-57	535.0	537.4	2.4	18.6	
		<i>including</i>						535.0	536.0	1.0	43.9	
OSK-W-18-823-W2	2550	CS1	918.0	452565	5434415	330	-56	510.6	519.5	8.9	9.53	
		<i>including</i>						510.6	513.5	2.9	18.0	
OSK-W-18-823-W2	2550	CS1	918.0	452565	5434415	330	-56	526.0	528.0	2.0	5.22	
OSK-W-18-823-W2	2550	FW1	918.0	452565	5434415	330	-56	843.7	846.0	2.3	11.7	
		<i>including</i>						845.0	845.3	0.3	80.5	
OSK-W-18-823-W2	2550	FW1	918.0	452565	5434415	330	-56	858.4	862.5	4.1	40.8	29.3
		<i>including</i>						860.8	861.7	0.9	152	100
OSK-W-17-824	2100	Z27	209.5	451956	5434609	330	-67	28.4	31.0	2.6	195	16.7
		<i>including</i>						29.6	30.0	0.4	1260	100
OSK-W-17-824	2100	Z27-1	209.5	451956	5434609	330	-67	150.9	152.9	2.0	3.28	
OSK-W-17-825	3525	Lynx 2	579.0	453252	5435182	145	-54	226.1	228.1	2.0	4.06	
OSK-W-17-825	3525	Lynx 2	579.0	453252	5435182	145	-54	237.1	239.1	2.0	3.18	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	265.2	266.9	1.7	3.18	
		<i>including</i>						265.2	265.5	0.3	14.0	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	267.9	270.7	2.8	6.71	
		<i>including</i>						268.9	269.6	0.7	21.6	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	274.0	276.2	2.2	6.88	
		<i>including</i>						274.8	275.2	0.4	21.6	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	280.5	283.9	3.4	23.8	
		<i>including</i>						280.5	281.3	0.8	92.1	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	289.8	292.5	2.7	5.27	
OSK-W-17-826	2825	CS1	1335.0	452800	5434549	331	-66	543.5	544.8	1.3	0.67	
OSK-W-17-826	2825	CS3	1335.0	452800	5434549	331	-66	658.1	661.9	3.8	1.14	
OSK-W-17-826	2825	Caribou Corridor	1335.0	452800	5434549	331	-66	720.3	723.7	3.4	4.49	
OSK-W-17-826	2825	FW0	1335.0	452800	5434549	331	-66	937.0	939.0	2.0	3.79	
OSK-W-17-826	2825	FW1 HW	1335.0	452800	5434549	331	-66	1031.0	1033.0	2.0	6.53	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					1031.0	1032.0	1.0	11.3	
OSK-W-17-826	2825	FW1 HW	1335.0	452800	5434549	331	-66	1051.0	1053.0	2.0	6.37	
			<i>including</i>					1052.0	1053.0	1.0	11.9	
OSK-W-17-826	2825	FW3/Z14-2	1335.0	452800	5434549	331	-66	1204.0	1206.2	2.2	9.26	
			<i>including</i>					1205.6	1206.2	0.6	24.7	
OSK-W-17-826	2825	FW3/Z14 HW	1335.0	452800	5434549	331	-66	1246.8	1250.0	3.2	4.61	
OSK-W-17-826	2825	FW3/Z14	1335.0	452800	5434549	331	-66	1298.0	1300.2	2.2	4.67	
OSK-W-17-826	2825	FW3/Z14 FW	1335.0	452800	5434549	331	-66	1308.3	1310.6	2.3	3.37	
			<i>including</i>					1309.0	1309.6	0.6	12.4	
OSK-W-17-826	2825	FW3 FW	1335.0	452800	5434549	331	-66	1316.6	1319.0	2.4	16.0	
			<i>including</i>					1317.2	1319.0	1.8	21.3	
OSK-W-17-826-W1	2825	Caribou corridor	759.0	452800	5434549	331	-66	648.0	650.8	2.8	3.48	
OSK-W-17-827	3425	Lynx 3	957.0	453172	5435126	145	-63	158.0	162.1	4.1	12.1	
			<i>including</i>					160.0	161.5	1.5	30.0	
OSK-W-17-827	3425	Lynx 2	957.0	453172	5435126	145	-63	196.0	198.5	2.5	2.66	
OSK-W-17-827	3425	Lynx 1 FW	957.0	453172	5435126	145	-63	255.0	258.0	3.0	14.6	
OSK-W-17-827	3425	Lynx 1 HW	957.0	453172	5435126	145	-63	354.0	356.5	2.5	7.51	
			<i>including</i>					354.0	355.5	1.5	12.4	
OSK-W-17-827	3425	VNCR - Lynx corridor	957.0	453172	5435126	145	-63	381.0	383.0	2.0	5.84	
			<i>including</i>					381.5	382.3	0.8	12.5	
OSK-W-17-827	3425	Lynx corridor	957.0	453172	5435126	145	-63	469.0	472.0	3.0	3.63	
OSK-W-17-827	3425	Lynx 4	957.0	453172	5435126	145	-63	664.3	667.0	2.7	57.0	50.1
			<i>including</i>					666.0	667.0	1.0	119	100
OSK-W-17-827	3425	Lynx 5	957.0	453172	5435126	145	-63	779.0	781.0	2.0	12.7	
			<i>including</i>					780.0	781.0	1.0	25.0	
OSK-W-17-830	2575	CS1	819.0	452487	5434622	329	-55	292.0	296.2	4.2	1.03	
OSK-W-17-830	2575	Caribou	819.0	452487	5434622	329	-55	343.0	344.0	1.0	7.92	
OSK-W-17-830	2575	Wolf	819.0	452487	5434622	329	-55	419.4	420.8	1.4	1.02	
OSK-W-17-830	2575	Z27	819.0	452487	5434622	329	-55	522.1	524.6	2.5	0.69	
OSK-W-17-830	2575	FW3U HW	819.0	452487	5434622	329	-55	670.5	673.5	3.0	3.59	
OSK-W-17-830	2575	FW3U	819.0	452487	5434622	329	-55	762.0	764.0	2.0	7.56	
OSK-W-17-831	3825	Lynx 1	561.0	453549	5435279	150	-75	457.7	460.0	2.3	4.61	
OSK-W-17-832	3600	Lynx 3	573.0	453332	5435229	146	-55	85.0	87.3	2.3	14.1	
			<i>including</i>					85.8	86.6	0.8	38.9	
OSK-W-17-833	2550	CS1	1149.0	452597	5434393	331	-57	540.0	546.3	6.3	5.91	
			<i>including</i>					544.0	546.3	2.3	13.2	
OSK-W-17-833	2550	CN1	1149.0	452597	5434393	331	-57	608.5	614.8	6.3	3.11	
			<i>including</i>					612.9	614.8	1.9	5.93	
OSK-W-17-833	2550	FW0	1149.0	452597	5434393	331	-57	828.2	831.4	3.2	3.48	
OSK-W-17-833	2550	FW2	1149.0	452597	5434393	331	-57	915.3	918.0	2.7	0.94	
OSK-W-17-833	2550	FW2 FW	1149.0	452597	5434393	331	-57	954.0	957.0	3.0	3.40	
OSK-W-17-833	2550	FW3/Z14	1149.0	452597	5434393	331	-57	1086.0	1088.5	2.5	8.94	
			<i>including</i>					1086.0	1087.0	1.0	15.0	
OSK-W-17-833	2550	FW3/Z14-2	1149.0	452597	5434393	331	-57	1125.0	1127.4	2.4	8.97	
			<i>including</i>					1125.0	1126.1	1.1	17.1	
OSK-W-17-833-W1	2550	CS1	1173.0	452597	5434393	331	-57	534.0	536.0	2.0	8.27	
OSK-W-17-833-W1	2550	FW0	1173.0	452597	5434393	331	-57	815.5	818.0	2.5	5.60	
			<i>including</i>					815.5	816.0	0.5	21.6	
OSK-W-17-833-W1	2550	FW0 FW	1173.0	452597	5434393	331	-57	842.0	844.0	2.0	5.66	
			<i>including</i>					842.6	843.3	0.7	15.6	
OSK-W-17-833-W1	2550	FW1 HW	1173.0	452597	5434393	331	-57	853.7	857.7	4.0	11.8	
OSK-W-17-833-W1	2550	New UnderDog	1173.0	452597	5434393	331	-57	862.0	864.0	2.0	5.79	
OSK-W-17-833-W1	2550	FW3	1173.0	452597	5434393	331	-57	1089.0	1091.9	2.9	8.24	
			<i>including</i>					1091.6	1091.9	0.3	76.2	
OSK-W-17-833-W1	2550	FW3	1173.0	452597	5434393	331	-57	1100.0	1102.0	2.0	6.16	
OSK-W-17-833-W2	2550	CS1	1244.2	452597	5434393	331	-57	534.0	544.0	10.0	9.18	
			<i>including</i>					542.0	544.0	2.0	39.0	
OSK-W-17-833-W2	2550	CS1 FW	1244.2	452597	5434393	331	-57	554.0	556.0	2.0	3.87	
OSK-W-17-833-W2	2550	FW1	1244.2	452597	5434393	331	-57	886.0	893.5	7.5	0.21	
OSK-W-17-833-W2	2550	FW2	1244.2	452597	5434393	331	-57	1014.0	1017.0	3.0	43.9	41.6
			<i>including</i>					1014.7	1016.4	1.7	72.8	68.7
			<i>including</i>					1014.7	1015.0	0.3	123	100
OSK-W-17-833-W2	2550	FW3	1244.2	452597	5434393	331	-57	1022.0	1024.6	2.6	2.14	
OSK-W-17-833-W2	2550	Underdog	1244.2	452597	5434393	331	-57	1184.0	1186.0	2.0	3.43	
OSK-W-17-834	3525	Lynx 2	402.0	453248	5435187	144	-59	277.6	280.0	2.4	16.6	
OSK-W-17-834	3525	Lynx 2	402.0	453248	5435187	144	-59	286.1	288.4	2.3	3.52	
			<i>including</i>					286.1	286.5	0.4	16.1	
OSK-W-17-834	3525	Lynx 1	402.0	453248	5435187	144	-59	292.0	295.7	3.7	42.1	27.8
			<i>including</i>					293.1	293.5	0.4	3740	100
OSK-W-17-836	3825	Lynx HW	1045.4	453549	5435279	145	-68	210.0	214.5	4.5	4.56	
OSK-W-17-836	3825	Lynx HW	1045.4	453549	5435279	145	-68	219.9	222.0	2.1	5.49	
OSK-W-17-836	3825	Crustiform vein - Lynx corridor	1045.4	453549	5435279	145	-68	269.3	272.0	2.7	4.96	
			<i>including</i>					269.3	270.0	0.7	18.7	
OSK-W-17-836	3825	New - Lynx Corridor	1045.4	453549	5435279	145	-68	307.2	309.7	2.5	18.5	
			<i>including</i>					307.2	307.7	0.5	85.2	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-836	3825	New - Lynx corridor	1045.4	453549	5435279	145	-68	382.4	384.7	2.3	20.7	14.8
		<i>including</i>						382.4	382.7	0.3	146	100
OSK-W-17-836	3825	New - Lynx Corridor	1045.4	453549	5435279	145	-68	421.2	423.5	2.3	3.30	
OSK-W-17-836	3825	New - Lynx Corridor	1045.4	453549	5435279	145	-68	517.0	520.1	3.1	3.82	
OSK-W-17-836	3825	Lynx 5	1045.4	453549	5435279	145	-68	868.0	870.4	2.4	116	46.4
		<i>including</i>						869.3	870.4	1.1	253	100
OSK-W-17-836	3825	New - Lynx corridor	1045.4	453549	5435279	145	-68	890.1	892.7	2.6	16.3	
		<i>including</i>						890.1	890.6	0.5	75.9	
OSK-W-17-837	3650	Lynx 1 HW	465.0	453485	5435060	332	-75	207.0	210.4	3.4	43.9	35.5
		<i>including</i>						210.0	210.4	0.4	172	100
OSK-W-17-837	3650	Lynx 1	465.0	453485	5435060	332	-75	285.8	291.2	5.4	16.8	
		<i>including</i>						285.8	287.2	1.4	45.7	
OSK-W-17-837	3650	Lynx 2	465.0	453485	5435060	332	-75	320.0	328.4	8.4	97.4	33.7
		<i>including</i>						320.7	322.8	2.1	65.0	
		<i>and</i>						324.7	325.4	0.7	865	100
OSK-W-17-837	3650	VNCR - Lynx corridor	465.0	453485	5435060	332	-75	335.9	339.0	3.1	5.77	
OSK-W-17-837	3650	VNCR	465.0	453485	5435060	332	-75	343.7	346.6	2.9	15.6	
OSK-W-17-837	3650	Vein - Lynx corridor	465.0	453485	5435060	332	-75	407.6	408.7	1.1	3.93	
OSK-W-17-838	3275	Caribou Corridor	528.0	453144	5434900	329	-65	488.7	490.7	2.0	7.31	
		<i>including</i>						489.7	490.7	1.0	12.4	
OSK-W-17-838	3275	Caribou Corridor	528.0	453144	5434900	329	-65	497.0	500.0	3.0	4.55	
		<i>including</i>						498.0	499.0	1.0	10.8	
OSK-W-17-839	3525	Lynx 1 HW	449.2	453431	5434889	331	-56	310.0	312.1	2.1	10.5	
		<i>including</i>						310.8	312.1	1.3	16.7	
OSK-W-17-839	3525	Lynx 1	449.2	453431	5434889	331	-56	319.7	328.0	8.3	6.58	
		<i>including</i>						325.2	325.7	0.5	30.4	
		<i>including</i>						326.4	327.1	0.7	24.9	
OSK-W-17-842	2475	CS1 HW	1302.0	452509	5434390	331	-59	505.5	508.0	2.5	3.79	
		<i>including</i>						505.5	505.9	0.4	18.3	
OSK-W-17-842	2475	CS1	1302.0	452509	5434390	331	-59	540.0	545.5	5.5	14.5	8.55
		<i>including</i>						540.0	540.4	0.4	182	100
OSK-W-17-842	2475	FW0	1302.0	452509	5434390	331	-59	799.5	808.5	9.0	0.41	
OSK-W-17-842	2475	FW1	1302.0	452509	5434390	331	-59	923.7	925.8	2.1	4.01	
OSK-W-17-842	2475	QTV	1302.0	452509	5434390	331	-59	1030.0	1032.0	2.0	4.01	
OSK-W-17-843	3500	Lynx 1	462.0	453427	5434866	330	-50	327.1	331.4	4.3	1.83	
OSK-W-17-843	3500	VNCR	462.0	453427	5434866	330	-50	450.4	452.8	2.4	5.93	
		<i>including</i>						450.4	451.1	0.7	19.0	
OSK-W-17-844	2750	CS1	1092.0	452728	5434545	333	-57	414.3	416.1	1.8	0.89	
OSK-W-17-844	2750	CS3	1092.0	452728	5434545	333	-57	520.8	523.6	2.8	11.6	
		<i>including</i>						521.7	522.6	0.9	33.7	
OSK-W-17-844	2750	Wolf 2	1092.0	452728	5434545	333	-57	568.7	571.2	2.5	8.14	
		<i>including</i>						569.7	570.1	0.4	28.2	
OSK-W-17-844	2750	Wolf 2 FW	1092.0	452728	5434545	333	-57	595.4	598.0	2.6	5.30	
		<i>including</i>						596.4	597.0	0.6	20.3	
OSK-W-17-844	2750	Wolf	1092.0	452728	5434545	333	-57	665.1	668.6	3.5	18.7	
		<i>including</i>						668.0	668.6	0.6	69.4	
OSK-W-17-844	2750	FW3	1092.0	452728	5434545	333	-57	954.8	957.6	2.8	56.9	35.5
		<i>including</i>						957.1	957.6	0.5	220	100
OSK-W-17-844	2750	Underdog	1092.0	452728	5434545	333	-57	1058.5	1060.5	2.0	4.87	
OSK-W-17-845	3550	Lynx 1	375.0	453452	5434917	328	-58	316.2	318.2	2.0	10.7	
		<i>including</i>						316.7	317.5	0.8	26.3	
OSK-W-17-846	3300	Lynx 1	249.0	453142	5434934	331	-64	95.0	97.0	2.0	113	75.1
		<i>including</i>						95.5	97.0	1.5	151	100
OSK-W-17-846	3300	Lynx 2	249.0	453142	5434934	331	-64	174.6	176.5	1.9	3.25	
OSK-W-17-847	2625	CS1	1347.0	452645	5434429	334	-69	601.0	603.0	2.0	29.8	
OSK-W-17-847	2625	FW0 HW	1347.0	452645	5434429	334	-69	831.0	833.0	2.0	6.87	
OSK-W-17-847	2625	FW0	1347.0	452645	5434429	334	-69	864.9	871.8	6.9	3.57	
OSK-W-17-847	2625	FW2	1347.0	452645	5434429	334	-69	1085.1	1089.0	3.9	8.85	
OSK-W-17-847	2625	FW3	1347.0	452645	5434429	334	-69	1162.0	1174.0	12.0	8.44	
		<i>including</i>						1169.0	1170.0	1.0	32.9	
OSK-W-17-847	2625	FW3 FW	1347.0	452645	5434429	334	-69	1208.0	1211.0	3.0	20.4	
OSK-W-17-847	2625	FW4	1347.0	452645	5434429	334	-69	1296.9	1304.1	7.2	0.14	
OSK-W-17-847-W1	2625	CS1 HW	1133.6	452645	5434429	334	-69	584.0	586.0	2.0	5.82	
		<i>including</i>						585.0	586.0	1.0	10.7	
OSK-W-17-847-W1	2625	CS1	1133.6	452645	5434429	334	-69	606.0	609.0	3.0	30.1	
		<i>including</i>						608.0	609.0	1.0	81.9	
OSK-W-17-847-W1	2625	CS1 FW	1133.6	452645	5434429	334	-69	621.0	626.0	5.0	6.75	
		<i>including</i>						622.0	624.0	2.0	14.7	
OSK-W-17-847-W1	2625	CS3	1133.6	452645	5434429	334	-69	643.0	645.0	2.0	4.08	
		<i>including</i>						644.5	645.0	0.5	13.4	
OSK-W-17-847-W1	2625	FW0	1133.6	452645	5434429	334	-69	907.0	910.0	3.0	13.1	
		<i>including</i>						908.0	909.0	1.0	36.0	
OSK-W-17-847-W1	2625	FW0 FW	1133.6	452645	5434429	334	-69	965.0	967.0	2.0	3.41	
OSK-W-17-847-W1	2625	FW2	1133.6	452645	5434429	334	-69	1124.0	1126.0	2.0	3.70	
OSK-W-17-847-W2	2625	QTV	1275.0	452645	5434429	334	-69	1075.1	1077.2	2.1	10.7	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					1075.1	1075.5	0.4	51.1	
OSK-W-17-847-W2	2625	FW1	1275.0	452645	5434429	334	-69	1149.0	1152.5	3.5	19.3	
			<i>including</i>					1149.0	1150.0	1.0	35.5	
			<i>including</i>					1151.8	1152.5	0.7	44.9	
OSK-W-17-847-W2	2625	FW1 FW	1275.0	452645	5434429	334	-69	1171.0	1173.0	2.0	4.07	
OSK-W-17-848	3650	Lynx 2	669.0	453311	5435357	135	-45	348.0	350.6	2.6	8.43	
			<i>including</i>					348.0	348.9	0.9	21.3	
OSK-W-17-848	3650	Lynx 1	669.0	453311	5435357	135	-45	363.0	365.5	2.5	7.95	
			<i>including</i>					364.5	365.5	1.0	19.9	
OSK-W-17-848	3650	New - Lynx corridor	669.0	453311	5435357	135	-45	486.5	488.5	2.0	3.11	
OSK-W-17-848	3650	New - Lynx corridor	669.0	453311	5435357	135	-45	490.5	492.8	2.3	6.21	
			<i>including</i>					491.3	492.2	0.9	15.0	
OSK-W-17-848	3650	Lynx HW	669.0	453311	5435357	135	-45	518.5	520.6	2.1	15.1	
			<i>including</i>					518.5	519.5	1.0	26.2	
OSK-W-17-848	3650	Lynx 4	669.0	453311	5435357	135	-45	578.0	586.4	8.4	0.55	
OSK-W-17-849	3350	Lynx 2	315.0	453220	5434911	333	-48	190.0	192.0	2.0	7.10	
OSK-W-17-851	3550	Lynx HW	375.0	453452	5434918	320	-50	249.0	251.0	2.0	3.04	
OSK-W-17-851	3550	Lynx 2	375.0	453452	5434918	320	-50	340.0	343.0	3.0	8.02	
OSK-W-17-851	3550	Crustiform vein - Lynx corridor	375.0	453452	5434918	320	-50	348.0	350.0	2.0	131	100
OSK-W-17-852	2875	Caribou	1356.0	452874	5434552	330	-55	712.0	714.0	2.0	10.0	
			<i>including</i>					712.5	712.8	0.3	42.4	
OSK-W-17-852-W1	2875	Wolf	897.0	452874	5434552	330	-55	706.0	708.0	2.0	12.1	
			<i>including</i>					706.0	706.6	0.6	38.8	
OSK-W-17-854	2550	Caribou	846.0	452485	5434592	331	-53	280.0	282.0	2.0	12.5	
			<i>including</i>					280.8	282.0	1.2	19.8	
OSK-W-17-854	2550	CN2	846.0	452485	5434592	331	-53	369.0	371.9	2.9	9.07	
			<i>including</i>					370.5	371.0	0.5	33.0	
OSK-W-17-854	2550	FW3U	846.0	452485	5434592	331	-53	767.0	769.0	2.0	7.48	
			<i>including</i>					767.0	768.0	1.0	14.9	
OSK-W-17-854-W1	2550	Wolf FW	843.8	452485	5434592	331	-53	489.6	492.0	2.4	7.97	
			<i>including</i>					491.3	492.0	0.7	15.1	
OSK-W-17-854-W1	2550	Wolf FW	843.8	452485	5434592	331	-53	498.0	501.0	3.0	5.18	
OSK-W-17-854-W1	2550	FW3U HW	843.8	452485	5434592	331	-53	701.0	703.5	2.5	5.00	
			<i>including</i>					702.0	702.5	0.5	24.7	
OSK-W-17-854-W1	2550	FW3U	843.8	452485	5434592	331	-53	800.5	803.3	2.8	4.65	
OSK-W-17-854-W2	2550	FW3U	873.0	452485	5434592	331	-53	795.7	799.2	3.5	18.6	
			<i>including</i>					798.1	798.6	0.5	80.3	
OSK-W-17-855	2300	Vein	717.0	452309	5434384	334	-64	166.6	169.4	2.8	3.93	
OSK-W-17-855	2300	Caribou corridor	717.0	452309	5434384	334	-64	269.0	271.5	2.5	24.4	
			<i>including</i>					270.5	271.5	1.0	46.6	
OSK-W-17-855	2300	FW0	717.0	452309	5434384	334	-64	654.0	658.0	4.0	0.43	
OSK-W-17-855-W1	2300	FW1	1197.0	452309	5434384	334	-64	752.0	754.0	2.0	21.0	
			<i>including</i>					752.0	753.0	1.0	41.2	
OSK-W-17-855-W1	2300	FW2	1197.0	452309	5434384	334	-64	843.0	845.2	2.2	3.18	
			<i>including</i>					844.0	844.5	0.5	12.5	
OSK-W-17-855-W1	2300	FW3	1197.0	452309	5434384	334	-64	916.3	919.5	3.2	3.79	
			<i>including</i>					919.0	919.5	0.5	15.8	
OSK-W-17-855-W1	2300	FW3 FW	1197.0	452309	5434384	334	-64	968.0	971.0	3.0	13.5	
			<i>including</i>					969.0	971.0	2.0	18.2	
OSK-W-17-855-W1	2300	FW3	1197.0	452309	5434384	334	-64	985.0	987.0	2.0	4.85	
OSK-W-17-855-W1	2300	QTV	1197.0	452309	5434384	334	-64	1012.0	1014.0	2.0	8.31	
			<i>including</i>					1013.0	1014.0	1.0	16.5	
OSK-W-17-855-W1	2300	FW4	1197.0	452309	5434384	334	-64	1158.0	1166.0	8.0	1.24	
OSK-W-17-855-W2	2300	FW1	1197.0	452309	5434384	334	-64	759.9	762.0	2.1	11.1	
			<i>including</i>					759.9	761.0	1.1	20.8	
OSK-W-17-855-W2	2300	FW2	1197.0	452309	5434384	334	-64	861.0	863.0	2.0	8.88	
			<i>including</i>					862.0	863.0	1.0	17.4	
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	924.8	928.3	3.5	26.1	
			<i>including</i>					924.8	925.5	0.7	33.5	
			<i>including</i>					925.5	925.9	0.4	66.2	
			<i>including</i>					927.0	928.3	1.3	31.5	
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	973.0	975.0	2.0	4.21	
			<i>including</i>					973.0	973.7	0.7	11.2	
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	1095.8	1098.0	2.2	9.20	
			<i>including</i>					1097.0	1098.0	1.0	18.6	
OSK-W-17-855-W3	2300	FW3	1203.0	452309	5434384	334	-64	945.0	947.0	2.0	5.18	
OSK-W-17-856	3425	Lynx 1	291.0	453292	5434909	331	-52	162.4	166.0	3.6	0.25	
OSK-W-17-856	3425	Lynx 2	291.0	453292	5434909	331	-52	270.4	276.0	5.6	5.03	
			<i>including</i>					270.4	271.0	0.6	13.1	
			<i>including</i>					274.0	275.0	1.0	15.2	
OSK-W-17-857	3525	Lynx HW	436.5	453414	5434889	330	-52	248.0	250.0	2.0	4.25	
OSK-W-17-857	3525	Lynx HW	436.5	453414	5434889	330	-52	252.0	254.0	2.0	27.4	
			<i>including</i>					253.1	253.6	0.5	95.0	
OSK-W-17-857	3525	Vein - Lynx corridor	436.5	453414	5434889	330	-52	348.0	350.9	2.9	30.0	
			<i>including</i>					349.2	350.9	1.7	50.8	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					1096.3	1096.7	0.4	29.0	
OSK-W-17-866-W2	2525	FW3	1332.0	452633	5434280	332	-57	1126.1	1128.5	2.4	87.0	37.4
			<i>including</i>					1126.1	1126.9	0.8	249	100
OSK-W-17-866-W2	2525	FW1	1332.0	452633	5434280	332	-57	1146.7	1149.0	2.3	9.48	
			<i>including</i>					1147.6	1148.4	0.8	26.3	
OSK-W-17-866-W2	2525	FW3	1332.0	452633	5434280	332	-57	1221.0	1223.0	2.0	7.59	
			<i>including</i>					1221.7	1222.3	0.6	23.7	
OSK-W-17-867	2825	Caribou	1029.0	452800	5434550	315	-50	595.0	598.9	3.9	5.94	
OSK-W-17-867	2825	Wolf	1029.0	452800	5434550	315	-50	637.2	638.5	1.3	1.67	
OSK-W-17-867	2825	Wolf FW	1029.0	452800	5434550	315	-50	714.1	717.5	3.4	36.6	29.9
			<i>including</i>					715.0	716.0	1.0	123	
OSK-W-17-867	2825	Caribou	1029.0	452800	5434550	315	-50	735.0	737.6	2.6	5.66	
			<i>including</i>					735.9	736.9	1.0	12.6	
OSK-W-17-867	2825	Z27	1029.0	452800	5434550	315	-50	780.0	784.0	4.0	0.91	
OSK-W-17-868	3575	Lynx HW	435.0	453427	5434976	332	-64	199.8	202.0	2.2	9.77	
			<i>including</i>					200.5	201.3	0.8	25.2	
OSK-W-17-868	3575	Lynx HW	435.0	453427	5434976	332	-64	221.0	223.0	2.0	26.7	
OSK-W-17-868	3575	Lynx 1	435.0	453427	5434976	332	-64	267.0	269.0	2.0	8.22	
			<i>including</i>					267.4	268.2	0.8	18.0	
OSK-W-17-868	3575	Lynx 1	435.0	453427	5434976	332	-64	272.0	277.4	5.4	5.54	
OSK-W-17-868	3575	Lynx 2	435.0	453427	5434976	332	-64	301.0	303.5	2.5	12.3	
			<i>including</i>					302.0	302.6	0.6	50.4	
OSK-W-17-868	3575	VNCR	435.0	453427	5434976	332	-64	381.0	383.2	2.2	4.40	
OSK-W-17-869	3600	VNCR	864.0	453229	5435372	132	-48	388.1	397.2	9.1	4.67	
OSK-W-17-870	3550	Lynx HW	411.0	453419	5434937	332	-50	210.4	213.1	2.7	25.7	
OSK-W-17-870	3550	Lynx 1	411.0	453419	5434937	332	-50	230.9	233.7	2.8	18.9	
			<i>including</i>					230.9	231.6	0.7	69.0	
OSK-W-17-870	3550	Lynx 3	411.0	453419	5434937	332	-50	353.0	356.0	3.0	3.45	
OSK-W-17-871	2500	TBD	532.6	452402	5434623	328	-54	23.2	25.8	2.6	5.39	
			<i>including</i>					24.1	25.0	0.9	15.2	
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	152.0	156.8	4.8	17.9	13.4
			<i>including</i>					155.5	156.0	0.5	100	
			<i>including</i>					155.5	156.0	0.5	143	100
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	177.3	179.9	2.6	3.47	
			<i>including</i>					177.3	177.6	0.3	17.4	
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	269.0	271.4	2.4	6.21	
OSK-W-17-871	2500	Z27	532.6	452402	5434623	328	-54	429.3	432.0	2.7	3.18	
OSK-W-17-871	2500	Z27 FW	532.6	452402	5434623	328	-54	480.0	482.0	2.0	3.35	
OSK-W-17-871-W1	2500	QTV	840.0	452402	5434623	328	-54	610.1	612.4	2.3	8.38	
			<i>including</i>					610.1	610.8	0.7	27.4	
OSK-W-17-871-W1	2500	FW3U	840.0	452402	5434623	328	-54	752.1	754.1	2.0	120	28.7
			<i>including</i>					753.7	754.1	0.4	557	100
OSK-W-17-872	3400	Crustiform vein - Lynx corridor	307.3	453265	5434914	334	-47	194.7	197.4	2.7	4.27	
OSK-W-17-872	3400	Lynx 2	307.3	453265	5434914	334	-47	210.5	212.4	1.9	0.83	
OSK-W-17-873	3575	Lynx HW	393.0	453427	5434976	326	-61	210.0	212.0	2.0	3.51	
OSK-W-17-873	3575	Lynx 1	393.0	453427	5434976	326	-61	242.0	246.9	4.9	10.7	
OSK-W-17-873	3575	Lynx 1 FW	393.0	453427	5434976	326	-61	254.0	256.0	2.0	3.66	
OSK-W-17-873	3575	Lynx 2	393.0	453427	5434976	326	-61	269.0	271.6	2.6	10.0	
			<i>including</i>					270.6	271.6	1.0	18.4	
OSK-W-17-873	3575	Lynx 2	393.0	453427	5434976	326	-61	300.0	302.0	2.0	9.30	
			<i>including</i>					300.5	300.8	0.3	59.9	
OSK-W-17-873	3575	Lynx 2	393.0	453427	5434976	326	-61	306.2	308.5	2.3	116	31.8
			<i>including</i>					307.8	308.5	0.7	375	100
OSK-W-17-873	3575	VNCR	393.0	453427	5434976	326	-61	320.9	323.3	2.4	10.7	
			<i>including</i>					320.9	321.7	0.8	28.7	
OSK-W-17-873	3575	Crustiform vein	393.0	453427	5434976	326	-61	327.0	329.5	2.5	4.29	
			<i>including</i>					328.0	328.6	0.6	12.4	
OSK-W-17-874	3425	Lynx HW	372.0	453313	5434908	332	-50	154.6	156.0	1.4	0.26	
OSK-W-17-874	3425	Lynx 1	372.0	453313	5434908	332	-50	168.0	170.0	2.0	7.03	
			<i>including</i>					169.1	170.0	0.9	14.9	
OSK-W-17-874	3425	Lynx 2	372.0	453313	5434908	332	-50	258.0	261.0	3.0	1.33	
OSK-W-17-875	3750	Lynx 3	924.0	453374	5435443	144	-51	359.0	359.3	0.3	0.11	
OSK-W-17-875	3750	Lynx 1	924.0	453374	5435443	144	-51	451.5	454.5	3.0	1.52	
OSK-W-17-875	3750	Vein - Lynx corridor	924.0	453374	5435443	144	-51	851.0	853.0	2.0	13.7	
			<i>including</i>					852.0	853.0	1.0	27.3	
OSK-W-17-876	3400	Lynx HW	393.0	453256	5434939	335	-48	93.8	97.0	3.2	1.65	
OSK-W-17-876	3400	Lynx 2	393.0	453256	5434939	335	-48	158.6	161.6	3.0	2.85	
OSK-W-17-876	3400	Lynx 3	393.0	453256	5434939	335	-48	210.0	212.0	2.0	25.9	15.3
			<i>including</i>					210.6	210.9	0.3	171	100
OSK-W-17-877	3400	Lynx HW	360.0	453296	5434888	330	-50	177.7	181.0	3.3	5.02	
			<i>including</i>					179.1	179.6	0.5	30.0	
OSK-W-17-877	3400	Lynx 1	360.0	453296	5434888	330	-50	196.2	198.2	2.0	1.49	
OSK-W-17-877	3400	Crustiform vein	360.0	453296	5434888	330	-50	308.0	310.3	2.3	57.8	
OSK-W-17-878	3600	Lynx HW	417.0	453455	5434983	329	-62	230.7	233.0	2.3	0.74	
OSK-W-17-878	3600	Crustiform vein	417.0	453455	5434983	329	-62	234.2	236.4	2.2	14.6	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					235.8	236.4	0.6	51.5	
OSK-W-17-878	3600	Lynx 1	417.0	453455	5434983	329	-62	250.0	252.0	2.0	1.81	
OSK-W-17-878	3600	Lynx 2	417.0	453455	5434983	329	-62	287.0	302.7	15.7	5.32	
			<i>including</i>					292.7	293.0	0.3	100	100
			<i>including</i>					298.2	298.6	0.4	66.1	
OSK-W-17-878	3600	Crustiform vein	417.0	453455	5434983	329	-62	364.0	366.0	2.0	16.8	
			<i>including</i>					364.3	365.3	1.0	33.2	
OSK-W-17-879	3400	Lynx 1	369.0	453241	5434965	335	-46	76.3	77.8	1.5	1.98	
OSK-W-17-879	3400	Lynx HW	369.0	453241	5434965	335	-46	84.2	86.2	2.0	1.93	
OSK-W-17-879	3400	Lynx 2	369.0	453241	5434965	335	-46	108.1	110.4	2.3	52.8	
			<i>including</i>					108.6	109.4	0.8	96.2	
OSK-W-17-879	3400	Lynx 2	369.0	453241	5434965	335	-46	115.8	117.8	2.0	14.5	
			<i>including</i>					115.8	116.8	1.0	28.3	
OSK-W-17-880	2500	Caribou HW	813.0	452425	5434565	327	-50	146.2	149.4	3.2	3.32	
OSK-W-17-880	2500	Z27 HW	813.0	452425	5434565	327	-50	415.5	418.0	2.5	7.92	
			<i>including</i>					415.5	417.0	1.5	13.2	
OSK-W-17-880	2500	Z27	813.0	452425	5434565	327	-50	461.4	463.9	2.5	5.38	
OSK-W-17-880	2500	FW3U	813.0	452425	5434565	327	-50	713.0	719.0	6.0	0.45	
OSK-W-17-880-W1	2500	Z27 HW	801.0	452425	5434565	327	-50	373.0	376.0	3.0	16.5	
			<i>including</i>					373.0	374.5	1.5	33.0	
OSK-W-17-880-W1	2500	Z27	801.0	452425	5434565	327	-50	464.0	466.5	2.5	4.57	
			<i>including</i>					466.0	466.5	0.5	12.1	
OSK-W-17-880-W2	2500	Z27	846.0	452425	5434565	327	-50	475.6	478.0	2.4	2.32	
OSK-W-17-880-W2	2500	FW3U HW	846.0	452425	5434565	327	-50	699.8	706.7	6.9	0.19	
OSK-W-17-880-W2	2500	FW3U	846.0	452425	5434565	327	-50	776.8	779.5	2.7	8.41	
			<i>including</i>					777.5	778.0	0.5	29.1	
OSK-W-17-881	3575	Lynx 2 FW	867.0	453217	5435342	136	-48	360.5	364.7	4.2	6.54	
			<i>including</i>					362.0	363.4	1.4	15.0	
OSK-W-17-881	3575	Lynx 2 FW	867.0	453217	5435342	136	-48	384.0	386.0	2.0	29.8	
			<i>including</i>					385.0	386.0	1.0	59.4	
OSK-W-17-881	3575	Lynx 2	867.0	453217	5435342	136	-48	412.0	414.0	2.0	379	30.7
			<i>including</i>					412.7	413.3	0.6	126.0	100
OSK-W-17-881	3575	Lynx 1	867.0	453217	5435342	136	-48	445.8	448.2	2.4	2.97	
OSK-W-17-881	3575	Crustiform vein	867.0	453217	5435342	136	-48	732.7	734.8	2.1	4.70	
			<i>including</i>					733.3	733.9	0.6	14.2	
OSK-W-17-882	3450	Lynx HW	471.0	453369	5434846	331	-53	240.2	244.0	3.8	1.62	
OSK-W-17-882	3450	VNCR	471.0	453369	5434846	331	-53	417.0	420.0	3.0	3.39	
			<i>including</i>					418.0	418.5	0.5	18.8	
OSK-W-17-882	3450	VNCR	471.0	453369	5434846	331	-53	426.0	428.0	2.0	2.62	
OSK-W-17-882	3450		471.0	453369	5434846	331	-53	426.6	427.1	0.5	9.82	
OSK-W-17-883	3600	Lynx 1 + Lynx 2	396.0	453455	5434983	326	-60	254.0	256.0	2.0	12.4	
			<i>including</i>					254.9	255.4	0.5	36.8	
OSK-W-17-883	3600	Lynx 1 + Lynx 2	396.0	453455	5434983	326	-60	259.0	261.0	2.0	7.52	
			<i>including</i>					259.7	260.0	0.3	44.4	
OSK-W-17-883	3600	Lynx 2	396.0	453455	5434983	326	-60	274.5	276.5	2.0	18.6	
			<i>including</i>					275.5	276.5	1.0	32.5	
OSK-W-17-883	3600	Lynx 2	396.0	453455	5434983	326	-60	288.5	290.5	2.0	3.89	
OSK-W-17-883	3600	VNCR	396.0	453455	5434983	326	-60	353.0	355.2	2.2	3.07	
OSK-W-17-884	3400	Lynx 1	371.0	453213	5434983	333	-53	49.5	53.0	3.5	1.14	
OSK-W-17-884	3400	Lynx 2	371.0	453213	5434983	333	-53	77.0	80.0	3.0	6.88	
			<i>including</i>					77.0	77.5	0.5	26.0	
OSK-W-17-884	3400	Lynx 3	371.0	453213	5434983	333	-53	120.0	126.1	6.1	0.10	
OSK-W-17-885	2850	Vein	1458.0	452861	5434494	335	-67	472.0	474.0	2.0	21.4	19.8
			<i>including</i>					472.9	473.2	0.3	111	100
OSK-W-17-885	2850	CS3	1458.0	452861	5434494	335	-67	812.3	817.4	5.1	4.75	
			<i>including</i>					812.3	813.0	0.7	11.1	
OSK-W-17-885	2850	FW0 HW	1458.0	452861	5434494	335	-67	1018.0	1020.0	2.0	6.44	
OSK-W-17-885	2850	FW0	1458.0	452861	5434494	335	-67	1051.0	1053.0	2.0	7.81	
			<i>including</i>					1051.0	1052.0	1.0	15.5	
OSK-W-17-885	2850	FW0 FW	1458.0	452861	5434494	335	-67	1092.0	1100.0	8.0	6.69	
			<i>including</i>					1092.0	1093.0	1.0	22.3	
OSK-W-17-885	2850	FW0	1458.0	452861	5434494	335	-67	1119.0	1121.0	2.0	3.37	
OSK-W-17-885	2850	FW2	1458.0	452861	5434494	335	-67	1303.0	1305.0	2.0	3.62	
OSK-W-17-885	2850	FW3	1458.0	452861	5434494	335	-67	1366.0	1368.6	2.6	6.55	
			<i>including</i>					1367.0	1367.8	0.8	18.2	
OSK-W-17-885-W1	2850	FW0 HW	1383.0	452861	5434494	335	-67	1056.4	1061.0	4.6	5.24	
			<i>including</i>					1060.0	1061.0	1.0	14.3	
OSK-W-17-885-W1	2850	FW0	1383.0	452861	5434494	335	-67	1065.0	1070.0	5.0	3.18	
OSK-W-17-885-W1	2850	FW1 HW	1383.0	452861	5434494	335	-67	1188.0	1190.0	2.0	8.12	
			<i>including</i>					1188.3	1189.3	1.0	15.3	
OSK-W-17-885-W1	2850	FW1 HW	1383.0	452861	5434494	335	-67	1237.0	1239.0	2.0	5.95	
			<i>including</i>					1237.7	1238.5	0.8	11.2	
OSK-W-17-885-W1	2850	FW1	1383.0	452861	5434494	335	-67	1340.0	1345.8	5.8	5.19	
			<i>including</i>					1340.0	1341.0	1.0	15.6	
			<i>including</i>					1345.4	1345.8	0.4	17.8	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	
OSK-W-17-885-W2	2850	FW0	1229.0	452861	5434494	334	-69	1102.0	1108.0	6.0	0.16		
OSK-W-17-885-W2	2850	FW0 FW	1229.0	452861	5434494	334	-69	1199.0	1201.0	2.0	10.8		
			<i>including</i>								1.0	21.3	
OSK-W-17-887	3750	Lynx 2	593.5	453374	5435444	144	-54	457.6	461.6	4.0	0.35		
OSK-W-17-887	3750	Crustiform vein	593.5	453374	5435444	144	-54	492.0	494.6	2.6	24.3		
OSK-W-17-887	3750	Lynx 1	593.5	453374	5435444	144	-54	492.0	494.6	2.6	24.3		
			<i>including</i>								0.6	91.6	
			<i>including</i>								0.6	91.6	
OSK-W-17-888	3500	Lynx 2	402.0	453367	5434941	333	-52	235.2	240.0	4.8	22.6	21.8	
			<i>including</i>								1.2	52.3	48.9
			<i>including</i>								0.5	109	100
OSK-W-17-888	3500	Lynx 2	402.0	453367	5434941	333	-52	238.3	240.0	1.7	23.7		
			<i>including</i>								0.5	65.3	
OSK-W-17-888	3500	Lynx 2	402.0	453367	5434941	333	-52	248.0	250.0	2.0	17.8		
			<i>including</i>								0.6	58.1	
OSK-W-17-888	3500	Lynx 2	402.0	453367	5434941	333	-52	257.3	259.4	2.1	4.06		
			<i>including</i>								0.5	16.2	
OSK-W-17-889	2725	Caribou	786.0	452695	5434564	333	-57	386.5	388.5	2.0	16.2		
			<i>including</i>								0.5	58.0	
OSK-W-17-889	2725	Wolf 2	786.0	452695	5434564	333	-57	540.5	544.0	3.5	4.35		
OSK-W-17-889	2725	Wolf HW	786.0	452695	5434564	333	-57	606.0	608.5	2.5	6.79		
			<i>including</i>								1.0	15.9	
OSK-W-17-889	2725	Wolf HW	786.0	452695	5434564	333	-57	631.5	634.0	2.5	19.2		
			<i>including</i>								0.7	65.0	
OSK-W-17-889	2725	Wolf	786.0	452695	5434564	333	-57	662.0	664.0	2.0	9.68		
OSK-W-17-889	2725	Wolf	786.0	452695	5434564	333	-57	684.0	686.0	2.0	11.4		
			<i>including</i>								1.5	15.2	
OSK-W-17-889	2725	Vein	786.0	452695	5434564	333	-57	729.1	731.4	2.3	4.53		
OSK-W-17-895	3475	Lynx HW	444.0	453349	5434937	332	-50	156.0	168.6	12.6	0.17		
OSK-W-17-895	3475	Lynx 1	444.0	453349	5434937	332	-50	179.1	181.3	2.2	24.3		
			<i>including</i>								0.9	54.0	
OSK-W-17-895	3475	Lynx 2	444.0	453349	5434937	332	-50	209.0	211.0	2.0	17.5		
			<i>including</i>								1.0	34.4	
OSK-W-17-895	3475	Lynx 2	444.0	453349	5434937	332	-50	221.0	227.5	6.5	8.98		
OSK-W-17-895	3475	Lynx 2	444.0	453349	5434937	332	-50	221.0	225.0	4.0	9.81		
			<i>including</i>								1.0	34.7	
			<i>and</i>								2.5	7.65	
			<i>including</i>								0.5	37.4	
OSK-W-17-898	3675	Lynx 3	555.0	453330	5435403	148	-51	375.5	380.7	5.2	3.75		
			<i>including</i>								0.7	10.8	
			<i>including</i>								0.5	16.4	
OSK-W-17-898	3675	Lynx 2	555.0	453330	5435403	148	-51	411.0	413.5	2.5	12.2		
OSK-W-17-898	3675	Lynx 2	555.0	453330	5435403	148	-51	429.9	432.9	3.0	23.5		
			<i>including</i>								0.8	85.2	
OSK-W-17-898	3675	Lynx 1	555.0	453330	5435403	148	-51	449.7	452.0	2.3	17.3		
OSK-W-17-899	3350	Lynx 1	303.0	453219	5434913	334	-57	142.9	145.3	2.4	1.12		
OSK-W-17-899	3350	Lynx 2	303.0	453219	5434913	334	-57	243.0	245.0	2.0	4.46		
OSK-W-17-901	2500	Caribou	810.0	452391	5434638	328	-55	122.5	124.6	2.1	16.2		
			<i>including</i>								0.8	34.7	
OSK-W-17-901	2500	Caribou corridor	810.0	452391	5434638	328	-55	137.0	139.0	2.0	13.8		
OSK-W-17-901	2500	Caribou corridor	810.0	452391	5434638	328	-55	209.0	211.0	2.0	7.12		
			<i>including</i>								1.0	13.3	
OSK-W-17-901	2500	Z27	810.0	452391	5434638	328	-55	403.0	409.0	6.0	0.77		
OSK-W-17-901	2500	FW3U	810.0	452391	5434638	328	-55	675.5	678.0	2.5	8.27		
			<i>including</i>								0.3	65.9	
OSK-W-17-902	3475	Lynx HW	468.0	453390	5434852	331	-50	233.5	236.0	2.5	3.95		
OSK-W-17-902	3475	Lynx 1	468.0	453390	5434852	331	-50	281.1	283.1	2.0	4.56		
			<i>including</i>								1.0	9.07	
OSK-W-17-902	3475	QTV	468.0	453390	5434852	331	-50	398.0	400.0	2.0	3.67		
			<i>including</i>								0.4	16.8	
OSK-W-17-902	3475	VNCR	468.0	453390	5434852	331	-50	431.0	433.1	2.1	11.7		
			<i>including</i>								1.1	22.0	
OSK-W-17-903	2650	Caribou	801.0	452539	5434692	329	-56	228.0	230.5	2.5	5.35		
			<i>including</i>								0.4	31.3	
OSK-W-17-903	2650	CN2 FW	801.0	452539	5434692	329	-56	412.5	420.0	7.5	4.97		
			<i>including</i>								1.5	19.4	
OSK-W-17-903	2650	Z27	801.0	452539	5434692	329	-56	539.0	543.0	4.0	36.1	34.2	
			<i>including</i>								1.0	108	100
OSK-W-17-903	2650	Z27	801.0	452539	5434692	329	-56	554.0	556.0	2.0	69.6	35.6	
			<i>including</i>								0.7	197	100
OSK-W-17-903	2650	Z27	801.0	452539	5434692	329	-56	559.0	561.0	2.0	10.7		
			<i>including</i>								0.5	37.7	
OSK-W-17-903	2650	Vein	801.0	452539	5434692	329	-56	668.5	670.5	2.0	25.1	50.1	
			<i>including</i>								1.0	50.1	
OSK-W-17-903	2650	FW3U	801.0	452539	5434692	329	-56	778.0	780.0	2.0	73.6	40.2	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								779.2	780.0	0.8	184	100
OSK-W-17-903-W1	2650	CN2 FW	657.0	452539	5434692	329	-56	408.9	410.9	2.0	9.30	
<i>including</i>								408.9	410.0	1.1	16.7	
OSK-W-17-903-W1	2650	Z27 FW	657.0	452539	5434692	329	-56	577.6	580.2	2.6	25.7	
<i>including</i>								577.6	578.5	0.9	73.7	
OSK-W-17-903-W2	2650	Z27	795.0	452539	5434692	329	-56	556.0	560.9	4.9	3.72	
<i>including</i>								556.0	557.1	1.1	8.88	
<i>including</i>								560.0	560.9	0.9	8.94	
OSK-W-17-903-W2	2650	Z27 FW	795.0	452539	5434692	329	-56	593.0	595.0	2.0	8.52	
<i>including</i>								593.0	594.0	1.0	16.7	
OSK-W-17-903-W2	2650	FW3U	795.0	452539	5434692	329	-56	688.4	690.9	2.5	3.22	
<i>including</i>								689.8	690.4	0.6	9.47	
OSK-W-17-906	3475	Lynx HW	442.0	453349	5434937	331	-56	169.3	172.0	2.7	27.0	
<i>including</i>								169.3	170.2	0.9	76.9	
OSK-W-17-906	3475	Lynx HW	442.0	453349	5434937	331	-56	174.0	176.5	2.5	4.25	
<i>including</i>								174.6	175.0	0.4	21.9	
OSK-W-17-906	3475	Lynx 1	442.0	453349	5434937	331	-56	182.0	184.0	2.0	23.9	
<i>including</i>								182.4	183.0	0.6	79.6	
OSK-W-17-906	3475	Lynx 1 + Lynx 2	442.0	453349	5434937	331	-56	213.0	215.0	2.0	4.45	
<i>including</i>								213.0	214.0	1.0	8.55	
OSK-W-17-906	3475	Lynx 2 FW	442.0	453349	5434937	331	-56	276.0	280.0	4.0	5.05	
<i>including</i>								279.0	280.0	1.0	8.37	
OSK-W-17-907	3575	Lynx 3	1317.0	453219	5435340	134	-51	324.0	333.4	9.4	0.39	
OSK-W-17-907	3575	Lynx	1317.0	453219	5435340	134	-51	436.7	441.6	4.9	7.56	
<i>including</i>								440.0	440.7	0.7	31.3	
OSK-W-17-907	3575	Lynx 4	1317.0	453219	5435340	134	-51	853.3	855.7	2.4	35.6	
<i>including</i>								853.7	854.7	1.0	83.1	
OSK-W-17-907	3575	Lynx 4	1317.0	453219	5435340	134	-51	861.0	863.0	2.0	6.19	
<i>including</i>								861.0	862.1	1.1	10.3	
OSK-W-17-907	3575	Lynx 4	1317.0	453219	5435340	134	-51	893.0	895.0	2.0	5.71	
<i>including</i>								894.0	895.0	1.0	10.3	
OSK-W-17-907	3575	TBD	1317.0	453219	5435340	134	-51	952.0	954.0	2.0	30.2	
<i>including</i>								952.4	953.1	0.7	85.2	
OSK-W-17-907	3575	Lynx TBD	1317.0	453219	5435340	134	-51	961.9	964.0	2.1	25.9	
<i>including</i>								962.3	963.0	0.7	59.5	
OSK-W-17-908	4350	Lynx corridor extension	824.0	453871	5435782	135	-54	738.4	742.6	4.2	10.6	
<i>including</i>								741.0	742.6	1.6	26.6	
OSK-W-17-908	4350	Lynx corridor extension	824.0	453871	5435782	135	-54	756.0	760.1	4.1	7.34	
<i>including</i>								756.0	756.4	0.4	15.6	
<i>including</i>								759.0	760.1	1.1	19.3	
OSK-W-17-908	4350	Lynx corridor extension	824.0	453871	5435782	135	-54	764.0	766.5	2.5	12.6	
<i>including</i>								765.5	766.5	1.0	26.7	
OSK-W-17-909	4125	VNCR - Lynx corridor	1119.0	453683	5435677	131	-55	869.0	872.7	3.7	4.33	
<i>including</i>								872.0	872.7	0.7	18.6	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	908.0	910.0	2.0	11.8	
<i>including</i>								908.5	909.0	0.5	37.0	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	912.0	918.2	6.2	301	53.7
<i>including</i>								913.0	913.6	0.6	162	100
<i>and</i>								913.6	914.9	1.3	1230	100
<i>and</i>								914.9	916.0	1.1	125	100
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	922.0	928.0	6.0	10.7	
<i>including</i>								923.0	924.2	1.2	37.2	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	933.0	935.0	2.0	4.97	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	959.0	961.0	2.0	3.26	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	982.9	986.0	3.1	4.94	
OSK-W-17-909-W2	4125	Lynx 1	1071.0	453683	5435677	131	-55	795.8	797.9	2.1	19.2	
<i>including</i>								797.4	797.9	0.5	61.6	
OSK-W-17-909-W3	4125	Lynx 1	1066.0	453683	5435677	131	-55	824.0	826.0	2.0	5.93	
<i>including</i>								824.7	825.0	0.3	39.0	
OSK-W-17-909-W3	4125	Lynx 1	1066.0	453683	5435677	131	-55	836.2	838.3	2.1	5.86	
OSK-W-17-909-W4	4125	Lynx 4	1134.0	453683	5435677	131	-55	950.0	952.5	2.5	8.96	
<i>including</i>								950.5	951.0	0.5	37.2	
OSK-W-17-909-W4	4125	Lynx 4	1134.0	453683	5435677	131	-55	1049.6	1052.0	2.4	46.3	
OSK-W-18-909-W5	4150	VNCR	1057.3	453683	5435677	131	-55	887.0	889.1	2.1	7.94	
<i>including</i>								887.0	887.8	0.8	20.7	
OSK-W-18-909-W5	4150	Lynx	1057.3	453683	5435677	131	-55	956.3	959.0	2.7	79.1	52.6
<i>including</i>								956.9	957.3	0.4	182	100
<i>including</i>								957.6	958.1	0.5	178	100
OSK-W-19-909-W6	4125	Lynx	1093.7	453683	5435677	131	-55	937.5	939.5	2.0	6.00	
OSK-W-19-909-W6	4125	Lynx	1093.7	453683	5435677	131	-55	1061.3	1063.9	2.6	14.5	
<i>including</i>								1062.3	1062.9	0.6	59.1	
OSK-W-19-909-W8	4125	Lynx	1053.0	453683	5435677	131	-55	960.0	962.0	2.0	128	39.6
<i>including</i>								961.4	962.0	0.6	396	100
OSK-W-19-909-W8	4125	Lynx	1053.0	453683	5435677	131	-55	969.0	971.0	2.0	8.39	
OSK-W-19-909-W9	4125	Lynx	1143.0	453683	5435677	131	-55	957.0	959.0	2.0	4.86	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-911	3325	Lynx 2	255.0	453178	5434908	331	-54	210.8	213.0	2.2	11.1	
		<i>including</i>						210.8	211.1	0.3	65.6	
OSK-W-17-912	3675	Lynx 3	569.8	453330	5435402	147	-48	295.7	300.4	4.7	0.03	
OSK-W-17-912	3675	Lynx 2	569.8	453330	5435402	147	-48	373.1	375.3	2.2	14.6	
OSK-W-17-912	3675	Lynx 1	569.8	453330	5435402	147	-48	408.0	410.0	2.0	19.8	
		<i>including</i>						408.4	409.1	0.7	55.2	
OSK-W-17-912	3675	Lynx 1	569.8	453330	5435402	147	-48	415.0	417.8	2.8	6.65	
		<i>including</i>						416.5	416.8	0.3	59.2	
OSK-W-17-913	2825	Caribou corridor	954.0	452878	5434419	334	-52	533.8	536.5	2.7	5.09	
		<i>including</i>						533.8	535.0	1.2	11.1	
OSK-W-17-913	2825	Caribou corridor	954.0	452878	5434419	334	-52	554.0	556.3	2.3	3.45	
OSK-W-17-913	2825	CS1	954.0	452878	5434419	334	-52	631.8	634.0	2.2	1.92	
OSK-W-17-913	2825	Vein	954.0	452878	5434419	334	-52	642.0	644.0	2.0	5.86	
		<i>including</i>						642.0	643.0	1.0	11.7	
OSK-W-17-913	2825	CS3	954.0	452878	5434419	334	-52	699.1	702.9	3.8	2.06	
OSK-W-17-913	2825	Wolf 2	954.0	452878	5434419	334	-52	719.0	721.0	2.0	611	15.4
		<i>including</i>						719.8	720.1	0.3	4070	100
OSK-W-17-913	2825	Wolf HW	954.0	452878	5434419	334	-52	783.0	785.0	2.0	3.37	
OSK-W-17-913	2825	Wolf HW	954.0	452878	5434419	334	-52	791.0	793.0	2.0	13.5	
		<i>including</i>						791.0	792.0	1.0	26.2	
OSK-W-17-913	2825	Wolf FW	954.0	452878	5434419	334	-52	857.0	859.0	2.0	13.6	
		<i>including</i>						857.0	858.0	1.0	26.5	
OSK-W-17-914	3475	Lynx HW	447.0	453390	5434852	332	-53	239.3	241.6	2.3	27.2	26.6
		<i>including</i>						240.7	241.0	0.3	105	100
OSK-W-17-916	3325	Lynx HW	336.0	453172	5434924	331	-54	108.0	111.5	3.5	14.3	
		<i>including</i>						108.0	108.5	0.5	75.1	
OSK-W-17-918	3525	Lynx HW	744.0	453387	5434953	335	-57	179.0	180.0	1.0	0.40	
OSK-W-17-918	3525	Lynx 1	744.0	453387	5434953	335	-57	185.5	187.9	2.4	13.3	13.3
OSK-W-17-918	3525	Lynx 1	744.0	453387	5434953	335	-57	185.5	187.9	2.4	41.4	13.3
		<i>including</i>						186.4	186.7	0.3	100.0	100
		<i>including</i>						186.4	186.7	0.3	325	100
OSK-W-17-918	3525	Lynx 1	744.0	453387	5434953	335	-57	225.0	232.0	7.0	6.84	
		<i>including</i>						229.0	230.0	1.0	31.1	
OSK-W-17-918	3525	Lynx 2	744.0	453387	5434953	335	-57	238.0	240.0	2.0	23.4	
		<i>including</i>						238.7	239.3	0.6	61.3	
OSK-W-17-918	3525	Lynx 2	744.0	453387	5434953	335	-57	258.0	261.0	3.0	12.4	
		<i>including</i>						258.0	259.5	1.5	24.1	
OSK-W-17-919	2200	Mallard	495.0	451943	5434836	329	-54	91.5	94.4	2.9	4.32	
		<i>including</i>						91.5	92.3	0.8	11.0	
OSK-W-17-921	3525	Lynx HW	447.0	453428	5434865	331	-57	328.6	330.6	2.0	3.05	
OSK-W-17-921	3525	Lynx 1	447.0	453428	5434865	331	-57	328.6	330.6	2.0	20.6	
		<i>including</i>						329.3	329.7	0.4	10.00	
		<i>including</i>						329.3	329.7	0.4	97.8	
OSK-W-17-921	3525	Lynx 1	447.0	453428	5434865	331	-57	336.0	343.9	7.9	0.59	
OSK-W-17-921	3525	Lynx 2	447.0	453428	5434865	331	-57	360.0	362.4	2.4	0.78	
OSK-W-17-922	3725	New - Lynx corridor	591.0	453360	5435437	144	-52	364.0	366.2	2.2	3.89	
OSK-W-17-922	3725	Lynx 2	591.0	453360	5435437	144	-52	456.1	459.6	3.5	27.1	20.6
		<i>including</i>						457.5	457.8	0.3	176	100
OSK-W-17-922	3725	Lynx 1	591.0	453360	5435437	144	-52	492.4	495.0	2.6	1.46	
OSK-W-17-923	4025	Caribou	1062.0	453607	5435603	137	-56	309.0	311.0	2.0	6.23	
OSK-W-17-923	4025	Lynx 4	1062.0	453607	5435603	137	-56	890.1	892.5	2.4	210	44.3
		<i>including</i>						890.8	891.8	1.0	498	100
		<i>including</i>						890.8	891.3	0.5	838	100
OSK-W-17-923	4025	Lynx 4 corridor	1062.0	453607	5435603	137	-56	928.2	931.2	3.0	4.33	
OSK-W-18-923-W1	4025	Lynx 4	961.7	453607	5435603	137	-56	876.2	878.2	2.0	3.39	
OSK-W-18-923-W2	4025	Lynx 4	1164.0	453607	5435603	137	-56	895.0	897.2	2.2	5.32	
		<i>including</i>						895.8	896.1	0.3	38.5	
OSK-W-18-923-W2	4025	Lynx 4	1164.0	453607	5435603	137	-56	911.1	917.0	5.9	10.1	
		<i>including</i>						916.2	917.0	0.8	60.8	
OSK-W-18-923-W2	4025	Lynx	1164.0	453607	5435603	137	-56	1134.3	1136.5	2.2	6.80	
		<i>including</i>						1135.0	1136.0	1.0	12.3	
OSK-W-18-923-W2	4025	Lynx 4	1164.0	453607	5435603	137	-56	1160.0	1162.0	2.0	3.34	
OSK-W-17-924	3550	Lynx HW	375.0	453414	5434927	334	-54	220.9	227.0	6.1	9.18	
		<i>including</i>						220.9	222.0	1.1	29.5	
OSK-W-17-924	3550	Lynx 1	375.0	453414	5434927	334	-54	233.0	235.0	2.0	9.12	
		<i>including</i>						233.0	234.0	1.0	15.4	
OSK-W-17-924	3550	Lynx 2	375.0	453414	5434927	334	-54	278.4	280.7	2.3	12.5	
		<i>including</i>						280.0	280.7	0.7	35.0	
OSK-W-17-924	3550	Lynx 2 FW	375.0	453414	5434927	334	-54	308.0	312.0	4.0	25.5	
OSK-W-17-926	2225	Mallard	215.6	451981	5434828	329	-54	123.8	126.3	2.5	5.18	
OSK-W-17-928	3550	Lynx HW	464.6	453433	5434905	333	-64	247.0	249.0	2.0	68.8	50.0
		<i>including</i>						247.0	248.0	1.0	138	100
OSK-W-17-928	3550	Lynx 1	464.6	453433	5434905	333	-64	341.7	344.3	2.6	79.4	14.2
		<i>including</i>						341.7	342.0	0.3	665	100
OSK-W-17-928	3550	Lynx 2	464.6	453433	5434905	333	-64	376.2	378.3	2.1	9.10	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								376.7	377.6	0.9	20.0	
OSK-W-17-929	4350	Lynx 1	1218.0	453871	5435782	130	-58	901.5	903.7	2.2	6.58	
<i>including</i>								902.1	903.0	0.9	14.7	
OSK-W-17-929	4350	Lynx 1	1218.0	453871	5435782	130	-58	936.5	938.5	2.0	18.9	
<i>including</i>								937.2	937.6	0.4	62.6	
OSK-W-17-930	3500	Lynx HW	372.0	453404	5434873	334	-51	257.0	259.1	2.1	12.7	
<i>including</i>								257.0	257.9	0.9	27.0	
OSK-W-17-930	3500	Lynx 2	372.0	453404	5434873	334	-51	324.0	326.4	2.4	18.0	
OSK-W-17-931	3725	Lynx 4	936.0	453360	5435437	134	-50	683.0	685.0	2.0	42.1	22.4
OSK-W-17-934	3800	Lynx 1	967.5	453407	5435463	144	-55	476.2	479.0	2.8	20.8	
<i>including</i>								476.2	477.2	1.0	57.0	
OSK-W-17-935	2275	Mallard HW	474.0	452025	5434827	327	-51	80.0	82.8	2.8	3.34	
OSK-W-17-935	2275	Mallard	474.0	452025	5434827	327	-51	151.0	153.0	2.0	2.74	
OSK-W-17-936	2775	CS3	822.0	452773	5434547	332	-56	518.0	523.5	5.5	3.43	
<i>including</i>								523.0	523.5	0.5	19.6	
OSK-W-17-936	2775	Caribou corridor	822.0	452773	5434547	332	-56	616.6	619.6	3.0	16.6	
<i>including</i>								616.6	617.6	1.0	38.3	
OSK-W-17-936	2775	Wolf	822.0	452773	5434547	332	-56	666.0	668.0	2.0	6.17	
OSK-W-17-936	2775	Wolf HW	822.0	452773	5434547	332	-56	729.0	732.0	3.0	3.79	
OSK-W-17-936-W1	2775	Wolf HW	808.0	452773	5434547	332	-56	617.3	619.3	2.0	12.6	
<i>including</i>								617.3	618.3	1.0	21.3	
OSK-W-17-936-W1	2775	Wolf	808.0	452773	5434547	332	-56	640.8	643.0	2.2	14.2	
<i>including</i>								642.4	643.0	0.6	49.2	
OSK-W-17-936-W1	2775	Wolf	808.0	452773	5434547	332	-56	668.5	670.6	2.1	3.55	
<i>including</i>								668.9	669.3	0.4	16.9	
OSK-W-17-936-W1	2775	Wolf FW	808.0	452773	5434547	332	-56	697.0	699.0	2.0	204	50.5
<i>including</i>								697.0	698.0	1.0	407	100
OSK-W-17-936-W1	2775	Wolf FW	808.0	452773	5434547	332	-56	704.0	706.0	2.0	14.8	
<i>including</i>								705.0	706.0	1.0	29.0	
OSK-W-17-936-W1	2775	Z27	808.0	452773	5434547	332	-56	776.0	778.0	2.0	3.65	
<i>including</i>								777.2	778.0	0.8	8.07	
OSK-W-17-936-W1	2775	Z27	808.0	452773	5434547	332	-56	785.0	787.7	2.7	4.03	
<i>including</i>								787.0	787.7	0.7	7.71	
OSK-W-17-936-W2	2775	Caribou	819.0	452773	5434547	332	-56	522.4	524.8	2.4	16.7	
<i>including</i>								523.4	523.8	0.4	95.0	
OSK-W-17-936-W2	2775	Wolf 2	819.0	452773	5434547	332	-56	574.5	577.9	3.4	3.36	
OSK-W-17-936-W2	2775	Wolf HW	819.0	452773	5434547	332	-56	671.1	673.3	2.2	11.1	
OSK-W-17-936-W2	2775	VNCR	819.0	452773	5434547	332	-56	693.9	695.9	2.0	27.7	
<i>including</i>								694.9	695.9	1.0	55.4	
OSK-W-17-936-W2	2775	Wolf	819.0	452773	5434547	332	-56	701.6	703.6	2.0	5.80	
OSK-W-17-936-W2	2775	Wolf FW	819.0	452773	5434547	332	-56	735.0	738.3	3.3	6.41	
<i>including</i>								735.0	735.9	0.9	14.6	
<i>including</i>								738.0	738.3	0.3	16.3	
OSK-W-17-937	2850	Vein	935.2	452897	5434430	333	-57	445.0	448.0	3.0	5.58	
<i>including</i>								447.0	448.0	1.0	11.8	
OSK-W-17-937	2850	CS1	935.2	452897	5434430	333	-57	638.0	648.0	10.0	0.66	
OSK-W-17-937	2850	CS3	935.2	452897	5434430	333	-57	757.8	759.8	2.0	11.9	
OSK-W-17-937	2850	Wolf 2	935.2	452897	5434430	333	-57	782.0	784.4	2.4	8.09	
<i>including</i>								783.0	783.8	0.8	22.4	
OSK-W-17-937	2850	Wolf HW	935.2	452897	5434430	333	-57	811.0	813.0	2.0	3.94	
OSK-W-17-937-W1	2850	CS1 HW	945.0	452897	5434430	333	-57	583.0	585.6	2.6	14.6	
<i>including</i>								583.8	584.9	1.1	34.1	
OSK-W-17-937-W1	2850	CS1	945.0	452897	5434430	333	-57	647.2	650.0	2.8	2.75	
OSK-W-17-937-W1	2850	Wolf 2	945.0	452897	5434430	333	-57	756.2	758.6	2.4	26.6	
<i>including</i>								757.0	758.6	1.6	39.0	
OSK-W-17-937-W1	2850	Wolf HW	945.0	452897	5434430	333	-57	786.4	788.6	2.2	3.21	
OSK-W-17-937-W2	2850	Wolf 2	933.0	452897	5434430	333	-57	749.0	751.5	2.5	16.8	
OSK-W-17-937-W2	2850	Wolf HW	933.0	452897	5434430	333	-57	811.0	813.0	2.0	9.01	
<i>including</i>								811.3	811.8	0.5	25.2	
OSK-W-17-937-W2	2850	Wolf HW	933.0	452897	5434430	333	-57	831.4	833.4	2.0	3.16	
OSK-W-17-939	3475	Lynx HW	414.0	453376	5434898	327	-51	193.7	196.1	2.4	0.90	
OSK-W-17-939	3475	Lynx 1	414.0	453376	5434898	327	-51	246.0	248.0	2.0	12.1	
<i>including</i>								246.0	247.0	1.0	20.6	
OSK-W-17-939	3475	Lynx 2	414.0	453376	5434898	327	-51	296.0	298.0	2.0	4.71	
<i>including</i>								296.7	298.0	1.3	6.96	
OSK-W-17-939	3475	VNCR	414.0	453376	5434898	327	-51	347.0	349.0	2.0	3.25	
OSK-W-17-941	3575	Lynx HW	444.0	453434	5434969	330	-49	188.3	190.5	2.2	13.4	
<i>including</i>								189.3	189.6	0.3	85.1	
OSK-W-17-941	3575	Lynx 1	444.0	453434	5434969	330	-49	197.7	200.0	2.3	5.77	
<i>including</i>								198.7	199.0	0.3	39.1	
OSK-W-17-941	3575	Lynx 2	444.0	453434	5434969	330	-49	231.0	233.9	2.9	71.9	25.9
<i>including</i>								231.9	232.2	0.3	545	100
OSK-W-17-943	2675	CS1	744.0	452660	5434494	331	-55	491.0	493.0	2.0	3.00	
<i>including</i>								492.0	493.0	1.0	5.57	
OSK-W-17-943	2675	Wolf HW	744.0	452660	5434494	331	-55	610.8	616.0	5.2	3.25	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-943	2675	Wolf	744.0	452660	5434494	331	-55	688.0	690.0	2.0	4.96	
<i>including</i>								688.0	689.0	1.0	9.64	
OSK-W-17-945	3750	Lynx 1	556.5	453376	5435444	149	-50	466.6	468.8	2.2	20.6	
OSK-W-17-945	3750	Lynx 1	556.5	453376	5435444	149	-50	466.6	468.8	2.2	20.6	
<i>including</i>								466.6	467.6	1.0	44.5	
<i>including</i>								466.6	467.6	1.0	44.5	
OSK-W-17-945	3750	Lynx 1	556.5	453376	5435444	149	-50	472.8	476.8	4.0	7.86	
<i>including</i>								474.8	476.0	1.2	17.1	
OSK-W-17-945	3750	Lynx 1	556.5	453376	5435444	149	-50	481.0	483.0	2.0	5.38	
OSK-W-17-947	3475	Lynx HW	444.0	453376	5434896	330	-58	208.0	210.2	2.2	3.62	
OSK-W-17-947	3475	VNCR	444.0	453376	5434896	330	-58	239.8	242.1	2.3	5.45	
<i>including</i>								241.2	242.1	0.9	8.87	
OSK-W-17-947	3475	Lynx 1	444.0	453376	5434896	330	-58	299.0	304.0	5.0	4.35	
<i>including</i>								302.6	304.0	1.4	8.73	
OSK-W-17-948	3800	Lynx 3	632.5	453407	5435463	144	-52	363.4	366.6	3.2	0.18	
OSK-W-17-948	3800	Lynx 2	632.5	453407	5435463	144	-52	426.8	429.3	2.5	0.03	
OSK-W-17-948	3800	Lynx 1	632.5	453407	5435463	144	-52	475.0	477.0	2.0	4.39	
<i>including</i>								475.0	475.5	0.5	17.3	
OSK-W-17-948	3800	Lynx HW	632.5	453407	5435463	144	-52	593.6	596.0	2.4	4.62	
OSK-W-17-949	3575	Lynx HW	423.0	453434	5434969	333	-55	196.0	200.0	4.0	5.18	
<i>including</i>								196.5	196.9	0.4	28.3	
OSK-W-17-949	3575	Lynx 1	423.0	453434	5434969	333	-55	214.1	216.1	2.0	4.50	
OSK-W-17-949	3575	Lynx 2	423.0	453434	5434969	333	-55	236.3	238.3	2.0	10.4	
<i>including</i>								236.9	237.3	0.4	49.1	
OSK-W-17-949	3575	Vein	423.0	453434	5434969	333	-55	403.5	406.5	3.0	3.97	
OSK-W-17-950	4125	Lynx 2	1269.0	453683	5435676	131	-59	689.0	691.6	2.6	1.14	
OSK-W-17-950	4125	Lynx 1	1269.0	453683	5435676	131	-59	888.1	891.0	2.9	1.18	
OSK-W-17-950	4125	VNCR	1269.0	453683	5435676	131	-59	1131.0	1133.0	2.0	4.49	
<i>including</i>								1132.0	1132.4	0.4	21.7	
OSK-W-17-950	4125	Lynx 4	1269.0	453683	5435676	131	-59	1211.3	1215.5	4.2	6.52	
OSK-W-17-953	3575	Lynx 3	762.0	453218	5435353	131	-48	326.6	329.0	2.4	1.55	
OSK-W-17-953	3575	Lynx 1	762.0	453218	5435353	131	-48	370.0	372.0	2.0	6.02	
<i>including</i>								370.8	371.1	0.3	38.1	
OSK-W-17-953	3575	Lynx 2	762.0	453218	5435353	131	-48	433.0	435.5	2.5	61.8	33.3
<i>including</i>								433.7	434.5	0.8	189	100
OSK-W-17-953	3575	Lynx 1	762.0	453218	5435353	131	-48	456.6	458.0	1.4	0.54	
OSK-W-17-957	3475	Lynx 1	228.1	453329	5434973	327	-56	125.3	127.8	2.5	0.42	
OSK-W-17-957	3475	Lynx 1 + Lynx 2	228.1	453329	5434973	327	-56	169.0	171.0	2.0	3.99	
OSK-W-17-957	3475	Lynx 2	228.1	453329	5434973	327	-56	193.7	197.9	4.2	6.02	
<i>including</i>								197.6	197.9	0.3	64.1	
OSK-W-17-957	3475	Lynx 2	228.1	453329	5434973	327	-56	205.0	207.0	2.0	8.73	
<i>including</i>								205.0	206.0	1.0	17.1	
OSK-W-17-957	3475	Lynx 2	228.1	453329	5434973	327	-56	212.0	214.0	2.0	21.5	
<i>including</i>								212.6	213.2	0.6	70.6	
OSK-W-17-958	3725	Lynx 2	1212.0	453359	5435437	143	-55	441.8	444.0	2.2	9.18	
OSK-W-17-958	3725	Lynx	1212.0	453359	5435437	143	-55	480.9	483.0	2.1	36.5	25.9
<i>including</i>								481.5	482.0	0.5	145	100
OSK-W-17-958	3725	Lynx 1	1212.0	453359	5435437	143	-55	500.0	502.0	2.0	22.0	
<i>including</i>								500.0	500.5	0.5	87.0	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	712.0	717.0	5.0	5.74	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	828.0	831.0	3.0	3.14	
<i>including</i>								829.5	831.0	1.5	6.15	
<i>including</i>								996.0	998.0	2.0	4.55	
<i>including</i>								997.5	998.0	0.5	17.8	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	1053.0	1058.5	5.5	11.8	
<i>including</i>								1054.0	1054.3	0.3	68.7	
<i>including</i>								1057.9	1058.5	0.6	53.5	
OSK-W-17-958	3725	TBD - Lynx corridor	1212.0	453359	5435437	143	-55	1070.0	1072.0	2.0	5.36	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	1076.0	1078.0	2.0	9.51	
<i>including</i>								1077.0	1078.0	1.0	18.9	
OSK-W-17-958	3725	Lynx 5	1212.0	453359	5435437	143	-55	1116.5	1119.0	2.5	0.29	
OSK-W-17-959	3550	Lynx 1	393.0	453404	5434971	334	-46	178.1	180.2	2.1	3.73	
<i>including</i>								179.1	179.4	0.3	23.0	
OSK-W-17-960	3625	Lynx 4	1077.0	453283	5435344	138	-54	655.9	658.0	2.1	8.63	
<i>including</i>								656.6	657.0	0.4	43.6	
OSK-W-17-960	3625	Lynx	1077.0	453283	5435344	138	-54	1031.0	1033.2	2.2	7.06	
OSK-W-17-960	3625	Lynx	1077.0	453283	5435344	138	-54	1036.8	1038.9	2.1	13.7	
OSK-W-17-967	3300	Lynx 1	720.0	453176	5434910	337	-62	149.0	151.0	2.0	0.82	
OSK-W-17-967	3300	Lynx 2	720.0	453176	5434910	337	-62	202.2	206.3	4.1	0.81	
OSK-W-17-967	3300	VNCR	720.0	453176	5434910	337	-62	240.9	243.0	2.1	52.3	47.7
<i>including</i>								242.0	243.0	1.0	110	100
OSK-W-17-967	3300	VNCR	720.0	453176	5434910	337	-62	259.0	261.0	2.0	10.9	
<i>including</i>								259.0	260.0	1.0	21.4	
OSK-W-17-967	3300	Caribou extension	720.0	453176	5434910	337	-62	603.0	605.0	2.0	23.2	15.3
<i>including</i>								603.5	603.8	0.3	153	100



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-967	3300	Caribou extension	720.0	453176	5434910	337	-62	655.8	660.3	4.5	10.2	
		<i>including</i>						658.1	658.5	0.4	45.8	
OSK-W-17-968	2175	Z27	201.0	451948	5434759	152	-51	102.0	109.4	7.4	4.02	
		<i>including</i>						107.4	109.4	2.0	7.77	
OSK-W-17-968	2175	QTV	201.0	451948	5434759	152	-51	118.0	122.3	4.3	11.2	10.5
		<i>including</i>						122.0	122.3	0.3	109	100
OSK-W-17-968	2175	Z27	201.0	451948	5434759	152	-51	160.0	162.4	2.4	5.77	
OSK-W-17-969	2425	Drake	324.0	452200	5434867	328	-48	58.2	61.5	3.3	7.39	
		<i>including</i>						58.2	58.6	0.4	28.4	
OSK-W-17-969	2425	Drake 2	324.0	452200	5434867	328	-48	71.2	74.0	2.8	4.83	
		<i>including</i>						71.6	72.2	0.6	15.0	
OSK-W-17-969	2425	Mallard	324.0	452200	5434867	328	-48	210.6	213.0	2.4	10.1	
		<i>including</i>						210.6	211.0	0.4	53.0	
OSK-W-17-970	3800	Lynx HW	714.0	453407	5435462	143	-51	524.0	526.0	2.0	7.51	
		<i>including</i>						524.9	525.5	0.6	15.0	
OSK-W-17-972	3325	Lynx 1	291.0	453176	5434910	333	-60	144.0	146.0	2.0	0.29	
OSK-W-17-972	3325	QTV	291.0	453176	5434910	333	-60	224.5	226.5	2.0	5.23	
		<i>including</i>						224.5	225.0	0.5	20.5	
OSK-W-17-973	2175	Z27	96.0	451969	5434707	150	-46	57.4	59.8	2.4	60.5	51.6
		<i>including</i>						57.9	58.9	1.0	122	100
OSK-W-17-973	2175	Z27	96.0	451969	5434707	150	-46	64.0	66.1	2.1	5.12	
		<i>including</i>						65.7	66.1	0.4	25.2	
OSK-W-17-974	3450	Lynx 2	357.0	453302	5434978	330	-59	172.0	174.0	2.0	24.2	
		<i>including</i>						172.8	173.3	0.5	94.2	
OSK-W-17-975	3000	Caribou extension	804.0	452862	5434814	334	-64	424.0	426.5	2.5	4.05	
		<i>including</i>						424.6	425.0	0.4	23.2	
OSK-W-17-975	3000	Caribou	804.0	452862	5434814	334	-64	465.0	472.8	7.8	4.31	
		<i>including</i>						465.0	467.0	2.0	8.29	
		<i>including</i>						472.0	472.8	0.8	13.9	
OSK-W-17-975	3000	Z27	804.0	452862	5434814	334	-64	675.0	677.2	2.2	7.09	
		<i>including</i>						675.7	676.5	0.8	15.7	
OSK-W-17-976	2300	Z27	306.0	452038	5434840	140	-49	273.0	275.0	2.0	3.89	
OSK-W-17-977	2425	Z27	540.0	452207	5434816	331	-51	14.3	14.7	0.4	0.43	
OSK-W-17-977	2425	Mallard	540.0	452207	5434816	331	-51	269.5	271.7	2.2	12.0	
		<i>including</i>						270.8	271.7	0.9	25.4	
OSK-W-17-977	2425	Underdog	540.0	452207	5434816	331	-51	386.2	389.0	2.8	3.39	
		<i>including</i>						386.2	387.0	0.8	9.92	
OSK-W-17-978	2975	VNCR	804.0	452851	5434803	335	-67	98.0	100.0	2.0	65.5	20.1
		<i>including</i>						99.6	100.0	0.4	327	100
OSK-W-17-978	2975	New zone	804.0	452851	5434803	335	-67	108.0	110.0	2.0	14.0	
		<i>including</i>						109.1	109.4	0.3	92.2	
OSK-W-17-978	2975	Caribou extension	804.0	452851	5434803	335	-67	492.2	495.0	2.8	3.04	
OSK-W-17-978	2975	SHR VN	804.0	452851	5434803	335	-67	677.0	679.3	2.3	3.00	
		<i>including</i>						677.5	677.8	0.3	21.5	
OSK-W-17-979	3550	Lynx	471.0	453429	5434951	339	-69	304.0	306.0	2.0	17.0	
		<i>including</i>						305.2	306.0	0.8	38.5	
OSK-W-17-979	3550	Lynx	471.0	453429	5434951	339	-69	312.0	314.2	2.2	3.22	
		<i>including</i>						312.0	312.4	0.4	14.8	
OSK-W-17-981	4025	Lynx 1	1110.0	453606	5435603	133	-62	697.7	704.1	6.4	0.58	
OSK-W-17-981	4025	Lynx HW	1110.0	453606	5435603	133	-62	828.9	831.0	2.1	6.21	
		<i>including</i>						830.0	831.0	1.0	12.5	
OSK-W-17-981	4025	Lynx 4	1110.0	453606	5435603	133	-62	890.0	892.0	2.0	5.23	
		<i>including</i>						890.5	890.9	0.4	24.5	
OSK-W-17-981	4025	TPV	1110.0	453606	5435603	133	-62	1008.0	1010.0	2.0	3.01	
OSK-W-17-984	3450	Lynx 1	366.0	453301	5434978	325	-48	103.5	107.0	3.5	12.1	
		<i>including</i>						103.5	103.8	0.3	88.1	
		<i>including</i>						106.0	106.5	0.5	26.8	
OSK-W-17-985	2325	Z27	225.0	452074	5434827	144	-49	145.4	150.0	4.6	9.92	
		<i>including</i>						145.4	145.7	0.3	42.9	
OSK-W-17-986	3600	Lynx 1	360.0	453447	5435019	328	-66	194.0	198.2	4.2	0.22	
OSK-W-17-986	3600	Lynx 2	360.0	453447	5435019	328	-66	263.0	265.0	2.0	6.74	
		<i>including</i>						263.0	264.0	1.0	13.1	
OSK-W-17-986	3600	VNCR - Lynx corridor	360.0	453447	5435019	328	-66	317.0	320.1	3.1	5.69	
		<i>including</i>						317.0	318.0	1.0	15.9	
OSK-W-17-986	3600	VNCR	360.0	453447	5435019	328	-66	337.7	340.0	2.3	50.3	48.7
		<i>including</i>						338.4	339.5	1.1	104	100
OSK-W-17-987	3350	Lynx HW	327.0	453224	5434909	339	-60	132.7	135.0	2.3	4.97	
		<i>including</i>						134.0	135.0	1.0	11.4	
OSK-W-17-987	3350	Lynx 1	327.0	453224	5434909	339	-60	212.3	214.7	2.4	2.12	
OSK-W-17-987	3350	Lynx 2	327.0	453224	5434909	339	-60	224.0	227.0	3.0	0.19	
OSK-W-17-987	3350	VNCR - Lynx corridor	327.0	453224	5434909	339	-60	270.2	272.2	2.0	5.77	
		<i>including</i>						270.7	271.9	1.2	9.06	
OSK-W-17-989	2675	Wolf HW	738.0	452660	5434497	335	-56	633.4	635.5	2.1	4.52	
OSK-W-17-989	2675	Wolf	738.0	452660	5434497	335	-56	668.0	670.0	2.0	4.19	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-989-W1	2675	New zone	751.4	452660	5434497	336	-56	504.0	511.0	7.0	3.59	
OSK-W-17-989-W1	2675	CS1 FW	751.4	452660	5434497	336	-56	514.0	517.0	3.0	7.74	
		<i>including</i>						515.0	516.0	1.0	20.5	
OSK-W-17-989-W2	2675	CS1	743.0	452660	5434497	335	-56	506.0	509.0	3.0	6.29	
		<i>including</i>						506.0	507.0	1.0	16.0	
OSK-W-17-989-W2	2675	CS3	743.0	452660	5434497	335	-56	542.0	544.7	2.7	5.28	
		<i>including</i>						542.0	543.0	1.0	13.0	
OSK-W-17-989-W2	2675	Wolf	743.0	452660	5434497	335	-56	664.6	667.0	2.4	4.56	
OSK-W-17-990	2350	Z27	327.0	452122	5434815	147	-49	104.8	108.1	3.3	3.25	
OSK-W-17-990	2350	Z27	327.0	452122	5434815	147	-49	186.3	189.0	2.7	26.4	15.1
		<i>including</i>						187.3	187.7	0.4	176	100
OSK-W-17-991	4550	Lynx 1	1378.2	453980	5435993	128	-58	1149.0	1151.0	2.0	5.11	
OSK-W-17-993	3625	Lynx 2	1053.4	453283	5435344	133	-51	394.0	398.1	4.1	10.1	
		<i>including</i>						396.9	398.1	1.2	25.3	
OSK-W-17-993	3625	Lynx	1053.4	453283	5435344	133	-51	992.0	994.3	2.3	5.95	
		<i>including</i>						992.6	992.9	0.3	43.1	
OSK-W-17-995	3350	Lynx 1	363.0	453224	5434910	327	-62	134.6	137.3	2.7	5.84	
OSK-W-17-995	3350	VNCR	363.0	453224	5434910	327	-62	305.2	307.3	2.1	5.31	
OSK-W-17-995	3350	Lynx 3	363.0	453224	5434910	327	-62	352.9	355.0	2.1	3.75	
OSK-W-17-996	2500	Mallard	393.0	452270	5434844	328	-56	308.7	311.2	2.5	2.20	
OSK-W-17-996	2500	Mallard	393.0	452270	5434844	328	-56	308.7	311.2	2.5	2.20	
OSK-W-17-996	2500	Mallard FW	393.0	452270	5434844	328	-56	359.0	361.2	2.2	9.62	
		<i>including</i>						359.7	360.4	0.7	24.1	
OSK-W-17-998	3425	Lynx 1	372.0	453313	5434909	330	-57	211.0	212.7	1.7	0.05	
OSK-W-17-998	3425	Lynx 1 + Lynx 2	372.0	453313	5434909	330	-57	261.0	263.0	2.0	15.8	
		<i>including</i>						261.0	262.0	1.0	31.5	
OSK-W-17-998	3425	Lynx 2	372.0	453313	5434909	330	-57	295.0	307.7	12.7	0.53	
OSK-W-17-998	3425	VNCR	372.0	453313	5434909	330	-57	325.0	329.5	4.5	4.78	
OSK-W-17-999	3000	TBD	516.0	452861	5434813	330	-61	91.5	94.0	2.5	5.18	
		<i>including</i>						91.5	93.0	1.5	8.54	
OSK-W-17-999	3000	Caribou extension	516.0	452861	5434813	330	-61	400.7	403.9	3.2	3.68	
OSK-W-17-999	3000	Caribou extension	516.0	452861	5434813	330	-61	432.9	436.4	3.5	5.79	
OSK-W-17-999	3000	Caribou extension	516.0	452861	5434813	330	-61	459.4	462.0	2.6	5.19	
		<i>including</i>						460.0	461.0	1.0	10.4	
OSK-W-17-1002	2250	Z27	303.0	452013	5434821	142	-48	284.0	286.0	2.0	5.07	
		<i>including</i>						284.6	285.0	0.4	16.5	
OSK-W-17-1003	3350	Lynx 1	366.0	453223	5434910	329	-59	131.1	133.7	2.6	5.18	
		<i>including</i>						131.1	131.9	0.8	16.8	
OSK-W-17-1003	3350	Lynx 2	366.0	453223	5434910	329	-59	213.1	215.1	2.0	19.5	
		<i>including</i>						213.1	213.9	0.8	46.3	
OSK-W-17-1003	3350	Lynx 2	366.0	453223	5434910	329	-59	240.8	243.0	2.2	3.00	
		<i>including</i>						241.8	242.1	0.3	11.5	
OSK-W-17-1006	3625	Lynx 3	762.0	453283	5435344	136	-49	251.3	253.3	2.0	0.28	
OSK-W-17-1006	3625	Lynx 2 FW	762.0	453283	5435344	136	-49	351.0	353.0	2.0	3.78	
		<i>including</i>						351.5	353.0	1.5	4.96	
OSK-W-17-1006	3625	Lynx 2	762.0	453283	5435344	136	-49	383.3	390.2	6.9	36.0	29.9
		<i>including</i>						383.3	384.2	0.9	147	100
		<i>including</i>						384.6	385.7	1.1	62.3	
		<i>including</i>						389.3	390.2	0.9	41.4	
OSK-W-17-1006	3625	Lynx 4	762.0	453283	5435344	136	-49	612.9	615.5	2.6	0.54	
OSK-W-17-1006	3625	Lynx 4	762.0	453283	5435344	136	-49	707.8	710.0	2.2	13.8	
		<i>including</i>						707.8	708.4	0.6	49.1	
OSK-W-17-1007	3650	Lynx 1	378.0	453477	5435045	334	-68	238.6	240.6	2.0	6.54	
		<i>including</i>						238.6	240.0	1.4	9.31	
OSK-W-17-1007	3650	VNCR	378.0	453477	5435045	334	-68	340.0	342.2	2.2	10.4	
OSK-W-17-1009	2325	Z27	183.0	452107	5434809	147	-49	108.0	110.7	2.7	5.73	
		<i>including</i>						109.0	110.0	1.0	13.7	
OSK-W-17-1009	2325	Z27	183.0	452107	5434809	147	-49	127.9	130.0	2.1	3.16	
OSK-W-17-1010	3425	Lynx HW	369.0	453313	5434908	330	-53	169.9	172.0	2.1	5.84	
		<i>including</i>						170.3	171.0	0.7	16.8	
OSK-W-17-1010	3425	VNCR	369.0	453313	5434908	330	-53	310.5	314.0	3.5	24.3	
		<i>including</i>						310.5	311.5	1.0	62.9	
OSK-W-17-1011	3325	Lynx HW	111.0	453175	5434955	331	-46	20.0	22.0	2.0	0.08	
OSK-W-17-1011	3325	Lynx 1	111.0	453175	5434955	331	-46	55.0	65.0	10.0	0.13	
OSK-W-17-1011	3325	Lynx 2	111.0	453175	5434955	331	-46	79.0	81.3	2.3	0.82	
OSK-W-17-1013	2475	Z27	24.0	452246	5434866	333	-48	9.2	12.0	2.8	4.56	
		<i>including</i>						9.6	10.1	0.5	24.9	
OSK-W-17-1014	2300	Z27	195.0	452063	5434811	141	-47	133.5	135.6	2.1	5.22	
OSK-W-17-1014	2300	Z27	195.0	452063	5434811	141	-47	176.6	180.0	3.4	6.27	
		<i>including</i>						178.4	179.0	0.6	30.0	
OSK-W-17-1015	3550	Lynx 2	474.0	453232	5435294	137	-51	344.1	346.2	2.1	4.02	
		<i>including</i>						344.9	345.5	0.6	13.7	
OSK-W-17-1015	3550	Lynx 2	474.0	453232	5435294	137	-51	357.9	360.5	2.6	6.26	
		<i>including</i>						358.8	359.2	0.4	33.7	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1015	3550	VNCR	474.0	453232	5435294	137	-51	400.0	402.3	2.3	8.38	
		<i>including</i>						400.7	401.7	1.0	19.0	
OSK-W-17-1018	2475	Z27	300.0	452247	5434865	333	-47	10.0	12.0	2.0	3.93	
OSK-W-17-1018	2475	Mallard	300.0	452247	5434865	333	-47	199.7	205.6	5.9	3.55	
		<i>including</i>						200.5	200.8	0.3	30.9	
OSK-W-17-1019	2875	Lynx 1	606.0	452660	5434915	140	-52	227.0	229.0	2.0	11.3	
		<i>including</i>						227.5	228.5	1.0	22.6	
OSK-W-17-1019	2875	Lynx 4	606.0	452660	5434915	140	-52	329.0	331.2	2.2	3.21	
		<i>including</i>						329.5	330.0	0.5	13.5	
OSK-W-17-1019	2875	Vein	606.0	452660	5434915	140	-52	589.0	591.0	2.0	9.04	
OSK-W-17-1020	3350	Bobcat	312.0	453217	5434928	337	-54	271.5	273.5	2.0	72.8	
		<i>including</i>						272.0	273.5	1.5	96.9	
OSK-W-17-1021	3150	VNCR - Lynx corridor	621.0	452990	5434889	333	-55	68.0	70.2	2.2	9.72	
OSK-W-17-1023	2275	Z27	228.0	452033	5434796	145	-48	134.4	138.0	3.6	4.00	
		<i>including</i>						134.4	135.2	0.8	13.1	
OSK-W-17-1024	3450	Lynx 1	360.0	453295	5434947	330	-53	134.0	136.0	2.0	3.97	
OSK-W-17-1024	3450	Lynx 1	360.0	453295	5434947	330	-53	138.0	140.0	2.0	3.64	
OSK-W-17-1025	2475	TBD	990.0	452487	5434435	330	-58	94.9	96.9	2.0	4.17	
OSK-W-17-1025	2475	FW0	990.0	452487	5434435	330	-58	690.0	692.3	2.3	3.13	
OSK-W-17-1025	2475	FW1	990.0	452487	5434435	330	-58	732.0	734.0	2.0	3.23	
OSK-W-17-1025	2475	FW1	990.0	452487	5434435	330	-58	806.7	809.5	2.8	8.34	
		<i>including</i>						806.7	807.6	0.9	20.2	
OSK-W-18-1025-W1	2475	Underdog	852.0	452487	5434435	330	-58	793.0	795.0	2.0	13.9	
OSK-W-18-1025-W1	2475	Underdog	852.0	452487	5434435	330	-58	800.0	802.0	2.0	14.0	
		<i>including</i>						800.0	800.5	0.5	42.0	
OSK-W-18-1025-W1	2475	Underdog	852.0	452487	5434435	330	-58	822.4	824.5	2.1	4.67	
		<i>including</i>						822.4	822.8	0.4	22.8	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-45	60.3	62.6	2.3	4.57	
		<i>including</i>						62.0	62.6	0.6	16.5	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-45	83.6	85.9	2.3	4.93	
		<i>including</i>						85.0	85.9	0.9	12.4	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-45	92.7	95.9	3.2	4.38	
		<i>including</i>						94.8	95.9	1.1	11.2	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-45	124.6	127.0	2.4	4.24	
OSK-W-17-1027	3825	Lynx 2	825.0	453437	5435479	134	-59	604.0	606.0	2.0	3.85	
OSK-W-17-1027	3825	Vein	825.0	453437	5435479	134	-59	625.0	627.2	2.2	12.2	
		<i>including</i>						626.0	627.2	1.2	22.3	
OSK-W-17-1027	3825	Lynx HW	825.0	453437	5435479	134	-59	779.5	782.0	2.5	3.47	
OSK-W-17-1028	3000	Lynx 1	807.0	452861	5434811	326	-59	76.0	78.0	2.0	8.18	
		<i>including</i>						77.0	77.3	0.3	45.4	
OSK-W-17-1028	3000	Caribou extension	807.0	452861	5434811	326	-59	370.9	374.0	3.1	11.6	
		<i>including</i>						372.7	374.0	1.3	18.6	
OSK-W-17-1028	3000	Caribou extension	807.0	452861	5434811	326	-59	383.6	385.9	2.3	10.6	
		<i>including</i>						385.5	385.9	0.4	51.1	
OSK-W-17-1028	3000	Caribou extension	807.0	452861	5434811	326	-59	393.0	396.1	3.1	3.12	
OSK-W-17-1028	3000	Caribou extension	807.0	452861	5434811	326	-59	727.5	729.5	2.0	6.77	
OSK-W-17-1030	3500	Lynx 1	300.0	453346	5434982	332	-56	144.4	146.7	2.3	9.25	
		<i>including</i>						145.1	145.7	0.6	34.4	
OSK-W-17-1030	3500	Lynx 2	300.0	453346	5434982	332	-56	189.3	193.0	3.7	1.14	
OSK-W-17-1031	2525	Z27	390.0	452296	5434867	336	-62	61.5	63.8	2.3	2.38	
OSK-W-17-1031	2525	Drake	390.0	452296	5434867	336	-62	182.0	184.0	2.0	3.14	
		<i>including</i>						182.3	182.6	0.3	18.7	
OSK-W-17-1031	2525	Mallard	390.0	452296	5434867	336	-62	325.6	327.8	2.2	0.58	
OSK-W-17-1034	3150	VNCR	228.0	452978	5434914	330	-53	202.3	206.0	3.7	6.29	
OSK-W-17-1035	2300	Z27	105.0	452101	5434747	133	-45	68.4	71.0	2.6	4.27	
		<i>including</i>						69.1	69.6	0.5	15.2	
OSK-W-17-1036	3550	VNCR	432.0	453231	5435294	139	-55	345.8	350.6	4.8	3.73	
		<i>including</i>						349.6	350.6	1.0	15.7	
OSK-W-17-1036	3550	VNCR	432.0	453231	5435294	139	-55	358.6	361.5	2.9	18.9	
		<i>including</i>						359.6	360.5	0.9	58.1	
OSK-W-17-1036	3550	QTV	432.0	453231	5435294	139	-55	414.0	416.0	2.0	3.34	
		<i>including</i>						415.0	416.0	1.0	6.23	
OSK-W-17-1038	2275	Z27	120.0	452067	5434773	147	-49	97.4	99.7	2.3	16.4	
OSK-W-17-1039	3725	Lynx 2	513.0	453361	5435436	147	-49	379.1	381.1	2.0	1.06	
OSK-W-17-1039	3725	Lynx 1	513.0	453361	5435436	147	-49	436.9	441.3	4.4	11.6	
		<i>including</i>						436.9	437.9	1.0	34.4	
OSK-W-17-1039	3725	Lynx	513.0	453361	5435436	147	-49	454.2	456.6	2.4	11.4	
		<i>including</i>						455.2	455.6	0.4	62.8	
OSK-W-17-1040	3450	Lynx 2	294.0	453295	5434948	327	-45	162.0	164.0	2.0	15.9	
		<i>including</i>						162.3	162.7	0.4	68.3	
OSK-W-17-1042	2325	Z27	156.0	452119	5434786	146	-52	62.8	75.0	12.2	3.39	
		<i>including</i>						73.0	74.0	1.0	20.2	
OSK-W-17-1042	2325	Z27	156.0	452119	5434786	146	-52	84.0	86.3	2.3	3.53	
OSK-W-17-1043	3625	Lynx 1	438.0	453284	5435344	133	-47	374.0	376.0	2.0	3.11	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1044	3650	Lynx 1	381.0	453477	5435045	333	-70	242.0	244.1	2.1	3.03	
OSK-W-17-1044	3650	Lynx 1 + Lynx 2	381.0	453477	5435045	333	-70	264.6	266.7	2.1	3.59	
OSK-W-17-1047	3100	VNCR	186.0	452937	5434890	333	-62	84.0	86.6	2.6	3.95	
OSK-W-17-1048	3350	Lynx 2	303.0	453215	5434914	333	-52	209.1	212.0	2.9	10.4	
		<i>including</i>						210.3	210.7	0.4	49.2	
OSK-W-17-1048	3350	Lynx 2	303.0	453215	5434914	333	-52	216.0	219.0	3.0	21.3	
		<i>including</i>						217.8	219.0	1.2	37.4	
OSK-W-17-1050	2250	Z27	105.6	452053	5434749	148	-49	39.7	41.7	2.0	11.2	
OSK-W-17-1050	2250	Z27	105.6	452053	5434749	148	-49	76.5	80.0	3.5	6.55	
OSK-W-17-1051	2775	VNCR	1248.0	452314	5435321	138	-68	51.0	53.4	2.4	3.94	
OSK-W-17-1051	2775	TBD	1248.0	452314	5435321	138	-68	303.0	305.1	2.1	7.85	
OSK-W-17-1051	2775	FW3	1248.0	452314	5435321	138	-68	846.0	848.0	2.0	27.8	
		<i>including</i>						847.0	848.0	1.0	53.8	
OSK-W-17-1051	2775	FW3	1248.0	452314	5435321	138	-68	857.1	859.8	2.7	5.36	
OSK-W-17-1051	2775	FW3	1248.0	452314	5435321	138	-68	954.0	956.4	2.4	7.60	
OSK-W-17-1051	2775	FW2	1248.0	452314	5435321	138	-68	1067.0	1069.0	2.0	3.23	
OSK-W-17-1051	2775	FW1	1248.0	452314	5435321	138	-68	1096.7	1099.0	2.3	5.22	
		<i>including</i>						1097.5	1098.0	0.5	17.5	
OSK-W-17-1051	2775	FW1	1248.0	452314	5435321	138	-68	1103.0	1105.4	2.4	7.09	
		<i>including</i>						1104.0	1104.4	0.4	34.6	
OSK-W-17-1051	2775	FW1	1248.0	452314	5435321	138	-68	1111.0	1114.5	3.5	6.82	
		<i>including</i>						1113.9	1114.5	0.6	29.7	
OSK-W-17-1051-W1	2775	FW3	1279.0	452314	5435321	138	-68	941.0	943.0	2.0	3.96	
OSK-W-17-1051-W1	2775	FW1	1279.0	452314	5435321	138	-68	1262.0	1264.0	2.0	10.5	
OSK-W-17-1051-W2	2775	FW1	1206.0	452314	5435321	138	-68	1081.5	1085.5	4.0	11.8	
		<i>including</i>						1081.5	1082.0	0.5	52.4	
		<i>including</i>						1085.0	1085.5	0.5	22.4	
OSK-W-17-1051-W2	2775	FW1 FW	1206.0	452314	5435321	138	-68	1119.1	1121.3	2.2	7.19	
OSK-W-17-1051-W2	2775	QTV	1206.0	452314	5435321	138	-68	1183.0	1185.0	2.0	3.32	
OSK-W-17-1052	3150	Lynx 1	839.5	452999	5434854	328	-67	94.0	96.1	2.1	3.00	
		<i>including</i>						94.6	95.3	0.7	8.64	
OSK-W-17-1052	3150	Lynx 1	839.5	452999	5434854	328	-67	115.9	120.0	4.1	7.65	
		<i>including</i>						118.2	119.4	1.2	20.8	
OSK-W-17-1052	3150	Caribou extension	839.5	452999	5434854	328	-67	507.0	509.0	2.0	3.26	
OSK-W-17-1052	3150	Z27	839.5	452999	5434854	328	-67	721.0	723.3	2.3	3.81	
		<i>including</i>						721.8	722.1	0.3	21.9	
OSK-W-17-1053	2225	Z27	96.0	452031	5434741	148	-49	74.7	79.8	5.1	5.06	
		<i>including</i>						79.2	79.8	0.6	38.2	
OSK-W-17-1054	3450	Lynx 1	363.0	453282	5435000	325	-48	86.0	88.0	2.0	12.9	
		<i>including</i>						86.4	87.0	0.6	42.6	
OSK-W-17-1055	2300	Z27	144.0	452091	5434739	148	-49	72.0	74.0	2.0	3.69	
OSK-W-17-1056	2225	Z27	120.0	452003	5434746	150	-46	35.0	37.0	2.0	35.5	20.4
		<i>including</i>						35.0	35.4	0.4	17.6	100
OSK-W-17-1056	2225	Z27	120.0	452003	5434746	150	-46	87.5	90.5	3.0	3.89	
OSK-W-17-1056	2225	Z27	120.0	452003	5434746	150	-46	96.9	100.6	3.7	7.71	
OSK-W-17-1058	3350	Lynx 1	318.0	453201	5434911	332	-50	137.0	139.5	2.5	0.73	
OSK-W-17-1058	3350	Lynx 2	318.0	453201	5434911	332	-50	190.0	193.1	3.1	8.50	
		<i>including</i>						190.0	190.3	0.3	15.4	
		<i>and</i>						192.8	193.1	0.3	64.5	
OSK-W-17-1059	3625	Lynx 3	660.0	453284	5435344	136	-46	264.0	266.0	2.0	83.0	55.9
		<i>including</i>						264.9	266.0	1.1	149	100
OSK-W-17-1059	3625	Lynx 1	660.0	453284	5435344	136	-46	362.8	365.2	2.4	17.7	
		<i>including</i>						362.8	364.0	1.2	33.6	
OSK-W-17-1062	2225	Z27	192.0	452009	5434774	147	-49	110.5	116.2	5.7	3.25	
OSK-W-17-1064	3625	Lynx HW	441.0	453461	5435018	330	-74	234.0	237.0	3.0	4.42	
		<i>including</i>						235.5	237.0	1.5	8.41	
OSK-W-17-1064	3625	Lynx 1	441.0	453461	5435018	330	-74	326.0	328.0	2.0	8.92	
OSK-W-17-1064	3625	Lynx 1	441.0	453461	5435018	330	-74	333.0	335.0	2.0	3.19	
OSK-W-17-1064	3625	Lynx 2	441.0	453461	5435018	330	-74	344.9	356.5	11.6	20.5	15.5
		<i>including</i>						345.7	346.7	1.0	15.9	
OSK-W-17-1064	3625	Lynx 3	441.0	453461	5435018	330	-74	417.5	420.0	2.5	2.78	
OSK-W-17-1065	2550	Mallard_2	330.0	452291	5434903	334	-56	31.9	34.2	2.3	3.28	
OSK-W-17-1065	2550	Mallard	330.0	452291	5434903	334	-56	229.1	231.5	2.4	0.10	
OSK-W-17-1066	2475	Vein	639.0	452486	5434435	332	-56	214.5	216.5	2.0	4.21	
OSK-W-17-1066	2475	CS1 HW	639.0	452486	5434435	332	-56	412.0	415.4	3.4	4.72	
OSK-W-17-1066	2475	CS1	639.0	452486	5434435	332	-56	458.6	460.9	2.3	4.48	
OSK-W-17-1066	2475	CN1	639.0	452486	5434435	332	-56	514.0	517.0	3.0	7.98	
		<i>including</i>						515.6	516.1	0.5	43.1	
OSK-W-17-1066	2475	Vein in Red Dog	639.0	452486	5434435	332	-56	572.3	572.9	0.6	32.5	
OSK-W-18-1066-W1	2475	Underdog	1137.0	452486	5434435	332	-56	683.9	685.8	1.9	26.0	
		<i>including</i>						683.9	684.6	0.7	70.4	
OSK-W-18-1066-W1	2475	Underdog	1137.0	452486	5434435	332	-56	760.0	762.0	2.0	6.60	
		<i>including</i>						760.0	761.0	1.0	13.0	
OSK-W-18-1066-W1	2475	Underdog	1137.0	452486	5434435	332	-56	769.0	774.0	5.0	4.79	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								769.0	770.0	1.0	16.1	
OSK-W-18-1066-W1	2475	Underdog	1137.0	452486	5434435	332	-56	779.5	789.3	9.8	68.5	41.6
<i>including</i>								783.6	784.0	0.4	94.3	
<i>including</i>								786.0	788.2	2.2	220	100.0
OSK-W-18-1066-W1	2475	Underdog	1137.0	452486	5434435	332	-56	792.0	794.5	2.5	18.1	
OSK-W-18-1066-W1	2475	Underdog	1137.0	452486	5434435	332	-56	854.8	857.0	2.2	39.6	35.3
<i>including</i>								855.4	856.1	0.7	114	100
OSK-W-18-1066-W1	2475	FW3	1137.0	452486	5434435	332	-56	944.4	946.4	2.0	12.9	
<i>including</i>								945.0	945.7	0.7	36.0	
OSK-W-18-1066-W1	2475	FW3 FW	1137.0	452486	5434435	332	-56	1008.2	1010.4	2.2	21.0	
<i>including</i>								1008.8	1009.1	0.3	81.6	
OSK-W-18-1066-W2	2475	Underdog	1065.0	452486	5434435	332	-56	750.0	752.0	2.0	6.76	
OSK-W-18-1066-W2	2475	Underdog	1065.0	452486	5434435	332	-56	1021.0	1023.0	2.0	23.3	
<i>including</i>								1021.0	1022.4	1.4	33.2	
OSK-W-18-1066-W2	2475	Underdog	1065.0	452486	5434435	332	-56	1043.0	1045.0	2.0	7.55	
<i>including</i>								1044.5	1045.0	0.5	28.0	
OSK-W-18-1066-W3	2475	Underdog	849.0	452486	5434435	332	-56	771.5	775.7	4.2	5.96	
<i>including</i>								771.5	772.1	0.6	24.7	
OSK-W-18-1066-W3	2475	Underdog	849.0	452486	5434435	332	-56	786.9	789.9	3.0	85.1	48.1
<i>including</i>								788.0	789.4	1.4	179	100
OSK-W-17-1067	3700	Lynx HW	653.2	453339	5435399	132	-48	512.6	515.7	3.1	4.54	
OSK-W-17-1068	3575	Lynx HW	513.0	453253	5435279	130	-45	414.0	416.0	2.0	4.56	
OSK-W-17-1068	3575	Lynx HW	513.0	453253	5435279	130	-45	451.9	454.3	2.4	4.77	
OSK-W-17-1070	2200	Z27	66.0	452024	5434701	141	-49	21.0	23.8	2.8	8.12	
<i>including</i>								22.0	22.7	0.7	32.3	
OSK-W-17-1070	2200	Z27	66.0	452024	5434701	141	-49	45.0	47.4	2.4	9.58	
<i>including</i>								46.0	46.9	0.9	22.9	
OSK-W-17-1071	2200	Z27	204.0	451984	5434774	146	-49	112.7	115.5	2.8	7.12	
OSK-W-17-1071	2200	Z27	204.0	451984	5434774	146	-49	139.5	141.7	2.2	12.1	
OSK-W-17-1071	2200	Z27	204.0	451984	5434774	146	-49	150.8	152.8	2.0	5.31	
OSK-W-17-1071	2200	Z27	204.0	451984	5434774	146	-49	156.0	158.8	2.8	9.72	
OSK-W-17-1071	2200	Z27	204.0	451984	5434774	146	-49	161.7	164.0	2.3	12.2	
OSK-W-17-1072	4000	Lynx 3	1086.0	453612	5435532	144	-57	271.9	274.0	2.1	0.04	
OSK-W-17-1072	4000	Lynx 2	1086.0	453612	5435532	144	-57	518.9	520.0	1.1	1.26	
OSK-W-17-1072	4000	Lynx 4	1086.0	453612	5435532	144	-57	884.0	886.3	2.3	3.73	
<i>including</i>								886.0	886.3	0.3	22.8	
OSK-W-17-1072-W1	4000	Lynx 1	948.0	453612	5435532	144	-57	656.0	660.1	4.1	1.53	
OSK-W-17-1072-W1	4000	Lynx HW	948.0	453612	5435532	144	-57	693.0	695.0	2.0	4.50	
<i>including</i>								694.0	695.0	1.0	8.76	
OSK-W-17-1072-W1	4000	Lynx 4	948.0	453612	5435532	144	-57	818.0	820.0	2.0	3.79	
<i>including</i>								819.0	819.3	0.3	23.0	
OSK-W-17-1072-W1	4000	Lynx 4	948.0	453612	5435532	144	-57	825.0	827.0	2.0	9.52	
<i>including</i>								825.0	826.0	1.0	19.0	
OSK-W-17-1072-W1	4000	Lynx 4	948.0	453612	5435532	144	-57	911.0	914.0	3.0	6.09	
<i>including</i>								911.0	912.0	1.0	17.5	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435532	144	-57	842.8	845.9	3.1	5.24	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435532	144	-57	885.2	887.2	2.0	17.7	
<i>including</i>								886.9	887.2	0.3	98.2	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435532	144	-57	908.0	911.0	3.0	8.60	
<i>including</i>								910.6	911.0	0.4	56.6	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435532	144	-57	915.0	917.0	2.0	10.9	
<i>including</i>								915.5	916.2	0.7	30.9	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435532	144	-57	989.7	992.0	2.3	17.1	
<i>including</i>								990.1	990.4	0.3	127	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435532	144	-57	1019.7	1022.0	2.3	4.16	
<i>including</i>								1020.2	1020.5	0.3	31.0	
OSK-W-17-1072-W3	4000	Lynx 4	1110.0	453612	5435532	144	-57	906.6	909.0	2.4	4.02	
OSK-W-17-1072-W3	4000	Lynx 4	1110.0	453612	5435532	144	-57	1095.0	1097.0	2.0	11.3	
<i>including</i>								1095.0	1096.0	1.0	20.6	
OSK-W-17-1073	3000	Epith4	603.0	452757	5434979	144	-51	97.2	101.4	4.2	3.11	
OSK-W-17-1073	3000	Lynx 4	603.0	452757	5434979	144	-51	409.0	411.0	2.0	8.65	
OSK-W-17-1073	3000	Vein	603.0	452757	5434979	144	-51	470.5	473.0	2.5	3.68	
<i>including</i>								470.5	471.2	0.7	13.0	
OSK-W-17-1073	3000	Vein	603.0	452757	5434979	144	-51	475.3	477.9	2.6	4.03	
<i>including</i>								475.3	476.0	0.7	12.4	
OSK-W-17-1073	3000	Vein	603.0	452757	5434979	144	-51	481.0	483.2	2.2	3.78	
<i>including</i>								482.5	483.2	0.7	11.3	
OSK-W-17-1077	2175	Z27	102.9	451987	5434710	148	-54	59.0	61.0	2.0	8.41	
<i>including</i>								59.4	60.0	0.6	18.0	
OSK-W-17-1079	2550	CN1 FW	615.0	452541	5434452	332	-58	597.0	599.3	2.3	108	17.5
<i>including</i>								597.6	598.0	0.4	618	100
OSK-W-17-1080	3350	Lynx 2	84.0	453166	5434979	330	-45	51.0	53.0	2.0	5.47	
<i>including</i>								52.1	52.4	0.3	34.0	
OSK-W-17-1081	2175	Z27	117.0	451987	5434710	145	-65	61.3	63.7	2.4	10.4	
<i>including</i>								62.0	62.6	0.6	35.2	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1085	3625	Lynx 1	447.0	453461	5435018	339	-68	230.0	232.5	2.5	4.41	
OSK-W-17-1085	3625	Lynx 1	447.0	453461	5435018	339	-68	254.8	257.0	2.2	4.83	
OSK-W-17-1085	3625	Lynx 2	447.0	453461	5435018	339	-68	272.0	276.0	4.0	4.45	
OSK-W-17-1085	3625	Lynx 2	447.0	453461	5435018	339	-68	328.5	330.7	2.2	29.8	
<i>including</i>								329.5	330.7	1.2	54.6	
OSK-W-17-1087	2475	Drake	381.0	452255	5434828	328	-61	243.0	245.0	2.0	3.28	
OSK-W-17-1087	2475	Mallard	381.0	452255	5434828	328	-61	354.0	356.6	2.6	191	19.6
<i>including</i>								354.0	354.5	0.5	991	100
OSK-W-17-1088	2175	Z27	129.0	451972	5434733	148	-55	80.2	82.4	2.2	7.73	
<i>including</i>								80.2	81.0	0.8	19.5	
OSK-W-17-1090	2350	Z27	237.0	452219	5434642	334	-45	134.2	136.5	2.3	5.24	
<i>including</i>								134.2	134.6	0.4	26.3	
OSK-W-17-1091	3375	Lynx 1	246.0	453207	5434960	332	-51	60.4	62.7	2.3	11.3	
<i>including</i>								61.0	62.0	1.0	25.2	
OSK-W-17-1091	3375	Lynx 2	246.0	453207	5434960	332	-51	104.0	106.4	2.4	3.64	
<i>including</i>								105.6	106.4	0.8	9.30	
OSK-W-17-1095	2175	Z27	147.0	451961	5434731	147	-50	88.2	90.7	2.5	58.8	52.9
<i>including</i>								88.6	89.7	1.1	114	100
OSK-W-17-1095	2175	Z27	147.0	451961	5434731	147	-50	113.0	116.0	3.0	4.09	
OSK-W-17-1096	3375	Vein	120.0	453207	5434960	320	-46	58.8	61.1	2.3	3.48	
OSK-W-17-1098	3575	Lynx 3	424.5	453255	5435289	129	-48	249.9	252.3	2.4	13.7	
<i>including</i>								250.6	251.4	0.8	34.7	
OSK-W-17-1098	3575	Lynx 2	424.5	453255	5435289	129	-48	326.2	328.8	2.6	8.51	
<i>including</i>								327.9	328.8	0.9	18.1	
OSK-W-17-1098	3575	Lynx	424.5	453255	5435289	129	-48	338.3	340.6	2.3	42.8	25.0
<i>including</i>								340.1	340.6	0.5	182	100
OSK-W-17-1099	3300	Lynx 1	264.0	453144	5434935	335	-56	83.0	85.0	2.0	7.87	
<i>including</i>								83.0	83.3	0.3	51.9	
OSK-W-17-1099	3300	Lynx 2	264.0	453144	5434935	335	-56	108.0	110.1	2.1	3.04	
<i>including</i>								109.8	110.1	0.3	14.5	
OSK-W-17-1100	3675	Lynx 3	426.0	453395	5435250	149	-61	165.5	167.5	2.0	5.98	
<i>including</i>								165.5	166.5	1.0	11.8	
OSK-W-17-1102	3400	Lynx 1	345.0	453275	5434898	330	-50	174.0	176.0	2.0	3.58	
<i>including</i>								175.7	176.0	0.3	16.2	
OSK-W-17-1102	3400	Lynx 1	345.0	453275	5434898	330	-50	220.0	223.0	3.0	1.26	
OSK-W-17-1102	3400	Lynx 2	345.0	453275	5434898	330	-50	280.9	284.5	3.6	13.0	
<i>including</i>								280.9	281.6	0.7	55.4	
OSK-W-17-1103	2200	Z27	111.0	452016	5434721	148	-49	79.8	82.0	2.2	15.4	
OSK-W-17-1104	3775	Lynx 1	1059.0	453383	5435455	142	-50	472.0	474.0	2.0	1.77	
OSK-W-17-1104	3775	Lynx HW	1059.0	453383	5435455	142	-50	560.0	562.0	2.0	4.30	
<i>including</i>								560.5	561.3	0.8	10.4	
OSK-W-17-1104	3775	Lynx HW	1059.0	453383	5435455	142	-50	578.2	581.0	2.8	6.79	
<i>including</i>								578.2	578.6	0.4	46.4	
OSK-W-17-1104	3775	Lynx HW	1059.0	453383	5435455	142	-50	591.8	594.0	2.2	4.06	
<i>including</i>								591.8	592.3	0.5	17.8	
OSK-W-17-1104	3775	Vein	1059.0	453383	5435455	142	-50	857.4	860.0	2.6	48.7	27.3
<i>including</i>								857.4	858.0	0.6	193	100
OSK-W-17-1104	3775	Lynx 4	1059.0	453383	5435455	142	-50	883.0	885.0	2.0	3.61	
<i>including</i>								884.3	884.7	0.4	17.0	
OSK-W-17-1104	3775	Lynx 5	1059.0	453383	5435455	142	-50	978.0	980.0	2.0	10.3	
<i>including</i>								978.6	979.3	0.7	29.3	
OSK-W-18-1104-W1	3775	Lynx	501.0	453383	5435455	142	-50	446.0	448.0	2.0	6.52	
<i>including</i>								446.3	446.6	0.3	41.8	
OSK-W-17-1105	3050	New zone	858.0	452921	5434844	328	-71	468.0	470.0	2.0	3.42	
<i>including</i>								468.0	469.0	1.0	6.71	
OSK-W-17-1105	3050	Caribou extension	858.0	452921	5434844	328	-71	526.0	528.0	2.0	8.85	
<i>including</i>								527.5	528.0	0.5	17.3	
OSK-W-17-1105	3050	Caribou extension	858.0	452921	5434844	328	-71	534.3	539.0	4.7	4.94	
<i>including</i>								534.3	535.0	0.7	14.5	
OSK-W-17-1105	3050	Caribou extension	858.0	452921	5434844	328	-71	550.0	552.0	2.0	3.76	
OSK-W-17-1105	3050	Caribou extension	858.0	452921	5434844	328	-71	556.2	558.5	2.3	4.21	
OSK-W-17-1105	3050	Wolf FW	858.0	452921	5434844	328	-71	684.9	696.1	11.2	11.0	7.95
<i>including</i>								684.9	689.8	4.9	21.4	14.5
OSK-W-17-1105	3050	Z27	858.0	452921	5434844	328	-71	772.0	774.0	2.0	4.49	
<i>including</i>								772.3	772.9	0.6	14.5	
OSK-W-17-1106	2325	Z27	342.0	452153	5434730	330	-50	19.0	21.2	2.2	3.02	
<i>including</i>								20.9	21.2	0.3	18.6	
OSK-W-17-1106	2325	Mallard	342.0	452153	5434730	330	-50	314.0	316.9	2.9	0.62	
OSK-W-17-1108	3300	Lynx 1	102.0	453133	5434954	330	-46	60.0	62.0	2.0	4.55	
OSK-W-17-1110	2475	CS1	570.0	452487	5434434	333	-60	460.6	465.3	4.7	4.39	
<i>including</i>								460.6	461.2	0.6	12.4	
OSK-W-17-1111	3400	Lynx HW	307.0	453274	5434898	335	-50	156.7	158.5	1.8	2.17	
OSK-W-17-1111	3400	Lynx 1 + Lynx 2	307.0	453274	5434898	335	-50	204.0	206.0	2.0	11.0	
<i>including</i>								204.0	205.0	1.0	21.7	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1111	3400	Vein	307.0	453274	5434898	335	-50	259.0	261.0	2.0	4.18	
OSK-W-17-1111	3400	Lynx 2	307.0	453274	5434898	335	-50	268.5	271.0	2.5	1.72	
OSK-W-17-1111	3400	Lynx 2	307.0	453274	5434898	335	-50	278.7	285.5	6.8	19.0	
		<i>including</i>						281.0	282.0	1.0	72.1	
OSK-W-17-1112	3825	Lynx 1	636.0	453436	5435480	136	-54	503.0	505.0	2.0	4.09	
OSK-W-17-1112	3825	Lynx HW	636.0	453436	5435480	136	-54	603.0	605.1	2.1	9.96	
		<i>including</i>						604.0	604.7	0.7	24.0	
OSK-W-17-1113	3625	Vein	480.0	453282	5435346	138	-50	363.4	366.0	2.6	3.33	
		<i>including</i>						365.6	366.0	0.4	19.5	
OSK-W-17-1113	3625	Lynx 2	480.0	453282	5435346	138	-50	374.1	376.2	2.1	6.35	
		<i>including</i>						374.7	375.2	0.5	25.2	
OSK-W-17-1113	3625	Lynx 1 + Lynx 2	480.0	453282	5435346	138	-50	382.4	387.0	4.6	8.46	
		<i>including</i>						386.4	387.0	0.6	22.2	
OSK-W-17-1113	3625	Lynx 2	480.0	453282	5435346	138	-50	389.6	395.0	5.4	4.66	
		<i>including</i>						389.6	389.9	0.3	20.1	
OSK-W-17-1113	3625	Lynx 1	480.0	453282	5435346	138	-50	418.4	420.7	2.3	3.11	
		<i>including</i>						419.5	419.8	0.3	22.9	
OSK-W-17-1115	3075	New zone	816.0	452798	5435114	153	-48	333.6	336.4	2.8	13.7	
OSK-W-17-1115	3075	No name	816.0	452798	5435114	153	-48	625.5	628.0	2.5	3.86	
OSK-W-17-1115	3075	Vein	816.0	452798	5435114	153	-48	693.0	695.0	2.0	11.7	
OSK-W-17-1116	2175	Z27	123.0	452039	5434727	150	-47	63.0	66.0	3.0	9.13	
OSK-W-17-1117	3275	Lynx 2	471.0	453120	5434934	334	-46	86.9	89.0	2.1	4.76	
		<i>including</i>						86.9	87.5	0.6	16.0	
OSK-W-17-1119	2550	CN1	609.0	452540	5434453	331	-55	527.4	529.5	2.1	10.7	
		<i>including</i>						528.3	528.7	0.4	44.4	
OSK-W-17-1119	2550	CN1	609.0	452540	5434453	331	-55	534.3	540.4	6.1	3.08	
		<i>including</i>						539.2	540.4	1.2	9.48	
OSK-W-17-1119	2550	Caribou	609.0	452540	5434453	331	-55	548.1	551.0	2.9	5.63	
		<i>including</i>						548.1	549.0	0.9	17.0	
OSK-W-17-1120	3775	Lynx 2	453.0	453458	5435335	154	-54	210.0	212.0	2.0	4.93	
		<i>including</i>						210.0	211.0	1.0	9.12	
OSK-W-17-1120	3775	Lynx HW	453.0	453458	5435335	154	-54	329.0	331.2	2.2	3.24	
OSK-W-17-1120	3775	Lynx HW	453.0	453458	5435335	154	-54	334.0	336.7	2.7	5.68	
OSK-W-17-1121	3550	Lynx 1	465.0	453436	5434959	335	-64	303.0	305.0	2.0	4.29	
OSK-W-17-1121	3550	Lynx 1	465.0	453436	5434959	335	-64	309.5	313.5	4.0	7.78	
		<i>including</i>						309.5	311.2	1.7	14.9	
OSK-W-17-1121	3550	VNCR	465.0	453436	5434959	335	-64	335.4	337.7	2.3	19.0	
		<i>including</i>						336.2	336.9	0.7	58.8	
OSK-W-17-1121	3550	VNCR	465.0	453436	5434959	335	-64	421.9	424.0	2.1	3.34	
OSK-W-17-1121	3550	VNCR	465.0	453436	5434959	335	-64	435.0	437.7	2.7	8.62	
		<i>including</i>						436.0	437.7	1.7	13.7	
OSK-W-17-1122	2250	Z27	114.0	452063	5434738	150	-47	63.0	65.2	2.2	7.05	
OSK-W-17-1123	3475	Lynx 1	345.0	453315	5434971	336	-46	113.0	116.0	3.0	1.49	
OSK-W-17-1123	3475	Lynx 2	345.0	453315	5434971	336	-46	130.0	132.1	2.1	11.6	
		<i>including</i>						130.9	131.3	0.4	47.5	
OSK-W-17-1123	3475	Lynx 3	345.0	453315	5434971	336	-46	163.0	167.0	4.0	0.74	
OSK-W-17-1124	2250	Mallard	255.0	452015	5434775	331	-51	204.6	207.0	2.4	18.3	
		<i>including</i>						204.6	205.6	1.0	43.4	
OSK-W-17-1125	2625	Vein	975.0	452563	5434570	331	-58	427.0	429.0	2.0	6.80	
		<i>including</i>						427.0	428.0	1.0	13.5	
OSK-W-17-1125	2625	Z27 HW	975.0	452563	5434570	331	-58	595.0	597.0	2.0	3.19	
OSK-W-17-1125	2625	SHR	975.0	452563	5434570	331	-58	616.0	618.0	2.0	3.87	
		<i>including</i>						617.2	618.0	0.8	9.35	
OSK-W-17-1125	2625	FW2	975.0	452563	5434570	331	-58	753.6	759.0	5.4	10.2	
		<i>including</i>						755.9	757.2	1.3	36.3	
OSK-W-17-1125	2625	FW3U HW	975.0	452563	5434570	331	-58	769.0	778.0	9.0	11.9	
		<i>including</i>						769.0	771.0	2.0	21.1	
		<i>including</i>						776.0	778.0	2.0	18.4	
OSK-W-17-1125	2625	VNCR	975.0	452563	5434570	331	-58	921.5	923.9	2.4	7.32	
		<i>including</i>						922.1	922.6	0.5	30.1	
OSK-W-17-1125-W1	2625	CS3	987.0	452563	5434570	331	-58	368.0	370.1	2.1	4.01	
OSK-W-17-1125-W1	2625	Caribou corridor	987.0	452563	5434570	331	-58	445.0	447.0	2.0	7.57	
		<i>including</i>						445.0	446.0	1.0	15.1	
OSK-W-17-1125-W1	2625	Wolf HW	987.0	452563	5434570	331	-58	475.0	481.9	6.9	11.1	
		<i>including</i>						479.0	481.0	2.0	26.5	
OSK-W-17-1125-W3	2625	Caribou	1086.2	452563	5434570	331	-58	420.0	422.0	2.0	18.1	
		<i>including</i>						421.0	422.0	1.0	36.1	
OSK-W-17-1125-W3	2625	Caribou	1086.2	452563	5434570	331	-58	486.0	495.1	9.1	10.8	
		<i>including</i>						489.0	489.4	0.4	100	
OSK-W-17-1125-W3	2625	Wolf	1086.2	452563	5434570	331	-58	501.0	503.0	2.0	10.2	
		<i>including</i>						502.0	503.0	1.0	19.6	
OSK-W-17-1125-W3	2625	Wolf HW	1086.2	452563	5434570	331	-58	516.8	519.0	2.2	26.0	
		<i>including</i>						517.5	518.2	0.7	80.5	
OSK-W-17-1125-W3	2625	Wolf FW	1086.2	452563	5434570	331	-58	583.0	585.0	2.0	11.5	
		<i>including</i>						583.8	584.2	0.4	49.6	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1125-W3	2625	Vein	1086.2	452563	5434570	331	-58	900.8	903.0	2.2	3.85	
		<i>including</i>						901.1	901.4	0.3	14.0	
OSK-W-17-1125-W3	2625	FW4	1086.2	452563	5434570	331	-58	1012.1	1014.2	2.1	3.41	
		<i>including</i>						1013.7	1014.2	0.5	13.4	
OSK-W-17-1128	3625	Lynx 3	1419.0	453272	5435391	129	-53	423.5	429.0	5.5	3.85	
OSK-W-17-1128	3625	Lynx 2	1419.0	453272	5435391	129	-53	459.0	461.0	2.0	5.00	
OSK-W-17-1128	3625	Lynx 2	1419.0	453272	5435391	129	-53	466.2	471.0	4.8	43.7	22.7
OSK-W-17-1128	3625	<i>including</i>	1419.0	453272	5435391	129	-53	470.2	471.0	0.8	226	100
OSK-W-17-1128	3625	Lynx 2	1419.0	453272	5435391	129	-53	486.9	489.0	2.1	36.1	28.6
		<i>including</i>						487.6	488.0	0.4	140	100
OSK-W-17-1128	3625	Lynx 4	1419.0	453272	5435391	129	-53	916.4	918.6	2.2	27.4	
OSK-W-17-1128	3625	Lynx 4	1419.0	453272	5435391	129	-53	985.5	988.5	3.0	17.4	
		<i>including</i>						987.0	988.5	1.5	32.3	
OSK-W-17-1128	3625	Lynx 6	1419.0	453272	5435391	129	-53	1181.0	1183.0	2.0	9.71	
OSK-W-17-1128	3625	Lynx 6	1419.0	453272	5435391	129	-53	1203.9	1206.2	2.3	14.0	
		<i>including</i>						1205.0	1206.2	1.2	25.7	
OSK-W-17-1128	3625	TBD - Lynx corridor	1419.0	453272	5435391	129	-53	1256.0	1258.0	2.0	4.49	
		<i>including</i>						1257.0	1257.7	0.7	12.7	
OSK-W-17-1128	3625	TBD - Lynx corridor	1419.0	453272	5435391	129	-53	1286.1	1288.1	2.0	8.25	
		<i>including</i>						1286.1	1286.7	0.6	20.0	
OSK-W-17-1129	2325	Z27	741.0	452213	5434602	325	-49	206.8	209.0	2.2	8.20	
OSK-W-17-1129	2325	Z27	741.0	452213	5434602	325	-49	220.6	222.7	2.1	3.24	
OSK-W-17-1131	3500	Lynx 1	342.0	453329	5435010	337	-60	135.0	137.0	2.0	3.28	
		<i>including</i>						136.4	137.0	0.6	10.8	
OSK-W-17-1132	3600	VNCR	600.0	453204	5435431	129	-49	501.0	503.0	2.0	8.28	
OSK-W-17-1134	2675	VNCR	438.0	452397	5434987	333	-61	366.8	369.1	2.3	16.0	
		<i>including</i>						366.8	367.5	0.7	50.6	
OSK-W-17-1135	2300	Z27	183.0	452087	5434791	147	-51	115.0	117.4	2.4	3.33	
OSK-W-17-1136	3275	Lynx 2	156.0	453107	5434949	331	-45	56.0	58.0	2.0	5.40	
		<i>including</i>						56.6	57.0	0.4	26.2	
OSK-W-17-1137	2325	Z27	81.0	452136	5434748	132	-61	56.5	58.5	2.0	3.01	
OSK-W-17-1138	3100	Bobcat	402.0	452890	5434987	327	-51	11.0	14.3	3.3	42.4	
		<i>including</i>						13.0	14.3	1.3	98.1	
OSK-W-17-1138	3100	Bobcat	402.0	452890	5434987	327	-51	21.0	24.0	3.0	3.28	
OSK-W-17-1138	3100	Epith 1	402.0	452890	5434987	327	-51	142.0	158.0	16.0	6.30	
		<i>including</i>						142.0	148.4	6.4	8.10	
		<i>including</i>						151.0	156.0	5.0	7.20	
OSK-W-17-1139	2500	SHR	1092.0	452474	5434469	333	-56	77.0	79.0	2.0	4.06	
OSK-W-17-1139	2500	Vein	1092.0	452474	5434469	333	-56	148.0	150.2	2.2	4.29	
OSK-W-17-1139	2500	Vein	1092.0	452474	5434469	333	-56	157.5	160.1	2.6	4.53	
		<i>including</i>						159.5	160.1	0.6	9.21	
OSK-W-17-1139	2500	CN1	1092.0	452474	5434469	333	-56	454.7	458.3	3.6	0.47	
OSK-W-17-1139	2500	CN1 FW	1092.0	452474	5434469	333	-56	520.0	523.4	3.4	4.87	
		<i>including</i>						521.6	521.9	0.3	19.8	
OSK-W-17-1139	2500	FW2	1092.0	452474	5434469	333	-56	785.0	787.2	2.2	11.1	
		<i>including</i>						785.3	785.8	0.5	47.0	
OSK-W-17-1139	2500	FW3	1092.0	452474	5434469	333	-56	888.0	890.0	2.0	6.53	
		<i>including</i>						889.1	889.6	0.5	24.5	
OSK-W-17-1139	2500	FW3	1092.0	452474	5434469	333	-56	953.8	956.0	2.2	4.44	
OSK-W-17-1139	2500	FW4	1092.0	452474	5434469	333	-56	1007.0	1009.8	2.8	5.43	
		<i>including</i>						1009.2	1009.8	0.6	21.9	
OSK-W-18-1139-W1	2500	Underdog	874.0	452474	5434469	333	-56	696.0	698.3	2.3	26.4	
		<i>including</i>						697.0	697.8	0.8	54.9	
OSK-W-18-1139-W1	2500	Underdog	874.0	452474	5434469	333	-56	713.0	726.7	13.7	38.9	33.9
		<i>including</i>						719.0	724.4	5.4	81.7	69.2
OSK-W-18-1139-W1	2500	Underdog	874.0	452474	5434469	333	-56	768.7	771.0	2.3	47.8	45.2
		<i>including</i>						768.7	769.7	1.0	106	100
OSK-W-18-1139-W1	2500	Underdog	874.0	452474	5434469	333	-56	773.0	775.0	2.0	6.90	
		<i>including</i>						774.0	774.3	0.3	41.6	
OSK-W-18-1139-W1	2500	Underdog	874.0	452474	5434469	333	-56	790.0	794.4	4.4	27.7	26.8
		<i>including</i>						791.2	792.7	1.5	72.1	69.3
OSK-W-18-1139-W1	2500	Vein	874.0	452474	5434469	333	-56	815.2	817.5	2.3	5.65	
		<i>including</i>						815.2	815.9	0.7	17.6	
OSK-W-18-1139-W2	2500	Underdog	819.0	452474	5434469	333	-56	727.0	729.0	2.0	5.29	
OSK-W-18-1139-W2	2500	Underdog	819.0	452474	5434469	333	-56	735.8	738.0	2.2	9.92	
		<i>including</i>						736.8	737.4	0.6	31.4	
OSK-W-18-1139-W3	2500	Underdog	918.0	452474	5434469	333	-56	783.4	786.0	2.6	6.46	
		<i>including</i>						783.4	783.7	0.3	33.1	
OSK-W-18-1139-W3	2500	Underdog	918.0	452474	5434469	333	-56	843.0	845.2	2.2	5.26	
		<i>including</i>						843.6	843.9	0.3	43.4	
OSK-W-17-1140	2975	Vein	975.0	453007	5434521	336	-55	326.0	328.4	2.4	3.94	
		<i>including</i>						328.1	328.4	0.3	29.7	
OSK-W-17-1140	2975	Caribou extension	975.0	453007	5434521	336	-55	781.2	783.3	2.1	7.07	
		<i>including</i>						783.0	783.3	0.3	48.8	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1140	2975	Z27	975.0	453007	5434521	336	-55	937.3	942.0	4.7	3.56	
OSK-W-17-1141	2325	Z27	252.0	452143	5434745	236	-65	59.4	61.8	2.4	30.0	
		<i>including</i>						59.4	61.0	1.6	44.7	
OSK-W-17-1141	2325	Z27	252.0	452143	5434745	236	-65	71.7	74.0	2.3	8.04	
		<i>including</i>						73.4	74.0	0.6	28.0	
OSK-W-17-1141	2325	Z27	252.0	452143	5434745	236	-65	87.0	91.1	4.1	4.00	
OSK-W-17-1142	2325	CW4	679.5	452202	5434628	324	-45	13.1	15.2	2.1	26.5	
		<i>including</i>						14.0	14.6	0.6	84.5	
OSK-W-17-1142	2325	Z27 HW	679.5	452202	5434628	324	-45	142.0	144.0	2.0	3.07	
OSK-W-17-1142-W1	2325	Vein	699.0	452202	5434628	324	-45	370.0	372.0	2.0	160	50.0
OSK-W-17-1143	3425	Lynx 2	159.0	453253	5435003	331	-46	67.5	69.6	2.1	27.9	
		<i>including</i>						67.5	68.2	0.7	83.3	
OSK-W-17-1143	3425	Lynx 2	159.0	453253	5435003	331	-46	73.0	75.0	2.0	10.6	
OSK-W-17-1143	3425	Lynx	159.0	453253	5435003	331	-46	85.0	87.0	2.0	20.4	15.4
		<i>including</i>						86.0	86.3	0.3	134	100
OSK-W-17-1145	2250	Z27 FW	156.6	452042	5434767	146	-49	64.3	67.5	3.2	4.01	
		<i>including</i>						66.5	67.5	1.0	10.2	
OSK-W-17-1145	2250	Z27	156.6	452042	5434767	146	-49	90.9	93.3	2.4	12.5	
OSK-W-17-1145	2250	Z27	156.6	452042	5434767	146	-49	95.6	100.4	4.8	9.93	
OSK-W-17-1145	2250	Z27	156.6	452042	5434767	146	-49	120.0	125.9	5.9	7.25	
OSK-W-17-1146	3375	Lynx 2	156.0	453180	5435003	333	-50	38.6	42.2	3.6	0.56	
OSK-W-17-1146	3375	Lynx 3	156.0	453180	5435003	333	-50	63.2	65.6	2.4	1.15	
OSK-W-17-1147	3125	Lynx 4	817.3	453242	5434380	335	-52	712.8	716.5	3.7	3.29	
		<i>including</i>						712.8	713.1	0.3	24.4	
OSK-W-17-1147-W1	3125	No name	1212.0	453242	5434380	335	-52	798.0	800.4	2.4	3.36	
OSK-W-17-1147-W1	3125	Caribou extension	1212.0	453242	5434380	335	-52	909.0	911.0	2.0	3.94	
OSK-W-17-1147-W1	3125	Caribou extension	1212.0	453242	5434380	335	-52	1116.7	1119.0	2.3	4.63	
OSK-W-17-1147-W1	3125	Caribou extension	1212.0	453242	5434380	335	-52	1129.0	1131.0	2.0	7.52	
		<i>including</i>						1130.0	1130.5	0.5	29.2	
OSK-W-17-1149	3825	Lynx HW	489.0	453486	5435422	140	-47	346.8	349.0	2.2	11.0	
OSK-W-17-1152	1750	FW1	885.0	451739	5434290	330	-53	367.0	369.0	2.0	5.67	
		<i>including</i>						368.0	368.6	0.6	16.6	
OSK-W-17-1152	1750	FW4	885.0	451739	5434290	330	-53	703.8	706.0	2.2	1.72	
OSK-W-17-1153	3525	Lynx 1	615.0	453375	5434984	341	-45	149.0	151.1	2.1	10.4	
		<i>including</i>						150.3	151.1	0.8	25.6	
OSK-W-17-1153	3525	Lynx 2	615.0	453375	5434984	341	-45	160.2	163.0	2.8	1.30	
OSK-W-17-1154	2250	Z27	174.0	452023	5434758	149	-49	91.0	95.2	4.2	18.8	
		<i>including</i>						92.0	93.0	1.0	44.1	
OSK-W-17-1155	2725	VNCR	477.0	452453	5435008	332	-71	327.0	329.7	2.7	3.64	
		<i>including</i>						329.0	329.7	0.7	12.9	
OSK-W-17-1156	3825	Lynx HW	663.0	453439	5435482	136	-49	520.8	525.0	4.2	26.1	25.0
		<i>including</i>						521.1	522.2	1.1	92.2	88.2
OSK-W-17-1158	3175	Lynx	696.0	453046	5434870	331	-59	145.0	147.0	2.0	71.4	50.1
		<i>including</i>						146.0	147.0	1.0	143	100
OSK-W-17-1158	3175	Caribou extension	696.0	453046	5434870	331	-59	596.0	598.4	2.4	4.12	
		<i>including</i>						597.0	597.8	0.8	10.6	
OSK-W-17-1159	3000	Caribou extension	795.4	452858	5434808	331	-70	538.0	540.0	2.0	4.99	
OSK-W-17-1163	2750	No name	477.0	452469	5435028	332	-61	356.0	358.0	2.0	9.60	
		<i>including</i>						356.0	357.0	1.0	19.1	
OSK-W-17-1164	2175	Z27	336.0	451958	5434750	143	-58	120.7	123.0	2.3	3.37	
OSK-W-17-1164	2175	Z27	336.0	451958	5434750	143	-58	132.0	139.8	7.8	7.12	
		<i>including</i>						139.3	139.8	0.5	64.9	
OSK-W-17-1166	4050	Lynx 4	1182.0	453621	5435638	132	-59	918.5	924.7	6.2	9.05	
OSK-W-17-1166	4050	Lynx 4	1182.0	453621	5435638	132	-59	973.0	976.1	3.1	72.8	14.9
		<i>including</i>						974.4	974.8	0.4	549	100
OSK-W-17-1166-W1	4050	TBD - Lynx corridor	1516.1	453621	5435638	132	-59	662.0	665.0	3.0	3.32	
OSK-W-17-1166-W1	4050	TBD - Lynx corridor	1516.1	453621	5435638	132	-59	676.3	682.0	5.7	3.13	
OSK-W-17-1166-W1	4050	Lynx 1	1516.1	453621	5435638	132	-59	799.0	801.0	2.0	3.12	
OSK-W-17-1166-W1	4050	Lynx 4	1516.1	453621	5435638	132	-59	997.7	1006.5	8.8	19.9	12.5
		<i>including</i>						1005.4	1005.7	0.3	317	100
OSK-W-17-1166-W1	4050	Lynx 4	1516.1	453621	5435638	132	-59	1012.0	1014.1	2.1	15.0	
		<i>including</i>						1013.5	1014.1	0.6	49.6	
OSK-W-17-1166-W1	4050	Lynx 4	1516.1	453621	5435638	132	-59	1027.0	1032.9	5.9	415	69.6
		<i>including</i>						1027.0	1027.8	0.8	68.8	
		<i>including</i>						1028.4	1029.3	0.9	187.0	100
		<i>including</i>						1029.3	1030.3	0.9	126	100
		<i>including</i>						1031.3	1032.0	0.7	271	100
		<i>including</i>						1032.0	1032.9	0.9	431	100
OSK-W-17-1166-W2	4050	Vein	1197.0	453621	5435638	132	-59	1048.6	1050.8	2.2	5.06	
OSK-W-17-1166-W2	4050	Vein	1197.0	453621	5435638	132	-59	1140.0	1142.0	2.0	3.39	
		<i>including</i>						1140.6	1141.1	0.5	13.5	
OSK-W-17-1166-W3	4050	Lynx	1551.0	453621	5435638	132	-59	661.0	664.8	3.8	6.38	
		<i>including</i>						663.5	664.8	1.3	14.3	
OSK-W-17-1166-W3	4050	VNCR	1551.0	453621	5435638	132	-59	941.4	944.0	2.6	4.21	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1181-W3	4275	Lynx 4	1247.0	453789	5435790	133	-58	1097.5	1101.0	3.5	5.31	
OSK-W-17-1181-W3	4275	Lynx 4	1247.0	453789	5435790	133	-58	1113.7	1116.4	2.7	6.11	
OSK-W-17-1184	2200	Z27 HW	210.0	452068	5434617	320	-51	50.0	52.0	2.0	4.21	
								50.5	51.0	0.5	16.8	
OSK-W-17-1184	2200	Z27	210.0	452068	5434617	320	-51	113.8	119.7	5.9	19.0	15.1
								116.4	117.0	0.6	139	100
OSK-W-17-1184	2200	Z27	210.0	452068	5434617	320	-51	164.9	167.5	2.6	4.64	
								166.6	167.5	0.9	13.0	
OSK-W-17-1185	3125	Z27 corridor	342.0	452904	5435022	334	-47	246.7	249.5	2.8	3.61	
								248.6	249.5	0.9	10.4	
OSK-W-17-1186	2475	Caribou	984.0	452417	5434558	331	-54	228.0	237.0	9.0	5.38	
								229.1	229.6	0.5	28.4	
								236.0	237.0	1.0	23.6	
OSK-W-17-1186	2475	CN2	984.0	452417	5434558	331	-54	407.5	410.5	3.0	12.3	
								407.5	409.0	1.5	24.4	
OSK-W-17-1186	2475	Z27 HW	984.0	452417	5434558	331	-54	502.0	504.5	2.5	3.49	
								502.0	503.0	1.0	8.61	
OSK-W-17-1186	2475	Z27	984.0	452417	5434558	331	-54	521.5	524.4	2.9	33.1	
								523.0	524.0	1.0	87.8	
OSK-W-17-1186	2475	Underdog	984.0	452417	5434558	331	-54	770.0	772.0	2.0	18.0	15.3
								771.0	771.3	0.3	118	100
OSK-W-17-1186	2475	FW3U	984.0	452417	5434558	331	-54	863.0	866.0	3.0	15.7	
								863.0	864.6	1.6	27.5	
OSK-W-17-1187	3600	Lynx 3	477.0	453441	5435025	333	-55	264.0	266.7	2.7	3.43	
OSK-W-17-1188	2200	Z27	201.0	452068	5434616	318	-57	99.2	101.8	2.6	16.8	
								100.2	100.8	0.6	67.9	
OSK-W-17-1188	2200	Z27	201.0	452068	5434616	318	-57	147.5	149.9	2.4	3.09	
								148.9	149.9	1.0	6.97	
OSK-W-17-1188	2200	Z27	201.0	452068	5434616	318	-57	167.8	169.8	2.0	3.28	
OSK-W-17-1189	2950	Caribou	1005.0	452946	5434561	335	-47	718.5	723.7	5.2	6.58	
								718.5	719.0	0.5	49.8	
OSK-W-17-1190	3200	Lynx 1 SW	1179.0	452905	5435152	151	-49	430.0	432.0	2.0	5.91	
								430.6	431.6	1.0	11.6	
OSK-W-17-1190	3200	Lynx 4 Corridor	1179.0	452905	5435152	151	-49	538.6	541.1	2.5	11.0	
OSK-W-17-1190	3200	Lynx 4 Corridor	1179.0	452905	5435152	151	-49	548.0	552.0	4.0	16.9	
								549.0	549.7	0.7	57.2	
OSK-W-17-1190	3200	Lynx 5	1179.0	452905	5435152	151	-49	762.3	764.4	2.1	6.03	
OSK-W-17-1190	3200	Lynx 5	1179.0	452905	5435152	151	-49	798.0	804.0	6.0	4.09	
								801.7	804.0	2.3	5.08	
OSK-W-17-1190	3200	Lynx 6	1179.0	452905	5435152	151	-49	998.0	1000.0	2.0	13.6	
OSK-W-17-1191	2200	Z27	255.0	452068	5434616	315	-69	194.2	197.0	2.8	13.9	
								194.2	194.8	0.6	63.4	
OSK-W-17-1191	2200	Z27	255.0	452068	5434616	315	-69	200.5	202.6	2.1	7.46	
								201.5	202.6	1.1	13.9	
OSK-W-17-1191	2200	Z27 FW	255.0	452068	5434616	315	-69	235.4	237.5	2.1	218	34.6
								236.8	237.5	0.7	650	100.0
OSK-W-17-1193	4275	Lynx 4	1803.0	453807	5435721	141	-59	971.3	979.0	7.7	28.3	24.9
								971.3	974.4	3.1	66.5	58.1
OSK-W-17-1193	4275	Lynx 4	1803.0	453807	5435721	141	-59	979.0	981.8	2.8	4.48	
OSK-W-17-1193	4275	Vein	1803.0	453807	5435721	141	-59	1659.8	1662.0	2.2	5.66	
								1659.8	1660.6	0.8	15.5	
OSK-W-17-1193	4275	Vein	1803.0	453807	5435721	141	-59	1682.0	1684.0	2.0	11.0	
								1682.5	1683.1	0.6	33.6	
OSK-W-17-1193-W1	4275	VNCR	1320.0	453807	5435721	141	-59	947.6	952.0	4.4	14.8	
								947.6	948.1	0.5	27.7	
								950.5	951.5	1.0	45.5	
OSK-W-17-1194	2525	No name	375.0	452265	5434915	332	-53	325.5	331.4	5.9	3.12	
								325.5	326.1	0.6	23.8	
OSK-W-17-1196	2200	Z27	210.0	452067	5434618	310	-59	155.5	158.0	2.5	3.26	
OSK-W-17-1196	2200	Z27 FW	210.0	452067	5434618	310	-59	185.0	187.0	2.0	15.7	
								186.6	187.0	0.4	72.5	
OSK-W-17-1198	2200	Z27	261.0	452067	5434618	306	-63	186.9	194.4	7.5	3.47	
								186.9	188.1	1.2	12.6	
OSK-W-17-1199	3600	Lynx 3	672.0	453418	5435070	333	-53	172.1	174.1	2.0	3.68	
OSK-W-17-1200	2425	New zone	264.0	452147	5434925	332	-46	245.1	248.0	2.9	3.00	
								247.1	248.0	0.9	8.74	
OSK-W-17-1202	2975	Caribou extension	932.0	452975	5434580	328	-52	554.8	557.0	2.2	8.71	
								554.8	555.6	0.8	23.2	
OSK-W-17-1202	2975	Z27	932.0	452975	5434580	328	-52	849.3	855.0	5.7	10.1	
OSK-W-17-1203	2500	Z27	372.0	452276	5434867	333	-53	27.9	30.0	2.1	128	42.9
								27.9	28.8	0.9	298	100
OSK-W-17-1203	2500	Mallard	372.0	452276	5434867	333	-53	269.0	272.0	3.0	6.76	
								270.2	270.7	0.5	31.7	
OSK-W-17-1204	3225	Lynx 2	615.0	453093	5434875	338	-61	241.5	243.6	2.1	3.16	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1204	3225	Caribou corridor	615.0	453093	5434875	338	-61	472.1	474.3	2.2	3.20	
OSK-W-17-1207	2450	Drake	267.0	452147	5434924	334	-57	8.0	10.3	2.3	5.94	
		<i>including</i>						8.0	8.8	0.8	14.3	
OSK-W-17-1207	2450	Mallard	267.0	452147	5434924	334	-57	147.7	149.7	2.0	6.17	
		<i>including</i>						148.0	148.7	0.7	16.0	
OSK-W-17-1207	2450	Mallard	267.0	452147	5434924	334	-57	182.6	184.9	2.3	3.35	
OSK-W-17-1208	1725	Vein	518.5	451612	5434443	331	-56	440.0	442.0	2.0	3.21	
		<i>including</i>						441.0	442.0	1.0	6.41	
OSK-W-17-1209	1600	FW4	429.0	451455	5434452	331	-60	236.4	239.2	2.8	4.68	
		<i>including</i>						236.4	237.1	0.7	17.2	
OSK-W-17-1210	3250	Caribou extension	317.6	453010	5435052	334	-51	209.5	211.6	2.1	4.26	
OSK-W-17-1212	2550	Mallard	324.0	452304	5434915	330	-62	215.0	217.0	2.0	6.87	
		<i>including</i>						216.0	217.0	1.0	13.2	
OSK-W-17-1215	875	New zone	300.0	450862	5434017	299	-58	105.0	107.0	2.0	4.11	
OSK-W-17-1217	2125	No name	132.0	451885	5434797	331	-50	14.9	17.1	2.2	5.47	
		<i>including</i>						15.6	16.4	0.8	14.4	
OSK-W-17-1218	3225	VNCR	405.0	453003	5435008	327	-62	27.0	29.0	2.0	3.99	
OSK-W-17-1218	3225	Bobcat	405.0	453003	5435008	327	-62	189.0	191.5	2.5	4.46	
OSK-W-17-1218	3225	Caribou extension	405.0	453003	5435008	327	-62	384.0	386.0	2.0	6.88	
		<i>including</i>						385.3	385.6	0.3	28.7	
OSK-W-17-1220	2275	Z27	303.0	452026	5434808	141	-47	179.4	182.0	2.6	12.3	
		<i>including</i>						180.2	181.1	0.9	29.7	
OSK-W-17-1220	2275	Z27	303.0	452026	5434808	141	-47	197.7	202.0	4.3	4.63	
OSK-W-17-1221	3050	Caribou corridor	1079.0	453083	5434541	335	-51	707.4	709.4	2.0	7.28	
		<i>including</i>						707.4	708.0	0.6	23.7	
OSK-W-17-1221	3050	Caribou corridor	1079.0	453083	5434541	335	-51	715.8	719.7	3.9	3.45	
OSK-W-17-1221	3050	Vein	1079.0	453083	5434541	335	-51	771.0	773.0	2.0	4.61	
		<i>including</i>						771.0	771.8	0.8	11.5	
OSK-W-17-1224	2550	Mallard 2	402.0	452304	5434914	333	-70	70.3	73.1	2.8	15.7	
		<i>including</i>						72.7	73.1	0.4	44.2	
OSK-W-17-1224	2550	Mallard	402.0	452304	5434914	333	-70	371.0	373.4	2.4	3.12	
OSK-W-17-1225	2250	New zone	252.0	452041	5434770	335	-48	9.0	12.3	3.3	5.77	
OSK-W-17-1225	2250	Mallard HW	252.0	452041	5434770	335	-48	201.3	203.6	2.3	9.58	
		<i>including</i>						201.3	202.0	0.7	30.3	
OSK-W-17-1225	2250	Mallard	252.0	452041	5434770	335	-48	245.2	247.5	2.3	20.5	
		<i>including</i>						245.2	246.4	1.2	39.1	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	662.0	664.0	2.0	11.5	
		<i>including</i>						662.6	663.5	0.9	24.4	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	673.0	675.0	2.0	10.4	
		<i>including</i>						673.0	674.0	1.0	20.3	
OSK-W-17-1226	3400	Caribou corridor	934.3	453371	5434727	331	-51	717.0	721.6	4.6	8.29	
		<i>including</i>						717.8	718.3	0.5	18.1	
		<i>including</i>						720.0	721.6	1.6	11.2	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	743.4	746.2	2.8	3.43	
		<i>including</i>						743.4	744.0	0.6	8.96	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	765.0	767.0	2.0	3.78	
		<i>including</i>						765.0	765.6	0.6	11.6	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	823.8	826.0	2.2	6.57	
		<i>including</i>						823.8	825.0	1.2	12.0	
OSK-W-17-1226	3400	CN2	934.3	453371	5434727	331	-51	852.7	855.0	2.3	3.42	
OSK-W-17-1227	3225	Vein	1164.0	453290	5434533	329	-50	419.9	422.0	2.1	4.37	
		<i>including</i>						420.4	421.1	0.7	12.9	
OSK-W-17-1227	3225	TBD	1164.0	453290	5434533	329	-50	619.0	621.0	2.0	3.62	
OSK-W-17-1227	3225	Wolf extension	1164.0	453290	5434533	329	-50	926.0	929.4	3.4	6.56	
		<i>including</i>						926.0	927.0	1.0	15.8	
OSK-W-17-1227	3225	Wolf extension	1164.0	453290	5434533	329	-50	962.0	964.0	2.0	10.5	
OSK-W-17-1227	3225	Wolf extension	1164.0	453290	5434533	329	-50	969.0	971.0	2.0	4.93	
OSK-W-17-1228	1600	Vein	657.0	451442	5434482	328	-59	50.7	53.0	2.3	7.59	
OSK-W-17-1228	1600	FW4	657.0	451442	5434482	328	-59	164.9	168.6	3.7	0.16	
OSK-W-17-1232	2275	Z27	351.0	452024	5434834	154	-47	149.0	151.5	2.5	5.50	
OSK-W-17-1232	2275	Z27	351.0	452024	5434834	154	-47	183.0	186.0	3.0	3.99	
OSK-W-17-1232	2275	Z27	351.0	452024	5434834	154	-47	206.0	208.0	2.0	27.2	
OSK-W-17-1232	2275	Vein	351.0	452024	5434834	154	-47	331.0	333.0	2.0	4.70	
OSK-W-17-1233	2300	No name	228.0	452040	5434839	333	-53	39.9	42.7	2.8	32.7	
		<i>including</i>						40.5	41.6	1.1	81.3	
OSK-W-17-1237	2950	Caribou extension	903.6	452946	5434560	330	-49	550.0	552.0	2.0	3.38	
OSK-W-17-1237	2950	Caribou extension	903.6	452946	5434560	330	-49	563.0	565.0	2.0	3.75	
OSK-W-17-1237	2950	Caribou extension	903.6	452946	5434560	330	-49	586.0	588.0	2.0	3.11	
OSK-W-17-1239	2475	Caribou	939.0	452417	5434558	326	-53	226.0	228.0	2.0	4.11	
OSK-W-17-1239	2475	Caribou corridor	939.0	452417	5434558	326	-53	255.2	258.0	2.8	10.4	
OSK-W-17-1239	2475	Z27	939.0	452417	5434558	326	-53	390.0	392.0	2.0	33.2	29.5
		<i>including</i>						390.0	390.5	0.5	115	100
OSK-W-17-1239	2475	FW3U HW	939.0	452417	5434558	326	-53	728.0	730.0	2.0	20.4	
OSK-W-17-1239	2475	FW3U HW	939.0	452417	5434558	326	-53	759.0	761.0	2.0	5.40	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
								759.0	760.0	1.0	10.3	
		<i>including</i>										
OSK-W-17-1241	3225	Caribou corridor	282.0	452948	5435107	130	-45	22.0	25.5	3.5	8.11	
		<i>including</i>						24.6	25.5	0.9	17.9	
OSK-W-17-1242	3950	Lynx 4	1206.0	453571	5435489	144	-58	820.0	822.5	2.5	3.68	
		<i>including</i>						821.3	822.1	0.8	9.25	
OSK-W-17-1242	3950	Lynx 4	1206.0	453571	5435489	144	-58	871.0	873.0	2.0	4.38	
		<i>including</i>						871.7	872.2	0.5	15.3	
OSK-W-17-1242	3950	Lynx 4	1206.0	453571	5435489	144	-58	1032.0	1034.5	2.5	43.8	12.3
		<i>including</i>						1034.2	1034.5	0.3	362	100
OSK-W-17-1242-W1	3950	Lynx 4	1008.0	453571	5435489	144	-58	943.0	945.0	2.0	3.64	
OSK-W-17-1242-W2	3950	Lynx HW	1110.0	453571	5435489	144	-58	601.0	603.0	2.0	7.18	
		<i>including</i>						602.1	603.0	0.9	13.2	
OSK-W-17-1243	2275	Z27	189.0	452061	5434778	146	-49	99.6	101.6	2.0	5.23	
		<i>including</i>						101.0	101.6	0.6	13.6	
OSK-W-17-1246	2225	Z27 HW	191.0	452083	5434636	324	-50	34.5	39.9	5.4	5.62	
OSK-W-17-1246	2225	Z27	191.0	452083	5434636	324	-50	175.2	182.0	6.8	2.43	
OSK-W-17-1247	875	New zone	687.0	451015	5433824	330	-46	326.0	329.0	3.0	3.00	
OSK-W-17-1251	3100	Bobcat	372.0	452890	5434987	326	-60	24.0	27.0	3.0	8.89	
		<i>including</i>						24.0	25.0	1.0	21.0	
OSK-W-17-1251	3100	Bobcat	372.0	452890	5434987	326	-60	55.0	59.0	4.0	3.86	
		<i>including</i>						55.0	56.0	1.0	12.3	
OSK-W-17-1251	3100	Bobcat	372.0	452890	5434987	326	-60	192.0	195.0	3.0	4.11	
		<i>including</i>						193.4	193.7	0.3	40.2	
OSK-W-17-1252	2400	Mallard	231.0	452131	5434945	324	-46	8.8	11.6	2.8	0.34	
OSK-W-17-1252	2400	Mallard	231.0	452131	5434945	324	-46	18.5	21.0	2.5	3.55	
		<i>including</i>						19.3	20.3	1.0	8.74	
OSK-W-17-1252	2400	New zone	231.0	452131	5434945	324	-46	168.0	170.0	2.0	8.38	
		<i>including</i>						168.0	169.0	1.0	16.7	
OSK-W-17-1253	2225	Z27	186.0	452083	5434636	337	-52	43.0	47.3	4.3	4.88	
OSK-W-17-1253	2225	Z27	186.0	452083	5434636	337	-52	56.0	59.0	3.0	3.68	
OSK-W-17-1255	3225	Bobcat	276.0	452947	5435107	130	-65	156.0	161.6	5.6	14.1	
		<i>including</i>						156.6	159.5	2.9	21.1	
OSK-W-17-1256	2475	Mallard	372.0	452254	5434813	334	-50	315.0	317.2	2.2	3.11	
OSK-W-17-1257	2225	Z27	250.0	452083	5434636	322	-71	155.5	157.6	2.1	7.69	
		<i>including</i>						156.2	156.5	0.3	44.9	
OSK-W-17-1257	2225	Z27	250.0	452083	5434636	322	-71	161.0	163.3	2.3	3.15	
		<i>including</i>						163.0	163.3	0.3	17.2	
OSK-W-17-1257	2225	Z27	250.0	452083	5434636	322	-71	172.0	174.0	2.0	15.4	
		<i>including</i>						172.0	173.0	1.0	30.1	
OSK-W-17-1259	1600	FW4	414.0	451523	5434374	332	-54	364.0	366.0	2.0	38.7	
		<i>including</i>						365.0	366.0	1.0	77.1	
OSK-W-17-1260	2875	Z27-3	870.0	452865	5434568	329	-49	739.0	741.0	2.0	4.37	
OSK-W-17-1260	2875	Z27	870.0	452865	5434568	329	-49	830.0	832.0	2.0	3.16	
OSK-W-17-1264	2225	Z27 HW	252.0	452084	5434636	332	-73	71.1	74.5	3.4	6.33	
		<i>including</i>						71.4	71.9	0.5	41.4	
OSK-W-17-1264	2225	Z27	252.0	452084	5434636	332	-73	166.5	169.0	2.5	6.88	
		<i>including</i>						167.4	167.7	0.3	54.0	
OSK-W-17-1265	3050	Lynx 4	1074.0	453083	5434539	334	-53	415.8	418.5	2.7	3.19	
OSK-W-17-1265	3050	Caribou extension	1074.0	453083	5434539	334	-53	738.7	741.0	2.3	5.34	
OSK-W-17-1265	3050	Z27	1074.0	453083	5434539	334	-53	940.8	942.8	2.0	13.0	
		<i>including</i>						941.2	942.2	1.0	25.7	
OSK-W-17-1267	3075	Caribou	894.0	452839	5435005	332	-60	101.6	104.0	2.4	3.04	
OSK-W-17-1268	2575	No name	372.0	452272	5435002	160	-58	83.0	85.0	2.0	5.51	
OSK-W-17-1268	2575	Drake	372.0	452272	5435002	160	-58	161.0	163.0	2.0	9.39	
OSK-W-17-1268	2575	Z27 FW	372.0	452272	5435002	160	-58	183.0	186.0	3.0	8.17	
		<i>including</i>						183.0	183.9	0.9	23.8	
OSK-W-17-1268	2575	Z27	372.0	452272	5435002	160	-58	266.3	268.4	2.1	4.84	
		<i>including</i>						266.3	266.8	0.5	15.0	
OSK-W-17-1269	2225	Z27 HW	201.0	452083	5434637	342	-70	69.5	72.0	2.5	3.10	
OSK-W-17-1269	2225	Z27 HW	201.0	452083	5434637	342	-70	117.5	122.0	4.5	3.69	
		<i>including</i>						117.5	118.0	0.5	8.01	
OSK-W-17-1269	2225	Z27	201.0	452083	5434637	342	-70	134.5	137.5	3.0	3.09	
OSK-W-17-1269	2225	Z27	201.0	452083	5434637	342	-70	146.0	148.4	2.4	3.47	
OSK-W-17-1269	2225	Z27	201.0	452083	5434637	342	-70	175.3	178.0	2.7	3.33	
		<i>including</i>						176.0	177.0	1.0	7.47	
OSK-W-17-1270	3400	Caribou extension	1251.0	453371	5434727	328	-58	918.2	926.0	7.8	3.07	
OSK-W-17-1270	3400	Vein	1251.0	453371	5434727	328	-58	950.1	953.0	2.9	7.14	
OSK-W-17-1273	2225	Z27 HW	225.0	452083	5434638	338	-66	54.9	57.0	2.1	4.05	
		<i>including</i>						54.9	55.4	0.5	14.3	
OSK-W-17-1273	2225	Z27	225.0	452083	5434638	338	-66	155.9	158.0	2.1	6.72	
		<i>including</i>						157.1	158.0	0.9	14.1	
OSK-W-17-1273	2225	Z27	225.0	452083	5434638	338	-66	164.5	167.0	2.5	16.4	
		<i>including</i>						165.7	166.2	0.5	80.9	
OSK-W-17-1273	2225	Z27	225.0	452083	5434638	338	-66	171.0	173.2	2.2	29.2	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
								171.0	172.0	1.0	63.0	
								<i>including</i>				
OSK-W-17-1275	2575	Caribou	912.0	452500	5434591	331	-55	295.7	298.3	2.6	12.4	
								<i>including</i>				
OSK-W-17-1275	2575	Z27	912.0	452500	5434591	331	-55	297.8	298.3	0.5	53.2	
								553.1	556.1	3.0	4.49	
								<i>including</i>				
OSK-W-17-1275	2575	FW3U	912.0	452500	5434591	331	-55	554.1	555.0	0.9	11.5	
								<i>including</i>				
								844.0	849.0	5.0	76.5	59.9
								<i>including</i>				
								845.4	846.0	0.6	148	100
								<i>including</i>				
								846.9	847.8	0.9	160	100
OSK-W-17-1276	2450	Mallard	312.0	452183	5434886	337	-48	176.0	178.8	2.8	12.6	
								<i>including</i>				
OSK-W-17-1276	2450	Mallard	312.0	452183	5434886	337	-48	177.9	178.8	0.9	38.6	
								<i>including</i>				
								195.6	197.6	2.0	13.3	
								<i>including</i>				
								196.0	196.3	0.3	86.9	
OSK-W-17-1279	2225	Z27	201.0	452084	5434636	342	-61	146.7	148.9	2.2	4.56	
OSK-W-17-1280	3050	Caribou extension	466.7	452857	5434931	335	-57	369.8	372.7	2.9	3.19	
OSK-W-17-1281	2475	Caribou corridor	936.0	452377	5434590	327	-55	264.0	266.2	2.2	3.24	
								<i>including</i>				
								264.9	265.4	0.5	13.3	
OSK-W-17-1281	2475	Z27	936.0	452377	5434590	327	-55	425.0	428.0	3.0	3.25	
OSK-W-17-1281	2475	Z27	936.0	452377	5434590	327	-55	447.9	451.9	4.0	3.37	
OSK-W-17-1282	2500	Z27 FW	390.0	452278	5434868	315	-78	95.8	98.9	3.1	8.06	
OSK-W-17-1287	1600	QTV	742.7	451531	5434332	332	-54	231.9	234.0	2.1	9.63	
								<i>including</i>				
								233.1	234.0	0.9	22.4	
OSK-W-17-1288	2950	Caribou extension	912.0	452947	5434559	331	-56	613.3	615.9	2.6	3.44	
OSK-W-17-1288	2950	Caribou extension	912.0	452947	5434559	331	-56	749.0	751.0	2.0	4.41	
OSK-W-17-1289	2500	Z27 FW	375.0	452277	5434868	339	-61	39.6	42.2	2.6	5.76	
								<i>including</i>				
								41.3	41.8	0.5	23.4	
OSK-W-17-1289	2500	Mallard	375.0	452277	5434868	339	-61	314.1	316.7	2.6	5.05	
								<i>including</i>				
								315.7	316.4	0.7	13.8	
OSK-W-17-1289	2500	QTV	375.0	452277	5434868	339	-61	343.0	345.0	2.0	41.9	
								<i>including</i>				
								343.0	344.0	1.0	83.5	
OSK-W-17-1289	2500	Mallard	375.0	452277	5434868	339	-61	368.3	370.8	2.5	3.22	
OSK-W-17-1290	3500	Vein	462.0	453133	5435354	130	-52	423.0	427.0	4.0	34.5	
								<i>including</i>				
								425.0	427.0	2.0	67.5	
OSK-W-17-1291	3025	Caribou extension	513.0	452842	5434897	329	-60	282.0	284.0	2.0	3.65	
OSK-W-17-1291	3025	Caribou extension	513.0	452842	5434897	329	-60	305.0	307.0	2.0	11.4	
								<i>including</i>				
								306.0	307.0	1.0	22.6	
OSK-W-17-1292	2900	Wolf	888.0	452902	5434563	327	-51	682.9	686.0	3.1	7.91	
								<i>including</i>				
								682.9	683.2	0.3	21.5	
OSK-W-17-1293	3050	Lynx 1 SW	828.0	452905	5434848	329	-70	41.5	44.0	2.5	14.4	
								<i>including</i>				
								43.0	44.0	1.0	35.4	
OSK-W-17-1293	3050	Caribou extension	828.0	452905	5434848	329	-70	584.7	590.0	5.3	3.10	
OSK-W-17-1293	3050	Caribou extension	828.0	452905	5434848	329	-70	601.5	608.0	6.5	3.58	
OSK-W-17-1293	3050	Caribou extension	828.0	452905	5434848	329	-70	645.5	648.0	2.5	3.63	
								<i>including</i>				
								646.4	647.0	0.6	10.2	
OSK-W-17-1293	3050	Vein	828.0	452905	5434848	329	-70	802.7	805.0	2.3	6.54	
								<i>including</i>				
								803.7	804.0	0.3	49.7	
OSK-W-17-1295	1600	FW3	801.0	451560	5434288	334	-57	387.0	389.0	2.0	3.36	
OSK-W-17-1295	1600	Underdog	801.0	451560	5434288	334	-57	696.9	699.2	2.3	8.14	
								<i>including</i>				
								697.7	698.5	0.8	20.9	
OSK-W-17-1296	2250	Z27	180.0	452092	5434661	14	-56	125.6	128.0	2.4	5.82	
								<i>including</i>				
								125.6	126.0	0.4	23.5	
OSK-W-17-1303	3025	Caribou extension	663.0	452842	5434897	334	-65	211.0	213.3	2.3	3.74	
OSK-W-17-1305	2575	Vein	888.0	452499	5434593	330	-54	348.0	351.0	3.0	106	50.1
								<i>including</i>				
								349.5	351.0	1.5	211	100
OSK-W-17-1305	2575	Caribou	888.0	452499	5434593	330	-54	376.0	378.5	2.5	7.65	
								<i>including</i>				
								378.1	378.5	0.4	40.9	
OSK-W-17-1305	2575	FW3U HW	888.0	452499	5434593	330	-54	722.9	725.5	2.6	14.5	
								<i>including</i>				
								722.9	723.2	0.3	51.6	
OSK-W-17-1305-W1	2575	VNCR	951.0	452499	5434593	330	-54	858.5	861.0	2.5	14.8	
								<i>including</i>				
								860.3	861.0	0.7	47.0	
OSK-W-17-1306	3225	Lynx 4	1210.9	453291	5434533	341	-62	616.0	618.2	2.2	3.60	
OSK-W-17-1306	3225	Caribou extension	1210.9	453291	5434533	341	-62	968.3	970.6	2.3	3.02	
OSK-W-17-1306	3225	Caribou extension	1210.9	453291	5434533	341	-62	987.0	989.6	2.6	14.7	
								<i>including</i>				
								988.2	988.9	0.7	54.2	
OSK-W-17-1308	3125	Lynx 4	1148.0	453210	5434466	332	-53	568.9	571.0	2.1	3.13	
OSK-W-17-1308	3125	Wolf extension	1148.0	453210	5434466	332	-53	884.0	889.4	5.4	11.6	
								<i>including</i>				
								888.6	888.9	0.3	66.7	
OSK-W-17-1308-W1	3125	Wolf	1032.0	453210	5434466	332	-53	997.0	999.0	2.0	7.27	
OSK-W-17-1309	2200	Z27 FW	237.0	452074	5434609	330	-69	218.1	220.2	2.1	5.64	
								<i>including</i>				
								218.1	218.8	0.7	16.5	
OSK-W-17-1310	2325	Caribou	375.0	452210	5434616	312	-45	54.0	57.0	3.0	3.61	
OSK-W-17-1310	2325	Vein	375.0	452210	5434616	312	-45	354.0	357.0	3.0	3.37	
OSK-W-17-1312	2200	Z27 HW	55.5	452073	5434610	325	-66	43.0	46.5	3.5	7.56	
OSK-W-17-1313	2375	Vein	876.0	452280	5434572	331	-51	19.0	22.0	3.0	3.05	
OSK-W-17-1313	2375	Caribou	876.0	452280	5434572	331	-51	90.9	93.0	2.1	3.34	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1313	2375	Caribou	876.0	452280	5434572	331	-51	122.0	125.0	3.0	5.29	
OSK-W-17-1313	2375	Z27 HW	876.0	452280	5434572	331	-51	211.0	213.0	2.0	11.3	
OSK-W-17-1313	2375	Z27	876.0	452280	5434572	331	-51	351.4	360.3	8.9	25.7	
OSK-W-17-1313	2375	Z27 FW	876.0	452280	5434572	331	-51	425.1	427.3	2.2	5.46	
		<i>including</i>						425.9	426.7	0.8	14.2	
OSK-W-17-1313	2375	Z27 FW	876.0	452280	5434572	331	-51	443.0	445.5	2.5	3.50	
OSK-W-17-1313	2375	Vein RD	876.0	452280	5434572	331	-51	456.0	458.0	2.0	25.2	
		<i>including</i>						456.5	456.8	0.3	168	
OSK-W-17-1317	2200	Z27 HW	276.0	452074	5434610	327	-65	45.0	47.5	2.5	4.31	
OSK-W-17-1317	2200	Z27	276.0	452074	5434610	327	-65	170.0	172.0	2.0	4.60	
OSK-W-17-1317	2200	Z27	276.0	452074	5434610	327	-65	182.9	191.0	8.1	10.0	
		<i>including</i>						186.9	188.0	1.1	54.3	
OSK-W-17-1319	2325	Z27 HW	291.0	452222	5434607	310	-50	162.0	165.0	3.0	5.80	
		<i>including</i>						162.0	163.5	1.5	11.4	
OSK-W-17-1319	2325	Z27	291.0	452222	5434607	310	-50	215.3	217.3	2.0	7.42	
		<i>including</i>						217.0	217.3	0.3	22.8	
OSK-W-17-1320	3050	Lynx 1	852.0	452906	5434846	328	-76	61.8	64.3	2.5	4.72	
OSK-W-17-1320	3050	Vein	852.0	452906	5434846	328	-76	90.4	93.0	2.6	43.0	15.6
		<i>including</i>						91.3	91.7	0.4	278	100
OSK-W-17-1320	3050	Lynx 1	852.0	452906	5434846	328	-76	112.0	114.0	2.0	5.45	
		<i>including</i>						112.4	112.7	0.3	31.0	
OSK-W-17-1320	3050	Caribou extension	852.0	452906	5434846	328	-76	463.0	465.0	2.0	11.9	
		<i>including</i>						463.0	464.0	1.0	23.8	
OSK-W-17-1320	3050	Caribou extension	852.0	452906	5434846	328	-76	472.1	477.3	5.2	5.16	
		<i>including</i>						472.1	473.4	1.3	14.1	
OSK-W-17-1320	3050	Caribou extension	852.0	452906	5434846	328	-76	557.5	560.8	3.3	3.46	
OSK-W-17-1320	3050	Caribou extension	852.0	452906	5434846	328	-76	801.0	803.0	2.0	6.04	
		<i>including</i>						802.0	803.0	1.0	11.8	
OSK-W-17-1323	2975	Vein	597.0	452855	5434798	340	-74	433.0	435.2	2.2	5.48	
OSK-W-17-1325	1500	Underdog	688.5	451431	5434333	331	-69	629.2	631.3	2.1	7.57	
OSK-W-17-1326	2200	Z27	225.0	452075	5434609	328	-61	159.0	161.0	2.0	8.32	
		<i>including</i>						160.0	161.0	1.0	16.0	
OSK-W-17-1326	2200	Z27	225.0	452075	5434609	328	-61	180.0	183.3	3.3	6.13	
		<i>including</i>						183.0	183.3	0.3	45.1	
OSK-W-17-1332	2125	No name	798.0	451894	5434769	280	-45	25.0	27.0	2.0	8.27	
		<i>including</i>						26.2	27.0	0.8	18.8	
OSK-W-17-1333	3300	Caribou extension	852.0	453158	5434897	336	-61	503.0	506.5	3.5	18.4	
		<i>including</i>						504.0	505.0	1.0	53.8	
OSK-W-17-1333	3300	Caribou extension	852.0	453158	5434897	336	-61	593.6	596.0	2.4	4.85	
		<i>including</i>						593.6	594.3	0.7	13.8	
OSK-W-17-1333	3300	Caribou extension	852.0	453158	5434897	336	-61	628.0	630.4	2.4	5.89	
		<i>including</i>						628.0	628.8	0.8	15.3	
OSK-W-17-1334	3025	Bobcat	657.0	452842	5434896	334	-70	86.0	88.0	2.0	4.05	
OSK-W-17-1334	3025	Caribou extension	657.0	452842	5434896	334	-70	338.2	340.7	2.5	3.31	
		<i>including</i>						338.2	338.7	0.5	16.4	
OSK-W-17-1334	3025	Caribou extension	657.0	452842	5434896	334	-70	459.0	461.5	2.5	74.0	12.2
		<i>including</i>						460.5	460.8	0.3	615	100
OSK-W-17-1334	3025	Caribou extension	657.0	452842	5434896	334	-70	489.0	491.2	2.2	12.8	
		<i>including</i>						490.0	490.7	0.7	33.9	
OSK-W-17-1334	3025	Caribou extension	657.0	452842	5434896	334	-70	498.5	502.0	3.5	3.73	
OSK-W-17-1334	3025	Z27	657.0	452842	5434896	334	-70	557.2	560.1	2.9	29.6	
		<i>including</i>						558.1	559.1	1.0	83.6	
OSK-W-17-1335	2200	Mallard	201.0	451963	5434779	333	-49	179.0	181.1	2.1	5.66	
		<i>including</i>						179.8	180.3	0.5	20.7	
OSK-W-17-1336	2600	FW0	1149.0	452617	5434447	335	-61	810.0	813.0	3.0	17.0	
OSK-W-17-1336	2600	FW0	1149.0	452617	5434447	335	-61	816.0	820.0	4.0	24.0	
		<i>including</i>						817.5	820.0	2.5	35.6	
OSK-W-17-1336	2600	FW1	1149.0	452617	5434447	335	-61	891.0	893.0	2.0	6.64	
		<i>including</i>						891.0	891.3	0.3	22.3	
OSK-W-17-1336	2600	FW2	1149.0	452617	5434447	335	-61	972.0	974.0	2.0	4.10	
OSK-W-17-1336	2600	FW3	1149.0	452617	5434447	335	-61	1082.0	1084.5	2.5	15.0	
		<i>including</i>						1084.0	1084.5	0.5	67.9	
OSK-W-17-1336-W1	2600	Vein	1335.0	452617	5434447	335	-61	723.0	725.0	2.0	9.44	
		<i>including</i>						723.7	724.0	0.3	62.8	
OSK-W-17-1336-W1	2600	FW1	1335.0	452617	5434447	335	-61	992.9	995.0	2.1	42.9	28.8
		<i>including</i>						992.9	993.5	0.6	150	100
OSK-W-17-1336-W1	2600	FW2	1335.0	452617	5434447	335	-61	1064.1	1073.0	8.9	56.1	15.1
		<i>including</i>						1067.0	1070.1	3.1	151	33.7
OSK-W-17-1336-W1	2600	FW3	1335.0	452617	5434447	335	-61	1153.5	1161.0	7.5	6.12	
		<i>including</i>						1157.0	1158.0	1.0	17.0	
OSK-W-18-1336-W2	2600	FW0	1193.0	452617	5434447	335	-61	831.9	835.3	3.4	4.62	
OSK-W-18-1336-W2	2600	FW0	1193.0	452617	5434447	335	-61	849.7	852.3	2.6	3.53	
OSK-W-18-1336-W2	2600	Underdog	1193.0	452617	5434447	335	-61	920.6	923.0	2.4	4.36	
		<i>including</i>						920.6	921.0	0.4	17.8	
OSK-W-18-1336-W2	2600	FW1	1193.0	452617	5434447	335	-61	950.0	952.3	2.3	3.92	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-18-1336-W2	2600	FW1	1193.0	452617	5434447	335	-61	964.0	969.7	5.7	13.0	
		<i>including</i>						967.3	967.8	0.5	92.2	
OSK-W-18-1336-W2	2600	Underdog	1193.0	452617	5434447	335	-61	1132.0	1136.0	4.0	19.6	13.6
		<i>including</i>						1134.7	1135.1	0.4	160	100
OSK-W-18-1336-W2	2600	Underdog	1193.0	452617	5434447	335	-61	1182.0	1184.0	2.0	4.55	
OSK-W-17-1337	2350	Mallard	360.0	452055	5434957	140	-57	19.0	21.5	2.5	3.39	
		<i>including</i>						20.0	20.4	0.4	13.7	
OSK-W-17-1337	2350	Drake	360.0	452055	5434957	140	-57	236.3	238.4	2.1	3.58	
OSK-W-17-1341	2450	Caribou	732.0	452334	5434661	329	-49	84.0	86.0	2.0	3.43	
OSK-W-17-1341	2450	Z27 HW	732.0	452334	5434661	329	-49	169.0	171.3	2.3	17.0	
		<i>including</i>						169.6	170.2	0.6	63.1	
OSK-W-17-1341	2450	Z27	732.0	452334	5434661	329	-49	253.4	256.3	2.9	7.79	
OSK-W-17-1341	2450	Z27	732.0	452334	5434661	329	-49	272.8	277.9	5.1	4.52	
OSK-W-17-1341	2450	Z27	732.0	452334	5434661	329	-49	316.6	318.9	2.3	5.23	
OSK-W-17-1342	2300	Mallard HW	282.0	452086	5434760	333	-50	211.9	214.0	2.1	8.19	
		<i>including</i>						211.9	213.0	1.1	15.4	
OSK-W-17-1342	2300	Mallard	282.0	452086	5434760	333	-50	261.8	263.8	2.0	3.30	
OSK-W-17-1343	3950	Lynx HW	681.0	453572	5435489	137	-56	541.0	546.0	5.0	140	30.8
		<i>including</i>						544.7	545.6	0.9	704	100
OSK-W-17-1343-W1	3950	Lynx HW	870.0	453572	5435489	137	-56	560.8	563.9	3.1	3.32	
OSK-W-17-1343-W1	3950	Lynx HW	870.0	453572	5435489	137	-56	596.7	601.8	5.1	58.7	30.3
		<i>including</i>						597.7	599.0	1.3	212	100.0
OSK-W-17-1343-W2	3950	Lynx HW	1323.0	453572	5435489	137	-56	507.3	511.7	4.4	34.1	29.5
		<i>including</i>						507.3	509.1	1.8	77.7	66.6
OSK-W-17-1343-W2	3950	Lynx HW	1323.0	453572	5435489	137	-56	636.5	639.0	2.5	3.11	
OSK-W-17-1343-W2	3950	Lynx 4	1323.0	453572	5435489	137	-56	864.8	867.0	2.2	5.79	
OSK-W-17-1343-W2	3950	Lynx 4	1323.0	453572	5435489	137	-56	879.0	881.0	2.0	14.2	
		<i>including</i>						879.4	879.7	0.3	69.6	
OSK-W-17-1343-W2	3950	Lynx 4	1323.0	453572	5435489	137	-56	937.0	939.0	2.0	3.59	
OSK-W-17-1343-W2	3950	Lynx 6	1323.0	453572	5435489	137	-56	1134.0	1137.0	3.0	6.31	
OSK-W-17-1343-W2	3950	Lynx 6	1323.0	453572	5435489	137	-56	1197.9	1200.0	2.1	7.84	
		<i>including</i>						1197.9	1198.2	0.3	54.3	
OSK-W-19-1343-W3	3950	Lynx	637.0	453572	5435489	137	-56	584.6	589.5	4.9	13.2	
		<i>including</i>						584.6	585.6	1.0	50.9	
OSK-W-17-1344	3075	Caribou extension	525.0	452935	5434858	332	-74	446.0	448.4	2.4	9.54	
		<i>including</i>						447.8	448.4	0.6	37.5	
OSK-W-17-1345	2900	CS3	894.0	452902	5434563	329	-52	540.8	543.3	2.5	7.40	
OSK-W-17-1345	2900	Wolf	894.0	452902	5434563	329	-52	684.0	688.3	4.3	86.7	13.9
		<i>including</i>						687.9	688.3	0.4	883	100
OSK-W-17-1346	3650	Lynx 1 + Lynx 2	396.0	453467	5435069	334	-64	214.0	218.1	4.1	3.26	
OSK-W-17-1347	2550	Vein	489.0	452160	5435158	151	-61	164.0	166.0	2.0	4.64	
		<i>including</i>						165.2	166.0	0.8	11.5	
OSK-W-17-1347	2550	Mallard FW	489.0	452160	5435158	151	-61	249.4	252.2	2.8	11.1	
		<i>including</i>						250.4	251.3	0.9	27.3	
OSK-W-17-1348	2975	Caribou extension	573.0	452844	5434806	333	-53	423.0	425.0	2.0	4.25	
		<i>including</i>						423.4	423.9	0.5	11.6	
OSK-W-17-1350	2975	Lynx 4	843.0	452993	5434556	328	-55	386.7	388.7	2.0	6.31	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	538.9	540.9	2.0	9.37	
		<i>including</i>						539.6	540.3	0.7	22.7	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	697.0	699.0	2.0	4.45	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	724.0	726.0	2.0	4.16	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	776.0	778.0	2.0	6.33	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	826.3	829.7	3.4	6.88	
		<i>including</i>						828.7	829.0	0.3	39.0	
OSK-W-17-1351	3225	Caribou extension	814.8	453101	5434875	335	-66	454.0	456.2	2.2	6.14	
OSK-W-17-1351	3225	Caribou extension	814.8	453101	5434875	335	-66	725.8	728.0	2.2	3.65	
OSK-W-17-1351	3225	Caribou extension	814.8	453101	5434875	335	-66	735.4	737.7	2.3	3.64	
OSK-W-17-1352	3400	Caribou extension	909.0	453378	5434742	327	-50	646.0	648.0	2.0	9.39	
		<i>including</i>						646.8	647.5	0.7	26.4	
OSK-W-17-1353	1575	FW3	750.0	451490	5434338	326	-56	233.9	236.3	2.4	4.66	
		<i>including</i>						234.5	235.0	0.5	20.1	
OSK-W-17-1354	1775	FW3	432.0	451642	5434469	333	-50	229.3	231.4	2.1	5.05	
		<i>including</i>						229.6	230.0	0.4	22.9	
OSK-W-17-1356	3600	Lynx 1	429.0	453442	5435026	334	-67	195.2	197.5	2.3	10.0	
OSK-W-17-1356	3600	Lynx 1	429.0	453442	5435026	334	-67	229.6	232.0	2.4	4.14	
OSK-W-17-1359	3175	Caribou extension	807.0	453039	5434873	339	-64	467.4	470.0	2.6	5.06	
		<i>including</i>						467.4	468.5	1.1	10.8	
OSK-W-17-1359	3175	Caribou extension	807.0	453039	5434873	339	-64	499.0	501.3	2.3	5.37	
		<i>including</i>						499.0	499.5	0.5	16.8	
OSK-W-17-1359	3175	Caribou extension	807.0	453039	5434873	339	-64	604.6	606.7	2.1	3.87	
OSK-W-17-1359	3175	Z27 extension	807.0	453039	5434873	339	-64	754.8	757.0	2.2	4.98	
OSK-W-17-1362	1750	FW4	623.7	451643	5434470	347	-50	337.9	339.9	2.0	4.48	
		<i>including</i>						339.4	339.9	0.5	15.3	
OSK-W-17-1363	3625	Lynx HW	513.0	453457	5435025	341	-72	222.0	224.0	2.0	3.28	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-18-1386-W4	4275	Lynx	1059.0	453802	5435746	136	-54	877.1	881.1	4.0	11.7	
		<i>including</i>						878.0	878.5	0.5	30.7	
OSK-W-18-1386-W4	4275	Lynx	1059.0	453802	5435746	136	-54	904.4	906.9	2.5	10.7	
OSK-W-18-1386-W4	4275	Lynx	1059.0	453802	5435746	136	-54	941.0	943.0	2.0	9.43	
OSK-W-18-1386-W4	4275	Lynx	1059.0	453802	5435746	136	-54	952.0	954.0	2.0	8.29	
OSK-W-18-1386-W5	4275	Lynx	1099.5	453802	5435746	136	-54	831.6	834.7	3.1	54.4	21.4
		<i>including</i>						832.2	832.5	0.3	441	100
OSK-W-17-1388	2775	CS1	762.0	452715	5434606	332	-57	368.6	371.0	2.4	11.9	
OSK-W-17-1388	2775	Wolf FW	762.0	452715	5434606	332	-57	697.0	699.2	2.2	4.59	
OSK-W-17-1390	1975	FW3	657.0	451911	5434436	329	-47	505.0	507.2	2.2	3.44	
OSK-W-17-1391	3150	Bobcat	663.0	452981	5434900	327	-62	297.0	299.9	2.9	12.2	
		<i>including</i>						299.4	299.9	0.5	65.4	
OSK-W-17-1391	3150	Caribou extension	663.0	452981	5434900	327	-62	453.0	455.0	2.0	42.7	33.0
		<i>including</i>						454.0	454.6	0.6	133	100
OSK-W-17-1391	3150	Vein	663.0	452981	5434900	327	-62	501.0	503.0	2.0	82.5	35.6
		<i>including</i>						501.0	501.7	0.7	234	100
OSK-W-17-1393	2900	Bobcat	573.0	452726	5434864	332	-62	157.0	159.0	2.0	3.91	
		<i>including</i>						158.3	158.7	0.4	16.7	
OSK-W-17-1394	3100	Caribou extension	1165.4	453146	5434510	335	-49	780.5	782.6	2.1	4.25	
		<i>including</i>						781.0	781.6	0.6	14.7	
OSK-W-17-1394	3100	Caribou extension	1165.4	453146	5434510	335	-49	902.7	904.8	2.1	13.0	
		<i>including</i>						904.0	904.8	0.8	33.0	
OSK-W-17-1396	3825	Lynx 4	955.5	453436	5435484	134	-52	707.0	709.5	2.5	5.80	
OSK-W-17-1396	3825	Lynx 4	955.5	453436	5435484	134	-52	873.0	875.0	2.0	67.0	15.3
		<i>including</i>						873.8	874.1	0.3	445	100
OSK-W-17-1396	3825	Lynx 4	955.5	453436	5435484	134	-52	897.0	899.8	2.8	6.13	
OSK-W-17-1397	3450	Lynx HW	732.0	453301	5434963	333	-61	113.6	116.0	2.4	3.35	
		<i>including</i>						114.7	115.1	0.4	16.8	
OSK-W-17-1397	3450	Lynx 1	732.0	453301	5434963	333	-61	128.6	131.6	3.0	28.0	21.2
		<i>including and</i>						128.6	128.9	0.3	98.7	
								130.9	131.2	0.3	168	100
OSK-W-17-1397	3450	Lynx 2	732.0	453301	5434963	333	-61	173.0	175.0	2.0	5.38	
		<i>including</i>						173.0	174.0	1.0	10.7	
OSK-W-17-1397	3450	Lynx 2	732.0	453301	5434963	333	-61	213.0	215.0	2.0	23.4	21.6
		<i>including</i>						214.1	214.4	0.3	112	100
OSK-W-17-1397	3450	VNCR	732.0	453301	5434963	333	-61	639.0	641.0	2.0	3.53	
OSK-W-17-1397	3450	Vein	732.0	453301	5434963	333	-61	711.0	713.2	2.2	3.69	
OSK-W-17-1399	3500	VNCR	1053.0	453412	5434868	332	-61	353.8	359.0	5.2	6.11	
		<i>including</i>						353.8	354.4	0.6	17.0	
		<i>including</i>						358.0	359.0	1.0	20.2	
OSK-W-17-1399	3500	Caribou extension	1053.0	453412	5434868	332	-61	574.0	576.0	2.0	3.55	
OSK-W-17-1399	3500	Caribou extension	1053.0	453412	5434868	332	-61	658.5	661.0	2.5	4.45	
OSK-W-17-1399	3500	Caribou extension	1053.0	453412	5434868	332	-61	684.5	686.5	2.0	3.72	
OSK-W-17-1400	2325	Caribou corridor	768.8	452310	5434408	332	-52	325.6	328.0	2.4	4.05	
OSK-W-17-1402	2600	Caribou corridor	1122.0	452617	5434447	330	-59	462.2	464.5	2.3	3.39	
OSK-W-17-1402	2600	FW1	1122.0	452617	5434447	330	-59	820.1	822.3	2.2	47.7	18.4
		<i>including</i>						822.0	822.3	0.3	315	100
OSK-W-17-1402	2600	FW1 FW	1122.0	452617	5434447	330	-59	863.6	865.6	2.0	3.48	
		<i>including</i>						864.1	864.9	0.8	7.60	
OSK-W-17-1402	2600	FW1 FW	1122.0	452617	5434447	330	-59	873.5	876.3	2.8	3.35	
OSK-W-17-1402	2600	FW2	1122.0	452617	5434447	330	-59	938.2	940.2	2.0	4.27	
OSK-W-17-1402	2600	FW3	1122.0	452617	5434447	330	-59	1054.2	1059.2	5.0	5.38	
OSK-W-17-1402	2600	FW3	1122.0	452617	5434447	330	-59	1085.0	1087.0	2.0	4.09	
OSK-W-17-1402	2600	FW3	1122.0	452617	5434447	330	-59	1099.0	1101.0	2.0	4.99	
OSK-W-18-1402-W1	2600	Vein	1224.0	452617	5434447	330	-59	683.5	686.0	2.5	3.57	
		<i>including</i>						684.5	685.0	0.5	17.6	
OSK-W-18-1402-W1	2600	FW0	1224.0	452617	5434447	330	-59	804.2	806.5	2.3	5.79	
		<i>including</i>						805.0	805.5	0.5	23.5	
OSK-W-18-1402-W1	2600	FW1	1224.0	452617	5434447	330	-59	826.5	833.1	6.6	4.07	
OSK-W-18-1402-W1	2600	FW1	1224.0	452617	5434447	330	-59	853.0	855.0	2.0	3.52	
OSK-W-18-1402-W1	2600	FW1	1224.0	452617	5434447	330	-59	859.1	862.0	2.9	53.9	
OSK-W-18-1402-W1	2600	FW3	1224.0	452617	5434447	330	-59	1088.9	1091.5	2.6	6.63	
		<i>including</i>						1090.3	1090.8	0.5	26.9	
OSK-W-18-1402-W1	2600	FW4	1224.0	452617	5434447	330	-59	1150.6	1153.0	2.4	4.47	
		<i>including</i>						1150.6	1151.1	0.5	12.8	
OSK-W-18-1402-W3	2600	FW0	1182.0	452617	5434447	330	-59	778.0	780.3	2.3	8.11	
		<i>including</i>						779.2	779.7	0.5	25.5	
OSK-W-18-1402-W3	2600	FW1	1182.0	452617	5434447	330	-59	821.1	824.6	3.5	6.21	
OSK-W-18-1402-W3	2600	FW1 FW	1182.0	452617	5434447	330	-59	880.0	882.0	2.0	4.98	
		<i>including</i>						881.0	881.7	0.7	12.3	
OSK-W-18-1402-W3	2600	FW1 FW	1182.0	452617	5434447	330	-59	888.5	892.0	3.5	41.2	
		<i>including</i>						888.5	890.0	1.5	65.9	
OSK-W-18-1402-W3	2600	Underdog	1182.0	452617	5434447	330	-59	920.1	929.3	9.2	9.01	
OSK-W-18-1402-W3	2600	Underdog	1182.0	452617	5434447	330	-59	954.0	956.0	2.0	4.03	
OSK-W-18-1402-W3	2600	FW3	1182.0	452617	5434447	330	-59	1104.7	1109.4	4.7	9.36	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
								1104.7	1105.1	0.4	35.4	
								1109.1	1109.4	0.3	96.1	
OSK-W-18-1402-W3	2600	Underdog	1182.0	452617	5434447	330	-59	1144.0	1146.0	2.0	6.57	
								1145.2	1145.6	0.4	30.6	
OSK-W-17-1404	3000	Bobcat	635.3	452854	5434824	335	-67	141.4	144.0	2.6	4.28	
								142.0	143.0	1.0	11.0	
OSK-W-17-1404	3000	Bobcat	635.3	452854	5434824	335	-67	168.0	171.0	3.0	4.54	
								170.7	171.0	0.3	13.4	
OSK-W-17-1404	3000	Caribou extension	635.3	452854	5434824	335	-67	356.8	359.5	2.7	10.4	
								358.6	359.0	0.4	53.2	
OSK-W-17-1404	3000	Caribou extension	635.3	452854	5434824	335	-67	535.0	537.0	2.0	3.96	
OSK-W-17-1404	3000	Caribou extension	635.3	452854	5434824	335	-67	539.7	543.0	3.3	4.33	
OSK-W-17-1406	3075	VNCR	579.0	452912	5434878	334	-60	79.3	81.8	2.5	6.97	
								79.7	80.0	0.3	47.7	
OSK-W-17-1406	3075	Vein	579.0	452912	5434878	334	-60	117.0	119.0	2.0	7.28	
								117.0	118.0	1.0	13.8	
OSK-W-17-1406	3075	QTV	579.0	452912	5434878	334	-60	129.0	131.0	2.0	6.91	
								129.4	130.3	0.9	15.2	
OSK-W-17-1406	3075	Bobcat	579.0	452912	5434878	334	-60	248.5	250.9	2.4	3.47	
OSK-W-17-1406	3075	Bobcat	579.0	452912	5434878	334	-60	322.0	324.5	2.5	5.71	
OSK-W-17-1409	2925	Bobcat	402.0	452747	5434882	331	-53	133.3	135.7	2.4	24.0	13.6
								135.4	135.7	0.3	184	100
OSK-W-17-1409	2925	Bobcat	402.0	452747	5434882	331	-53	205.0	207.0	2.0	6.11	
								205.4	206.0	0.6	19.5	
OSK-W-17-1409	2925	Caribou extension	402.0	452747	5434882	331	-53	350.0	352.4	2.4	7.17	
								351.0	351.5	0.5	34.1	
OSK-W-18-1412-W1	4125	Lynx 1	825.0	453684	5435676	133	-51	720.0	722.7	2.7	403	50.9
								721.7	722.7	1.0	1050	100
OSK-W-18-1412-W1	4125	Lynx 1	825.0	453684	5435676	133	-51	731.0	733.0	2.0	10.4	
								731.9	733.0	1.1	17.9	
OSK-W-17-1413	3450	Lynx 2	996.0	453155	5435214	137	-53	296.0	298.3	2.3	40.6	39.4
								297.4	298.3	0.9	103	
OSK-W-17-1413	3450	Lynx 4	996.0	453155	5435214	137	-53	534.6	537.0	2.4	5.77	
OSK-W-17-1413	3450	Lynx 4	996.0	453155	5435214	137	-53	742.0	744.0	2.0	3.83	
OSK-W-17-1413	3450	Lynx 6	996.0	453155	5435214	137	-53	967.8	970.2	2.4	8.35	
								967.8	968.7	0.9	15.9	
OSK-W-17-1413	3450	Lynx 6	996.0	453155	5435214	137	-53	980.5	983.0	2.5	3.30	
								981.6	982.1	0.5	14.6	
OSK-W-18-1414-W1	4100	Lynx 1	1197.8	453656	5435645	133	-57	842.4	846.0	3.6	8.20	
								842.4	843.0	0.6	20.6	
								844.8	845.3	0.5	17.1	
OSK-W-18-1414-W1	4100	Lynx 1	1197.8	453656	5435645	133	-57	855.2	857.9	2.7	26.5	
OSK-W-18-1414-W2	4100	Lynx 4	1095.0	453656	5435645	133	-58	934.5	936.7	2.2	151	83.5
								934.5	935.0	0.5	369	100
								935.8	936.7	0.9	117	100
OSK-W-18-1414-W2	4100	Lynx 4	1095.0	453656	5435645	133	-58	1039.0	1041.0	2.0	5.38	
								1039.0	1039.9	0.9	11.6	
OSK-W-18-1415	3850	Lynx HW	560.8	453491	5435451	139	-49	457.0	463.5	6.5	10.1	
								457.0	457.7	0.7	68.8	
OSK-W-18-1418	3225	Lynx 4	1077.0	453288	5434531	334	-45	544.0	546.3	2.3	8.09	
								545.2	545.5	0.3	61.0	
OSK-W-18-1418	3225	Lynx 4	1077.0	453288	5434531	334	-45	551.0	553.2	2.2	4.02	
OSK-W-18-1418	3225	Caribou extension	1077.0	453288	5434531	334	-45	660.0	665.0	5.0	4.78	
OSK-W-18-1418	3225	Caribou extension	1077.0	453288	5434531	334	-45	710.0	717.0	7.0	5.95	
								710.7	712.6	1.9	11.9	
OSK-W-18-1418	3225	QTV	1077.0	453288	5434531	334	-45	893.0	896.4	3.4	6.72	
								893.0	893.5	0.5	39.0	
OSK-W-18-1418	3225	Caribou extension	1077.0	453288	5434531	334	-45	930.0	932.0	2.0	5.85	
OSK-W-18-1421	2200	CW2	918.0	452216	5434357	340	-47	231.0	233.9	2.9	17.7	
OSK-W-18-1421	2200	FW4	918.0	452216	5434357	340	-47	872.6	875.8	3.2	36.1	
								874.5	875.5	1.0	81.8	
OSK-W-18-1422	3850	Lynx HW	476.0	453496	5435446	140	-45	386.0	388.0	2.0	48.0	21.8
								386.7	387.1	0.4	231	100
OSK-W-18-1423	3150	Lynx 1 SW	792.0	453025	5434853	327	-61	107.5	109.6	2.1	7.77	
								108.5	108.9	0.4	38.7	
OSK-W-18-1423	3150	VNCR	792.0	453025	5434853	327	-61	221.2	223.7	2.5	4.65	
OSK-W-18-1423	3150	Bobcat	792.0	453025	5434853	327	-61	268.4	271.0	2.6	3.07	
OSK-W-18-1423	3150	Caribou extension	792.0	453025	5434853	327	-61	509.8	512.0	2.2	5.63	
								509.8	510.5	0.7	17.3	
OSK-W-18-1423	3150	Caribou extension	792.0	453025	5434853	327	-61	521.2	523.5	2.3	6.04	
OSK-W-18-1423	3150	Caribou extension	792.0	453025	5434853	327	-61	556.0	559.0	3.0	3.97	
OSK-W-18-1424	3200	No name	930.0	453357	5434364	357	-57	666.3	668.5	2.2	7.58	
OSK-W-18-1424	3200	Lynx 4	930.0	453357	5434364	357	-57	878.2	880.7	2.5	4.24	
								879.1	879.9	0.8	12.2	
OSK-W-18-1424-W1	3200	Lynx	1485.0	453358	5434364	357	-57	921.0	923.0	2.0	5.60	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					921.8	923.0	1.2	9.32	
OSK-W-18-1426	3875	Lynx	804.0	453453	5435560	136	-47	640.0	642.0	2.0	12.1	
			<i>including</i>					640.0	640.6	0.6	40.2	
OSK-W-18-1426	3875	Lynx	804.0	453453	5435560	136	-47	644.6	646.9	2.3	5.64	
			<i>including</i>					644.6	645.0	0.4	24.2	
OSK-W-19-1426-W1	3875	Lynx	687.0	453453	5435560	136	-47	594.4	596.5	2.1	4.23	
OSK-W-19-1426-W1	3875	Lynx	687.0	453453	5435560	136	-47	600.1	602.5	2.4	6.48	
			<i>including</i>					600.1	600.5	0.4	35.4	
OSK-W-19-1426-W1	3875	Lynx	687.0	453453	5435560	136	-47	622.8	625.8	3.0	45.0	33.4
			<i>including</i>					624.4	624.8	0.4	187	100
			<i>including</i>					625.4	625.8	0.4	99.8	
OSK-W-18-1429	3975	Lynx HW	819.0	453532	5435607	138	-49	688.4	690.5	2.1	16.9	
			<i>including</i>					690.1	690.5	0.4	41.7	
OSK-W-18-1430	2300	FW1	984.0	452318	5434378	339	-60	707.5	709.5	2.0	7.91	
			<i>including</i>					708.3	708.9	0.6	23.1	
OSK-W-18-1430-W1	2300	FW2	1125.0	452318	5434378	339	-60	818.0	821.0	3.0	4.95	
OSK-W-18-1430-W1	2300	Underdog	1125.0	452318	5434378	339	-60	1103.0	1105.0	2.0	26.0	20.4
			<i>including</i>					1104.0	1104.4	0.4	128	100
OSK-W-18-1431	2250	FW2	1128.0	452288	5434336	337	-62	894.0	896.0	2.0	3.57	
			<i>including</i>					894.8	895.2	0.4	17.6	
OSK-W-18-1431	2250	FW3	1128.0	452288	5434336	337	-62	922.3	925.1	2.8	13.5	
			<i>including</i>					923.2	924.3	1.1	32.1	
OSK-W-18-1431	2250	FW4	1128.0	452288	5434336	337	-62	1070.0	1072.0	2.0	5.73	
OSK-W-18-1431-W1	2250	FW1	1092.0	452288	5434336	337	-62	758.0	760.3	2.3	3.06	
OSK-W-18-1431-W1	2250	FW3	1092.0	452288	5434336	337	-62	922.1	924.6	2.5	4.25	
OSK-W-18-1431-W1	2250	FW3 FW	1092.0	452288	5434336	337	-62	967.8	969.9	2.1	13.5	
			<i>including</i>					969.2	969.9	0.7	28.0	
OSK-W-18-1431-W2	2250	FW1	1140.0	452288	5434336	337	-62	765.0	767.0	2.0	3.55	
OSK-W-18-1431-W2	2250	Underdog	1140.0	452288	5434336	337	-62	854.4	856.5	2.1	11.3	
			<i>including</i>					854.9	855.5	0.6	37.8	
OSK-W-18-1432	4300	Lynx	1101.0	453811	5435779	132	-55	945.0	947.0	2.0	8.94	
			<i>including</i>					946.0	947.0	1.0	17.4	
OSK-W-18-1432-W1	4300	Lynx 4	1149.0	453811	5435779	132	-55	944.0	946.5	2.5	8.89	
OSK-W-18-1434	2475	Underdog	1026.0	452453	5434496	335	-55	752.0	754.0	2.0	4.76	
			<i>including</i>					752.7	753.3	0.6	15.1	
OSK-W-18-1434	2475	FW3	1026.0	452453	5434496	335	-55	859.5	864.2	4.7	11.6	
			<i>including and</i>					859.5	860.0	0.5	63.4	
			<i>including</i>					863.8	864.2	0.4	45.5	
OSK-W-18-1434	2475	FW3U	1026.0	452453	5434496	335	-55	960.0	962.4	2.4	16.0	
			<i>including</i>					962.0	962.4	0.4	68.7	
OSK-W-18-1435	3150	Bobcat	801.0	453025	5434852	331	-65	301.5	303.8	2.3	32.8	31.1
			<i>including</i>					302.1	302.8	0.7	106	100
OSK-W-18-1435	3150	Caribou extension	801.0	453025	5434852	331	-65	532.0	534.6	2.6	34.3	24.7
			<i>including</i>					533.3	533.9	0.6	142	100
OSK-W-18-1435	3150	Caribou extension	801.0	453025	5434852	331	-65	539.0	541.0	2.0	4.38	
			<i>including</i>					540.2	540.5	0.3	29.0	
OSK-W-18-1435	3150	Caribou extension	801.0	453025	5434852	331	-65	555.5	558.0	2.5	16.7	
			<i>including</i>					555.5	556.5	1.0	40.7	
OSK-W-18-1436	3775	Lynx 2	1128.0	453374	5435505	139	-52	546.0	548.0	2.0	36.3	
			<i>including</i>					547.0	547.6	0.6	91.0	
OSK-W-18-1436	3775	Lynx 4	1128.0	453374	5435505	139	-52	902.5	904.5	2.0	8.40	
			<i>including</i>					903.3	903.6	0.3	49.8	
OSK-W-18-1436	3775	Lynx	1128.0	453374	5435505	139	-52	1026.7	1029.2	2.5	10.1	
OSK-W-18-1436	3775	Lynx 4	1128.0	453374	5435505	139	-52	1062.3	1064.3	2.0	48.0	25.2
			<i>including</i>					1063.8	1064.3	0.5	191	
OSK-W-18-1436	3775	Lynx 4	1128.0	453374	5435505	139	-52	1069.2	1074.2	5.0	33.8	
			<i>including</i>					1069.2	1069.8	0.6	97.6	
OSK-W-18-1440	2425	Vein	870.0	452420	5434447	329	-57	144.1	146.5	2.4	6.61	
			<i>including</i>					145.6	146.5	0.9	17.6	
OSK-W-18-1440	2425	FW1	870.0	452420	5434447	329	-57	729.3	732.0	2.7	31.4	26.7
			<i>including</i>					730.3	731.0	0.7	118	100
OSK-W-18-1441	3075	Bobcat	441.0	452889	5434909	328	-60	181.0	187.6	6.6	8.06	
OSK-W-18-1441	3075	Bobcat	441.0	452889	5434909	328	-60	304.0	306.8	2.8	3.41	
OSK-W-18-1443	3825	Lynx HW	792.0	453443	5435477	136	-50	584.0	586.0	2.0	4.25	
			<i>including</i>					584.4	585.0	0.6	13.7	
OSK-W-18-1443	3825	Lynx 4	792.0	453443	5435477	136	-50	668.0	670.9	2.9	68.5	45.1
			<i>including</i>					668.9	669.9	1.0	168	100
OSK-W-18-1445	3050	Caribou extension	660.0	452895	5434864	337	-66	531.9	535.4	3.5	5.75	
OSK-W-18-1446	2225	FW1	987.0	452257	5434331	335	-48	679.0	682.2	3.2	10.8	
			<i>including</i>					680.2	680.8	0.6	32.6	
OSK-W-18-1446	2225	FW2	987.0	452257	5434331	335	-48	761.0	763.0	2.0	4.27	
			<i>including</i>					761.7	762.4	0.7	12.1	
OSK-W-18-1446	2225	FW3	987.0	452257	5434331	335	-48	794.6	796.8	2.2	4.05	
			<i>including</i>					795.2	796.0	0.8	11.0	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-18-1448	2850	Caribou	483.0	452687	5434809	333	-52	263.0	265.0	2.0	6.02	
OSK-W-18-1448	2850	Caribou	483.0	452687	5434809	333	-52	324.0	326.0	2.0	6.89	
OSK-W-18-1449	3175	Bobcat	603.0	452901	5435120	145	-48	48.4	51.2	2.8	3.71	
OSK-W-18-1450	3800	Lynx	660.0	453386	5435517	135	-53	535.0	537.0	2.0	13.4	
		<i>including</i>						536.5	537.0	0.5	51.6	
OSK-W-18-1450	3800	Lynx 2	660.0	453386	5435517	135	-53	565.1	567.3	2.2	36.7	
OSK-W-18-1454	3750	Lynx	1089.0	453376	5435452	145	-53	486.8	490.1	3.3	45.5	
		<i>including</i>						486.8	487.6	0.8	97.1	
		<i>including</i>						489.6	490.1	0.5	79.4	
OSK-W-18-1454	3750	Lynx 4	1089.0	453376	5435452	145	-53	896.1	898.7	2.6	17.0	16.4
		<i>including</i>						896.1	896.5	0.4	104	100
OSK-W-18-1455	3950	Lynx HW	552.0	453567	5435492	140	-49	441.0	443.0	2.0	4.12	
		<i>including</i>						441.3	442.0	0.7	10.5	
OSK-W-18-1457	3275	Bobcat	318.0	452981	5435148	137	-57	52.7	55.0	2.3	10.5	
		<i>including</i>						54.0	54.3	0.3	66.0	
OSK-W-18-1459	3175	VNCR	621.0	452862	5435185	132	-50	180.0	182.0	2.0	8.26	
		<i>including</i>						181.2	182.0	0.8	20.1	
OSK-W-18-1459	3175	Bobcat	621.0	452862	5435185	132	-50	256.0	258.0	2.0	9.52	
		<i>including</i>						257.5	258.0	0.5	36.4	
OSK-W-18-1460	3775	Lynx HW	432.3	453469	5435345	143	-51	296.0	298.0	2.0	3.67	
OSK-W-18-1460	3775	Lynx HW	432.3	453469	5435345	143	-51	311.3	316.5	5.2	0.21	
OSK-W-18-1460	3775	Lynx HW	432.3	453469	5435345	143	-51	332.0	337.4	5.4	4.50	
		<i>including</i>						332.0	332.5	0.5	20.3	
		<i>including</i>						337.0	337.4	0.4	28.5	
OSK-W-18-1461	3725	Lynx	849.0	453307	5435500	133	-52	782.0	784.3	2.3	16.9	
		<i>including</i>						783.5	784.3	0.8	38.1	
OSK-W-18-1462	3475	Lynx	225.0	453324	5434950	331	-47	141.3	144.0	2.7	3.77	
		<i>including</i>						142.2	142.6	0.4	19.3	
OSK-W-18-1463	2150	Z27	135.0	451930	5434743	161	-45	81.0	83.0	2.0	14.6	
		<i>including</i>						81.6	82.6	1.0	28.4	
OSK-W-18-1463	2150	Z27	135.0	451930	5434743	161	-45	101.8	112.2	10.4	3.24	
		<i>including</i>						101.8	102.5	0.7	17.3	
OSK-W-18-1464	3625	Lynx	432.0	453466	5435043	334	-72	208.8	211.0	2.2	4.75	
OSK-W-18-1464	3625	Lynx	432.0	453466	5435043	334	-72	260.0	262.9	2.9	3.84	
OSK-W-18-1464	3625	Lynx	432.0	453466	5435043	334	-72	273.0	275.7	2.7	8.07	
		<i>including</i>						273.8	274.3	0.5	35.7	
OSK-W-18-1464	3625	Lynx	432.0	453466	5435043	334	-72	277.0	279.7	2.7	4.52	
		<i>including</i>						278.9	279.3	0.4	22.9	
OSK-W-18-1464	3625	VNCR	432.0	453466	5435043	334	-72	396.1	399.7	3.6	42.3	15.9
		<i>including</i>						397.5	398.0	0.5	290	100
OSK-W-18-1464	3625	VNCR	432.0	453466	5435043	334	-72	406.8	409.7	2.9	3.80	
OSK-W-18-1465	2825	Bobcat	166.3	452661	5434807	330	-50	152.0	154.3	2.3	3.24	
		<i>including</i>						152.0	152.6	0.6	12.0	
OSK-W-18-1466	2075	Z27	300.0	451979	5434532	345	-47	129.2	131.2	2.0	4.26	
		<i>including</i>						130.7	131.2	0.5	14.3	
OSK-W-18-1466	2075	Z27	300.0	451979	5434532	345	-47	177.0	179.0	2.0	3.81	
		<i>including</i>						178.1	178.5	0.4	17.8	
OSK-W-18-1468	2350	Caribou	66.0	452252	5434590	328	-55	46.7	50.0	3.3	10.3	
		<i>including</i>						47.2	47.5	0.3	27.2	
OSK-W-18-1470	3475	Lynx	324.0	453325	5434948	331	-57	149.2	152.3	3.1	14.5	
		<i>including</i>						150.4	151.2	0.8	44.9	
OSK-W-18-1470	3475	Lynx	324.0	453325	5434948	331	-57	184.0	186.0	2.0	28.4	
		<i>including</i>						184.0	185.0	1.0	56.7	
OSK-W-18-1470	3475	Lynx	324.0	453325	5434948	331	-57	203.9	206.0	2.1	5.43	
		<i>including</i>						203.9	204.2	0.3	33.5	
OSK-W-18-1470	3475	Lynx	324.0	453325	5434948	331	-57	235.6	238.6	3.0	64.2	37.4
		<i>including</i>						236.0	236.7	0.7	215	100
OSK-W-18-1471	2125		147.0	451897	5434762	146	-45	144.0	146.0	2.0	14.9	
OSK-W-18-1472	2825	Bobcat	300.0	452628	5434899	146	-47	45.0	56.1	11.1	14.4	
		<i>including</i>						50.4	53.0	2.6	38.4	
OSK-W-18-1473	2350	Caribou	387.0	452253	5434589	329	-55	46.7	49.6	2.9	11.9	
OSK-W-18-1473	2350	Caribou	387.0	452253	5434589	329	-55	162.0	164.0	2.0	4.13	
		<i>including</i>						162.5	163.0	0.5	12.1	
OSK-W-18-1473	2350	Z27	387.0	452253	5434589	329	-55	373.0	375.3	2.3	3.87	
OSK-W-18-1475	3375	Lynx	357.0	453262	5434892	327	-56	258.8	261.0	2.2	8.09	
		<i>including</i>						258.8	259.1	0.3	36.1	
OSK-W-18-1476	2100	Z27	294.0	452016	5434498	334	-46	230.7	233.0	2.3	3.05	
		<i>including</i>						230.7	231.0	0.3	12.6	
OSK-W-18-1476	2100	Z27	294.0	452016	5434498	334	-46	251.0	253.0	2.0	6.38	
		<i>including</i>						252.0	252.4	0.4	30.1	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	135	-50	549.1	552.8	3.7	20.1	
		<i>including</i>						550.1	551.0	0.9	63.9	
OSK-W-18-1481	2925	Bobcat	108.0	452706	5434971	322	-46	89.0	91.0	2.0	12.7	
		<i>including</i>						89.4	90.5	1.1	22.9	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	
OSK-W-18-1483	2950	Lynx	177.0	452778	5434886	143	-54	100.0	102.0	2.0	3.31		
			<i>including</i>										
OSK-W-18-1486	3400	Lynx	366.0	453283	5434874	331	-53	301.6	304.0	2.4	3.60		
			<i>including</i>										
OSK-W-18-1487	2475	Caribou	57.0	452342	5434658	332	-46	44.5	50.0	5.5	3.62		
OSK-W-18-1488	2425	Caribou	145.0	452313	5434629	328	-53	83.9	86.6	2.7	5.17		
OSK-W-18-1490	2925	Bobcat	129.0	452749	5434854	334	-55	34.7	37.3	2.6	7.34		
			<i>including</i>										
OSK-W-18-1492	3550	Lynx	420.0	453438	5434905	333	-58	311.6	314.7	3.1	18.9		
OSK-W-18-1492	3550	VNCR	420.0	453438	5434905	333	-58	337.3	339.5	2.2	10.1		
			<i>including</i>										
OSK-W-18-1492	3550	VNCR	420.0	453438	5434905	333	-58	402.6	405.0	2.4	3.82		
OSK-W-18-1494	3000	Bobcat	231.0	452836	5434894	332	-50	110.4	112.4	2.0	14.8		
			<i>including</i>										
OSK-W-18-1494	3000	Bobcat	231.0	452836	5434894	332	-50	110.9	111.6	0.7	36.5		
			<i>including</i>										
OSK-W-18-1494	3000	Bobcat	231.0	452836	5434894	332	-50	190.7	192.9	2.2	5.71		
			<i>including</i>										
OSK-W-18-1495	3575	Lynx	381.0	453454	5434963	336	-67	365.0	367.0	2.0	7.54		
			<i>including</i>										
OSK-W-18-1496	3675	Lynx	456.4	453318	5435368	143	-51	390.1	394.8	4.7	14.5		
			<i>including</i>										
OSK-W-18-1496	3675	Lynx	456.4	453318	5435368	143	-51	392.3	392.8	0.5	91.9		
			<i>including</i>										
OSK-W-18-1496	3675	Lynx	456.4	453318	5435368	143	-51	422.8	425.0	2.2	10.1		
			<i>including</i>										
OSK-W-18-1497	2475	Caribou	363.0	452349	5434662	331	-52	72.2	74.4	2.2	5.45		
			<i>including</i>										
OSK-W-18-1497	2475	Caribou	363.0	452349	5434662	331	-52	72.2	72.8	0.6	14.1		
OSK-W-18-1497	2475	Z27	363.0	452349	5434662	331	-52	91.3	94.0	2.7	3.84		
			<i>including</i>										
OSK-W-18-1497	2475	Z27	363.0	452349	5434662	331	-52	288.0	295.0	7.0	10.00		
			<i>including</i>										
OSK-W-18-1497	2475	Z27	363.0	452349	5434662	331	-52	292.0	292.8	0.8	46.9		
			<i>including</i>										
OSK-W-18-1497	2475	Z27	363.0	452349	5434662	331	-52	305.0	311.0	6.0	8.53		
			<i>including</i>										
OSK-W-18-1498	2350	Z27	384.0	452235	5434594	323	-61	272.0	274.0	2.0	5.91		
OSK-W-18-1498	2350	Z27	384.0	452235	5434594	323	-61	351.0	353.0	2.0	3.58		
OSK-W-18-1499	2425	Caribou	378.0	452313	5434628	326	-52	38.5	41.0	2.5	10.8		
			<i>including</i>										
OSK-W-18-1499	2425	Z27	378.0	452313	5434628	326	-52	38.5	39.0	0.5	39.8		
			<i>including</i>										
OSK-W-18-1499	2425	Z27	378.0	452313	5434628	326	-52	330.0	335.0	5.0	7.38		
			<i>including</i>										
OSK-W-18-1499	2425	Z27	378.0	452313	5434628	326	-52	333.7	334.4	0.7	17.7		
OSK-W-18-1501	3150	Bobcat	291.0	452918	5435022	140	-51	336.5	338.6	2.1	3.02		
			<i>including</i>										
OSK-W-18-1501	3150	Lynx	291.0	452918	5435022	140	-51	112.8	114.7	1.9	37.4	26.3	
			<i>including</i>										
OSK-W-18-1501	3150	Lynx	291.0	452918	5435022	140	-51	113.9	114.4	0.5	142	100	
			<i>including</i>										
OSK-W-18-1501	3150	Lynx	291.0	452918	5435022	140	-51	237.8	240.0	2.2	20.8		
			<i>including</i>										
OSK-W-18-1501	3150	Lynx	291.0	452918	5435022	140	-51	239.1	240.0	0.9	49.0		
			<i>including</i>										
OSK-W-18-1503	3775	Lynx	543.0	453429	5435419	132	-46	246.5	248.5	2.0	3.67		
			<i>including</i>										
OSK-W-18-1503	3775	Lynx	543.0	453429	5435419	132	-46	445.8	448.4	2.6	62.1	36.2	
			<i>including</i>										
OSK-W-18-1503	3775	Lynx	543.0	453429	5435419	132	-46	446.8	447.8	1.0	160	93.0	
			<i>including</i>										
OSK-W-18-1503-W1	3775	Lynx	468.0	453429	5435419	145	-45	455.0	457.0	2.0	3.75		
			<i>including</i>										
OSK-W-18-1503-W1	3775	Lynx	468.0	453429	5435419	145	-45	406.8	409.1	2.3	5.09		
			<i>including</i>										
OSK-W-18-1503-W1	3775	Lynx	468.0	453429	5435419	145	-45	407.5	408.3	0.8	11.3		
			<i>including</i>										
OSK-W-18-1503-W1	3775	Lynx	468.0	453429	5435419	145	-45	420.0	422.0	2.0	59.3	36.4	
			<i>including</i>										
OSK-W-18-1503-W1	3775	Lynx	468.0	453429	5435419	145	-45	420.7	421.4	0.7	166	100	
			<i>including</i>										
OSK-W-18-1503-W1	3775	Lynx	468.0	453429	5435419	145	-45	430.5	432.5	2.0	29.7	15.5	
			<i>including</i>										
OSK-W-18-1504	3525	Lynx	257.0	453413	5434904	330	-48	431.2	431.5	0.3	195	100	
			<i>including</i>										
OSK-W-18-1504	3525	Lynx	257.0	453413	5434904	330	-48	228.8	231.0	2.2	145	19.4	
			<i>including</i>										
OSK-W-18-1505	2475	Caribou	342.0	452349	5434662	328	-45	228.8	229.1	0.3	1019	100	
			<i>including</i>										
OSK-W-18-1505	2475	Caribou	342.0	452349	5434662	328	-45	46.0	49.0	3.0	9.78		
OSK-W-18-1505	2475	Caribou	342.0	452349	5434662	328	-45	55.0	57.0	2.0	4.10		
			<i>including</i>										
OSK-W-18-1505	2475	Caribou	342.0	452349	5434662	328	-45	78.9	81.0	2.1	17.0		
			<i>including</i>										
OSK-W-18-1505	2475	Caribou	342.0	452349	5434662	328	-45	79.5	80.5	1.0	34.7		
			<i>including</i>										
OSK-W-18-1505	2475	Caribou	342.0	452349	5434662	328	-45	88.0	90.4	2.4	4.50		
OSK-W-18-1505	2475	Z27	342.0	452349	5434662	328	-45	196.0	198.0	2.0	3.07		
OSK-W-18-1506	2475	Caribou	417.0	452367	5434645	329	-53	208.9	211.0	2.1	6.11		
OSK-W-18-1506	2475	Z27	417.0	452367	5434645	329	-53	353.0	355.3	2.3	6.66		
OSK-W-18-1508	3475	Lynx	282.0	453346	5434954	331	-57	214.0	217.0	3.0	18.3		
			<i>including</i>										
OSK-W-18-1508	3475	Lynx	282.0	453346	5434954	331	-57	214.0	214.7	0.7	74.4		
			<i>including</i>										
OSK-W-18-1508	3475	Lynx	282.0	453346	5434954	331	-57	224.3	226.5	2.2	25.3		
			<i>including</i>										
OSK-W-18-1508	3475	Lynx	282.0	453346	5434954	331	-57	224.9	225.5	0.6	85.3		
OSK-W-18-1508	3475	Lynx	282.0	453346	5434954	331	-57	231.2	233.8	2.6	27.2		
OSK-W-18-1509	3125	Bobcat	228.0	452907	5434997	329	-51	241.0	247.5	6.5	5.31		
			<i>including</i>										
OSK-W-18-1509	3125	Bobcat	228.0	452907	5434997	329	-51	14.8	17.0	2.2	6.23		
			<i>including</i>										
OSK-W-18-1509	3125	Bobcat	228.0	452907	5434997	329	-51	15.5	15.8	0.3	38.7		
			<i>including</i>										
OSK-W-18-1509	3125	Bobcat	228.0	452907	5434997	329	-51	47.7	53.3	5.6	4.27		
			<i>including</i>										
OSK-W-18-1509	3125	Bobcat	228.0	452907	5434997	329	-51	51.5	51.9	0.4	28.6		
			<i>including</i>										
OSK-W-18-1510	2375	Z27 HW	405.0	452279	5434571	325	-58	213.3					





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-18-1536	3575	Lynx	408.0	453428	5434975	337	-65	301.9	303.9	2.0	3.43	
OSK-W-18-1536	3575	Lynx	408.0	453428	5434975	337	-65	309.4	312.2	2.8	3.59	
OSK-W-18-1536	3575	Lynx	408.0	453428	5434975	337	-65	360.6	362.7	2.1	3.25	
OSK-W-18-1536-W1	3575	Lynx	417.0	453428	5434975	337	-65	278.8	281.3	2.5	23.7	21.7
			<i>including</i>					279.8	280.3	0.5	110	100
OSK-W-18-1536-W1	3575	Lynx	417.0	453428	5434975	337	-65	288.0	290.0	2.0	34.1	32.0
			<i>including</i>					289.4	290.0	0.6	107	100
OSK-W-18-1536-W1	3575	Lynx	417.0	453428	5434975	337	-65	316.7	318.7	2.0	5.96	
OSK-W-18-1536-W1	3575	Lynx	417.0	453428	5434975	337	-65	341.7	343.8	2.1	57.7	53.1
			<i>including</i>					341.7	342.8	1.1	109	100
OSK-W-18-1538	2375	Z27	351.0	452253	5434615	330	-55	279.0	281.0	2.0	5.69	
			<i>including</i>					280.0	280.4	0.4	24.9	
OSK-W-18-1538	2375	Z27	351.0	452253	5434615	330	-55	302.1	304.1	2.0	6.60	
			<i>including</i>					303.0	304.1	1.1	11.4	
OSK-W-18-1539	3750	Lynx	536.0	453374	5435448	145	-52	460.0	462.0	2.0	3.75	
			<i>including</i>					460.4	460.8	0.4	17.0	
OSK-W-18-1539	3750	Lynx	536.0	453374	5435448	145	-52	463.7	466.2	2.5	12.4	
			<i>including</i>					465.6	466.2	0.6	46.8	
OSK-W-18-1540	3450	VNCR	441.0	453350	5434893	334	-57	375.5	377.5	2.0	7.07	
OSK-W-18-1540	3450	VNCR	441.0	453350	5434893	334	-57	398.0	401.3	3.3	6.43	
			<i>including</i>					399.9	401.0	1.1	18.1	
OSK-W-18-1541	2375	Caribou	258.0	452252	5434639	332	-48	62.0	64.0	2.0	14.4	
			<i>including</i>					62.5	63.4	0.9	31.7	
OSK-W-18-1543	2375	Z27	294.0	452252	5434639	327	-52	207.0	209.3	2.3	8.15	
			<i>including</i>					208.5	209.3	0.8	19.0	
OSK-W-18-1543	2375	Z27	294.0	452252	5434639	327	-52	219.4	222.6	3.2	4.97	
			<i>including</i>					222.3	222.6	0.3	45.0	
OSK-W-18-1543	2375	Zone 27	294.0	452252	5434639	327	-52	269.0	271.1	2.1	3.41	
OSK-W-18-1545	2575	Caribou	522.0	452452	5434665	332	-49	189.6	196.3	6.7	3.31	
OSK-W-18-1545	2575	Caribou	522.0	452452	5434665	332	-49	240.0	242.5	2.5	5.33	
OSK-W-18-1545	2575	Zone 27	522.0	452452	5434665	332	-49	383.0	385.9	2.9	11.2	
OSK-W-18-1545	2575	Z27	522.0	452452	5434665	332	-49	454.8	457.0	2.2	13.4	
OSK-W-18-1546	3550	Lynx	411.0	453421	5434924	331	-55	232.6	235.3	2.7	4.13	
OSK-W-18-1546	3550	Lynx	411.0	453421	5434924	331	-55	254.1	256.9	2.8	29.9	
			<i>including</i>					254.1	255.0	0.9	45.3	
OSK-W-18-1546	3550	Lynx	411.0	453421	5434924	331	-55	264.4	266.8	2.4	10.4	
			<i>including</i>					266.3	266.8	0.5	44.7	
OSK-W-18-1546	3550	Lynx	411.0	453421	5434924	331	-55	273.1	275.2	2.1	3.79	
			<i>including</i>					273.7	274.5	0.8	9.80	
OSK-W-18-1546	3550	Lynx	411.0	453421	5434924	331	-55	307.5	312.0	4.5	19.0	
			<i>including</i>					309.5	310.2	0.7	96.8	
OSK-W-18-1546	3550	Lynx	411.0	453421	5434924	331	-55	327.1	329.1	2.0	109	50.5
			<i>including</i>					327.7	328.7	1.0	218	100
OSK-W-18-1546	3550	Lynx	411.0	453421	5434924	331	-55	347.7	349.9	2.2	273	41.1
			<i>including</i>					348.0	348.9	0.9	668	100
OSK-W-18-1546	3550	Lynx	411.0	453421	5434924	331	-55	352.6	355.2	2.6	8.66	
			<i>including</i>					353.3	354.2	0.9	24.9	
OSK-W-18-1547	2425	Caribou	440.7	452301	5434638	330	-62	108.6	113.2	4.6	4.86	
OSK-W-18-1547	2425	Caribou	440.7	452301	5434638	330	-62	286.4	288.8	2.4	3.67	
OSK-W-18-1547	2425	Caribou	440.7	452301	5434638	330	-62	294.6	296.8	2.2	3.60	
OSK-W-18-1547	2425	Z27	440.7	452301	5434638	330	-62	338.0	348.7	10.7	12.6	
			<i>including</i>					342.0	343.0	1.0	93.7	
OSK-W-18-1547	2425	Z27	440.7	452301	5434638	330	-62	371.0	375.2	4.2	27.0	
OSK-W-18-1547	2425	Z27	440.7	452301	5434638	330	-62	379.5	382.0	2.5	22.5	
OSK-W-18-1550	3775	Lynx	606.0	453373	5435483	140	-52	510.7	514.3	3.6	36.0	30.2
			<i>including</i>					510.7	511.9	1.2	104	86.8
OSK-W-18-1550	3775	Lynx	606.0	453373	5435483	140	-52	583.4	585.4	2.0	10.3	
			<i>including</i>					584.5	585.0	0.5	30.1	
OSK-W-18-1551	3550	Lynx	291.0	453422	5434924	335	-53	234.4	236.8	2.4	34.0	
			<i>including</i>					236.3	236.8	0.5	98.7	
OSK-W-18-1551	3550	Lynx	291.0	453422	5434924	335	-53	249.7	256.3	6.6	49.1	33.8
			<i>including</i>					253.8	255.6	1.8	154	97.5
OSK-W-18-1552	2425	Caribou	366.0	452309	5434639	332	-52	101.2	103.5	2.3	5.98	
			<i>including</i>					101.6	102.4	0.8	15.1	
OSK-W-18-1552	2425	Z27	366.0	452309	5434639	332	-52	260.0	262.0	2.0	7.31	
			<i>including</i>					260.0	261.0	1.0	14.1	
OSK-W-18-1552	2425	Z27	366.0	452309	5434639	332	-52	283.0	287.5	4.5	6.29	
			<i>including</i>					283.0	284.0	1.0	14.7	
OSK-W-18-1552	2425	Z27	366.0	452309	5434639	332	-52	316.0	318.0	2.0	3.70	
			<i>including</i>					316.0	316.3	0.3	19.9	
OSK-W-18-1555	3425	VNCR	423.0	453318	5434897	331	-60	400.0	402.0	2.0	27.4	
			<i>including</i>					400.6	401.6	1.0	51.0	
OSK-W-18-1557	3550	Lynx	374.0	453422	5434925	335	-52	230.0	232.0	2.0	3.72	
			<i>including</i>					230.0	230.6	0.6	10.3	
OSK-W-18-1557	3550	Lynx	374.0	453422	5434925	335	-52	279.0	284.6	5.6	39.3	22.3



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								283.5	284.6	1.1	187	100.0
OSK-W-18-1558	2575	Caribou	459.0	452464	5434663	316	-47	156.0	158.0	2.0	11.4	
OSK-W-18-1558	2575	Caribou	459.0	452464	5434663	316	-47	273.8	276.2	2.4	3.30	
OSK-W-18-1558	2575	Z27	459.0	452464	5434663	316	-47	365.7	372.8	7.1	6.98	
OSK-W-18-1558-W1	2575	Z27_101	450.0	452464	5434663	316	-47	346.5	352.0	5.5	4.48	
OSK-W-18-1558-W1	2575	Z27_115	450.0	452464	5434663	316	-47	373.0	375.0	2.0	4.30	
OSK-W-18-1558-W1	2575	Z27_115	450.0	452464	5434663	316	-47	379.0	383.0	4.0	3.06	
OSK-W-18-1558-W1	2575	Z27_115	450.0	452464	5434663	316	-47	385.8	388.5	2.7	4.79	
OSK-W-18-1559	2425	Z27	330.0	452303	5434666	331	-53	256.0	258.0	2.0	3.43	
OSK-W-18-1559	2425	Z27	330.0	452303	5434666	331	-53	303.0	305.0	2.0	4.47	
OSK-W-18-1560	3775	Lynx	564.0	453373	5435483	145	-53	513.7	516.0	2.3	11.9	
<i>including</i>								513.7	514.5	0.8	32.8	
OSK-W-18-1560	3775	Lynx	564.0	453373	5435483	145	-53	521.6	524.0	2.4	26.1	
<i>including</i>								521.6	522.3	0.7	89.1	
OSK-W-18-1560-W1	3775	Lynx	576.0	453373	5435483	159	-53	464.7	467.0	2.3	5.35	
OSK-W-18-1560-W1	3775	Lynx	576.0	453373	5435483	159	-53	534.7	537.0	2.3	9.89	
<i>including</i>								535.4	535.9	0.5	36.7	
OSK-W-18-1560-W1	3775	Lynx	576.0	453373	5435483	159	-53	538.7	542.6	3.9	6.88	
<i>including</i>								538.7	539.0	0.3	24.1	
<i>including</i>								541.6	542.6	1.0	18.9	
OSK-W-18-1560-W2	3775	Lynx	600.0	453373	5435483	163	-56	473.5	475.8	2.3	5.28	
<i>including</i>								474.8	475.3	0.5	14.9	
OSK-W-18-1560-W2	3775	Lynx	600.0	453373	5435483	163	-56	542.3	545.6	3.3	48.7	34.5
OSK-W-18-1561	3550	Lynx	302.0	453404	5434957	334	-52	195.0	197.2	2.2	7.33	
<i>including</i>								195.0	196.0	1.0	15.7	
OSK-W-18-1563	2425	Caribou	330.0	452297	5434657	334	-46	64.0	66.8	2.8	4.72	
OSK-W-18-1563	2425	Caribou	330.0	452297	5434657	334	-46	158.0	160.0	2.0	4.52	
OSK-W-18-1563	2425	Z27	330.0	452297	5434657	334	-46	283.0	285.9	2.9	5.20	
OSK-W-18-1563	2425	Z27	330.0	452297	5434657	334	-46	302.0	304.0	2.0	4.67	
OSK-W-18-1564	2550	Caribou	366.0	452430	5434680	324	-47	160.0	162.0	2.0	4.49	
OSK-W-18-1564	2550	Caribou	366.0	452430	5434680	324	-47	279.0	281.0	2.0	4.71	
OSK-W-18-1565	3500	Lynx	426.0	453387	5434919	330	-57	220.6	223.2	2.6	16.4	
<i>including</i>								220.6	221.2	0.6	68.5	
OSK-W-18-1565	3500	Lynx	426.0	453387	5434919	330	-57	285.5	291.7	6.2	6.49	
<i>including</i>								285.5	286.5	1.0	15.7	
<i>including</i>								291.2	291.7	0.5	31.6	
OSK-W-18-1565	3500	Lynx	426.0	453387	5434919	330	-57	370.0	372.8	2.8	9.63	
<i>including</i>								370.0	370.8	0.8	32.4	
OSK-W-18-1567	2375	Z27	213.0	452238	5434683	328	-48	172.0	174.0	2.0	3.34	
OSK-W-18-1567	2375	Z27	213.0	452238	5434683	328	-48	187.2	191.0	3.8	8.56	
<i>including</i>								190.5	191.0	0.5	40.5	
OSK-W-18-1569	3675	Lynx	522.0	453325	5435397	142	-46	390.7	393.1	2.4	10.3	
<i>including</i>								391.3	392.1	0.8	30.5	
OSK-W-18-1569-W1	3675	Lynx	525.0	453325	5435397	142	-46	428.0	430.4	2.4	20.9	18.8
<i>including</i>								429.4	429.8	0.4	113	100
OSK-W-18-1570	3500	Lynx	402.0	453365	5434932	331	-55	191.0	193.3	2.3	24.5	20.3
<i>including</i>								192.9	193.3	0.4	124	100
OSK-W-18-1570	3500	Lynx	402.0	453365	5434932	331	-55	305.0	307.0	2.0	10.7	
<i>including</i>								305.5	306.2	0.7	30.3	
OSK-W-18-1571	2425	Z27	201.0	452181	5434857	154	-57	180.0	182.0	2.0	3.34	
OSK-W-18-1572	2550	Caribou	558.0	452469	5434627	333	-50	206.6	208.6	2.0	3.44	
OSK-W-18-1572	2550	Z27	558.0	452469	5434627	333	-50	532.0	534.0	2.0	6.61	
<i>including</i>								532.0	532.6	0.6	21.4	
OSK-W-18-1575	3525	Lynx	216.0	453358	5435008	330	-59	133.0	135.4	2.4	36.1	
<i>including</i>								133.7	134.5	0.8	64.1	
<i>including</i>								135.0	135.4	0.4	62.4	
OSK-W-18-1575	3525	Lynx	216.0	453358	5435008	330	-59	142.0	144.0	2.0	7.35	
<i>including</i>								143.0	144.0	1.0	14.7	
OSK-W-18-1577	2475	Z27	153.0	452235	5434844	325	-45	88.8	91.2	2.4	8.83	
<i>including</i>								89.5	90.2	0.7	30.1	
OSK-W-18-1578	3600	Lynx	351.0	453451	5435008	331	-60	259.2	264.3	5.1	5.48	
<i>including</i>								264.0	264.3	0.3	59.9	
OSK-W-18-1578	3600	Lynx	351.0	453451	5435008	331	-60	279.5	282.1	2.6	3.59	
OSK-W-18-1578	3600	Lynx	351.0	453451	5435008	331	-60	294.4	296.6	2.2	3.39	
OSK-W-18-1579	3475	Lynx	171.0	453315	5435013	331	-57	115.0	117.0	2.0	4.07	
OSK-W-18-1579	3475	Lynx	171.0	453315	5435013	331	-57	120.2	122.5	2.3	4.09	
<i>including</i>								122.2	122.5	0.3	20.5	
OSK-W-18-1580	2500	Z27	60.0	452264	5434854	327	-46	15.0	17.0	2.0	6.47	
<i>including</i>								15.0	15.7	0.7	18.1	
OSK-W-18-1582	3700	VNCR	615.0	453279	5435516	143	-50	530.5	532.5	2.0	3.44	
OSK-W-18-1586	2550	Z27	117.0	452271	5434953	146	-52	37.5	40.0	2.5	3.63	
OSK-W-18-1586	2550	Z27	117.0	452271	5434953	146	-52	52.4	55.6	3.2	37.9	
<i>including</i>								53.2	54.0	0.8	83.7	
OSK-W-18-1587	3600	Lynx	360.0	453451	5435009	332	-62	198.1	200.1	2.0	10.0	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	
			<i>including</i>						62.2	62.9	0.7	15.5	
OSK-W-18-1624	2450	Caribou	333.0	452315	5434663	330	-47	181.6	184.0	2.4	7.97		
			<i>including</i>						181.6	182.1	0.5	36.1	
OSK-W-18-1624	2450	Z27	333.0	452315	5434663	330	-47	306.2	311.0	4.8	4.30		
OSK-W-18-1627	3600	Lynx	513.0	453229	5435372	141	-51	406.6	409.0	2.4	9.25		
OSK-W-18-1627	3600	Lynx	513.0	453229	5435372	141	-51	439.6	442.0	2.4	15.1		
OSK-W-18-1627	3600	Lynx	513.0	453229	5435372	141	-51	476.0	478.0	2.0	11.8		
			<i>including</i>						476.9	477.5	0.6	38.1	
OSK-W-18-1628	3700	Lynx	579.0	453287	5435492	145	-48	533.1	535.7	2.6	57.5	38.8	
			<i>including</i>						533.1	533.7	0.6	181	100
OSK-W-18-1628	3700	Lynx	579.0	453287	5435492	145	-48	555.5	557.6	2.1	23.0		
			<i>including</i>						555.9	556.6	0.7	68.8	
OSK-W-18-1630	2425	Caribou	207.0	452306	5434658	330	-45	41.9	44.0	2.1	3.59		
			<i>including</i>						41.9	42.4	0.5	14.3	
OSK-W-18-1631	2475	Caribou	315.0	452357	5434670	330	-45	76.0	81.1	5.1	4.50		
OSK-W-18-1631	2475	Z27	315.0	452357	5434670	330	-45	265.0	267.0	2.0	17.1		
			<i>including</i>						266.0	267.0	1.0	34.0	
OSK-W-18-1632	2475	Caribou	390.0	452341	5434668	329	-47	47.0	49.8	2.8	5.51		
OSK-W-18-1632	2475	Z27	390.0	452341	5434668	329	-47	322.0	324.5	2.5	3.28		
OSK-W-18-1632	2475	Z27	390.0	452341	5434668	329	-47	368.6	370.9	2.3	3.20		
OSK-W-18-1634	2425	Caribou	354.0	452305	5434659	330	-46	169.0	172.9	3.9	6.29		
			<i>including</i>						169.0	169.3	0.3	32.1	
			<i>including</i>						170.5	170.9	0.4	23.3	
			<i>including</i>						172.6	172.9	0.3	14.3	
OSK-W-18-1638	3700	Lynx	555.0	453296	5435476	147	-49	515.0	517.0	2.0	198	97.4	
			<i>including</i>						516.0	517.0	1.0	302	100
OSK-W-18-1638	3700	Lynx	555.0	453296	5435476	147	-49	538.6	540.6	2.0	14.6		
			<i>including</i>						538.6	539.6	1.0	29.1	
OSK-W-18-1639	3625	Lynx	519.0	453266	5435397	142	-53	452.0	455.5	3.5	3.27		
OSK-W-18-1639	3625	Lynx	519.0	453266	5435397	142	-53	475.8	481.0	5.2	510	19.8	
			<i>including</i>						476.8	477.7	0.9	2930	100
OSK-W-18-1639	3625	Lynx	519.0	453266	5435397	142	-53	502.0	504.0	2.0	4.87		
			<i>including</i>						502.0	502.7	0.7	13.8	
OSK-W-18-1640	2375	Caribou	407.0	452289	5434575	318	-59	106.7	109.0	2.3	6.27		
			<i>including</i>						108.2	108.6	0.4	31.7	
OSK-W-18-1640	2375	Caribou	407.0	452289	5434575	318	-59	121.2	124.2	3.0	50.0	43.6	
			<i>including</i>						122.4	124.2	1.8	80.6	69.9
OSK-W-18-1642	2450	Caribou	473.0	452331	5434628	331	-55	127.9	131.7	3.8	12.8		
OSK-W-18-1642	2450	Z27	473.0	452331	5434628	331	-55	372.0	374.3	2.3	5.95		
			<i>including</i>						372.0	372.3	0.3	23.6	
OSK-W-18-1643	3125	Bobcat	377.0	452871	5435079	139	-45	155.0	157.7	2.7	5.99		
			<i>including</i>						156.8	157.7	0.9	17.8	
OSK-W-18-1644	2125	Caribou	342.0	452069	5434449	352	-45	197.0	199.6	2.6	3.32		
OSK-W-18-1644	2125	Z27	342.0	452069	5434449	352	-45	322.5	325.8	3.3	41.1		
OSK-W-18-1645	3725	Lynx	618.0	453309	5435497	141	-50	560.0	562.0	2.0	5.39		
			<i>including</i>						560.8	561.5	0.7	15.2	
OSK-W-18-1646	2100	Caribou	330.0	452014	5434503	2	-53	152.8	155.2	2.4	7.51		
OSK-W-18-1646	2100	Z27	330.0	452014	5434503	2	-53	254.3	257.0	2.7	6.28		
OSK-W-18-1647	3625	Lynx	534.0	453266	5435397	142	-53	496.3	498.3	2.0	17.4		
OSK-W-18-1648	2125	Caribou	342.0	452057	5434456	343	-47	50.0	52.0	2.0	3.74		
OSK-W-18-1648	2125	Z27	342.0	452057	5434456	343	-47	330.0	334.4	4.4	9.19		
OSK-W-18-1649	2125	Caribou	369.0	452069	5434449	357	-46	66.8	68.8	2.0	4.61		
OSK-W-18-1649	2125	Caribou	369.0	452069	5434449	357	-46	266.0	268.0	2.0	48.4	45.0	
			<i>including</i>						266.4	267.3	0.9	108	100
OSK-W-18-1649	2125	Z27	369.0	452069	5434449	357	-46	334.9	337.0	2.1	14.9		
			<i>including</i>						334.9	335.2	0.3	88.6	
OSK-W-18-1650	2100	Z27	306.0	452014	5434503	360	-56	265.9	270.0	4.1	6.11		
			<i>including</i>						269.0	270.0	1.0	16.1	
OSK-W-18-1650	2100	Z27	306.0	452014	5434503	360	-56	295.0	298.2	3.2	4.22		
OSK-W-18-1651	2125	Caribou	378.0	452069	5434448	2	-45	226.9	229.1	2.2	4.01		
OSK-W-18-1651	2125	Caribou	378.0	452069	5434448	2	-45	305.0	307.0	2.0	3.68		
OSK-W-18-1651	2125	Z27	378.0	452069	5434448	2	-45	320.0	322.0	2.0	7.39		
			<i>including</i>						321.0	322.0	1.0	14.3	
OSK-W-18-1651	2125	Z27	378.0	452069	5434448	2	-45	337.3	342.0	4.7	3.45		
OSK-W-18-1653	2125	Z27	336.0	452057	5434456	341	-45	285.4	288.0	2.6	4.15		
OSK-W-18-1654	2100	Z27	282.0	452015	5434503	355	-52	259.0	261.0	2.0	9.10		
OSK-W-18-1655	2150	Caribou	375.0	452088	5434441	351	-45	285.0	287.0	2.0	21.5	20.1	
			<i>including</i>						285.6	286.0	0.4	107	100
OSK-W-18-1655	2150	Z27	375.0	452088	5434441	351	-45	318.8	321.1	2.3	4.99		
OSK-W-18-1655	2150	Z27	375.0	452088	5434441	351	-45	343.6	363.0	19.4	21.6	19.9	
			<i>including</i>						343.6	344.6	1.0	60.5	
			<i>including</i>						351.0	353.6	2.6	62.2	56.7
			<i>including</i>						360.0	360.9	0.9	122	100
OSK-W-18-1655	2150	Z27	375.0	452088	5434441	351	-45	365.8	368.1	2.3	11.1		



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					367.6	368.1	0.5	50.3	
OSK-W-18-1656	3675	Lynx	1154.4	453261	5435471	144	-45	550.9	556.7	5.8	8.28	
			<i>including</i>					553.3	554.3	1.0	28.6	
OSK-W-18-1656	3675	Lynx	1154.4	453261	5435471	144	-45	730.0	736.0	6.0	5.07	
			<i>including</i>					730.0	730.5	0.5	36.5	
OSK-W-18-1656	3675	Lynx	1154.4	453261	5435471	144	-45	783.7	786.0	2.3	8.08	
			<i>including</i>					784.7	785.3	0.6	23.0	
OSK-W-18-1656	3675	Lynx	1154.4	453261	5435471	144	-45	900.7	902.8	2.1	131	33.9
			<i>including</i>					900.7	901.4	0.7	391	100
OSK-W-18-1656	3675	Lynx	1154.4	453261	5435471	144	-45	1090.0	1092.5	2.5	7.29	
			<i>including</i>					1090.9	1091.8	0.9	17.9	
OSK-W-18-1657	3650	Lynx	504.0	453277	5435390	146	-51	391.0	393.3	2.3	5.00	
OSK-W-18-1657	3650	Lynx	504.0	453277	5435390	146	-51	447.0	449.1	2.1	8.41	
OSK-W-18-1659	2100	Z27	315.0	452015	5434501	4	-55	260.3	267.1	6.8	4.09	
OSK-W-18-1659	2100	Z27	315.0	452015	5434501	4	-55	274.3	279.5	5.2	5.88	
			<i>including</i>					275.4	275.8	0.4	27.1	
OSK-W-18-1660	2125	Caribou	387.0	452059	5434457	359	-45	51.2	53.4	2.2	7.19	
			<i>including</i>					51.8	52.6	0.8	18.3	
OSK-W-18-1661	2150	Caribou	393.0	452104	5434436	353	-45	246.8	249.0	2.2	6.23	
			<i>including</i>					247.2	247.6	0.4	29.1	
OSK-W-18-1661	2150	Z27	393.0	452104	5434436	353	-45	347.2	349.3	2.1	9.28	
OSK-W-18-1662	2100	Caribou	303.0	452016	5434501	6	-52	237.0	239.0	2.0	3.55	
OSK-W-18-1662	2100	Z27	303.0	452016	5434501	6	-52	257.9	261.5	3.6	4.08	
OSK-W-18-1662	2100	Z27	303.0	452016	5434501	6	-52	269.0	278.0	9.0	14.8	12.2
			<i>including</i>					270.9	271.8	0.9	126	100
OSK-W-18-1665	2150	Caribou	375.0	452104	5434436	347	-46	68.7	71.3	2.6	3.60	
			<i>including</i>					71.0	71.3	0.3	15.9	
OSK-W-18-1665	2150	Z27	375.0	452104	5434436	347	-46	341.2	343.9	2.7	4.65	
OSK-W-18-1665	2150	Zone 27	375.0	452104	5434436	347	-46	363.7	366.0	2.3	39.3	
			<i>including</i>					365.0	366.0	1.0	72.2	
OSK-W-18-1667	3675	Lynx	573.0	453260	5435472	141	-48	556.8	559.0	2.2	21.7	
			<i>including</i>					557.1	558.0	0.9	53.1	
OSK-W-18-1669	2125	Caribou	405.0	452059	5434455	3	-47	54.0	56.1	2.1	4.15	
			<i>including</i>					55.3	55.8	0.5	16.0	
OSK-W-18-1669	2125	Z27	405.0	452059	5434455	3	-47	323.6	327.0	3.4	4.75	
			<i>including</i>					325.2	326.0	0.8	12.8	
OSK-W-18-1671	2100	Z27	309.0	452013	5434502	359	-52	248.0	250.3	2.3	12.7	
			<i>including</i>					249.0	249.3	0.3	95.0	
OSK-W-18-1671	2100	Z27	309.0	452013	5434502	359	-52	253.9	257.8	3.9	5.64	
			<i>including</i>					256.8	257.4	0.6	22.3	
OSK-W-18-1671	2100	Z27	309.0	452013	5434502	359	-52	287.9	290.4	2.5	24.1	
			<i>including</i>					289.8	290.4	0.6	85.5	
OSK-W-18-1672	2100	Caribou	333.0	452039	5434455	345	-46	55.8	58.0	2.2	4.31	
OSK-W-18-1672	2100	Zone 27	333.0	452039	5434455	345	-46	307.1	309.1	2.0	79.9	27.1
			<i>including</i>					308.6	309.1	0.5	311	100
OSK-W-18-1673	3675	Lynx	567.0	453260	5435472	135	-46	464.0	466.0	2.0	20.4	
			<i>including</i>					465.0	465.6	0.6	66.1	
OSK-W-18-1673	3675	Lynx	567.0	453260	5435472	135	-46	473.0	476.0	3.0	7.23	
			<i>including</i>					473.7	474.4	0.7	21.9	
OSK-W-18-1673	3675	Lynx	567.0	453260	5435472	135	-46	479.0	481.5	2.5	7.34	
			<i>including</i>					479.7	480.8	1.1	15.4	
OSK-W-18-1673	3675	Lynx	567.0	453260	5435472	135	-46	518.7	521.1	2.4	25.2	
			<i>including</i>					519.1	519.9	0.8	73.4	
OSK-W-18-1674	2150	Caribou	378.0	452102	5434436	345	-45	279.5	281.5	2.0	3.10	
			<i>including</i>					280.5	280.8	0.3	19.7	
OSK-W-18-1674	2150	Caribou	378.0	452102	5434436	345	-45	315.5	317.5	2.0	5.10	
			<i>including</i>					316.3	316.6	0.3	29.9	
OSK-W-18-1674	2150	Zone 27	378.0	452102	5434436	345	-45	340.4	343.0	2.6	3.53	
OSK-W-18-1675	3625	Lynx	420.0	453306	5435331	136	-45	193.8	195.8	2.0	3.63	
OSK-W-18-1678	2375	Zone 27	420.0	452289	5434575	327	-63	387.0	389.1	2.1	5.88	
			<i>including</i>					388.8	389.1	0.3	40.0	
OSK-W-18-1680	2450	Caribou	372.0	452350	5434621	332	-48	91.0	94.0	3.0	10.9	
			<i>including</i>					91.0	92.0	1.0	23.1	
OSK-W-18-1680	2450	Caribou	372.0	452350	5434621	332	-48	101.2	104.0	2.8	5.13	
OSK-W-18-1680	2450	Caribou	372.0	452350	5434621	332	-48	261.0	263.0	2.0	3.84	
OSK-W-18-1680	2450	Zone 27	372.0	452350	5434621	332	-48	279.6	281.6	2.0	14.4	
			<i>including</i>					279.6	280.1	0.5	52.1	
OSK-W-18-1680	2450	Zone 27	372.0	452350	5434621	332	-48	299.1	306.6	7.5	3.21	
			<i>including</i>					304.3	306.6	2.3	5.85	
OSK-W-18-1680	2450	Z27	372.0	452350	5434621	332	-48	332.7	335.2	2.5	9.92	
			<i>including</i>					332.7	333.3	0.6	30.6	
OSK-W-18-1681	3675	Lynx	570.0	453259	5435473	143	-46	517.0	519.0	2.0	11.9	
			<i>including</i>					517.5	517.8	0.3	76.9	
OSK-W-18-1681	3675	Lynx	570.0	453259	5435473	143	-46	538.5	541.0	2.5	8.06	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								540.0	541.0	1.0	18.9	
OSK-W-18-1684	3825	Lynx	390.0	453493	5435405	143	-46	312.5	314.6	2.1	3.73	
OSK-W-18-1685	2450	Zone 27	414.0	452350	5434621	330	-52	361.0	365.1	4.1	7.01	
<i>including</i>								361.0	363.0	2.0	11.9	
OSK-W-18-1685	2450	Zone 27	414.0	452350	5434621	330	-52	368.7	371.8	3.1	7.56	
<i>including</i>								369.5	370.5	1.0	19.7	
OSK-W-18-1685	2450	Zone 27	414.0	452350	5434621	330	-52	377.5	380.0	2.5	32.3	
<i>including</i>								378.8	380.0	1.2	56.9	
OSK-W-18-1686	2325	Zone 27	159.0	452098	5434820	141	-50	124.0	126.4	2.4	9.95	
<i>including</i>								125.5	125.8	0.3	47.2	
OSK-W-18-1687	3750	Lynx	588.0	453344	5435502	141	-49	552.8	556.0	3.2	3.49	
OSK-W-18-1689	2400	Zone 27	135.0	452177	5434814	150	-54	67.4	70.7	3.3	6.78	
<i>including</i>								67.4	68.4	1.0	16.9	
OSK-W-18-1689	2400	Zone 27	135.0	452177	5434814	150	-54	86.4	88.4	2.0	3.62	
OSK-W-18-1689	2400	Caribou	135.0	452177	5434814	150	-54	123.0	125.0	2.0	3.72	
<i>including</i>								123.7	124.0	0.3	23.8	
OSK-W-18-1690	2400	Zone 27	141.0	452190	5434821	142	-49	17.5	20.0	2.5	6.51	
<i>including</i>								17.9	18.3	0.4	24.7	
OSK-W-18-1691	2350	Caribou	78.0	452251	5434568	338	-59	39.3	41.5	2.2	4.25	
<i>including</i>								39.7	40.5	0.8	11.4	
OSK-W-18-1691	2350	Caribou	78.0	452251	5434568	338	-59	44.9	47.0	2.1	3.30	
OSK-W-18-1692	2500	Caribou	450.0	452407	5434632	329	-52	114.0	116.0	2.0	18.5	
<i>including</i>								114.4	115.0	0.6	57.9	
OSK-W-18-1692	2500	Caribou	450.0	452407	5434632	329	-52	176.3	178.8	2.5	4.30	
<i>including</i>								178.0	178.8	0.8	11.4	
OSK-W-18-1695	2475	Caribou	520.0	452418	5434562	329	-52	321.3	323.9	2.6	3.01	
<i>including</i>								321.3	321.9	0.6	9.45	
OSK-W-18-1695	2475	Caribou	520.0	452418	5434562	329	-52	330.0	332.3	2.3	5.39	
<i>including</i>								330.7	331.6	0.9	13.5	
OSK-W-18-1695	2475	Zone 27	520.0	452418	5434562	329	-52	510.1	512.2	2.1	4.57	
OSK-W-18-1696	3825	Lynx 3	453.0	453481	5435423	142	-45	127.5	131.9	4.4	3.48	
<i>including</i>								127.5	127.8	0.3	11.9	
OSK-W-18-1696	3825	Lynx	453.0	453481	5435423	142	-45	348.9	351.0	2.1	4.77	
OSK-W-18-1697	3175	Lynx	231.0	453022	5434874	328	-61	108.9	111.1	2.2	4.24	
<i>including</i>								109.5	110.1	0.6	15.3	
OSK-W-18-1698	2525	Caribou	513.0	452430	5434608	329	-53	241.8	243.8	2.0	5.75	
OSK-W-18-1698	2525	Caribou	513.0	452430	5434608	329	-53	246.1	248.8	2.7	57.6	50.0
<i>including</i>								247.2	248.0	0.8	126	100
OSK-W-18-1699	3125	Lynx	174.0	452970	5434884	327	-64	82.0	84.0	2.0	5.05	
OSK-W-18-1699	3125	Lynx	174.0	452970	5434884	327	-64	97.9	101.4	3.5	7.26	
OSK-W-18-1699	3125	Lynx	174.0	452970	5434884	327	-64	126.3	131.9	5.6	7.25	
OSK-W-18-1699	3125	Lynx	174.0	452970	5434884	327	-64	138.7	140.7	2.0	18.4	
<i>including</i>								139.7	140.7	1.0	36.6	
OSK-W-18-1701	3100	Lynx	207.0	452968	5434844	328	-66	186.6	188.6	2.0	29.0	
OSK-W-18-1702	2475	Caribou	534.0	452418	5434561	330	-50	56.0	58.0	2.0	15.4	
OSK-W-18-1702	2475	Caribou	534.0	452418	5434561	330	-50	293.0	295.0	2.0	30.3	
<i>including</i>								294.0	295.0	1.0	60.5	
OSK-W-18-1702	2475	Caribou	534.0	452418	5434561	330	-50	307.8	310.1	2.3	3.21	
<i>including</i>								307.8	308.4	0.6	12.1	
OSK-W-18-1702	2475	Caribou	534.0	452418	5434561	330	-50	349.8	351.8	2.0	7.51	
<i>including</i>								350.8	351.8	1.0	15.0	
OSK-W-18-1702	2475	Zone 27	534.0	452418	5434561	330	-50	498.0	502.8	4.8	5.58	
OSK-W-18-1704	3775	Lynx	627.0	453349	5435524	137	-50	577.0	579.0	2.0	14.2	
OSK-W-18-1706	3850	Lynx	416.0	453500	5435428	137	-46	360.0	362.6	2.6	45.5	15.7
<i>including</i>								362.2	362.6	0.4	294	100
OSK-W-18-1707	2550	Caribou	447.0	452450	5434658	329	-49	153.1	155.4	2.3	3.95	
OSK-W-18-1707	2550	Caribou	447.0	452450	5434658	329	-49	199.0	201.0	2.0	6.23	
OSK-W-18-1707	2550	Caribou	447.0	452450	5434658	329	-49	268.0	270.4	2.4	3.02	
OSK-W-18-1707	2550	Zone 27	447.0	452450	5434658	329	-49	380.0	382.4	2.4	27.4	
<i>including</i>								380.0	381.0	1.0	50.4	
OSK-W-18-1707	2550	Zone 27	447.0	452450	5434658	329	-49	387.0	391.0	4.0	6.81	
OSK-W-18-1709	2450	Zone 27	525.0	452399	5434512	330	-51	499.0	501.0	2.0	17.4	
OSK-W-18-1710	3125	Bobcat	330.0	452878	5435058	141	-45	112.3	114.6	2.3	14.2	
OSK-W-18-1711	3800	Lynx	642.0	453367	5435556	134	-52	605.4	608.0	2.6	5.08	
OSK-W-18-1711-W1	3800	Lynx	637.5	453367	5435556	134	-52	547.0	549.0	2.0	4.55	
OSK-W-18-1711-W1	3800	Lynx	637.5	453367	5435556	134	-52	560.6	563.4	2.8	12.5	11.5
<i>including</i>								560.6	560.9	0.3	109	100
OSK-W-18-1711-W1	3800	Lynx	637.5	453367	5435556	134	-52	568.4	570.4	2.0	6.36	
OSK-W-18-1711-W2	3800	Lynx	657.0	453367	5435556	134	-52	631.3	634.0	2.7	33.3	26.6
<i>including</i>								632.2	632.9	0.7	126	100
OSK-W-18-1712	3325	Lynx	252.0	453194	5434916	329	-55	210.0	212.2	2.2	5.14	
<i>including</i>								210.4	211.2	0.8	13.0	
OSK-W-18-1713	2400	Zone 27	552.0	452399	5434439	333	-45	533.8	535.9	2.1	6.48	
OSK-W-18-1714	3325	Lynx	321.0	453185	5434903	331	-63	290.0	292.4	2.4	3.59	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-18-1721	2525	Caribou	630.0	452510	5434500	332	-49	303.3	305.6	2.3	4.46	
OSK-W-18-1723	3725	Lynx	531.0	453329	5435465	142	-49	488.4	490.6	2.2	22.7	
OSK-W-18-1723	3725	Lynx	531.0	453329	5435465	142	-49	498.6	501.2	2.6	4.06	
			<i>including</i>					500.8	501.2	0.4	25.3	
OSK-W-18-1725	3525	Lynx	399.0	453418	5434901	340	-54	283.3	286.0	2.7	1026	64.8
			<i>including</i>					283.3	284.0	0.7	502	100
			<i>including</i>					284.4	285.3	0.9	2670	100
OSK-W-18-1725	3525	Lynx	399.0	453418	5434901	340	-54	293.0	297.0	4.0	13.9	
			<i>including</i>					293.6	294.4	0.8	42.2	
OSK-W-18-1725	3525	Lynx	399.0	453418	5434901	340	-54	377.8	380.2	2.4	9.73	
			<i>including</i>					378.1	379.1	1.0	22.0	
OSK-W-18-1727	3625	Lynx	378.0	453461	5435040	331	-61	169.0	171.0	2.0	6.51	
			<i>including</i>					169.0	169.8	0.8	15.6	
OSK-W-18-1728	3825	Lynx	507.0	453468	5435417	138	-54	455.0	457.0	2.0	4.89	
OSK-W-18-1728-W1	3825	Lynx	669.0	453468	5435417	145	-51	467.6	470.9	3.3	56.3	36.1
			<i>including</i>					468.7	469.4	0.7	196	100
OSK-W-18-1728-W1	3825	Lynx	669.0	453468	5435417	145	-51	489.6	491.7	2.1	9.83	
			<i>including</i>					489.6	490.0	0.4	47.2	
OSK-W-18-1729	2100	Zone 27	318.0	452019	5434494	360	-53	263.0	268.0	5.0	3.16	
OSK-W-18-1729	2100	Zone 27	318.0	452019	5434494	360	-53	272.5	274.8	2.3	7.00	
			<i>including</i>					272.5	273.3	0.8	13.7	
OSK-W-18-1729	2100	Zone 27	318.0	452019	5434494	360	-53	282.8	285.9	3.1	3.62	
			<i>including</i>					282.8	283.2	0.4	20.0	
OSK-W-18-1731	3800	Lynx	611.0	453383	5435518	139	-51	555.0	557.4	2.4	89.3	73.3
			<i>including</i>					556.3	557.4	1.1	135	100
OSK-W-18-1731	3800	Lynx	611.0	453383	5435518	139	-51	585.2	590.5	5.3	83.9	35.5
			<i>including</i>					586.4	587.0	0.6	456	100
OSK-W-18-1734	3625	Lynx	360.0	453461	5435038	338	-67	252.7	255.0	2.3	3.02	
OSK-W-18-1735	2525	Caribou	327.0	452394	5434680	323	-45	86.7	91.0	4.3	6.54	
			<i>including</i>					90.3	91.0	0.7	18.3	
OSK-W-18-1735	2525	Caribou	327.0	452394	5434680	323	-45	117.0	119.0	2.0	5.20	
OSK-W-18-1735	2525	Zone 27	327.0	452394	5434680	323	-45	278.0	280.1	2.1	5.40	
OSK-W-18-1737	3200	Bobcat	1809.8	452902	5435184	130	-53	108.0	110.0	2.0	7.18	
OSK-W-18-1737	3200	Caribou	1809.8	452902	5435184	130	-53	362.0	364.3	2.3	13.0	
OSK-W-18-1737	3200	Lynx	1809.8	452902	5435184	130	-53	514.0	516.0	2.0	16.2	
			<i>including</i>					515.3	515.6	0.3	96.1	
OSK-W-18-1737	3200	Lynx	1809.8	452902	5435184	130	-53	628.0	630.0	2.0	9.20	
			<i>including</i>					629.1	629.5	0.4	42.4	
OSK-W-18-1737	3200	Lynx	1809.8	452902	5435184	130	-53	688.5	690.7	2.2	19.0	
			<i>including</i>					689.0	690.2	1.2	33.7	
OSK-W-18-1737	3200	Lynx	1809.8	452902	5435184	130	-53	743.0	745.9	2.9	4.60	
			<i>including</i>					745.0	745.3	0.3	29.8	
OSK-W-18-1738	3600	Lynx	393.0	453460	5434986	329	-69	262.0	264.0	2.0	8.22	
			<i>including</i>					262.0	263.0	1.0	16.3	
OSK-W-18-1738	3600	Lynx	393.0	453460	5434986	329	-69	299.6	303.1	3.5	7.99	
OSK-W-18-1738	3600	Lynx	393.0	453460	5434986	329	-69	350.9	353.8	2.9	29.3	16.0
			<i>including</i>					351.2	351.5	0.3	229	100
OSK-W-18-1739	3500	Lynx	594.0	453133	5435354	125	-55	516.0	518.0	2.0	13.0	
			<i>including</i>					517.3	517.6	0.3	83.6	
OSK-W-18-1741-W1	3725	Lynx	528.0	453328	5435466	144	-48	445.0	447.5	2.5	9.72	
			<i>including</i>					446.2	446.7	0.5	47.0	
OSK-W-18-1741-W1	3725	Lynx	528.0	453328	5435466	144	-48	483.1	485.4	2.3	14.0	
			<i>including</i>					484.4	484.8	0.4	73.4	
OSK-W-18-1741-W1	3725	Lynx	528.0	453328	5435466	144	-48	498.7	502.0	3.3	5.13	
OSK-W-18-1742	2400	Caribou	462.0	452320	5434588	335	-56	230.0	232.0	2.0	9.64	
OSK-W-18-1743-W1	3700	Lynx	558.0	453331	5435394	140	-45	424.0	426.3	2.3	6.46	
			<i>including</i>					425.2	425.8	0.6	17.4	
OSK-W-18-1743-W1	3700	Lynx	558.0	453331	5435394	140	-45	481.1	484.1	3.0	18.6	18.3
			<i>including</i>					483.6	484.1	0.5	102	100
OSK-W-18-1743-W1	3700	Lynx	558.0	453331	5435394	140	-45	489.0	491.1	2.1	3.35	
OSK-W-18-1744	3825	Lynx	598.5	453450	5435484	134	-48	507.1	509.5	2.4	8.38	
			<i>including</i>					507.1	507.7	0.6	29.6	
OSK-W-18-1744-W1	3825	Lynx	594.0	453450	5435484	134	-48	527.8	532.3	4.5	9.71	
			<i>including</i>					527.8	528.1	0.3	55.6	
OSK-W-18-1744-W2	3800	Lynx	621.0	453450	5435484	134	-48	541.0	543.0	2.0	17.7	
			<i>including</i>					542.2	542.6	0.4	74.0	
OSK-W-18-1745	3575	Lynx	486.0	453218	5435347	134	-51	386.0	388.0	2.0	20.4	
			<i>including</i>					387.4	388.0	0.6	67.2	
OSK-W-18-1745	3575	Lynx	486.0	453218	5435347	134	-51	450.9	452.9	2.0	13.0	
			<i>including</i>					451.2	452.2	1.0	25.4	
OSK-W-18-1745	3575	Vein	486.0	453218	5435347	134	-51	470.0	472.3	2.3	7.05	
			<i>including</i>					471.2	471.9	0.7	22.9	
OSK-W-18-1746	3650	Lynx	510.0	453280	5435389	142	-53	454.0	456.1	2.1	3.23	
OSK-W-18-1747	2575	Caribou	519.0	452463	5434683	333	-54	202.6	205.0	2.4	5.99	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								203.2	203.7	0.5	26.0	
OSK-W-18-1747	2575	Caribou	519.0	452463	5434683	333	-54	273.3	276.0	2.7	3.09	
<i>including</i>								273.3	273.6	0.3	11.0	
OSK-W-18-1747-W1	2575	Zone 27	558.0	452463	5434683	333	-54	505.5	507.5	2.0	3.78	
OSK-W-18-1748	3050	Lynx	147.0	452908	5434835	301	-61	122.0	124.0	2.0	4.23	
OSK-W-18-1750	3500	Lynx	315.0	453379	5434949	333	-52	172.1	174.3	2.2	20.0	
OSK-W-18-1750	3500	Lynx	315.0	453379	5434949	333	-52	198.2	200.6	2.4	6.10	
OSK-W-18-1750	3500	Lynx	315.0	453379	5434949	333	-52	229.4	231.8	2.4	6.27	
OSK-W-18-1750	3500	Lynx	315.0	453379	5434949	333	-52	251.0	253.3	2.3	5.67	
<i>including</i>								252.3	252.8	0.5	24.9	
OSK-W-18-1754	3475	Lynx	264.0	453338	5434947	332	-53	168.0	170.9	2.9	23.7	
OSK-W-18-1754	3475	Lynx	264.0	453338	5434947	332	-53	188.0	190.0	2.0	5.28	
<i>including</i>								189.0	189.5	0.5	20.8	
OSK-W-18-1754	3475	Lynx	264.0	453338	5434947	332	-53	208.0	210.0	2.0	22.9	
<i>including</i>								208.8	209.5	0.7	64.1	
OSK-W-18-1754	3475	Lynx	264.0	453338	5434947	332	-53	222.8	225.0	2.2	3.19	
<i>including</i>								222.8	223.1	0.3	17.6	
OSK-W-18-1754	3475	Lynx	264.0	453338	5434947	332	-53	237.0	239.7	2.7	3.93	
<i>including</i>								238.1	238.8	0.7	12.4	
OSK-W-18-1756	3500	Lynx	291.0	453358	5434956	330	-57	169.5	172.0	2.5	53.0	31.9
<i>including</i>								170.2	170.6	0.4	232	100
OSK-W-18-1756	3500	Lynx	291.0	453358	5434956	330	-57	223.5	227.0	3.5	30.5	
OSK-W-18-1756	3500	Lynx	291.0	453358	5434956	330	-57	244.4	246.4	2.0	6.72	
OSK-W-18-1758	2150	Zone 27	138.0	451942	5434724	160	-45	64.8	68.0	3.2	5.96	
<i>including</i>								67.1	68.0	0.9	15.5	
OSK-W-18-1759	3475	Lynx	252.0	453323	5434955	331	-57	206.4	208.4	2.0	38.2	
<i>including</i>								206.4	207.5	1.1	59.1	
OSK-W-18-1759	3475	Lynx	252.0	453323	5434955	331	-57	218.0	220.0	2.0	3.80	
OSK-W-18-1760	3500	Lynx	267.0	453358	5434956	332	-55	211.7	213.7	2.0	3.74	
OSK-W-18-1760	3500	Lynx	267.0	453358	5434956	332	-55	220.0	228.5	8.5	16.9	13.3
OSK-W-18-1760	3500	Lynx	267.0	453358	5434956	332	-55	238.9	241.0	2.1	10.5	
<i>including</i>								238.9	239.4	0.5	43.2	
OSK-W-18-1761	3100	Caribou	201.0	452873	5435000	329	-50	54.0	56.0	2.0	4.37	
<i>including</i>								55.1	56.0	0.9	9.43	
OSK-W-18-1761	3100	Caribou	201.0	452873	5435000	329	-50	98.0	100.0	2.0	4.09	
OSK-W-18-1762	3475	Lynx	254.0	453323	5434955	332	-58	229.5	234.2	4.7	13.5	
<i>including</i>								229.5	230.0	0.5	89.0	
OSK-W-18-1763	3075	Caribou	234.0	452863	5434974	330	-51	203.0	205.4	2.4	7.75	
OSK-W-18-1765	3500	Lynx	306.0	453359	5434955	333	-57	188.0	190.3	2.3	3.16	
<i>including</i>								189.8	190.3	0.5	10.5	
OSK-W-18-1765	3500	Lynx	306.0	453359	5434955	333	-57	203.0	205.0	2.0	9.84	
<i>including</i>								204.0	205.0	1.0	19.5	
OSK-W-18-1765	3500	Lynx	306.0	453359	5434955	333	-57	229.8	231.8	2.0	60.3	41.6
<i>including</i>								231.1	231.4	0.3	217	100
OSK-W-18-1765	3500	Lynx	306.0	453359	5434955	333	-57	249.4	251.8	2.4	7.41	
<i>including</i>								250.2	250.9	0.7	24.7	
OSK-W-18-1767	2800	Caribou	165.0	452577	5434901	329	-65	47.0	49.0	2.0	3.67	
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	202.5	204.5	2.0	3.65	
<i>including</i>								202.5	202.8	0.3	23.2	
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	219.0	222.4	3.4	13.0	
<i>including</i>								219.0	219.8	0.8	48.1	
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	261.0	263.0	2.0	4.49	
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	268.7	273.0	4.3	161	37.0
<i>including</i>								269.2	269.6	0.4	866	100
<i>including</i>								271.9	272.7	0.8	381	100
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	283.0	285.5	2.5	22.1	
<i>including</i>								284.1	284.7	0.6	85.2	
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	294.0	296.0	2.0	74.4	15.1
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	330.3	332.6	2.3	8.06	
<i>including</i>								332.2	332.6	0.4	22.0	
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	127.8	130.4	2.6	96.9	37.5
<i>including</i>								128.7	129.5	0.8	293	100
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	172.0	175.0	3.0	11.1	
<i>including</i>								172.0	173.5	1.5	22.1	
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	213.0	215.5	2.5	19.0	
<i>including</i>								214.1	214.8	0.7	67.9	
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	246.8	249.0	2.2	30.2	
<i>including</i>								247.2	248.0	0.8	82.8	
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	252.0	257.1	5.1	32.0	25.5
<i>including</i>								256.0	257.1	1.1	113	83.4
OSK-W-18-1771	2525	Caribou	318.0	452475	5434526	334	-57	276.8	279.0	2.2	6.83	
<i>including</i>								277.4	278.0	0.6	24.2	
OSK-W-18-1772	3575	Lynx	392.0	453431	5434976	331	-64	226.4	228.5	2.1	19.1	
<i>including</i>								226.4	227.7	1.3	30.7	
OSK-W-18-1772	3575	Lynx	392.0	453431	5434976	331	-64	274.2	276.3	2.1	31.3	24.0



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								275.5	275.8	0.3	151	100
OSK-W-18-1772	3575	Lynx	392.0	453431	5434976	331	-64	281.0	283.0	2.0	11.9	
OSK-W-18-1772	3575	Lynx	392.0	453431	5434976	331	-64	349.6	351.9	2.3	4.37	
OSK-W-18-1773	2750	Caribou	621.0	452632	5434696	331	-56	206.0	208.5	2.5	14.3	
OSK-W-18-1773	2750	Z27	621.0	452632	5434696	331	-56	608.0	611.0	3.0	7.59	
OSK-W-18-1774	3450	Lynx	315.0	453307	5434951	331	-60	251.1	255.0	3.9	17.0	
<i>including</i>								251.1	252.0	0.9	56.7	
OSK-W-18-1779	2475	Caribou	297.0	452430	5434514	334	-58	197.0	199.1	2.1	4.05	
OSK-W-18-1779	2475	Caribou	297.0	452430	5434514	334	-58	286.5	288.5	2.0	6.13	
OSK-W-18-1781	3475	Lynx	300.0	453326	5434951	331	-57	146.7	148.9	2.2	12.7	
<i>including</i>								147.7	148.6	0.9	30.9	
OSK-W-18-1781	3475	Lynx	300.0	453326	5434951	331	-57	225.0	228.5	3.5	34.6	
OSK-W-18-1783	3375	Triple 8	2223.7	453535	5434373	61	-78	1823.2	1826.5	3.3	4.62	
OSK-W-18-1783	3375	Triple 8	2223.7	453535	5434373	61	-78	1858.9	1860.9	2.0	38.4	28.9
<i>including</i>								1858.9	1859.4	0.5	138	100
OSK-W-18-1783	3375	Triple 8	2223.7	453535	5434373	61	-78	1943.8	1946.1	2.3	16.0	
OSK-W-18-1785	3550	Lynx	273.0	453425	5434953	334	-59	225.0	227.0	2.0	18.5	17.2
<i>including</i>								225.4	225.7	0.3	109	100
OSK-W-18-1785	3550	Lynx	273.0	453425	5434953	334	-59	249.2	251.9	2.7	69.9	35.3
<i>including</i>								251.4	251.9	0.5	287	100
OSK-W-18-1785	3550	Lynx	273.0	453425	5434953	334	-59	264.9	269.0	4.1	6.87	
<i>including</i>								264.9	265.2	0.3	51.9	
OSK-W-18-1785-W1	3550	Lynx	375.0	453425	5434953	334	-59	224.2	226.3	2.1	64.2	28.2
<i>including</i>								224.8	225.1	0.3	352	100
OSK-W-18-1785-W1	3550	Lynx	375.0	453425	5434953	334	-59	349.4	352.0	2.6	3.42	
OSK-W-18-1785-W1	3550	Lynx	375.0	453425	5434953	334	-59	361.6	364.0	2.4	4.89	
OSK-W-18-1786	2400	Caribou	201.0	452319	5434588	332	-51	93.0	95.0	2.0	14.6	
<i>including</i>								93.7	94.1	0.4	71.7	
OSK-W-18-1786	2400	Caribou	201.0	452319	5434588	332	-51	115.2	117.3	2.1	3.50	
OSK-W-18-1788	2375	Caribou	141.0	452289	5434590	330	-61	81.6	83.6	2.0	9.87	
<i>including</i>								81.6	81.9	0.3	65.0	
OSK-W-18-1788	2375	Caribou	141.0	452289	5434590	330	-61	87.7	90.1	2.4	4.03	
OSK-W-18-1788	2375	Caribou	141.0	452289	5434590	330	-61	122.8	125.2	2.4	3.00	
<i>including</i>								122.8	123.3	0.5	8.62	
OSK-W-18-1789	2725	Caribou	624.0	452611	5434691	332	-56	327.0	329.0	2.0	3.87	
OSK-W-18-1789	2725	Caribou	624.0	452611	5434691	332	-56	481.7	483.9	2.2	3.56	
OSK-W-18-1789	2725	Z27	624.0	452611	5434691	332	-56	575.0	577.0	2.0	4.92	
OSK-W-18-1789	2725	Z27	624.0	452611	5434691	332	-56	593.3	595.4	2.1	4.47	
OSK-W-18-1791	3500	Lynx	294.0	453366	5434930	331	-50	272.5	275.0	2.5	30.9	
<i>including</i>								272.5	273.4	0.9	77.3	
OSK-W-18-1791	3500	Lynx	294.0	453366	5434930	331	-50	280.0	282.9	2.9	22.1	
OSK-W-18-1792	3550	Lynx	315.0	453424	5434939	331	-58	264.0	266.5	2.5	4.29	
OSK-W-18-1792	3550	Lynx	315.0	453424	5434939	331	-58	270.8	280.8	10.0	3.70	
<i>including</i>								270.8	273.3	2.5	6.37	
<i>including</i>								278.1	280.8	2.7	5.01	
OSK-W-18-1795	2125	Caribou	357.0	452070	5434451	354	-45	257.5	259.5	2.0	15.5	
<i>including</i>								259.0	259.5	0.5	61.9	
OSK-W-18-1795	2125	Z27	357.0	452070	5434451	354	-45	318.6	325.6	7.0	11.4	
<i>including</i>								324.0	325.6	1.6	40.9	
OSK-W-18-1797	2200	Caribou	247.4	452182	5434396	339	-56	192.2	202.9	10.7	12.3	
<i>including</i>								192.2	194.0	1.8	31.1	
<i>including</i>								200.1	201.0	0.9	38.8	
OSK-W-18-1803	2675	Caribou	585.0	452547	5434723	334	-58	291.4	294.2	2.8	3.68	
OSK-W-18-1803	2675	Caribou	585.0	452547	5434723	334	-58	443.0	445.0	2.0	3.74	
<i>including</i>								443.5	444.2	0.7	9.77	
OSK-W-18-1803	2675	Z27	585.0	452547	5434723	334	-58	519.0	525.0	6.0	9.37	
<i>including</i>								523.9	525.0	1.1	30.9	
OSK-W-18-1804	3525	Lynx_305	345.0	453414	5434922	331	-56	280.0	282.8	2.8	224	20.3
<i>including</i>								282.5	282.8	0.3	2000	100
OSK-W-18-1804	3525	Lynx_308	345.0	453414	5434922	331	-56	308.6	312.7	4.1	10.8	
<i>including</i>								310.9	311.3	0.4	69.3	
OSK-W-18-1804	3525	Lynx_308	345.0	453414	5434922	331	-56	314.9	317.0	2.1	77.9	58.5
<i>including</i>								315.8	317.0	1.2	134	100
OSK-W-18-1805	2350	Caribou	147.0	452259	5434559	331	-56	93.3	97.5	4.2	3.76	
OSK-W-18-1805	2350	Caribou	147.0	452259	5434559	331	-56	108.7	112.9	4.2	3.48	
OSK-W-18-1805	2350	Caribou	147.0	452259	5434559	331	-56	123.0	125.0	2.0	9.59	
<i>including</i>								123.4	124.4	1.0	17.7	
OSK-W-18-1806	2350	Caribou	132.0	452263	5434588	330	-56	55.8	57.8	2.0	3.74	
OSK-W-18-1807	3525	Lynx_304	297.0	453423	5434923	332	-56	260.9	263.2	2.3	3.14	
OSK-W-18-1807	3525	Lynx_304	297.0	453423	5434923	332	-56	267.3	272.0	4.7	18.0	
<i>including</i>								267.3	267.8	0.5	80.0	
OSK-W-18-1808	2425	Caribou	351.0	452297	5434645	330	-50	143.4	145.7	2.3	23.8	
<i>including</i>								144.3	145.0	0.7	76.9	
OSK-W-18-1808	2425	Caribou	351.0	452297	5434645	330	-50	199.7	201.7	2.0	13.8	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								200.6	201.7	1.1	24.8	
OSK-W-18-1809	3500	Lynx_310	291.0	453366	5434931	328	-51	228.0	230.0	2.0	3.40	
<i>including</i>								228.0	228.6	0.6	9.56	
OSK-W-18-1809	3500	Lynx_308	291.0	453366	5434931	328	-51	265.0	267.3	2.3	6.13	
<i>including</i>								265.9	266.2	0.3	25.8	
OSK-W-18-1810	2450	Caribou	566.0	452401	5434503	335	-49	113.0	115.0	2.0	3.35	
OSK-W-18-1810	2450	Z27	566.0	452401	5434503	335	-49	546.0	548.0	2.0	5.86	
<i>including</i>								547.0	548.0	1.0	11.3	
OSK-W-18-1811	3500	Lynx_304	317.0	453365	5434931	333	-51	188.0	190.4	2.4	4.10	
OSK-W-18-1811	3500	Lynx_305	317.0	453365	5434931	333	-51	214.6	217.0	2.4	5.56	
OSK-W-18-1811	3500	Lynx_308	317.0	453365	5434931	333	-51	255.5	257.5	2.0	15.2	
<i>including</i>								256.8	257.5	0.7	40.9	
OSK-W-18-1811	3500	Lynx_311	317.0	453365	5434931	333	-51	268.6	271.0	2.4	32.6	25.7
<i>including</i>								269.8	270.4	0.6	128	100
OSK-W-18-1812	3500	Lynx_311	303.0	453366	5434932	330	-50	266.3	269.5	3.2	51.2	40.7
<i>including</i>								266.8	267.9	1.1	131	100
OSK-W-18-1813	2750	VNCR	731.0	452683	5434622	330	-60	333.4	335.5	2.1	52.9	
<i>including</i>								333.4	334.5	1.1	98.9	
OSK-W-18-1813	2750	Caribou	731.0	452683	5434622	330	-60	515.2	517.3	2.1	15.8	
<i>including</i>								516.2	517.3	1.1	30.1	
OSK-W-18-1813	2750	Caribou	731.0	452683	5434622	330	-60	580.9	583.0	2.1	5.54	
OSK-W-18-1813	2750	Caribou	731.0	452683	5434622	330	-60	637.4	639.6	2.2	4.38	
<i>including</i>								638.1	638.8	0.7	11.8	
OSK-W-18-1814	2750	Vein	438.0	452683	5434622	333	-59	166.0	168.0	2.0	4.04	
<i>including</i>								166.6	167.5	0.9	8.98	
OSK-W-18-1814	2750	Caribou	438.0	452683	5434622	333	-59	298.0	300.0	2.0	13.2	
<i>including</i>								299.0	300.0	1.0	26.4	
OSK-W-18-1814	2750	Caribou	438.0	452683	5434622	333	-59	345.5	347.5	2.0	3.56	
OSK-W-18-1814	2750	Caribou	438.0	452683	5434622	333	-59	430.0	432.0	2.0	8.19	
<i>including</i>								431.0	432.0	1.0	16.2	
OSK-W-18-1817	2750	Caribou	687.0	452656	5434699	332	-57	341.0	343.0	2.0	3.45	
<i>including</i>								341.0	342.0	1.0	6.61	
OSK-W-18-1817	2750	Caribou	687.0	452656	5434699	332	-57	406.0	408.0	2.0	7.60	
<i>including</i>								406.8	407.6	0.8	18.1	
OSK-W-18-1817	2750	Z27	687.0	452656	5434699	332	-57	555.0	557.3	2.3	5.93	
OSK-W-19-1819-W1	3875	Lynx	654.0	453486	5435514	132	-45	590.3	592.3	2.0	5.63	
<i>including</i>								591.0	591.4	0.4	20.4	
OSK-W-19-1819-W1	3875	Lynx	654.0	453486	5435514	132	-45	601.0	603.4	2.4	34.9	
<i>including</i>								602.5	603.4	0.9	71.4	
OSK-W-19-1820	2775	Caribou	489.0	452672	5434723	333	-59	438.0	440.0	2.0	4.26	
OSK-W-19-1822	2475	Caribou	615.0	452506	5434389	339	-60	513.0	515.0	2.0	4.39	
<i>including</i>								514.0	515.0	1.0	8.62	
OSK-W-19-1823	2675	Caribou	330.0	452546	5434702	329	-52	238.0	240.0	2.0	3.77	
OSK-W-19-1823	2675	Caribou	330.0	452546	5434702	329	-52	257.0	269.6	12.6	9.56	
<i>including</i>								257.0	259.2	2.2	21.8	
<i>including</i>								261.0	263.0	2.0	23.6	
OSK-W-19-1824	2700	Caribou	309.0	452566	5434725	327	-50	230.0	237.0	7.0	3.29	
<i>including</i>								230.0	231.0	1.0	13.1	
OSK-W-19-1828	2200	Caribou	237.0	452203	5434388	340	-50	191.6	194.1	2.5	5.09	
OSK-W-19-1830	2200	Caribou	231.0	452179	5434396	338	-52	181.0	183.6	2.6	8.84	
OSK-W-19-1832	3475	Lynx	345.0	453195	5435212	130	-46	288.8	291.0	2.2	3.63	
<i>including</i>								288.8	289.2	0.4	17.0	
OSK-W-19-1832	3475	Lynx	345.0	453195	5435212	130	-46	293.0	295.0	2.0	4.06	
OSK-W-19-1834	2200	Caribou	216.0	452179	5434396	338	-47	154.7	157.5	2.8	12.4	
<i>including</i>								156.6	157.5	0.9	25.9	
OSK-W-19-1846	3475	Lynx_311	324.0	453324	5434949	330	-58	239.9	243.0	3.1	11.3	
<i>including</i>								242.3	243.0	0.7	33.5	
OSK-W-19-1847	3450	Lynx	293.0	453317	5434947	331	-58	259.1	261.4	2.3	7.18	
<i>including</i>								260.1	260.5	0.4	37.9	
OSK-W-19-1850	3475	Lynx_311	270.0	453320	5434954	329	-58	228.2	231.4	3.2	43.7	37.6
<i>including</i>								230.3	231.4	1.1	118	100.0
OSK-W-19-1852	3450	Lynx_311	300.0	453312	5434949	330	-58	248.0	250.6	2.6	14.8	
<i>including</i>								248.9	249.3	0.4	80.2	
OSK-W-19-1855	3450	Lynx_310	351.0	453178	5435190	124	-45	272.8	275.0	2.2	38.6	19.1
<i>including</i>								274.6	275.0	0.4	207	100
OSK-W-19-1855	3450	Lynx_305	351.0	453178	5435190	124	-45	281.0	284.3	3.3	6.04	
<i>including</i>								283.9	284.3	0.4	18.1	
OSK-W-19-1860	3475	Lynx_304	333.0	453186	5435200	124	-45	310.7	313.0	2.3	28.6	
<i>including</i>								311.0	311.9	0.9	70.7	
OSK-W-19-1865	3475	Lynx_304	339.0	453189	5435213	124	-45	313.3	315.5	2.2	56.0	33.0
<i>including</i>								314.2	314.9	0.7	172	100
WST-18-0004	2675	Zone 27	195.7	452383	5435015	112	-56	160.7	163.0	2.3	13.0	
<i>including</i>								160.7	161.2	0.5	58.8	
WST-18-0006	2675	Zone 27	114.3	452383	5435013	136	-44	77.0	79.0	2.0	8.80	



Windfall Lake Gold Project  
 Quebec, Canada  
 Assay Results  
 Osisko Mining Inc. 2015-2019

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					78.1	78.5	0.4	35.7	
WST-18-0017	2575	Zone 27	177.1	452279	5434973	192	-6	76.6	79.0	2.4	12.8	
			<i>including</i>					76.6	77.2	0.6	45.1	
WST-19-0054A	2175	Z27	155.5	451960	5434734	157	46	66.0	68.7	2.7	9.37	
			<i>including</i>					67.7	68.7	1.0	23.3	
WST-19-0065A	2175	Z27	132.9	451958	5434735	198	-12	86.4	89.9	3.5	12.0	
			<i>including</i>					86.4	87.1	0.7	36.5	
WST-18-0023	2575	Z27	102.3	452280	5434973	179	-36	44.4	47.0	2.6	3.58	
			<i>including</i>					44.4	44.7	0.3	25.5	
WST-18-0024	2575	Mallard	180.6	452280	5434973	170	-39	25.7	28.1	2.4	26.5	
WST-18-0025	2575	Z27	102.4	452280	5434974	159	12	33.0	35.0	2.0	7.96	
			<i>including</i>					33.4	34.3	0.9	17.7	
WST-18-0025	2575	Z27	102.4	452280	5434974	159	12	65.0	67.0	2.0	2223	42.8
			<i>including</i>					66.2	67.0	0.8	5550	100
WST-18-0026	2575	Z27	145.0	452280	5434974	159	-31	49.4	51.6	2.2	3.80	
			<i>including</i>					49.4	49.7	0.3	25.6	
WST-18-0026	2575	Z27	145.0	452280	5434974	159	-31	107.4	110.0	2.6	4.31	
WST-18-0027	2575	Z27	105.6	452280	5434974	159	-44	91.0	93.0	2.0	11.1	
WST-18-0035	2200	Z27	126.5	452057	5434604	314	-2	56.0	58.0	2.0	14.9	
			<i>including</i>					56.0	57.0	1.0	29.5	
WST-18-0035	2200	Z27	126.5	452057	5434604	314	-2	60.9	65.0	4.1	5.98	
			<i>including</i>					63.9	64.2	0.3	44.2	
WST-18-0036	2200	Z27	135.5	452058	5434603	308	-2	63.5	67.1	3.6	4.77	
			<i>including</i>					66.3	67.1	0.8	12.6	
WST-18-0039	2250	Z27	147.6	452025	5434760	166	-34	98.0	100.0	2.0	3.82	
			<i>including</i>					98.9	99.4	0.5	11.0	
WST-18-0039	2250	Caribou	147.6	452025	5434760	166	-34	140.0	146.4	6.4	8.98	
WST-18-0048	2250	Z27	142.0	452025	5434760	164	-39	73.0	75.0	2.0	4.67	
			<i>including</i>					73.5	74.0	0.5	17.1	
WST-19-0055	2175	Z27	114.4	451959	5434733	157	31	66.7	68.7	2.0	4.87	
			<i>including</i>					68.2	68.7	0.5	17.4	
WST-19-0056	2175	Z27	144.2	451959	5434733	165	35	65.0	69.8	4.8	3.57	
WST-19-0057	2175	Z27	165.0	451958	5434736	171	42	67.3	72.0	4.7	4.99	
WST-19-0057	2175	Z27	165.0	451958	5434736	171	42	75.8	78.0	2.2	4.47	
WST-19-0058	2175	Z27	117.7	451958	5434736	171	31	61.8	66.5	4.7	3.08	
			<i>including</i>					65.5	66.5	1.0	9.55	
WST-19-0059	2175	Z27	152.0	451958	5434736	176	55	81.0	83.7	2.7	5.16	
WST-19-0059	2175	Z27	152.0	451958	5434736	176	55	96.7	100.6	3.9	4.40	
WST-19-0059	2175	Z27_114	152.0	451958	5434736	176	55	103.0	105.2	2.2	14.8	
			<i>including</i>					103.5	103.9	0.4	61.9	
WST-19-0059	2175	Z27	152.0	451958	5434736	176	55	113.8	116.1	2.3	4.08	
WST-19-0060	2175	Z27	165.1	451958	5434736	176	49	69.9	73.0	3.1	4.72	
WST-19-0060	2175	Z27	165.1	451958	5434736	176	49	80.0	82.6	2.6	59.9	27.6
			<i>including</i>					81.9	82.6	0.7	220	100
WST-19-0063	2175	Z27	120.6	451958	5434735	187	25	93.0	95.0	2.0	15.0	
			<i>including</i>					93.0	94.0	1.0	29.3	