



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
EAG-11-254-EXT	2500	FW3U	753.0	452369	5434676	329	-57	684.1	690.9	6.8	24.7	
			<i>including</i>									
EAG-11-269	2575	FW3U	567.2	452471	5434647	330	-56	737.1	744.0	6.9	7.71	
			<i>including</i>									
EAG-11-269	2575	FW4	567.2	452471	5434647	330	-56	886.6	898.3	11.7	0.10	
EAG-13-494	2750	FW3 HW	706.5	452731	5434537	330	-60	1013.0	1016.0	3.0	5.70	
EAG-13-494	2750	FW3	706.5	452731	5434537	330	-60	1055.1	1057.1	2.0	8.38	
			<i>including</i>									
EAG-13-525	2700		539.5	452643	5434618	331	-60	1055.1	1055.6	0.5	32.1	
			<i>No significant results</i>									
OSK-W-16-309-W1	2575	Quartz vein in Red Dog	1223.5	452548	5434514	326	-63	612.2	615.0	2.8	9.11	
			<i>including</i>									
OSK-W-16-309-W1	2575	FW3	1223.5	452548	5434514	326	-63	614.0	615.0	1.0	24.5	
OSK-W-16-309-W1	2575	New	1223.5	452548	5434514	326	-63	965.0	967.0	2.0	1.19	
			<i>including</i>									
OSK-W-16-309-W2	2575	Caribou North 1	1109.5	452548	5434514	326	-63	1115.0	1117.0	2.0	5.60	
OSK-W-16-309-W2	2575	FW3	1109.5	452548	5434514	326	-63	1116.0	1117.0	1.0	11.2	
OSK-W-16-309-W2	2575	New - Underdog corridor	1109.5	452548	5434514	326	-63	520.8	522.7	1.9	0.84	
OSK-W-16-309-W2	2575	New under Red Dog	1109.5	452548	5434514	326	-63	924.0	926.0	2.0	0.23	
OSK-W-16-309-W3	2575	New Zone - Caribou	1172.5	452548	5434514	326	-63	972.0	975.0	3.0	5.58	
OSK-W-16-309-W3	2575	New Zone - Caribou	1172.5	452548	5434514	326	-63	988.0	992.0	4.0	3.27	
			<i>including</i>									
OSK-W-16-309-W3	2575	New Zone - Caribou	1172.5	452548	5434514	326	-63	474.0	476.2	2.2	7.63	
			<i>including</i>									
OSK-W-16-309-W3	2575	New Zone - Caribou	1172.5	452548	5434514	326	-63	480.4	482.5	2.1	6.32	
			<i>including</i>									
OSK-W-16-311-W1	2325	FW1	1153.5	452311	5434424	330	-62	481.3	482.0	0.7	17.3	
OSK-W-16-311-W1	2325	FW3 hanging wall	1153.5	452311	5434424	330	-62	539.2	543.8	4.6	11.8	
			<i>including</i>									
OSK-W-16-311-W1	2325	FW3 hanging wall	1153.5	452311	5434424	330	-62	542.0	543.0	1.0	47.9	
OSK-W-16-311-W1	2325	FW4	1153.5	452311	5434424	330	-62	883.7	886.5	2.8	0.48	
			<i>including</i>									
OSK-W-16-311-W2	2325	FW1	1179.5	452311	5434424	330	-62	753.5	756.0	2.5	0.42	
OSK-W-16-311-W2	2325	FW3 hanging wall	1179.5	452311	5434424	330	-62	927.5	930.5	3.0	9.40	
			<i>including</i>									
OSK-W-16-311-W2	2325	FW3	1179.5	452311	5434424	330	-62	927.5	929.4	1.9	14.6	
OSK-W-16-311-W2	2325	FW4 Hangingwall	1153.5	452311	5434424	330	-62	991.0	993.0	2.0	1.44	
OSK-W-16-311-W2	2325	FW4	1153.5	452311	5434424	330	-62	1118.0	1120.0	2.0	15.7	
			<i>including</i>									
OSK-W-16-311-W2	2325	FW1	1179.5	452311	5434424	330	-62	1131.0	1132.9	1.9	8.32	
			<i>including</i>									
OSK-W-16-311-W2	2325	FW3 hanging wall	1179.5	452311	5434424	330	-62	1131.0	1132.0	1.0	15.7	
			<i>including</i>									
OSK-W-16-311-W2	2325	FW3 hanging wall	1179.5	452311	5434424	330	-62	734.3	737.8	3.5	0.80	
OSK-W-16-311-W2	2325	FW3	1179.5	452311	5434424	330	-62	918.8	921.0	2.2	13.0	
			<i>including</i>									
OSK-W-16-311-W2	2325	FW3 hanging wall	1179.5	452311	5434424	330	-62	919.3	919.6	0.3	88.3	
OSK-W-16-311-W2	2325	FW3	1179.5	452311	5434424	330	-62	970.0	972.0	2.0	6.44	
			<i>including</i>									
OSK-W-16-311-W2	2325	FW3 footwall	1179.5	452311	5434424	330	-62	992.5	994.9	2.4	6.55	
			<i>including</i>									
OSK-W-16-311-W2	2325	FW4	1179.5	452311	5434424	330	-62	993.3	993.9	0.6	24.7	
			<i>including</i>									
OSK-EAG-12-314	2600	Underdog	1062.0	452534	5434589	330	-59	1050.7	1053.4	2.7	7.87	
OSK-EAG-12-333	2525	FW3	982.6	452459	5434565	333	-58	1052.4	1053.4	1.0	20.9	
			<i>including</i>									
OSK-EAG-12-333	2525	FW3	982.6	452459	5434565	333	-58	1149.3	1152.0	2.7	5.21	
			<i>including</i>									
OSK-EAG-12-333	2525	FW3	982.6	452459	5434565	333	-58	1150.3	1151.0	0.7	19.9	
			<i>including</i>									
OSK-EAG-12-333	2525	FW3U	982.6	452459	5434565	333	-58	836.7	838.8	2.1	4.60	
			<i>including</i>									
OSK-EAG-12-399	2700	FW3U	795.0	452584	5434701	328	-56	787.0	789.0	2.0	5.38	
OSK-EAG-12-424	2650	FW3	1002.5	452598	5434580	330	-55	787.8	788.1	0.3	34.7	
			<i>including</i>									
OSK-EAG-12-424	2650	FW3	1002.5	452598	5434580	330	-55	818.2	823.0	4.8	3.07	
			<i>including</i>									
OSK-EAG-12-424	2650	FW3	1002.5	452598	5434580	330	-55	822.7	823.0	0.3	23.1	
			<i>including</i>									
OSK-EAG-12-427	2675	FW3 HW	1215.0	452701	5434438	330	-51	848.1	850.2	2.1	116	59.4
			<i>including</i>									
OSK-EAG-12-427	2675	VNCR	1215.0	452701	5434438	330	-51	849.2	850.2	1.0	219	100
			<i>including</i>									
OSK-W-17-466-W1	2575	FW3 Upper	861.0	452484	5434643	330	-52	934.0	936.3	2.3	198	21.8
			<i>including</i>									
OSK-W-17-466-W1	2575	FW3 Upper FW	861.0	452484	5434643	330	-52	935.2	935.7	0.5	910	100
			<i>including</i>									
OSK-W-17-466-W2	2575	FW3 Upper	900.0	452484	5434643	330	-52	765.5	768.0	2.5	5.57	
			<i>including</i>									
OSK-EAG-13-477	2400	Underdog	1194.0	452401	5434431	330	-61	773.9	776.0	2.1	5.21	
			<i>including</i>									
OSK-EAG-13-477	2400	Underdog	1194.0	452401	5434431	330	-61	802.9	805.3	2.4	7.85	
			<i>including</i>									
OSK-EAG-13-480	2450	Vein	990.6	452400	5434486	331	-57	804.7	805.3	0.6	28.5	
			<i>including</i>									
OSK-EAG-13-480	2450	FW1	990.6	452400	5434486	331	-57	815.5	818.0	2.5	10.0	
			<i>including</i>									
OSK-EAG-13-480	2450	FW1	990.6	452400	5434486	331	-57	816.0	817.0	1.0	20.9	
			<i>including</i>									
OSK-EAG-13-480	2450	FW1	990.6	452400	5434486	331	-57	832.6	835.1	2.5	6.72	
			<i>including</i>									
OSK-EAG-13-480	2450	FW1	990.6	452400	5434486	331	-57	918.0	920.0	2.0	13.0	
			<i>including</i>									
OSK-EAG-13-480	2450	FW1	990.6	452400	5434486	331	-57	918.9	920.0	1.1	23.6	
			<i>including</i>									
OSK-EAG-13-480	2450	FW1	990.6	452400	5434486	331	-57	1110.0	1112.2	2.2	4.29	
			<i>including</i>									
OSK-EAG-13-480	2450	FW1	990.6	452400	5434486	331	-57	718.8	724.0	5.2	8.52	
			<i>including</i>									
OSK-EAG-13-480	2450	FW1	990.6	452400	5434486	331	-57	718.8	719.8	1.0	35.7	
			<i>including</i>									
OSK-EAG-13-480	2450	FW1	990.6	452400	5434486	331	-57	736.0	738.4	2.4	8.38	
			<i>including</i>									
OSK-EAG-13-480	2450	FW1	990.6	452400	5434486	331	-57	737.5	738.4	0.9	20.3	
			<i>including</i>									
OSK-EAG-13-480	2450	FW1	990.6	452400	5434486	331	-57	721.0	723.0	2.0	26.6	
			<i>including</i>									
OSK-EAG-13-480	2450	FW1	990.6	452400	5434486	331	-57	721.3	722.3	1.0	51.5	
			<i>including</i>									
OSK-EAG-13-480	2400	Underdog	1194.0	452401	5434431	330	-61	805.9	808.0	2.1	9.19	
			<i>including</i>									
OSK-EAG-13-480	2400	Underdog	1194.0	452401	5434431	330	-61	806.0	807.0	1.0	19.1	
			<i>including</i>									
OSK-EAG-13-480	2400	Underdog	1194.0	452401	5434431	330	-61	1058.0	1066.0	8.0	9.31	
			<i>including</i>									
OSK-EAG-13-480	2400	Underdog	1194.0	452401	5434431	330	-61	1060.0	1060.7	0.7	24.3	
			<i>including</i>									
OSK-EAG-13-480	2450	Vein	990.6	452400	5434486	331	-57	1065.0	1066.0	1.0	37.1	
			<i>including</i>									
OSK-EAG-13-480	2450	FW1	990.6	452400	5434486	331	-57	522.3	524.3	2.0	37.1	20.6
			<i>including</i>									
OSK-EAG-13-480	2450	FW1	990.6	452400	5434486	331	-57	524.0	524.3	0.3	210	100
			<i>including</i>									
OSK-EAG-13-480	2450	FW1	990.6	452400	5434486	331	-57					



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-EAG-13-480	2450	FW1 FW	990.6	452400	5434486	331	-57	681.0	684.0	3.0	4.67	
			<i>including</i>					683.0	684.0	1.0	11.8	
OSK-EAG-13-480	2450	FW1 FW	990.6	452400	5434486	331	-57	692.0	694.0	2.0	6.68	
			<i>including</i>					692.0	693.0	1.0	12.4	
OSK-EAG-13-480	2450	FW2	990.6	452400	5434486	331	-57	722.7	725.5	2.8	4.09	
OSK-EAG-13-480	2450	FW2	990.6	452400	5434486	331	-57	728.0	730.0	2.0	19.5	
			<i>including</i>					729.3	729.7	0.4	82.6	
OSK-EAG-13-480	2450	FW2	990.6	452400	5434486	331	-57	749.5	751.6	2.1	59.5	15.2
			<i>including</i>					750.7	751.0	0.3	410	100
OSK-EAG-13-480	2450	FW3	990.6	452400	5434486	331	-57	804.0	814.4	10.4	9.65	
			<i>including</i>					807.5	810.4	2.9	25.5	
			<i>and</i>					814.1	814.4	0.3	25.0	
OSK-EAG-13-480	2450	FW3	990.6	452400	5434486	331	-57	820.0	822.6	2.6	6.44	
			<i>including</i>					821.4	821.7	0.3	31.5	
OSK-EAG-13-480	2450	FW3	990.6	452400	5434486	331	-57	835.0	837.0	2.0	3.55	
OSK-EAG-13-480	2450	FW3U	990.6	452400	5434486	331	-57	911.8	914.0	2.2	7.04	
OSK-EAG-13-480	2450	FW3U	990.6	452400	5434486	331	-57	923.0	925.0	2.0	5.90	
OSK-EAG-13-480-W1	2425	Underdog	651.0	452400	5434486	331	-57	634.4	640.8	6.4	5.98	
			<i>including</i>					636.4	636.7	0.3	56.6	
OSK-EAG-13-480-W1	2425	Underdog	651.0	452400	5434486	331	-57	644.1	646.3	2.2	34.5	
			<i>including</i>					644.7	645.7	1.0	56.2	
OSK-EAG-13-480-W2	2425	Underdog	770.2	452400	5434486	331	-57	656.0	660.1	4.1	88.0	11.5
			<i>including</i>					659.8	660.1	0.3	1145	100
OSK-EAG-13-480-W2	2425	Underdog	770.2	452400	5434486	331	-57	694.9	697.6	2.7	3.93	
			<i>including</i>					694.9	695.6	0.7	11.2	
OSK-EAG-13-494	2750	Wolf	1197.0	452731	5434537	330	-60	738.5	740.6	2.1	6.52	
			<i>including</i>					740.0	740.6	0.6	19.6	
OSK-EAG-13-494	2750	Wolf	1197.0	452731	5434537	330	-60	749.0	751.0	2.0	4.56	
OSK-EAG-13-502	2625	FW3U HW	802.0	452506	5434696	330	-57	688.5	690.5	2.0	28.0	
OSK-EAG-13-502	2625	FW3 Upper	802.0	452506	5434696	330	-57	695.5	698.2	2.7	37.9	31.6
			<i>including</i>					695.5	695.8	0.3	66.3	
			<i>including</i>					695.8	696.1	0.3	38.4	
			<i>and</i>					696.1	696.6	0.5	134	100
OSK-EAG-13-503	2075	Underdog	918.0	451969	5434525	330	-56	342.5	344.9	2.4	8.96	
			<i>including</i>					343.5	344.9	1.4	13.3	
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	746.9	749.9	3.0	15.9	
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	753.0	755.1	2.1	4.22	
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	753.0	755.1	2.1	4.22	
OSK-EAG-13-505	2025	FW1	852.3	451930	5434493	330	-51	329.0	333.8	4.8	8.37	
			<i>including</i>					332.0	332.8	0.8	28.8	
OSK-EAG-13-508	2700	Z27	627.0	452588	5434698	330	-60	611.0	613.4	2.4	11.6	
			<i>including</i>					612.5	613.4	0.9	30.4	
OSK-EAG-13-509	2625	Zone 27	579.4	452523	5434658	330	-57	536.8	539.2	2.4	4.32	
OSK-EAG-13-513	2650	FW4	1131.0	452629	5434514	330	-55	1050.0	1054.0	4.0	10.6	
			<i>including</i>					1050.0	1052.0	2.0	18.0	
OSK-EAG-13-520	2650	FW3U	872.0	452568	5434633	330	-55	839.3	841.6	2.3	3.00	
OBM-15-552	2400	Caribou S1	1246.7	452390	5434436	329	-60	449.0	452.0	3.0	5.70	
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	707.0	711.0	4.0	2.28	
OBM-15-552	2400	FW1	1246.7	452390	5434436	329	-60	743.0	757.0	14.0	0.43	
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	881.0	882.0	1.0	29.2	
			<i>including</i>					881.0	881.5	0.5	57.3	
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	901.0	901.8	0.8	15.6	
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	929.0	931.0	2.0	3.29	
			<i>including</i>					929.8	930.3	0.5	8.83	
OBM-15-552	2400	FW3	1246.7	452390	5434436	329	-60	937.0	942.8	5.8	1.98	
			<i>including</i>					937.7	938.2	0.5	17.5	
OBM-15-552	2400	Footwall of FW3	1246.7	452390	5434436	329	-60	951.5	951.8	0.3	11.0	
OBM-15-552	2400	FW4	1246.7	452390	5434436	329	-60	1163.5	1164.5	1.0	8.09	
OBM-15-553	2150	-	47.2	452173	5434313	328	-60	<i>No significant results</i>				
OBM-15-554	2150	Caribou W2	1135.0	452173	5434313	336	-61	335.1	339.0	3.9	0.41	
OBM-15-554	2150	FW3	1135.0	452173	5434313	336	-61	922.0	924.0	2.0	1.85	
OBM-15-554	2150	-	1135.0	452173	5434313	336	-61	1082.8	1085.0	2.2	3.10	
OBM-15-554	2150	FW4	1135.0	452173	5434313	336	-61	1094.0	1097.2	3.2	2.43	
OBM-15-554	2150	Footwall of FW4	1135.0	452173	5434313	336	-61	1102.0	1105.0	3.0	6.33	
			<i>including</i>					1102.0	1103.0	1.0	18.2	
OBM-15-555	2400	-	283.5	452428	5434397	330	-60	282.8	284.2	1.4	14.9	
OBM-15-556	1850	FW1	1112.3	451899	5434189	330	-60	677.0	677.3	0.3	65.4	
OBM-15-556	1850	FW3	1112.3	451899	5434189	330	-60	832.8	841.0	8.2	0.07	
OBM-15-556	1850	FW4	1112.3	451899	5434189	330	-60	1057.1	1062.1	5.0	0.41	
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	200.1	202.1	2.0	4.12	
			<i>including</i>					200.1	200.8	0.7	9.94	
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	350.7	351.2	0.5	9.33	
OBM-15-557	2400	Caribou S1	1281.0	452429	5434393	332	-61	479.5	485.3	5.8	0.75	
OBM-15-557	2400	FW1	1281.0	452429	5434393	332	-61	852.7	855.0	2.3	4.19	
			<i>including</i>					853.4	854.3	0.9	7.64	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	894.5	901.3	6.8	5.27	
			<i>including</i>									
OBM-15-557	2400	FW3	1281.0	452429	5434393	332	-61	894.5	894.8	0.3	2590	100
			<i>including</i>									
			<i>and</i>									
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	971.0	981.3	10.3	3.80	
			<i>including</i>									
			<i>and</i>									
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	975.9	980.6	4.7	7.46	
			<i>including</i>									
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	975.9	976.9	1.0	23.4	
			<i>including</i>									
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	1136.7	1143.0	6.3	3.67	
			<i>including</i>									
OBM-15-558	2775		117.0	452748	5434559	330	-60	1136.7	1137.5	0.8	20.6	
			<i>including</i>									
OBM-15-558	2775	-	1319.5	452749	5434559	333	-60	271.5	272.5	1.0	6.06	
OBM-15-559	2775	Caribou S3 footwall	1319.5	452749	5434559	333	-60	545.8	547.0	1.2	6.76	
OBM-15-559	2775	Potential new lens	1319.5	452749	5434559	333	-60	628.9	631.7	2.8	5.24	
OBM-15-559	2775	Potential new lens	1319.5	452749	5434559	333	-60	646.5	666.9	20.4	7.04	
			<i>including</i>									
			<i>and</i>									
			<i>and</i>									
			<i>and</i>									
OBM-15-559	2775	Potential new lens	1319.5	452749	5434559	333	-60	646.5	650.5	4.0	12.9	
OBM-15-559	2775	Potential new lens	1319.5	452749	5434559	333	-60	646.5	647.5	1.0	39.0	
OBM-15-559	2775	-	1319.5	452749	5434559	333	-60	654.0	657.4	3.4	12.8	
			<i>including</i>									
OBM-15-559	2775	Potential new lens	1319.5	452749	5434559	333	-60	662.5	666.9	4.4	8.90	
OBM-15-559	2775	Potential new lens	1319.5	452749	5434559	333	-60	681.0	684.7	3.7	10.0	
OBM-15-559	2775	Potential new lens	1319.5	452749	5434559	333	-60	751.0	761.0	10.0	7.00	
OBM-15-559	2775	-	1319.5	452749	5434559	333	-60	976.1	979.0	2.9	5.74	
			<i>including</i>									
OBM-15-560	2550	Caribou S1	1508.0	452670	5434252	333	-57	977.3	978.0	0.7	23.0	
			<i>including</i>									
			<i>and</i>									
OBM-15-560	2550	Vein in Red Dog	1508.0	452670	5434252	333	-57	701.9	708.0	6.1	11.0	
OBM-15-560	2550	FW0	1508.0	452670	5434252	333	-57	702.3	703.4	1.1	45.7	
			<i>including</i>									
OBM-15-560	2550	FW1	1508.0	452670	5434252	333	-57	705.1	707.0	2.0	8.38	
			<i>including</i>									
OBM-15-560	2550	Splay FW3	1508.0	452670	5434252	333	-57	737.8	738.3	0.5	69.6	
			<i>including</i>									
OBM-15-560	2550	shallow mineralization	60.5	452184	5434597	330	-52	957.0	959.0	2.0	12.5	
OBM-15-561	2300	Zone 27	125.4	452194	5434775	151	-64	958.0	959.0	1.0	18.6	
OBM-15-562	2400	Zone 27	125.4	452194	5434775	151	-64	1123.0	1136.0	13.0	5.71	
OBM-15-563	2375		231.0	452237	5434682	330	-50	1131.5	1132.4	0.9	41.0	
OBM-15-564	2675	Potential new lens	1527.0	452759	5434367	330	-60	1132.4	1133.0	0.6	21.3	
			<i>including</i>									
OBM-15-564	2675	Caribou S1	1527.0	452759	5434367	330	-60	1196.8	1203.0	6.2	11.1	
			<i>including</i>									
OBM-15-564	2675	-	1527.0	452759	5434367	330	-60	1199.4	1199.9	0.5	48.1	
OBM-15-564	2675	New potential lens	1527.0	452759	5434367	330	-60	21.0	22.0	1.0	121	100
OBM-15-564	2675	FW1	1527.0	452759	5434367	330	-60	77.0	89.0	12.0	0.98	
OBM-15-564	2675	Hanging wall of FW3	1527.0	452759	5434367	330	-60	<i>No significant results</i>				
OBM-15-564	2675	Hanging wall of FW3	1527.0	452759	5434367	330	-60	436.6	439.9	3.3	22.3	
			<i>including</i>									
OBM-15-564	2675	Caribou S1	1527.0	452759	5434367	330	-60	439.5	439.9	0.4	171	100
OBM-15-564	2675	-	1527.0	452759	5434367	330	-60	666.7	674.1	7.4	5.59	
OBM-15-564	2675	New potential lens	1527.0	452759	5434367	330	-60	666.7	668.8	2.1	17.9	
OBM-15-564	2675	FW1	1527.0	452759	5434367	330	-60	865.4	867.8	2.4	8.29	
OBM-15-564	2675	Hanging wall of FW3	1527.0	452759	5434367	330	-60	947.0	954.0	7.0	7.49	
OBM-15-564	2675	Hanging wall of FW3	1527.0	452759	5434367	330	-60	948.8	949.3	0.5	85.4	
OBM-15-564	2675	FW3	1527.0	452759	5434367	330	-60	1102.9	1105.0	2.1	7.19	
OBM-15-564	2675	FW3	1527.0	452759	5434367	330	-60	1268.9	1271.0	2.1	4.09	
OBM-15-564	2675	FW3	1527.0	452759	5434367	330	-60	1286.9	1288.9	2.0	5.10	
			<i>including</i>									
OBM-15-564	2675	FW3	1527.0	452759	5434367	330	-60	1286.9	1287.4	0.5	18.5	
OBM-15-564	2675	FW3	1527.0	452759	5434367	330	-60	1295.0	1297.1	2.1	5.32	
OBM-15-565	2375	Caribou	285.0	452263	5434628	330	-50	30.0	39.0	9.0	3.59	
			<i>including</i>									
OBM-15-565	2375	Zone 27	285.0	452263	5434628	330	-50	30.5	31.0	0.5	19.3	
			<i>including</i>									
OBM-15-565	2375	Zone 27	285.0	452263	5434628	330	-50	37.5	39.0	1.5	6.58	
			<i>including</i>									
OBM-15-565	2375	Zone 27	285.0	452263	5434628	330	-50	234.4	241.0	6.6	2.78	
			<i>including</i>									
OBM-15-565	2375	Zone 27	285.0	452263	5434628	330	-50	234.4	237.0	2.6	4.94	
			<i>including</i>									
OBM-15-565	2375	Zone 27	285.0	452263	5434628	330	-50	234.4	235.3	0.9	8.18	
			<i>including</i>									
OSK-OBM-15-565	2375	No name	669.0	452263	5434628	330	-50	393.0	395.0	2.0	48.6	
			<i>including</i>									
OBM-15-566	2300	Zone 27	195.0	452096	5434745	151	-72	393.0	395.0	1.0	96.9	
			<i>including</i>									
OBM-15-566	2300	Zone 27	195.0	452096	5434745	151	-72	68.5	73.0	4.5	2.37	
			<i>including</i>									
OBM-15-567	2250	Zone 27	69.0	452071	5434692	150	-63	71.1	72.1	1.0	4.94	
OBM-15-568	2400	Upper Zone 27	214.4	452259	5434698	330	-50	35.8	39.0	3.2	3.45	
			<i>including</i>									
OBM-15-568	2400	Extension Upper Zone 27	214.4	452259	5434698	330	-50	82.5	87.0	4.5	2.34	
OBM-15-568	2400	Zone 27	214.4	452259	5434698	330	-50	98.0	101.0	3.0	4.52	
OBM-16-569	2425	Zone 27	231.0	452271	5434688	331	-54	179.5	182.0	2.5	1.63	
OBM-16-569	2425	New splay of zone 27	231.0	452271	5434688	331	-54	79.5	99.5	20.0	0.62	
			<i>including</i>									
OBM-16-569	2425	Zone 27	231.0	452271	5434688	331	-54	126.5	127.0	0.5	56.3	
			<i>including</i>									
OBM-16-570	2150	Caribou W2	200.5	452122	5434403	331	-50	218.3	220.5	2.2	10.6	
			<i>including</i>									
OBM-16-571	2150	-	263.5	452148	5434364	331	-50	218.3	218.9	0.6	26.6	
			<i>including</i>									
OBM-16-571	2150	-	263.5	452148	5434364	331	-50	107.0	109.6	2.6	31.1	
			<i>including</i>									
OBM-16-571	2150	Caribou	263.5	452148	5434364	331	-50	107.9	108.6	0.7	111	100
			<i>including</i>									
OBM-16-571	2150	Caribou	263.5	452148	5434364	331	-50	28.4	31.0	2.6	4.20	
			<i>including</i>									
OBM-16-571	2150	Caribou	263.5	452148	5434364	331	-50	28.4	29.2	0.8	13.6	
			<i>including</i>									
OBM-16-571	2150	Caribou	263.5	452148	5434364	331	-50	162.0	164.0	2.0	32.3	
			<i>including</i>									
OBM-16-571	2150	Caribou	263.5	452148	5434364	331	-50	162.0	162.4	0.4	161	100
			<i>including</i>									
OBM-16-571	2150	Caribou	263.5	452148	5434364	331	-50	165.5	172.7	7.2	1.20	
			<i>including</i>									
OBM-16-572	2400	Upper Zone 27	261.0	452262	5434662	331	-50	168.5	169.5	1.0	4.50	
			<i>including</i>									
OBM-16-572	2400	Upper Zone 27	261.0	452262	5434662	331	-50	101.5	103.5	2.0	97.3	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	
			<i>including</i>						101.5	102.5	1.0	194	100
OBM-16-572	2400	Hanging wall Zone 27	261.0	452262	5434662	331	-50	199.0	203.0	4.0	2.17		
			<i>including</i>						200.0	200.6	0.6	10.3	
OBM-16-572	2400	Zone 27	261.0	452262	5434662	331	-50	226.0	232.0	6.0	1.81		
			<i>including</i>						229.3	230.0	0.7	5.83	
			<i>and</i>						231.0	232.0	1.0	3.52	
OBM-16-573	2725	-	651.0	452639	5434672	332	-51	107.0	109.0	2.0	3.77		
OBM-16-573	2725	-	651.0	452639	5434672	332	-51	302.0	304.0	2.0	5.43		
			<i>including</i>						302.0	303.0	1.0	10.6	
OBM-16-573	2725	-	651.0	452639	5434672	332	-51	313.0	315.0	2.0	32.9		
			<i>including</i>						313.5	314.6	1.1	59.7	
OBM-16-573	2725	-	651.0	452639	5434672	332	-51	443.4	446.1	2.7	4.86		
			<i>including</i>						444.4	444.8	0.4	17.3	
OBM-16-573	2725	Zone 27-3	651.0	452639	5434672	332	-51	569.3	571.8	2.5	15.3		
			<i>including</i>						569.3	569.8	0.5	48.8	
OBM-16-574	2175	Caribou W2	228.0	452162	5434397	331	-50	159.0	168.0	9.0	0.75		
			<i>including</i>						165.5	165.8	0.3	4.46	
OBM-16-575	2125	Caribou W2	231.0	452118	5434354	331	-50	182.4	193.1	10.7	0.68		
			<i>including</i>						187.0	193.1	6.1	1.06	
OBM-16-576	2075		201.0	452068	5434363	331	-50	<i>No significant results</i>					
OBM-16-577	2950	-	143.0	452820	5434777	330	-62	129.0	133.0	4.0	4.13		
			<i>including</i>						132.0	133.0	1.0	11.1	
OBM-16-578	2050	Caribou W1	201.0	452040	5434347	331	-50	164.0	179.5	15.5	0.39		
			<i>including</i>						171.9	172.5	0.6	3.19	
OBM-16-579	2300	-	249.0	452184	5434611	331	-48	36.6	39.0	2.4	19.7		
			<i>including</i>						36.6	37.5	0.9	51.8	
OBM-16-579	2300	Zone 27	249.0	452184	5434611	331	-48	196.5	199.8	3.3	1.28		
OBM-16-580	2950	-	1271.0	452818	5434773	332	-63	441.4	446.8	5.4	4.30		
OBM-16-580	2950	Zone 27	1271.0	452818	5434773	332	-63	672.4	675.8	3.4	9.49		
OBM-16-580	2950	FW4	1271.0	452818	5434773	332	-63	1162.2	1168.2	6.0	19.6		
			<i>including</i>						1162.2	1162.8	0.6	150	100
			<i>and</i>						1167.9	1168.2	0.3	97.7	
OBM-16-581	1950	Caribou W	201.0	451955	5434301	331	-50	153.6	166.4	12.8	0.78		
			<i>including</i>						153.6	155.1	1.5	3.32	
OBM-16-582	2775	-	509.5	452690	5434696	334	-52	216.0	218.8	2.8	15.9		
OBM-16-583	1700	-	801.0	451766	5434111	334	-55	774.0	777.0	3.0	19.0		
			<i>including</i>						776.0	777.0	1.0	55.0	
OBM-16-584	2900	-	83.5	452722	5434870	327	-65	36.0	38.0	2.0	5.67		
			<i>including</i>						36.5	37.1	0.6	16.9	
OBM-16-584	2900	Vein	83.5	452722	5434870	327	-65	57.0	59.0	2.0	287	100	
			<i>including</i>						57.0	58.0	1.0	566	100
OBM-16-584	2900	-	83.5	452722	5434870	327	-65	70.9	74.5	3.6	6.19		
			<i>including</i>						73.7	74.5	0.8	26.4	
OBM-16-585	2950		83.5	452768	5434887	330	-67	<i>No significant results</i>					
OBM-16-586	3000	-	152.5	452835	5434860	330	-65	8.6	10.7	2.1	6.62		
OBM-16-586	3000	-	152.5	452835	5434860	330	-65	18.0	21.0	3.0	17.6		
OBM-16-587	3000	-	83.5	452806	5434914	331	-66	12.9	16.3	3.4	3.08		
OBM-16-588	3050	-	101.5	452873	5434899	329	-67	65.9	67.9	2.0	5.45		
			<i>including</i>						67.0	67.5	0.5	19.3	
OBM-16-589	3050		83.5	452856	5434930	331	-70	<i>No significant results</i>					
OBM-16-590	1700		747.0	451726	5434183	330	-55	<i>No significant results</i>					
OBM-16-591	3100		119.5	452902	5434948	327	-59	<i>No significant results</i>					
OBM-16-592	2750		50.5	452559	5434841	330	-78	<i>No significant results</i>					
OBM-16-593	2800	Crustiform vein	77.5	452606	5434862	150	-72	46.4	48.6	2.2	5.17		
OBM-16-593	2800	Crustiform vein	77.5	452606	5434862	150	-72	53.0	57.6	4.6	8.43		
			<i>including</i>						55.3	55.6	0.3	230	100
OBM-16-594	2850	C-south-2	149.5	452624	5434932	150	-80	88.8	100.0	11.2	1.13		
OBM-16-594	2850	C-south-2	149.5	452624	5434932	150	-80	136.9	139.3	2.4	2.56		
OBM-16-595	2950	New zone	74.5	452679	5435033	150	-80	63.0	65.5	2.5	4.08		
OBM-16-596	2875		26.5	452855	5434568	328	-60	<i>No significant results</i>					
OBM-16-597	2100		276.0	452005	5434512	331	-53	<i>No significant results</i>					
OBM-16-598	2875	Caribou S1	1382.0	452855	5434568	333	-61	504.7	508.0	3.3	9.44		
			<i>including</i>						507.0	508.0	1.0	25.1	
OBM-16-598	2875	C-south-3	1382.0	452855	5434568	333	-61	542.1	558.8	16.7	1.62		
OBM-16-598	2875	FW3	1382.0	452855	5434568	333	-61	1115.0	1122.4	7.4	5.56		
			<i>including</i>						1118.0	1119.0	1.0	9.33	
			<i>including</i>						1121.9	1122.4	0.5	56.8	
OBM-16-599	2100	Zone 27	270.0	451986	5434537	332	-50	193.0	198.6	5.6	2.11		
OBM-16-600	2150	Zone 27 hanging wall	252.0	452030	5434563	331	-48	166.6	170.8	4.2	12.9		
			<i>including</i>						166.6	167.7	1.1	18.9	
			<i>and</i>						169.7	170.8	1.1	23.5	
OBM-16-600	2150	Zone 27	252.0	452030	5434563	331	-48	178.5	182.0	3.5	3.36		
OBM-16-601	2600	Caribou	504.0	452476	5434677	332	-51	231.1	233.5	2.4	5.43		
OBM-16-601	2600	Zone 27	504.0	452476	5434677	332	-51	425.0	427.3	2.3	0.90		



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-OBM-16-601	2600	FW3U	801.0	452476	5434677	332	-51	657.6	659.6	2.0	16.2	
OSK-OBM-16-601	2600	FW4	801.0	452476	5434677	332	-51	795.0	797.8	2.8	5.26	
			<i>including</i>					797.1	797.8	0.7	20.7	
OBM-16-602	1700	-	759.0	451679	5434254	330	-57	193.5	196.5	3.0	14.1	
			<i>including</i>					194.5	195.1	0.6	68.2	
OBM-16-602	1700	FW1	759.0	451679	5434254	330	-57	407.0	409.0	2.0	7.84	
			<i>including</i>					407.6	408.1	0.5	25.7	
OBM-16-602	1700	FW3	759.0	451679	5434254	330	-57	489.5	491.5	2.0	0.35	
OBM-16-602	1700	FW4	759.0	451679	5434254	330	-57	749.0	751.0	2.0	2.86	
OBM-16-603	2150	Zone 27	249.0	452042	5434548	331	-50	188.0	207.9	19.9	11.4	
			<i>including</i>					188.0	189.4	1.4	54.1	
			<i>and</i>					200.4	207.9	7.5	20.3	
			<i>and</i>					206.0	207.9	1.9	71.6	
			<i>and</i>					206.7	207.0	0.3	142	100
OBM-16-603	2150	Footwall Zone 27	249.0	452042	5434548	331	-50	233.0	235.5	2.5	4.31	
OBM-16-604	2150	Zone 27	279.0	452046	5434533	330	-53	234.0	237.0	3.0	4.29	
OBM-16-605	2575	New zone	443.0	452445	5434705	332	-51	320.0	322.0	2.0	3.64	
OBM-16-605	2575	Zone 27	443.0	452445	5434705	332	-51	345.0	347.8	2.8	0.90	
OBM-16-606	2175	Zone 27	278.6	452072	5434559	331	-50	192.1	197.1	5.0	13.8	
			<i>including</i>					196.0	196.8	0.8	76.9	
OBM-16-607	1700		624.0	451641	5434330	332	-55	<i>FW1 - No significant results</i>				
OBM-16-607	1700		624.0	451641	5434330	332	-55	<i>FW3 - No significant results</i>				
OBM-16-607	1700		624.0	451641	5434330	332	-55	<i>FW4 - No significant results</i>				
OBM-16-608	2225	-	249.0	452095	5434590	331	-50	87.0	89.1	2.1	5.64	
			<i>including</i>					88.3	89.1	0.8	14.2	
OBM-16-608	2225	Zone 27	249.0	452095	5434590	331	-50	177.3	186.6	9.3	10.3	
			<i>including</i>					179.5	181.5	2.0	12.9	
			<i>including</i>					183.0	183.5	0.5	232	100
			<i>including</i>					183.8	184.2	0.4	13.7	
OBM-16-608	2225	Footwall of Zone 27	249.0	452095	5434590	331	-50	201.2	205.0	3.8	7.21	
			<i>including</i>					203.2	204.2	1.0	21.4	
OBM-16-609	2550	Zone 27	555.0	452459	5434642	331	-49	426.5	437.7	11.2	5.21	
OSK-OBM-16-609	2550	FW3U HW	738.0	452459	5434642	331	-49	635.0	637.0	2.0	3.07	
OSK-OBM-16-609	2550	FW3U HW	738.0	452459	5434642	331	-49	641.8	646.0	4.2	1.17	
OSK-OBM-16-609	2550	FW3U	738.0	452459	5434642	331	-49	654.3	662.0	7.7	63.2	23.7
			<i>including</i>					656.0	658.0	2.0	18.9	
			<i>including</i>					660.0	662.0	2.0	222	69.7
OBM-16-610	2225	Zone 27	270.0	452108	5434571	331	-50	191.0	192.0	1.0	8.15	
OBM-16-610	2225	Zone 27	270.0	452108	5434571	331	-50	198.1	203.0	4.9	3.81	
			<i>including</i>					198.1	198.9	0.8	9.06	
			<i>including</i>					202.1	203.0	0.9	6.82	
OBM-16-610	2225	Footwall of Zone 27	270.0	452108	5434571	331	-50	221.0	226.0	5.0	24.2	
			<i>including</i>					223.5	224.5	1.0	419	100
OBM-16-611	2250	-	249.0	452122	5434597	332	-49	87.0	91.5	4.5	4.44	
OBM-16-611	2250	Zone 27	249.0	452122	5434597	332	-49	177.6	182.0	4.4	3.44	
			<i>including</i>					177.6	178.5	0.9	5.70	
OBM-16-612	2775		140.0	452851	5434378	331	-58	<i>Hole abandoned</i>				
OBM-16-613	2550	Caribou	251.0	452431	5434676	332	-51	151.0	153.2	2.2	4.83	
OBM-16-613	2550	Footwall Caribou	251.0	452431	5434676	332	-51	157.8	160.0	2.2	4.43	
OBM-16-614	2775	-	1118.0	452851	5434378	333	-60	417.0	419.0	2.0	3.06	
OBM-16-614	2775	Caribou S3	1118.0	452851	5434378	333	-60	797.1	799.6	2.5	0.69	
OBM-16-614	2775	-	1118.0	452851	5434378	333	-60	1020.0	1022.1	2.1	3.85	
OBM-16-614	2775	New zone between FW1 et FW3	1118.0	452851	5434378	333	-60	1026.8	1030.2	3.4	11.2	
			<i>including</i>					1029.9	1030.2	0.3	84.9	
OBM-16-614	2775	New zone between FW1 et FW3	1118.0	452851	5434378	333	-60	1036.7	1039.0	2.3	3.99	
			<i>including</i>					1037.5	1038.0	0.5	13.2	
OBM-16-614-W1	2775	FW0	1518.0	452851	5434378	333	-60	1020.1	1023.0	2.9	4.96	
			<i>including</i>					1020.7	1021.3	0.6	17.9	
OBM-16-614-W1	2775	New zone below I2F intrusion	1518.0	452851	5434378	333	-60	1032.0	1034.0	2.0	3.60	
OBM-16-614-W1	2775	New zone below I2F intrusion	1518.0	452851	5434378	333	-60	1043.7	1046.0	2.3	5.34	
OBM-16-614-W1	2775	FW1	1518.0	452851	5434378	333	-60	1204.0	1206.0	2.0	3.40	
			<i>including</i>					1204.0	1205.0	1.0	6.30	
OBM-16-614-W1	2775	Quartz veins	1518.0	452851	5434378	333	-60	1301.0	1303.0	2.0	3.23	
			<i>including</i>					1301.0	1302.0	1.0	6.40	
OBM-16-614-W1	2775	FW3	1518.0	452851	5434378	333	-60	1340.0	1342.0	2.0	4.22	
			<i>including</i>					1341.0	1342.0	1.0	8.26	
OBM-16-615	2200	Zone 27	84.0	452038	5434645	331	-64	54.5	57.0	2.5	4.35	
OBM-16-616	1675	FW3	402.0	451557	5434464	332	-61	122.4	124.8	2.4	18.9	
			<i>including</i>					123.8	124.5	0.7	37.3	
OBM-16-617	2150	Zone 27	96.0	451986	5434636	327	-73	44.3	50.0	5.7	6.94	
OBM-16-618	2525	Extension Caribou N2	751.5	452426	5434636	333	-51	281.3	283.8	2.5	5.77	
OBM-16-618	2525	-	751.5	452426	5434636	333	-51	286.9	289.0	2.1	6.25	
OBM-16-618	2525	Hanging wall Zone 27	751.5	452426	5434636	333	-51	398.0	408.0	10.0	1.00	
OBM-16-618	2525	footwall Zone 27	751.5	452426	5434636	333	-51	433.5	436.3	2.8	8.96	
			<i>including</i>					435.5	436.3	0.8	23.6	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-16-618	2525	FW3 Upper	751.5	452426	5434636	333	-51	685.0	688.4	3.4	0.14	
OBM-16-619	2150	Zone 27	126.0	451964	5434676	328	-70	69.0	72.1	3.1	1.64	
OBM-16-619	2150	Zone 27-1	126.0	451964	5434676	328	-70	98.5	101.0	2.5	1.61	
<i>including</i>								99.6	100.0	0.4	8.27	
OBM-16-620	2200	Mallard	75.0	451913	5434866	327	-67	25.0	27.1	2.1	3.70	
OBM-16-621	2250		54.0	451964	5434877	330	-57	<i>Mallard - No significant results</i>				
OBM-16-622	1875		114.0	451605	5434772	330	-71	<i>No significant results</i>				
OBM-16-623	2250		48.0	451951	5434900	330	-57	<i>No significant results</i>				
OBM-16-624	2300	Zone 27	60.0	452117	5434711	150	-67	27.4	30.7	3.3	1.60	
OBM-16-624	2300	Zone 27	60.0	452117	5434711	150	-67	36.7	38.8	2.1	1.09	
OBM-16-625	2525	-	525.0	452404	5434675	333	-51	167.0	169.2	2.2	11.2	
OBM-16-625	2525	-	525.0	452404	5434675	333	-51	269.0	271.0	2.0	4.29	
OBM-16-625	2525	Zone 27 HW	525.0	452404	5434675	333	-51	333.3	336.0	2.7	7.97	
<i>including</i>								333.3	334.2	0.9	15.6	
OBM-16-625	2525	Zone 27 FW	525.0	452404	5434675	333	-51	349.0	352.0	3.0	3.83	
OBM-16-625	2525	-	525.0	452404	5434675	333	-51	518.7	521.0	2.3	23.8	
OSK-OBM-16-625	2525	FW3U HW	801.0	452404	5434675	331	-51	588.0	590.1	2.1	4.00	
<i>including</i>								588.5	588.9	0.4	16.9	
OSK-OBM-16-625	2525	FW3U	801.0	452404	5434675	331	-51	605.3	610.6	5.3	0.35	
OBM-16-625	2525		525.0	452404	5434675	333	-51	<i>Caribou - No significant results</i>				
OBM-16-626	2350	Caribou (upper extension)	81.0	452224	5434626	151	-68	40.5	43.0	2.5	41.8	
<i>including</i>								40.5	41.4	0.9	136	100
OBM-16-626	2350	Crustiform vein	81.0	452224	5434626	151	-68	60.9	63.3	2.4	23.3	
<i>including</i>								60.9	61.2	0.3	69.6	
<i>including</i>								62.6	63.3	0.7	40.3	
OBM-16-627	1875		102.0	451590	5434766	320	-56	<i>Crustiform vein - No significant results</i>				
OBM-16-628	2375		29.8	452252	5434613	343	-50	<i>Hole abandoned</i>				
OBM-16-629	1875		81.0	451582	5434795	332	-68	<i>Crustiform vein - No significant results</i>				
OBM-16-630	2350	Zone 27	279.0	452251	5434613	329	-51	244.3	248.6	4.3	1.13	
OSK-OBM-16-630	2375	FW3U HW	699.0	452251	5434613	329	-51	518.2		2.8	4.82	
OBM-16-631	1800		120.0	451501	5434780	151	-56	<i>Crustiform vein - No significant results</i>				
OBM-16-632	1750		105.0	451462	5434740	155	-51	<i>Crustiform vein - No significant results</i>				
OBM-16-633	2350	Zone 27	271.7	452222	5434637	332	-51	203.6	205.8	2.2	7.81	
<i>including</i>								204.0	204.3	0.3	51.5	
OBM-16-634	1875		165.0	451547	5434850	146	-57	<i>Crustiform vein - No significant results</i>				
OBM-16-635	2500		99.0	452260	5434862	333	-78	<i>Caribou - No significant results</i>				
OBM-16-636	2350	Caribou	300.0	452240	5434584	331	-50	43.6	51.2	7.6	0.51	
OBM-16-636	2350	Zone 27	300.0	452240	5434584	331	-50	253.1	256.0	2.9	0.56	
OBM-16-636	2350		300.0	452240	5434584	331	-50	<i>C-west-4 - No significant results</i>				
OBX-16-637	N/A		165.0	459413	5439271	360	-49	<i>No significant results</i>				
OBX-16-638	N/A		249.0	459298	5439131	1	-47	<i>No significant results</i>				
OBM-16-639	2825	Shear Zone	266.0	452719	5434725	330	-61	18.0	20.0	2.0	2.96	
OBM-16-640	2325		399.0	452214	5434605	330	-50	<i>No significant results</i>				
OBX-16-641	N/A	Exploration	378.0	459580	5439413	182	-45	249.8	252.3	2.5	1.12	
OBX-16-641	N/A	Exploration	378.0	459580	5439413	182	-45	256.0	259.0	3.0	1.09	
OBM-16-642	2825	New zone	1089.8	452719	5434726	334	-61	318.4	321.0	2.6	10.0	
OBM-16-642	2825	Caribou North 2	1089.8	452719	5434726	334	-61	510.0	521.0	11.0	3.46	
OBM-16-642	2825	Closing of Zone 27-3	1089.8	452719	5434726	334	-61	610.0	620.0	10.6	1.11	
OBM-16-642	2825	FW3	1089.8	452719	5434726	334	-61	816.4	817.8	1.4	0.28	
OBM-16-642	2825	New underdog corridor	1089.8	452719	5434726	334	-61	934.0	937.9	3.9	17.2	
<i>including</i>								934.0	934.3	0.3	264	100
OBM-16-643	2325	Caribou	300.0	452217	5434580	330	-50	35.0	38.0	3.0	4.95	
OBM-16-643	2325	New zone	300.0	452217	5434580	330	-50	172.0	177.4	5.4	2.48	
<i>including</i>								174.0	175.0	1.0	6.93	
OBM-16-643	2325	Zone 27	300.0	452217	5434580	330	-50	245.6	247.9	2.3	25.2	
<i>including</i>								245.6	246.1	0.5	254	100
OBM-16-643	2325	Zone 27 footwall	300.0	452217	5434580	330	-50	261.7	264.0	2.3	5.03	
OBX-16-644	N/A		168.0	459109	5439140	358	-48	<i>No significant results</i>				
OBM-16-645	2325	Pyrite vein	396.0	452201	5434629	330	-50	155.0	155.4	0.4	46.4	
OBM-16-645	2325	Zone 27 (pyrite vein)	396.0	452201	5434629	330	-50	184.3	187.0	2.7	2.31	
<i>including</i>								184.3	184.6	0.3	6.88	
OBM-16-645	2325	Zone 27 footwall	396.0	452201	5434629	330	-50	219.9	222.0	2.1	5.67	
OBX-16-646	N/A		399.0	458692	5439135	360	-49	<i>No significant results</i>				
OBM-16-647	2500	Caribou	120.0	452381	5434658	332	-44	100.8	103.0	2.2	5.00	
OBM-16-648	2450		87.0	452327	5434649	329	-65	<i>No significant results</i>				
OBM-16-649	2400	Caribou	126.0	452268	5434647	151	-78	37.0	39.1	2.1	4.37	
OBM-16-649	2400	Caribou	126.0	452268	5434647	151	-78	48.6	51.0	2.4	9.55	
OBM-16-649	2400	Caribou	126.0	452268	5434647	151	-78	81.0	83.5	2.5	3.33	
OBM-16-649	2400	Caribou	126.0	452268	5434647	151	-78	95.5	98.0	2.5	3.93	
OBM-16-650	2900		138.0	452749	5434816	331	-45	<i>No significant results</i>				
OBM-16-651	2350	Zone 27	186.0	452213	5434676	322	-46	73.1	79.1	6.0	0.73	
OBM-16-651	2350	Zone 27 footwall	186.0	452213	5434676	322	-46	158.5	163.8	5.3	8.94	
<i>including</i>								163.3	163.8	0.5	30.5	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBX-16-652	N/A	Crustiform vein	234.0	448639	5434175	167	-44	208.7	210.2	1.5	12.7	
OBM-16-653	2950		111.4	452727	5434960	330	-51	No significant results				
OBM-16-654	2250	Zone 27	267.0	452134	5434591	330	-52	171.9	183.0	11.1	0.96	
OBM-16-655	2400	New zone	954.0	452439	5434353	333	-61	207.0	209.5	2.5	3.82	
		<i>including</i>						208.0	209.5	1.5	6.82	
OBM-16-655	2400	Tourmaline vein	954.0	452439	5434353	333	-61	410.0	412.0	2.0	10.8	
		<i>including</i>						410.0	411.0	1.0	21.6	
OBM-16-655	2400	Quartz vein in I2F	954.0	452439	5434353	333	-61	539.4	539.8	0.4	6.06	
OBM-16-655	2400	Quartz-carbonate-chlorite vein in I2F	954.0	452439	5434353	333	-61	550.0	550.3	0.3	75.5	
OBM-16-655	2400	New zone	954.0	452439	5434353	333	-61	917.5	928.5	11.0	5.30	
		<i>including</i>						924.0	928.5	4.5	10.2	
OBM-16-656	2500	Caribou	336.0	452359	5434680	329	-48	60.4	62.5	2.1	6.48	
OBM-16-656	2500	Caribou footwall	336.0	452359	5434680	329	-48	67.7	73.4	5.7	6.19	
		<i>including</i>						72.5	73.4	0.9	24.4	
OBM-16-656	2500	New zone	336.0	452359	5434680	329	-48	195.5	198.3	2.8	3.39	
		<i>including</i>						197.8	198.3	0.5	9.20	
OBM-16-656	2500	Hanging wall of Zone 27	336.0	452359	5434680	329	-48	255.2	261.0	5.8	9.04	
		<i>including</i>						260.0	260.5	0.5	73.8	
OBM-16-656	2500	Zone 27	336.0	452359	5434680	329	-48	273.3	276.4	3.1	30.6	
		<i>including</i>						274.2	275.3	1.1	70.8	
OBM-16-656	2500	Zone 27	336.0	452359	5434680	329	-48	296.0	299.0	3.0	8.30	
		<i>including</i>						296.0	297.0	1.0	22.2	
OBX-16-657	N/A		261.0	448718	5433925	360	-55	No significant results				
OBM-16-658	2675	Caribou South 1	924.0	452611	5434621	333	-60	380.0	382.0	2.0	45.8	
		<i>including</i>						380.0	381.0	1.0	90.0	
OBM-16-658	2675	Caribou South 3	924.0	452611	5434621	333	-60	450.0	454.0	4.0	1.66	
OBM-16-658	2675	New zone	924.0	452611	5434621	333	-60	519.0	527.0	8.0	8.90	
		<i>including</i>						521.0	521.8	0.8	18.8	
		<i>and</i>						522.4	523.4	1.0	37.1	
OBM-16-658	2675	Caribou North 2	924.0	452611	5434621	333	-60	562.4	564.5	2.1	3.96	
OBM-16-658	2675	Zone 27-3	924.0	452611	5434621	333	-60	675.0	676.8	1.8	3.98	
		<i>including</i>						676.0	676.8	0.8	8.80	
OBM-16-658	2675	FW3	924.0	452611	5434621	333	-60	851.0	854.0	3.0	0.19	
OBX-16-659	N/A		240.0	448629	5433901	356	-46	No significant results				
OBM-16-660	2500	Caribou	426.0	452376	5434668	329	-52	93.0	98.7	5.7	2.16	
OBM-16-660	2500	Caribou	426.0	452376	5434668	329	-52	125.1	132.0	6.9	7.25	
		<i>including</i>						129.6	130.7	1.1	24.3	
OBM-16-660	2500	Zone 27	426.0	452376	5434668	329	-52	301.7	305.4	3.7	2.24	
OSK-OBM-16-660	2500	FW3U	651.0	452376	5434668	329	-52	573.9	576.8	2.9	15.0	
		<i>including</i>						573.9	575.0	1.1	17.9	
		<i>including</i>						576.0	576.8	0.8	22.8	
OBX-16-661	N/A		555.0	448773	5433866	330	-59	No significant results				
OBM-16-662	2550	Hanging wall of Caribou	210.0	452423	5434665	330	-53	129.3	131.4	2.1	3.09	
OBM-16-662	2550	Caribou	210.0	452423	5434665	330	-53	173.7	179.7	6.0	0.95	
OSK-OBM-16-662	2550	Z27	435.0	452423	5434665	330	-53	395.0	400.0	5.0	4.25	
OBM-16-663	2525	New zone	450.0	452402	5434658	330	-53	233.7	236.1	2.4	30.2	
		<i>including</i>						233.7	234.4	0.7	169	100
OBM-16-663	2525	Zone 27 hanging wall	450.0	452402	5434658	330	-53	366.8	371.0	4.2	2.92	
		<i>including</i>						366.8	367.2	0.4	11.4	
		<i>and</i>						370.0	371.0	1.0	5.11	
OBM-16-663	2525	Zone 27	450.0	452402	5434658	330	-53	383.5	395.2	11.7	5.38	
		<i>including</i>						384.3	388.5	4.2	10.9	
OSK-W-17-663-W1	2525	FW3U	822.2	452402	5434658	330	-53	648.0	650.0	2.0	4.64	
OBM-16-664	2500	Caribou	498.0	452396	5434618	329	-55	172.9	175.9	3.0	7.34	
		<i>including</i>						173.7	174.6	0.9	17.8	
OBM-16-664	2500	Zone 27	498.0	452396	5434618	329	-55	439.3	449.5	10.2	4.64	
		<i>including</i>						439.3	440.0	0.7	29.7	
		<i>and</i>						449.0	449.5	0.5	19.1	
OBM-16-664	2500	Crustiform vein	498.0	452396	5434618	329	-55	453.0	453.3	0.3	178	100
OSK-OBM-16-664	2500	FW3U HW	983.7	452396	5434618	329	-55	649.0	652.0	3.0	12.8	
OSK-OBM-16-664	2500	FW3U	983.7	452396	5434618	329	-55	725.7	728.4	2.7	1.01	
OSK-W-17-664-W1	2500	FW3U HW	996.0	452396	5434618	329	-55	653.0	660.0	7.0	0.52	
OSK-W-17-664-W1	2500	FW3U	996.0	452396	5434618	329	-55	754.0	756.4	2.4	4.89	
		<i>including</i>						754.9	755.8	0.9	12.8	
OBX-16-665	N/A		20.5	449316	5434379	335	-48	No significant results				
OBX-16-666	N/A	New zone	420.0	449316	5434385	335	-48	151.5	152.5	1.0	44.1	
OBX-16-666	N/A	Sheared vein	420.0	449316	5434385	335	-48	284.0	284.3	0.3	184	100
OBM-16-667	2500	Quartz-tourmaline vein	525.0	452410	5434597	330	-55	111.6	114.0	2.4	3.70	
		<i>including</i>						111.6	112.6	1.0	8.86	
OBM-16-667	2500	Zone 27	525.0	452410	5434597	330	-55	482.5	485.5	3.0	0.81	
OSK-OBM-16-667	2500	FW3	852.0	452410	5434597	330	-55	660.5	669.0	8.5	12.5	
		<i>including</i>						663.0	665.0	2.0	37.4	
		<i>including</i>						663.0	664.2	1.2	50.1	
OBM-16-667	2500		525.0	452410	5434597	330	-55	Caribou - No significant results				
OBM-16-668	2575	Caribou hanging wall	438.0	452450	5434674	330	-45	129.1	131.5	2.4	4.67	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								130.0	130.6	0.6	17.6	
OBM-16-668	2575	New Zone	438.0	452450	5434674	330	-45	197.0	199.0	2.0	6.36	
<i>including</i>								198.0	199.0	1.0	12.7	
OBM-16-668	2575	New Zone	438.0	452450	5434674	330	-45	220.5	223.0	2.5	29.3	
<i>including</i>								222.1	223.0	0.9	76.1	
OBM-16-668	2575	Zone 27	438.0	452450	5434674	330	-45	351.6	355.6	4.0	7.54	
OBM-16-668	2575		438.0	452450	5434674	330	-45	<i>Caribou - No significant results</i>				
OBM-16-669	2625	Caribou South 2	402.0	452503	5434712	330	-45	141.0	143.0	2.0	0.66	
OBM-16-669	2625	Caribou	402.0	452503	5434712	330	-45	175.8	177.8	2.0	2.98	
OBM-16-669	2625	Caribou footwall	402.0	452503	5434712	330	-45	189.0	192.0	3.0	3.02	
<i>including</i>								189.0	189.8	0.8	6.76	
OBM-16-669	2625	New zone	402.0	452503	5434712	330	-45	307.0	309.0	2.0	5.00	
OBM-16-669	2625	Zone 27	402.0	452503	5434712	330	-45	330.0	332.3	2.3	0.84	
OBM-16-669	2625	Zone 27 footwall	402.0	452503	5434712	330	-45	384.7	387.2	2.5	3.92	
OBM-16-670	N/A		420.0	448298	5432987	333	-45	<i>No significant results</i>				
OBM-16-671	2450	New zone	489.0	452374	5434591	330	-57	89.5	93.0	3.5	3.62	
<i>including</i>								92.0	93.0	1.0	8.04	
OBM-16-671	2450	Crustiform vein	489.0	452374	5434591	330	-57	339.4	342.0	2.6	15.9	
<i>including</i>								339.4	339.8	0.4	152	100
OBM-16-671	2450	New zone	489.0	452374	5434591	330	-57	361.4	365.9	4.5	5.99	
OBM-16-671	2450	Tourmaline vein	489.0	452374	5434591	330	-57	377.1	379.2	2.1	7.37	
<i>including</i>								378.6	379.2	0.6	19.5	
OBM-16-671	2450	Zone 27	489.0	452374	5434591	330	-57	466.5	470.8	4.3	0.49	
OBM-16-671	2450		489.0	452374	5434591	330	-57	<i>Caribou - No significant results</i>				
OBM-16-672	2150	Caribou West 2	351.0	452106	5434431	333	-47	82.5	87.0	4.5	1.69	
OBM-16-672	2150		351.0	452106	5434431	333	-47	<i>Zone 27 - No significant results</i>				
OBM-16-673	2650	Crustiform veining	495.0	452518	5434736	330	-57	117.0	119.6	2.6	3.19	
<i>including</i>								118.8	119.6	0.8	7.61	
OBM-16-673	2650	Caribou South 2	495.0	452518	5434736	330	-57	132.0	134.3	2.3	2.27	
OBM-16-673	2650	Caribou	495.0	452518	5434736	330	-57	226.5	236.7	10.2	0.88	
OBM-16-673	2650	Zone 27 hanging wall	495.0	452518	5434736	330	-57	450.0	453.3	3.3	0.84	
OBM-16-674	2125	New zone	171.0	451921	5434714	150	-60	17.0	19.0	2.0	7.71	
<i>including</i>								17.7	18.0	0.3	50.1	
OBM-16-674	2125	Zone 27 footwall	171.0	451921	5434714	150	-60	61.0	64.0	3.0	2.98	
<i>including</i>								63.0	64.0	1.0	7.19	
OBM-16-674	2125	Zone 27 footwall	171.0	451921	5434714	150	-60	72.0	74.0	2.0	6.62	
<i>including</i>								72.7	74.0	1.3	9.77	
OBM-16-674	2125	Zone 27 footwall	171.0	451921	5434714	150	-60	76.2	78.8	2.6	4.10	
OBM-16-674	2125	Zone 27	171.0	451921	5434714	150	-60	106.3	113.0	6.7	16.6	
<i>including and</i>								106.3	107.0	0.7	47.0	
<i>and</i>								110.4	111.8	1.4	45.7	
OBM-16-674	2125	Zone 27 hanging wall	171.0	451921	5434714	150	-60	159.0	161.2	2.2	10.4	
<i>including</i>								159.6	161.2	1.6	14.3	
OBM-16-675	2425	Caribou	432.0	452338	5434607	332	-55	98.6	101.0	2.4	0.52	
OBM-16-675	2425	New zone	432.0	452338	5434607	332	-55	297.6	301.7	4.1	8.23	
OBM-16-675	2425	Crustiform vein	432.0	452338	5434607	332	-55	331.0	333.0	2.0	9.10	
<i>including</i>								331.5	331.9	0.4	42.8	
OBM-16-675	2425	Zone 27	432.0	452338	5434607	332	-55	395.9	400.2	4.3	3.18	
OBM-16-676	2350	Quartz vein	156.0	452261	5434543	330	-54	25.2	26.0	0.8	43.4	
OBM-16-676	2350	Caribou West 4	156.0	452261	5434543	330	-54	124.5	127.0	2.5	0.49	
OBM-16-677	2350	Zone 27 upper	125.0	452177	5434724	328	-51	43.8	46.0	2.2	3.34	
<i>including</i>								43.8	45.0	1.2	5.73	
OBM-16-677	2350	Zone 27	125.0	452177	5434724	328	-51	70.5	73.0	2.5	4.26	
OBM-16-678	2475	Caribou	186.0	452347	5434661	328	-52	71.0	73.0	2.0	2.07	
OSK-OBM-16-678	2475	Z27	717.0	452347	5434661	330	-53	256.0	258.4	2.4	24.8	
<i>including</i>								257.5	258.4	0.9	65.4	
OSK-OBM-16-678	2475	Z27	717.0	452347	5434661	330	-53	318.0	320.0	2.0	41.5	
<i>including</i>								319.0	320.0	1.0	82.8	
OSK-OBM-16-678	2475	FW3U	717.0	452347	5434661	330	-53	599.0	601.0	2.0	3.22	
OSK-OBM-16-678	2475	FW3U	717.0	452347	5434661	330	-53	604.0	606.2	2.2	3.16	
OSK-OBM-16-678	2475	FW3U	717.0	452347	5434661	330	-53	619.0	621.0	2.0	7.10	
<i>including</i>								620.0	621.0	1.0	12.9	
OBM-16-679	2450	Zone 27 upper	138.0	452254	5434790	325	-65	50.0	53.6	3.6	2.09	
OBM-16-679	2450	Zone 27	138.0	452254	5434790	325	-65	106.5	112.1	5.6	1.35	
OBM-16-680	2800		18.0	452622	5434834	331	-53	<i>Abandoned</i>				
OBM-16-681	2800	New zone	372.0	452626	5434826	331	-53	78.0	80.2	2.2	4.97	
OBM-16-681	2800		372.0	452626	5434826	331	-53	<i>Caribou South 2 - No significant results</i>				
OBM-16-682	2475	Zone 27	129.0	452269	5434798	331	-55	56.0	58.0	2.0	3.47	
<i>including</i>								57.6	58.0	0.4	16.4	
OBM-16-683	2425		39.0	452314	5434640	330	-53	<i>Abandoned</i>				
OBM-16-684	2500	Caribou	210.0	452382	5434629	331	-53	130.0	134.0	4.0	5.22	
<i>including</i>								132.0	133.0	1.0	15.0	
OBM-16-685	2425	Caribou	384.0	452315	5434638	332	-53	41.4	43.7	2.3	0.82	
OBM-16-685	2425	Zone 27	384.0	452315	5434638	332	-53	321.7	333.4	11.7	5.40	
<i>including</i>								321.7	325.0	3.3	9.63	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-16-686	2475	Zone 27 hanging wall	195.0	452207	5434907	153	-57	133.5	139.0	5.5	3.89	
		<i>including</i>						133.5	134.5	1.0	19.5	
OBM-16-686	2475	Zone 27	195.0	452207	5434907	153	-57	153.0	155.0	2.0	2.39	
		<i>including</i>						154.5	155.0	0.5	6.36	
OBM-16-686	2475	Zone 27 footwall	195.0	452207	5434907	153	-57	179.0	181.4	2.4	1.39	
OBM-16-687	2550	New zone	570.0	452476	5434592	330	-56	105.0	107.0	2.0	3.36	
OBM-16-687	2550	New zone	570.0	452476	5434592	330	-56	194.0	197.0	3.0	4.32	
OBM-16-687	2550	Caribou - Caribou South 1 connexion	570.0	452476	5434592	330	-56	309.0	311.6	2.6	0.35	
OBM-16-687	2550	zone (between Caribou S1 and Caribou	570.0	452476	5434592	330	-56	354.0	361.0	7.0	6.61	
		<i>including</i>						354.8	355.4	0.6	67.0	
OBM-16-687	2550	Zone 27	570.0	452476	5434592	330	-56	537.9	540.0	2.1	4.78	
		<i>including</i>						537.9	539.2	1.3	7.69	
OSK-OBM-16-687	2550	FW3U HW	882.0	452476	5434592	330	-56	749.0	751.0	2.0	3.48	
OBM-16-688	2500		8.6	452207	5434907	148	-61					
OBM-16-689	2725	Caribou	687.0	452630	5434688	330	-54	359.3	370.1	10.8	1.06	
		<i>including</i>						359.8	360.8	1.0	3.45	
OBM-16-689	2725	New zone	687.0	452630	5434688	330	-54	492.3	495.4	3.1	9.12	
		<i>including</i>						492.3	493.4	1.1	25.1	
OBM-16-689	2725	Zone 27 hanging wall	687.0	452630	5434688	330	-54	577.0	579.3	2.3	4.54	
OBM-16-689	2725	Zone 27 hanging wall	687.0	452630	5434688	330	-54	587.3	589.4	2.1	4.65	
OBM-16-689	2725	Zone 27	687.0	452630	5434688	330	-54	594.0	602.0	8.0	4.36	
		<i>including</i>						597.4	599.3	1.9	12.1	
		<i>and</i>						601.0	602.0	1.0	6.81	
OBM-16-689	2725	Zone 27 footwall	687.0	452630	5434688	330	-54	615.7	618.0	2.3	9.85	
		<i>including</i>						616.4	617.1	0.7	23.7	
OBM-16-690	2500	Zone 27	198.0	452240	5434915	150	-54	117.4	124.9	7.5	0.32	
OBM-16-691	2550	Caribou	327.6	452456	5434636	331	-53	198.4	200.8	2.4	4.26	
OBM-16-692	2525	Crustiform vein	182.0	452273	5434930	150	-54	42.6	47.0	4.4	13.2	
		<i>including</i>						42.6	44.9	2.3	23.9	
		<i>including</i>						43.0	44.0	1.0	27.9	
		<i>and</i>						44.6	44.9	0.3	81.1	
OBM-16-692	2525	Zone 27	182.0	452273	5434930	150	-54	161.9	164.0	2.1	0.66	
OBM-16-693	2525	Caribou	540.0	452443	5434600	331	-54	280.3	283.2	2.9	8.22	
		<i>including</i>						282.5	283.2	0.7	31.5	
OBM-16-693	2525	Caribou - Caribou South 1 connexion	540.0	452443	5434600	331	-54	297.0	299.6	2.6	5.14	
OBM-16-693	2525	Caribou North 2	540.0	452443	5434600	331	-54	336.0	339.9	3.9	0.11	
OBM-16-693	2525	Zone 27	540.0	452443	5434600	331	-54	499.0	501.0	2.0	3.23	
OBM-16-693	2525	Zone 27 footwall	540.0	452443	5434600	331	-54	504.8	507.0	2.2	3.28	
		<i>including</i>						505.5	505.9	0.4	13.3	
OSK-OBM-16-693	2525	FW3U HW	861.0	452443	5434600	331	-54	645.4	649.0	3.6	13.3	
OSK-OBM-16-693	2525	FW3U HW	861.0	452443	5434600	331	-54	654.1	664.0	9.9	30.8	22.2
		<i>including</i>						654.1	656.0	1.9	80.0	45.5
		<i>including</i>						658.1	661.9	3.8	37.4	32.1
OSK-OBM-16-693	2525	FW3U	861.0	452443	5434600	331	-54	805.0	807.0	2.0	7.36	
		<i>including</i>						806.0	807.0	1.0	14.2	
OBM-16-694	2650	Crustiform vein	90.0	452367	5434996	150	-56	19.6	21.6	2.0	7.52	
		<i>including</i>						19.6	20.3	0.7	20.5	
OBM-16-695	2850		147.0	452702	5434784	332	-61					
OBM-16-696	2850	Caribou	510.0	452710	5434810	333	-61	348.2	351.5	3.3	5.50	
		<i>including</i>						350.0	351.5	1.5	7.82	
OBM-16-697	2575	Quartz tourmaline vein	420.0	452501	5434610	330	-54	228.7	230.7	2.0	16.0	
		<i>including</i>						228.7	229.2	0.5	63.5	
OBM-16-697	2575		420.0	452501	5434610	330	-54					
OBM-16-697	2575	Caribou	420.0	452501	5434610	330	-54	292.0	302.3	10.3	0.61	
OBM-16-697	2575	Caribou South 1	420.0	452501	5434610	330	-54	315.0	319.3	4.3	1.17	
OBM-16-697	2575	Caribou North 1	420.0	452501	5434610	330	-54	338.0	340.0	2.0	1.23	
OBM-16-697	2575	Caribou North 2	420.0	452501	5434610	330	-54	386.0	388.5	2.5	0.45	
OSK-OBM-16-697	2575	FW3U	885.0	452501	5434610	330	-54	799.0	801.1	2.1	15.3	
		<i>including</i>						800.3	801.1	0.8	40.1	
OSK-OBM-16-697	2575	FW3U	885.0	452501	5434610	330	-54	804.1	806.7	2.6	29.1	
		<i>including</i>						804.1	804.7	0.6	90.1	
OBM-16-698	2850	New zone, shear	684.0	452738	5434749	332	-60	79.5	82.5	3.0	2.97	
OBM-16-698	2850	New zone	684.0	452738	5434749	332	-60	156.5	159.0	2.5	8.06	
		<i>including</i>						156.5	157.5	1.0	19.0	
OBM-16-698	2850	Zone hanging wall - Quartz tourmaline vein	684.0	452738	5434749	332	-60	443.1	446.0	2.9	3.62	
OBM-16-698	2850	Caribou North 2	684.0	452738	5434749	332	-60	492.3	495.8	3.4	4.49	
		<i>including</i>						495.1	495.8	0.6	19.3	
OBM-16-699	1600	FW3	351.0	451486	5434418	330	-60	118.5	121.0	2.5	0.02	
OBM-16-699	1600	New zone	351.0	451486	5434418	330	-60	270.0	272.5	2.5	6.63	
OBM-16-700	2550		126.0	452469	5434608	331	-53					
OBM-16-701	2950	New zone	699.0	452818	5434799	328	-63	262.0	264.0	2.0	3.20	
		<i>including</i>						262.5	263.0	0.5	11.9	
OBM-16-701	2950	Tourmaline veins	699.0	452818	5434799	328	-63	310.7	313.0	2.3	3.66	
		<i>including</i>						310.7	311.0	0.3	12.1	
OBM-16-701	2950	Quartz vein	699.0	452818	5434799	328	-63	374.7	377.0	2.3	3.28	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								376.7	377.0	0.3	14.4	
OBM-16-701	2950	New zone	699.0	452818	5434799	328	-63	414.7	420.8	6.1	5.14	
OBM-16-701	2950	Caribou hanging wall	699.0	452818	5434799	328	-63	463.0	470.0	7.0	4.82	
<i>including</i>								463.0	464.0	1.0	22.4	
OBM-16-701	2950	Crustiform vein	699.0	452818	5434799	328	-63	469.0	471.2	2.2	4.51	
OBM-16-701	2950	Extension of Caribou North 2	699.0	452818	5434799	328	-63	551.1	558.0	6.9	8.86	
<i>including</i>								557.0	558.0	1.0	47.7	
OBM-16-701	2950	Eastern extension of Zone 27	699.0	452818	5434799	328	-63	620.2	622.3	2.1	6.68	
<i>including</i>								621.3	622.3	1.0	13.3	
OBM-16-702	2425	Caribou	108.0	452311	5434627	329	-55	52.9	55.7	2.8	2.66	
<i>including</i>								52.9	53.6	0.7	9.69	
OBM-16-703	1625	New zone	678.0	451622	5434235	329	-56	250.5	252.8	2.3	7.81	
<i>including</i>								250.5	251.3	0.8	22.0	
OBM-16-703	1625	Quartz-carbonate veins	678.0	451622	5434235	329	-56	256.1	259.0	2.9	3.34	
OBM-16-703	1625	FW1	678.0	451622	5434235	329	-56	300.7	303.0	2.3	18.4	
<i>including</i>								301.4	302.5	1.1	38.2	
OBM-16-703	1625	New zone	678.0	451622	5434235	329	-56	336.5	338.5	2.0	3.17	
<i>including</i>								336.5	337.7	1.2	5.09	
OBM-16-703	1625	FW3	678.0	451622	5434235	329	-56	469.5	472.5	3.0	0.60	
OBM-16-704	2425	Caribou	408.0	452311	5434627	329	-57	56.0	58.0	2.0	0.79	
OBM-16-704	2425	Zone 27	408.0	452311	5434627	329	-57	346.0	350.2	4.2	3.55	
OBM-16-704	2425	FW3	408.0	452311	5434627	329	-57	594.9	599.2	4.3	0.72	
OSK-W-16-704-W1	2425	FW3 hanging wall	852.0	452311	5434627	329	-57	641.8	644.5	2.8	6.59	
<i>including</i>								643.1	643.5	0.4	39.1	
OSK-W-16-704-W1	2425	FW3	852.0	452311	5434627	329	-57	649.6	652.5	2.9	15.5	
<i>including</i>								649.6	650.3	0.7	63.6	
OSK-W-16-704-W1	2425	New - Underdog corridor	852.0	452311	5434627	329	-57	671.2	677.5	6.3	6.10	
<i>including</i>								671.2	671.7	0.5	59.3	
OSK-W-16-704-W1	2425	FW4	852.0	452311	5434627	329	-57	797.0	799.0	2.0	25.1	
<i>including</i>								797.5	798.1	0.6	50.5	
OSK-W-16-705	2650	Caribou South 1	636.0	452599	5434581	333	-60	403.5	405.8	2.3	1.31	
OSK-W-16-705	2650	Caribou South 3	636.0	452599	5434581	333	-60	482.7	485.0	2.3	0.54	
OSK-W-16-705	2650	Wolf	636.0	452599	5434581	333	-60	565.0	567.0	2.0	4.04	
<i>including</i>								565.7	566.4	0.7	10.7	
OSK-W-16-705	2650	New Zone	636.0	452599	5434581	333	-60	594.0	596.2	2.2	3.64	
OSK-W-16-705	2650	FW3	636.0	452599	5434581	333	-60	899.0	901.9	2.9	3.54	
<i>including</i>								901.1	901.9	0.8	12.3	
OSK-W-16-706	2575	Caribou South 1	1335.0	452611	5434418	327	-57	549.6	552.6	3.0	8.65	
OSK-W-16-706	2575	FW0	1335.0	452611	5434418	327	-57	829.5	831.6	2.1	1.44	
OSK-W-16-706	2575	FW1	1335.0	452611	5434418	327	-57	950.3	952.6	2.3	12.3	
<i>including</i>								950.3	951.3	1.0	29.4	
OSK-W-16-706	2575	FW3	1335.0	452611	5434418	327	-57	1135.0	1138.9	3.9	0.72	
OSK-W-16-706-W1	2575	Caribou South 1	1275.0	452611	5434418	327	-57	546.5	563.0	16.5	5.75	
OSK-W-16-706-W1	2575	Caribou South 1 - cut to 100 g/t Au	1275.0	452611	5434418	327	-57	546.5	563.0	16.5	3.53	
<i>including</i>								549.2	549.5	0.3	222	100
OSK-W-16-706-W1	2575	Caribou South 1 footwall	1275.0	452611	5434418	327	-57	558.3	563.0	4.7	3.41	
<i>including</i>								558.3	558.7	0.4	14.5	
OSK-W-16-706-W1	2575	FW0	1275.0	452611	5434418	327	-57	818.8	821.3	2.5	28.1	
<i>including</i>								819.4	820.0	0.6	127	100
OSK-W-16-706-W1	2575	FW1 hanging wall	1275.0	452611	5434418	327	-57	886.2	888.2	2.0	4.93	
<i>including</i>								886.2	887.2	1.0	9.72	
OSK-W-16-706-W1	2575	FW1	1275.0	452611	5434418	327	-57	902.5	904.5	2.0	2.85	
OSK-W-16-706-W1	2575	FW2	1275.0	452611	5434418	327	-57	981.1	992.0	10.9	10.6	
<i>including</i>								981.9	983.7	1.8	24.0	
<i>including</i>								988.5	992.0	3.5	19.4	
OSK-W-16-706-W1	2575	FW2	1275.0	452611	5434418	327	-57	1007.0	1012.0	5.0	7.10	
<i>including</i>								1008.0	1010.0	2.0	13.8	
OSK-W-16-706-W1	2575	FW2	1275.0	452611	5434418	327	-57	1022.0	1024.3	2.3	18.6	
<i>including</i>								1022.9	1023.7	0.8	49.9	
OSK-W-16-706-W1	2575	FW3	1275.0	452611	5434418	327	-57	1033.0	1041.9	8.9	16.6	15.9
<i>including</i>								1033.5	1034.3	0.8	93.6	
<i>including</i>								1041.0	1041.4	0.4	117	100
OSK-W-16-706-W1	2575	FW4	1275.0	452611	5434418	327	-57	1073.1	1077.0	3.9	8.74	
OSK-W-16-706-W1	2575	New - under Red Dog	1275.0	452611	5434418	327	-57	1248.4	1250.9	2.5	3.95	
OSK-W-16-706-W2	2575	Caribou South 1	1296.0	452611	5434418	327	-57	552.0	556.3	4.3	1.87	
OSK-W-16-706-W2	2575	FW0	1296.0	452611	5434418	327	-57	827.0	829.0	2.0	2.43	
OSK-W-16-706-W2	2575	Quartz-tourmaline veins	1296.0	452611	5434418	327	-57	903.0	905.0	2.0	3.12	
OSK-W-16-706-W2	2575	FW1 (AQ core)	1296.0	452611	5434418	327	-57	945.1	951.4	6.3	9.17	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1018.0	1020.4	2.4	5.67	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1093.8	1098.3	4.5	3.06	
<i>including</i>								1093.8	1094.4	0.6	12.7	
<i>and</i>								1097.4	1098.3	0.9	6.44	
OSK-W-16-706-W2	2575	FW3	1296.0	452611	5434418	327	-57	1146.0	1149.5	3.5	4.95	
<i>including</i>								1147.8	1148.2	0.4	35.3	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1176.5	1179.0	2.5	3.20	
<i>including</i>								1177.5	1178.0	0.5	15.7	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1203.2	1205.2	2.0	7.33	
								<i>including</i>				
								1204.2	1204.6	0.4	33.6	
OSK-W-16-706-W3	2575	FW1	1061.0	452611	5434418	327	-57	944.8	952.5	7.7	7.57	
								<i>including</i>				
								944.8	945.9	1.1	9.15	
								<i>and</i>				
								949.0	950.1	1.1	30.0	
OSK-W-16-706-W3	2575	FW2	1061.0	452611	5434418	327	-57	1027.0	1029.2	2.2	7.88	
								<i>including</i>				
								1028.0	1028.7	0.7	20.3	
OSK-W-16-707	2675	Caribou South 2	600.0	452572	5434688	331	-52	247.3	249.5	2.2	11.3	
								<i>including</i>				
								248.3	248.7	0.4	58.6	
OSK-W-16-707	2675	Caribou	600.0	452572	5434688	331	-52	319.5	328.0	8.5	0.78	
OSK-W-16-708	2775	Shear and quartz veins	1257.0	452818	5434423	331	-54	354.0	356.2	2.2	3.65	
								<i>including</i>				
								354.8	355.1	0.3	14.0	
OSK-W-16-708	2775	Caribou South 3	1257.0	452818	5434423	331	-54	625.5	628.0	2.5	1.50	
OSK-W-16-708	2775	New	1257.0	452818	5434423	331	-54	755.6	758.0	2.4	3.36	
OSK-W-16-708	2775	Wolf hanging wall	1257.0	452818	5434423	331	-54	796.0	798.0	2.0	17.1	
OSK-W-16-708	2775	New	1257.0	452818	5434423	331	-54	889.5	891.8	2.3	5.55	
								<i>including</i>				
								891.2	891.8	0.6	19.0	
OSK-W-16-708	2775	FW1	1257.0	452818	5434423	331	-54	1021.7	1024.5	2.8	3.94	
								<i>including</i>				
								1022.5	1023.0	0.5	16.1	
OSK-W-16-708	2775	FW3	1257.0	452818	5434423	331	-54	1204.5	1206.7	2.2	0.09	
OSK-W-16-708-W1	2775	Caribou South 3 footwall	1272.0	452818	5434423	331	-54	633.3	635.9	2.6	1.28	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	706.3	708.7	2.4	3.25	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	729.3	733.0	3.7	3.89	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	738.1	740.7	2.6	4.01	
								<i>including</i>				
								739.0	739.7	0.7	12.0	
OSK-W-16-708-W1	2775	Wolf hanging wall	1272.0	452818	5434423	331	-54	765.5	769.5	4.0	12.2	
OSK-W-16-708-W1	2775	Wolf	1272.0	452818	5434423	331	-54	816.5	820.3	3.8	12.5	
OSK-W-16-708-W1	2775	Wolf footwall	1272.0	452818	5434423	331	-54	834.0	836.4	2.4	4.79	
								<i>including</i>				
								835.6	836.4	0.8	13.9	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	838.1	844.5	6.4	15.4	
								<i>including</i>				
								840.5	843.4	2.9	31.5	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	1069.0	1071.0	2.0	8.27	
								<i>including</i>				
								1069.9	1070.2	0.3	41.7	
OSK-W-16-708-W1	2775	FW3	1272.0	452818	5434423	331	-54	1088.0	1091.0	3.0	3.74	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	1163.0	1165.1	2.1	6.14	
								<i>including</i>				
								1163.0	1164.0	1.0	11.1	
OSK-W-16-708-W2	2775	Caribou South 3	1407.0	452818	5434423	330	-54	633.0	635.6	2.6	3.20	
OSK-W-16-708-W2	2775	Shear - Caribou Corridor	1407.0	452818	5434423	330	-54	668.8	671.0	2.2	7.43	
								<i>including</i>				
								668.8	670.2	1.4	11.4	
OSK-W-16-708-W2	2775	Caribou - Caribou Corridor	1407.0	452818	5434423	330	-54	795.0	798.0	3.0	7.66	
OSK-W-16-708-W2	2775	Wolf - Caribou Corridor	1407.0	452818	5434423	330	-54	841.9	844.7	2.8	4.47	
								<i>including</i>				
								844.3	844.7	0.4	30.3	
OSK-W-16-708-W2	2775	New zone - Underdog	1407.0	452818	5434423	330	-54	1135.5	1142.1	6.6	13.8	
								<i>including</i>				
								1136.1	1138.5	2.4	36.1	
OSK-W-16-708-W2	2775	FW3	1407.0	452818	5434423	330	-54	1274.3	1276.3	2.0	0.63	
OSK-W-16-709	2700	New zone ; Shear	590.0	452647	5434573	330	-59	186.0	188.0	2.0	3.01	
								<i>including</i>				
								186.0	187.0	1.0	5.61	
OSK-W-16-709	2700	New Zone	590.0	452647	5434573	330	-59	349.5	351.5	2.0	3.22	
OSK-W-16-709	2700	Caribou South 1	590.0	452647	5434573	330	-59	418.2	421.9	3.7	4.90	
OSK-W-16-709	2700	Caribou South 3	590.0	452647	5434573	330	-59	499.2	502.0	2.8	0.76	
OSK-W-16-710	2700	Tourmaline breccia	704.0	452649	5434613	331	-60	68.0	70.0	2.0	3.25	
								<i>including</i>				
								69.3	70.0	0.7	8.93	
OSK-W-16-710	2700	New zone	704.0	452649	5434613	331	-60	157.0	159.0	2.0	3.13	
								<i>including</i>				
								157.0	158.3	1.3	4.72	
OSK-W-16-710	2700	New zone	704.0	452649	5434613	331	-60	222.0	225.0	3.0	3.48	
								<i>including</i>				
								222.0	223.5	1.5	6.94	
OSK-W-16-710	2700	Caribou South 1	704.0	452649	5434613	331	-60	402.8	403.5	0.7	1.94	
OSK-W-16-710	2700	Caribou South 1	704.0	452649	5434613	331	-60	<i>Caribou South 3 ; cross-cut by late felsic dike</i>				
OSK-W-16-710	2700	Quartz-tourmaline veins	704.0	452649	5434613	331	-60	498.0	500.5	2.5	10.8	
								<i>including</i>				
								498.0	499.5	1.5	17.8	
OSK-W-16-710	2700	New zone	704.0	452649	5434613	331	-60	531.0	534.0	3.0	8.32	
								<i>including</i>				
								532.5	534.0	1.5	15.5	
OSK-W-16-710	2700	Wolf	704.0	452649	5434613	331	-60	562.0	568.7	6.7	11.8	
								<i>including</i>				
								565.9	566.6	0.7	21.2	100
OSK-W-16-710	2700	New zone	704.0	452649	5434613	331	-60	586.0	588.3	2.3	16.2	
								<i>including</i>				
								586.0	587.9	1.9	19.6	
OSK-W-16-710	2700	Caribou North 2	704.0	452649	5434613	331	-60	620.0	623.5	3.5	1.12	
OSX-W-16-711	N/A		393.0	449352	5434556	329	-47	<i>No significant results</i>				
OSK-W-16-712	2775		39.0	452678	5434681	330	-55	<i>Abandoned</i>				
OSK-W-16-713	2775	Caribou	523.0	452678	5434681	331	-56	421.0	423.0	2.0	0.80	
OSK-W-16-713	2775	Caribou North 2 footwall	523.0	452678	5434681	331	-56	472.0	479.4	7.4	1.43	
OSX-W-16-714	N/A		510.0	449299	5435272	330	-45	<i>No significant results</i>				
OSK-W-16-715	2800	Eastern extension Caribou South 1	804.0	452786	5434527	334	-61	534.5	536.5	2.0	4.85	
OSK-W-16-715	2800	New	804.0	452786	5434527	334	-61	541.5	543.5	2.0	4.17	
OSK-W-16-715	2800	Caribou South 3	804.0	452786	5434527	334	-61	646.0	649.0	3.0	22.6	
								<i>including</i>				
								647.5	649.0	1.5	41.0	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	
OSK-W-16-715	2800	New	804.0	452786	5434527	334	-61	668.5	671.5	3.0	6.84		
			<i>including</i>						668.5	670.0	1.5	13.1	
OSK-W-16-715	2800	New	804.0	452786	5434527	334	-61	727.0	729.8	2.8	4.38		
OSK-W-16-715	2800	Quartz vein in Red Dog	804.0	452786	5434527	334	-61	800.8	801.3	0.5	18.9		
OSX-W-16-716	N/A		601.0	448895	5435348	332	-45	<i>No significant results</i>					
OSX-W-16-717	N/A	New	525.0	448758	5435642	331	-45	51.5	53.6	2.1	3.16		
OSX-W-16-717	N/A	New discovery - Fox	525.0	448758	5435642	331	-45	243.9	255.5	11.6	3.22		
OSK-W-16-718	2775	Caribou South 1	798.0	452742	5434571	332	-61	431.9	434.9	3.0	23.2		
			<i>including</i>						432.9	434.2	1.3	44.5	
OSK-W-16-718	2775	Caribou South 3	798.0	452742	5434571	332	-61	515.5	518.0	2.5	1.88		
OSK-W-16-718	2775	New	798.0	452742	5434571	332	-61	537.5	539.7	2.2	3.31		
OSK-W-16-718	2775	Wolf 2	798.0	452742	5434571	332	-61	570.5	575.2	4.7	8.50		
OSK-W-16-718	2775	Quartz-carbonate vein	798.0	452742	5434571	332	-61	679.0	681.2	2.2	10.4		
			<i>including</i>						680.7	681.2	0.5	44.4	
OSK-W-16-718	2775	Wolf	798.0	452742	5434571	332	-61	735.3	737.9	2.6	4.78		
OSX-W-16-719	N/A		501.0	448757	5436406	329	-46	<i>No significant results</i>					
OSK-W-16-720	2775	Caribou	641.0	452665	5434716	332	-56	260.0	265.7	5.7	34.4	20.9	
			<i>including and and</i>						262.0	262.5	0.5	45.9	
									263.1	263.6	0.5	105	100
									264.3	264.6	0.3	348	100
OSK-W-16-720	2775	Caribou	641.0	452665	5434716	332	-56	394.0	398.4	4.4	5.56		
			<i>including</i>						394.0	394.5	0.5	18.7	
OSK-W-16-720	2775	Caribou North 2 extension	641.0	452665	5434716	332	-56	436.5	439.0	2.5	3.07		
			<i>including</i>						437.0	438.0	1.0	7.25	
OSX-W-16-721	N/A		485.1	448442	5436942	327	-45	<i>No significant results</i>					
OSK-W-16-722	2925	New	773.3	452795	5434812	330	-60	53.0	55.0	2.0	6.08		
			<i>including</i>						53.0	54.0	1.0	12.0	
OSX-W-16-723	N/A		765.0	447874	5436916	332	-44	<i>No significant results</i>					
OSK-W-16-724	3050	New	822.0	452910	5434850	329	-65	157.0	159.0	2.0	3.18		
OSK-W-16-724	3050	New - Caribou Corridor	822.0	452910	5434850	329	-65	385.0	387.5	2.5	3.34		
			<i>including</i>						385.0	386.0	1.0	8.11	
OSK-W-16-724	3050	New - Caribou Corridor	822.0	452910	5434850	329	-65	478.6	480.7	2.1	3.64		
OSK-W-16-724	3050	Caribou North 2 Zone Extension	822.0	452910	5434850	329	-65	576.7	580.0	3.3	5.06		
			<i>including</i>						579.7	580.0	0.3	26.7	
OSX-W-16-725	N/A	Quartz-carbonate veinlets	582.0	447947	5436106	330	-50	346.7	347.7	1.0	3.07		
OSK-W-16-726	1850	FW3	996.0	451895	5434186	328	-59	837.0	839.9	2.9	0.60		
OSK-W-16-726	1850	New zone under Red Dog	996.0	451895	5434186	328	-59	936.6	938.8	2.2	4.49		
			<i>including</i>						938.5	938.8	0.3	18.5	
OSK-W-16-726-W1	1850	FW3	1106.0	451895	5434186	328	-59	962.9	966.3	3.4	0.27		
OSK-W-16-726-W2	1850		564.0	451895	5434186	328	-59	<i>No significant results</i>					
OSK-W-16-727	1775	FW3 Underdog	381.0	451664	5434446	330	-53	274.4	276.5	2.1	9.45		
			<i>including</i>						274.9	276.0	1.1	17.2	
OSK-W-16-728	3200	Crustiform vein	1419.0	453055	5434890	334	-66	363.0	365.4	2.4	42.2	17.2	
			<i>including</i>						363.6	364.0	0.4	250	100
OSK-W-16-728	3200	Crustiform vein	1419.0	453055	5434890	334	-66	404.0	404.5	0.5	23.8		
OSK-W-16-728	3200	Caribou Zone extension	1419.0	453055	5434890	334	-66	478.1	481.2	3.1	391	100	
OSK-W-16-728	3200	Caribou Zone extension Cut to 100 g/t Au	1419.0	453055	5434890	334	-66	478.1	481.2	3.1	14.7		
			<i>including</i>						478.1	478.5	0.4	3020	100
OSK-W-16-728	3200	New zone - Caribou corridor	1419.0	453055	5434890	334	-66	581.6	584.0	2.4	3.18		
OSK-W-16-728	3200	Zone 27 - Crustiform vein	1419.0	453055	5434890	334	-66	752.2	754.9	2.7	4.69		
			<i>including</i>						753.1	753.9	0.8	15.6	
OSK-U-16-729	N/A		482.0	450104	5433288	330	-43	<i>No significant results</i>					
OSK-U-16-730	N/A		501.0	449901	5433572	330	-45	<i>No significant results</i>					
OSK-U-16-731	N/A	New zone	498.0	449764	5433851	330	-43	358.5	360.5	2.0	6.78		
			<i>including</i>						358.5	359.4	0.9	11.1	
OSK-U-16-732	N/A	Fox	420.0	448758	5435641	331	-56	65.5	68.5	3.0	8.04		
			<i>including</i>						67.0	68.5	1.5	16.1	
OSK-U-16-733	N/A	Shear veins	501.0	448759	5435642	359	-54	47.3	49.0	1.8	3.40		
			<i>including</i>						47.3	47.8	0.5	9.99	
OSK-U-16-734	N/A	Fox	559.0	448758	5435641	302	-46	407.0	409.1	2.1	39.2		
			<i>including and</i>						407.0	407.7	0.7	96.2	
									408.8	409.1	0.3	48.0	
OSK-W-16-735	2375	Shear vein	1110.0	452285	5434580	332	-64	58.3	60.5	2.2	13.8		
			<i>including</i>						58.3	58.9	0.6	48.7	
OSK-W-16-735	2375	Caribou	1110.0	452285	5434580	332	-64	101.8	137.2	35.4	17.0		
OSK-W-16-735	2375	Caribou Cut to 100g/t Au	1110.0	452285	5434580	332	-64	101.8	137.2	35.4	6.10		
			<i>including</i>						103.0	103.5	0.5	10.1	
									112.0	113.7	1.7	318	100
									112.0	113.0	1.0	486	100
									113.0	113.7	0.7	79.2	
OSK-W-16-735	2375	Zone 27	1110.0	452285	5434580	332	-64	322.8	325.0	2.2	14.6		
			<i>including</i>						322.8	323.4	0.6	53.0	
OSK-W-16-735	2375	FW1	1110.0	452285	5434580	332	-64	532.4	534.5	2.1	14.1		





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-743-W3	2525	Vein - FW0 corridor	1473.0	452652	5434236	334	-64	1058.0	1060.0	2.0	7.44	
OSK-W-17-743-W3	2525	FW0	1473.0	452652	5434236	334	-64	1066.8	1069.5	2.7	1.43	
OSK-W-17-743-W3	2525	FW3	1473.0	452652	5434236	334	-64	1424.0	1436.0	12.0	0.38	
OSK-W-17-743-W4	2525	CS1	1476.0	452652	5434236	334	-64	796.2	799.0	2.8	585	11.5
		<i>including</i>						796.2	796.5	0.3	5450	100
OSK-W-17-743-W4	2525	FW0	1476.0	452652	5434236	334	-64	997.0	1004.5	7.5	0.78	
OSK-W-17-743-W4	2525	QTV	1476.0	452652	5434236	334	-64	1075.2	1078.0	2.8	3.89	
OSK-W-17-743-W4	2525	FW1 HW	1476.0	452652	5434236	334	-64	1100.0	1103.0	3.0	6.86	
		<i>including</i>						1101.8	1102.2	0.4	42.6	
OSK-W-17-743-W4	2525	FW1 HW	1476.0	452652	5434236	334	-64	1113.6	1116.1	2.5	3.62	
OSK-W-17-743-W4	2525	FW1	1476.0	452652	5434236	334	-64	1139.0	1142.0	3.0	3.21	
OSK-W-17-743-W4	2525	FW2 HW	1476.0	452652	5434236	334	-64	1194.6	1197.0	2.4	16.6	
		<i>including</i>						1195.6	1196.0	0.4	95.1	
OSK-W-17-743-W4	2525	FW2	1476.0	452652	5434236	334	-64	1211.6	1213.1	1.5	4.23	
OSK-W-17-743-W4	2525	FW2 FW	1476.0	452652	5434236	334	-64	1282.4	1284.4	2.0	5.42	
		<i>including</i>						1282.4	1283.3	0.9	11.4	
OSK-W-17-743-W4	2525	FW3	1476.0	452652	5434236	334	-64	1381.7	1384.5	2.8	0.57	
OSK-W-17-743-W4	2525	FW3 FW	1476.0	452652	5434236	334	-64	1416.0	1418.6	2.6	1.49	
OSK-W-17-743-W5	2525	UnderDog	1554.0	452652	5434236	331	-64	946.5	951.2	4.7	2.30	
OSK-W-17-743-W5	2525	FW0 HW	1554.0	452652	5434236	331	-64	964.5	967.0	2.5	5.36	
OSK-W-17-743-W5	2525	FW1	1554.0	452652	5434236	331	-64	1187.1	1189.1	2.0	4.27	
OSK-W-17-743-W5	2525	FW2	1554.0	452652	5434236	331	-64	1272.7	1275.3	2.6	55.4	19.4
		<i>including</i>						1273.7	1274.2	0.5	287	100
OSK-W-17-743-W5	2525	FW2 FW	1554.0	452652	5434236	331	-64	1289.3	1291.9	2.6	3.94	
		<i>including</i>						1290.3	1290.8	0.5	12.4	
OSK-W-16-744	2775	New zone	689.4	452665	5434732	331	-56	268.0	270.5	2.5	5.24	
		<i>including</i>						269.0	270.5	1.5	8.35	
OSK-W-16-744	2775	Caribou	689.4	452665	5434732	331	-56	365.0	374.0	9.0	5.00	
		<i>including</i>						372.0	373.0	1.0	31.2	
OSK-W-16-744	2775	Caribou North 2	689.4	452665	5434732	331	-56	417.4	419.9	2.5	4.44	
		<i>including</i>						419.5	419.9	0.4	20.0	
OSK-W-16-744	2775	Zone 27	689.4	452665	5434732	331	-56	578.0	594.0	16.0	4.92	
		<i>including</i>						578.0	582.0	4.0	15.2	
OSK-W-16-746	2650	Caribou	873.0	452551	5434670	331	-57	343.0	348.2	5.2	5.50	
		<i>including</i>						344.8	345.2	0.4	47.2	
OSK-W-16-746	2650	Caribou North 2	873.0	452551	5434670	331	-57	378.2	378.9	0.7	0.16	
OSK-W-16-746	2650	New zone	873.0	452551	5434670	331	-57	455.4	457.7	2.3	3.87	
		<i>including</i>						456.9	457.7	0.8	9.29	
OSK-W-16-746	2650	Vein	873.0	452551	5434670	331	-57	603.0	606.7	3.7	16.5	
OSK-W-16-747	2475	Quartz-tourmaline vein	1050.0	452449	5434488	331	-57	153.0	155.0	2.0	3.66	
		<i>including</i>						154.0	154.3	0.3	23.6	
OSK-W-16-747	2475	Caribou	1050.0	452449	5434488	331	-57	298.3	300.7	2.4	13.7	
		<i>including</i>						298.3	299.3	1.0	31.5	
OSK-W-16-747	2475	Caribou South 1	1050.0	452449	5434488	331	-57	417.0	419.0	2.0	11.4	
		<i>including</i>						417.8	418.3	0.5	45.3	
OSK-W-16-747	2475	Caribou North 1	1050.0	452449	5434488	331	-57	467.1	468.9	1.8	2.17	
OSK-W-16-747	2475		1050.0	452449	5434488	331	-57					
OSK-W-16-747	2475	FW1	1050.0	452449	5434488	331	-57	677.6	680.0	2.4	3.89	
OSK-W-16-747	2475	FW2	1050.0	452449	5434488	331	-57	813.3	816.0	2.7	6.95	
		<i>including</i>						813.3	813.7	0.4	26.2	
		<i>including</i>						815.4	815.7	0.3	20.2	
OSK-W-16-747	2475	FW2	1050.0	452449	5434488	331	-57	850.3	856.0	5.7	4.95	
		<i>including</i>						853.0	854.8	1.8	8.53	
OSK-W-16-747	2475	FW3	1050.0	452449	5434488	331	-57	911.7	914.0	2.3	3.92	
OSK-W-16-747	2475	FW3	1050.0	452449	5434488	331	-57	936.9	939.3	2.4	6.96	
		<i>including</i>						938.1	938.6	0.5	32.5	
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	666.2	669.8	3.6	4.75	
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	683.0	685.0	2.0	12.2	
		<i>including</i>						683.0	683.6	0.6	24.2	
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	714.0	716.2	2.2	7.64	
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	721.3	730.0	8.7	20.0	19.7
		<i>including</i>						725.9	728.0	2.1	64.4	63.1
		<i>including</i>						726.5	727.1	0.6	105	100
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	819.0	821.0	2.0	11.9	
		<i>including</i>						819.0	820.0	1.0	23.8	
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	932.0	936.6	4.6	22.5	20.6
		<i>including</i>						932.0	933.2	1.2	78.9	71.7
OSK-W-18-747-W2	2475	Underdog	798.0	452449	5434488	331	-57	681.0	683.5	2.5	8.58	
OSK-W-18-747-W2	2475	Underdog	798.0	452449	5434488	331	-57	712.8	715.3	2.5	7.10	
OSK-W-18-747-W2	2475	Underdog	798.0	452449	5434488	331	-57	784.0	786.0	2.0	4.86	
OSK-W-16-749	2450	CS1	551.5	452486	5434389	332	-58	504.6	510.0	5.4	12.7	
		<i>including</i>						504.6	505.3	0.7	35.2	
		<i>including</i>						506.0	510.0	4.0	10.7	
OSK-W-16-749	2450	CS1 FW	551.5	452486	5434389	332	-58	522.0	525.1	3.1	3.43	
OSK-W-16-750	3550	Lynx 1	1658.6	453440	5434933	339	-69	346.0	347.0	1.0	0.65	
OSK-W-16-750	3550	Crustiform vein	1658.6	453440	5434933	339	-69	418.2	420.5	2.3	17.0	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-16-750	3550	Caribou	1658.6	453440	5434933	339	-69	709.0	711.0	2.0	41.8	
OSK-W-16-750	3550	UnderDog	1658.6	453440	5434933	339	-69	983.5	985.8	2.3	14.8	
<i>including</i>								984.6	985.2	0.6	56.0	
OSK-W-16-750	3550	UnderDog	1658.6	453440	5434933	339	-69	1430.0	1432.0	2.0	4.65	
OSK-W-16-751	3200	Caribou - Shear Zone	942.0	453032	5434930	337	-64	403.0	407.7	4.7	3.09	
OSK-W-16-751	3200	Caribou - Shear Zone	942.0	453032	5434930	337	-64	466.9	469.0	2.1	5.21	
<i>including</i>								466.9	467.8	0.9	11.5	
OSK-W-16-751	3200	Caribou	942.0	453032	5434930	337	-64	504.6	507.0	2.4	3.17	
OSK-W-16-751	3200	CN2	942.0	453032	5434930	337	-64	519.2	521.5	2.3	6.57	
OSK-W-16-751	3200	Zone 27	942.0	453032	5434930	337	-64	795.6	796.9	1.3	0.07	
OSK-W-16-753	2725	Caribou South 3	755.0	452756	5434463	332	-58	666.5	674.0	7.5	7.92	
<i>including</i>								666.5	670.1	3.6	14.1	
OSK-W-16-753	2725	Caribou	755.0	452756	5434463	332	-58	688.0	690.7	2.7	4.09	
OSK-W-16-754	2675	CS1	1563.0	452767	5434303	332	-59	724.4	726.5	2.1	7.15	
<i>including</i>								724.9	725.5	0.6	24.6	
OSK-W-16-754	2675	FW0	1563.0	452767	5434303	332	-59	1108.0	1111.0	3.0	4.94	
<i>including</i>								1110.0	1111.0	1.0	11.9	
OSK-W-16-754	2675	FW0 FW	1563.0	452767	5434303	332	-59	1128.4	1131.0	2.6	3.66	
<i>including</i>								1129.2	1129.5	0.3	22.0	
OSK-W-16-754	2675	FW1	1563.0	452767	5434303	332	-59	1257.6	1258.9	1.3	2.07	
OSK-W-16-754	2675	FW3	1563.0	452767	5434303	332	-59	1422.7	1430.0	7.3	9.76	
<i>including</i>								1424.0	1425.6	1.6	34.6	
OSK-W-16-755	3375	Lynx	1077.0	453213	5434971	336	-65	63.0	69.0	6.0	11.8	
<i>including</i>								64.0	64.9	0.9	67.1	
OSK-W-16-755	3375	Lynx Footwall	1077.0	453213	5434971	336	-65	147.0	149.0	2.0	8.12	
<i>including</i>								147.4	147.9	0.5	30.4	
OSK-W-16-755	3375	Caribou Hangingwall	1077.0	453213	5434971	336	-65	188.5	191.0	2.5	3.30	
<i>including</i>								189.5	190.2	0.7	10.6	
OSK-W-16-755	3375	Caribou	1077.0	453213	5434971	336	-65	568.0	572.9	4.9	2.11	
<i>including</i>								569.7	570.2	0.5	11.6	
OSK-W-16-755	3375	CN2	1077.0	453213	5434971	336	-65	617.0	621.8	4.8	2.08	
OSK-W-16-755	3375	Vein	1077.0	453213	5434971	336	-65	668.0	670.0	2.0	5.60	
OSK-W-16-755-W1	3375	CN2	684.0	453213	5434971	336	-65	670.7	674.5	3.8	0.61	
OSK-W-16-756	2750	CS1	801.5	452809	5434390	331	-58	672.8	675.4	2.6	3.29	
<i>including</i>								673.8	674.6	0.8	9.66	
OSK-W-16-756	2750	Vein	801.5	452809	5434390	331	-58	756.6	759.1	2.5	3.70	
<i>including</i>								758.8	759.1	0.3	26.4	
OSK-W-16-759	3175	Caribou HW	890.0	452988	5434975	330	-65	189.1	193.5	4.4	4.20	
OSK-W-16-759	3175	CN2	890.0	452988	5434975	330	-65	377.4	381.3	3.9	1.53	
OSK-W-16-759	3175	Zone 27	890.0	452988	5434975	330	-65	540.2	542.4	2.2	0.46	
OSK-W-16-760	3550	Lynx HW	1560.0	453403	5434971	331	-65	208.0	211.0	3.0	14.1	
<i>including</i>								208.5	211.0	2.5	16.7	
OSK-W-16-760	3550	Lynx	1560.0	453403	5434971	331	-65	223.0	232.0	9.0	95.3	42.7
OSK-W-16-760	3550	Lynx	1560.0	453403	5434971	331	-65	223.0	232.0	9.0	42.7	
<i>including</i>								226.3	232.0	5.7	148	65.0
OSK-W-16-760	3550	Crustiform vein	1560.0	453403	5434971	331	-65	250.5	255.0	4.5	7.79	
OSK-W-16-760	3550	Crustiform vein	1560.0	453403	5434971	331	-65	354.3	357.0	2.7	5.50	
OSK-W-16-761	3375	Lynx FW	1386.0	453182	5434993	330	-61	54.5	56.5	2.0	19.4	
OSK-W-16-761	3375	Lynx FW	1386.0	453182	5434993	330	-61	64.7	67.0	2.3	71.3	64.3
OSK-W-16-762	2675	CS1 HW	1311.0	452730	5434409	332	-56	554.0	556.8	2.8	3.29	
<i>including</i>								555.0	556.8	1.8	4.95	
OSK-W-16-762	2675	Vein	1311.0	452730	5434409	332	-56	589.0	591.7	2.7	3.12	
OSK-W-16-762	2675	CS1 FW	1311.0	452730	5434409	332	-56	622.0	624.0	2.0	8.89	
<i>including</i>								623.0	624.0	1.0	17.7	
OSK-W-16-762	2675	CS3	1311.0	452730	5434409	332	-56	666.0	673.0	7.0	7.61	
OSK-W-16-762	2675	CS3 FW	1311.0	452730	5434409	332	-56	680.0	684.1	4.1	4.70	
<i>including</i>								682.0	684.1	2.1	8.95	
OSK-W-16-762	2675	Caribou	1311.0	452730	5434409	332	-56	693.0	696.0	3.0	4.47	
<i>including</i>								694.0	695.0	1.0	7.24	
OSK-W-16-762	2675	FW3	1311.0	452730	5434409	332	-56	1158.0	1160.5	2.5	6.59	
<i>including</i>								1158.0	1158.8	0.8	17.8	
OSK-W-18-762-W1	2675	Underdog	1299.0	452730	5434409	332	-56	902.0	904.5	2.5	8.70	
<i>including</i>								904.0	904.5	0.5	19.9	
OSK-W-18-762-W1	2675	FW4	1299.0	452730	5434409	332	-56	1220.0	1222.0	2.0	11.1	
<i>including</i>								1221.0	1221.5	0.5	41.5	
OSK-W-16-764	3350	Caribou extension	1334.8	453147	5435026	329	-60	369.9	374.5	4.6	0.73	
OSK-W-16-764	3350	CN2 extension	1334.8	453147	5435026	329	-60	416.5	420.0	3.5	0.24	
OSK-W-16-765	3175	New zone	900.0	452955	5435002	329	-63	41.3	52.9	11.6	1.11	
OSK-W-16-765	3175	New zone	900.0	452955	5435002	329	-63	82.6	84.0	1.4	4.52	
<i>including</i>								82.6	82.9	0.3	20.3	
OSK-W-16-765	3175	Caribou extension	900.0	452955	5435002	329	-63	137.0	139.0	2.0	2.27	
<i>including</i>								137.0	137.5	0.5	8.82	
OSK-W-16-765	3175	Caribou extension	900.0	452955	5435002	329	-63	141.9	144.1	2.2	2.54	
OSK-W-16-765	3175	CN2 extension	900.0	452955	5435002	329	-63	341.1	344.0	2.9	0.98	
OSK-W-16-765	3175	CN2 extension	900.0	452955	5435002	329	-63	364.3	371.0	6.7	0.21	
OSK-W-16-765	3175	Z27 extension	900.0	452955	5435002	329	-63	576.1	577.1	1.0	0.13	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-16-766	2625	Vein - Caribou corridor	707.9	452690	5434340	333	-57	341.9	345.0	3.1	5.17	
		<i>including</i>						343.0	343.6	0.6	16.2	
OSK-W-16-766	2625	CS1	707.9	452690	5434340	333	-57	651.1	653.9	2.8	3.60	
OSK-W-17-766-W1	2600	CS1 FW	741.0	452690	5434340	328	-55	674.8	680.6	5.8	15.6	
		<i>including</i>						676.5	679.5	3.0	27.6	
OSK-W-16-767	2775	Vein - Shear	1605.0	452887	5434330	331	-60	431.7	433.1	1.4	1.70	
		<i>including</i>						432.8	433.1	0.3	6.72	
OSK-W-16-767	2775	Vein in late dyke	1605.0	452887	5434330	331	-60	865.9	870.0	4.1	3.68	
OSK-W-16-767	2775	FW0	1605.0	452887	5434330	331	-60	1121.0	1123.0	2.0	4.14	
		<i>including</i>						1122.0	1123.0	1.0	7.57	
OSK-W-16-767	2775	FW1	1605.0	452887	5434330	331	-60	1359.7	1368.5	8.8	2.06	
		<i>including</i>						1359.7	1360.1	0.4	22.2	
OSK-W-16-767	2775	FW3	1605.0	452887	5434330	331	-60	1535.5	1548.0	12.5	0.49	
OSK-W-16-769	3175	Vein	921.0	452932	5435051	331	-64	235.6	238.7	3.1	3.52	
		<i>including</i>						237.1	237.7	0.6	13.4	
OSK-W-16-769	3175	CN2	921.0	452932	5435051	331	-64	298.0	300.1	2.1	32.8	24.1
OSK-W-17-770	3325		28.5	453095	5435084	327	-61			<i>Abandoned</i>		
OSK-W-17-772	3325	Caribou extension	1218.0	453095	5435085	333	-61	233.5	237.1	3.6	1.06	
OSK-W-17-772	3325	Z27 extension	1218.0	453095	5435085	333	-61	466.5	468.6	2.1	0.21	
OSK-W-17-773	3525	Lynx	1444.5	453361	5435006	332	-63	147.5	150.0	2.5	2.50	
		<i>including</i>						148.7	149.3	0.6	8.95	
OSK-W-17-773	3525	FW4	1444.5	453361	5435006	332	-63	1348.0	1350.2	2.2	1.05	
OSK-W-17-774	2800	CS1	1175.0	452731	5434636	333	-57	339.3	343.1	3.8	0.06	
OSK-W-17-774	2800	Wolf	1175.0	452731	5434636	333	-57	565.5	572.6	7.1	1.49	
		<i>including</i>						572.0	572.6	0.6	9.42	
OSK-W-17-774	2800	CN2	1175.0	452731	5434636	333	-57	604.1	608.5	4.4	0.72	
OSK-W-17-774	2800	FW3	1175.0	452731	5434636	333	-57	932.1	934.1	2.0	0.74	
OSK-W-17-774	2800	FW3	1175.0	452731	5434636	333	-57	1028.3	1031.0	2.7	0.75	
OSK-W-17-776	2800	New- Caribou corridor	857.0	452851	5434432	330	-57	584.5	586.6	2.1	5.00	
OSK-W-17-776	2800	CS1	857.0	452851	5434432	330	-57	628.3	630.5	2.2	0.16	
OSK-W-17-776	2800	CS3	857.0	452851	5434432	330	-57	707.3	711.6	4.3	1.09	
OSK-W-17-776	2800	Caribou corridor	857.0	452851	5434432	330	-57	773.5	775.5	2.0	11.2	
OSK-W-17-776	2800	Caribou	857.0	452851	5434432	330	-57	797.0	803.0	6.0	6.42	
		<i>including</i>						797.7	800.3	2.6	10.1	
OSK-W-17-776	2800	Vein in late dyke	857.0	452851	5434432	330	-57	854.4	857.0	2.6	5.65	
		<i>including</i>						854.4	854.7	0.3	42.0	
OSK-W-17-777	2675	Crustiform vein	712.8	452678	5434500	339	-58	380.4	383.4	3.0	5.79	
OSK-W-17-777	2675	CS1	712.8	452678	5434500	339	-58	492.4	492.7	0.3	0.28	
OSK-W-17-777	2675	CS3	712.8	452678	5434500	339	-58	617.0	621.0	4.0	9.01	
		<i>including</i>						618.0	619.0	1.0	18.5	
OSK-W-17-778	2600	Crustiform vein	1362.0	452689	5434339	331	-58	545.0	547.7	2.7	13.5	
		<i>including</i>						546.6	547.0	0.4	90.2	
OSK-W-17-778	2600	CS1	1362.0	452689	5434339	331	-58	642.7	646.2	3.5	15.0	
		<i>including</i>						643.5	644.5	1.0	48.7	
OSK-W-17-778	2600	FW0	1362.0	452689	5434339	331	-58	917.0	919.2	2.2	11.6	
OSK-W-17-778	2600	FW1	1362.0	452689	5434339	331	-58	1095.4	1098.4	3.0	10.6	
OSK-W-17-778	2600	FW1	1362.0	452689	5434339	331	-58	1114.6	1117.1	2.5	9.24	
OSK-W-17-778	2600	FW2	1362.0	452689	5434339	331	-58	1132.0	1134.1	2.1	27.7	19.1
		<i>including</i>						1132.0	1132.4	0.4	145	100
OSK-W-17-778	2600	FW2	1362.0	452689	5434339	331	-58	1158.0	1160.0	2.0	4.49	
OSK-W-17-778	2600	Underdog	1362.0	452689	5434339	331	-58	1221.0	1223.8	2.8	4.52	
OSK-W-17-778	2600	Underdog	1362.0	452689	5434339	331	-58	1232.0	1234.5	2.5	11.3	
		<i>including</i>						1234.0	1234.5	0.5	55.2	
OSK-W-17-778	2600	Underdog	1362.0	452689	5434339	331	-58	1322.0	1324.3	2.3	9.61	
		<i>including</i>						1323.0	1323.6	0.6	34.1	
OSK-W-17-779	3450	Lynx HW	795.0	453302	5434977	327	-67	111.0	115.8	4.8	0.29	
OSK-W-17-779	3450	Lynx	795.0	453302	5434977	327	-67	129.5	132.0	2.5	5.02	
OSK-W-17-779	3450	Quartz-tourmaline vein - Lynx Corrido	795.0	453302	5434977	327	-67	183.0	183.6	0.6	6.65	
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434977	327	-67	257.0	259.0	2.0	4.59	
		<i>including</i>						258.0	259.0	1.0	7.17	
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434977	327	-67	268.0	275.9	7.9	21.6	16.9
		<i>including</i>						268.0	269.0	1.0	8.85	
		<i>and</i>						270.0	271.0	1.0	21.5	
		<i>and</i>						271.7	272.0	0.3	24.2	
		<i>and</i>						274.3	275.9	1.6	78.9	55.3
		<i>including</i>						274.3	275.0	0.7	154	100
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434977	327	-67	282.0	284.5	2.5	18.1	
		<i>including</i>						282.6	284.5	1.9	23.3	
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434977	327	-67	298.0	300.7	2.7	15.6	
		<i>including</i>						298.9	300.0	1.1	33.2	
OSK-W-17-779	3450	Caribou extension	795.0	453302	5434977	327	-67	571.0	573.5	2.5	3.51	
		<i>including</i>						572.9	573.5	0.6	8.54	
OSK-W-17-779	3450	Caribou extension	795.0	453302	5434977	327	-67	605.5	607.5	2.0	4.45	
OSK-W-17-779	3450	Vein	795.0	453302	5434977	327	-67	621.0	622.5	1.5	2.62	
		<i>including</i>						622.1	622.5	0.4	6.92	
OSK-W-17-779	3450	CN2	795.0	453302	5434977	327	-67	676.4	678.7	2.3	1.56	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	
OSK-W-17-779	3450	Crustiform vein	795.0	453302	5434977	327	-67	725.0	728.2	3.2	4.17		
			<i>including</i>						726.9	727.5	0.6	16.3	
OSK-W-17-780	2850	New - Before Caribou	1551.0	452929	5434374	332	-59	435.9	439.3	3.4	4.46		
			<i>including</i>						435.9	436.3	0.4	10.7	
			<i>including</i>						438.8	439.3	0.5	18.8	
OSK-W-17-780	2850	CS3	1551.0	452929	5434374	332	-59	859.0	862.0	3.0	0.23		
OSK-W-17-780	2850	FW0 HW	1551.0	452929	5434374	332	-59	1036.5	1046.9	10.4	7.41	6.21	
			<i>including</i>						1036.5	1037.0	0.5	125	100
OSK-W-17-780	2850	FW0	1551.0	452929	5434374	332	-59	1070.3	1074.3	4.0	3.30		
			<i>including</i>						1072.1	1073.0	0.9	8.61	
OSK-W-17-780	2850	FW0 FW	1551.0	452929	5434374	332	-59	1079.0	1082.0	3.0	3.03		
			<i>including</i>						1079.0	1080.0	1.0	8.21	
OSK-W-17-780	2850	UnderDog	1551.0	452929	5434374	332	-59	1119.0	1121.0	2.0	5.02		
OSK-W-17-780	2850	FW1 HW	1551.0	452929	5434374	332	-59	1248.0	1250.0	2.0	3.02		
OSK-W-17-780	2850	FW1	1551.0	452929	5434374	332	-59	1271.6	1278.4	6.8	10.6		
			<i>including</i>						1276.0	1278.4	2.4	28.9	
OSK-W-17-780	2850	FW3	1551.0	452929	5434374	332	-59	1366.0	1370.0	4.0	34.1		
			<i>including</i>						1368.5	1370.0	1.5	90.5	
OSK-W-17-780	2850	FW3 FW	1551.0	452929	5434374	332	-59	1400.0	1404.0	4.0	9.38		
			<i>including</i>						1401.0	1402.5	1.5	24.4	
OSK-W-17-780-W1	2850	FW0	1533.0	452929	5434374	331	-60	1074.0	1091.0	17.0	5.97		
			<i>including</i>						1079.0	1082.8	3.8	19.7	
OSK-W-17-780-W1	2850	FW3 HW	1533.0	452929	5434374	331	-60	1343.8	1347.2	3.4	83.5	29.4	
			<i>including</i>						1346.6	1347.2	0.6	407	100
OSK-W-17-780-W1	2850	FW3 HW	1533.0	452929	5434374	331	-60	1358.5	1360.8	2.3	6.55		
			<i>including</i>						1358.5	1359.0	0.5	19.1	
OSK-W-17-780-W1	2850	FW3	1533.0	452929	5434374	331	-60	1396.5	1398.5	2.0	4.76		
OSK-W-17-781	2700	Crustiform vein	1625.5	452845	5434218	331	-60	518.5	520.5	2.0	15.3		
			<i>including</i>						519.5	520.5	1.0	30.4	
OSK-W-17-781	2700	CS1	1625.5	452845	5434218	331	-60	778.0	780.5	2.5	3.05		
OSK-W-17-781	2700	FW0 HW	1625.5	452845	5434218	331	-60	1145.0	1147.7	2.7	1.49		
OSK-W-17-781	2700	FW0	1625.5	452845	5434218	331	-60	1203.0	1204.0	1.0	0.18		
OSK-W-17-781	2700	FW1	1625.5	452845	5434218	331	-60	1401.8	1405.0	3.3	1.18		
OSK-W-17-781	2700	FW2	1625.5	452845	5434218	331	-60	1466.0	1469.4	3.4	0.87		
OSK-W-17-781	2700	FW3	1625.5	452845	5434218	331	-60	1551.0	1553.0	2.0	2.97		
OSK-W-17-783	3775	Crustiform vein - Lynx FW	1326.0	453535	5435181	329	-72	99.6	101.5	1.9	4.57		
OSK-W-17-783	3775	Caribou extension	1326.0	453535	5435181	329	-72	458.0	460.0	2.0	0.21		
OSK-W-17-784	2825	CS1	894.0	452861	5434488	330	-54	578.5	592.7	14.2	0.96		
OSK-W-17-784	2825	CS3	894.0	452861	5434488	330	-54	660.9	663.3	2.4	0.98		
OSK-W-17-784	2825	Wolf HW	894.0	452861	5434488	330	-54	767.0	770.0	3.0	4.89		
			<i>including</i>						769.5	770.0	0.5	15.1	
OSK-W-17-784	2825	Wolf HW	894.0	452861	5434488	330	-54	780.4	786.1	5.7	3.21		
			<i>including</i>						785.1	786.1	1.0	13.6	
OSK-W-17-784	2825	Wolf	894.0	452861	5434488	330	-54	823.0	827.0	4.0	0.42		
OSK-W-17-785	2625		49.5	452673	5434414	329	-56	<i>Abandoned</i>					
OSK-W-17-786	2625	CS1	717.0	452674	5434411	337	-55	570.3	572.4	2.1	0.26		
OSK-W-17-786	2625	CS3 HW	717.0	452674	5434411	337	-55	652.3	660.1	7.8	5.17		
			<i>including</i>						652.3	656.0	3.7	9.85	
OSK-W-17-786	2625	CS3	717.0	452674	5434411	337	-55	664.0	668.9	4.9	6.64		
			<i>including</i>						667.9	668.9	1.0	20.5	
OSK-W-17-787	3500	Lynx FW	1205.8	453324	5435038	333	-63	118.7	121.1	2.4	0.96		
OSK-W-17-787	3500	Caribou extension	1205.8	453324	5435038	333	-63	507.9	514.4	6.5	7.21		
			<i>including</i>						512.6	513.6	1.0	24.1	
OSK-W-17-787	3500	CN2 extension	1205.8	453324	5435038	333	-63	517.0	521.8	4.8	3.48		
			<i>including</i>						521.2	521.8	0.6	13.1	
OSK-W-17-788	3450	Lynx HW	375.0	453329	5434931	332	-66	164.5	166.5	2.0	3.09		
OSK-W-17-788	3450	Lynx	375.0	453329	5434931	332	-66	233.0	250.3	17.3	17.0	12.8	
			<i>including</i>						236.4	236.9	0.5	153	100
			<i>and</i>						239.0	240.0	1.0	128	100
OSK-W-17-788	3450	Lynx FW	375.0	453329	5434931	332	-66	295.0	297.0	2.0	6.21		
			<i>including</i>						296.6	297.0	0.4	25.7	
OSK-W-17-788	3450	Lynx FW	375.0	453329	5434931	332	-66	301.0	303.0	2.0	3.76		
OSK-W-17-789	2500	CS1	1278.0	452546	5434388	333	-59	526.1	533.5	7.4	5.12		
			<i>including</i>						527.9	530.0	2.1	16.4	
OSK-W-17-789	2500	CS1 FW	1278.0	452546	5434388	333	-59	538.9	544.1	5.2	7.31	6.39	
			<i>including</i>						543.8	544.1	0.3	116	100
OSK-W-17-789	2500	CS1 FW	1278.0	452546	5434388	333	-59	583.2	585.7	2.5	3.30		
			<i>including</i>						584.4	585.0	0.6	13.3	
OSK-W-17-789	2500	FW0	1278.0	452546	5434388	333	-59	796.8	799.9	3.1	3.01		
OSK-W-17-789	2500	FW1	1278.0	452546	5434388	333	-59	853.0	860.9	7.9	19.4	16.4	
			<i>including</i>						853.0	857.5	4.5	29.7	
OSK-W-17-789	2500	FW1 FW	1278.0	452546	5434388	333	-59	883.9	885.9	2.0	9.15		
			<i>including</i>						884.9	885.6	0.7	24.1	
OSK-W-17-789	2500	FW3	1278.0	452546	5434388	333	-59	964.0	966.3	2.3	8.20		
			<i>including</i>						965.0	965.3	0.3	61.7	
OSK-W-17-789-W1	2500	FW0	1197.0	452546	5434388	333	-59	799.5	804.4	4.9	5.63		



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								801.9	802.5	0.6	20.4	
OSK-W-17-789-W1	2500	FW1	1197.0	452546	5434388	333	-59	877.1	880.6	3.5	11.0	
OSK-W-17-789-W1	2500	FW3 HW	1197.0	452546	5434388	333	-59	995.4	997.5	2.1	3.50	
<i>including</i>								995.4	996.0	0.6	10.5	
OSK-W-17-789-W1	2500	FW3	1197.0	452546	5434388	333	-59	1004.1	1006.7	2.6	14.6	
<i>including</i>								1005.2	1006.0	0.8	34.3	
OSK-W-17-789-W1	2500	FW3 / Z14-2	1197.0	452546	5434388	333	-59	1119.8	1122.0	2.2	16.4	
<i>including</i>								1120.4	1121.2	0.8	44.1	
OSK-W-17-789-W2	2500	New / FW0	1194.0	452546	5434388	333	-59	801.0	803.0	2.0	13.2	
OSK-W-17-789-W2	2500	FW1	1194.0	452546	5434388	333	-59	882.0	884.3	2.3	5.00	
OSK-W-17-789-W2	2500	FW1 FW	1194.0	452546	5434388	333	-59	906.5	909.2	2.7	4.79	
OSK-W-17-789-W2	2500	FW3	1194.0	452546	5434388	333	-59	1014.0	1017.0	3.0	8.02	
OSK-W-17-789-W2	2500	FW3 / Z14-2	1194.0	452546	5434388	333	-59	1152.1	1155.2	3.1	25.6	
<i>including</i>								1152.1	1152.7	0.6	44.0	
<i>including</i>								1154.5	1155.2	0.7	67.9	
OSK-W-17-789-W2	2500	FW3 / Z14-2	1194.0	452546	5434388	333	-59	1163.0	1165.7	2.7	5.62	
OSK-W-17-790	3600	Lynx FW	450.0	453457	5434995	332	-66	261.6	265.2	3.6	11.3	
<i>including</i>								261.6	262.3	0.7	28.7	
<i>and</i>								264.7	265.2	0.5	39.9	
OSK-W-17-790	3600	Lynx FW	450.0	453457	5434995	332	-66	269.5	272.5	3.0	4.32	
<i>including</i>								269.5	270.6	1.1	10.1	
OSK-W-17-790	3600	Lynx 2	450.0	453457	5434995	332	-66	293.0	295.0	2.0	8.61	
OSK-W-17-790	3600	Lynx 2	450.0	453457	5434995	332	-66	303.8	308.8	5.0	6.00	
OSK-W-17-790	3600	Lynx 2	450.0	453457	5434995	332	-66	316.9	325.5	8.6	10.5	10.3
<i>including</i>								324.8	325.5	0.7	102	100
OSK-W-17-790	3600	VNCR	450.0	453457	5434995	332	-66	392.5	394.7	2.2	10.9	
OSK-W-17-792	3575	Lynx	438.0	453446	5434959	335	-64	309.5	318.7	9.2	42.1	25.2
<i>including</i>								313.3	314.2	0.9	56.0	
<i>and</i>								315.6	317.6	2.0	162	100
OSK-W-17-792	3575	Crustiform vein	438.0	453446	5434959	335	-64	380.8	384.5	3.7	2.51	
OSK-W-17-795	2625	FW1	1428.0	452646	5434421	333	-65	1110.3	1113.7	3.4	5.53	
<i>including</i>								1110.3	1110.9	0.6	23.1	
OSK-W-17-799	3650	Lynx HW	450.0	453481	5435035	332	-74	309.3	311.2	1.9	10.6	
OSK-W-17-799	3650	Lynx	450.0	453481	5435035	332	-74	319.8	324.4	4.6	50.9	49.7
<i>including</i>								319.8	320.7	0.9	106	100
<i>and</i>								323.1	324.4	1.3	82.7	
OSK-W-17-799	3650	Lynx FW	450.0	453481	5435035	332	-74	339.8	344.2	4.4	63.8	41.4
<i>including</i>								341.5	342.3	0.8	223	100
OSK-W-17-799	3650	Crustiform vein	450.0	453481	5435035	332	-74	402.0	408.5	6.5	11.0	
OSK-W-17-800	3500	Lynx 1	414.0	453367	5434941	330	-58	193.6	196.0	2.4	16.5	
<i>including</i>								194.1	195.0	0.9	40.4	
OSK-W-17-800	3500	VNCR	414.0	453367	5434941	330	-58	306.0	308.8	2.8	35.2	25.4
<i>including</i>								306.5	307.2	0.7	139	100
OSK-W-17-801	3325	Caribou extension	840.0	453192	5434907	333	-69	688.1	691.0	2.9	7.75	
OSK-W-17-801	3325	Caribou extension	840.0	453192	5434907	333	-69	697.0	699.4	2.4	3.70	
OSK-W-17-801	3325	Caribou extension	840.0	453192	5434907	333	-69	758.5	770.4	11.9	5.53	
<i>including</i>								758.5	762.0	3.5	10.6	
OSK-W-17-801	3325	Caribou extension	840.0	453192	5434907	333	-69	777.0	781.4	4.4	3.92	
OSK-W-17-802	3475	Lynx 2	399.0	453375	5434898	330	-54	293.1	298.0	4.9	10.4	
<i>including</i>								297.0	298.0	1.0	37.5	
OSK-W-17-802	3475	Crustiform vein - Lynx corridor	399.0	453375	5434898	330	-54	363.0	366.1	3.1	24.9	
<i>including</i>								365.3	366.1	0.8	73.2	
OSK-W-17-802	3475	Crustiform vein - Lynx corridor	399.0	453375	5434898	330	-54	378.7	381.3	2.6	3.99	
<i>including</i>								379.3	380.5	1.2	6.77	
OSK-W-17-803	3450	Lynx HW	411.0	453305	5434943	331	-64	137.0	139.3	2.3	5.23	
<i>including</i>								137.0	138.5	1.5	7.74	
OSK-W-17-803	3450	Lynx	411.0	453305	5434943	331	-64	169.0	171.9	2.9	19.1	
OSK-W-17-803	3450	Crustiform vein - Lynx corridor	411.0	453305	5434943	331	-64	372.0	374.3	2.3	6.38	
<i>including</i>								372.0	373.2	1.2	11.1	
OSK-W-17-804	2100	Z27 HW	200.5	451941	5434625	342	-42	69.5	71.5	2.0	3.59	
<i>including</i>								69.5	69.8	0.3	19.1	
OSK-W-17-804	2100	Z27	200.5	451941	5434625	342	-42	83.9	86.6	2.7	3.65	
<i>including</i>								86.3	86.6	0.3	27.4	
OSK-W-17-804	2100	Z27-1	200.5	451941	5434625	342	-42	97.4	99.5	2.1	1.46	
OSK-W-17-805	3350	Lynx 2	321.0	453200	5434910	332	-56	225.5	230.5	5.0	12.4	
<i>including</i>								227.4	230.5	3.1	17.7	
<i>including</i>								230.0	230.5	0.5	64.6	
OSK-W-17-806	3400	Lynx 2	387.0	453261	5434950	331	-60	214.6	217.5	2.9	3.13	
<i>including</i>								214.6	215.5	0.9	8.24	
OSK-W-17-807	2325	FW0	1170.0	452311	5434423	330	-65	623.5	626.5	3.0	3.89	
OSK-W-17-807	2325	FW1	1170.0	452311	5434423	330	-65	715.5	717.5	2.0	19.2	
<i>including</i>								715.5	716.0	0.5	51.5	
OSK-W-17-807	2325	FW3 HW	1170.0	452311	5434423	330	-65	861.0	863.5	2.5	2.96	
OSK-W-17-807	2325	FW4	1170.0	452311	5434423	330	-65	1023.0	1028.6	5.6	0.54	
OSK-W-17-807-W1	2325	FW1	1194.0	452311	5434423	330	-65	730.2	734.6	4.4	8.20	
<i>including</i>								734.0	734.6	0.6	56.3	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-807-W1	2325	FW3 HW	1194.0	452311	5434423	330	-65	907.0	916.4	9.4	9.01	
		<i>including</i>						913.3	915.7	2.4	20.7	
OSK-W-17-807-W1	2325	FW3 FW	1194.0	452311	5434423	330	-65	1031.9	1034.0	2.1	8.64	
		<i>including</i>						1031.9	1032.5	0.6	27.8	
OSK-W-17-807-W1	2325	FW4	1194.0	452311	5434423	330	-65	1122.8	1127.0	4.2	0.38	
OSK-W-17-807-W2	2325	FW1	1155.0	452311	5434423	330	-65	735.0	738.0	3.0	53.5	35.2
		<i>including</i>						737.0	738.0	1.0	155	100
OSK-W-17-807-W2	2325	UnderDog	1155.0	452311	5434423	330	-65	868.5	870.5	2.0	7.15	
OSK-W-17-807-W2	2325	FW3	1155.0	452311	5434423	330	-65	911.0	913.0	2.0	32.9	
		<i>including</i>						911.0	912.0	1.0	65.4	
OSK-W-17-807-W2	2325	Underdog	1155.0	452311	5434423	330	-65	1070.5	1072.5	2.0	4.29	
		<i>including</i>						1070.5	1071.5	1.0	8.20	
OSK-W-17-810	2100	Z27 HW	224.5	451949	5434615	331	-60	93.1	98.0	4.9	7.25	
		<i>including</i>						93.8	95.7	1.9	16.4	
OSK-W-17-810	2100	Z27	224.5	451949	5434615	331	-60	108.7	111.0	2.3	6.54	
		<i>including</i>						109.2	110.2	1.0	14.9	
OSK-W-17-811	3725	Lynx 1	432.0	453470	5435213	150	-76	152.5	156.0	3.5	3.01	
OSK-W-17-812	3625	Lynx 1	377.7	453460	5435033	330	-65	194.7	196.5	1.8	0.98	
OSK-W-17-812	3625	Lynx 2	377.7	453460	5435033	330	-65	298.5	301.0	2.5	26.0	14.0
		<i>including</i>						299.7	300.0	0.3	200	100
OSK-W-17-812	3625	Lynx 2	377.7	453460	5435033	330	-65	304.8	308.9	4.1	18.6	12.5
		<i>including</i>						304.8	305.1	0.3	59.7	
		<i>and</i>						307.3	307.6	0.3	184	100
OSK-W-17-813	2600	CS1	666.0	452612	5434456	332	-63	522.8	525.0	2.2	4.16	
OSK-W-17-813-W1	2600	CS3	660.0	452612	5434456	332	-63	618.3	620.7	2.4	4.53	
OSK-W-17-813-W1	2600	CN1	660.0	452612	5434456	332	-63	626.2	629.1	2.9	9.67	
		<i>including</i>						626.2	627.0	0.8	30.8	
OSK-W-17-814	2075	Z27-1	203.5	451927	5434612	329	-62	118.5	120.5	2.0	189	25.1
		<i>including</i>						120.0	120.5	0.5	756	100
OSK-W-17-816	3725	Lynx 1	1050.0	453470	5435213	147	-69	192.5	194.5	2.0	9.46	
		<i>including</i>						192.5	193.5	1.0	18.7	
OSK-W-17-816	3725	Lynx 1	1050.0	453470	5435213	147	-69	670.0	672.8	2.8	5.24	
		<i>including</i>						672.4	672.8	0.4	14.7	
OSK-W-17-816	3725	Lynx 4	1050.0	453470	5435213	147	-69	797.1	804.8	7.7	11.7	
		<i>including</i>						799.3	800.0	0.8	68.3	
		<i>including</i>						804.5	804.8	0.3	85.9	
OSK-W-17-817	3600	Lynx 2	820.3	453332	5435229	145	-60	273.3	275.3	2.0	4.40	
		<i>including</i>						273.3	273.7	0.4	14.0	
OSK-W-17-817	3600	Lynx 1	820.3	453332	5435229	145	-60	289.5	292.0	2.5	3.46	
		<i>including</i>						291.0	292.0	1.0	8.33	
OSK-W-17-817	3600	New - Lynx corridor	820.3	453332	5435229	145	-60	594.0	596.0	2.0	13.3	
		<i>including</i>						595.3	596.0	0.7	34.2	
OSK-W-17-818	2050	Z27-1	164.5	451868	5434630	329	-61	80.0	82.0	2.0	5.04	
OSK-W-17-818	2050	Vein	164.5	451868	5434630	329	-61	99.0	101.0	2.0	5.86	
		<i>including</i>						100.0	100.4	0.4	29.0	
OSK-W-17-820	2675	CS1	1104.0	452670	5434484	332	-66	558.5	564.5	6.0	31.4	25.4
		<i>including</i>						561.0	563.0	2.0	83.0	65.0
OSK-W-17-820	2675	CS1 FW	1104.0	452670	5434484	332	-66	616.5	619.0	2.5	936	32.1
		<i>including</i>						616.5	617.5	1.0	29.3	
		<i>and</i>						618.5	619.0	0.5	4620	100
OSK-W-17-820	2675	Vein in late dyke	1104.0	452670	5434484	332	-66	690.0	692.8	2.8	8.05	
		<i>including</i>						690.0	691.5	1.5	14.1	
OSK-W-17-820	2675	FW0 HW	1104.0	452670	5434484	332	-66	821.7	825.0	3.3	3.35	
OSK-W-17-820	2675	FW0 HW	1104.0	452670	5434484	332	-66	840.5	843.6	3.1	3.85	
		<i>including</i>						842.7	843.6	0.9	11.4	
OSK-W-17-820	2675	FW0	1104.0	452670	5434484	332	-66	864.2	867.0	2.8	3.51	
		<i>including</i>						864.2	865.0	0.8	11.9	
OSK-W-17-820	2675	FW0 FW	1104.0	452670	5434484	332	-66	946.0	948.0	2.0	3.85	
OSK-W-17-820	2675	FW0 FW	1104.0	452670	5434484	332	-66	976.3	982.6	6.3	5.79	
		<i>including</i>						982.1	982.6	0.5	28.7	
OSK-W-17-820-W1	2675	FW0	1356.0	452670	5434484	332	-66	876.1	881.3	5.2	3.25	
OSK-W-17-820-W1	2675	FW0 FW	1356.0	452670	5434484	332	-66	943.0	945.0	2.0	5.78	
		<i>including</i>						944.0	945.0	1.0	11.3	
OSK-W-17-820-W1	2675	FW0 FW	1356.0	452670	5434484	332	-66	949.0	951.0	2.0	9.02	
OSK-W-17-820-W1	2675	FW0 FW	1356.0	452670	5434484	332	-66	981.8	985.0	3.2	21.6	
		<i>including</i>						981.8	983.4	1.6	40.4	
OSK-W-17-820-W1	2675	FW1 FW	1356.0	452670	5434484	332	-66	1044.0	1046.0	2.0	4.26	
		<i>including</i>						1044.0	1045.0	1.0	7.92	
OSK-W-17-820-W1	2675	FW3 HW	1356.0	452670	5434484	332	-66	1109.2	1111.4	2.2	31.7	27.7
		<i>including</i>						1110.8	1111.4	0.6	115	100
OSK-W-17-820-W1	2675	FW3	1356.0	452670	5434484	332	-66	1146.7	1149.0	2.3	47.0	18.1
		<i>including</i>						1147.1	1147.5	0.4	266	100
OSK-W-17-821	2725	FW0 FW	1258.6	452739	5434474	332	-65	975.1	977.3	2.2	5.25	
		<i>including</i>						976.1	976.7	0.6	15.4	
OSK-W-17-821	2725	FW1	1258.6	452739	5434474	332	-65	1041.5	1044.0	2.5	1.48	
OSK-W-17-821	2725	FW3	1258.6	452739	5434474	332	-65	1174.5	1177.8	3.3	9.27	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								1176.6	1177.8	1.2	21.0	
OSK-W-17-821-W1	2725	CS3	1416.0	452739	5434474	332	-65	670.0	672.0	2.0	0.90	
OSK-W-17-821-W1	2725	FW0 HW	1416.0	452739	5434474	332	-65	865.0	867.0	2.0	7.31	
<i>including</i>								865.7	866.0	0.3	44.3	
OSK-W-17-821-W1	2725	FW0	1416.0	452739	5434474	332	-65	905.0	907.0	2.0	7.93	
<i>including</i>								905.0	906.0	1.0	12.2	
OSK-W-17-821-W1	2725	FW0	1416.0	452739	5434474	332	-65	937.0	941.0	4.0	36.7	35.4
<i>including</i>								938.0	939.0	1.0	105	100
OSK-W-17-821-W1	2725	FW0 FW	1416.0	452739	5434474	332	-65	952.0	954.0	2.0	16.5	
<i>including</i>								953.0	954.0	1.0	32.6	
OSK-W-17-821-W1	2725	FW1 HW	1416.0	452739	5434474	332	-65	1079.0	1084.0	5.0	4.63	
<i>including</i>								1082.0	1083.0	1.0	11.3	
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1110.0	1141.0	31.0	24.9	16.4
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1144.0	1150.0	6.0	10.5	
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1158.0	1180.0	22.0	5.33	
<i>including</i>								1175.6	1176.3	0.7	29.3	
<i>including</i>								1178.0	1179.0	1.0	19.5	
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1192.0	1194.0	2.0	3.35	
OSK-W-17-821-W1	2725	FW1 FW	1416.0	452739	5434474	332	-65	1202.8	1207.0	4.2	5.65	
<i>including</i>								1202.8	1203.1	0.3	48.0	
OSK-W-17-821-W1	2725	New UnderDog	1416.0	452739	5434474	332	-65	1219.4	1223.0	3.6	15.4	
<i>including</i>								1222.2	1223.0	0.8	40.8	
OSK-W-17-821-W1	2725	New UnderDog	1416.0	452739	5434474	332	-65	1278.0	1285.0	7.0	3.84	
<i>including</i>								1278.0	1279.0	1.0	9.58	
<i>including</i>								1284.0	1285.0	1.0	9.62	
OSK-W-17-821-W1	2725	FW3	1416.0	452739	5434474	332	-65	1330.3	1333.0	2.7	5.04	
<i>including</i>								1330.9	1331.2	0.3	30.1	
OSK-W-17-823	2550	CS1 HW	620.3	452565	5434415	330	-57	486.9	494.0	7.1	13.5	
<i>including</i>								490.0	492.0	2.0	37.7	
OSK-W-17-823	2550	CS1	620.3	452565	5434415	330	-57	526.4	533.5	7.1	0.41	
OSK-W-17-823	2550	CS1 FW	620.3	452565	5434415	330	-57	552.2	554.3	2.1	5.43	
OSK-W-17-823	2550	Caribou corridor	620.3	452565	5434415	330	-57	574.6	577.2	2.6	4.70	
<i>including</i>								575.3	576.4	1.1	10.8	
OSK-W-17-823-W1	2550	CS1 HW	618.0	452565	5434415	330	-57	503.0	508.4	5.4	8.05	
<i>including</i>								507.1	508.4	1.3	23.8	
OSK-W-17-823-W1	2550	CS1	618.0	452565	5434415	330	-57	535.0	537.4	2.4	18.6	
<i>including</i>								535.0	536.0	1.0	43.9	
OSK-W-18-823-W2	2550	CS1	918.0	452565	5434415	330	-56	510.6	519.5	8.9	9.53	
<i>including</i>								510.6	513.5	2.9	18.0	
OSK-W-18-823-W2	2550	CS1	918.0	452565	5434415	330	-56	526.0	528.0	2.0	5.22	
OSK-W-18-823-W2	2550	FW1	918.0	452565	5434415	330	-56	843.7	846.0	2.3	11.7	
<i>including</i>								845.0	845.3	0.3	80.5	
OSK-W-18-823-W2	2550	FW1	918.0	452565	5434415	330	-56	858.4	862.5	4.1	40.8	29.3
<i>including</i>								860.8	861.7	0.9	152	100
OSK-W-17-824	2100	Z27	209.5	451956	5434609	330	-67	28.4	31.0	2.6	195	16.7
<i>including</i>								29.6	30.0	0.4	1260	100
OSK-W-17-824	2100	Z27-1	209.5	451956	5434609	330	-67	150.9	152.9	2.0	3.28	
OSK-W-17-825	3525	Lynx 2	579.0	453252	5435182	145	-54	226.1	228.1	2.0	4.06	
OSK-W-17-825	3525	Lynx 2	579.0	453252	5435182	145	-54	237.1	239.1	2.0	3.18	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	265.2	266.9	1.7	3.18	
<i>including</i>								265.2	265.5	0.3	14.0	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	267.9	270.7	2.8	6.71	
<i>including</i>								268.9	269.6	0.7	21.6	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	274.0	276.2	2.2	6.88	
<i>including</i>								274.8	275.2	0.4	21.6	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	280.5	283.9	3.4	23.8	
<i>including</i>								280.5	281.3	0.8	92.1	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	289.8	292.5	2.7	5.27	
OSK-W-17-826	2825	CS1	1335.0	452800	5434549	331	-66	543.5	544.8	1.3	0.67	
OSK-W-17-826	2825	CS3	1335.0	452800	5434549	331	-66	658.1	661.9	3.8	1.14	
OSK-W-17-826	2825	Caribou Corridor	1335.0	452800	5434549	331	-66	720.3	723.7	3.4	4.49	
OSK-W-17-826	2825	FW0	1335.0	452800	5434549	331	-66	937.0	939.0	2.0	3.79	
OSK-W-17-826	2825	FW1 HW	1335.0	452800	5434549	331	-66	1031.0	1033.0	2.0	6.53	
<i>including</i>								1031.0	1032.0	1.0	11.3	
OSK-W-17-826	2825	FW1 HW	1335.0	452800	5434549	331	-66	1051.0	1053.0	2.0	6.37	
<i>including</i>								1052.0	1053.0	1.0	11.9	
OSK-W-17-826	2825	FW3/Z14-2	1335.0	452800	5434549	331	-66	1204.0	1206.2	2.2	9.26	
<i>including</i>								1205.6	1206.2	0.6	24.7	
OSK-W-17-826	2825	FW3/Z14 HW	1335.0	452800	5434549	331	-66	1246.8	1250.0	3.2	4.61	
OSK-W-17-826	2825	FW3/Z14	1335.0	452800	5434549	331	-66	1298.0	1300.2	2.2	4.67	
OSK-W-17-826	2825	FW3/Z14 FW	1335.0	452800	5434549	331	-66	1308.3	1310.6	2.3	3.37	
<i>including</i>								1309.0	1309.6	0.6	12.4	
OSK-W-17-826	2825	FW3 FW	1335.0	452800	5434549	331	-66	1316.6	1319.0	2.4	16.0	
<i>including</i>								1317.2	1319.0	1.8	21.3	
OSK-W-17-826-W1	2825	Caribou corridor	759.0	452800	5434549	331	-66	648.0	650.8	2.8	3.48	
OSK-W-17-827	3425	Lynx 3	957.0	453172	5435126	145	-63	158.0	162.1	4.1	12.1	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								160.0	161.5	1.5	30.0	
OSK-W-17-827	3425	Lynx 2	957.0	453172	5435126	145	-63	196.0	198.5	2.5	2.66	
OSK-W-17-827	3425	Lynx 1 FW	957.0	453172	5435126	145	-63	255.0	258.0	3.0	14.6	
OSK-W-17-827	3425	Lynx 1 HW	957.0	453172	5435126	145	-63	354.0	356.5	2.5	7.51	
<i>including</i>								354.0	355.5	1.5	12.4	
OSK-W-17-827	3425	VNCR - Lynx corridor	957.0	453172	5435126	145	-63	381.0	383.0	2.0	5.84	
<i>including</i>								381.5	382.3	0.8	12.5	
OSK-W-17-827	3425	Lynx corridor	957.0	453172	5435126	145	-63	469.0	472.0	3.0	3.63	
OSK-W-17-827	3425	Lynx 4	957.0	453172	5435126	145	-63	664.3	667.0	2.7	57.0	50.1
<i>including</i>								666.0	667.0	1.0	119	100
OSK-W-17-827	3425	Lynx 5	957.0	453172	5435126	145	-63	779.0	781.0	2.0	12.7	
<i>including</i>								780.0	781.0	1.0	25.0	
OSK-W-17-830	2575	CS1	819.0	452487	5434622	329	-55	292.0	296.2	4.2	1.03	
OSK-W-17-830	2575	Caribou	819.0	452487	5434622	329	-55	343.0	344.0	1.0	7.92	
OSK-W-17-830	2575	Wolf	819.0	452487	5434622	329	-55	419.4	420.8	1.4	1.02	
OSK-W-17-830	2575	Z27	819.0	452487	5434622	329	-55	522.1	524.6	2.5	0.69	
OSK-W-17-830	2575	FW3U HW	819.0	452487	5434622	329	-55	670.5	673.5	3.0	3.59	
OSK-W-17-830	2575	FW3U	819.0	452487	5434622	329	-55	762.0	764.0	2.0	7.56	
OSK-W-17-831	3825	Lynx 1	561.0	453549	5435279	150	-75	457.7	460.0	2.3	4.61	
OSK-W-17-832	3600	Lynx 3	573.0	453332	5435229	146	-55	85.0	87.3	2.3	14.1	
<i>including</i>								85.8	86.6	0.8	38.9	
OSK-W-17-833	2550	CS1	1149.0	452597	5434393	331	-57	540.0	546.3	6.3	5.91	
<i>including</i>								544.0	546.3	2.3	13.2	
OSK-W-17-833	2550	CN1	1149.0	452597	5434393	331	-57	608.5	614.8	6.3	3.11	
<i>including</i>								612.9	614.8	1.9	5.93	
OSK-W-17-833	2550	FW0	1149.0	452597	5434393	331	-57	828.2	831.4	3.2	3.48	
OSK-W-17-833	2550	FW2	1149.0	452597	5434393	331	-57	915.3	918.0	2.7	0.94	
OSK-W-17-833	2550	FW2 FW	1149.0	452597	5434393	331	-57	954.0	957.0	3.0	3.40	
OSK-W-17-833	2550	FW3/Z14	1149.0	452597	5434393	331	-57	1086.0	1088.5	2.5	8.94	
<i>including</i>								1086.0	1087.0	1.0	15.0	
OSK-W-17-833	2550	FW3/Z14-2	1149.0	452597	5434393	331	-57	1125.0	1127.4	2.4	8.97	
<i>including</i>								1125.0	1126.1	1.1	17.1	
OSK-W-17-833-W1	2550	CS1	1173.0	452597	5434393	331	-57	534.0	536.0	2.0	8.27	
OSK-W-17-833-W1	2550	FW0	1173.0	452597	5434393	331	-57	815.5	818.0	2.5	5.60	
<i>including</i>								815.5	816.0	0.5	21.6	
OSK-W-17-833-W1	2550	FW0 FW	1173.0	452597	5434393	331	-57	842.0	844.0	2.0	5.66	
<i>including</i>								842.6	843.3	0.7	15.6	
OSK-W-17-833-W1	2550	FW1 HW	1173.0	452597	5434393	331	-57	853.7	857.7	4.0	11.8	
OSK-W-17-833-W1	2550	New UnderDog	1173.0	452597	5434393	331	-57	862.0	864.0	2.0	5.79	
OSK-W-17-833-W1	2550	FW3	1173.0	452597	5434393	331	-57	1089.0	1091.9	2.9	8.24	
<i>including</i>								1091.6	1091.9	0.3	76.2	
OSK-W-17-833-W1	2550	FW3	1173.0	452597	5434393	331	-57	1100.0	1102.0	2.0	6.16	
OSK-W-17-833-W2	2550	CS1	1244.2	452597	5434393	331	-57	534.0	544.0	10.0	9.18	
<i>including</i>								542.0	544.0	2.0	39.0	
OSK-W-17-833-W2	2550	CS1 FW	1244.2	452597	5434393	331	-57	554.0	556.0	2.0	3.87	
OSK-W-17-833-W2	2550	FW1	1244.2	452597	5434393	331	-57	886.0	893.5	7.5	0.21	
OSK-W-17-833-W2	2550	FW2	1244.2	452597	5434393	331	-57	1014.0	1017.0	3.0	43.9	41.6
<i>including</i>								1014.7	1016.4	1.7	72.8	68.7
<i>including</i>								1014.7	1015.0	0.3	123	100
OSK-W-17-833-W2	2550	FW3	1244.2	452597	5434393	331	-57	1022.0	1024.6	2.6	2.14	
OSK-W-17-833-W2	2550	Underdog	1244.2	452597	5434393	331	-57	1184.0	1186.0	2.0	3.43	
OSK-W-17-834	3525	Lynx 2	402.0	453248	5435187	144	-59	277.6	280.0	2.4	16.6	
OSK-W-17-834	3525	Lynx 2	402.0	453248	5435187	144	-59	286.1	288.4	2.3	3.52	
<i>including</i>								286.1	286.5	0.4	16.1	
OSK-W-17-834	3525	Lynx 1	402.0	453248	5435187	144	-59	292.0	295.7	3.7	421	27.8
<i>including</i>								293.1	293.5	0.4	3740	100
OSK-W-17-836	3825	Lynx HW	1045.4	453549	5435279	145	-68	210.0	214.5	4.5	4.56	
OSK-W-17-836	3825	Lynx HW	1045.4	453549	5435279	145	-68	219.9	222.0	2.1	5.49	
OSK-W-17-836	3825	Crustiform vein - Lynx corridor	1045.4	453549	5435279	145	-68	269.3	272.0	2.7	4.96	
<i>including</i>								269.3	270.0	0.7	18.7	
OSK-W-17-836	3825	New - Lynx Corridor	1045.4	453549	5435279	145	-68	307.2	309.7	2.5	18.5	
<i>including</i>								307.2	307.7	0.5	85.2	
OSK-W-17-836	3825	New - Lynx corridor	1045.4	453549	5435279	145	-68	382.4	384.7	2.3	20.7	14.8
<i>including</i>								382.4	382.7	0.3	146	100
OSK-W-17-836	3825	New - Lynx Corridor	1045.4	453549	5435279	145	-68	421.2	423.5	2.3	3.30	
OSK-W-17-836	3825	New - Lynx Corridor	1045.4	453549	5435279	145	-68	517.0	520.1	3.1	3.82	
OSK-W-17-836	3825	Lynx 5	1045.4	453549	5435279	145	-68	868.0	870.4	2.4	116	46.4
<i>including</i>								869.3	870.4	1.1	253	100
OSK-W-17-836	3825	New - Lynx corridor	1045.4	453549	5435279	145	-68	890.1	892.7	2.6	16.3	
<i>including</i>								890.1	890.6	0.5	75.9	
OSK-W-17-837	3650	Lynx 1 HW	465.0	453485	5435060	332	-75	207.0	210.4	3.4	43.9	35.5
<i>including</i>								210.0	210.4	0.4	172	100
OSK-W-17-837	3650	Lynx 1	465.0	453485	5435060	332	-75	285.8	291.2	5.4	16.8	
<i>including</i>								285.8	287.2	1.4	45.7	
OSK-W-17-837	3650	Lynx 2	465.0	453485	5435060	332	-75	320.0	328.4	8.4	97.4	33.7
<i>including</i>								320.7	322.8	2.1	65.0	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>and</i>								324.7	325.4	0.7	865	100
OSK-W-17-837	3650	VNCR - Lynx corridor	465.0	453485	5435060	332	-75	335.9	339.0	3.1	5.77	
OSK-W-17-837	3650	VNCR	465.0	453485	5435060	332	-75	343.7	346.6	2.9	15.6	
OSK-W-17-837	3650	Vein - Lynx corridor	465.0	453485	5435060	332	-75	407.6	408.7	1.1	3.93	
OSK-W-17-838	3275	Caribou Corridor	528.0	453144	5434900	329	-65	488.7	490.7	2.0	7.31	
<i>including</i>								489.7	490.7	1.0	12.4	
OSK-W-17-838	3275	Caribou Corridor	528.0	453144	5434900	329	-65	497.0	500.0	3.0	4.55	
<i>including</i>								498.0	499.0	1.0	10.8	
OSK-W-17-839	3525	Lynx 1 HW	449.2	453431	5434889	331	-56	310.0	312.1	2.1	10.5	
<i>including</i>								310.8	312.1	1.3	16.7	
OSK-W-17-839	3525	Lynx 1	449.2	453431	5434889	331	-56	319.7	328.0	8.3	6.58	
<i>including</i>								325.2	325.7	0.5	30.4	
<i>including</i>								326.4	327.1	0.7	24.9	
OSK-W-17-842	2475	CS1 HW	1302.0	452509	5434390	331	-59	505.5	508.0	2.5	3.79	
<i>including</i>								505.5	505.9	0.4	18.3	
OSK-W-17-842	2475	CS1	1302.0	452509	5434390	331	-59	540.0	545.5	5.5	14.5	8.55
<i>including</i>								540.0	540.4	0.4	182	100
OSK-W-17-842	2475	FW0	1302.0	452509	5434390	331	-59	799.5	808.5	9.0	4.01	
OSK-W-17-842	2475	FW1	1302.0	452509	5434390	331	-59	923.7	925.8	2.1	4.01	
OSK-W-17-842	2475	QTV	1302.0	452509	5434390	331	-59	1030.0	1032.0	2.0	4.01	
OSK-W-17-843	3500	Lynx 1	462.0	453427	5434866	330	-50	327.1	331.4	4.3	1.83	
OSK-W-17-843	3500	VNCR	462.0	453427	5434866	330	-50	450.4	452.8	2.4	5.93	
<i>including</i>								450.4	451.1	0.7	19.0	
OSK-W-17-844	2750	CS1	1092.0	452728	5434545	333	-57	414.3	416.1	1.8	0.89	
OSK-W-17-844	2750	CS3	1092.0	452728	5434545	333	-57	520.8	523.6	2.8	11.6	
<i>including</i>								521.7	522.6	0.9	33.7	
OSK-W-17-844	2750	Wolf 2	1092.0	452728	5434545	333	-57	568.7	571.2	2.5	8.14	
<i>including</i>								569.7	570.1	0.4	28.2	
OSK-W-17-844	2750	Wolf 2 FW	1092.0	452728	5434545	333	-57	595.4	598.0	2.6	5.30	
<i>including</i>								596.4	597.0	0.6	20.3	
OSK-W-17-844	2750	Wolf	1092.0	452728	5434545	333	-57	665.1	668.6	3.5	18.7	
<i>including</i>								668.0	668.6	0.6	69.4	
OSK-W-17-844	2750	FW3	1092.0	452728	5434545	333	-57	954.8	957.6	2.8	56.9	35.5
<i>including</i>								957.1	957.6	0.5	220	100
OSK-W-17-844	2750	Underdog	1092.0	452728	5434545	333	-57	1058.5	1060.5	2.0	4.87	
OSK-W-17-845	3550	Lynx 1	375.0	453452	5434917	328	-58	316.2	318.2	2.0	10.7	
<i>including</i>								316.7	317.5	0.8	26.3	
OSK-W-17-846	3300	Lynx 1	249.0	453142	5434934	331	-64	95.0	97.0	2.0	113	75.1
<i>including</i>								95.5	97.0	1.5	151	100
OSK-W-17-846	3300	Lynx 2	249.0	453142	5434934	331	-64	174.6	176.5	1.9	3.25	
OSK-W-17-847	2625	CS1	1347.0	452645	5434429	334	-69	601.0	603.0	2.0	29.8	
OSK-W-17-847	2625	FW0 HW	1347.0	452645	5434429	334	-69	831.0	833.0	2.0	6.87	
OSK-W-17-847	2625	FW0	1347.0	452645	5434429	334	-69	864.9	871.8	6.9	3.57	
OSK-W-17-847	2625	FW2	1347.0	452645	5434429	334	-69	1085.1	1089.0	3.9	8.85	
OSK-W-17-847	2625	FW3	1347.0	452645	5434429	334	-69	1162.0	1174.0	12.0	8.44	
<i>including</i>								1169.0	1170.0	1.0	32.9	
OSK-W-17-847	2625	FW3 FW	1347.0	452645	5434429	334	-69	1208.0	1211.0	3.0	20.4	
OSK-W-17-847	2625	FW4	1347.0	452645	5434429	334	-69	1296.9	1304.1	7.2	0.14	
OSK-W-17-847-W1	2625	CS1 HW	1133.6	452645	5434429	334	-69	584.0	586.0	2.0	5.82	
<i>including</i>								585.0	586.0	1.0	10.7	
OSK-W-17-847-W1	2625	CS1	1133.6	452645	5434429	334	-69	606.0	609.0	3.0	30.1	
<i>including</i>								608.0	609.0	1.0	81.9	
OSK-W-17-847-W1	2625	CS1 FW	1133.6	452645	5434429	334	-69	621.0	626.0	5.0	6.75	
<i>including</i>								622.0	624.0	2.0	14.7	
OSK-W-17-847-W1	2625	CS3	1133.6	452645	5434429	334	-69	643.0	645.0	2.0	4.08	
<i>including</i>								644.5	645.0	0.5	13.4	
OSK-W-17-847-W1	2625	FW0	1133.6	452645	5434429	334	-69	907.0	910.0	3.0	13.1	
<i>including</i>								908.0	909.0	1.0	36.0	
OSK-W-17-847-W1	2625	FW0 FW	1133.6	452645	5434429	334	-69	965.0	967.0	2.0	3.41	
OSK-W-17-847-W1	2625	FW2	1133.6	452645	5434429	334	-69	1124.0	1126.0	2.0	3.70	
OSK-W-17-847-W2	2625	QTV	1275.0	452645	5434429	334	-69	1075.1	1077.2	2.1	10.7	
<i>including</i>								1075.1	1075.5	0.4	51.1	
OSK-W-17-847-W2	2625	FW1	1275.0	452645	5434429	334	-69	1149.0	1152.5	3.5	19.3	
<i>including</i>								1149.0	1150.0	1.0	35.5	
<i>including</i>								1151.8	1152.5	0.7	44.9	
OSK-W-17-847-W2	2625	FW1 FW	1275.0	452645	5434429	334	-69	1171.0	1173.0	2.0	4.07	
OSK-W-17-848	3650	Lynx 2	669.0	453311	5435357	135	-45	348.0	350.6	2.6	8.43	
<i>including</i>								348.0	348.9	0.9	21.3	
OSK-W-17-848	3650	Lynx 1	669.0	453311	5435357	135	-45	363.0	365.5	2.5	7.95	
<i>including</i>								364.5	365.5	1.0	19.9	
OSK-W-17-848	3650	New - Lynx corridor	669.0	453311	5435357	135	-45	486.5	488.5	2.0	3.11	
OSK-W-17-848	3650	New - Lynx corridor	669.0	453311	5435357	135	-45	490.5	492.8	2.3	6.21	
<i>including</i>								491.3	492.2	0.9	15.0	
OSK-W-17-848	3650	Lynx HW	669.0	453311	5435357	135	-45	518.5	520.6	2.1	15.1	
<i>including</i>								518.5	519.5	1.0	26.2	
OSK-W-17-848	3650	Lynx 4	669.0	453311	5435357	135	-45	578.0	586.4	8.4	0.55	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-849	3350	Lynx 2	315.0	453220	5434911	333	-48	190.0	192.0	2.0	7.10	
OSK-W-17-851	3550	Lynx HW	375.0	453452	5434918	320	-50	249.0	251.0	2.0	3.04	
OSK-W-17-851	3550	Lynx 2	375.0	453452	5434918	320	-50	340.0	343.0	3.0	8.02	
OSK-W-17-851	3550	Crustiform vein - Lynx corridor	375.0	453452	5434918	320	-50	348.0	350.0	2.0	131	100
OSK-W-17-852	2875	Caribou	1356.0	452874	5434552	330	-55	712.0	714.0	2.0	10.0	
								712.5	712.8	0.3	42.4	
								including				
OSK-W-17-852-W1	2875	Wolf	897.0	452874	5434552	330	-55	706.0	708.0	2.0	12.1	
								706.0	706.6	0.6	38.8	
								including				
OSK-W-17-854	2550	Caribou	846.0	452485	5434592	331	-53	280.0	282.0	2.0	12.5	
								280.8	282.0	1.2	19.8	
								including				
OSK-W-17-854	2550	CN2	846.0	452485	5434592	331	-53	369.0	371.9	2.9	9.07	
								370.5	371.0	0.5	33.0	
								including				
OSK-W-17-854	2550	FW3U	846.0	452485	5434592	331	-53	767.0	769.0	2.0	7.48	
								767.0	768.0	1.0	14.9	
								including				
OSK-W-17-854-W1	2550	Wolf FW	843.8	452485	5434592	331	-53	489.6	492.0	2.4	7.97	
								491.3	492.0	0.7	15.1	
								including				
OSK-W-17-854-W1	2550	Wolf FW	843.8	452485	5434592	331	-53	498.0	501.0	3.0	5.18	
OSK-W-17-854-W1	2550	FW3U HW	843.8	452485	5434592	331	-53	701.0	703.5	2.5	5.00	
								702.0	702.5	0.5	24.7	
								including				
OSK-W-17-854-W1	2550	FW3U	843.8	452485	5434592	331	-53	800.5	803.3	2.8	4.65	
OSK-W-17-854-W2	2550	FW3U	873.0	452485	5434592	331	-53	795.7	799.2	3.5	18.6	
								798.1	798.6	0.5	80.3	
								including				
OSK-W-17-855	2300	Vein	717.0	452309	5434384	334	-64	166.6	169.4	2.8	3.93	
OSK-W-17-855	2300	Caribou corridor	717.0	452309	5434384	334	-64	269.0	271.5	2.5	24.4	
								270.5	271.5	1.0	46.6	
								including				
OSK-W-17-855	2300	FW0	717.0	452309	5434384	334	-64	654.0	658.0	4.0	0.43	
OSK-W-17-855-W1	2300	FW1	1197.0	452309	5434384	334	-64	752.0	754.0	2.0	21.0	
								752.0	753.0	1.0	41.2	
								including				
OSK-W-17-855-W1	2300	FW2	1197.0	452309	5434384	334	-64	843.0	845.2	2.2	3.18	
								844.0	844.5	0.5	12.5	
								including				
OSK-W-17-855-W1	2300	FW3	1197.0	452309	5434384	334	-64	916.3	919.5	3.2	3.79	
								919.0	919.5	0.5	15.8	
								including				
OSK-W-17-855-W1	2300	FW3 FW	1197.0	452309	5434384	334	-64	968.0	971.0	3.0	13.5	
								969.0	971.0	2.0	18.2	
								including				
OSK-W-17-855-W1	2300	FW3	1197.0	452309	5434384	334	-64	985.0	987.0	2.0	4.85	
OSK-W-17-855-W1	2300	QTV	1197.0	452309	5434384	334	-64	1012.0	1014.0	2.0	8.31	
								1013.0	1014.0	1.0	16.5	
								including				
OSK-W-17-855-W1	2300	FW4	1197.0	452309	5434384	334	-64	1158.0	1166.0	8.0	1.24	
OSK-W-17-855-W2	2300	FW1	1197.0	452309	5434384	334	-64	759.9	762.0	2.1	11.1	
								759.9	761.0	1.1	20.8	
								including				
OSK-W-17-855-W2	2300	FW2	1197.0	452309	5434384	334	-64	861.0	863.0	2.0	8.88	
								862.0	863.0	1.0	17.4	
								including				
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	924.8	928.3	3.5	26.1	
								924.8	925.5	0.7	33.5	
								including				
								including				
								including				
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	973.0	975.0	2.0	4.21	
								973.0	973.7	0.7	11.2	
								including				
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	1095.8	1098.0	2.2	9.20	
								1097.0	1098.0	1.0	18.6	
								including				
OSK-W-17-855-W3	2300	FW3	1203.0	452309	5434384	334	-64	945.0	947.0	2.0	5.18	
OSK-W-17-856	3425	Lynx 1	291.0	453292	5434909	331	-52	162.4	166.0	3.6	0.25	
OSK-W-17-856	3425	Lynx 2	291.0	453292	5434909	331	-52	270.4	276.0	5.6	5.03	
								270.4	271.0	0.6	13.1	
								including				
								including				
OSK-W-17-857	3525	Lynx HW	436.5	453414	5434889	330	-52	248.0	250.0	2.0	4.25	
OSK-W-17-857	3525	Lynx HW	436.5	453414	5434889	330	-52	252.0	254.0	2.0	27.4	
								253.1	253.6	0.5	95.0	
								including				
OSK-W-17-857	3525	Vein - Lynx corridor	436.5	453414	5434889	330	-52	348.0	350.9	2.9	30.0	
								349.2	350.9	1.7	50.8	
								including				
OSK-W-17-857	3525	VNCR	436.5	453414	5434889	330	-52	361.5	364.2	2.7	159	17.0
								363.8	364.2	0.4	1060	100
								including				
OSK-W-17-858	2600	SHR	840.0	452524	5434616	331	-53	46.8	49.0	2.2	3.95	
								46.8	47.7	0.9	9.58	
								including				
OSK-W-17-858-W1	2600	FW3U	915.0	452524	5434616	331	-53	781.0	784.0	3.0	11.1	
								781.0	782.5	1.5	18.3	
								including				
OSK-W-17-858-W2	2600	Wolf FW	909.0	452524	5434616	331	-53	486.3	488.6	2.3	8.51	
OSK-W-17-858-W2	2600	Z27	909.0	452524	5434616	331	-53	586.3	588.3	2.0	1.07	
OSK-W-17-858-W2	2600	Vein	909.0	452524	5434616	331	-53	630.1	632.5	2.4	32.6	
								631.6	632.5	0.9	76.6	
								including				
OSK-W-17-858-W2	2600	FW3U	909.0	452524	5434616	331	-53	806.0	810.0	4.0	0.06	
OSK-W-17-858-W2	2600	VNCR	909.0	452524	5434616	331	-53	810.7	812.7	2.0	9.50	
								810.7	811.2	0.5	34.5	
								including				
OSK-W-17-859	3550	Lynx 1	414.0	453433	5434905	337	-55	307.0	309.0	2.0	5.66	
OSK-W-17-859	3550	Lynx 2	414.0	453433	5434905	337	-55	326.0	328.0	2.0	2.26	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-859	3550	Crustiform vein - Lynx corridor	414.0	453433	5434905	337	-55	380.5	382.7	2.2	73.5	29.1
		<i>including</i>						381.4	382.0	0.6	263	100
OSK-W-17-859	3550	Crustiform vein - Lynx corridor	414.0	453433	5434905	337	-55	390.6	393.4	2.8	10.3	
		<i>including</i>						390.6	391.5	0.9	27.3	
OSK-W-17-861	3775	Lynx 2	726.0	453386	5435455	150	-45	388.5	390.5	2.0	9.41	
		<i>including</i>						388.5	389.5	1.0	18.7	
OSK-W-17-861	3775	Lynx HW	726.0	453386	5435455	150	-45	506.7	509.0	2.3	4.06	
		<i>including</i>						508.6	509.0	0.4	12.5	
OSK-W-17-862	2725	Caribou corridor	993.0	452683	5434577	332	-55	369.3	372.2	2.9	17.4	
		<i>including</i>						369.3	370.8	1.5	30.8	
OSK-W-17-862	2725	CS3	993.0	452683	5434577	332	-55	513.0	514.9	1.9	1.27	
OSK-W-17-862	2725	Wolf	993.0	452683	5434577	332	-55	570.7	572.5	1.8	0.29	
OSK-W-17-862-W2	2725	CS3	759.0	452683	5434577	332	-55	465.7	468.3	2.6	4.95	
OSK-W-17-862-W2	2725	CS3	759.0	452683	5434577	332	-55	473.0	477.7	4.7	17.8	
		<i>including</i>						475.0	477.0	2.0	33.3	
OSK-W-17-862-W2	2725	Wolf HW	759.0	452683	5434577	332	-55	551.8	554.0	2.2	6.12	
		<i>including</i>						552.3	552.8	0.5	26.3	
OSK-W-17-862-W2	2725	Wolf	759.0	452683	5434577	332	-55	568.0	570.0	2.0	1.48	
OSK-W-17-862-W2	2725	Wolf FW	759.0	452683	5434577	332	-55	640.0	643.0	3.0	13.4	
		<i>including</i>						642.0	643.0	1.0	38.9	
OSK-W-17-862-W2	2725	Vein	759.0	452683	5434577	332	-55	712.7	714.8	2.1	297	14.5
		<i>including</i>						713.8	714.1	0.3	2080	100
OSK-W-17-864	2525	CS1	813.4	452467	5434581	330	-53	257.0	280.0	23.0	0.90	
OSK-W-17-864	2525	Caribou corridor	813.4	452467	5434581	330	-53	305.0	308.0	3.0	4.17	
OSK-W-17-864	2525	CN2	813.4	452467	5434581	330	-53	338.5	348.0	9.5	0.56	
OSK-W-17-864	2525	Z27	813.4	452467	5434581	330	-53	516.0	524.0	8.0	7.90	
OSK-W-17-864	2525	Z27	813.4	452467	5434581	330	-53	518.0	524.0	6.0	8.22	
		<i>including</i>						518.0	519.0	1.0	22.7	
		<i>and</i>						522.3	524.0	1.7	14.9	
OSK-W-17-864	2525	FW3U	813.4	452467	5434581	330	-53	768.4	770.7	2.3	4.15	
		<i>including</i>						769.3	769.6	0.3	15.1	
OSK-W-17-864	2525	FW3U	813.4	452467	5434581	330	-53	790.3	793.0	2.7	14.0	
		<i>including</i>						792.0	793.0	1.0	28.6	
OSK-W-17-864-W2	2525	FW3U	834.0	452467	5434581	330	-53	800.5	803.0	2.5	3.21	
OSK-W-17-866	2525	New - Caribou corridor	1299.0	452633	5434280	332	-57	347.8	350.4	2.6	3.49	
OSK-W-17-866	2525	Underdog	1299.0	452633	5434280	332	-57	769.7	772.2	2.5	10.2	
		<i>including</i>						771.6	772.2	0.6	40.0	
OSK-W-17-866	2525	FW1	1299.0	452633	5434280	332	-57	1031.0	1033.4	2.4	1.20	
OSK-W-17-866	2525	FW2	1299.0	452633	5434280	332	-57	1105.0	1107.0	2.0	19.4	
		<i>including</i>						1105.6	1106.1	0.5	73.2	
OSK-W-17-866	2525	FW3	1299.0	452633	5434280	332	-57	1138.0	1140.0	2.0	13.9	
OSK-W-17-866	2525	FW3 FW	1299.0	452633	5434280	332	-57	1168.4	1172.9	4.5	4.50	
		<i>including</i>						1168.4	1168.9	0.5	19.9	
OSK-W-17-866	2525	FW3 FW	1299.0	452633	5434280	332	-57	1229.2	1231.5	2.3	14.0	
		<i>including</i>						1229.2	1229.9	0.7	41.1	
OSK-W-17-866	2525	FW3	1299.0	452633	5434280	332	-57	1272.4	1274.5	2.1	6.29	
		<i>including</i>						1273.1	1273.9	0.8	16.3	
OSK-W-17-866-W1	2525	Caribou	1359.0	452633	5434280	332	-57	514.7	519.0	4.3	2.43	
OSK-W-17-866-W1	2525	FW1	1359.0	452633	5434280	332	-57	1034.5	1040.0	5.5	3.76	
		<i>including</i>						1034.5	1035.5	1.0	9.41	
OSK-W-17-866-W1	2525	FW3	1359.0	452633	5434280	332	-57	1100.0	1102.0	2.0	1.35	
OSK-W-17-866-W2	2525	FW0	1332.0	452633	5434280	332	-57	933.3	935.5	2.2	4.92	
OSK-W-17-866-W2	2525	FW0	1332.0	452633	5434280	332	-57	943.5	946.5	3.0	11.6	
		<i>including</i>						946.1	946.5	0.4	44.0	
OSK-W-17-866-W2	2525	FW0	1332.0	452633	5434280	332	-57	961.2	962.5	1.3	1.64	
OSK-W-17-866-W2	2525	FW0 FW	1332.0	452633	5434280	332	-57	964.0	966.4	2.4	12.9	
		<i>including</i>						965.1	965.6	0.5	31.1	
OSK-W-17-866-W2	2525	FW1	1332.0	452633	5434280	332	-57	1056.0	1062.0	6.0	4.21	
		<i>including</i>						1060.5	1062.0	1.5	12.6	
OSK-W-17-866-W2	2525	FW1	1332.0	452633	5434280	332	-57	1095.5	1097.7	2.2	5.40	
		<i>including</i>						1096.3	1096.7	0.4	29.0	
OSK-W-17-866-W2	2525	FW3	1332.0	452633	5434280	332	-57	1126.1	1128.5	2.4	87.0	37.4
		<i>including</i>						1126.1	1126.9	0.8	249	100
OSK-W-17-866-W2	2525	FW1	1332.0	452633	5434280	332	-57	1146.7	1149.0	2.3	9.48	
		<i>including</i>						1147.6	1148.4	0.8	26.3	
OSK-W-17-866-W2	2525	FW3	1332.0	452633	5434280	332	-57	1221.0	1223.0	2.0	7.59	
		<i>including</i>						1221.7	1222.3	0.6	23.7	
OSK-W-17-867	2825	Caribou	1029.0	452800	5434550	315	-50	595.0	598.9	3.9	5.94	
OSK-W-17-867	2825	Wolf	1029.0	452800	5434550	315	-50	637.2	638.5	1.3	1.67	
OSK-W-17-867	2825	Wolf FW	1029.0	452800	5434550	315	-50	714.1	717.5	3.4	36.6	29.9
		<i>including</i>						715.0	716.0	1.0	123	
OSK-W-17-867	2825	Caribou	1029.0	452800	5434550	315	-50	735.0	737.6	2.6	5.66	
		<i>including</i>						735.9	736.9	1.0	12.6	
OSK-W-17-867	2825	Z27	1029.0	452800	5434550	315	-50	780.0	784.0	4.0	0.91	
OSK-W-17-868	3575	Lynx HW	435.0	453427	5434976	332	-64	199.8	202.0	2.2	9.77	
		<i>including</i>						200.5	201.3	0.8	25.2	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	
OSK-W-17-868	3575	Lynx HW	435.0	453427	5434976	332	-64	221.0	223.0	2.0	26.7		
OSK-W-17-868	3575	Lynx 1	435.0	453427	5434976	332	-64	267.0	269.0	2.0	8.22		
								including		267.4	268.2	0.8	18.0
OSK-W-17-868	3575	Lynx 1	435.0	453427	5434976	332	-64	272.0	277.4	5.4	5.54		
OSK-W-17-868	3575	Lynx 2	435.0	453427	5434976	332	-64	301.0	303.5	2.5	12.3		
								including		302.0	302.6	0.6	50.4
OSK-W-17-868	3575	VNCR	435.0	453427	5434976	332	-64	381.0	383.2	2.2	4.40		
OSK-W-17-869	3600	VNCR	864.0	453229	5435372	132	-48	388.1	397.2	9.1	4.67		
OSK-W-17-870	3550	Lynx HW	411.0	453419	5434937	332	-50	210.4	213.1	2.7	25.7		
OSK-W-17-870	3550	Lynx 1	411.0	453419	5434937	332	-50	230.9	233.7	2.8	18.9		
								including		230.9	231.6	0.7	69.0
OSK-W-17-870	3550	Lynx 3	411.0	453419	5434937	332	-50	353.0	356.0	3.0	3.45		
OSK-W-17-871	2500	TBD	532.6	452402	5434623	328	-54	23.2	25.8	2.6	5.39		
								including		24.1	25.0	0.9	15.2
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	152.0	156.8	4.8	17.9	13.4	
								including		155.5	156.0	0.5	100
								including		155.5	156.0	0.5	143
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	177.3	179.9	2.6	3.47		
								including		177.3	177.6	0.3	17.4
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	269.0	271.4	2.4	6.21		
OSK-W-17-871	2500	Z27	532.6	452402	5434623	328	-54	429.3	432.0	2.7	3.18		
OSK-W-17-871	2500	Z27 FW	532.6	452402	5434623	328	-54	480.0	482.0	2.0	3.35		
OSK-W-17-871-W1	2500	QTV	840.0	452402	5434623	328	-54	610.1	612.4	2.3	8.38		
								including		610.1	610.8	0.7	27.4
OSK-W-17-871-W1	2500	FW3U	840.0	452402	5434623	328	-54	752.1	754.1	2.0	120	28.7	
								including		753.7	754.1	0.4	557
OSK-W-17-872	3400	Crustiform vein - Lynx corridor	307.3	453265	5434914	334	-47	194.7	197.4	2.7	4.27		
OSK-W-17-872	3400	Lynx 2	307.3	453265	5434914	334	-47	210.5	212.4	1.9	0.83		
OSK-W-17-873	3575	Lynx HW	393.0	453427	5434976	326	-61	210.0	212.0	2.0	3.51		
OSK-W-17-873	3575	Lynx 1	393.0	453427	5434976	326	-61	242.0	246.9	4.9	10.7		
OSK-W-17-873	3575	Lynx 1 FW	393.0	453427	5434976	326	-61	254.0	256.0	2.0	3.66		
OSK-W-17-873	3575	Lynx 2	393.0	453427	5434976	326	-61	269.0	271.6	2.6	10.0		
								including		270.6	271.6	1.0	18.4
OSK-W-17-873	3575	Lynx 2	393.0	453427	5434976	326	-61	300.0	302.0	2.0	9.30		
								including		300.5	300.8	0.3	59.9
OSK-W-17-873	3575	Lynx 2	393.0	453427	5434976	326	-61	306.2	308.5	2.3	116	31.8	
								including		307.8	308.5	0.7	375
OSK-W-17-873	3575	VNCR	393.0	453427	5434976	326	-61	320.9	323.3	2.4	10.7		
								including		320.9	321.7	0.8	28.7
OSK-W-17-873	3575	Crustiform vein	393.0	453427	5434976	326	-61	327.0	329.5	2.5	4.29		
								including		328.0	328.6	0.6	12.4
OSK-W-17-874	3425	Lynx HW	372.0	453313	5434908	332	-50	154.6	156.0	1.4	0.26		
OSK-W-17-874	3425	Lynx 1	372.0	453313	5434908	332	-50	168.0	170.0	2.0	7.03		
								including		169.1	170.0	0.9	14.9
OSK-W-17-874	3425	Lynx 2	372.0	453313	5434908	332	-50	258.0	261.0	3.0	1.33		
OSK-W-17-875	3750	Lynx 3	924.0	453374	5435443	144	-51	359.0	359.3	0.3	0.11		
OSK-W-17-875	3750	Lynx 1	924.0	453374	5435443	144	-51	451.5	454.5	3.0	1.52		
OSK-W-17-875	3750	Vein - Lynx corridor	924.0	453374	5435443	144	-51	851.0	853.0	2.0	13.7		
								including		852.0	853.0	1.0	27.3
OSK-W-17-876	3400	Lynx HW	393.0	453256	5434939	335	-48	93.8	97.0	3.2	1.65		
OSK-W-17-876	3400	Lynx 2	393.0	453256	5434939	335	-48	158.6	161.6	3.0	2.85		
OSK-W-17-876	3400	Lynx 3	393.0	453256	5434939	335	-48	210.0	212.0	2.0	25.9	15.3	
								including		210.6	210.9	0.3	171
OSK-W-17-877	3400	Lynx HW	360.0	453296	5434888	330	-50	177.7	181.0	3.3	5.02		
								including		179.1	179.6	0.5	30.0
OSK-W-17-877	3400	Lynx 1	360.0	453296	5434888	330	-50	196.2	198.2	2.0	1.49		
OSK-W-17-877	3400	Crustiform vein	360.0	453296	5434888	330	-50	308.0	310.3	2.3	57.8		
OSK-W-17-878	3600	Lynx HW	417.0	453455	5434983	329	-62	230.7	233.0	2.3	0.74		
OSK-W-17-878	3600	Crustiform vein	417.0	453455	5434983	329	-62	234.2	236.4	2.2	14.6		
								including		235.8	236.4	0.6	51.5
OSK-W-17-878	3600	Lynx 1	417.0	453455	5434983	329	-62	250.0	252.0	2.0	1.81		
OSK-W-17-878	3600	Lynx 2	417.0	453455	5434983	329	-62	287.0	302.7	15.7	5.32		
								including		292.7	293.0	0.3	100
								including		298.2	298.6	0.4	66.1
OSK-W-17-878	3600	Crustiform vein	417.0	453455	5434983	329	-62	364.0	366.0	2.0	16.8		
								including		364.3	365.3	1.0	33.2
OSK-W-17-879	3400	Lynx 1	369.0	453241	5434965	335	-46	76.3	77.8	1.5	1.98		
OSK-W-17-879	3400	Lynx HW	369.0	453241	5434965	335	-46	84.2	86.2	2.0	1.93		
OSK-W-17-879	3400	Lynx 2	369.0	453241	5434965	335	-46	108.1	110.4	2.3	52.8		
								including		108.6	109.4	0.8	96.2
OSK-W-17-879	3400	Lynx 2	369.0	453241	5434965	335	-46	115.8	117.8	2.0	14.5		
								including		115.8	116.8	1.0	28.3
OSK-W-17-880	2500	Caribou HW	813.0	452425	5434565	327	-50	146.2	149.4	3.2	3.32		
OSK-W-17-880	2500	Z27 HW	813.0	452425	5434565	327	-50	415.5	418.0	2.5	7.92		
								including		415.5	417.0	1.5	13.2
OSK-W-17-880	2500	Z27	813.0	452425	5434565	327	-50	461.4	463.9	2.5	5.38		



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t		
OSK-W-17-880	2500	FW3U	813.0	452425	5434565	327	-50	713.0	719.0	6.0	0.45			
OSK-W-17-880-W1	2500	Z27 HW	801.0	452425	5434565	327	-50	373.0	376.0	3.0	16.5			
								<i>including</i>		373.0	374.5	1.5	33.0	
OSK-W-17-880-W1	2500	Z27	801.0	452425	5434565	327	-50	464.0	466.5	2.5	4.57			
								<i>including</i>		466.0	466.5	0.5	12.1	
OSK-W-17-880-W2	2500	Z27	846.0	452425	5434565	327	-50	475.6	478.0	2.4	2.32			
OSK-W-17-880-W2	2500	FW3U HW	846.0	452425	5434565	327	-50	699.8	706.7	6.9	0.19			
OSK-W-17-880-W2	2500	FW3U	846.0	452425	5434565	327	-50	776.8	779.5	2.7	8.41			
								<i>including</i>		777.5	778.0	0.5	29.1	
OSK-W-17-881	3575	Lynx 2 FW	867.0	453217	5435342	136	-48	360.5	364.7	4.2	6.54			
								<i>including</i>		362.0	363.4	1.4	15.0	
OSK-W-17-881	3575	Lynx 2 FW	867.0	453217	5435342	136	-48	384.0	386.0	2.0	29.8			
								<i>including</i>		385.0	386.0	1.0	59.4	
OSK-W-17-881	3575	Lynx 2	867.0	453217	5435342	136	-48	412.0	414.0	2.0	379	30.7		
								<i>including</i>		412.7	413.3	0.6	1260	100
OSK-W-17-881	3575	Lynx 1	867.0	453217	5435342	136	-48	445.8	448.2	2.4	2.97			
OSK-W-17-881	3575	Crustiform vein	867.0	453217	5435342	136	-48	732.7	734.8	2.1	4.70			
								<i>including</i>		733.3	733.9	0.6	14.2	
OSK-W-17-882	3450	Lynx HW	471.0	453369	5434846	331	-53	240.2	244.0	3.8	1.62			
OSK-W-17-882	3450	VNCR	471.0	453369	5434846	331	-53	417.0	420.0	3.0	3.39			
								<i>including</i>		418.0	418.5	0.5	18.8	
OSK-W-17-882	3450	VNCR	471.0	453369	5434846	331	-53	426.0	428.0	2.0	2.62			
OSK-W-17-882	3450		471.0	453369	5434846	331	-53	426.6	427.1	0.5	9.82			
OSK-W-17-883	3600	Lynx 1 + Lynx 2	396.0	453455	5434983	326	-60	254.0	256.0	2.0	12.4			
								<i>including</i>		254.9	255.4	0.5	36.8	
OSK-W-17-883	3600	Lynx 1 + Lynx 2	396.0	453455	5434983	326	-60	259.0	261.0	2.0	7.52			
								<i>including</i>		259.7	260.0	0.3	44.4	
OSK-W-17-883	3600	Lynx 2	396.0	453455	5434983	326	-60	274.5	276.5	2.0	18.6			
								<i>including</i>		275.5	276.5	1.0	32.5	
OSK-W-17-883	3600	Lynx 2	396.0	453455	5434983	326	-60	288.5	290.5	2.0	3.89			
OSK-W-17-883	3600	VNCR	396.0	453455	5434983	326	-60	353.0	355.2	2.2	3.07			
OSK-W-17-884	3400	Lynx 1	371.0	453213	5434983	333	-53	49.5	53.0	3.5	1.14			
OSK-W-17-884	3400	Lynx 2	371.0	453213	5434983	333	-53	77.0	80.0	3.0	6.88			
								<i>including</i>		77.0	77.5	0.5	26.0	
OSK-W-17-884	3400	Lynx 3	371.0	453213	5434983	333	-53	120.0	126.1	6.1	0.10			
OSK-W-17-885	2850	Vein	1458.0	452861	5434494	335	-67	472.0	474.0	2.0	21.4	19.8		
								<i>including</i>		472.9	473.2	0.3	111	100
OSK-W-17-885	2850	CS3	1458.0	452861	5434494	335	-67	812.3	817.4	5.1	4.75			
								<i>including</i>		812.3	813.0	0.7	11.1	
OSK-W-17-885	2850	FW0 HW	1458.0	452861	5434494	335	-67	1018.0	1020.0	2.0	6.44			
OSK-W-17-885	2850	FW0	1458.0	452861	5434494	335	-67	1051.0	1053.0	2.0	7.81			
								<i>including</i>		1051.0	1052.0	1.0	15.5	
OSK-W-17-885	2850	FW0 FW	1458.0	452861	5434494	335	-67	1092.0	1100.0	8.0	6.69			
								<i>including</i>		1092.0	1093.0	1.0	22.3	
OSK-W-17-885	2850	FW0	1458.0	452861	5434494	335	-67	1119.0	1121.0	2.0	3.37			
OSK-W-17-885	2850	FW2	1458.0	452861	5434494	335	-67	1303.0	1305.0	2.0	3.62			
OSK-W-17-885	2850	FW3	1458.0	452861	5434494	335	-67	1366.0	1368.6	2.6	6.55			
								<i>including</i>		1367.0	1367.8	0.8	18.2	
OSK-W-17-885-W1	2850	FW0 HW	1383.0	452861	5434494	335	-67	1056.4	1061.0	4.6	5.24			
								<i>including</i>		1060.0	1061.0	1.0	14.3	
OSK-W-17-885-W1	2850	FW0	1383.0	452861	5434494	335	-67	1065.0	1070.0	5.0	3.18			
OSK-W-17-885-W1	2850	FW1 HW	1383.0	452861	5434494	335	-67	1188.0	1190.0	2.0	8.12			
								<i>including</i>		1188.3	1189.3	1.0	15.3	
OSK-W-17-885-W1	2850	FW1 HW	1383.0	452861	5434494	335	-67	1237.0	1239.0	2.0	5.95			
								<i>including</i>		1237.7	1238.5	0.8	11.2	
OSK-W-17-885-W1	2850	FW1	1383.0	452861	5434494	335	-67	1340.0	1345.8	5.8	5.19			
								<i>including</i>		1340.0	1341.0	1.0	15.6	
								<i>including</i>		1345.4	1345.8	0.4	17.8	
OSK-W-17-885-W2	2850	FW0	1229.0	452861	5434494	334	-69	1102.0	1108.0	6.0	0.16			
OSK-W-17-885-W2	2850	FW0 FW	1229.0	452861	5434494	334	-69	1199.0	1201.0	2.0	10.8			
								<i>including</i>		1199.0	1200.0	1.0	21.3	
OSK-W-17-887	3750	Lynx 2	593.5	453374	5435444	144	-54	457.6	461.6	4.0	0.35			
OSK-W-17-887	3750	Crustiform vein	593.5	453374	5435444	144	-54	492.0	494.6	2.6	24.3			
OSK-W-17-887	3750	Lynx 1	593.5	453374	5435444	144	-54	492.0	494.6	2.6	24.3			
								<i>including</i>		492.9	493.5	0.6	91.6	
								<i>including</i>		492.9	493.5	0.6	91.6	
OSK-W-17-888	3500	Lynx 2	402.0	453367	5434941	333	-52	235.2	240.0	4.8	22.6	21.8		
								<i>including</i>		236.0	237.2	1.2	52.3	48.9
								<i>including</i>		236.3	236.8	0.5	109	100
OSK-W-17-888	3500	Lynx 2	402.0	453367	5434941	333	-52	238.3	240.0	1.7	23.7			
								<i>including</i>		238.3	238.8	0.5	65.3	
OSK-W-17-888	3500	Lynx 2	402.0	453367	5434941	333	-52	248.0	250.0	2.0	17.8			
								<i>including</i>		248.5	249.1	0.6	58.1	
OSK-W-17-888	3500	Lynx 2	402.0	453367	5434941	333	-52	257.3	259.4	2.1	4.06			
								<i>including</i>		257.3	257.8	0.5	16.2	
OSK-W-17-889	2725	Caribou	786.0	452695	5434564	333	-57	386.5	388.5	2.0	16.2			



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								388.0	388.5	0.5	58.0	
OSK-W-17-889	2725	Wolf 2	786.0	452695	5434564	333	-57	540.5	544.0	3.5	4.35	
OSK-W-17-889	2725	Wolf HW	786.0	452695	5434564	333	-57	606.0	608.5	2.5	6.79	
<i>including</i>								606.0	607.0	1.0	15.9	
OSK-W-17-889	2725	Wolf HW	786.0	452695	5434564	333	-57	631.5	634.0	2.5	19.2	
<i>including</i>								631.5	632.2	0.7	65.0	
OSK-W-17-889	2725	Wolf	786.0	452695	5434564	333	-57	662.0	664.0	2.0	9.68	
OSK-W-17-889	2725	Wolf	786.0	452695	5434564	333	-57	684.0	686.0	2.0	11.4	
<i>including</i>								684.0	685.5	1.5	15.2	
OSK-W-17-889	2725	Vein	786.0	452695	5434564	333	-57	729.1	731.4	2.3	4.53	
OSK-W-17-895	3475	Lynx HW	444.0	453349	5434937	332	-50	156.0	168.6	12.6	0.17	
OSK-W-17-895	3475	Lynx 1	444.0	453349	5434937	332	-50	179.1	181.3	2.2	24.3	
<i>including</i>								179.1	180.0	0.9	54.0	
OSK-W-17-895	3475	Lynx 2	444.0	453349	5434937	332	-50	209.0	211.0	2.0	17.5	
<i>including</i>								209.0	210.0	1.0	34.4	
OSK-W-17-895	3475	Lynx 2	444.0	453349	5434937	332	-50	221.0	227.5	6.5	8.98	
OSK-W-17-895	3475	Lynx 2	444.0	453349	5434937	332	-50	221.0	225.0	4.0	9.81	
<i>including and</i>								221.0	222.0	1.0	34.7	
<i>including</i>								225.0	227.5	2.5	7.65	
<i>including</i>								227.0	227.5	0.5	37.4	
OSK-W-17-898	3675	Lynx 3	555.0	453330	5435403	148	-51	375.5	380.7	5.2	3.75	
<i>including</i>								375.5	376.2	0.7	10.8	
<i>including</i>								380.2	380.7	0.5	16.4	
OSK-W-17-898	3675	Lynx 2	555.0	453330	5435403	148	-51	411.0	413.5	2.5	12.2	
OSK-W-17-898	3675	Lynx 2	555.0	453330	5435403	148	-51	429.9	432.9	3.0	23.5	
<i>including</i>								431.2	432.0	0.8	85.2	
OSK-W-17-898	3675	Lynx 1	555.0	453330	5435403	148	-51	449.7	452.0	2.3	17.3	
OSK-W-17-899	3350	Lynx 1	303.0	453219	5434913	334	-57	142.9	145.3	2.4	1.12	
OSK-W-17-899	3350	Lynx 2	303.0	453219	5434913	334	-57	243.0	245.0	2.0	4.46	
OSK-W-17-901	2500	Caribou	810.0	452391	5434638	328	-55	122.5	124.6	2.1	16.2	
<i>including</i>								123.1	123.9	0.8	34.7	
OSK-W-17-901	2500	Caribou corridor	810.0	452391	5434638	328	-55	137.0	139.0	2.0	13.8	
OSK-W-17-901	2500	Caribou corridor	810.0	452391	5434638	328	-55	209.0	211.0	2.0	7.12	
<i>including</i>								210.0	211.0	1.0	13.3	
OSK-W-17-901	2500	Z27	810.0	452391	5434638	328	-55	403.0	409.0	6.0	0.77	
OSK-W-17-901	2500	FW3U	810.0	452391	5434638	328	-55	675.5	678.0	2.5	8.27	
<i>including</i>								676.6	676.9	0.3	65.9	
OSK-W-17-902	3475	Lynx HW	468.0	453390	5434852	331	-50	233.5	236.0	2.5	3.95	
OSK-W-17-902	3475	Lynx 1	468.0	453390	5434852	331	-50	281.1	283.1	2.0	4.56	
<i>including</i>								281.1	282.1	1.0	9.07	
OSK-W-17-902	3475	QTV	468.0	453390	5434852	331	-50	398.0	400.0	2.0	3.67	
<i>including</i>								398.8	399.2	0.4	16.8	
OSK-W-17-902	3475	VNCR	468.0	453390	5434852	331	-50	431.0	433.1	2.1	11.7	
<i>including</i>								431.0	432.1	1.1	22.0	
OSK-W-17-903	2650	Caribou	801.0	452539	5434692	329	-56	228.0	230.5	2.5	5.35	
<i>including</i>								229.2	229.6	0.4	31.3	
OSK-W-17-903	2650	CN2 FW	801.0	452539	5434692	329	-56	412.5	420.0	7.5	4.97	
<i>including</i>								412.5	414.0	1.5	19.4	
OSK-W-17-903	2650	Z27	801.0	452539	5434692	329	-56	539.0	543.0	4.0	36.1	34.2
<i>including</i>								539.0	540.0	1.0	108	100
OSK-W-17-903	2650	Z27	801.0	452539	5434692	329	-56	554.0	556.0	2.0	69.6	35.6
<i>including</i>								554.9	555.6	0.7	197	100
OSK-W-17-903	2650	Z27	801.0	452539	5434692	329	-56	559.0	561.0	2.0	10.7	
<i>including</i>								559.8	560.3	0.5	37.7	
OSK-W-17-903	2650	Vein	801.0	452539	5434692	329	-56	668.5	670.5	2.0	251	50.1
<i>including</i>								668.5	669.5	1.0	501	
OSK-W-17-903	2650	FW3U	801.0	452539	5434692	329	-56	778.0	780.0	2.0	73.6	40.2
<i>including</i>								779.2	780.0	0.8	184	100
OSK-W-17-903-W1	2650	CN2 FW	657.0	452539	5434692	329	-56	408.9	410.9	2.0	9.30	
<i>including</i>								408.9	410.0	1.1	16.7	
OSK-W-17-903-W1	2650	Z27 FW	657.0	452539	5434692	329	-56	577.6	580.2	2.6	25.7	
<i>including</i>								577.6	578.5	0.9	73.7	
OSK-W-17-903-W2	2650	Z27	795.0	452539	5434692	329	-56	556.0	560.9	4.9	3.72	
<i>including</i>								556.0	557.1	1.1	8.88	
<i>including</i>								560.0	560.9	0.9	8.94	
OSK-W-17-903-W2	2650	Z27 FW	795.0	452539	5434692	329	-56	593.0	595.0	2.0	8.52	
<i>including</i>								593.0	594.0	1.0	16.7	
OSK-W-17-903-W2	2650	FW3U	795.0	452539	5434692	329	-56	688.4	690.9	2.5	3.22	
<i>including</i>								689.8	690.4	0.6	9.47	
OSK-W-17-906	3475	Lynx HW	442.0	453349	5434937	331	-56	169.3	172.0	2.7	27.0	
<i>including</i>								169.3	170.2	0.9	76.9	
OSK-W-17-906	3475	Lynx HW	442.0	453349	5434937	331	-56	174.0	176.5	2.5	4.25	
<i>including</i>								174.6	175.0	0.4	21.9	
OSK-W-17-906	3475	Lynx 1	442.0	453349	5434937	331	-56	182.0	184.0	2.0	23.9	
<i>including</i>								182.4	183.0	0.6	79.6	
OSK-W-17-906	3475	Lynx 1 + Lynx 2	442.0	453349	5434937	331	-56	213.0	215.0	2.0	4.45	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
								213.0	214.0	1.0	8.55	
OSK-W-17-906	3475	Lynx 2 FW	442.0	453349	5434937	331	-56	276.0	280.0	4.0	5.05	
								279.0	280.0	1.0	8.37	
OSK-W-17-907	3575	Lynx 3	1317.0	453219	5435340	134	-51	324.0	333.4	9.4	0.39	
OSK-W-17-907	3575	Lynx	1317.0	453219	5435340	134	-51	436.7	441.6	4.9	7.56	
								440.0	440.7	0.7	31.3	
OSK-W-17-907	3575	Lynx 4	1317.0	453219	5435340	134	-51	853.3	855.7	2.4	35.6	
								853.7	854.7	1.0	83.1	
OSK-W-17-907	3575	Lynx 4	1317.0	453219	5435340	134	-51	861.0	863.0	2.0	6.19	
								861.0	862.1	1.1	10.3	
OSK-W-17-907	3575	Lynx 4	1317.0	453219	5435340	134	-51	893.0	895.0	2.0	5.71	
								894.0	895.0	1.0	10.3	
OSK-W-17-907	3575	TBD	1317.0	453219	5435340	134	-51	952.0	954.0	2.0	30.2	
								952.4	953.1	0.7	85.2	
OSK-W-17-907	3575	Lynx TBD	1317.0	453219	5435340	134	-51	961.9	964.0	2.1	25.9	
								962.3	963.0	0.7	59.5	
OSK-W-17-908	4350	Lynx corridor extension	824.0	453871	5435782	135	-54	738.4	742.6	4.2	10.6	
								741.0	742.6	1.6	26.6	
OSK-W-17-908	4350	Lynx corridor extension	824.0	453871	5435782	135	-54	756.0	760.1	4.1	7.34	
								756.0	756.4	0.4	15.6	
								759.0	760.1	1.1	19.3	
OSK-W-17-908	4350	Lynx corridor extension	824.0	453871	5435782	135	-54	764.0	766.5	2.5	12.6	
								765.5	766.5	1.0	26.7	
OSK-W-17-909	4125	VNCR - Lynx corridor	1119.0	453683	5435677	131	-55	869.0	872.7	3.7	4.33	
								872.0	872.7	0.7	18.6	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	908.0	910.0	2.0	11.8	
								908.5	909.0	0.5	37.0	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	912.0	918.2	6.2	301	53.7
								913.0	913.6	0.6	162	100
								913.6	914.9	1.3	1230	100
								914.9	916.0	1.1	125	100
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	922.0	928.0	6.0	10.7	
								923.0	924.2	1.2	37.2	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	933.0	935.0	2.0	4.97	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	959.0	961.0	2.0	3.26	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	982.9	986.0	3.1	4.94	
OSK-W-19-909-W11	4125	Lynx	990.0	453683	5435677	131	-55	857.5	859.7	2.2	15.5	
								858.5	859.0	0.5	67.2	
OSK-W-19-909-W12	4125	Lynx	984.0	453683	5435677	131	-55	878.0	880.3	2.3	57.9	
OSK-W-19-909-W11	4125	Lynx_317	990.0	453683	5435677	131	-55	912.2	924.0	11.8	84.6	42.3
								915.8	922.6	6.8	142	68.2
								915.8	917.4	1.6	149	100
								920.1	922.6	2.5	266	97.2
OSK-W-19-909-W12	4125	Lynx	984.0	453683	5435677	131	-55	944.7	949.2	4.5	14.2	
								944.7	945.5	0.8	63.2	
OSK-W-19-909-W10	4125	Lynx	1049.0	453683	5435677	131	-55	955.0	957.6	2.6	6.40	
OSK-W-17-909-W2	4125	Lynx 1	1071.0	453683	5435677	131	-55	795.8	797.9	2.1	19.2	
								797.4	797.9	0.5	61.6	
OSK-W-17-909-W3	4125	Lynx 1	1066.0	453683	5435677	131	-55	824.0	826.0	2.0	5.93	
								824.7	825.0	0.3	39.0	
OSK-W-17-909-W3	4125	Lynx 1	1066.0	453683	5435677	131	-55	836.2	838.3	2.1	5.86	
OSK-W-17-909-W4	4125	Lynx 4	1134.0	453683	5435677	131	-55	950.0	952.5	2.5	8.96	
								950.5	951.0	0.5	37.2	
OSK-W-17-909-W4	4125	Lynx 4	1134.0	453683	5435677	131	-55	1049.6	1052.0	2.4	46.3	
OSK-W-18-909-W5	4150	VNCR	1057.3	453683	5435677	131	-55	887.0	889.1	2.1	7.94	
								887.0	887.8	0.8	20.7	
OSK-W-18-909-W5	4150	Lynx	1057.3	453683	5435677	131	-55	956.3	959.0	2.7	79.1	52.6
								956.9	957.3	0.4	182	100
								957.6	958.1	0.5	178	100
OSK-W-19-909-W6	4125	Lynx	1093.7	453683	5435677	131	-55	937.5	939.5	2.0	6.00	
OSK-W-19-909-W6	4125	Lynx	1093.7	453683	5435677	131	-55	1061.3	1063.9	2.6	14.5	
								1062.3	1062.9	0.6	59.1	
OSK-W-19-909-W7	4125	Lynx_313	1080.0	453683	5435677	131	-55	976.7	983.0	6.3	51.0	18.0
								982.0	982.6	0.6	447	100
OSK-W-19-909-W7	4125	Lynx_313	1080.0	453683	5435677	131	-55	985.0	987.1	2.1	14.3	
OSK-W-19-909-W8	4125	Lynx	1053.0	453683	5435677	131	-55	960.0	962.0	2.0	128	39.6
								961.4	962.0	0.6	396	100
OSK-W-19-909-W8	4125	Lynx	1053.0	453683	5435677	131	-55	969.0	971.0	2.0	8.39	
OSK-W-19-909-W9	4125	Lynx	1143.0	453683	5435677	131	-55	957.0	959.0	2.0	4.86	
OSK-W-19-909-W9	4125	Lynx	1143.0	453683	5435677	131	-55	965.3	970.9	5.6	18.2	
								965.3	967.2	1.9	47.0	
OSK-W-17-911	3325	Lynx 2	255.0	453178	5434908	331	-54	210.8	213.0	2.2	11.1	
								210.8	211.1	0.3	65.6	
OSK-W-17-912	3675	Lynx 3	569.8	453330	5435402	147	-48	295.7	300.4	4.7	0.03	
OSK-W-17-912	3675	Lynx 2	569.8	453330	5435402	147	-48	373.1	375.3	2.2	14.6	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-912	3675	Lynx 1	569.8	453330	5435402	147	-48	408.0	410.0	2.0	19.8	
			<i>including</i>					408.4	409.1	0.7	55.2	
OSK-W-17-912	3675	Lynx 1	569.8	453330	5435402	147	-48	415.0	417.8	2.8	6.65	
			<i>including</i>					416.5	416.8	0.3	59.2	
OSK-W-17-913	2825	Caribou corridor	954.0	452878	5434419	334	-52	533.8	536.5	2.7	5.09	
			<i>including</i>					533.8	535.0	1.2	11.1	
OSK-W-17-913	2825	Caribou corridor	954.0	452878	5434419	334	-52	554.0	556.3	2.3	3.45	
OSK-W-17-913	2825	CS1	954.0	452878	5434419	334	-52	631.8	634.0	2.2	1.92	
OSK-W-17-913	2825	Vein	954.0	452878	5434419	334	-52	642.0	644.0	2.0	5.86	
			<i>including</i>					642.0	643.0	1.0	11.7	
OSK-W-17-913	2825	CS3	954.0	452878	5434419	334	-52	699.1	702.9	3.8	2.06	
OSK-W-17-913	2825	Wolf 2	954.0	452878	5434419	334	-52	719.0	721.0	2.0	611	15.4
			<i>including</i>					719.8	720.1	0.3	4070	100
OSK-W-17-913	2825	Wolf HW	954.0	452878	5434419	334	-52	783.0	785.0	2.0	3.37	
OSK-W-17-913	2825	Wolf HW	954.0	452878	5434419	334	-52	791.0	793.0	2.0	13.5	
			<i>including</i>					791.0	792.0	1.0	26.2	
OSK-W-17-913	2825	Wolf FW	954.0	452878	5434419	334	-52	857.0	859.0	2.0	13.6	
			<i>including</i>					857.0	858.0	1.0	26.5	
OSK-W-17-914	3475	Lynx HW	447.0	453390	5434852	332	-53	239.3	241.6	2.3	27.2	26.6
			<i>including</i>					240.7	241.0	0.3	105	100
OSK-W-17-916	3325	Lynx HW	336.0	453172	5434924	331	-54	108.0	111.5	3.5	14.3	
			<i>including</i>					108.0	108.5	0.5	75.1	
OSK-W-17-918	3525	Lynx HW	744.0	453387	5434953	335	-57	179.0	180.0	1.0	0.40	
OSK-W-17-918	3525	Lynx 1	744.0	453387	5434953	335	-57	185.5	187.9	2.4	13.3	13.3
OSK-W-17-918	3525	Lynx 1	744.0	453387	5434953	335	-57	185.5	187.9	2.4	41.4	13.3
			<i>including</i>					186.4	186.7	0.3	100.0	100
			<i>including</i>					186.4	186.7	0.3	325	100
OSK-W-17-918	3525	Lynx 1	744.0	453387	5434953	335	-57	225.0	232.0	7.0	6.84	
			<i>including</i>					229.0	230.0	1.0	31.1	
OSK-W-17-918	3525	Lynx 2	744.0	453387	5434953	335	-57	238.0	240.0	2.0	23.4	
			<i>including</i>					238.7	239.3	0.6	61.3	
OSK-W-17-918	3525	Lynx 2	744.0	453387	5434953	335	-57	258.0	261.0	3.0	12.4	
			<i>including</i>					258.0	259.5	1.5	24.1	
OSK-W-17-919	2200	Mallard	495.0	451943	5434836	329	-54	91.5	94.4	2.9	4.32	
			<i>including</i>					91.5	92.3	0.8	11.0	
OSK-W-17-921	3525	Lynx HW	447.0	453428	5434865	331	-57	328.6	330.6	2.0	3.05	
OSK-W-17-921	3525	Lynx 1	447.0	453428	5434865	331	-57	328.6	330.6	2.0	20.6	
			<i>including</i>					329.3	329.7	0.4	10.00	
			<i>including</i>					329.3	329.7	0.4	97.8	
OSK-W-17-921	3525	Lynx 1	447.0	453428	5434865	331	-57	336.0	343.9	7.9	0.59	
OSK-W-17-921	3525	Lynx 2	447.0	453428	5434865	331	-57	360.0	362.4	2.4	0.78	
OSK-W-17-922	3725	New - Lynx corridor	591.0	453360	5435437	144	-52	364.0	366.2	2.2	3.89	
OSK-W-17-922	3725	Lynx 2	591.0	453360	5435437	144	-52	456.1	459.6	3.5	27.1	20.6
			<i>including</i>					457.5	457.8	0.3	176	100
OSK-W-17-922	3725	Lynx 1	591.0	453360	5435437	144	-52	492.4	495.0	2.6	1.46	
OSK-W-17-923	4025	Caribou	1062.0	453607	5435603	137	-56	309.0	311.0	2.0	6.23	
OSK-W-17-923	4025	Lynx 4	1062.0	453607	5435603	137	-56	890.1	892.5	2.4	210	44.3
			<i>including</i>					890.8	891.8	1.0	498	100
			<i>including</i>					890.8	891.3	0.5	838	100
OSK-W-17-923	4025	Lynx 4 corridor	1062.0	453607	5435603	137	-56	928.2	931.2	3.0	4.33	
OSK-W-18-923-W1	4025	Lynx 4	961.7	453607	5435603	137	-56	876.2	878.2	2.0	3.39	
OSK-W-18-923-W2	4025	Lynx 4	1164.0	453607	5435603	137	-56	895.0	897.2	2.2	5.32	
			<i>including</i>					895.8	896.1	0.3	38.5	
OSK-W-18-923-W2	4025	Lynx 4	1164.0	453607	5435603	137	-56	911.1	917.0	5.9	10.1	
			<i>including</i>					916.2	917.0	0.8	60.8	
OSK-W-18-923-W2	4025	Lynx	1164.0	453607	5435603	137	-56	1134.3	1136.5	2.2	6.80	
			<i>including</i>					1135.0	1136.0	1.0	12.3	
OSK-W-18-923-W2	4025	Lynx 4	1164.0	453607	5435603	137	-56	1160.0	1162.0	2.0	3.34	
OSK-W-19-923-W4	4025	Lynx	1035.0	453607	5435603	137	-56	796.9	798.9	2.0	3.63	
OSK-W-19-923-W4	4025	Lynx_317	1035.0	453607	5435603	137	-56	865.6	867.7	2.1	20.3	
			<i>including</i>					866.6	867.7	1.1	38.4	
OSK-W-19-923-W4	4025	Lynx_312	1035.0	453607	5435603	137	-56	942.0	944.1	2.1	23.7	
			<i>including</i>					943.1	944.1	1.0	49.6	
OSK-W-17-924	3550	Lynx HW	375.0	453414	5434927	334	-54	220.9	227.0	6.1	9.18	
			<i>including</i>					220.9	222.0	1.1	29.5	
OSK-W-17-924	3550	Lynx 1	375.0	453414	5434927	334	-54	233.0	235.0	2.0	9.12	
			<i>including</i>					233.0	234.0	1.0	15.4	
OSK-W-17-924	3550	Lynx 2	375.0	453414	5434927	334	-54	278.4	280.7	2.3	12.5	
			<i>including</i>					280.0	280.7	0.7	35.0	
OSK-W-17-924	3550	Lynx 2 FW	375.0	453414	5434927	334	-54	308.0	312.0	4.0	25.5	
OSK-W-17-926	2225	Mallard	215.6	451981	5434828	329	-54	123.8	126.3	2.5	5.18	
OSK-W-17-928	3550	Lynx HW	464.6	453433	5434905	333	-64	247.0	249.0	2.0	68.8	50.0
			<i>including</i>					247.0	248.0	1.0	138	100
OSK-W-17-928	3550	Lynx 1	464.6	453433	5434905	333	-64	341.7	344.3	2.6	79.4	14.2
			<i>including</i>					341.7	342.0	0.3	665	100
OSK-W-17-928	3550	Lynx 2	464.6	453433	5434905	333	-64	376.2	378.3	2.1	9.10	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								376.7	377.6	0.9	20.0	
OSK-W-17-929	4350	Lynx 1	1218.0	453871	5435782	130	-58	901.5	903.7	2.2	6.58	
<i>including</i>								902.1	903.0	0.9	14.7	
OSK-W-17-929	4350	Lynx 1	1218.0	453871	5435782	130	-58	936.5	938.5	2.0	18.9	
<i>including</i>								937.2	937.6	0.4	62.6	
OSK-W-17-930	3500	Lynx HW	372.0	453404	5434873	334	-51	257.0	259.1	2.1	12.7	
<i>including</i>								257.0	257.9	0.9	27.0	
OSK-W-17-930	3500	Lynx 2	372.0	453404	5434873	334	-51	324.0	326.4	2.4	18.0	
OSK-W-17-931	3725	Lynx 4	936.0	453360	5435437	134	-50	683.0	685.0	2.0	42.1	22.4
OSK-W-17-934	3800	Lynx 1	967.5	453407	5435463	144	-55	476.2	479.0	2.8	20.8	
<i>including</i>								476.2	477.2	1.0	57.0	
OSK-W-17-934	3800	Lynx	967.5	453407	5435463	144	-55	867.3	869.8	2.5	94.7	24.3
<i>including</i>								869.3	869.8	0.5	452	100
OSK-W-17-934	3800	Lynx	967.5	453407	5435463	144	-55	885.0	887.0	2.0	42.7	
<i>including</i>								885.0	886.0	1.0	83.6	
OSK-W-19-934-W1	3800	Lynx	1164.0	453407	5435463	144	-55	918.0	921.7	3.7	489	23.2
<i>including</i>								918.0	918.3	0.3	2640	100
<i>and</i>								919.1	919.5	0.4	2500	100
OSK-W-19-934-W2	3800	Lynx 4	1167.0	453407	5435463	144	-55	831.0	834.0	3.0	32.9	
<i>including</i>								831.0	832.0	1.0	79.8	
OSK-W-19-934-W2	3800	Lynx 4	1167.0	453407	5435463	144	-55	855.9	857.9	2.0	16.9	
<i>including</i>								856.9	857.9	1.0	33.4	
OSK-W-19-934-W2	3800	Lynx 313	1167.0	453407	5435463	144	-55	901.8	904.0	2.2	429	50.2
<i>including</i>								901.8	902.4	0.6	1270	100
<i>including</i>								903.5	904.0	0.5	361	100
OSK-W-19-934-W2	3800	Lynx	1167.0	453407	5435463	144	-55	955.1	959.8	4.7	9.75	
<i>including</i>								955.1	955.5	0.4	72.9	
<i>and</i>								958.9	959.8	0.9	17.5	
OSK-W-19-934-W2	3800	Lynx	1167.0	453407	5435463	144	-55	1030.0	1032.0	2.0	6.79	
OSK-W-19-934-W2	3800	Lynx	1167.0	453407	5435463	144	-55	1079.3	1081.8	2.5	72.2	53.0
<i>including</i>								1079.3	1080.3	1.0	148	100
OSK-W-19-934-W3	3800	Lynx	1074.0	453407	5435463	144	-55	978.0	980.3	2.3	10.4	
<i>including</i>								978.0	978.3	0.3	33.2	
OSK-W-19-934-W4	3800	Lynx 4	1155.0	453407	5435463	144	-55	840.0	842.6	2.6	4.60	
<i>including</i>								840.8	841.6	0.8	14.3	
OSK-W-19-934-W4	3800	Lynx	1155.0	453407	5435463	144	-55	1031.4	1039.2	7.8	37.6	15.6
<i>including</i>								1031.9	1032.2	0.3	538	100
<i>and</i>								1037.4	1037.9	0.5	180	100
OSK-W-19-934-W4	3800	Lynx	1155.0	453407	5435463	144	-55	1042.0	1044.0	2.0	7.24	
OSK-W-19-934-W4	3800	Lynx	1155.0	453407	5435463	144	-55	1046.0	1048.0	2.0	20.6	
<i>including</i>								1047.0	1048.0	1.0	39.4	
OSK-W-17-935	2275	Mallard HW	474.0	452025	5434827	327	-51	80.0	82.8	2.8	3.34	
OSK-W-17-935	2275	Mallard	474.0	452025	5434827	327	-51	151.0	153.0	2.0	2.74	
OSK-W-17-936	2775	CS3	822.0	452773	5434547	332	-56	518.0	523.5	5.5	3.43	
<i>including</i>								523.0	523.5	0.5	19.6	
OSK-W-17-936	2775	Caribou corridor	822.0	452773	5434547	332	-56	616.6	619.6	3.0	16.6	
<i>including</i>								616.6	617.6	1.0	38.3	
OSK-W-17-936	2775	Wolf	822.0	452773	5434547	332	-56	666.0	668.0	2.0	6.17	
OSK-W-17-936	2775	Wolf HW	822.0	452773	5434547	332	-56	729.0	732.0	3.0	3.79	
OSK-W-17-936-W1	2775	Wolf HW	808.0	452773	5434547	332	-56	617.3	619.3	2.0	12.6	
<i>including</i>								617.3	618.3	1.0	21.3	
OSK-W-17-936-W1	2775	Wolf	808.0	452773	5434547	332	-56	640.8	643.0	2.2	14.2	
<i>including</i>								642.4	643.0	0.6	49.2	
OSK-W-17-936-W1	2775	Wolf	808.0	452773	5434547	332	-56	668.5	670.6	2.1	3.55	
<i>including</i>								668.9	669.3	0.4	16.9	
OSK-W-17-936-W1	2775	Wolf FW	808.0	452773	5434547	332	-56	697.0	699.0	2.0	20.4	50.5
<i>including</i>								697.0	698.0	1.0	407	100
OSK-W-17-936-W1	2775	Wolf FW	808.0	452773	5434547	332	-56	704.0	706.0	2.0	14.8	
<i>including</i>								705.0	706.0	1.0	29.0	
OSK-W-17-936-W1	2775	Z27	808.0	452773	5434547	332	-56	776.0	778.0	2.0	3.65	
<i>including</i>								777.2	778.0	0.8	8.07	
OSK-W-17-936-W1	2775	Z27	808.0	452773	5434547	332	-56	785.0	787.7	2.7	4.03	
<i>including</i>								787.0	787.7	0.7	7.71	
OSK-W-17-936-W2	2775	Caribou	819.0	452773	5434547	332	-56	522.4	524.8	2.4	16.7	
<i>including</i>								523.4	523.8	0.4	95.0	
OSK-W-17-936-W2	2775	Wolf 2	819.0	452773	5434547	332	-56	574.5	577.9	3.4	3.36	
OSK-W-17-936-W2	2775	Wolf HW	819.0	452773	5434547	332	-56	671.1	673.3	2.2	11.1	
OSK-W-17-936-W2	2775	VNCR	819.0	452773	5434547	332	-56	693.9	695.9	2.0	27.7	
<i>including</i>								694.9	695.9	1.0	55.4	
OSK-W-17-936-W2	2775	Wolf	819.0	452773	5434547	332	-56	701.6	703.6	2.0	5.80	
OSK-W-17-936-W2	2775	Wolf FW	819.0	452773	5434547	332	-56	735.0	738.3	3.3	6.41	
<i>including</i>								735.0	735.9	0.9	14.6	
<i>including</i>								738.0	738.3	0.3	16.3	
OSK-W-17-937	2850	Vein	935.2	452897	5434430	333	-57	445.0	448.0	3.0	5.58	
<i>including</i>								447.0	448.0	1.0	11.8	
OSK-W-17-937	2850	CS1	935.2	452897	5434430	333	-57	638.0	648.0	10.0	0.66	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-937	2850	CS3	935.2	452897	5434430	333	-57	757.8	759.8	2.0	11.9	
OSK-W-17-937	2850	Wolf 2	935.2	452897	5434430	333	-57	782.0	784.4	2.4	8.09	
<i>including</i>								783.0	783.8	0.8	22.4	
OSK-W-17-937	2850	Wolf HW	935.2	452897	5434430	333	-57	811.0	813.0	2.0	3.94	
OSK-W-17-937-W1	2850	CS1 HW	945.0	452897	5434430	333	-57	583.0	585.6	2.6	14.6	
<i>including</i>								583.8	584.9	1.1	34.1	
OSK-W-17-937-W1	2850	CS1	945.0	452897	5434430	333	-57	647.2	650.0	2.8	2.75	
OSK-W-17-937-W1	2850	Wolf 2	945.0	452897	5434430	333	-57	756.2	758.6	2.4	26.6	
<i>including</i>								757.0	758.6	1.6	39.0	
OSK-W-17-937-W1	2850	Wolf HW	945.0	452897	5434430	333	-57	786.4	788.6	2.2	3.21	
OSK-W-17-937-W2	2850	Wolf 2	933.0	452897	5434430	333	-57	749.0	751.5	2.5	16.8	
OSK-W-17-937-W2	2850	Wolf HW	933.0	452897	5434430	333	-57	811.0	813.0	2.0	9.01	
<i>including</i>								811.3	811.8	0.5	25.2	
OSK-W-17-937-W2	2850	Wolf HW	933.0	452897	5434430	333	-57	831.4	833.4	2.0	3.16	
OSK-W-17-939	3475	Lynx HW	414.0	453376	5434898	327	-51	193.7	196.1	2.4	0.90	
OSK-W-17-939	3475	Lynx 1	414.0	453376	5434898	327	-51	246.0	248.0	2.0	12.1	
<i>including</i>								246.0	247.0	1.0	20.6	
OSK-W-17-939	3475	Lynx 2	414.0	453376	5434898	327	-51	296.0	298.0	2.0	4.71	
<i>including</i>								296.7	298.0	1.3	6.96	
OSK-W-17-939	3475	VNCR	414.0	453376	5434898	327	-51	347.0	349.0	2.0	3.25	
OSK-W-17-941	3575	Lynx HW	444.0	453434	5434969	330	-49	188.3	190.5	2.2	13.4	
<i>including</i>								189.3	189.6	0.3	85.1	
OSK-W-17-941	3575	Lynx 1	444.0	453434	5434969	330	-49	197.7	200.0	2.3	5.77	
<i>including</i>								198.7	199.0	0.3	39.1	
OSK-W-17-941	3575	Lynx 2	444.0	453434	5434969	330	-49	231.0	233.9	2.9	71.9	25.9
<i>including</i>								231.9	232.2	0.3	545	100
OSK-W-17-943	2675	CS1	744.0	452660	5434494	331	-55	491.0	493.0	2.0	3.00	
<i>including</i>								492.0	493.0	1.0	5.57	
OSK-W-17-943	2675	Wolf HW	744.0	452660	5434494	331	-55	610.8	616.0	5.2	3.25	
OSK-W-17-943	2675	Wolf	744.0	452660	5434494	331	-55	688.0	690.0	2.0	4.96	
<i>including</i>								688.0	689.0	1.0	9.64	
OSK-W-17-945	3750	Lynx 1	556.5	453376	5435444	149	-50	466.6	468.8	2.2	20.6	
OSK-W-17-945	3750	Lynx 1	556.5	453376	5435444	149	-50	466.6	468.8	2.2	20.6	
<i>including</i>								466.6	467.6	1.0	44.5	
<i>including</i>								466.6	467.6	1.0	44.5	
OSK-W-17-945	3750	Lynx 1	556.5	453376	5435444	149	-50	472.8	476.8	4.0	7.86	
<i>including</i>								474.8	476.0	1.2	17.1	
OSK-W-17-945	3750	Lynx 1	556.5	453376	5435444	149	-50	481.0	483.0	2.0	5.38	
OSK-W-17-947	3475	Lynx HW	444.0	453376	5434896	330	-58	208.0	210.2	2.2	3.62	
OSK-W-17-947	3475	VNCR	444.0	453376	5434896	330	-58	239.8	242.1	2.3	5.45	
<i>including</i>								241.2	242.1	0.9	8.87	
OSK-W-17-947	3475	Lynx 1	444.0	453376	5434896	330	-58	299.0	304.0	5.0	4.35	
<i>including</i>								302.6	304.0	1.4	8.73	
OSK-W-17-948	3800	Lynx 3	920.0	453407	5435463	144	-52	363.4	366.6	3.2	0.18	
OSK-W-17-948	3800	Lynx 2	920.0	453407	5435463	144	-52	426.8	429.3	2.5	0.03	
OSK-W-17-948	3800	Lynx 1	920.0	453407	5435463	144	-52	475.0	477.0	2.0	4.39	
<i>including</i>								475.0	475.5	0.5	17.3	
OSK-W-17-948	3800	Lynx HW	920.0	453407	5435463	144	-52	593.6	596.0	2.4	4.62	
OSK-W-17-949	3575	Lynx HW	423.0	453434	5434969	333	-55	196.0	200.0	4.0	5.18	
<i>including</i>								196.5	196.9	0.4	28.3	
OSK-W-17-949	3575	Lynx 1	423.0	453434	5434969	333	-55	214.1	216.1	2.0	4.50	
OSK-W-17-949	3575	Lynx 2	423.0	453434	5434969	333	-55	236.3	238.3	2.0	10.4	
<i>including</i>								236.9	237.3	0.4	49.1	
OSK-W-17-949	3575	Vein	423.0	453434	5434969	333	-55	403.5	406.5	3.0	3.97	
OSK-W-17-950	4125	Lynx 2	1806.0	453683	5435676	131	-59	689.0	691.6	2.6	1.14	
OSK-W-17-950	4125	Lynx 1	1806.0	453683	5435676	131	-59	888.1	891.0	2.9	1.18	
OSK-W-17-950	4125	VNCR	1806.0	453683	5435676	131	-59	1131.0	1133.0	2.0	4.49	
<i>including</i>								1132.0	1132.4	0.4	21.7	
OSK-W-17-950	4125	Lynx 4	1806.0	453683	5435676	131	-59	1211.3	1215.5	4.2	6.52	
OSK-W-17-953	3575	Lynx 3	762.0	453218	5435353	131	-48	326.6	329.0	2.4	1.55	
OSK-W-17-953	3575	Lynx 1	762.0	453218	5435353	131	-48	370.0	372.0	2.0	6.02	
<i>including</i>								370.8	371.1	0.3	38.1	
OSK-W-17-953	3575	Lynx 2	762.0	453218	5435353	131	-48	433.0	435.5	2.5	61.8	33.3
<i>including</i>								433.7	434.5	0.8	189	100
OSK-W-17-953	3575	Lynx 1	762.0	453218	5435353	131	-48	456.6	458.0	1.4	0.54	
OSK-W-17-957	3475	Lynx 1	228.1	453329	5434973	327	-56	125.3	127.8	2.5	0.42	
OSK-W-17-957	3475	Lynx 1 + Lynx 2	228.1	453329	5434973	327	-56	169.0	171.0	2.0	3.99	
OSK-W-17-957	3475	Lynx 2	228.1	453329	5434973	327	-56	193.7	197.9	4.2	6.02	
<i>including</i>								197.6	197.9	0.3	64.1	
OSK-W-17-957	3475	Lynx 2	228.1	453329	5434973	327	-56	205.0	207.0	2.0	8.73	
<i>including</i>								205.0	206.0	1.0	17.1	
OSK-W-17-957	3475	Lynx 2	228.1	453329	5434973	327	-56	212.0	214.0	2.0	21.5	
<i>including</i>								212.6	213.2	0.6	70.6	
OSK-W-17-958	3725	Lynx 2	1212.0	453359	5435437	143	-55	441.8	444.0	2.2	9.18	
OSK-W-17-958	3725	Lynx	1212.0	453359	5435437	143	-55	480.9	483.0	2.1	36.5	25.9
<i>including</i>								481.5	482.0	0.5	145	100



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-958	3725	Lynx 1	1212.0	453359	5435437	143	-55	500.0	502.0	2.0	22.0	
including												
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	500.0	500.5	0.5	87.0	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	712.0	717.0	5.0	5.74	
including												
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	829.5	831.0	1.5	6.15	
including												
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	996.0	998.0	2.0	4.55	
including												
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	997.5	998.0	0.5	17.8	
including												
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	1053.0	1058.5	5.5	11.8	
including												
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	1054.0	1054.3	0.3	68.7	
including												
OSK-W-17-958	3725	TBD - Lynx corridor	1212.0	453359	5435437	143	-55	1057.9	1058.5	0.6	53.5	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	1070.0	1072.0	2.0	5.36	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	1076.0	1078.0	2.0	9.51	
including												
OSK-W-17-958	3725	Lynx 5	1212.0	453359	5435437	143	-55	1077.0	1078.0	1.0	18.9	
OSK-W-17-959	3550	Lynx 1	393.0	453404	5434971	334	-46	1116.5	1119.0	2.5	0.29	
including												
OSK-W-17-959	3550	Lynx 1	393.0	453404	5434971	334	-46	178.1	180.2	2.1	3.73	
including												
OSK-W-17-960	3625	Lynx 4	1077.0	453283	5435344	138	-54	179.1	179.4	0.3	23.0	
including												
OSK-W-17-960	3625	Lynx 4	1077.0	453283	5435344	138	-54	655.9	658.0	2.1	8.63	
including												
OSK-W-17-960	3625	Lynx	1077.0	453283	5435344	138	-54	656.6	657.0	0.4	43.6	
OSK-W-17-960	3625	Lynx	1077.0	453283	5435344	138	-54	1031.0	1033.2	2.2	7.06	
OSK-W-17-961	3825	Lynx 4	1185.0	453438	5435479	141	-54	1036.8	1038.9	2.1	13.7	
including												
OSK-W-17-961	3825	Lynx 4	1185.0	453438	5435479	141	-54	862.8	865.1	2.3	40.9	
including												
OSK-W-19-961-W1	3825	Lynx 333	1182.0	453438	5435479	141	-54	863.5	864.3	0.8	83.5	
OSK-W-19-961-W1	3825	Lynx 312	1182.0	453438	5435479	141	-54	914.0	916.0	2.0	6.54	
OSK-W-17-967	3300	Lynx 1	720.0	453176	5434910	337	-62	1075.0	1077.0	2.0	5.11	
OSK-W-17-967	3300	Lynx 2	720.0	453176	5434910	337	-62	149.0	151.0	2.0	0.82	
OSK-W-17-967	3300	VNCR	720.0	453176	5434910	337	-62	202.2	206.3	4.1	0.81	
including												
OSK-W-17-967	3300	VNCR	720.0	453176	5434910	337	-62	240.9	243.0	2.1	52.3	47.7
including												
OSK-W-17-967	3300	VNCR	720.0	453176	5434910	337	-62	242.0	243.0	1.0	110	100
including												
OSK-W-17-967	3300	Caribou extension	720.0	453176	5434910	337	-62	259.0	261.0	2.0	10.9	
including												
OSK-W-17-967	3300	Caribou extension	720.0	453176	5434910	337	-62	259.0	260.0	1.0	21.4	
including												
OSK-W-17-967	3300	Caribou extension	720.0	453176	5434910	337	-62	603.0	605.0	2.0	23.2	15.3
including												
OSK-W-17-967	3300	Caribou extension	720.0	453176	5434910	337	-62	603.5	603.8	0.3	153	100
including												
OSK-W-17-967	3300	Caribou extension	720.0	453176	5434910	337	-62	655.8	660.3	4.5	10.2	
including												
OSK-W-17-968	2175	Z27	201.0	451948	5434759	152	-51	658.1	658.5	0.4	45.8	
including												
OSK-W-17-968	2175	Z27	201.0	451948	5434759	152	-51	102.0	109.4	7.4	4.02	
including												
OSK-W-17-968	2175	QTV	201.0	451948	5434759	152	-51	107.4	109.4	2.0	7.77	
including												
OSK-W-17-968	2175	Z27	201.0	451948	5434759	152	-51	118.0	122.3	4.3	11.2	10.5
including												
OSK-W-17-968	2175	Z27	201.0	451948	5434759	152	-51	122.0	122.3	0.3	109	100
including												
OSK-W-17-969	2425	Drake	324.0	452200	5434867	328	-48	160.0	162.4	2.4	5.77	
including												
OSK-W-17-969	2425	Drake 2	324.0	452200	5434867	328	-48	58.2	61.5	3.3	7.39	
including												
OSK-W-17-969	2425	Drake 2	324.0	452200	5434867	328	-48	58.2	58.6	0.4	28.4	
including												
OSK-W-17-969	2425	Mallard	324.0	452200	5434867	328	-48	71.2	74.0	2.8	4.83	
including												
OSK-W-17-969	2425	Mallard	324.0	452200	5434867	328	-48	71.6	72.2	0.6	15.0	
including												
OSK-W-17-970	3800	Lynx HW	714.0	453407	5435462	143	-51	210.6	213.0	2.4	10.1	
including												
OSK-W-17-970	3800	Lynx HW	714.0	453407	5435462	143	-51	210.6	211.0	0.4	53.0	
including												
OSK-W-17-972	3325	Lynx 1	291.0	453176	5434910	333	-60	524.0	526.0	2.0	7.51	
including												
OSK-W-17-972	3325	QTV	291.0	453176	5434910	333	-60	524.9	525.5	0.6	15.0	
including												
OSK-W-17-972	3325	QTV	291.0	453176	5434910	333	-60	144.0	146.0	2.0	0.29	
including												
OSK-W-17-972	3325	QTV	291.0	453176	5434910	333	-60	224.5	226.5	2.0	5.23	
including												
OSK-W-17-973	2175	Z27	96.0	451969	5434707	150	-46	224.5	225.0	0.5	20.5	
including												
OSK-W-17-973	2175	Z27	96.0	451969	5434707	150	-46	57.4	59.8	2.4	60.5	51.6
including												
OSK-W-17-973	2175	Z27	96.0	451969	5434707	150	-46	57.9	58.9	1.0	122	100
including												
OSK-W-17-973	2175	Z27	96.0	451969	5434707	150	-46	64.0	66.1	2.1	5.12	
including												
OSK-W-17-974	3450	Lynx 2	357.0	453302	5434978	330	-59	65.7	66.1	0.4	25.2	
including												
OSK-W-17-974	3450	Lynx 2	357.0	453302	5434978	330	-59	172.0	174.0	2.0	24.2	
including												
OSK-W-17-975	3000	Caribou extension	804.0	452862	5434814	334	-64	172.8	173.3	0.5	94.2	
including												
OSK-W-17-975	3000	Caribou extension	804.0	452862	5434814	334	-64	424.0	426.5	2.5	4.05	
including												
OSK-W-17-975	3000	Caribou	804.0	452862	5434814	334	-64	424.6	425.0	0.4	23.2	
including												
OSK-W-17-975	3000	Caribou	804.0	452862	5434814	334	-64	465.0	472.8	7.8	4.31	
including												
OSK-W-17-975	3000	Caribou	804.0	452862	5434814	334	-64	465.0	467.0	2.0	8.29	
including												
OSK-W-17-975	3000	Z27	804.0	452862	5434814	334	-64	472.0	472.8	0.8	13.9	
including												
OSK-W-17-975	3000	Z27	804.0	452862	5434814	334	-64	675.0	677.2	2.2	7.09	
including												
OSK-W-17-975	3000	Z27	804.0	452862	5434814	334	-64	675.7	676.5	0.8	15.7	
including												
OSK-W-17-976	2300	Z27	306.0	452038	5434840	140	-49	273.0	275.0	2.0	3.89	
OSK-W-17-977	2425	Z27	540.0	452207	5434816	331	-51	14.3	14.7	0.4	0.43	
OSK-W-17-977	2425	Mallard	540.0	452207	5434816	331	-51	269.5	271.7	2.2	12.0	
including												
OSK-W-17-977	2425	Mallard	540.0	452207	5434816	331	-51	270.8	271.7	0.9	25.4	
including												
OSK-W-17-977	2425	Underdog	540.0	452207	5434816	331	-51	386.2	389.0	2.8	3.39	
including												
OSK-W-17-977	2425	Underdog	540.0	452207	5434816	331	-51	386.2	387.0	0.8	9.92	
including												
OSK-W-17-978	2975	VNCR	804.0	452851	5434803	335	-67	98.0	100.0	2.0	65.5	20.1
including												
OSK-W-17-978	2975	VNCR	804.0	452851	5434803	335	-67	99.6	100.0	0.4	327	100
including												
OSK-W-17-978	2975	New zone	804.0	452851	5434803	335	-67	108.0	110.0	2.0	14.0	
including												
OSK-W-17-978	2975	New zone	804.0	452851	5434803	335	-67	109.1	109.4	0.3	92.2	
including												
OSK-W-17-978	2975	Caribou extension	804.0	452851	5434803	335	-67	492.2	495.0	2.8	3.04	
OSK-W-17-978	2975	SHR VN	804.0	452851	5434803	335	-67	677.0	679.3	2.3	3.00	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								677.5	677.8	0.3	21.5	
OSK-W-17-979	3550	Lynx	471.0	453429	5434951	339	-69	304.0	306.0	2.0	17.0	
<i>including</i>								305.2	306.0	0.8	38.5	
OSK-W-17-979	3550	Lynx	471.0	453429	5434951	339	-69	312.0	314.2	2.2	3.22	
<i>including</i>								312.0	312.4	0.4	14.8	
OSK-W-17-981	4025	Lynx 1	1281.0	453606	5435603	133	-62	697.7	704.1	6.4	0.58	
OSK-W-17-981	4025	Lynx HW	1281.0	453606	5435603	133	-62	828.9	831.0	2.1	6.21	
<i>including</i>								830.0	831.0	1.0	12.5	
OSK-W-17-981	4025	Lynx 4	1281.0	453606	5435603	133	-62	890.0	892.0	2.0	5.23	
<i>including</i>								890.5	890.9	0.4	24.5	
OSK-W-17-981	4025	TPV	1281.0	453606	5435603	133	-62	1008.0	1010.0	2.0	3.01	
OSK-W-17-984	3450	Lynx 1	366.0	453301	5434978	325	-48	103.5	107.0	3.5	12.1	
<i>including</i>								103.5	103.8	0.3	88.1	
<i>including</i>								106.0	106.5	0.5	26.8	
OSK-W-17-985	2325	Z27	225.0	452074	5434827	144	-49	145.4	150.0	4.6	9.92	
<i>including</i>								145.4	145.7	0.3	42.9	
OSK-W-17-986	3600	Lynx 1	360.0	453447	5435019	328	-66	194.0	198.2	4.2	0.22	
OSK-W-17-986	3600	Lynx 2	360.0	453447	5435019	328	-66	263.0	265.0	2.0	6.74	
<i>including</i>								263.0	264.0	1.0	13.1	
OSK-W-17-986	3600	VNCR - Lynx corridor	360.0	453447	5435019	328	-66	317.0	320.1	3.1	5.69	
<i>including</i>								317.0	318.0	1.0	15.9	
OSK-W-17-986	3600	VNCR	360.0	453447	5435019	328	-66	337.7	340.0	2.3	50.3	48.7
<i>including</i>								338.4	339.5	1.1	104	100
OSK-W-17-987	3350	Lynx HW	327.0	453224	5434909	339	-60	132.7	135.0	2.3	4.97	
<i>including</i>								134.0	135.0	1.0	11.4	
OSK-W-17-987	3350	Lynx 1	327.0	453224	5434909	339	-60	212.3	214.7	2.4	2.12	
OSK-W-17-987	3350	Lynx 2	327.0	453224	5434909	339	-60	224.0	227.0	3.0	0.19	
OSK-W-17-987	3350	VNCR - Lynx corridor	327.0	453224	5434909	339	-60	270.2	272.2	2.0	5.77	
<i>including</i>								270.7	271.9	1.2	9.06	
OSK-W-17-989	2675	Wolf HW	738.0	452660	5434497	335	-56	633.4	635.5	2.1	4.52	
OSK-W-17-989	2675	Wolf	738.0	452660	5434497	335	-56	668.0	670.0	2.0	4.19	
OSK-W-17-989-W1	2675	New zone	751.4	452660	5434497	336	-56	504.0	511.0	7.0	3.59	
OSK-W-17-989-W1	2675	CS1 FW	751.4	452660	5434497	336	-56	514.0	517.0	3.0	7.74	
<i>including</i>								515.0	516.0	1.0	20.5	
OSK-W-17-989-W2	2675	CS1	743.0	452660	5434497	335	-56	506.0	509.0	3.0	6.29	
<i>including</i>								506.0	507.0	1.0	16.0	
OSK-W-17-989-W2	2675	CS3	743.0	452660	5434497	335	-56	542.0	544.7	2.7	5.28	
<i>including</i>								542.0	543.0	1.0	13.0	
OSK-W-17-989-W2	2675	Wolf	743.0	452660	5434497	335	-56	664.6	667.0	2.4	4.56	
OSK-W-17-990	2350	Z27	327.0	452122	5434815	147	-49	104.8	108.1	3.3	3.25	
OSK-W-17-990	2350	Z27	327.0	452122	5434815	147	-49	186.3	189.0	2.7	26.4	15.1
<i>including</i>								187.3	187.7	0.4	176	100
OSK-W-17-991	4550	Lynx 1	1378.2	453980	5435993	128	-58	1149.0	1151.0	2.0	5.11	
OSK-W-19-991-W2	4550	Lynx	1740.0	453980	5435993	128	-58	1505.8	1509.5	3.7	33.4	17.3
<i>including</i>								1509.0	1509.5	0.5	219	100
OSK-W-19-991-W3	4550	Lynx 4	1701.0	453980	5435993	128	-58	1257.0	1259.0	2.0	5.34	
OSK-W-19-991-W3	4550	Lynx 4	1701.0	453980	5435993	128	-58	1417.0	1419.6	2.6	9.00	
OSK-W-19-991-W4	4550	Lynx 4	1523.0	453980	5435993	128	-58	1442.0	1446.8	4.8	29.3	
OSK-W-19-991-W4	4550	Lynx 4	1523.0	453980	5435993	128	-58	1443.0	1444.0	1.0	51.6	
OSK-W-19-991-W5	4550	Lynx 4	1530.1	453980	5435993	128	-58	1293.0	1295.0	2.0	8.82	
<i>including</i>								1293.4	1293.7	0.3	56.7	
OSK-W-19-991-W5	4550	Lynx 4	1530.1	453980	5435993	128	-58	1464.4	1466.5	2.1	5.77	
OSK-W-19-991-W5	4550	Lynx 4	1530.1	453980	5435993	128	-58	1475.0	1478.0	3.0	3.42	
OSK-W-19-991-W5	4550	Lynx 4	1530.1	453980	5435993	128	-58	1483.3	1488.0	4.7	16.8	
<i>including</i>								1487.1	1488.0	0.9	60.8	
OSK-W-17-993	3625	Lynx 2	1053.4	453283	5435344	133	-51	394.0	398.1	4.1	10.1	
<i>including</i>								396.9	398.1	1.2	25.3	
OSK-W-17-993	3625	Lynx	1053.4	453283	5435344	133	-51	992.0	994.3	2.3	5.95	
<i>including</i>								992.6	992.9	0.3	43.1	
OSK-W-17-993	3625	Lynx	1053.4	453283	5435344	133	-51	1014.5	1016.6	2.1	5.18	
<i>including</i>								1015.1	1015.4	0.3	32.7	
OSK-W-17-995	3350	Lynx 1	363.0	453224	5434910	327	-62	134.6	137.3	2.7	5.84	
OSK-W-17-995	3350	VNCR	363.0	453224	5434910	327	-62	305.2	307.3	2.1	5.31	
OSK-W-17-995	3350	Lynx 3	363.0	453224	5434910	327	-62	352.9	355.0	2.1	3.75	
OSK-W-17-996	2500	Mallard	393.0	452270	5434844	328	-56	308.7	311.2	2.5	2.20	
OSK-W-17-996	2500	Mallard	393.0	452270	5434844	328	-56	308.7	311.2	2.5	2.20	
OSK-W-17-996	2500	Mallard FW	393.0	452270	5434844	328	-56	359.0	361.2	2.2	9.62	
<i>including</i>								359.7	360.4	0.7	24.1	
OSK-W-17-998	3425	Lynx 1	372.0	453313	5434909	330	-57	211.0	212.7	1.7	0.05	
OSK-W-17-998	3425	Lynx 1 + Lynx 2	372.0	453313	5434909	330	-57	261.0	263.0	2.0	15.8	
<i>including</i>								261.0	262.0	1.0	31.5	
OSK-W-17-998	3425	Lynx 2	372.0	453313	5434909	330	-57	295.0	307.7	12.7	0.53	
OSK-W-17-998	3425	VNCR	372.0	453313	5434909	330	-57	325.0	329.5	4.5	4.78	
OSK-W-17-999	3000	TBD	516.0	452861	5434813	330	-61	91.5	94.0	2.5	5.18	
<i>including</i>								91.5	93.0	1.5	8.54	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-999	3000	Caribou extension	516.0	452861	5434813	330	-61	400.7	403.9	3.2	3.68	
OSK-W-17-999	3000	Caribou extension	516.0	452861	5434813	330	-61	432.9	436.4	3.5	5.79	
OSK-W-17-999	3000	Caribou extension	516.0	452861	5434813	330	-61	459.4	462.0	2.6	5.19	
<i>including</i>								460.0	461.0	1.0	10.4	
OSK-W-17-1002	2250	Z27	303.0	452013	5434821	142	-48	284.0	286.0	2.0	5.07	
<i>including</i>								284.6	285.0	0.4	16.5	
OSK-W-17-1003	3350	Lynx 1	366.0	453223	5434910	329	-59	131.1	133.7	2.6	5.18	
<i>including</i>								131.1	131.9	0.8	16.8	
OSK-W-17-1003	3350	Lynx 2	366.0	453223	5434910	329	-59	213.1	215.1	2.0	19.5	
<i>including</i>								213.1	213.9	0.8	46.3	
OSK-W-17-1003	3350	Lynx 2	366.0	453223	5434910	329	-59	240.8	243.0	2.2	3.00	
<i>including</i>								241.8	242.1	0.3	11.5	
OSK-W-17-1006	3625	Lynx 3	762.0	453283	5435344	136	-49	251.3	253.3	2.0	0.28	
OSK-W-17-1006	3625	Lynx 2 FW	762.0	453283	5435344	136	-49	351.0	353.0	2.0	3.78	
<i>including</i>								351.5	353.0	1.5	4.96	
OSK-W-17-1006	3625	Lynx 2	762.0	453283	5435344	136	-49	383.3	390.2	6.9	36.0	29.9
<i>including</i>								383.3	384.2	0.9	147	100
<i>including</i>								384.6	385.7	1.1	62.3	
<i>including</i>								389.3	390.2	0.9	41.4	
OSK-W-17-1006	3625	Lynx 4	762.0	453283	5435344	136	-49	612.9	615.5	2.6	0.54	
OSK-W-17-1006	3625	Lynx 4	762.0	453283	5435344	136	-49	707.8	710.0	2.2	13.8	
<i>including</i>								707.8	708.4	0.6	49.1	
OSK-W-17-1007	3650	Lynx 1	378.0	453477	5435045	334	-68	238.6	240.6	2.0	6.54	
<i>including</i>								238.6	240.0	1.4	9.31	
OSK-W-17-1007	3650	VNCR	378.0	453477	5435045	334	-68	340.0	342.2	2.2	10.4	
OSK-W-17-1009	2325	Z27	183.0	452107	5434809	147	-49	108.0	110.7	2.7	5.73	
<i>including</i>								109.0	110.0	1.0	13.7	
OSK-W-17-1009	2325	Z27	183.0	452107	5434809	147	-49	127.9	130.0	2.1	3.16	
OSK-W-17-1010	3425	Lynx HW	369.0	453313	5434908	330	-53	169.9	172.0	2.1	5.84	
<i>including</i>								170.3	171.0	0.7	16.8	
OSK-W-17-1010	3425	VNCR	369.0	453313	5434908	330	-53	310.5	314.0	3.5	24.3	
<i>including</i>								310.5	311.5	1.0	62.9	
OSK-W-17-1011	3325	Lynx HW	111.0	453175	5434955	331	-46	20.0	22.0	2.0	0.08	
OSK-W-17-1011	3325	Lynx 1	111.0	453175	5434955	331	-46	55.0	65.0	10.0	0.13	
OSK-W-17-1011	3325	Lynx 2	111.0	453175	5434955	331	-46	79.0	81.3	2.3	0.82	
OSK-W-17-1013	2475	Z27	24.0	452246	5434866	333	-48	9.2	12.0	2.8	4.56	
<i>including</i>								9.6	10.1	0.5	24.9	
OSK-W-17-1014	2300	Z27	195.0	452063	5434811	141	-47	133.5	135.6	2.1	5.22	
OSK-W-17-1014	2300	Z27	195.0	452063	5434811	141	-47	176.6	180.0	3.4	6.27	
<i>including</i>								178.4	179.0	0.6	30.0	
OSK-W-17-1015	3550	Lynx 2	474.0	453232	5435294	137	-51	344.1	346.2	2.1	4.02	
<i>including</i>								344.9	345.5	0.6	13.7	
OSK-W-17-1015	3550	Lynx 2	474.0	453232	5435294	137	-51	357.9	360.5	2.6	6.26	
<i>including</i>								358.8	359.2	0.4	33.7	
OSK-W-17-1015	3550	VNCR	474.0	453232	5435294	137	-51	400.0	402.3	2.3	8.38	
<i>including</i>								400.7	401.7	1.0	19.0	
OSK-W-17-1018	2475	Z27	300.0	452247	5434865	333	-47	10.0	12.0	2.0	3.93	
OSK-W-17-1018	2475	Mallard	300.0	452247	5434865	333	-47	199.7	205.6	5.9	3.55	
<i>including</i>								200.5	200.8	0.3	30.9	
OSK-W-17-1019	2875	Lynx 1	606.0	452660	5434915	140	-52	227.0	229.0	2.0	11.3	
<i>including</i>								227.5	228.5	1.0	22.6	
OSK-W-17-1019	2875	Lynx 4	606.0	452660	5434915	140	-52	329.0	331.2	2.2	3.21	
<i>including</i>								329.5	330.0	0.5	13.5	
OSK-W-17-1019	2875	Vein	606.0	452660	5434915	140	-52	589.0	591.0	2.0	9.04	
OSK-W-17-1020	3350	Bobcat	312.0	453217	5434928	337	-54	271.5	273.5	2.0	72.8	
<i>including</i>								272.0	273.5	1.5	96.9	
OSK-W-17-1021	3150	VNCR - Lynx corridor	621.0	452990	5434889	333	-55	68.0	70.2	2.2	9.72	
OSK-W-17-1023	2275	Z27	228.0	452033	5434796	145	-48	134.4	138.0	3.6	4.00	
<i>including</i>								134.4	135.2	0.8	13.1	
OSK-W-17-1024	3450	Lynx 1	360.0	453295	5434947	330	-53	134.0	136.0	2.0	3.97	
OSK-W-17-1024	3450	Lynx 1	360.0	453295	5434947	330	-53	138.0	140.0	2.0	3.64	
OSK-W-17-1025	2475	TBD	990.0	452487	5434435	330	-58	94.9	96.9	2.0	4.17	
OSK-W-17-1025	2475	FW0	990.0	452487	5434435	330	-58	690.0	692.3	2.3	3.13	
OSK-W-17-1025	2475	FW1	990.0	452487	5434435	330	-58	732.0	734.0	2.0	3.23	
OSK-W-17-1025	2475	FW1	990.0	452487	5434435	330	-58	806.7	809.5	2.8	8.34	
<i>including</i>								806.7	807.6	0.9	20.2	
OSK-W-18-1025-W1	2475	Underdog	852.0	452487	5434435	330	-58	793.0	795.0	2.0	13.9	
OSK-W-18-1025-W1	2475	Underdog	852.0	452487	5434435	330	-58	800.0	802.0	2.0	14.0	
<i>including</i>								800.0	800.5	0.5	42.0	
OSK-W-18-1025-W1	2475	Underdog	852.0	452487	5434435	330	-58	822.4	824.5	2.1	4.67	
<i>including</i>								822.4	822.8	0.4	22.8	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-45	60.3	62.6	2.3	4.57	
<i>including</i>								62.0	62.6	0.6	16.5	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-45	83.6	85.9	2.3	4.93	
<i>including</i>								85.0	85.9	0.9	12.4	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-45	92.7	95.9	3.2	4.38	
		<i>including</i>						94.8	95.9	1.1	11.2	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-45	124.6	127.0	2.4	4.24	
OSK-W-17-1027	3825	Lynx 2	825.0	453437	5435479	134	-59	604.0	606.0	2.0	3.85	
OSK-W-17-1027	3825	Vein	825.0	453437	5435479	134	-59	625.0	627.2	2.2	12.2	
		<i>including</i>						626.0	627.2	1.2	22.3	
OSK-W-17-1027	3825	Lynx HW	825.0	453437	5435479	134	-59	779.5	782.0	2.5	3.47	
OSK-W-17-1028	3000	Lynx 1	807.0	452861	5434811	326	-59	76.0	78.0	2.0	8.18	
		<i>including</i>						77.0	77.3	0.3	45.4	
OSK-W-17-1028	3000	Caribou extension	807.0	452861	5434811	326	-59	370.9	374.0	3.1	11.6	
		<i>including</i>						372.7	374.0	1.3	18.6	
OSK-W-17-1028	3000	Caribou extension	807.0	452861	5434811	326	-59	383.6	385.9	2.3	10.6	
		<i>including</i>						385.5	385.9	0.4	51.1	
OSK-W-17-1028	3000	Caribou extension	807.0	452861	5434811	326	-59	393.0	396.1	3.1	3.12	
OSK-W-17-1028	3000	Caribou extension	807.0	452861	5434811	326	-59	727.5	729.5	2.0	6.77	
OSK-W-17-1030	3500	Lynx 1	300.0	453346	5434982	332	-56	144.4	146.7	2.3	9.25	
		<i>including</i>						145.1	145.7	0.6	34.4	
OSK-W-17-1030	3500	Lynx 2	300.0	453346	5434982	332	-56	189.3	193.0	3.7	1.14	
OSK-W-17-1031	2525	Z27	390.0	452296	5434867	336	-62	61.5	63.8	2.3	2.38	
OSK-W-17-1031	2525	Drake	390.0	452296	5434867	336	-62	182.0	184.0	2.0	3.14	
		<i>including</i>						182.3	182.6	0.3	18.7	
OSK-W-17-1031	2525	Mallard	390.0	452296	5434867	336	-62	325.6	327.8	2.2	0.58	
OSK-W-17-1034	3150	VNCR	228.0	452978	5434914	330	-53	202.3	206.0	3.7	6.29	
OSK-W-17-1035	2300	Z27	105.0	452101	5434747	133	-45	68.4	71.0	2.6	4.27	
		<i>including</i>						69.1	69.6	0.5	15.2	
OSK-W-17-1036	3550	VNCR	432.0	453231	5435294	139	-55	345.8	350.6	4.8	3.73	
		<i>including</i>						349.6	350.6	1.0	15.7	
OSK-W-17-1036	3550	VNCR	432.0	453231	5435294	139	-55	358.6	361.5	2.9	18.9	
		<i>including</i>						359.6	360.5	0.9	58.1	
OSK-W-17-1036	3550	QTV	432.0	453231	5435294	139	-55	414.0	416.0	2.0	3.34	
		<i>including</i>						415.0	416.0	1.0	6.23	
OSK-W-17-1038	2275	Z27	120.0	452067	5434773	147	-49	97.4	99.7	2.3	16.4	
OSK-W-17-1039	3725	Lynx 2	513.0	453361	5435436	147	-49	379.1	381.1	2.0	1.06	
OSK-W-17-1039	3725	Lynx 1	513.0	453361	5435436	147	-49	436.9	441.3	4.4	11.6	
		<i>including</i>						436.9	437.9	1.0	34.4	
OSK-W-17-1039	3725	Lynx	513.0	453361	5435436	147	-49	454.2	456.6	2.4	11.4	
		<i>including</i>						455.2	455.6	0.4	62.8	
OSK-W-17-1040	3450	Lynx 2	294.0	453295	5434948	327	-45	162.0	164.0	2.0	15.9	
		<i>including</i>						162.3	162.7	0.4	68.3	
OSK-W-17-1042	2325	Z27	156.0	452119	5434786	146	-52	62.8	75.0	12.2	3.39	
		<i>including</i>						73.0	74.0	1.0	20.2	
OSK-W-17-1042	2325	Z27	156.0	452119	5434786	146	-52	84.0	86.3	2.3	3.53	
OSK-W-17-1043	3625	Lynx 1	438.0	453284	5435344	133	-47	374.0	376.0	2.0	3.11	
OSK-W-17-1044	3650	Lynx 1	381.0	453477	5435045	333	-70	242.0	244.1	2.1	3.03	
OSK-W-17-1044	3650	Lynx 1 + Lynx 2	381.0	453477	5435045	333	-70	264.6	266.7	2.1	3.59	
OSK-W-17-1047	3100	VNCR	186.0	452937	5434890	333	-62	84.0	86.6	2.6	3.95	
OSK-W-17-1048	3350	Lynx 2	303.0	453215	5434914	333	-52	209.1	212.0	2.9	10.4	
		<i>including</i>						210.3	210.7	0.4	49.2	
OSK-W-17-1048	3350	Lynx 2	303.0	453215	5434914	333	-52	216.0	219.0	3.0	21.3	
		<i>including</i>						217.8	219.0	1.2	37.4	
OSK-W-17-1050	2250	Z27	105.6	452053	5434749	148	-49	39.7	41.7	2.0	11.2	
OSK-W-17-1050	2250	Z27	105.6	452053	5434749	148	-49	76.5	80.0	3.5	6.55	
OSK-W-17-1051	2775	VNCR	1248.0	452314	5435321	138	-68	51.0	53.4	2.4	3.94	
OSK-W-17-1051	2775	TBD	1248.0	452314	5435321	138	-68	303.0	305.1	2.1	7.85	
OSK-W-17-1051	2775	FW3	1248.0	452314	5435321	138	-68	846.0	848.0	2.0	27.8	
		<i>including</i>						847.0	848.0	1.0	53.8	
OSK-W-17-1051	2775	FW3	1248.0	452314	5435321	138	-68	857.1	859.8	2.7	5.36	
OSK-W-17-1051	2775	FW3	1248.0	452314	5435321	138	-68	954.0	956.4	2.4	7.60	
OSK-W-17-1051	2775	FW2	1248.0	452314	5435321	138	-68	1067.0	1069.0	2.0	3.23	
OSK-W-17-1051	2775	FW1	1248.0	452314	5435321	138	-68	1096.7	1099.0	2.3	5.22	
		<i>including</i>						1097.5	1098.0	0.5	17.5	
OSK-W-17-1051	2775	FW1	1248.0	452314	5435321	138	-68	1103.0	1105.4	2.4	7.09	
		<i>including</i>						1104.0	1104.4	0.4	34.6	
OSK-W-17-1051	2775	FW1	1248.0	452314	5435321	138	-68	1111.0	1114.5	3.5	6.82	
		<i>including</i>						1113.9	1114.5	0.6	29.7	
OSK-W-17-1051-W1	2775	FW3	1279.0	452314	5435321	138	-68	941.0	943.0	2.0	3.96	
OSK-W-17-1051-W1	2775	FW1	1279.0	452314	5435321	138	-68	1262.0	1264.0	2.0	10.5	
OSK-W-17-1051-W2	2775	FW1	1206.0	452314	5435321	138	-68	1081.5	1085.5	4.0	11.8	
		<i>including</i>						1081.5	1082.0	0.5	52.4	
		<i>including</i>						1085.0	1085.5	0.5	22.4	
OSK-W-17-1051-W2	2775	FW1 FW	1206.0	452314	5435321	138	-68	1119.1	1121.3	2.2	7.19	
OSK-W-17-1051-W2	2775	QTV	1206.0	452314	5435321	138	-68	1183.0	1185.0	2.0	3.32	
OSK-W-17-1052	3150	Lynx 1	839.5	452999	5434854	328	-67	94.0	96.1	2.1	3.00	
		<i>including</i>						94.6	95.3	0.7	8.64	
OSK-W-17-1052	3150	Lynx 1	839.5	452999	5434854	328	-67	115.9	120.0	4.1	7.65	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								118.2	119.4	1.2	20.8	
OSK-W-17-1052	3150	Caribou extension	839.5	452999	5434854	328	-67	507.0	509.0	2.0	3.26	
OSK-W-17-1052	3150	Z27	839.5	452999	5434854	328	-67	721.0	723.3	2.3	3.81	
<i>including</i>								721.8	722.1	0.3	21.9	
OSK-W-17-1053	2225	Z27	96.0	452031	5434741	148	-49	74.7	79.8	5.1	5.06	
<i>including</i>								79.2	79.8	0.6	38.2	
OSK-W-17-1054	3450	Lynx 1	363.0	453282	5435000	325	-48	86.0	88.0	2.0	12.9	
<i>including</i>								86.4	87.0	0.6	42.6	
OSK-W-17-1055	2300	Z27	144.0	452091	5434739	148	-49	72.0	74.0	2.0	3.69	
OSK-W-17-1056	2225	Z27	120.0	452003	5434746	150	-46	35.0	37.0	2.0	35.5	20.4
<i>including</i>								35.0	35.4	0.4	176	100
OSK-W-17-1056	2225	Z27	120.0	452003	5434746	150	-46	87.5	90.5	3.0	3.89	
OSK-W-17-1056	2225	Z27	120.0	452003	5434746	150	-46	96.9	100.6	3.7	7.71	
OSK-W-17-1058	3350	Lynx 1	318.0	453201	5434911	332	-50	137.0	139.5	2.5	0.73	
OSK-W-17-1058	3350	Lynx 2	318.0	453201	5434911	332	-50	190.0	193.1	3.1	8.50	
<i>including and</i>								190.0	190.3	0.3	15.4	
<i>and</i>								192.8	193.1	0.3	64.5	
OSK-W-17-1059	3625	Lynx 3	660.0	453284	5435344	136	-46	264.0	266.0	2.0	83.0	55.9
<i>including</i>								264.9	266.0	1.1	149	100
OSK-W-17-1059	3625	Lynx 1	660.0	453284	5435344	136	-46	362.8	365.2	2.4	17.7	
<i>including</i>								362.8	364.0	1.2	33.6	
OSK-W-17-1062	2225	Z27	192.0	452009	5434774	147	-49	110.5	116.2	5.7	3.25	
OSK-W-17-1064	3625	Lynx HW	441.0	453461	5435018	330	-74	234.0	237.0	3.0	4.42	
<i>including</i>								235.5	237.0	1.5	8.41	
OSK-W-17-1064	3625	Lynx 1	441.0	453461	5435018	330	-74	326.0	328.0	2.0	8.92	
OSK-W-17-1064	3625	Lynx 1	441.0	453461	5435018	330	-74	333.0	335.0	2.0	3.19	
OSK-W-17-1064	3625	Lynx 2	441.0	453461	5435018	330	-74	344.9	356.5	11.6	20.5	15.5
<i>including</i>								345.7	346.7	1.0	159	
OSK-W-17-1064	3625	Lynx 3	441.0	453461	5435018	330	-74	417.5	420.0	2.5	2.78	
OSK-W-17-1065	2550	Mallard_2	330.0	452291	5434903	334	-56	31.9	34.2	2.3	3.28	
OSK-W-17-1065	2550	Mallard	330.0	452291	5434903	334	-56	229.1	231.5	2.4	0.10	
OSK-W-17-1066	2475	Vein	639.0	452486	5434435	332	-56	214.5	216.5	2.0	4.21	
OSK-W-17-1066	2475	CS1 HW	639.0	452486	5434435	332	-56	412.0	415.4	3.4	4.72	
OSK-W-17-1066	2475	CS1	639.0	452486	5434435	332	-56	458.6	460.9	2.3	4.48	
OSK-W-17-1066	2475	CN1	639.0	452486	5434435	332	-56	514.0	517.0	3.0	7.98	
<i>including</i>								515.6	516.1	0.5	43.1	
OSK-W-17-1066	2475	Vein in Red Dog	639.0	452486	5434435	332	-56	572.3	572.9	0.6	32.5	
OSK-W-18-1066-W1	2475	Underdog	1137.0	452486	5434435	332	-56	683.9	685.8	1.9	26.0	
<i>including</i>								683.9	684.6	0.7	70.4	
OSK-W-18-1066-W1	2475	Underdog	1137.0	452486	5434435	332	-56	760.0	762.0	2.0	6.60	
<i>including</i>								760.0	761.0	1.0	13.0	
OSK-W-18-1066-W1	2475	Underdog	1137.0	452486	5434435	332	-56	769.0	774.0	5.0	4.79	
<i>including</i>								769.0	770.0	1.0	16.1	
OSK-W-18-1066-W1	2475	Underdog	1137.0	452486	5434435	332	-56	779.5	789.3	9.8	68.5	41.6
<i>including</i>								783.6	784.0	0.4	94.3	
<i>including</i>								786.0	788.2	2.2	220	100.0
OSK-W-18-1066-W1	2475	Underdog	1137.0	452486	5434435	332	-56	792.0	794.5	2.5	18.1	
OSK-W-18-1066-W1	2475	Underdog	1137.0	452486	5434435	332	-56	854.8	857.0	2.2	39.6	35.3
<i>including</i>								855.4	856.1	0.7	114	100
OSK-W-18-1066-W1	2475	FW3	1137.0	452486	5434435	332	-56	944.4	946.4	2.0	12.9	
<i>including</i>								945.0	945.7	0.7	36.0	
OSK-W-18-1066-W1	2475	FW3 FW	1137.0	452486	5434435	332	-56	1008.2	1010.4	2.2	21.0	
<i>including</i>								1008.8	1009.1	0.3	81.6	
OSK-W-18-1066-W2	2475	Underdog	1065.0	452486	5434435	332	-56	750.0	752.0	2.0	6.76	
OSK-W-18-1066-W2	2475	Underdog	1065.0	452486	5434435	332	-56	1021.0	1023.0	2.0	23.3	
<i>including</i>								1021.0	1022.4	1.4	33.2	
OSK-W-18-1066-W2	2475	Underdog	1065.0	452486	5434435	332	-56	1043.0	1045.0	2.0	7.55	
<i>including</i>								1044.5	1045.0	0.5	28.0	
OSK-W-18-1066-W3	2475	Underdog	849.0	452486	5434435	332	-56	771.5	775.7	4.2	5.96	
<i>including</i>								771.5	772.1	0.6	24.7	
OSK-W-18-1066-W3	2475	Underdog	849.0	452486	5434435	332	-56	786.9	789.9	3.0	85.1	48.1
<i>including</i>								788.0	789.4	1.4	179	100
OSK-W-17-1067	3700	Lynx HW	653.2	453339	5435399	132	-48	512.6	515.7	3.1	4.54	
OSK-W-17-1068	3575	Lynx HW	513.0	453253	5435279	130	-45	414.0	416.0	2.0	4.56	
OSK-W-17-1068	3575	Lynx HW	513.0	453253	5435279	130	-45	451.9	454.3	2.4	4.77	
OSK-W-17-1070	2200	Z27	66.0	452024	5434701	141	-49	21.0	23.8	2.8	8.12	
<i>including</i>								22.0	22.7	0.7	32.3	
OSK-W-17-1070	2200	Z27	66.0	452024	5434701	141	-49	45.0	47.4	2.4	9.58	
<i>including</i>								46.0	46.9	0.9	22.9	
OSK-W-17-1071	2200	Z27	204.0	451984	5434774	146	-49	112.7	115.5	2.8	7.12	
OSK-W-17-1071	2200	Z27	204.0	451984	5434774	146	-49	139.5	141.7	2.2	12.1	
OSK-W-17-1071	2200	Z27	204.0	451984	5434774	146	-49	150.8	152.8	2.0	5.31	
OSK-W-17-1071	2200	Z27	204.0	451984	5434774	146	-49	156.0	158.8	2.8	9.72	
OSK-W-17-1071	2200	Z27	204.0	451984	5434774	146	-49	161.7	164.0	2.3	12.2	
OSK-W-17-1072	4000	Lynx 3	1086.0	453612	5435532	144	-57	271.9	274.0	2.1	0.04	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1072	4000	Lynx 2	1086.0	453612	5435532	144	-57	518.9	520.0	1.1	1.26	
OSK-W-17-1072	4000	Lynx 4	1086.0	453612	5435532	144	-57	884.0	886.3	2.3	3.73	
including								886.0	886.3	0.3	22.8	
OSK-W-17-1072-W1	4000	Lynx 1	948.0	453612	5435532	144	-57	656.0	660.1	4.1	1.53	
OSK-W-17-1072-W1	4000	Lynx HW	948.0	453612	5435532	144	-57	693.0	695.0	2.0	4.50	
including								694.0	695.0	1.0	8.76	
OSK-W-17-1072-W1	4000	Lynx 4	948.0	453612	5435532	144	-57	818.0	820.0	2.0	3.79	
including								819.0	819.3	0.3	23.0	
OSK-W-17-1072-W1	4000	Lynx 4	948.0	453612	5435532	144	-57	825.0	827.0	2.0	9.52	
including								825.0	826.0	1.0	19.0	
OSK-W-17-1072-W1	4000	Lynx 4	948.0	453612	5435532	144	-57	911.0	914.0	3.0	6.09	
including								911.0	912.0	1.0	17.5	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435532	144	-57	842.8	845.9	3.1	5.24	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435532	144	-57	885.2	887.2	2.0	17.7	
including								886.9	887.2	0.3	98.2	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435532	144	-57	908.0	911.0	3.0	8.60	
including								910.6	911.0	0.4	56.6	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435532	144	-57	915.0	917.0	2.0	10.9	
including								915.5	916.2	0.7	30.9	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435532	144	-57	989.7	992.0	2.3	17.1	
including								990.1	990.4	0.3	127	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435532	144	-57	1019.7	1022.0	2.3	4.16	
including								1020.2	1020.5	0.3	31.0	
OSK-W-17-1072-W3	4000	Lynx 4	1110.0	453612	5435532	144	-57	906.6	909.0	2.4	4.02	
OSK-W-17-1072-W3	4000	Lynx 4	1110.0	453612	5435532	144	-57	1095.0	1097.0	2.0	11.3	
including								1095.0	1096.0	1.0	20.6	
OSK-W-17-1073	3000	Epith4	603.0	452757	5434979	144	-51	97.2	101.4	4.2	3.11	
OSK-W-17-1073	3000	Lynx 4	603.0	452757	5434979	144	-51	409.0	411.0	2.0	8.65	
OSK-W-17-1073	3000	Vein	603.0	452757	5434979	144	-51	470.5	473.0	2.5	3.68	
including								470.5	471.2	0.7	13.0	
OSK-W-17-1073	3000	Vein	603.0	452757	5434979	144	-51	475.3	477.9	2.6	4.03	
including								475.3	476.0	0.7	12.4	
OSK-W-17-1073	3000	Vein	603.0	452757	5434979	144	-51	481.0	483.2	2.2	3.78	
including								482.5	483.2	0.7	11.3	
OSK-W-17-1077	2175	Z27	102.9	451987	5434710	148	-54	59.0	61.0	2.0	8.41	
including								59.4	60.0	0.6	18.0	
OSK-W-17-1079	2550	CN1 FW	615.0	452541	5434452	332	-58	597.0	599.3	2.3	108	17.5
including								597.6	598.0	0.4	618	100
OSK-W-17-1080	3350	Lynx 2	84.0	453166	5434979	330	-45	51.0	53.0	2.0	5.47	
including								52.1	52.4	0.3	34.0	
OSK-W-17-1081	2175	Z27	117.0	451987	5434710	145	-65	61.3	63.7	2.4	10.4	
including								62.0	62.6	0.6	35.2	
OSK-W-17-1085	3625	Lynx 1	915.0	453461	5435018	339	-68	230.0	232.5	2.5	4.41	
OSK-W-17-1085	3625	Lynx 1	915.0	453461	5435018	339	-68	254.8	257.0	2.2	4.83	
OSK-W-17-1085	3625	Lynx 2	915.0	453461	5435018	339	-68	272.0	276.0	4.0	4.45	
OSK-W-17-1085	3625	Lynx 2	915.0	453461	5435018	339	-68	328.5	330.7	2.2	29.8	
including								329.5	330.7	1.2	54.6	
OSK-W-17-1087	2475	Drake	381.0	452255	5434828	328	-61	243.0	245.0	2.0	3.28	
OSK-W-17-1087	2475	Mallard	381.0	452255	5434828	328	-61	354.0	356.6	2.6	191	19.6
including								354.0	354.5	0.5	991	100
OSK-W-17-1088	2175	Z27	129.0	451972	5434733	148	-55	80.2	82.4	2.2	7.73	
including								80.2	81.0	0.8	19.5	
OSK-W-17-1090	2350	Z27	237.0	452219	5434642	334	-45	134.2	136.5	2.3	5.24	
including								134.2	134.6	0.4	26.3	
OSK-W-17-1091	3375	Lynx 1	246.0	453207	5434960	332	-51	60.4	62.7	2.3	11.3	
including								61.0	62.0	1.0	25.2	
OSK-W-17-1091	3375	Lynx 2	246.0	453207	5434960	332	-51	104.0	106.4	2.4	3.64	
including								105.6	106.4	0.8	9.30	
OSK-W-17-1095	2175	Z27	147.0	451961	5434731	147	-50	88.2	90.7	2.5	58.8	52.9
including								88.6	89.7	1.1	114	100
OSK-W-17-1095	2175	Z27	147.0	451961	5434731	147	-50	113.0	116.0	3.0	4.09	
OSK-W-17-1096	3375	Vein	120.0	453207	5434960	320	-46	58.8	61.1	2.3	3.48	
OSK-W-17-1098	3575	Lynx 3	424.5	453255	5435289	129	-48	249.9	252.3	2.4	13.7	
including								250.6	251.4	0.8	34.7	
OSK-W-17-1098	3575	Lynx 2	424.5	453255	5435289	129	-48	326.2	328.8	2.6	8.51	
including								327.9	328.8	0.9	18.1	
OSK-W-17-1098	3575	Lynx	424.5	453255	5435289	129	-48	338.3	340.6	2.3	42.8	25.0
including								340.1	340.6	0.5	182	100
OSK-W-17-1099	3300	Lynx 1	264.0	453144	5434935	335	-56	83.0	85.0	2.0	7.87	
including								83.0	83.3	0.3	51.9	
OSK-W-17-1099	3300	Lynx 2	264.0	453144	5434935	335	-56	108.0	110.1	2.1	3.04	
including								109.8	110.1	0.3	14.5	
OSK-W-17-1100	3675	Lynx 3	426.0	453395	5435250	149	-61	165.5	167.5	2.0	5.98	
including								165.5	166.5	1.0	11.8	
OSK-W-17-1102	3400	Lynx 1	345.0	453275	5434898	330	-50	174.0	176.0	2.0	3.58	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								175.7	176.0	0.3	16.2	
OSK-W-17-1102	3400	Lynx 1	345.0	453275	5434898	330	-50	220.0	223.0	3.0	1.26	
OSK-W-17-1102	3400	Lynx 2	345.0	453275	5434898	330	-50	280.9	284.5	3.6	13.0	
<i>including</i>								280.9	281.6	0.7	55.4	
OSK-W-17-1103	2200	Z27	111.0	452016	5434721	148	-49	79.8	82.0	2.2	15.4	
OSK-W-17-1104	3775	Lynx 1	1059.0	453383	5435455	142	-50	472.0	474.0	2.0	1.77	
OSK-W-17-1104	3775	Lynx HW	1059.0	453383	5435455	142	-50	560.0	562.0	2.0	4.30	
<i>including</i>								560.5	561.3	0.8	10.4	
OSK-W-17-1104	3775	Lynx HW	1059.0	453383	5435455	142	-50	578.2	581.0	2.8	6.79	
<i>including</i>								578.2	578.6	0.4	46.4	
OSK-W-17-1104	3775	Lynx HW	1059.0	453383	5435455	142	-50	591.8	594.0	2.2	4.06	
<i>including</i>								591.8	592.3	0.5	17.8	
OSK-W-17-1104	3775	Vein	1059.0	453383	5435455	142	-50	857.4	860.0	2.6	48.7	27.3
<i>including</i>								857.4	858.0	0.6	193	100
OSK-W-17-1104	3775	Lynx 4	1059.0	453383	5435455	142	-50	883.0	885.0	2.0	3.61	
<i>including</i>								884.3	884.7	0.4	17.0	
OSK-W-17-1104	3775	Lynx 5	1059.0	453383	5435455	142	-50	978.0	980.0	2.0	10.3	
<i>including</i>								978.6	979.3	0.7	29.3	
OSK-W-18-1104-W1	3775	Lynx	501.0	453383	5435455	142	-50	446.0	448.0	2.0	6.52	
<i>including</i>								446.3	446.6	0.3	41.8	
OSK-W-17-1105	3050	New zone	858.0	452921	5434844	328	-71	468.0	470.0	2.0	3.42	
<i>including</i>								468.0	469.0	1.0	6.71	
OSK-W-17-1105	3050	Caribou extension	858.0	452921	5434844	328	-71	526.0	528.0	2.0	8.85	
<i>including</i>								527.5	528.0	0.5	17.3	
OSK-W-17-1105	3050	Caribou extension	858.0	452921	5434844	328	-71	534.3	539.0	4.7	4.94	
<i>including</i>								534.3	535.0	0.7	14.5	
OSK-W-17-1105	3050	Caribou extension	858.0	452921	5434844	328	-71	550.0	552.0	2.0	3.76	
OSK-W-17-1105	3050	Caribou extension	858.0	452921	5434844	328	-71	556.2	558.5	2.3	4.21	
OSK-W-17-1105	3050	Wolf FW	858.0	452921	5434844	328	-71	684.9	696.1	11.2	11.0	7.95
<i>including</i>								684.9	689.8	4.9	21.4	14.5
OSK-W-17-1105	3050	Z27	858.0	452921	5434844	328	-71	772.0	774.0	2.0	4.49	
<i>including</i>								772.3	772.9	0.6	14.5	
OSK-W-17-1106	2325	Z27	342.0	452153	5434730	330	-50	19.0	21.2	2.2	3.02	
<i>including</i>								20.9	21.2	0.3	18.6	
OSK-W-17-1106	2325	Mallard	342.0	452153	5434730	330	-50	314.0	316.9	2.9	0.62	
OSK-W-17-1108	3300	Lynx 1	102.0	453133	5434954	330	-46	60.0	62.0	2.0	4.55	
OSK-W-17-1110	2475	CS1	570.0	452487	5434434	333	-60	460.6	465.3	4.7	4.39	
<i>including</i>								460.6	461.2	0.6	12.4	
OSK-W-17-1111	3400	Lynx HW	307.0	453274	5434898	335	-50	156.7	158.5	1.8	2.17	
OSK-W-17-1111	3400	Lynx 1 + Lynx 2	307.0	453274	5434898	335	-50	204.0	206.0	2.0	11.0	
<i>including</i>								204.0	205.0	1.0	21.7	
OSK-W-17-1111	3400	Vein	307.0	453274	5434898	335	-50	259.0	261.0	2.0	4.18	
OSK-W-17-1111	3400	Lynx 2	307.0	453274	5434898	335	-50	268.5	271.0	2.5	1.72	
OSK-W-17-1111	3400	Lynx 2	307.0	453274	5434898	335	-50	278.7	285.5	6.8	19.0	
<i>including</i>								281.0	282.0	1.0	72.1	
OSK-W-17-1112	3825	Lynx 1	636.0	453436	5435480	136	-54	503.0	505.0	2.0	4.09	
OSK-W-17-1112	3825	Lynx HW	636.0	453436	5435480	136	-54	603.0	605.1	2.1	9.96	
<i>including</i>								604.0	604.7	0.7	24.0	
OSK-W-17-1113	3625	Vein	480.0	453282	5435346	138	-50	363.4	366.0	2.6	3.33	
<i>including</i>								365.6	366.0	0.4	19.5	
OSK-W-17-1113	3625	Lynx 2	480.0	453282	5435346	138	-50	374.1	376.2	2.1	6.35	
<i>including</i>								374.7	375.2	0.5	25.2	
OSK-W-17-1113	3625	Lynx 1 + Lynx 2	480.0	453282	5435346	138	-50	382.4	387.0	4.6	8.46	
<i>including</i>								386.4	387.0	0.6	22.2	
OSK-W-17-1113	3625	Lynx 2	480.0	453282	5435346	138	-50	389.6	395.0	5.4	4.66	
<i>including</i>								389.6	389.9	0.3	20.1	
OSK-W-17-1113	3625	Lynx 1	480.0	453282	5435346	138	-50	418.4	420.7	2.3	3.11	
<i>including</i>								419.5	419.8	0.3	22.9	
OSK-W-17-1115	3075	New zone	816.0	452798	5435114	153	-48	333.6	336.4	2.8	13.7	
OSK-W-17-1115	3075	No name	816.0	452798	5435114	153	-48	625.5	628.0	2.5	3.86	
OSK-W-17-1115	3075	Vein	816.0	452798	5435114	153	-48	693.0	695.0	2.0	11.7	
OSK-W-17-1116	2175	Z27	123.0	452039	5434727	150	-47	63.0	66.0	3.0	9.13	
OSK-W-17-1117	3275	Lynx 2	471.0	453120	5434934	334	-46	86.9	89.0	2.1	4.76	
<i>including</i>								86.9	87.5	0.6	16.0	
OSK-W-17-1119	2550	CN1	609.0	452540	5434453	331	-55	527.4	529.5	2.1	10.7	
<i>including</i>								528.3	528.7	0.4	44.4	
OSK-W-17-1119	2550	CN1	609.0	452540	5434453	331	-55	534.3	540.4	6.1	3.08	
<i>including</i>								539.2	540.4	1.2	9.48	
OSK-W-17-1119	2550	Caribou	609.0	452540	5434453	331	-55	548.1	551.0	2.9	5.63	
<i>including</i>								548.1	549.0	0.9	17.0	
OSK-W-17-1120	3775	Lynx 2	453.0	453458	5435335	154	-54	210.0	212.0	2.0	4.93	
<i>including</i>								210.0	211.0	1.0	9.12	
OSK-W-17-1120	3775	Lynx HW	453.0	453458	5435335	154	-54	329.0	331.2	2.2	3.24	
OSK-W-17-1120	3775	Lynx HW	453.0	453458	5435335	154	-54	334.0	336.7	2.7	5.68	
OSK-W-17-1121	3550	Lynx 1	465.0	453436	5434959	335	-64	303.0	305.0	2.0	4.29	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1121	3550	Lynx 1	465.0	453436	5434959	335	-64	309.5	313.5	4.0	7.78	
		<i>including</i>						309.5	311.2	1.7	14.9	
OSK-W-17-1121	3550	VNCR	465.0	453436	5434959	335	-64	335.4	337.7	2.3	19.0	
		<i>including</i>						336.2	336.9	0.7	58.8	
OSK-W-17-1121	3550	VNCR	465.0	453436	5434959	335	-64	421.9	424.0	2.1	3.34	
OSK-W-17-1121	3550	VNCR	465.0	453436	5434959	335	-64	435.0	437.7	2.7	8.62	
		<i>including</i>						436.0	437.7	1.7	13.7	
OSK-W-17-1122	2250	Z27	114.0	452063	5434738	150	-47	63.0	65.2	2.2	7.05	
OSK-W-17-1123	3475	Lynx 1	345.0	453315	5434971	336	-46	113.0	116.0	3.0	1.49	
OSK-W-17-1123	3475	Lynx 2	345.0	453315	5434971	336	-46	130.0	132.1	2.1	11.6	
		<i>including</i>						130.9	131.3	0.4	47.5	
OSK-W-17-1123	3475	Lynx 3	345.0	453315	5434971	336	-46	163.0	167.0	4.0	0.74	
OSK-W-17-1124	2250	Mallard	255.0	452015	5434775	331	-51	204.6	207.0	2.4	18.3	
		<i>including</i>						204.6	205.6	1.0	43.4	
OSK-W-17-1125	2625	Vein	975.0	452563	5434570	331	-58	427.0	429.0	2.0	6.80	
		<i>including</i>						427.0	428.0	1.0	13.5	
OSK-W-17-1125	2625	Z27 HW	975.0	452563	5434570	331	-58	595.0	597.0	2.0	3.19	
OSK-W-17-1125	2625	SHR	975.0	452563	5434570	331	-58	616.0	618.0	2.0	3.87	
		<i>including</i>						617.2	618.0	0.8	9.35	
OSK-W-17-1125	2625	FW2	975.0	452563	5434570	331	-58	753.6	759.0	5.4	10.2	
		<i>including</i>						755.9	757.2	1.3	36.3	
OSK-W-17-1125	2625	FW3U HW	975.0	452563	5434570	331	-58	769.0	778.0	9.0	11.9	
		<i>including</i>						769.0	771.0	2.0	21.1	
		<i>including</i>						776.0	778.0	2.0	18.4	
OSK-W-17-1125	2625	VNCR	975.0	452563	5434570	331	-58	921.5	923.9	2.4	7.32	
		<i>including</i>						922.1	922.6	0.5	30.1	
OSK-W-17-1125-W1	2625	CS3	987.0	452563	5434570	331	-58	368.0	370.1	2.1	4.01	
OSK-W-17-1125-W1	2625	Caribou corridor	987.0	452563	5434570	331	-58	445.0	447.0	2.0	7.57	
		<i>including</i>						445.0	446.0	1.0	15.1	
OSK-W-17-1125-W1	2625	Wolf HW	987.0	452563	5434570	331	-58	475.0	481.9	6.9	11.1	
		<i>including</i>						479.0	481.0	2.0	26.5	
OSK-W-17-1125-W3	2625	Caribou	1086.2	452563	5434570	331	-58	420.0	422.0	2.0	18.1	
		<i>including</i>						421.0	422.0	1.0	36.1	
OSK-W-17-1125-W3	2625	Caribou	1086.2	452563	5434570	331	-58	486.0	495.1	9.1	10.8	
		<i>including</i>						489.0	489.4	0.4	100	
OSK-W-17-1125-W3	2625	Wolf	1086.2	452563	5434570	331	-58	501.0	503.0	2.0	10.2	
		<i>including</i>						502.0	503.0	1.0	19.6	
OSK-W-17-1125-W3	2625	Wolf HW	1086.2	452563	5434570	331	-58	516.8	519.0	2.2	26.0	
		<i>including</i>						517.5	518.2	0.7	80.5	
OSK-W-17-1125-W3	2625	Wolf FW	1086.2	452563	5434570	331	-58	583.0	585.0	2.0	11.5	
		<i>including</i>						583.8	584.2	0.4	49.6	
OSK-W-17-1125-W3	2625	Vein	1086.2	452563	5434570	331	-58	900.8	903.0	2.2	3.85	
		<i>including</i>						901.1	901.4	0.3	14.0	
OSK-W-17-1125-W3	2625	FW4	1086.2	452563	5434570	331	-58	1012.1	1014.2	2.1	3.41	
		<i>including</i>						1013.7	1014.2	0.5	13.4	
OSK-W-17-1128	3625	Lynx 3	1419.0	453272	5435391	129	-53	423.5	429.0	5.5	3.85	
OSK-W-17-1128	3625	Lynx 2	1419.0	453272	5435391	129	-53	459.0	461.0	2.0	5.00	
OSK-W-17-1128	3625	Lynx 2	1419.0	453272	5435391	129	-53	466.2	471.0	4.8	43.7	22.7
OSK-W-17-1128	3625	<i>including</i>	1419.0	453272	5435391	129	-53	470.2	471.0	0.8	226	100
OSK-W-17-1128	3625	Lynx 2	1419.0	453272	5435391	129	-53	486.9	489.0	2.1	36.1	28.6
		<i>including</i>						487.6	488.0	0.4	140	100
OSK-W-17-1128	3625	Lynx 4	1419.0	453272	5435391	129	-53	916.4	918.6	2.2	27.4	
OSK-W-17-1128	3625	Lynx 4	1419.0	453272	5435391	129	-53	985.5	988.5	3.0	17.4	
		<i>including</i>						987.0	988.5	1.5	32.3	
OSK-W-17-1128	3625	Lynx 6	1419.0	453272	5435391	129	-53	1181.0	1183.0	2.0	9.71	
OSK-W-17-1128	3625	Lynx 6	1419.0	453272	5435391	129	-53	1203.9	1206.2	2.3	14.0	
		<i>including</i>						1205.0	1206.2	1.2	25.7	
OSK-W-17-1128	3625	TBD - Lynx corridor	1419.0	453272	5435391	129	-53	1256.0	1258.0	2.0	4.49	
		<i>including</i>						1257.0	1257.7	0.7	12.7	
OSK-W-17-1128	3625	TBD - Lynx corridor	1419.0	453272	5435391	129	-53	1286.1	1288.1	2.0	8.25	
		<i>including</i>						1286.1	1286.7	0.6	20.0	
OSK-W-17-1129	2325	Z27	741.0	452213	5434602	325	-49	206.8	209.0	2.2	8.20	
OSK-W-17-1129	2325	Z27	741.0	452213	5434602	325	-49	220.6	222.7	2.1	3.24	
OSK-W-17-1131	3500	Lynx 1	342.0	453329	5435010	337	-60	135.0	137.0	2.0	3.28	
		<i>including</i>						136.4	137.0	0.6	10.8	
OSK-W-17-1132	3600	VNCR	600.0	453204	5435431	129	-49	501.0	503.0	2.0	8.28	
OSK-W-17-1134	2675	VNCR	438.0	452397	5434987	333	-61	366.8	369.1	2.3	16.0	
		<i>including</i>						366.8	367.5	0.7	50.6	
OSK-W-17-1135	2300	Z27	183.0	452087	5434791	147	-51	115.0	117.4	2.4	3.33	
OSK-W-17-1136	3275	Lynx 2	156.0	453107	5434949	331	-45	56.0	58.0	2.0	5.40	
		<i>including</i>						56.6	57.0	0.4	26.2	
OSK-W-17-1137	2325	Z27	81.0	452136	5434748	132	-61	56.5	58.5	2.0	3.01	
OSK-W-17-1138	3100	Bobcat	402.0	452890	5434987	327	-51	11.0	14.3	3.3	42.4	
		<i>including</i>						13.0	14.3	1.3	98.1	
OSK-W-17-1138	3100	Bobcat	402.0	452890	5434987	327	-51	21.0	24.0	3.0	3.28	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	
OSK-W-17-1138	3100	Epith 1	402.0	452890	5434987	327	-51	142.0	158.0	16.0	6.30		
			<i>including</i>						142.0	148.4	6.4	8.10	
			<i>including</i>						151.0	156.0	5.0	7.20	
OSK-W-17-1139	2500	SHR	1092.0	452474	5434469	333	-56	77.0	79.0	2.0	4.06		
OSK-W-17-1139	2500	Vein	1092.0	452474	5434469	333	-56	148.0	150.2	2.2	4.29		
OSK-W-17-1139	2500	Vein	1092.0	452474	5434469	333	-56	157.5	160.1	2.6	4.53		
			<i>including</i>						159.5	160.1	0.6	9.21	
OSK-W-17-1139	2500	CN1	1092.0	452474	5434469	333	-56	454.7	458.3	3.6	0.47		
OSK-W-17-1139	2500	CN1 FW	1092.0	452474	5434469	333	-56	520.0	523.4	3.4	4.87		
			<i>including</i>						521.6	521.9	0.3	19.8	
OSK-W-17-1139	2500	FW2	1092.0	452474	5434469	333	-56	785.0	787.2	2.2	11.1		
			<i>including</i>						785.3	785.8	0.5	47.0	
OSK-W-17-1139	2500	FW3	1092.0	452474	5434469	333	-56	888.0	890.0	2.0	6.53		
			<i>including</i>						889.1	889.6	0.5	24.5	
OSK-W-17-1139	2500	FW3	1092.0	452474	5434469	333	-56	953.8	956.0	2.2	4.44		
OSK-W-17-1139	2500	FW4	1092.0	452474	5434469	333	-56	1007.0	1009.8	2.8	5.43		
			<i>including</i>						1009.2	1009.8	0.6	21.9	
OSK-W-18-1139-W1	2500	Underdog	874.0	452474	5434469	333	-56	696.0	698.3	2.3	26.4		
			<i>including</i>						697.0	697.8	0.8	54.9	
OSK-W-18-1139-W1	2500	Underdog	874.0	452474	5434469	333	-56	713.0	726.7	13.7	38.9	33.9	
			<i>including</i>						719.0	724.4	5.4	81.7	69.2
OSK-W-18-1139-W1	2500	Underdog	874.0	452474	5434469	333	-56	768.7	771.0	2.3	47.8	45.2	
			<i>including</i>						768.7	769.7	1.0	106	100
OSK-W-18-1139-W1	2500	Underdog	874.0	452474	5434469	333	-56	773.0	775.0	2.0	6.90		
			<i>including</i>						774.0	774.3	0.3	41.6	
OSK-W-18-1139-W1	2500	Underdog	874.0	452474	5434469	333	-56	790.0	794.4	4.4	27.7	26.8	
			<i>including</i>						791.2	792.7	1.5	72.1	69.3
OSK-W-18-1139-W1	2500	Vein	874.0	452474	5434469	333	-56	815.2	817.5	2.3	5.65		
			<i>including</i>						815.2	815.9	0.7	17.6	
OSK-W-18-1139-W2	2500	Underdog	819.0	452474	5434469	333	-56	727.0	729.0	2.0	5.29		
OSK-W-18-1139-W2	2500	Underdog	819.0	452474	5434469	333	-56	735.8	738.0	2.2	9.92		
			<i>including</i>						736.8	737.4	0.6	31.4	
OSK-W-18-1139-W3	2500	Underdog	918.0	452474	5434469	333	-56	783.4	786.0	2.6	6.46		
			<i>including</i>						783.4	783.7	0.3	33.1	
OSK-W-18-1139-W3	2500	Underdog	918.0	452474	5434469	333	-56	843.0	845.2	2.2	5.26		
			<i>including</i>						843.6	843.9	0.3	43.4	
OSK-W-17-1140	2975	Vein	975.0	453007	5434521	336	-55	326.0	328.4	2.4	3.94		
			<i>including</i>						328.1	328.4	0.3	29.7	
OSK-W-17-1140	2975	Caribou extension	975.0	453007	5434521	336	-55	781.2	783.3	2.1	7.07		
			<i>including</i>						783.0	783.3	0.3	48.8	
OSK-W-17-1140	2975	Z27	975.0	453007	5434521	336	-55	937.3	942.0	4.7	3.56		
OSK-W-17-1141	2325	Z27	252.0	452143	5434745	236	-65	59.4	61.8	2.4	30.0		
			<i>including</i>						59.4	61.0	1.6	44.7	
OSK-W-17-1141	2325	Z27	252.0	452143	5434745	236	-65	71.7	74.0	2.3	8.04		
			<i>including</i>						73.4	74.0	0.6	28.0	
OSK-W-17-1141	2325	Z27	252.0	452143	5434745	236	-65	87.0	91.1	4.1	4.00		
OSK-W-17-1142	2325	CW4	679.5	452202	5434628	324	-45	13.1	15.2	2.1	26.5		
			<i>including</i>						14.0	14.6	0.6	84.5	
OSK-W-17-1142	2325	Z27 HW	679.5	452202	5434628	324	-45	142.0	144.0	2.0	3.07		
OSK-W-17-1142-W1	2325	Vein	699.0	452202	5434628	324	-45	370.0	372.0	2.0	160	50.0	
OSK-W-17-1143	3425	Lynx 2	159.0	453253	5435003	331	-46	67.5	69.6	2.1	27.9		
			<i>including</i>						67.5	68.2	0.7	83.3	
OSK-W-17-1143	3425	Lynx 2	159.0	453253	5435003	331	-46	73.0	75.0	2.0	10.6		
OSK-W-17-1143	3425	Lynx	159.0	453253	5435003	331	-46	85.0	87.0	2.0	20.4	15.4	
			<i>including</i>						86.0	86.3	0.3	134	100
OSK-W-17-1145	2250	Z27 FW	156.6	452042	5434767	146	-49	64.3	67.5	3.2	4.01		
			<i>including</i>						66.5	67.5	1.0	10.2	
OSK-W-17-1145	2250	Z27	156.6	452042	5434767	146	-49	90.9	93.3	2.4	12.5		
OSK-W-17-1145	2250	Z27	156.6	452042	5434767	146	-49	95.6	100.4	4.8	9.93		
OSK-W-17-1145	2250	Z27	156.6	452042	5434767	146	-49	120.0	125.9	5.9	7.25		
OSK-W-17-1146	3375	Lynx 2	156.0	453180	5435003	333	-50	38.6	42.2	3.6	0.56		
OSK-W-17-1146	3375	Lynx 3	156.0	453180	5435003	333	-50	63.2	65.6	2.4	1.15		
OSK-W-17-1147	3125	Lynx 4	817.3	453242	5434380	335	-52	712.8	716.5	3.7	3.29		
			<i>including</i>						712.8	713.1	0.3	24.4	
OSK-W-17-1147-W1	3125	No name	1212.0	453242	5434380	335	-52	798.0	800.4	2.4	3.36		
OSK-W-17-1147-W1	3125	Caribou extension	1212.0	453242	5434380	335	-52	909.0	911.0	2.0	3.94		
OSK-W-17-1147-W1	3125	Caribou extension	1212.0	453242	5434380	335	-52	1116.7	1119.0	2.3	4.63		
OSK-W-17-1147-W1	3125	Caribou extension	1212.0	453242	5434380	335	-52	1129.0	1131.0	2.0	7.52		
			<i>including</i>						1130.0	1130.5	0.5	29.2	
OSK-W-17-1149	3825	Lynx HW	489.0	453486	5435422	140	-47	346.8	349.0	2.2	11.0		
OSK-W-17-1152	1750	FW1	885.0	451739	5434290	330	-53	367.0	369.0	2.0	5.67		
			<i>including</i>						368.0	368.6	0.6	16.6	
OSK-W-17-1152	1750	FW4	885.0	451739	5434290	330	-53	703.8	706.0	2.2	1.72		
OSK-W-17-1153	3525	Lynx 1	615.0	453375	5434984	341	-45	149.0	151.1	2.1	10.4		
			<i>including</i>						150.3	151.1	0.8	25.6	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1153	3525	Lynx 2	615.0	453375	5434984	341	-45	160.2	163.0	2.8	1.30	
OSK-W-17-1154	2250	Z27	174.0	452023	5434758	149	-49	91.0	95.2	4.2	18.8	
			including					92.0	93.0	1.0	44.1	
OSK-W-17-1155	2725	VNCR	477.0	452453	5435008	332	-71	327.0	329.7	2.7	3.64	
			including					329.0	329.7	0.7	12.9	
OSK-W-17-1156	3825	Lynx HW	663.0	453439	5435482	136	-49	520.8	525.0	4.2	26.1	25.0
			including					521.1	522.2	1.1	92.2	88.2
OSK-W-17-1158	3175	Lynx	696.0	453046	5434870	331	-59	145.0	147.0	2.0	71.4	50.1
			including					146.0	147.0	1.0	143	100
OSK-W-17-1158	3175	Caribou extension	696.0	453046	5434870	331	-59	596.0	598.4	2.4	4.12	
			including					597.0	597.8	0.8	10.6	
OSK-W-17-1159	3000	Caribou extension	795.4	452858	5434808	331	-70	538.0	540.0	2.0	4.99	
OSK-W-17-1163	2750	No name	477.0	452469	5435028	332	-61	356.0	358.0	2.0	9.60	
			including					356.0	357.0	1.0	19.1	
OSK-W-17-1164	2175	Z27	336.0	451958	5434750	143	-58	120.7	123.0	2.3	3.37	
OSK-W-17-1164	2175	Z27	336.0	451958	5434750	143	-58	132.0	139.8	7.8	7.12	
			including					139.3	139.8	0.5	64.9	
OSK-W-17-1166	4050	Lynx 4	1182.0	453621	5435638	132	-59	918.5	924.7	6.2	9.05	
OSK-W-17-1166	4050	Lynx 4	1182.0	453621	5435638	132	-59	973.0	976.1	3.1	72.8	14.9
			including					974.4	974.8	0.4	549	100
OSK-W-17-1166-W1	4050	TBD - Lynx corridor	1516.1	453621	5435638	132	-59	662.0	665.0	3.0	3.32	
OSK-W-17-1166-W1	4050	TBD - Lynx corridor	1516.1	453621	5435638	132	-59	676.3	682.0	5.7	3.13	
OSK-W-17-1166-W1	4050	Lynx 1	1516.1	453621	5435638	132	-59	799.0	801.0	2.0	3.12	
OSK-W-17-1166-W1	4050	Lynx 4	1516.1	453621	5435638	132	-59	997.7	1006.5	8.8	19.9	12.5
			including					1005.4	1005.7	0.3	317	100
OSK-W-17-1166-W1	4050	Lynx 4	1516.1	453621	5435638	132	-59	1012.0	1014.1	2.1	15.0	
			including					1013.5	1014.1	0.6	49.6	
OSK-W-17-1166-W1	4050	Lynx 4	1516.1	453621	5435638	132	-59	1027.0	1032.9	5.9	415	69.6
			including					1027.0	1027.8	0.8	68.8	
			including					1028.4	1029.3	0.9	187.0	100
			including					1029.3	1030.3	0.9	126	100
			including					1031.3	1032.0	0.7	271	100
			including					1032.0	1032.9	0.9	431	100
OSK-W-17-1166-W2	4050	Vein	1197.0	453621	5435638	132	-59	1048.6	1050.8	2.2	5.06	
OSK-W-17-1166-W2	4050	Vein	1197.0	453621	5435638	132	-59	1140.0	1142.0	2.0	3.39	
			including					1140.6	1141.1	0.5	13.5	
OSK-W-17-1166-W3	4050	Lynx	1551.0	453621	5435638	132	-59	661.0	664.8	3.8	6.38	
			including					663.5	664.8	1.3	14.3	
OSK-W-17-1166-W3	4050	VNCR	1551.0	453621	5435638	132	-59	941.4	944.0	2.6	4.21	
OSK-W-17-1166-W3	4050	QTV	1551.0	453621	5435638	132	-59	969.4	971.5	2.1	6.63	
			including					969.4	970.0	0.6	16.1	
OSK-W-17-1166-W3	4050	Lynx 6	1551.0	453621	5435638	132	-59	1267.0	1269.1	2.1	6.96	
			including					1267.5	1268.2	0.7	16.6	
OSK-W-17-1166-W3	4050	Lynx 6	1551.0	453621	5435638	132	-59	1341.0	1343.0	2.0	4.06	
OSK-W-17-1166-W3	4050	Lynx 6	1551.0	453621	5435638	132	-59	1385.0	1387.0	2.0	6.26	
			including					1386.0	1386.3	0.3	41.3	
OSK-W-17-1166-W3	4050	TBD - Lynx corridor	1551.0	453621	5435638	132	-59	1477.0	1479.0	2.0	4.05	
			including					1477.0	1477.4	0.4	16.8	
OSK-W-17-1166-W4	4050	Lynx	1236.0	453621	5435638	132	-59	672.0	674.0	2.0	11.1	
OSK-W-17-1166-W4	4050	Lynx 4	1236.0	453621	5435638	132	-59	1061.0	1063.0	2.0	3.33	
OSK-W-17-1166-W4	4050	Lynx 4	1236.0	453621	5435638	132	-59	1079.7	1084.5	4.8	17.4	
OSK-W-17-1168	3650	Lynx 3	717.0	453464	5435089	329	-57	213.0	217.0	4.0	6.05	
			including					216.0	217.0	1.0	14.5	
OSK-W-17-1168	3650	VNCR	717.0	453464	5435089	329	-57	503.6	506.0	2.4	265	13.3
			including					504.3	504.6	0.3	2110	100
OSK-W-17-1168	3650	VNCR	717.0	453464	5435089	329	-57	544.0	546.6	2.6	3.99	
			including					546.0	546.6	0.6	15.4	
OSK-W-17-1169	3725	Lynx 2	1437.0	453332	5435467	129	-55	573.0	576.5	3.5	4.23	
			including					575.6	576.5	0.9	12.6	
OSK-W-17-1169	3725	Lynx 1	1437.0	453332	5435467	129	-55	624.0	627.0	3.0	9.75	
			including					625.5	627.0	1.5	19.4	
OSK-W-17-1169	3725	Lynx corridor	1437.0	453332	5435467	129	-55	761.0	763.0	2.0	479	30.3
			including					761.9	762.5	0.6	1595	100
OSK-W-17-1169	3725	QTV	1437.0	453332	5435467	129	-55	874.0	876.0	2.0	5.13	
			including					874.4	875.0	0.6	17.0	
OSK-W-17-1169	3725	Lynx 4	1437.0	453332	5435467	129	-55	1037.7	1040.1	2.4	7.14	
			including					1039.7	1040.1	0.4	21.8	
OSK-W-17-1169	3725	Lynx 4	1437.0	453332	5435467	129	-55	1104.2	1108.5	4.3	21.2	
			including					1107.5	1108.5	1.0	42.4	
OSK-W-17-1169	3725	Lynx 5	1437.0	453332	5435467	129	-55	1198.1	1201.6	3.5	2.07	
OSK-W-18-1169-W1	3725	Lynx 2	1301.0	453332	5435467	129	-55	564.0	566.1	2.1	7.84	
OSK-W-18-1169-W1	3725	Lynx 4	1301.0	453332	5435467	129	-55	888.0	890.0	2.0	7.69	
			including					889.2	889.6	0.4	31.6	
OSK-W-18-1169-W2	3725	Lynx 4	1155.0	453332	5435467	129	-55	908.1	910.6	2.5	118	49.7
			including					908.4	909.0	0.6	386	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-18-1169-W2	3725	Lynx 4	1155.0	453332	5435467	129	-55	925.0	927.0	2.0	4.09	
OSK-W-18-1169-W2	3725	Lynx 4	1155.0	453332	5435467	129	-55	1082.0	1084.0	2.0	85.1	46.9
<i>including</i>								1082.3	1083.2	0.9	185	100
OSK-W-19-1169-W3	3725	Lynx 320	1266.0	453332	5435467	129	-55	570.9	573.1	2.2	9.47	
<i>including</i>								570.9	571.3	0.4	32.5	
OSK-W-19-1169-W3	3725	Lynx HW	1266.0	453332	5435467	129	-55	616.0	618.0	2.0	7.62	
<i>including</i>								616.3	616.9	0.6	25.3	
OSK-W-19-1169-W3	3725	Lynx 313	1266.0	453332	5435467	129	-55	1024.0	1031.2	7.2	23.3	18.8
<i>including</i>								1029.0	1029.9	0.9	136	100
OSK-W-19-1169-W3	3725	Lynx 313	1266.0	453332	5435467	129	-55	1048.3	1053.2	4.9	9.02	
<i>including</i>								1052.0	1052.5	0.5	51.1	
OSK-W-17-1170	3125	VNCR	594.0	452877	5435047	154	-49	63.3	66.0	2.7	4.87	
OSK-W-17-1170	3125	VNCR	594.0	452877	5435047	154	-49	232.0	234.0	2.0	4.22	
OSK-W-17-1170	3125	Vein	594.0	452877	5435047	154	-49	417.0	419.0	2.0	3.23	
<i>including</i>								417.0	417.5	0.5	12.3	
OSK-W-17-1172	2250	Z27	207.0	452022	5434797	144	-49	136.5	141.0	4.5	34.3	27.4
<i>including</i>								136.5	137.0	0.5	44.1	
<i>including</i>								140.0	141.0	1.0	131	100
OSK-W-17-1177	4225	Lynx 1	1422.0	454113	5435088	340	-67	571.0	576.5	5.5	16.0	
<i>including</i>								572.2	573.0	0.8	97.6	
OSK-W-17-1177	4225	Lynx 1	1422.0	454113	5435088	340	-67	575.0	577.0	2.0	3.21	
OSK-W-17-1177	4225	TBD - Lynx corridor	1422.0	454113	5435088	340	-67	764.0	766.4	2.4	22.9	
<i>including</i>								765.3	766.0	0.7	77.0	
OSK-W-17-1177	4225	Caribou extension	1422.0	454113	5435088	340	-67	1353.1	1356.5	3.4	7.86	
<i>including</i>								1354.1	1355.1	1.0	17.1	
OSK-W-17-1178	3150	Bobcat	411.0	452919	5435012	330	-63	78.0	80.1	2.1	5.89	
<i>including</i>								79.5	80.1	0.6	17.5	
OSK-W-17-1179	1650	Underdog	777.0	451561	5434375	332	-57	742.8	745.5	2.7	4.56	
<i>including</i>								742.8	743.7	0.9	11.6	
OSK-W-17-1180	2175	Z27	189.0	452067	5434618	322	-45	71.0	74.0	3.0	5.04	
OSK-W-17-1180	2175	Z27	189.0	452067	5434618	322	-45	80.0	85.0	5.0	18.0	
<i>including</i>								80.9	81.9	1.0	49.6	
OSK-W-17-1180	2175	Z27	189.0	452067	5434618	322	-45	142.8	146.0	3.2	3.98	
OSK-W-17-1180	2175	Z27	189.0	452067	5434618	322	-45	156.5	158.7	2.2	3.47	
OSK-W-17-1181	4275	Lynx 4	1082.0	453789	5435790	133	-58	933.5	936.0	2.5	4.46	
<i>including</i>								934.3	935.1	0.9	12.7	
OSK-W-17-1181-W1	4275	Lynx 1	1395.0	453789	5435790	133	-58	920.9	923.3	2.4	27.9	25.6
<i>including</i>								921.5	922.1	0.6	110	100
OSK-W-17-1181-W1	4275	Lynx 4	1395.0	453789	5435790	133	-58	1030.0	1032.3	2.3	14.4	
<i>including</i>								1031.1	1031.7	0.6	48.2	
OSK-W-17-1181-W1	4275	Lynx 4	1395.0	453789	5435790	133	-58	1040.5	1042.6	2.1	4.66	
<i>including</i>								1041.0	1041.8	0.8	12.2	
OSK-W-17-1181-W2	4275	Lynx 1	1158.0	453789	5435790	133	-58	909.0	915.0	6.0	5.92	
OSK-W-17-1181-W2	4275	Lynx 4	1158.0	453789	5435790	133	-58	938.0	942.0	4.0	4.60	
OSK-W-17-1181-W2	4275	Lynx 4	1158.0	453789	5435790	133	-58	949.0	954.0	5.0	10.5	
<i>including</i>								949.5	950.0	0.5	59.5	
OSK-W-17-1181-W2	4275	Lynx 4	1158.0	453789	5435790	133	-58	961.1	963.2	2.1	41.0	
OSK-W-17-1181-W3	4275	Lynx 4	1247.0	453789	5435790	133	-58	1097.5	1101.0	3.5	5.31	
OSK-W-17-1181-W3	4275	Lynx 4	1247.0	453789	5435790	133	-58	1113.7	1116.4	2.7	6.11	
OSK-W-19-1181-W5	4275	Lynx 317	1115.0	453789	5435790	133	-58	991.7	993.9	2.2	19.6	
<i>including</i>								993.4	993.9	0.5	74.2	
OSK-W-19-1181-W5	4275	Lynx 4	1115.0	453789	5435790	133	-58	997.2	999.2	2.0	6.50	
<i>including</i>								998.2	999.2	1.0	12.2	
OSK-W-19-1181-W5	4275	Lynx 330	1115.0	453789	5435790	133	-58	1005.0	1009.7	4.7	13.4	
<i>including</i>								1006.2	1007.0	0.8	47.7	
OSK-W-19-1181-W6	4275	Lynx	1080.0	453789	5435790	133	-58	925.0	927.3	2.3	10.0	
<i>including</i>								925.4	926.1	0.7	30.8	
OSK-W-19-1181-W6	4275	Lynx	1080.0	453789	5435790	133	-58	981.1	983.1	2.0	13.4	
<i>including</i>								982.2	983.1	0.9	21.8	
OSK-W-19-1181-W7	4275	Lynx 4	1113.0	453789	5435790	133	-58	965.2	967.6	2.4	7.93	
OSK-W-19-1181-W7	4275	Lynx	1113.0	453789	5435790	133	-58	997.0	999.0	2.0	5.52	
<i>including</i>								997.8	998.7	0.9	12.2	
OSK-W-19-1181-W7	4275	Lynx	1113.0	453789	5435790	133	-58	1038.9	1042.9	4.0	75.8	19.6
<i>including</i>								1042.3	1042.9	0.6	47.5	100
OSK-W-19-1181-W7	4275	Lynx	1113.0	453789	5435790	133	-58	1088.6	1091.0	2.4	61.1	12.6
<i>including</i>								1089.0	1089.3	0.3	488	100
OSK-W-19-1181-W8	4275	Lynx 324	1035.0	453789	5435790	133	-58	879.8	882.0	2.2	20.5	
<i>including</i>								879.8	880.4	0.6	54.2	
OSK-W-19-1181-W8	4275	Lynx 314	1035.0	453789	5435790	133	-58	910.3	912.6	2.3	8.31	
<i>including</i>								911.0	911.6	0.6	28.3	
OSK-W-19-1181-W8	4275	Lynx 317	1035.0	453789	5435790	133	-58	933.7	936.0	2.3	13.1	
<i>including</i>								934.7	935.3	0.6	34.2	
OSK-W-19-1181-W9	4275	Lynx 317	1057.8	453789	5435790	133	-58	952.4	955.0	2.6	48.2	28.3
<i>including</i>								953.4	954.1	0.7	174	100
OSK-W-17-1184	2200	Z27 HW	210.0	452068	5434617	320	-51	50.0	52.0	2.0	4.21	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								50.5	51.0	0.5	16.8	
OSK-W-17-1184	2200	Z27	210.0	452068	5434617	320	-51	113.8	119.7	5.9	19.0	15.1
<i>including</i>								116.4	117.0	0.6	139	100
OSK-W-17-1184	2200	Z27	210.0	452068	5434617	320	-51	164.9	167.5	2.6	4.64	
<i>including</i>								166.6	167.5	0.9	13.0	
OSK-W-17-1185	3125	Z27 corridor	342.0	452904	5435022	334	-47	246.7	249.5	2.8	3.61	
<i>including</i>								248.6	249.5	0.9	10.4	
OSK-W-17-1186	2475	Caribou	984.0	452417	5434558	331	-54	228.0	237.0	9.0	5.38	
<i>including</i>								229.1	229.6	0.5	28.4	
<i>including</i>								236.0	237.0	1.0	23.6	
OSK-W-17-1186	2475	CN2	984.0	452417	5434558	331	-54	407.5	410.5	3.0	12.3	
<i>including</i>								407.5	409.0	1.5	24.4	
OSK-W-17-1186	2475	Z27 HW	984.0	452417	5434558	331	-54	502.0	504.5	2.5	3.49	
<i>including</i>								502.0	503.0	1.0	8.61	
OSK-W-17-1186	2475	Z27	984.0	452417	5434558	331	-54	521.5	524.4	2.9	33.1	
<i>including</i>								523.0	524.0	1.0	87.8	
OSK-W-17-1186	2475	Underdog	984.0	452417	5434558	331	-54	770.0	772.0	2.0	18.0	15.3
<i>including</i>								771.0	771.3	0.3	118	100
OSK-W-17-1186	2475	FW3U	984.0	452417	5434558	331	-54	863.0	866.0	3.0	15.7	
<i>including</i>								863.0	864.6	1.6	27.5	
OSK-W-17-1187	3600	Lynx 3	477.0	453441	5435025	333	-55	264.0	266.7	2.7	3.43	
OSK-W-17-1188	2200	Z27	201.0	452068	5434616	318	-57	99.2	101.8	2.6	16.8	
<i>including</i>								100.2	100.8	0.6	67.9	
OSK-W-17-1188	2200	Z27	201.0	452068	5434616	318	-57	147.5	149.9	2.4	3.09	
<i>including</i>								148.9	149.9	1.0	6.97	
OSK-W-17-1188	2200	Z27	201.0	452068	5434616	318	-57	167.8	169.8	2.0	3.28	
OSK-W-17-1189	2950	Caribou	1005.0	452946	5434561	335	-47	718.5	723.7	5.2	6.58	
<i>including</i>								718.5	719.0	0.5	49.8	
OSK-W-17-1190	3200	Lynx 1 SW	1179.0	452905	5435152	151	-49	430.0	432.0	2.0	5.91	
<i>including</i>								430.6	431.6	1.0	11.6	
OSK-W-17-1190	3200	Lynx 4 Corridor	1179.0	452905	5435152	151	-49	538.6	541.1	2.5	11.0	
OSK-W-17-1190	3200	Lynx 4 Corridor	1179.0	452905	5435152	151	-49	548.0	552.0	4.0	16.9	
<i>including</i>								549.0	549.7	0.7	57.2	
OSK-W-17-1190	3200	Lynx 5	1179.0	452905	5435152	151	-49	762.3	764.4	2.1	6.03	
OSK-W-17-1190	3200	Lynx 5	1179.0	452905	5435152	151	-49	798.0	804.0	6.0	4.09	
<i>including</i>								801.7	804.0	2.3	5.08	
OSK-W-17-1190	3200	Lynx 6	1179.0	452905	5435152	151	-49	998.0	1000.0	2.0	13.6	
OSK-W-17-1191	2200	Z27	255.0	452068	5434616	315	-69	194.2	197.0	2.8	13.9	
<i>including</i>								194.2	194.8	0.6	63.4	
OSK-W-17-1191	2200	Z27	255.0	452068	5434616	315	-69	200.5	202.6	2.1	7.46	
<i>including</i>								201.5	202.6	1.1	13.9	
OSK-W-17-1191	2200	Z27 FW	255.0	452068	5434616	315	-69	235.4	237.5	2.1	218	34.6
<i>including</i>								236.8	237.5	0.7	650	100.0
OSK-W-17-1193	4275	Lynx 4	1803.0	453807	5435721	141	-59	971.3	979.0	7.7	28.3	24.9
<i>including</i>								971.3	974.4	3.1	66.5	58.1
OSK-W-17-1193	4275	Lynx 4	1803.0	453807	5435721	141	-59	979.0	981.8	2.8	4.48	
OSK-W-17-1193	4275	Vein	1803.0	453807	5435721	141	-59	1659.8	1662.0	2.2	5.66	
<i>including</i>								1659.8	1660.6	0.8	15.5	
OSK-W-17-1193	4275	Vein	1803.0	453807	5435721	141	-59	1682.0	1684.0	2.0	11.0	
<i>including</i>								1682.5	1683.1	0.6	33.6	
OSK-W-17-1193-W1	4275	VNCR	1320.0	453807	5435721	141	-59	947.6	952.0	4.4	14.8	
<i>including</i>								947.6	948.1	0.5	27.7	
<i>including</i>								950.5	951.5	1.0	45.5	
OSK-W-17-1194	2525	No name	375.0	452265	5434915	332	-53	325.5	331.4	5.9	3.12	
<i>including</i>								325.5	326.1	0.6	23.8	
OSK-W-17-1196	2200	Z27	210.0	452067	5434618	310	-59	155.5	158.0	2.5	3.26	
OSK-W-17-1196	2200	Z27 FW	210.0	452067	5434618	310	-59	185.0	187.0	2.0	15.7	
<i>including</i>								186.6	187.0	0.4	72.5	
OSK-W-17-1198	2200	Z27	261.0	452067	5434618	306	-63	186.9	194.4	7.5	3.47	
<i>including</i>								186.9	188.1	1.2	12.6	
OSK-W-17-1199	3600	Lynx 3	672.0	453418	5435070	333	-53	172.1	174.1	2.0	3.68	
OSK-W-17-1200	2425	New zone	264.0	452147	5434925	332	-46	245.1	248.0	2.9	3.00	
<i>including</i>								247.1	248.0	0.9	8.74	
OSK-W-17-1202	2975	Caribou extension	932.0	452975	5434580	328	-52	554.8	557.0	2.2	8.71	
<i>including</i>								554.8	555.6	0.8	23.2	
OSK-W-17-1202	2975	Z27	932.0	452975	5434580	328	-52	849.3	855.0	5.7	10.1	
OSK-W-17-1203	2500	Z27	372.0	452276	5434867	333	-53	27.9	30.0	2.1	128	42.9
<i>including</i>								27.9	28.8	0.9	298	100
OSK-W-17-1203	2500	Mallard	372.0	452276	5434867	333	-53	269.0	272.0	3.0	6.76	
<i>including</i>								270.2	270.7	0.5	31.7	
OSK-W-17-1204	3225	Lynx 2	615.0	453093	5434875	338	-61	241.5	243.6	2.1	3.16	
OSK-W-17-1204	3225	Caribou corridor	615.0	453093	5434875	338	-61	472.1	474.3	2.2	3.20	
OSK-W-17-1207	2450	Drake	267.0	452147	5434924	334	-57	8.0	10.3	2.3	5.94	
<i>including</i>								8.0	8.8	0.8	14.3	
OSK-W-17-1207	2450	Mallard	267.0	452147	5434924	334	-57	147.7	149.7	2.0	6.17	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					148.0	148.7	0.7	16.0	
OSK-W-17-1207	2450	Mallard	267.0	452147	5434924	334	-57	182.6	184.9	2.3	3.35	
OSK-W-17-1208	1725	Vein	518.5	451612	5434443	331	-56	440.0	442.0	2.0	3.21	
			<i>including</i>					441.0	442.0	1.0	6.41	
OSK-W-17-1209	1600	FW4	429.0	451455	5434452	331	-60	236.4	239.2	2.8	4.68	
			<i>including</i>					236.4	237.1	0.7	17.2	
OSK-W-17-1210	3250	Caribou extension	317.6	453010	5435052	334	-51	209.5	211.6	2.1	4.26	
OSK-W-17-1212	2550	Mallard	324.0	452304	5434915	330	-62	215.0	217.0	2.0	6.87	
			<i>including</i>					216.0	217.0	1.0	13.2	
OSK-W-17-1215	875	New zone	300.0	450862	5434017	299	-58	105.0	107.0	2.0	4.11	
OSK-W-17-1217	2125	No name	132.0	451885	5434797	331	-50	14.9	17.1	2.2	5.47	
			<i>including</i>					15.6	16.4	0.8	14.4	
OSK-W-17-1218	3225	VNCR	405.0	453003	5435008	327	-62	27.0	29.0	2.0	3.99	
OSK-W-17-1218	3225	Bobcat	405.0	453003	5435008	327	-62	189.0	191.5	2.5	4.46	
OSK-W-17-1218	3225	Caribou extension	405.0	453003	5435008	327	-62	384.0	386.0	2.0	6.88	
			<i>including</i>					385.3	385.6	0.3	28.7	
OSK-W-17-1220	2275	Z27	303.0	452026	5434808	141	-47	179.4	182.0	2.6	12.3	
			<i>including</i>					180.2	181.1	0.9	29.7	
OSK-W-17-1220	2275	Z27	303.0	452026	5434808	141	-47	197.7	202.0	4.3	4.63	
OSK-W-17-1221	3050	Caribou corridor	1079.0	453083	5434541	335	-51	707.4	709.4	2.0	7.28	
			<i>including</i>					707.4	708.0	0.6	23.7	
OSK-W-17-1221	3050	Caribou corridor	1079.0	453083	5434541	335	-51	715.8	719.7	3.9	3.45	
OSK-W-17-1221	3050	Vein	1079.0	453083	5434541	335	-51	771.0	773.0	2.0	4.61	
			<i>including</i>					771.0	771.8	0.8	11.5	
OSK-W-17-1224	2550	Mallard 2	402.0	452304	5434914	333	-70	70.3	73.1	2.8	15.7	
			<i>including</i>					72.7	73.1	0.4	44.2	
OSK-W-17-1224	2550	Mallard	402.0	452304	5434914	333	-70	371.0	373.4	2.4	3.12	
OSK-W-17-1225	2250	New zone	252.0	452041	5434770	335	-48	9.0	12.3	3.3	5.77	
OSK-W-17-1225	2250	Mallard HW	252.0	452041	5434770	335	-48	201.3	203.6	2.3	9.58	
			<i>including</i>					201.3	202.0	0.7	30.3	
OSK-W-17-1225	2250	Mallard	252.0	452041	5434770	335	-48	245.2	247.5	2.3	20.5	
			<i>including</i>					245.2	246.4	1.2	39.1	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	662.0	664.0	2.0	11.5	
			<i>including</i>					662.6	663.5	0.9	24.4	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	673.0	675.0	2.0	10.4	
			<i>including</i>					673.0	674.0	1.0	20.3	
OSK-W-17-1226	3400	Caribou corridor	934.3	453371	5434727	331	-51	717.0	721.6	4.6	8.29	
			<i>including</i>					717.8	718.3	0.5	18.1	
			<i>including</i>					720.0	721.6	1.6	11.2	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	743.4	746.2	2.8	3.43	
			<i>including</i>					743.4	744.0	0.6	8.96	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	765.0	767.0	2.0	3.78	
			<i>including</i>					765.0	765.6	0.6	11.6	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	823.8	826.0	2.2	6.57	
			<i>including</i>					823.8	825.0	1.2	12.0	
OSK-W-17-1226	3400	CN2	934.3	453371	5434727	331	-51	852.7	855.0	2.3	3.42	
OSK-W-17-1227	3225	Vein	1164.0	453290	5434533	329	-50	419.9	422.0	2.1	4.37	
			<i>including</i>					420.4	421.1	0.7	12.9	
OSK-W-17-1227	3225	TBD	1164.0	453290	5434533	329	-50	619.0	621.0	2.0	3.62	
OSK-W-17-1227	3225	Wolf extension	1164.0	453290	5434533	329	-50	926.0	929.4	3.4	6.56	
			<i>including</i>					926.0	927.0	1.0	15.8	
OSK-W-17-1227	3225	Wolf extension	1164.0	453290	5434533	329	-50	962.0	964.0	2.0	10.5	
OSK-W-17-1227	3225	Wolf extension	1164.0	453290	5434533	329	-50	969.0	971.0	2.0	4.93	
OSK-W-17-1228	1600	Vein	657.0	451442	5434482	328	-59	50.7	53.0	2.3	7.59	
OSK-W-17-1228	1600	FW4	657.0	451442	5434482	328	-59	164.9	168.6	3.7	0.16	
OSK-W-17-1232	2275	Z27	351.0	452024	5434834	154	-47	149.0	151.5	2.5	5.50	
OSK-W-17-1232	2275	Z27	351.0	452024	5434834	154	-47	183.0	186.0	3.0	3.99	
OSK-W-17-1232	2275	Z27	351.0	452024	5434834	154	-47	206.0	208.0	2.0	27.2	
OSK-W-17-1232	2275	Vein	351.0	452024	5434834	154	-47	331.0	333.0	2.0	4.70	
OSK-W-17-1233	2300	No name	228.0	452040	5434839	333	-53	39.9	42.7	2.8	32.7	
			<i>including</i>					40.5	41.6	1.1	81.3	
OSK-W-17-1237	2950	Caribou extension	903.6	452946	5434560	330	-49	550.0	552.0	2.0	3.38	
OSK-W-17-1237	2950	Caribou extension	903.6	452946	5434560	330	-49	563.0	565.0	2.0	3.75	
OSK-W-17-1237	2950	Caribou extension	903.6	452946	5434560	330	-49	586.0	588.0	2.0	3.11	
OSK-W-17-1239	2475	Caribou	939.0	452417	5434558	326	-53	226.0	228.0	2.0	4.11	
OSK-W-17-1239	2475	Caribou corridor	939.0	452417	5434558	326	-53	255.2	258.0	2.8	10.4	
OSK-W-17-1239	2475	Z27	939.0	452417	5434558	326	-53	390.0	392.0	2.0	33.2	29.5
			<i>including</i>					390.0	390.5	0.5	115	100
OSK-W-17-1239	2475	FW3U HW	939.0	452417	5434558	326	-53	728.0	730.0	2.0	20.4	
OSK-W-17-1239	2475	FW3U HW	939.0	452417	5434558	326	-53	759.0	761.0	2.0	5.40	
			<i>including</i>					759.0	760.0	1.0	10.3	
OSK-W-17-1241	3225	Caribou corridor	282.0	452948	5435107	130	-45	22.0	25.5	3.5	8.11	
			<i>including</i>					24.6	25.5	0.9	17.9	
OSK-W-17-1242	3950	Lynx 4	1206.0	453571	5435489	144	-58	820.0	822.5	2.5	3.68	
			<i>including</i>					821.3	822.1	0.8	9.25	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1242	3950	Lynx 4	1206.0	453571	5435489	144	-58	871.0	873.0	2.0	4.38	
		<i>including</i>						871.7	872.2	0.5	15.3	
OSK-W-17-1242	3950	Lynx 4	1206.0	453571	5435489	144	-58	1032.0	1034.5	2.5	43.8	12.3
		<i>including</i>						1034.2	1034.5	0.3	362	100
OSK-W-17-1242-W1	3950	Lynx 4	1008.0	453571	5435489	144	-58	943.0	945.0	2.0	3.64	
OSK-W-17-1242-W2	3950	Lynx HW	1110.0	453571	5435489	144	-58	601.0	603.0	2.0	7.18	
		<i>including</i>						602.1	603.0	0.9	13.2	
OSK-W-17-1243	2275	Z27	189.0	452061	5434778	146	-49	99.6	101.6	2.0	5.23	
		<i>including</i>						101.0	101.6	0.6	13.6	
OSK-W-17-1246	2225	Z27 HW	191.0	452083	5434636	324	-50	34.5	39.9	5.4	5.62	
OSK-W-17-1246	2225	Z27	191.0	452083	5434636	324	-50	175.2	182.0	6.8	2.43	
OSK-W-17-1247	875	New zone	687.0	451015	5433824	330	-46	326.0	329.0	3.0	3.00	
OSK-W-17-1251	3100	Bobcat	372.0	452890	5434987	326	-60	24.0	27.0	3.0	8.89	
		<i>including</i>						24.0	25.0	1.0	21.0	
OSK-W-17-1251	3100	Bobcat	372.0	452890	5434987	326	-60	55.0	59.0	4.0	3.86	
		<i>including</i>						55.0	56.0	1.0	12.3	
OSK-W-17-1251	3100	Bobcat	372.0	452890	5434987	326	-60	192.0	195.0	3.0	4.11	
		<i>including</i>						193.4	193.7	0.3	40.2	
OSK-W-17-1252	2400	Mallard	231.0	452131	5434945	324	-46	8.8	11.6	2.8	0.34	
OSK-W-17-1252	2400	Mallard	231.0	452131	5434945	324	-46	18.5	21.0	2.5	3.55	
		<i>including</i>						19.3	20.3	1.0	8.74	
OSK-W-17-1252	2400	New zone	231.0	452131	5434945	324	-46	168.0	170.0	2.0	8.38	
		<i>including</i>						168.0	169.0	1.0	16.7	
OSK-W-17-1253	2225	Z27	186.0	452083	5434636	337	-52	43.0	47.3	4.3	4.88	
OSK-W-17-1253	2225	Z27	186.0	452083	5434636	337	-52	56.0	59.0	3.0	3.68	
OSK-W-17-1255	3225	Bobcat	276.0	452947	5435107	130	-65	156.0	161.6	5.6	14.1	
		<i>including</i>						156.6	159.5	2.9	21.1	
OSK-W-17-1256	2475	Mallard	372.0	452254	5434813	334	-50	315.0	317.2	2.2	3.11	
OSK-W-17-1257	2225	Z27	250.0	452083	5434636	322	-71	155.5	157.6	2.1	7.69	
		<i>including</i>						156.2	156.5	0.3	44.9	
OSK-W-17-1257	2225	Z27	250.0	452083	5434636	322	-71	161.0	163.3	2.3	3.15	
		<i>including</i>						163.0	163.3	0.3	17.2	
OSK-W-17-1257	2225	Z27	250.0	452083	5434636	322	-71	172.0	174.0	2.0	15.4	
		<i>including</i>						172.0	173.0	1.0	30.1	
OSK-W-17-1259	1600	FW4	414.0	451523	5434374	332	-54	364.0	366.0	2.0	38.7	
		<i>including</i>						365.0	366.0	1.0	77.1	
OSK-W-17-1260	2875	Z27-3	870.0	452865	5434568	329	-49	739.0	741.0	2.0	4.37	
OSK-W-17-1260	2875	Z27	870.0	452865	5434568	329	-49	830.0	832.0	2.0	3.16	
OSK-W-17-1264	2225	Z27 HW	252.0	452084	5434636	332	-73	71.1	74.5	3.4	6.33	
		<i>including</i>						71.4	71.9	0.5	41.4	
OSK-W-17-1264	2225	Z27	252.0	452084	5434636	332	-73	166.5	169.0	2.5	6.88	
		<i>including</i>						167.4	167.7	0.3	54.0	
OSK-W-17-1265	3050	Lynx 4	1074.0	453083	5434539	334	-53	415.8	418.5	2.7	3.19	
OSK-W-17-1265	3050	Caribou extension	1074.0	453083	5434539	334	-53	738.7	741.0	2.3	5.34	
OSK-W-17-1265	3050	Z27	1074.0	453083	5434539	334	-53	940.8	942.8	2.0	13.0	
		<i>including</i>						941.2	942.2	1.0	25.7	
OSK-W-17-1267	3075	Caribou	894.0	452839	5435005	332	-60	101.6	104.0	2.4	3.04	
OSK-W-17-1268	2575	No name	372.0	452272	5435002	160	-58	83.0	85.0	2.0	5.51	
OSK-W-17-1268	2575	Drake	372.0	452272	5435002	160	-58	161.0	163.0	2.0	9.39	
OSK-W-17-1268	2575	Z27 FW	372.0	452272	5435002	160	-58	183.0	186.0	3.0	8.17	
		<i>including</i>						183.0	183.9	0.9	23.8	
OSK-W-17-1268	2575	Z27	372.0	452272	5435002	160	-58	266.3	268.4	2.1	4.84	
		<i>including</i>						266.3	266.8	0.5	15.0	
OSK-W-17-1269	2225	Z27 HW	201.0	452083	5434637	342	-70	69.5	72.0	2.5	3.10	
OSK-W-17-1269	2225	Z27 HW	201.0	452083	5434637	342	-70	117.5	122.0	4.5	3.69	
		<i>including</i>						117.5	118.0	0.5	8.01	
OSK-W-17-1269	2225	Z27	201.0	452083	5434637	342	-70	134.5	137.5	3.0	3.09	
OSK-W-17-1269	2225	Z27	201.0	452083	5434637	342	-70	146.0	148.4	2.4	3.47	
OSK-W-17-1269	2225	Z27	201.0	452083	5434637	342	-70	175.3	178.0	2.7	3.33	
		<i>including</i>						176.0	177.0	1.0	7.47	
OSK-W-17-1270	3400	Caribou extension	1251.0	453371	5434727	328	-58	918.2	926.0	7.8	3.07	
OSK-W-17-1270	3400	Vein	1251.0	453371	5434727	328	-58	950.1	953.0	2.9	7.14	
OSK-W-17-1272	3675	Triple Lynx	1409.0	453246	5435535	127	-60	776.0	778.7	2.7	12.1	
		<i>including</i>						778.2	778.7	0.5	49.4	
OSK-W-17-1272	3675	Triple Lynx	1409.0	453246	5435535	127	-60	843.7	845.7	2.0	3.80	
OSK-W-17-1272	3675	Triple Lynx	1409.0	453246	5435535	127	-60	858.4	870.5	12.1	47.8	35.6
		<i>including</i>						858.4	865.1	6.7	63.5	54.3
OSK-W-17-1272	3675	Triple Lynx	1409.0	453246	5435535	127	-60	970.5	973.7	3.2	3.44	
OSK-W-17-1272	3675	Triple Lynx	1409.0	453246	5435535	127	-60	1006.4	1010.8	4.4	34.1	
		<i>including</i>						1008.7	1009.9	1.2	91.8	90.4
OSK-W-17-1272	3675	Triple Lynx	1409.0	453246	5435535	127	-60	1014.0	1016.0	2.0	38.3	
		<i>including</i>						1014.0	1014.9	0.9	87.6	
OSK-W-17-1272	3675	Triple Lynx	1409.0	453246	5435535	127	-60	1311.3	1314.0	2.7	6.84	
		<i>including</i>						1311.3	1312.0	0.7	21.8	
OSK-W-19-1272-W1	3675	Triple Lynx	1101.4	453246	5435535	127	-60	762.2	774.9	12.7	72.3	40.1





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1308	3125	Lynx 4	1148.0	453210	5434466	332	-53	568.9	571.0	2.1	3.13	
OSK-W-17-1308	3125	Wolf extension	1148.0	453210	5434466	332	-53	884.0	889.4	5.4	11.6	
<i>including</i>								888.6	888.9	0.3	66.7	
OSK-W-17-1308-W1	3125	Wolf	1032.0	453210	5434466	332	-53	997.0	999.0	2.0	7.27	
OSK-W-17-1309	2200	Z27 FW	237.0	452074	5434609	330	-69	218.1	220.2	2.1	5.64	
<i>including</i>								218.1	218.8	0.7	16.5	
OSK-W-17-1310	2325	Caribou	375.0	452210	5434616	312	-45	54.0	57.0	3.0	3.61	
OSK-W-17-1310	2325	Vein	375.0	452210	5434616	312	-45	354.0	357.0	3.0	3.37	
OSK-W-17-1312	2200	Z27 HW	55.5	452073	5434610	325	-66	43.0	46.5	3.5	7.56	
OSK-W-17-1313	2375	Vein	876.0	452280	5434572	331	-51	19.0	22.0	3.0	3.05	
OSK-W-17-1313	2375	Caribou	876.0	452280	5434572	331	-51	90.9	93.0	2.1	3.34	
OSK-W-17-1313	2375	Caribou	876.0	452280	5434572	331	-51	122.0	125.0	3.0	5.29	
OSK-W-17-1313	2375	Z27 HW	876.0	452280	5434572	331	-51	211.0	213.0	2.0	11.3	
OSK-W-17-1313	2375	Z27	876.0	452280	5434572	331	-51	351.4	360.3	8.9	25.7	
OSK-W-17-1313	2375	Z27 FW	876.0	452280	5434572	331	-51	425.1	427.3	2.2	5.46	
<i>including</i>								425.9	426.7	0.8	14.2	
OSK-W-17-1313	2375	Z27 FW	876.0	452280	5434572	331	-51	443.0	445.5	2.5	3.50	
OSK-W-17-1313	2375	Vein RD	876.0	452280	5434572	331	-51	456.0	458.0	2.0	25.2	
<i>including</i>								456.5	456.8	0.3	168	
OSK-W-17-1317	2200	Z27 HW	276.0	452074	5434610	327	-65	45.0	47.5	2.5	4.31	
OSK-W-17-1317	2200	Z27	276.0	452074	5434610	327	-65	170.0	172.0	2.0	4.60	
OSK-W-17-1317	2200	Z27	276.0	452074	5434610	327	-65	182.9	191.0	8.1	10.0	
<i>including</i>								186.9	188.0	1.1	54.3	
OSK-W-17-1319	2325	Z27 HW	291.0	452222	5434607	310	-50	162.0	165.0	3.0	5.80	
<i>including</i>								162.0	163.5	1.5	11.4	
OSK-W-17-1319	2325	Z27	291.0	452222	5434607	310	-50	215.3	217.3	2.0	7.42	
<i>including</i>								217.0	217.3	0.3	22.8	
OSK-W-17-1320	3050	Lynx 1	852.0	452906	5434846	328	-76	61.8	64.3	2.5	4.72	
OSK-W-17-1320	3050	Vein	852.0	452906	5434846	328	-76	90.4	93.0	2.6	43.0	15.6
<i>including</i>								91.3	91.7	0.4	278	100
OSK-W-17-1320	3050	Lynx 1	852.0	452906	5434846	328	-76	112.0	114.0	2.0	5.45	
<i>including</i>								112.4	112.7	0.3	31.0	
OSK-W-17-1320	3050	Caribou extension	852.0	452906	5434846	328	-76	463.0	465.0	2.0	11.9	
<i>including</i>								463.0	464.0	1.0	23.8	
OSK-W-17-1320	3050	Caribou extension	852.0	452906	5434846	328	-76	472.1	477.3	5.2	5.16	
<i>including</i>								472.1	473.4	1.3	14.1	
OSK-W-17-1320	3050	Caribou extension	852.0	452906	5434846	328	-76	557.5	560.8	3.3	3.46	
OSK-W-17-1320	3050	Caribou extension	852.0	452906	5434846	328	-76	801.0	803.0	2.0	6.04	
<i>including</i>								802.0	803.0	1.0	11.8	
OSK-W-17-1323	2975	Vein	597.0	452855	5434798	340	-74	433.0	435.2	2.2	5.48	
OSK-W-17-1325	1500	Underdog	688.5	451431	5434333	331	-69	629.2	631.3	2.1	7.57	
OSK-W-17-1326	2200	Z27	225.0	452075	5434609	328	-61	159.0	161.0	2.0	8.32	
<i>including</i>								160.0	161.0	1.0	16.0	
OSK-W-17-1326	2200	Z27	225.0	452075	5434609	328	-61	180.0	183.3	3.3	6.13	
<i>including</i>								183.0	183.3	0.3	45.1	
OSK-W-17-1332	2125	No name	798.0	451894	5434769	280	-45	25.0	27.0	2.0	8.27	
<i>including</i>								26.2	27.0	0.8	18.8	
OSK-W-17-1333	3300	Caribou extension	852.0	453158	5434897	336	-61	503.0	506.5	3.5	18.4	
<i>including</i>								504.0	505.0	1.0	53.8	
OSK-W-17-1333	3300	Caribou extension	852.0	453158	5434897	336	-61	593.6	596.0	2.4	4.85	
<i>including</i>								593.6	594.3	0.7	13.8	
OSK-W-17-1333	3300	Caribou extension	852.0	453158	5434897	336	-61	628.0	630.4	2.4	5.89	
<i>including</i>								628.0	628.8	0.8	15.3	
OSK-W-17-1334	3025	Bobcat	657.0	452842	5434896	334	-70	86.0	88.0	2.0	4.05	
OSK-W-17-1334	3025	Caribou extension	657.0	452842	5434896	334	-70	338.2	340.7	2.5	3.31	
<i>including</i>								338.2	338.7	0.5	16.4	
OSK-W-17-1334	3025	Caribou extension	657.0	452842	5434896	334	-70	459.0	461.5	2.5	74.0	12.2
<i>including</i>								460.5	460.8	0.3	615	100
OSK-W-17-1334	3025	Caribou extension	657.0	452842	5434896	334	-70	489.0	491.2	2.2	12.8	
<i>including</i>								490.0	490.7	0.7	33.9	
OSK-W-17-1334	3025	Caribou extension	657.0	452842	5434896	334	-70	498.5	502.0	3.5	3.73	
OSK-W-17-1334	3025	Z27	657.0	452842	5434896	334	-70	557.2	560.1	2.9	29.6	
<i>including</i>								558.1	559.1	1.0	83.6	
OSK-W-17-1335	2200	Mallard	201.0	451963	5434779	333	-49	179.0	181.1	2.1	5.66	
<i>including</i>								179.8	180.3	0.5	20.7	
OSK-W-17-1336	2600	FW0	1149.0	452617	5434447	335	-61	810.0	813.0	3.0	17.0	
OSK-W-17-1336	2600	FW0	1149.0	452617	5434447	335	-61	816.0	820.0	4.0	24.0	
<i>including</i>								817.5	820.0	2.5	35.6	
OSK-W-17-1336	2600	FW1	1149.0	452617	5434447	335	-61	891.0	893.0	2.0	6.64	
<i>including</i>								891.0	891.3	0.3	22.3	
OSK-W-17-1336	2600	FW2	1149.0	452617	5434447	335	-61	972.0	974.0	2.0	4.10	
OSK-W-17-1336	2600	FW3	1149.0	452617	5434447	335	-61	1082.0	1084.5	2.5	15.0	
<i>including</i>								1084.0	1084.5	0.5	67.9	
OSK-W-17-1336-W1	2600	Vein	1335.0	452617	5434447	335	-61	723.0	725.0	2.0	9.44	
<i>including</i>								723.7	724.0	0.3	62.8	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1336-W1	2600	FW1	1335.0	452617	5434447	335	-61	992.9	995.0	2.1	42.9	28.8
			<i>including</i>									
OSK-W-17-1336-W1	2600	FW2	1335.0	452617	5434447	335	-61	992.9	993.5	0.6	150	100
			<i>including</i>									
OSK-W-17-1336-W1	2600	FW3	1335.0	452617	5434447	335	-61	1064.1	1073.0	8.9	56.1	15.1
			<i>including</i>									
OSK-W-17-1336-W1	2600	FW3	1335.0	452617	5434447	335	-61	1067.0	1070.1	3.1	151	33.7
			<i>including</i>									
OSK-W-18-1336-W2	2600	FW0	1193.0	452617	5434447	335	-61	1153.5	1161.0	7.5	6.12	
			<i>including</i>									
OSK-W-18-1336-W2	2600	FW0	1193.0	452617	5434447	335	-61	1157.0	1158.0	1.0	17.0	
OSK-W-18-1336-W2	2600	FW1	1193.0	452617	5434447	335	-61	920.6	921.0	0.4	17.8	
OSK-W-18-1336-W2	2600	FW1	1193.0	452617	5434447	335	-61	831.9	835.3	3.4	4.62	
OSK-W-18-1336-W2	2600	FW0	1193.0	452617	5434447	335	-61	950.0	952.3	2.3	3.92	
OSK-W-18-1336-W2	2600	Underdog	1193.0	452617	5434447	335	-61	849.7	852.3	2.6	3.53	
			<i>including</i>									
OSK-W-18-1336-W2	2600	Underdog	1193.0	452617	5434447	335	-61	920.6	923.0	2.4	4.36	
			<i>including</i>									
OSK-W-18-1336-W2	2600	Underdog	1193.0	452617	5434447	335	-61	920.6	921.0	0.4	17.8	
			<i>including</i>									
OSK-W-18-1336-W2	2600	Underdog	1193.0	452617	5434447	335	-61	950.0	952.3	2.3	3.92	
OSK-W-18-1336-W2	2600	Underdog	1193.0	452617	5434447	335	-61	964.0	969.7	5.7	13.0	
			<i>including</i>									
OSK-W-18-1336-W2	2600	Underdog	1193.0	452617	5434447	335	-61	967.3	967.8	0.5	92.2	
			<i>including</i>									
OSK-W-18-1336-W2	2600	Underdog	1193.0	452617	5434447	335	-61	1132.0	1136.0	4.0	19.6	13.6
			<i>including</i>									
OSK-W-18-1336-W2	2600	Underdog	1193.0	452617	5434447	335	-61	1134.7	1135.1	0.4	160	100
OSK-W-18-1336-W2	2600	Underdog	1193.0	452617	5434447	335	-61	1182.0	1184.0	2.0	4.55	
OSK-W-17-1337	2350	Mallard	360.0	452055	5434957	140	-57	19.0	21.5	2.5	3.39	
			<i>including</i>									
OSK-W-17-1337	2350	Drake	360.0	452055	5434957	140	-57	20.0	20.4	0.4	13.7	
OSK-W-17-1341	2450	Caribou	732.0	452334	5434661	329	-49	236.3	238.4	2.1	3.58	
OSK-W-17-1341	2450	Z27 HW	732.0	452334	5434661	329	-49	84.0	86.0	2.0	3.43	
			<i>including</i>									
OSK-W-17-1341	2450	Z27	732.0	452334	5434661	329	-49	169.0	171.3	2.3	17.0	
OSK-W-17-1341	2450	Z27	732.0	452334	5434661	329	-49	169.6	170.2	0.6	63.1	
OSK-W-17-1341	2450	Z27	732.0	452334	5434661	329	-49	253.4	256.3	2.9	7.79	
OSK-W-17-1341	2450	Z27	732.0	452334	5434661	329	-49	272.8	277.9	5.1	4.52	
OSK-W-17-1341	2450	Z27	732.0	452334	5434661	329	-49	316.6	318.9	2.3	5.23	
OSK-W-17-1342	2300	Mallard HW	282.0	452086	5434760	333	-50	211.9	214.0	2.1	8.19	
			<i>including</i>									
OSK-W-17-1342	2300	Mallard	282.0	452086	5434760	333	-50	211.9	213.0	1.1	15.4	
OSK-W-17-1343	3950	Lynx HW	681.0	453572	5435489	137	-56	261.8	263.8	2.0	3.30	
			<i>including</i>									
OSK-W-17-1343-W1	3950	Lynx HW	870.0	453572	5435489	137	-56	541.0	546.0	5.0	140	30.8
OSK-W-17-1343-W1	3950	Lynx HW	870.0	453572	5435489	137	-56	544.7	545.6	0.9	704	100
			<i>including</i>									
OSK-W-17-1343-W2	3950	Lynx HW	1323.0	453572	5435489	137	-56	560.8	563.9	3.1	3.32	
			<i>including</i>									
OSK-W-17-1343-W2	3950	Lynx HW	1323.0	453572	5435489	137	-56	596.7	601.8	5.1	58.7	30.3
			<i>including</i>									
OSK-W-17-1343-W2	3950	Lynx HW	1323.0	453572	5435489	137	-56	597.7	599.0	1.3	212	100.0
			<i>including</i>									
OSK-W-17-1343-W2	3950	Lynx HW	1323.0	453572	5435489	137	-56	507.3	511.7	4.4	34.1	29.5
			<i>including</i>									
OSK-W-17-1343-W2	3950	Lynx HW	1323.0	453572	5435489	137	-56	507.3	509.1	1.8	77.7	66.6
OSK-W-17-1343-W2	3950	Lynx 4	1323.0	453572	5435489	137	-56	636.5	639.0	2.5	3.11	
OSK-W-17-1343-W2	3950	Lynx 4	1323.0	453572	5435489	137	-56	864.8	867.0	2.2	5.79	
OSK-W-17-1343-W2	3950	Lynx 4	1323.0	453572	5435489	137	-56	879.0	881.0	2.0	14.2	
			<i>including</i>									
OSK-W-17-1343-W2	3950	Lynx 4	1323.0	453572	5435489	137	-56	879.4	879.7	0.3	69.6	
OSK-W-17-1343-W2	3950	Lynx 6	1323.0	453572	5435489	137	-56	937.0	939.0	2.0	3.59	
OSK-W-17-1343-W2	3950	Lynx 6	1323.0	453572	5435489	137	-56	1134.0	1137.0	3.0	6.31	
OSK-W-17-1343-W2	3950	Lynx 6	1323.0	453572	5435489	137	-56	1197.9	1200.0	2.1	7.84	
			<i>including</i>									
OSK-W-19-1343-W3	3950	Lynx	637.0	453572	5435489	137	-56	1197.9	1198.2	0.3	54.3	
			<i>including</i>									
OSK-W-17-1344	3075	Caribou extension	525.0	452935	5434858	332	-74	584.6	589.5	4.9	13.2	
			<i>including</i>									
OSK-W-17-1344	3075	Caribou extension	525.0	452935	5434858	332	-74	584.6	585.6	1.0	50.9	
			<i>including</i>									
OSK-W-17-1345	2900	CS3	894.0	452902	5434563	329	-52	446.0	448.4	2.4	9.54	
OSK-W-17-1345	2900	Wolf	894.0	452902	5434563	329	-52	447.8	448.4	0.6	37.5	
			<i>including</i>									
OSK-W-17-1345	2900	Wolf	894.0	452902	5434563	329	-52	540.8	543.3	2.5	7.40	
			<i>including</i>									
OSK-W-17-1345	2900	Wolf	894.0	452902	5434563	329	-52	684.0	688.3	4.3	86.7	13.9
			<i>including</i>									
OSK-W-17-1346	3650	Lynx 1 + Lynx 2	858.0	453467	5435069	334	-64	687.9	688.3	0.4	883	100
OSK-W-17-1347	2550	Vein	489.0	452160	5435158	151	-61	214.0	218.1	4.1	3.26	
			<i>including</i>									
OSK-W-17-1347	2550	Vein	489.0	452160	5435158	151	-61	164.0	166.0	2.0	4.64	
			<i>including</i>									
OSK-W-17-1347	2550	Mallard FW	489.0	452160	5435158	151	-61	165.2	166.0	0.8	11.5	
			<i>including</i>									
OSK-W-17-1347	2550	Mallard FW	489.0	452160	5435158	151	-61	249.4	252.2	2.8	11.1	
			<i>including</i>									
OSK-W-17-1348	2975	Caribou extension	573.0	452844	5434806	333	-53	250.4	251.3	0.9	27.3	
			<i>including</i>									
OSK-W-17-1348	2975	Caribou extension	573.0	452844	5434806	333	-53	423.0	425.0	2.0	4.25	
			<i>including</i>									
OSK-W-17-1350	2975	Lynx 4	843.0	452993	5434556	328	-55	423.4	423.9	0.5	11.6	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	386.7	388.7	2.0	6.31	
			<i>including</i>									
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	538.9	540.9	2.0	9.37	
			<i>including</i>									
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	539.6	540.3	0.7	22.7	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	697.0	699.0	2.0	4.45	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	724.0	726.0	2.0	4.16	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	776.0	778.0	2.0	6.33	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	826.3	829.7	3.4	6.88	
			<i>including</i>									
OSK-W-17-1351	3225	Caribou extension	814.8	453101	5434875	335	-66	828.7	829.0	0.3	39.0	
OSK-W-17-1351	3225	Caribou extension	814.8	453101	5434875	335	-66	454.0	456.2	2.2	6.14	
OSK-W-17-1351	3225	Caribou extension	814.8	453101	5434875	335	-66	725.8	728.0	2.2	3.65	
OSK-W-17-1351	3225	Caribou extension	814.8	453101	5434875	335	-66	735.4	737.7	2.3	3.64	
OSK-W-17-1352	3400	Caribou extension	909.0	453378	5434742	327	-50	646.0	648.0	2.0	9.39	
			<i>including</i>									
OSK-W-17-1353	1575	FW3	750.0	451490	5434338	326	-56	646.8	647.5	0.7	26.4	
			<i>including</i>									
OSK-W-17-1354	1775	FW3	432.0	451642	5434469	333	-50	233.9	236.3	2.4	4.66	
			<i>including</i>									
OSK-W-17-1354	1775	FW3	432.0	451642	5434469	333	-50	229.3	231			





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1356	3600	Lynx 1	429.0	453442	5435026	334	-67	229.6	232.0	2.4	4.14	
OSK-W-17-1359	3175	Caribou extension	807.0	453039	5434873	339	-64	467.4	470.0	2.6	5.06	
			including									
OSK-W-17-1359	3175	Caribou extension	807.0	453039	5434873	339	-64	467.4	468.5	1.1	10.8	
			including									
OSK-W-17-1359	3175	Caribou extension	807.0	453039	5434873	339	-64	499.0	501.3	2.3	5.37	
			including									
OSK-W-17-1359	3175	Caribou extension	807.0	453039	5434873	339	-64	499.0	499.5	0.5	16.8	
OSK-W-17-1359	3175	Z27 extension	807.0	453039	5434873	339	-64	604.6	606.7	2.1	3.87	
OSK-W-17-1359	3175	Z27 extension	807.0	453039	5434873	339	-64	754.8	757.0	2.2	4.98	
OSK-W-17-1362	1750	FW4	623.7	451643	5434470	347	-50	337.9	339.9	2.0	4.48	
			including									
OSK-W-17-1363	3625	Lynx HW	900.0	453457	5435025	341	-72	339.4	339.9	0.5	15.3	
OSK-W-17-1363	3625	Lynx 2	900.0	453457	5435025	341	-72	222.0	224.0	2.0	3.28	
			including									
			including									
OSK-W-17-1363	3625	VNCR	900.0	453457	5435025	341	-72	373.6	382.0	8.4	115	24.0
			including									
			including									
OSK-W-17-1363	3625	VNCR	900.0	453457	5435025	341	-72	377.0	377.7	0.7	1190	100
			including									
OSK-W-17-1364	3150	Lynx 1	534.0	452889	5435073	139	-45	379.0	380.0	1.0	97.7	
			including									
OSK-W-17-1367-W1	4300	Lynx 4	1161.0	453755	5435873	131	-52	470.5	471.5	1.0	79.9	
			including									
OSK-W-17-1367-W1	4300	Lynx 4	1161.0	453755	5435873	131	-52	301.0	307.1	6.1	15.0	
			including									
OSK-W-17-1367-W1	4300	Lynx 4	1161.0	453755	5435873	131	-52	303.8	305.1	1.3	35.0	
			including									
OSK-W-18-1367-W2	4300	Lynx	1224.0	453755	5435873	131	-52	1009.5	1011.6	2.1	52.5	29.2
			including									
OSK-W-18-1367-W2	4300	Lynx 4	1224.0	453755	5435873	131	-52	1010.3	1010.9	0.6	182	100
			including									
OSK-W-18-1367-W2	4300	Lynx 4	1224.0	453755	5435873	131	-52	1016.6	1019.0	2.4	76.4	28.3
			including									
OSK-W-18-1367-W2	4300	Lynx 4	1224.0	453755	5435873	131	-52	1016.6	1017.1	0.5	331	100
			including									
OSK-W-19-1367-W4	4300	Lynx 4	1386.0	453755	5435873	131	-52	878.0	882.0	4.0	4.55	
OSK-W-19-1367-W4	4300	Lynx 4	1386.0	453755	5435873	131	-52	1150.0	1153.9	3.9	46.7	33.4
OSK-W-17-1368	3100	Caribou extension	762.0	452952	5434873	330	-64	1151.6	1151.9	0.3	273	100
OSK-W-17-1368	3100	Caribou extension	762.0	452952	5434873	330	-64	236.0	238.0	2.0	3.77	
			including									
OSK-W-17-1368	3100	Caribou extension	762.0	452952	5434873	330	-64	270.9	273.0	2.1	8.05	
			including									
OSK-W-17-1368	3100	Caribou extension	762.0	452952	5434873	330	-64	270.9	271.2	0.3	54.0	
			including									
OSK-W-17-1368	3100	Caribou extension	762.0	452952	5434873	330	-64	411.0	413.0	2.0	8.71	
OSK-W-17-1369	2550	Caribou	786.0	452434	5434679	330	-49	212.0	218.3	6.3	5.67	
OSK-W-17-1369	2550	Z27	786.0	452434	5434679	330	-49	346.0	348.0	2.0	14.8	
OSK-W-17-1371	3225	Caribou extension	980.5	453101	5434874	334	-69	363.0	365.6	2.6	5.63	
			including									
OSK-W-17-1371	3225	Caribou extension	980.5	453101	5434874	334	-69	363.0	363.8	0.8	15.7	
			including									
OSK-W-17-1371	3225	Caribou extension	980.5	453101	5434874	334	-69	565.0	567.0	2.0	3.19	
			including									
OSK-W-17-1371	3225	Caribou extension	980.5	453101	5434874	334	-69	565.3	565.7	0.4	14.8	
			including									
OSK-W-17-1371	3225	Vein	980.5	453101	5434874	334	-69	604.6	607.0	2.4	3.61	
			including									
OSK-W-17-1371	3225	Vein	980.5	453101	5434874	334	-69	722.1	724.6	2.5	3.96	
			including									
OSK-W-17-1374	2375	Z27 HW	873.0	452273	5434579	317	-59	312.6	315.0	2.4	4.27	
OSK-W-17-1374	2375	Z27 HW	873.0	452273	5434579	317	-59	324.5	328.3	3.8	26.2	
OSK-W-17-1374	2375	Vein RD	873.0	452273	5434579	317	-59	424.7	427.0	2.3	4.11	
OSK-W-17-1374	2375	FW1	873.0	452273	5434579	317	-59	504.0	508.0	4.0	4.84	
OSK-W-17-1374	2375	FW1	873.0	452273	5434579	317	-59	526.1	530.0	3.9	3.04	
OSK-W-17-1374	2375	FW3	873.0	452273	5434579	317	-59	721.0	723.7	2.7	3.09	
			including									
OSK-W-17-1376	2400	Vein	1125.0	452425	5434380	330	-50	723.0	723.7	0.7	10.5	
			including									
OSK-W-17-1376	2400	FW2	1125.0	452425	5434380	330	-50	198.7	201.0	2.3	10.2	
			including									
OSK-W-17-1376	2400	FW2	1125.0	452425	5434380	330	-50	198.7	199.0	0.3	72.7	
			including									
OSK-W-17-1378	2750	Caribou	741.0	452689	5434636	331	-56	816.5	818.6	2.1	33.6	
OSK-W-17-1378	2750	Caribou	741.0	452689	5434636	331	-56	816.5	817.3	0.8	73.3	
OSK-W-17-1378	2750	Caribou corridor	741.0	452689	5434636	331	-56	229.9	232.0	2.1	4.41	
OSK-W-17-1378	2750	Wolf	741.0	452689	5434636	331	-56	336.9	339.4	2.5	5.36	
OSK-W-17-1378	2750	Vein	741.0	452689	5434636	331	-56	382.0	384.0	2.0	4.22	
			including									
OSK-W-17-1378	2750	Vein	741.0	452689	5434636	331	-56	477.2	479.3	2.1	5.49	
			including									
OSK-W-17-1378	2750	Vein	741.0	452689	5434636	331	-56	695.0	697.0	2.0	4.03	
			including									
OSK-W-17-1378	2750	Vein	741.0	452689	5434636	331	-56	696.0	696.4	0.4	16.8	
			including									
OSK-W-17-1378	2750	Vein	741.0	452689	5434636	331	-56	720.2	722.5	2.3	9.26	
			including									
OSK-W-17-1379	2900	Lynx 1	540.0	452780	5434771	332	-66	721.3	721.7	0.4	52.8	
			including									
OSK-W-17-1379	2900	Caribou extension	540.0	452780	5434771	332	-66	136.4	138.5	2.1	5.62	
			including									
OSK-W-17-1380	1975	Underdog	624.0	451895	5434474	335	-45	136.4	137.0	0.6	18.9	
			including									
OSK-W-17-1381	3200	Bobcat	723.0	453017	5434936	329	-63	485.0	487.3	2.3	3.03	
			including									
OSK-W-17-1381	3200	Caribou extension	723.0	453017	5434936	329	-63	361.1	363.2	2.1	25.5	25.3
			including									
OSK-W-17-1381	3200	Vein	723.0	453017	5434936	329	-63	361.9	362.4	0.5	101	
			including									
OSK-W-17-1383	2925	Bobcat	597.0	452767	5434865	331	-63	654.2	654.5	0.3	404	100
			including									
OSK-W-17-1383	2925	Bobcat	597.0	452767	5434865	331	-63	38.1	40.4	2.3	173	18.2
			including									
OSK-W-17-1383	2925	Bobcat	597.0	452767	5434865	331	-63	39.0	39.4	0.4	990	100
			including									
OSK-W-17-1383	2925	Bobcat	597.0	452767	5434865	331	-63	83.0	87.0	4.0	4.01	
OSK-W-17-1383	2925	Bobcat	597.0	452767	5434865	331	-63	94.9	97.0	2.1	5.01	
OSK-W-17-1383	2925	Bobcat	597.0	452767	5434865	331	-63	102.0	104.1	2.1	5.33	
			including									
OSK-W-17-1385	3400	Caribou extension	906.0	453379	5434741	319	-49	103.1	104.1	1.0	10.5	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								735.9	736.6	0.7	28.6	
OSK-W-17-1385	3400	Caribou extension	906.0	453379	5434741	319	-49	741.6	745.3	3.7	5.04	
<i>including</i>								744.3	745.3	1.0	13.0	
OSK-W-17-1385	3400	Caribou extension	906.0	453379	5434741	319	-49	820.5	824.0	3.5	6.64	
<i>including</i>								820.5	821.1	0.6	26.2	
OSK-W-17-1386	4275	Lynx 1	998.0	453802	5435746	136	-54	747.5	750.0	2.5	18.1	
<i>including</i>								747.5	748.4	0.9	49.3	
OSK-W-17-1386	4275	Lynx 1	998.0	453802	5435746	136	-54	771.3	775.8	4.5	25.1	15.1
<i>including</i>								771.3	772.3	1.0	104	58.8
OSK-W-18-1386-W2	4275	Lynx	818.0	453802	5435746	136	-54	812.0	814.5	2.5	11.4	
<i>including</i>								812.9	813.9	1.0	26.8	
OSK-W-18-1386-W4	4275	Lynx	1059.0	453802	5435746	136	-54	820.4	822.8	2.4	12.1	
OSK-W-18-1386-W4	4275	Lynx	1059.0	453802	5435746	136	-54	877.1	881.1	4.0	11.7	
<i>including</i>								878.0	878.5	0.5	30.7	
OSK-W-18-1386-W4	4275	Lynx	1059.0	453802	5435746	136	-54	904.4	906.9	2.5	10.7	
OSK-W-18-1386-W4	4275	Lynx	1059.0	453802	5435746	136	-54	941.0	943.0	2.0	9.43	
OSK-W-18-1386-W4	4275	Lynx	1059.0	453802	5435746	136	-54	952.0	954.0	2.0	8.29	
OSK-W-18-1386-W5	4275	Lynx	1099.5	453802	5435746	136	-54	831.6	834.7	3.1	54.4	21.4
<i>including</i>								832.2	832.5	0.3	441	100
OSK-W-19-1386-W7	4275	Lynx_326	870.0	453802	5435746	136	-54	757.5	760.0	2.5	19.3	
<i>including</i>								758.1	758.8	0.7	64.4	
OSK-W-19-1386-W7	4275	Lynx_314	870.0	453802	5435746	136	-54	801.6	804.7	3.1	26.9	
<i>including</i>								801.6	802.5	0.9	84.7	
OSK-W-19-1386-W8	4275	Lynx_314	905.0	453802	5435746	136	-54	815.3	817.3	2.0	25.6	
<i>including</i>								815.3	816.0	0.7	66.1	
OSK-W-19-1386-W9	4275	Lynx_324	972.0	453802	5435746	136	-54	806.5	808.8	2.3	35.5	29.8
<i>including</i>								807.0	807.4	0.4	133	100
OSK-W-17-1388	2775	CS1	762.0	452715	5434606	332	-57	368.6	371.0	2.4	11.9	
OSK-W-17-1388	2775	Wolf FW	762.0	452715	5434606	332	-57	697.0	699.2	2.2	4.59	
OSK-W-17-1390	1975	FW3	657.0	451911	5434436	329	-47	505.0	507.2	2.2	3.44	
OSK-W-17-1391	3150	Bobcat	663.0	452981	5434900	327	-62	297.0	299.9	2.9	12.2	
<i>including</i>								299.4	299.9	0.5	65.4	
OSK-W-17-1391	3150	Caribou extension	663.0	452981	5434900	327	-62	453.0	455.0	2.0	42.7	33.0
<i>including</i>								454.0	454.6	0.6	133	100
OSK-W-17-1391	3150	Vein	663.0	452981	5434900	327	-62	501.0	503.0	2.0	82.5	35.6
<i>including</i>								501.0	501.7	0.7	234	100
OSK-W-17-1393	2900	Bobcat	573.0	452726	5434864	332	-62	157.0	159.0	2.0	3.91	
<i>including</i>								158.3	158.7	0.4	16.7	
OSK-W-17-1394	3100	Caribou extension	1165.4	453146	5434510	335	-49	780.5	782.6	2.1	4.25	
<i>including</i>								781.0	781.6	0.6	14.7	
OSK-W-17-1394	3100	Caribou extension	1165.4	453146	5434510	335	-49	902.7	904.8	2.1	13.0	
<i>including</i>								904.0	904.8	0.8	33.0	
OSK-W-17-1396	3825	Lynx 4	955.5	453436	5435484	134	-52	707.0	709.5	2.5	5.80	
OSK-W-17-1396	3825	Lynx 4	955.5	453436	5435484	134	-52	873.0	875.0	2.0	67.0	15.3
<i>including</i>								873.8	874.1	0.3	445	100
OSK-W-17-1396	3825	Lynx 4	955.5	453436	5435484	134	-52	897.0	899.8	2.8	6.13	
OSK-W-17-1397	3450	Lynx HW	732.0	453301	5434963	333	-61	113.6	116.0	2.4	3.35	
<i>including</i>								114.7	115.1	0.4	16.8	
OSK-W-17-1397	3450	Lynx 1	732.0	453301	5434963	333	-61	128.6	131.6	3.0	28.0	21.2
<i>including</i>								128.6	128.9	0.3	98.7	
<i>and</i>								130.9	131.2	0.3	168	100
OSK-W-17-1397	3450	Lynx 2	732.0	453301	5434963	333	-61	173.0	175.0	2.0	5.38	
<i>including</i>								173.0	174.0	1.0	10.7	
OSK-W-17-1397	3450	Lynx 2	732.0	453301	5434963	333	-61	213.0	215.0	2.0	23.4	21.6
<i>including</i>								214.1	214.4	0.3	112	100
OSK-W-17-1397	3450	VNCR	732.0	453301	5434963	333	-61	639.0	641.0	2.0	3.53	
OSK-W-17-1397	3450	Vein	732.0	453301	5434963	333	-61	711.0	713.2	2.2	3.69	
OSK-W-17-1399	3500	VNCR	1053.0	453412	5434868	332	-61	353.8	359.0	5.2	6.11	
<i>including</i>								353.8	354.4	0.6	17.0	
<i>including</i>								358.0	359.0	1.0	20.2	
OSK-W-17-1399	3500	Caribou extension	1053.0	453412	5434868	332	-61	574.0	576.0	2.0	3.55	
OSK-W-17-1399	3500	Caribou extension	1053.0	453412	5434868	332	-61	658.5	661.0	2.5	4.45	
OSK-W-17-1399	3500	Caribou extension	1053.0	453412	5434868	332	-61	684.5	686.5	2.0	3.72	
OSK-W-17-1400	2325	Caribou corridor	768.8	452310	5434408	332	-52	325.6	328.0	2.4	4.05	
OSK-W-17-1402	2600	Caribou corridor	1122.0	452617	5434447	330	-59	462.2	464.5	2.3	3.39	
OSK-W-17-1402	2600	FW1	1122.0	452617	5434447	330	-59	820.1	822.3	2.2	47.7	18.4
<i>including</i>								822.0	822.3	0.3	315	100
OSK-W-17-1402	2600	FW1 FW	1122.0	452617	5434447	330	-59	863.6	865.6	2.0	3.48	
<i>including</i>								864.1	864.9	0.8	7.60	
OSK-W-17-1402	2600	FW1 FW	1122.0	452617	5434447	330	-59	873.5	876.3	2.8	3.35	
OSK-W-17-1402	2600	FW2	1122.0	452617	5434447	330	-59	938.2	940.2	2.0	4.27	
OSK-W-17-1402	2600	FW3	1122.0	452617	5434447	330	-59	1054.2	1059.2	5.0	5.38	
OSK-W-17-1402	2600	FW3	1122.0	452617	5434447	330	-59	1085.0	1087.0	2.0	4.09	
OSK-W-17-1402	2600	FW3	1122.0	452617	5434447	330	-59	1099.0	1101.0	2.0	4.99	
OSK-W-18-1402-W1	2600	Vein	1224.0	452617	5434447	330	-59	683.5	686.0	2.5	3.57	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								684.5	685.0	0.5	17.6	
OSK-W-18-1402-W1	2600	FW0	1224.0	452617	5434447	330	-59	804.2	806.5	2.3	5.79	
<i>including</i>								805.0	805.5	0.5	23.5	
OSK-W-18-1402-W1	2600	FW1	1224.0	452617	5434447	330	-59	826.5	833.1	6.6	4.07	
OSK-W-18-1402-W1	2600	FW1	1224.0	452617	5434447	330	-59	853.0	855.0	2.0	3.52	
OSK-W-18-1402-W1	2600	FW1	1224.0	452617	5434447	330	-59	859.1	862.0	2.9	53.9	
OSK-W-18-1402-W1	2600	FW3	1224.0	452617	5434447	330	-59	1088.9	1091.5	2.6	6.63	
<i>including</i>								1090.3	1090.8	0.5	26.9	
OSK-W-18-1402-W1	2600	FW4	1224.0	452617	5434447	330	-59	1150.6	1153.0	2.4	4.47	
<i>including</i>								1150.6	1151.1	0.5	12.8	
OSK-W-18-1402-W3	2600	FW0	1182.0	452617	5434447	330	-59	778.0	780.3	2.3	8.11	
<i>including</i>								779.2	779.7	0.5	25.5	
OSK-W-18-1402-W3	2600	FW1	1182.0	452617	5434447	330	-59	821.1	824.6	3.5	6.21	
OSK-W-18-1402-W3	2600	FW1 FW	1182.0	452617	5434447	330	-59	880.0	882.0	2.0	4.98	
<i>including</i>								881.0	881.7	0.7	12.3	
OSK-W-18-1402-W3	2600	FW1 FW	1182.0	452617	5434447	330	-59	888.5	892.0	3.5	41.2	
<i>including</i>								888.5	890.0	1.5	65.9	
OSK-W-18-1402-W3	2600	Underdog	1182.0	452617	5434447	330	-59	920.1	929.3	9.2	9.01	
OSK-W-18-1402-W3	2600	Underdog	1182.0	452617	5434447	330	-59	954.0	956.0	2.0	4.03	
OSK-W-18-1402-W3	2600	FW3	1182.0	452617	5434447	330	-59	1104.7	1109.4	4.7	9.36	
<i>including and</i>								1104.7	1105.1	0.4	35.4	
<i>and</i>								1109.1	1109.4	0.3	96.1	
OSK-W-18-1402-W3	2600	Underdog	1182.0	452617	5434447	330	-59	1144.0	1146.0	2.0	6.57	
<i>including</i>								1145.2	1145.6	0.4	30.6	
OSK-W-17-1404	3000	Bobcat	635.3	452854	5434824	335	-67	141.4	144.0	2.6	4.28	
<i>including</i>								142.0	143.0	1.0	11.0	
OSK-W-17-1404	3000	Bobcat	635.3	452854	5434824	335	-67	168.0	171.0	3.0	4.54	
<i>including</i>								170.7	171.0	0.3	13.4	
OSK-W-17-1404	3000	Caribou extension	635.3	452854	5434824	335	-67	356.8	359.5	2.7	10.4	
<i>including</i>								358.6	359.0	0.4	53.2	
OSK-W-17-1404	3000	Caribou extension	635.3	452854	5434824	335	-67	535.0	537.0	2.0	3.96	
OSK-W-17-1404	3000	Caribou extension	635.3	452854	5434824	335	-67	539.7	543.0	3.3	4.33	
OSK-W-17-1406	3075	VNCR	579.0	452912	5434878	334	-60	79.3	81.8	2.5	6.97	
<i>including</i>								79.7	80.0	0.3	47.7	
OSK-W-17-1406	3075	Vein	579.0	452912	5434878	334	-60	117.0	119.0	2.0	7.28	
<i>including</i>								117.0	118.0	1.0	13.8	
OSK-W-17-1406	3075	QTV	579.0	452912	5434878	334	-60	129.0	131.0	2.0	6.91	
<i>including</i>								129.4	130.3	0.9	15.2	
OSK-W-17-1406	3075	Bobcat	579.0	452912	5434878	334	-60	248.5	250.9	2.4	3.47	
OSK-W-17-1406	3075	Bobcat	579.0	452912	5434878	334	-60	322.0	324.5	2.5	5.71	
OSK-W-17-1409	2925	Bobcat	402.0	452747	5434882	331	-53	133.3	135.7	2.4	24.0	13.6
<i>including</i>								135.4	135.7	0.3	184	100
OSK-W-17-1409	2925	Bobcat	402.0	452747	5434882	331	-53	205.0	207.0	2.0	6.11	
<i>including</i>								205.4	206.0	0.6	19.5	
OSK-W-17-1409	2925	Caribou extension	402.0	452747	5434882	331	-53	350.0	352.4	2.4	7.17	
<i>including</i>								351.0	351.5	0.5	34.1	
OSK-W-18-1412-W1	4125	Lynx 1	825.0	453684	5435676	133	-51	720.0	722.7	2.7	403	50.9
<i>including</i>								721.7	722.7	1.0	1050	100
OSK-W-18-1412-W1	4125	Lynx 1	825.0	453684	5435676	133	-51	731.0	733.0	2.0	10.4	
<i>including</i>								731.9	733.0	1.1	17.9	
OSK-W-19-1412-W3	4125	Lynx_326	800.0	453684	5435676	133	-51	733.0	735.0	2.0	50.0	
<i>including</i>								734.3	735.0	0.7	98.9	
OSK-W-17-1413	3450	Lynx 2	996.0	453155	5435214	137	-53	296.0	298.3	2.3	40.6	39.4
<i>including</i>								297.4	298.3	0.9	103	
OSK-W-17-1413	3450	Lynx 4	996.0	453155	5435214	137	-53	534.6	537.0	2.4	5.77	
OSK-W-17-1413	3450	Lynx 4	996.0	453155	5435214	137	-53	742.0	744.0	2.0	3.83	
OSK-W-17-1413	3450	Lynx 6	996.0	453155	5435214	137	-53	967.8	970.2	2.4	8.35	
<i>including</i>								967.8	968.7	0.9	15.9	
OSK-W-17-1413	3450	Lynx 6	996.0	453155	5435214	137	-53	980.5	983.0	2.5	3.30	
<i>including</i>								981.6	982.1	0.5	14.6	
OSK-W-18-1414-W1	4100	Lynx 1	1197.8	453656	5435645	133	-57	842.4	846.0	3.6	8.20	
<i>including and</i>								842.4	843.0	0.6	20.6	
<i>and</i>								844.8	845.3	0.5	17.1	
OSK-W-18-1414-W1	4100	Lynx 1	1197.8	453656	5435645	133	-57	855.2	857.9	2.7	26.5	
OSK-W-18-1414-W2	4100	Lynx 4	1095.0	453656	5435645	133	-58	934.5	936.7	2.2	151	83.5
<i>including and</i>								934.5	935.0	0.5	369	100
<i>and</i>								935.8	936.7	0.9	117	100
OSK-W-18-1414-W2	4100	Lynx 4	1095.0	453656	5435645	133	-58	1039.0	1041.0	2.0	5.38	
<i>including</i>								1039.0	1039.9	0.9	11.6	
OSK-W-19-1414-W4	4100	Lynx	1107.0	453656	5435645	133	-57	981.0	983.5	2.5	3.24	
OSK-W-19-1414-W5	4100	Lynx	1107.0	453656	5435645	133	-57	1002.1	1004.5	2.4	9.43	
OSK-W-19-1414-W5	4100	Lynx	1107.0	453656	5435645	133	-57	1008.3	1011.8	3.5	4.20	
OSK-W-19-1414-W5	4100	Lynx	1107.0	453656	5435645	133	-57	1019.7	1022.5	2.8	4.31	
OSK-W-19-1414-W6	4100	Lynx	1020.0	453656	5435645	133	-57	923.4	925.5	2.1	200	20.6
<i>including</i>								923.4	923.8	0.4	1040	100
OSK-W-19-1414-W7	4100	Lynx_313	1002.0	453656	5435645	133	-57	946.0	953.1	7.1	13.6	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								950.3	952.1	1.8	37.8	
OSK-W-19-1414-W8	4000	Lynx	1092.0	453656	5435645	133	-57	924.4	932.3	7.9	26.0	18.8
<i>including</i>								924.4	925.1	0.7	181	100
OSK-W-18-1415	3850	Lynx HW	560.8	453491	5435451	139	-49	457.0	463.5	6.5	10.1	
<i>including</i>								457.0	457.7	0.7	68.8	
OSK-W-18-1418	3225	Lynx 4	1077.0	453288	5434531	334	-45	544.0	546.3	2.3	8.09	
<i>including</i>								545.2	545.5	0.3	61.0	
OSK-W-18-1418	3225	Lynx 4	1077.0	453288	5434531	334	-45	551.0	553.2	2.2	4.02	
OSK-W-18-1418	3225	Caribou extension	1077.0	453288	5434531	334	-45	660.0	665.0	5.0	4.78	
OSK-W-18-1418	3225	Caribou extension	1077.0	453288	5434531	334	-45	710.0	717.0	7.0	5.95	
<i>including</i>								710.7	712.6	1.9	11.9	
OSK-W-18-1418	3225	QTV	1077.0	453288	5434531	334	-45	893.0	896.4	3.4	6.72	
<i>including</i>								893.0	893.5	0.5	39.0	
OSK-W-18-1418	3225	Caribou extension	1077.0	453288	5434531	334	-45	930.0	932.0	2.0	5.85	
OSK-W-19-1419-W1	3875	Lynx_321	906.0	453453	5435560	137	-49	642.0	648.0	6.0	8.63	
OSK-W-19-1419-W1	3875	Lynx_301	906.0	453453	5435560	137	-49	668.0	671.9	3.9	9.13	
<i>including</i>								670.0	671.0	1.0	24.5	
OSK-W-18-1421	2200	CW2	918.0	452216	5434357	340	-47	231.0	233.9	2.9	17.7	
OSK-W-18-1421	2200	FW4	918.0	452216	5434357	340	-47	872.6	875.8	3.2	36.1	
<i>including</i>								874.5	875.5	1.0	81.8	
OSK-W-18-1422	3850	Lynx HW	476.0	453496	5435446	140	-45	386.0	388.0	2.0	48.0	21.8
<i>including</i>								386.7	387.1	0.4	231	100
OSK-W-18-1423	3150	Lynx 1 SW	792.0	453025	5434853	327	-61	107.5	109.6	2.1	7.77	
<i>including</i>								108.5	108.9	0.4	38.7	
OSK-W-18-1423	3150	VNCR	792.0	453025	5434853	327	-61	221.2	223.7	2.5	4.65	
OSK-W-18-1423	3150	Bobcat	792.0	453025	5434853	327	-61	268.4	271.0	2.6	3.07	
OSK-W-18-1423	3150	Caribou extension	792.0	453025	5434853	327	-61	509.8	512.0	2.2	5.63	
<i>including</i>								509.8	510.5	0.7	17.3	
OSK-W-18-1423	3150	Caribou extension	792.0	453025	5434853	327	-61	521.2	523.5	2.3	6.04	
OSK-W-18-1423	3150	Caribou extension	792.0	453025	5434853	327	-61	556.0	559.0	3.0	3.97	
OSK-W-18-1424	3200	No name	930.0	453357	5434364	357	-57	666.3	668.5	2.2	7.58	
OSK-W-18-1424	3200	Lynx 4	930.0	453357	5434364	357	-57	878.2	880.7	2.5	4.24	
<i>including</i>								879.1	879.9	0.8	12.2	
OSK-W-18-1424-W1	3200	Lynx	1485.0	453357	5434364	357	-57	921.0	923.0	2.0	5.60	
<i>including</i>								921.8	923.0	1.2	9.32	
OSK-W-18-1426	3875	Lynx	804.0	453453	5435560	136	-47	640.0	642.0	2.0	12.1	
<i>including</i>								640.0	640.6	0.6	40.2	
OSK-W-18-1426	3875	Lynx	804.0	453453	5435560	136	-47	644.6	646.9	2.3	5.64	
<i>including</i>								644.6	645.0	0.4	24.2	
OSK-W-19-1426-W1	3875	Lynx	687.0	453453	5435560	136	-47	594.4	596.5	2.1	4.23	
OSK-W-19-1426-W1	3875	Lynx	687.0	453453	5435560	136	-47	600.1	602.5	2.4	6.48	
<i>including</i>								600.1	600.5	0.4	35.4	
OSK-W-19-1426-W1	3875	Lynx	687.0	453453	5435560	136	-47	622.8	625.8	3.0	45.0	33.4
<i>including</i>								624.4	624.8	0.4	187	100
<i>including</i>								625.4	625.8	0.4	99.8	
OSK-W-19-1426-W2	3875	Lynx	687.0	453453	5435560	136	-47	666.8	677.8	11.0	21.3	13.9
<i>including and</i>								668.0	668.4	0.4	153	100
<i>and</i>								673.9	674.5	0.6	201	100
OSK-W-19-1426-W3	3875	Lynx	755.5	453453	5435560	136	-47	695.2	697.4	2.2	23.8	
<i>including</i>								696.0	696.7	0.7	61.5	
OSK-W-18-1429	3975	Lynx HW	819.0	453532	5435607	138	-49	688.4	690.5	2.1	16.9	
<i>including</i>								690.1	690.5	0.4	41.7	
OSK-W-18-1430	2300	FW1	984.0	452318	5434378	339	-60	707.5	709.5	2.0	7.91	
<i>including</i>								708.3	708.9	0.6	23.1	
OSK-W-18-1430-W1	2300	FW2	1125.0	452318	5434378	339	-60	818.0	821.0	3.0	4.95	
OSK-W-18-1430-W1	2300	Underdog	1125.0	452318	5434378	339	-60	1103.0	1105.0	2.0	26.0	20.4
<i>including</i>								1104.0	1104.4	0.4	128	100
OSK-W-18-1431	2250	FW2	1128.0	452288	5434336	337	-62	894.0	896.0	2.0	3.57	
<i>including</i>								894.8	895.2	0.4	17.6	
OSK-W-18-1431	2250	FW3	1128.0	452288	5434336	337	-62	922.3	925.1	2.8	13.5	
<i>including</i>								923.2	924.3	1.1	32.1	
OSK-W-18-1431	2250	FW4	1128.0	452288	5434336	337	-62	1070.0	1072.0	2.0	5.73	
OSK-W-18-1431-W1	2250	FW1	1092.0	452288	5434336	337	-62	758.0	760.3	2.3	3.06	
OSK-W-18-1431-W1	2250	FW3	1092.0	452288	5434336	337	-62	922.1	924.6	2.5	4.25	
OSK-W-18-1431-W1	2250	FW3 FW	1092.0	452288	5434336	337	-62	967.8	969.9	2.1	13.5	
<i>including</i>								969.2	969.9	0.7	28.0	
OSK-W-18-1431-W2	2250	FW1	1140.0	452288	5434336	337	-62	765.0	767.0	2.0	3.55	
OSK-W-18-1431-W2	2250	Underdog	1140.0	452288	5434336	337	-62	854.4	856.5	2.1	11.3	
<i>including</i>								854.9	855.5	0.6	37.8	
OSK-W-18-1432	4300	Lynx	1101.0	453811	5435779	132	-55	945.0	947.0	2.0	8.94	
<i>including</i>								946.0	947.0	1.0	17.4	
OSK-W-18-1432-W1	4300	Lynx 4	1149.0	453811	5435779	132	-55	944.0	946.5	2.5	8.89	
OSK-W-18-1434	2475	Underdog	1026.0	452453	5434496	335	-55	752.0	754.0	2.0	4.76	
<i>including</i>								752.7	753.3	0.6	15.1	
OSK-W-18-1434	2475	FW3	1026.0	452453	5434496	335	-55	859.5	864.2	4.7	11.6	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					859.5	860.0	0.5	63.4	
			<i>and</i>					863.8	864.2	0.4	45.5	
OSK-W-18-1434	2475	FW3U	1026.0	452453	5434496	335	-55	960.0	962.4	2.4	16.0	
			<i>including</i>					962.0	962.4	0.4	68.7	
OSK-W-18-1435	3150	Bobcat	801.0	453025	5434852	331	-65	301.5	303.8	2.3	32.8	31.1
			<i>including</i>					302.1	302.8	0.7	106	100
OSK-W-18-1435	3150	Caribou extension	801.0	453025	5434852	331	-65	532.0	534.6	2.6	34.3	24.7
			<i>including</i>					533.3	533.9	0.6	142	100
OSK-W-18-1435	3150	Caribou extension	801.0	453025	5434852	331	-65	539.0	541.0	2.0	4.38	
			<i>including</i>					540.2	540.5	0.3	29.0	
OSK-W-18-1435	3150	Caribou extension	801.0	453025	5434852	331	-65	555.5	558.0	2.5	16.7	
			<i>including</i>					555.5	556.5	1.0	40.7	
OSK-W-18-1436	3775	Lynx 2	1128.0	453374	5435505	139	-52	546.0	548.0	2.0	36.3	
			<i>including</i>					547.0	547.6	0.6	91.0	
OSK-W-18-1436	3775	Lynx 4	1128.0	453374	5435505	139	-52	902.5	904.5	2.0	8.40	
			<i>including</i>					903.3	903.6	0.3	49.8	
OSK-W-18-1436	3775	Lynx	1128.0	453374	5435505	139	-52	1026.7	1029.2	2.5	10.1	
OSK-W-18-1436	3775	Lynx 4	1128.0	453374	5435505	139	-52	1062.3	1064.3	2.0	48.0	25.2
			<i>including</i>					1063.8	1064.3	0.5	191	
OSK-W-18-1436	3775	Lynx 4	1128.0	453374	5435505	139	-52	1069.2	1074.2	5.0	33.8	
			<i>including</i>					1069.2	1069.8	0.6	97.6	
OSK-W-18-1440	2425	Vein	870.0	452420	5434447	329	-57	144.1	146.5	2.4	6.61	
			<i>including</i>					145.6	146.5	0.9	17.6	
OSK-W-18-1440	2425	FW1	870.0	452420	5434447	329	-57	729.3	732.0	2.7	31.4	26.7
			<i>including</i>					730.3	731.0	0.7	118	100
OSK-W-18-1441	3075	Bobcat	441.0	452889	5434909	328	-60	181.0	187.6	6.6	8.06	
OSK-W-18-1441	3075	Bobcat	441.0	452889	5434909	328	-60	304.0	306.8	2.8	3.41	
OSK-W-18-1443	3825	Lynx HW	792.0	453443	5435477	136	-50	584.0	586.0	2.0	4.25	
			<i>including</i>					584.4	585.0	0.6	13.7	
OSK-W-18-1443	3825	Lynx 4	792.0	453443	5435477	136	-50	668.0	670.9	2.9	68.5	45.1
			<i>including</i>					668.9	669.9	1.0	168	100
OSK-W-18-1445	3050	Caribou extension	660.0	452895	5434864	337	-66	531.9	535.4	3.5	5.75	
OSK-W-18-1446	2225	FW1	987.0	452257	5434331	335	-48	679.0	682.2	3.2	10.8	
			<i>including</i>					680.2	680.8	0.6	32.6	
OSK-W-18-1446	2225	FW2	987.0	452257	5434331	335	-48	761.0	763.0	2.0	4.27	
			<i>including</i>					761.7	762.4	0.7	12.1	
OSK-W-18-1446	2225	FW3	987.0	452257	5434331	335	-48	794.6	796.8	2.2	4.05	
			<i>including</i>					795.2	796.0	0.8	11.0	
OSK-W-18-1448	2850	Caribou	483.0	452687	5434809	333	-52	263.0	265.0	2.0	6.02	
OSK-W-18-1448	2850	Caribou	483.0	452687	5434809	333	-52	324.0	326.0	2.0	6.89	
OSK-W-18-1449	3175	Bobcat	603.0	452901	5435120	145	-48	48.4	51.2	2.8	3.71	
OSK-W-18-1450	3800	Lynx	660.0	453386	5435517	135	-53	535.0	537.0	2.0	13.4	
			<i>including</i>					536.5	537.0	0.5	51.6	
OSK-W-18-1450	3800	Lynx 2	660.0	453386	5435517	135	-53	565.1	567.3	2.2	36.7	
OSK-W-19-1453-W2	4225	Lynx_324	879.0	453787	5435664	142	-56	736.8	739.0	2.2	12.2	
			<i>including</i>					738.0	739.0	1.0	26.2	
OSK-W-18-1454	3750	Lynx	1089.0	453376	5435452	145	-53	486.8	490.1	3.3	45.5	
			<i>including</i>					486.8	487.6	0.8	97.1	
			<i>including</i>					489.6	490.1	0.5	79.4	
OSK-W-18-1454	3750	Lynx 4	1089.0	453376	5435452	145	-53	896.1	898.7	2.6	17.0	16.4
			<i>including</i>					896.1	896.5	0.4	104	100
OSK-W-18-1455	3950	Lynx HW	552.0	453567	5435492	140	-49	441.0	443.0	2.0	4.12	
			<i>including</i>					441.3	442.0	0.7	10.5	
OSK-W-18-1457	3275	Bobcat	318.0	452981	5435148	137	-57	52.7	55.0	2.3	10.5	
			<i>including</i>					54.0	54.3	0.3	66.0	
OSK-W-18-1459	3175	VNCR	621.0	452862	5435185	132	-50	180.0	182.0	2.0	8.26	
			<i>including</i>					181.2	182.0	0.8	20.1	
OSK-W-18-1459	3175	Bobcat	621.0	452862	5435185	132	-50	256.0	258.0	2.0	9.52	
			<i>including</i>					257.5	258.0	0.5	36.4	
OSK-W-18-1460	3775	Lynx HW	432.3	453469	5435345	143	-51	296.0	298.0	2.0	3.67	
OSK-W-18-1460	3775	Lynx HW	432.3	453469	5435345	143	-51	311.3	316.5	5.2	0.21	
OSK-W-18-1460	3775	Lynx HW	432.3	453469	5435345	143	-51	332.0	337.4	5.4	4.50	
			<i>including</i>					332.0	332.5	0.5	20.3	
			<i>including</i>					337.0	337.4	0.4	28.5	
OSK-W-18-1461	3725	Lynx	849.0	453307	5435500	133	-52	782.0	784.3	2.3	16.9	
			<i>including</i>					783.5	784.3	0.8	38.1	
OSK-W-18-1462	3475	Lynx	225.0	453324	5434950	331	-47	141.3	144.0	2.7	3.77	
			<i>including</i>					142.2	142.6	0.4	19.3	
OSK-W-18-1463	2150	Z27	135.0	451930	5434743	161	-45	81.0	83.0	2.0	14.6	
			<i>including</i>					81.6	82.6	1.0	28.4	
OSK-W-18-1463	2150	Z27	135.0	451930	5434743	161	-45	101.8	112.2	10.4	3.24	
			<i>including</i>					101.8	102.5	0.7	17.3	
OSK-W-18-1464	3625	Lynx	432.0	453466	5435043	334	-72	208.8	211.0	2.2	4.75	
OSK-W-18-1464	3625	Lynx	432.0	453466	5435043	334	-72	260.0	262.9	2.9	3.84	
OSK-W-18-1464	3625	Lynx	432.0	453466	5435043	334	-72	273.0	275.7	2.7	8.07	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								273.8	274.3	0.5	35.7	
OSK-W-18-1464	3625	Lynx	432.0	453466	5435043	334	-72	277.0	279.7	2.7	4.52	
<i>including</i>								278.9	279.3	0.4	22.9	
OSK-W-18-1464	3625	VNCR	432.0	453466	5435043	334	-72	396.1	399.7	3.6	42.3	15.9
<i>including</i>								397.5	398.0	0.5	290	100
OSK-W-18-1464	3625	VNCR	432.0	453466	5435043	334	-72	406.8	409.7	2.9	3.80	
OSK-W-18-1465	2825	Bobcat	166.3	452661	5434807	330	-50	152.0	154.3	2.3	3.24	
<i>including</i>								152.0	152.6	0.6	12.0	
OSK-W-18-1466	2075	Z27	300.0	451979	5434532	345	-47	129.2	131.2	2.0	4.26	
<i>including</i>								130.7	131.2	0.5	14.3	
OSK-W-18-1466	2075	Z27	300.0	451979	5434532	345	-47	177.0	179.0	2.0	3.81	
<i>including</i>								178.1	178.5	0.4	17.8	
OSK-W-18-1468	2350	Caribou	66.0	452252	5434590	328	-55	46.7	50.0	3.3	10.3	
<i>including</i>								47.2	47.5	0.3	27.2	
OSK-W-18-1470	3475	Lynx	324.0	453325	5434948	331	-57	149.2	152.3	3.1	14.5	
<i>including</i>								150.4	151.2	0.8	44.9	
OSK-W-18-1470	3475	Lynx	324.0	453325	5434948	331	-57	184.0	186.0	2.0	28.4	
<i>including</i>								184.0	185.0	1.0	56.7	
OSK-W-18-1470	3475	Lynx	324.0	453325	5434948	331	-57	203.9	206.0	2.1	5.43	
<i>including</i>								203.9	204.2	0.3	33.5	
OSK-W-18-1470	3475	Lynx	324.0	453325	5434948	331	-57	235.6	238.6	3.0	64.2	37.4
<i>including</i>								236.0	236.7	0.7	215	100
OSK-W-18-1471	2125		147.0	451897	5434762	146	-45	144.0	146.0	2.0	14.9	
OSK-W-18-1472	2825	Bobcat	300.0	452628	5434899	146	-47	45.0	56.1	11.1	14.4	
<i>including</i>								50.4	53.0	2.6	38.4	
OSK-W-18-1473	2350	Caribou	387.0	452253	5434589	329	-55	46.7	49.6	2.9	11.9	
OSK-W-18-1473	2350	Caribou	387.0	452253	5434589	329	-55	162.0	164.0	2.0	4.13	
<i>including</i>								162.5	163.0	0.5	12.1	
OSK-W-18-1473	2350	Z27	387.0	452253	5434589	329	-55	373.0	375.3	2.3	3.87	
OSK-W-18-1475	3375	Lynx	357.0	453262	5434892	327	-56	258.8	261.0	2.2	8.09	
<i>including</i>								258.8	259.1	0.3	36.1	
OSK-W-18-1476	2100	Z27	294.0	452016	5434498	334	-46	230.7	233.0	2.3	3.05	
<i>including</i>								230.7	231.0	0.3	12.6	
OSK-W-18-1476	2100	Z27	294.0	452016	5434498	334	-46	251.0	253.0	2.0	6.38	
<i>including</i>								252.0	252.4	0.4	30.1	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	135	-50	549.1	552.8	3.7	20.1	
<i>including</i>								550.1	551.0	0.9	63.9	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	135	-50	749.8	752.8	3.0	3.09	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	135	-50	783.3	787.0	3.7	86.9	15.9
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	135	-50	783.3	783.8	0.5	625	100
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	135	-50	793.8	796.0	2.2	105	42.1
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	135	-50	794.8	795.4	0.6	330	100
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	135	-50	846.0	848.0	2.0	3.82	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	135	-50	895.0	897.0	2.0	15.9	
<i>including</i>								896.0	897.0	1.0	31.8	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	135	-50	912.1	914.9	2.8	7.01	
<i>including</i>								912.1	912.4	0.3	53.8	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	135	-50	1099.0	1101.0	2.0	8.83	
<i>including</i>								1099.0	1100.0	1.0	17.5	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	135	-50	1106.0	1117.8	11.8	4.83	
<i>including</i>								1109.9	1112.7	2.8	14.4	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	135	-50	1167.0	1169.2	2.2	20.3	
<i>including</i>								1167.8	1168.2	0.4	58.0	
OSK-W-18-1481	2925	Bobcat	108.0	452706	5434971	322	-46	89.0	91.0	2.0	12.7	
<i>including</i>								89.4	90.5	1.1	22.9	
OSK-W-18-1483	2950	Lynx	177.0	452778	5434886	143	-54	100.0	102.0	2.0	3.31	
<i>including</i>								101.2	101.5	0.3	21.7	
OSK-W-18-1486	3400	Lynx	366.0	453283	5434874	331	-53	301.6	304.0	2.4	3.60	
<i>including</i>								301.6	302.5	0.9	9.14	
OSK-W-18-1487	2475	Caribou	57.0	452342	5434658	332	-46	44.5	50.0	5.5	3.62	
OSK-W-18-1488	2425	Caribou	145.0	452313	5434629	328	-53	83.9	86.6	2.7	5.17	
OSK-W-18-1490	2925	Bobcat	129.0	452749	5434854	334	-55	34.7	37.3	2.6	7.34	
<i>including</i>								35.7	36.3	0.6	19.2	
OSK-W-18-1492	3550	Lynx	420.0	453438	5434905	333	-58	311.6	314.7	3.1	18.9	
OSK-W-18-1492	3550	VNCR	420.0	453438	5434905	333	-58	337.3	339.5	2.2	10.1	
<i>including</i>								338.7	339.5	0.8	26.3	
OSK-W-18-1492	3550	VNCR	420.0	453438	5434905	333	-58	402.6	405.0	2.4	3.82	
OSK-W-18-1494	3000	Bobcat	231.0	452836	5434894	332	-50	110.4	112.4	2.0	14.8	
<i>including</i>								110.9	111.6	0.7	36.5	
OSK-W-18-1494	3000	Bobcat	231.0	452836	5434894	332	-50	190.7	192.9	2.2	5.71	
<i>including</i>								191.4	192.5	1.1	11.0	
OSK-W-18-1495	3575	Lynx	381.0	453454	5434963	336	-67	365.0	367.0	2.0	7.54	
<i>including</i>								365.5	366.4	0.9	15.8	
OSK-W-18-1496	3675	Lynx	456.4	453318	5435368	143	-51	390.1	394.8	4.7	14.5	
<i>including</i>								392.3	392.8	0.5	91.9	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-18-1496	3675	Lynx	456.4	453318	5435368	143	-51	422.8	425.0	2.2	10.1	
			<i>including</i>					422.8	423.7	0.9	24.6	
OSK-W-18-1497	2475	Caribou	363.0	452349	5434662	331	-52	72.2	74.4	2.2	5.45	
			<i>including</i>					72.2	72.8	0.6	14.1	
OSK-W-18-1497	2475	Caribou	363.0	452349	5434662	331	-52	91.3	94.0	2.7	3.84	
OSK-W-18-1497	2475	Z27	363.0	452349	5434662	331	-52	288.0	295.0	7.0	10.00	
			<i>including</i>					292.0	292.8	0.8	46.9	
OSK-W-18-1497	2475	Z27	363.0	452349	5434662	331	-52	305.0	311.0	6.0	8.53	
			<i>including</i>					310.4	311.0	0.6	42.3	
OSK-W-18-1498	2350	Z27	384.0	452235	5434594	323	-61	272.0	274.0	2.0	5.91	
OSK-W-18-1498	2350	Z27	384.0	452235	5434594	323	-61	351.0	353.0	2.0	3.58	
OSK-W-18-1499	2425	Caribou	378.0	452313	5434628	326	-52	38.5	41.0	2.5	10.8	
			<i>including</i>					38.5	39.0	0.5	39.8	
OSK-W-18-1499	2425	Z27	378.0	452313	5434628	326	-52	330.0	335.0	5.0	7.38	
			<i>including</i>					333.7	334.4	0.7	17.7	
OSK-W-18-1499	2425	Z27	378.0	452313	5434628	326	-52	336.5	338.6	2.1	3.02	
OSK-W-18-1501	3150	Bobcat	291.0	452918	5435022	140	-51	112.8	114.7	1.9	37.4	26.3
			<i>including</i>					113.9	114.4	0.5	142	100
OSK-W-18-1501	3150	Lynx	291.0	452918	5435022	140	-51	237.8	240.0	2.2	20.8	
			<i>including</i>					239.1	240.0	0.9	49.0	
OSK-W-18-1501	3150	Lynx	291.0	452918	5435022	140	-51	246.5	248.5	2.0	3.67	
OSK-W-18-1503	3775	Lynx	543.0	453429	5435419	132	-46	445.8	448.4	2.6	62.1	36.2
			<i>including</i>					446.8	447.8	1.0	160	93.0
OSK-W-18-1503	3775	Lynx	543.0	453429	5435419	132	-46	455.0	457.0	2.0	3.75	
OSK-W-18-1503-W1	3775	Lynx	468.0	453429	5435419	145	-45	406.8	409.1	2.3	5.09	
			<i>including</i>					407.5	408.3	0.8	11.3	
OSK-W-18-1503-W1	3775	Lynx	468.0	453429	5435419	145	-45	420.0	422.0	2.0	59.3	36.4
			<i>including</i>					420.7	421.4	0.7	166	100
OSK-W-18-1503-W1	3775	Lynx	468.0	453429	5435419	145	-45	430.5	432.5	2.0	29.7	15.5
			<i>including</i>					431.2	431.5	0.3	195	100
OSK-W-18-1504	3525	Lynx	257.0	453413	5434904	330	-48	228.8	231.0	2.2	145	19.4
			<i>including</i>					228.8	229.1	0.3	1019	100
OSK-W-18-1505	2475	Caribou	342.0	452349	5434662	328	-45	46.0	49.0	3.0	9.78	
OSK-W-18-1505	2475	Caribou	342.0	452349	5434662	328	-45	55.0	57.0	2.0	4.10	
OSK-W-18-1505	2475	Caribou	342.0	452349	5434662	328	-45	78.9	81.0	2.1	17.0	
			<i>including</i>					79.5	80.5	1.0	34.7	
OSK-W-18-1505	2475	Caribou	342.0	452349	5434662	328	-45	88.0	90.4	2.4	4.50	
OSK-W-18-1505	2475	Z27	342.0	452349	5434662	328	-45	196.0	198.0	2.0	3.07	
OSK-W-18-1506	2475	Caribou	417.0	452367	5434645	329	-53	208.9	211.0	2.1	6.11	
OSK-W-18-1506	2475	Z27	417.0	452367	5434645	329	-53	353.0	355.3	2.3	6.66	
OSK-W-18-1508	3475	Lynx	282.0	453346	5434954	331	-57	214.0	217.0	3.0	18.3	
			<i>including</i>					214.0	214.7	0.7	74.4	
OSK-W-18-1508	3475	Lynx	282.0	453346	5434954	331	-57	224.3	226.5	2.2	25.3	
			<i>including</i>					224.9	225.5	0.6	85.3	
OSK-W-18-1508	3475	Lynx	282.0	453346	5434954	331	-57	231.2	233.8	2.6	27.2	
OSK-W-18-1508	3475	Lynx	282.0	453346	5434954	331	-57	241.0	247.5	6.5	5.31	
OSK-W-18-1509	3125	Bobcat	228.0	452907	5434997	329	-51	14.8	17.0	2.2	6.23	
			<i>including</i>					15.5	15.8	0.3	38.7	
OSK-W-18-1509	3125	Bobcat	228.0	452907	5434997	329	-51	47.7	53.3	5.6	4.27	
			<i>including</i>					51.5	51.9	0.4	28.6	
OSK-W-18-1509	3125	Bobcat	228.0	452907	5434997	329	-51	213.3	215.5	2.2	5.05	
			<i>including</i>					214.4	214.8	0.4	26.1	
OSK-W-18-1510	2375	Z27 HW	405.0	452279	5434571	325	-58	304.7	306.7	2.0	34.6	
			<i>including</i>					306.0	306.7	0.7	75.1	
OSK-W-18-1510	2375	Z27	405.0	452279	5434571	325	-58	360.2	362.4	2.2	4.81	
OSK-W-18-1511	3475	Lynx	357.0	453346	5434953	335	-58	246.5	249.8	3.3	97.6	46.5
			<i>including</i>					247.9	248.6	0.7	341	100
OSK-W-18-1512	3525	Lynx	450.0	453412	5434904	332	-55	223.0	225.0	2.0	3.38	
			<i>including</i>					223.0	223.6	0.6	10.8	
OSK-W-18-1512	3525	Lynx	450.0	453412	5434904	332	-55	268.0	270.4	2.4	10.2	
			<i>including</i>					268.0	268.5	0.5	33.0	
OSK-W-18-1512	3525	Lynx	450.0	453412	5434904	332	-55	286.0	288.0	2.0	8.66	
			<i>including</i>					287.0	287.4	0.4	41.4	
OSK-W-18-1512	3525	VNCR	450.0	453412	5434904	332	-55	422.2	425.0	2.8	18.9	
OSK-W-18-1516	3400	Lynx	102.0	453224	5435011	331	-48	43.7	46.8	3.1	13.5	10.7
			<i>including</i>					43.7	44.0	0.3	128	100
OSK-W-18-1516	3400	Lynx	102.0	453224	5435011	331	-48	62.5	65.4	2.9	13.4	
OSK-W-18-1517	2500	Caribou	348.0	452389	5434668	330	-49	81.7	88.0	6.3	4.24	
OSK-W-18-1517	2500	Caribou	348.0	452389	5434668	330	-49	131.0	133.4	2.4	3.60	
OSK-W-18-1517	2500	Z27	348.0	452389	5434668	330	-49	263.0	265.6	2.6	4.34	
OSK-W-18-1517	2500	Z27	348.0	452389	5434668	330	-49	290.0	292.0	2.0	5.72	
OSK-W-18-1518	2350	Vein	393.0	452266	5434568	330	-54	71.6	74.0	2.4	5.39	
OSK-W-18-1518	2350	Caribou	393.0	452266	5434568	330	-54	112.0	114.6	2.6	3.57	
OSK-W-18-1518	2350	Caribou	393.0	452266	5434568	330	-54	117.0	121.0	4.0	6.95	
			<i>including</i>					118.7	120.0	1.3	11.4	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-18-1518	2350	Caribou	393.0	452266	5434568	330	-54	218.0	221.0	3.0	3.74	
OSK-W-18-1518	2350	Caribou	393.0	452266	5434568	330	-54	288.4	291.0	2.6	20.6	
			including					288.4	289.0	0.6	86.1	
OSK-W-18-1518	2350	Z27	393.0	452266	5434568	330	-54	332.0	334.0	2.0	5.87	
OSK-W-18-1521	3400	Lynx	69.0	453199	5435012	333	-45	32.5	34.8	2.3	5.19	
			including					33.5	33.8	0.3	39.5	
OSK-W-18-1521	3400	Lynx	69.0	453199	5435012	333	-45	45.0	47.0	2.0	10.0	
			including					45.6	46.1	0.5	37.9	
OSK-W-18-1522	3525	Lynx	360.0	453413	5434904	331	-58	271.2	275.8	4.6	11.5	
			including					271.2	271.8	0.6	58.1	
OSK-W-18-1522	3525	Lynx	360.0	453413	5434904	331	-58	304.8	308.0	3.2	17.6	
			including					304.8	305.5	0.7	22.2	
			including					307.5	308.0	0.5	77.9	
OSK-W-18-1523	3400	Lynx	156.0	453243	5434951	328	-45	80.7	86.5	5.8	8.24	
			including					82.5	82.8	0.3	78.3	
OSK-W-18-1526	2400	Z27	369.0	452298	5434597	330	-51	329.0	331.0	2.0	7.32	
			including					330.0	331.0	1.0	14.4	
OSK-W-18-1526	2400	Z27	369.0	452298	5434597	330	-51	335.0	337.0	2.0	3.15	
			including					335.6	336.0	0.4	12.3	
OSK-W-18-1527	3400	Lynx	159.0	453261	5434952	334	-46	93.0	95.0	2.0	4.29	
			including					93.9	94.2	0.3	16.7	
OSK-W-18-1527	3400	Lynx	159.0	453261	5434952	334	-46	133.5	138.0	4.5	12.5	10.5
			including					134.7	135.0	0.3	130	100
OSK-W-18-1529	3600	Lynx	444.0	453458	5435016	334	-69	284.3	287.0	2.7	4.27	
OSK-W-18-1529	3600	VNCR	444.0	453458	5435016	334	-69	395.8	399.3	3.5	7.16	
			including					395.8	396.3	0.5	37.8	
			including					398.9	399.3	0.4	13.7	
OSK-W-18-1530	3425	Lynx	141.0	453258	5434989	329	-46	90.0	92.0	2.0	11.4	
			including					91.0	92.0	1.0	22.7	
OSK-W-18-1531	3750	Lynx	498.0	453381	5435435	148	-50	398.0	400.3	2.3	10.2	
			including					398.7	399.5	0.8	26.9	
OSK-W-18-1531	3750	Lynx	498.0	453381	5435435	148	-50	430.3	433.0	2.7	27.9	
			including					430.3	430.9	0.6	53.7	
			including					432.7	433.0	0.3	89.8	
OSK-W-18-1531	3750	Lynx	498.0	453381	5435435	148	-50	449.0	453.3	4.3	4.34	
			including					452.6	453.3	0.7	12.7	
OSK-W-18-1532	2375	Caribou	426.0	452270	5434609	328	-61	85.0	87.0	2.0	15.7	
			including					86.3	87.0	0.7	44.6	
OSK-W-18-1532	2375	Caribou	426.0	452270	5434609	328	-61	177.3	179.7	2.4	19.7	13.0
			including					177.3	177.6	0.3	154	100
OSK-W-18-1532	2375	Caribou	426.0	452270	5434609	328	-61	271.0	273.1	2.1	3.19	
OSK-W-18-1532	2375	Z27	426.0	452270	5434609	328	-61	357.7	363.6	5.9	19.3	11.0
			including					358.2	358.7	0.5	198	100
OSK-W-18-1533	3450	Lynx	126.0	453269	5435024	329	-47	57.6	60.0	2.4	8.69	
			including					58.8	59.1	0.3	67.3	
OSK-W-18-1534	2575	Z27	396.0	452463	5434678	332	-45	338.5	340.5	2.0	4.38	
			including					338.8	339.2	0.4	18.5	
OSK-W-18-1536	3575	Lynx	408.0	453428	5434975	337	-65	222.7	224.8	2.1	3.45	
OSK-W-18-1536	3575	Lynx	408.0	453428	5434975	337	-65	228.8	231.4	2.6	74.3	24.5
			including					229.6	230.2	0.6	316	100
OSK-W-18-1536	3575	Lynx	408.0	453428	5434975	337	-65	269.0	271.2	2.2	5.07	
			including					270.0	270.3	0.3	33.8	
OSK-W-18-1536	3575	Lynx	408.0	453428	5434975	337	-65	279.2	281.7	2.5	3.39	
OSK-W-18-1536	3575	Lynx	408.0	453428	5434975	337	-65	291.9	294.9	3.0	6.51	
OSK-W-18-1536	3575	Lynx	408.0	453428	5434975	337	-65	301.9	303.9	2.0	3.43	
OSK-W-18-1536	3575	Lynx	408.0	453428	5434975	337	-65	309.4	312.2	2.8	3.59	
OSK-W-18-1536	3575	Lynx	408.0	453428	5434975	337	-65	360.6	362.7	2.1	3.25	
OSK-W-18-1536-W1	3575	Lynx	417.0	453428	5434975	337	-65	278.8	281.3	2.5	23.7	21.7
			including					279.8	280.3	0.5	110	100
OSK-W-18-1536-W1	3575	Lynx	417.0	453428	5434975	337	-65	288.0	290.0	2.0	34.1	32.0
			including					289.4	290.0	0.6	107	100
OSK-W-18-1536-W1	3575	Lynx	417.0	453428	5434975	337	-65	316.7	318.7	2.0	5.96	
OSK-W-18-1536-W1	3575	Lynx	417.0	453428	5434975	337	-65	341.7	343.8	2.1	57.7	53.1
			including					341.7	342.8	1.1	109	100
OSK-W-18-1538	2375	Z27	351.0	452253	5434615	330	-55	279.0	281.0	2.0	5.69	
			including					280.0	280.4	0.4	24.9	
OSK-W-18-1538	2375	Z27	351.0	452253	5434615	330	-55	302.1	304.1	2.0	6.60	
			including					303.0	304.1	1.1	11.4	
OSK-W-18-1539	3750	Lynx	1119.0	453374	5435448	145	-52	460.0	462.0	2.0	3.75	
			including					460.4	460.8	0.4	17.0	
OSK-W-18-1539	3750	Lynx	1119.0	453374	5435448	145	-52	463.7	466.2	2.5	12.4	
			including					465.6	466.2	0.6	46.8	
OSK-W-18-1539	3750	Lynx	1119.0	453374	5435448	145	-52	910.7	917.0	6.3	23.4	
			including					910.7	911.2	0.5	71.5	
			including					914.2	915.2	1.0	88.9	
OSK-W-18-1539	3750	Lynx 4	1119.0	453374	5435448	145	-52	1021.8	1024.0	2.2	4.46	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								1021.8	1022.5	0.7	13.2	
OSK-W-19-1539-W1	3750	Lynx_320	1184.0	453374	5435448	145	-52	468.2	471.8	3.6	104	22.8
<i>including</i>								471.3	471.8	0.5	687	100
OSK-W-19-1539-W1	3750	Lynx 4	1184.0	453374	5435448	145	-52	1079.0	1081.0	2.0	16.4	
<i>including</i>								1080.0	1081.0	1.0	30.6	
OSK-W-18-1540	3450	VNCR	441.0	453350	5434893	334	-57	375.5	377.5	2.0	7.07	
OSK-W-18-1540	3450	VNCR	441.0	453350	5434893	334	-57	398.0	401.3	3.3	6.43	
<i>including</i>								399.9	401.0	1.1	18.1	
OSK-W-18-1541	2375	Caribou	258.0	452252	5434639	332	-48	62.0	64.0	2.0	14.4	
<i>including</i>								62.5	63.4	0.9	31.7	
OSK-W-18-1543	2375	Z27	294.0	452252	5434639	327	-52	207.0	209.3	2.3	8.15	
<i>including</i>								208.5	209.3	0.8	19.0	
OSK-W-18-1543	2375	Z27	294.0	452252	5434639	327	-52	219.4	222.6	3.2	4.97	
<i>including</i>								222.3	222.6	0.3	45.0	
OSK-W-18-1543	2375	Zone 27	294.0	452252	5434639	327	-52	269.0	271.1	2.1	3.41	
OSK-W-18-1545	2575	Caribou	522.0	452452	5434665	332	-49	189.6	196.3	6.7	3.31	
OSK-W-18-1545	2575	Caribou	522.0	452452	5434665	332	-49	240.0	242.5	2.5	5.33	
OSK-W-18-1545	2575	Zone 27	522.0	452452	5434665	332	-49	383.0	385.9	2.9	11.2	
OSK-W-18-1545	2575	Z27	522.0	452452	5434665	332	-49	454.8	457.0	2.2	13.4	
OSK-W-18-1546	3550	Lynx	411.0	453421	5434924	331	-55	232.6	235.3	2.7	4.13	
OSK-W-18-1546	3550	Lynx	411.0	453421	5434924	331	-55	254.1	256.9	2.8	29.9	
<i>including</i>								254.1	255.0	0.9	45.3	
OSK-W-18-1546	3550	Lynx	411.0	453421	5434924	331	-55	264.4	266.8	2.4	10.4	
<i>including</i>								266.3	266.8	0.5	44.7	
OSK-W-18-1546	3550	Lynx	411.0	453421	5434924	331	-55	273.1	275.2	2.1	3.79	
<i>including</i>								273.7	274.5	0.8	9.80	
OSK-W-18-1546	3550	Lynx	411.0	453421	5434924	331	-55	307.5	312.0	4.5	19.0	
<i>including</i>								309.5	310.2	0.7	96.8	
OSK-W-18-1546	3550	Lynx	411.0	453421	5434924	331	-55	327.1	329.1	2.0	109	50.5
<i>including</i>								327.7	328.7	1.0	218	100
OSK-W-18-1546	3550	Lynx	411.0	453421	5434924	331	-55	347.7	349.9	2.2	273	41.1
<i>including</i>								348.0	348.9	0.9	668	100
OSK-W-18-1546	3550	Lynx	411.0	453421	5434924	331	-55	352.6	355.2	2.6	8.66	
<i>including</i>								353.3	354.2	0.9	24.9	
OSK-W-18-1547	2425	Caribou	440.7	452301	5434638	330	-62	108.6	113.2	4.6	4.86	
OSK-W-18-1547	2425	Caribou	440.7	452301	5434638	330	-62	286.4	288.8	2.4	3.67	
OSK-W-18-1547	2425	Caribou	440.7	452301	5434638	330	-62	294.6	296.8	2.2	3.60	
OSK-W-18-1547	2425	Z27	440.7	452301	5434638	330	-62	338.0	348.7	10.7	12.6	
<i>including</i>								342.0	343.0	1.0	93.7	
OSK-W-18-1547	2425	Z27	440.7	452301	5434638	330	-62	371.0	375.2	4.2	27.0	
OSK-W-18-1547	2425	Z27	440.7	452301	5434638	330	-62	379.5	382.0	2.5	22.5	
OSK-W-18-1550	3775	Lynx	1035.0	453373	5435483	140	-52	510.7	514.3	3.6	36.0	30.2
<i>including</i>								510.7	511.9	1.2	104	86.8
OSK-W-18-1550	3775	Lynx	1035.0	453373	5435483	140	-52	583.4	585.4	2.0	10.3	
<i>including</i>								584.5	585.0	0.5	30.1	
OSK-W-18-1550	3775	Lynx_313	1035.0	453373	5435483	140	-52	886.3	889.5	3.2	284	57.9
<i>including</i>								886.3	886.8	0.5	893	100
OSK-W-18-1551	3550	Lynx	291.0	453422	5434924	335	-53	234.4	236.8	2.4	34.0	
<i>including</i>								236.3	236.8	0.5	98.7	
OSK-W-18-1551	3550	Lynx	291.0	453422	5434924	335	-53	249.7	256.3	6.6	49.1	33.8
<i>including</i>								253.8	255.6	1.8	154	97.5
OSK-W-18-1552	2425	Caribou	366.0	452309	5434639	332	-52	101.2	103.5	2.3	5.98	
<i>including</i>								101.6	102.4	0.8	15.1	
OSK-W-18-1552	2425	Z27	366.0	452309	5434639	332	-52	260.0	262.0	2.0	7.31	
<i>including</i>								260.0	261.0	1.0	14.1	
OSK-W-18-1552	2425	Z27	366.0	452309	5434639	332	-52	283.0	287.5	4.5	6.29	
<i>including</i>								283.0	284.0	1.0	14.7	
OSK-W-18-1552	2425	Z27	366.0	452309	5434639	332	-52	316.0	318.0	2.0	3.70	
<i>including</i>								316.0	316.3	0.3	19.9	
OSK-W-18-1555	3425	VNCR	423.0	453318	5434897	331	-60	400.0	402.0	2.0	27.4	
<i>including</i>								400.6	401.6	1.0	51.0	
OSK-W-18-1557	3550	Lynx	374.0	453422	5434925	335	-52	230.0	232.0	2.0	3.72	
<i>including</i>								230.0	230.6	0.6	10.3	
OSK-W-18-1557	3550	Lynx	374.0	453422	5434925	335	-52	279.0	284.6	5.6	39.3	22.3
<i>including</i>								283.5	284.6	1.1	187	100.0
OSK-W-18-1558	2575	Caribou	459.0	452464	5434663	316	-47	156.0	158.0	2.0	11.4	
OSK-W-18-1558	2575	Caribou	459.0	452464	5434663	316	-47	273.8	276.2	2.4	3.30	
OSK-W-18-1558	2575	Z27	459.0	452464	5434663	316	-47	365.7	372.8	7.1	6.98	
OSK-W-18-1558-W1	2575	Z27_101	450.0	452464	5434663	316	-47	346.5	352.0	5.5	4.48	
OSK-W-18-1558-W1	2575	Z27_115	450.0	452464	5434663	316	-47	373.0	375.0	2.0	4.30	
OSK-W-18-1558-W1	2575	Z27_115	450.0	452464	5434663	316	-47	379.0	383.0	4.0	3.06	
OSK-W-18-1558-W1	2575	Z27_115	450.0	452464	5434663	316	-47	385.8	388.5	2.7	4.79	
OSK-W-18-1559	2425	Z27	330.0	452303	5434666	331	-53	256.0	258.0	2.0	3.43	
OSK-W-18-1559	2425	Z27	330.0	452303	5434666	331	-53	303.0	305.0	2.0	4.47	
OSK-W-18-1560	3775	Lynx	564.0	453373	5435483	145	-53	513.7	516.0	2.3	11.9	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								513.7	514.5	0.8	32.8	
OSK-W-18-1560	3775	Lynx	564.0	453373	5435483	145	-53	521.6	524.0	2.4	26.1	
<i>including</i>								521.6	522.3	0.7	89.1	
OSK-W-18-1560-W1	3775	Lynx	576.0	453373	5435483	159	-53	464.7	467.0	2.3	5.35	
OSK-W-18-1560-W1	3775	Lynx	576.0	453373	5435483	159	-53	534.7	537.0	2.3	9.89	
<i>including</i>								535.4	535.9	0.5	36.7	
OSK-W-18-1560-W1	3775	Lynx	576.0	453373	5435483	159	-53	538.7	542.6	3.9	6.88	
<i>including</i>								538.7	539.0	0.3	24.1	
<i>including</i>								541.6	542.6	1.0	18.9	
OSK-W-18-1560-W2	3775	Lynx	876.0	453373	5435483	145	-53	473.5	475.8	2.3	5.28	
<i>including</i>								474.8	475.3	0.5	14.9	
OSK-W-18-1560-W2	3775	Lynx	876.0	453373	5435483	145	-53	542.3	545.6	3.3	48.7	34.5
OSK-W-18-1561	3550	Lynx	302.0	453404	5434957	334	-52	195.0	197.2	2.2	7.33	
<i>including</i>								195.0	196.0	1.0	15.7	
OSK-W-18-1563	2425	Caribou	330.0	452297	5434657	334	-46	64.0	66.8	2.8	4.72	
OSK-W-18-1563	2425	Caribou	330.0	452297	5434657	334	-46	158.0	160.0	2.0	4.52	
OSK-W-18-1563	2425	Z27	330.0	452297	5434657	334	-46	283.0	285.9	2.9	5.20	
OSK-W-18-1563	2425	Z27	330.0	452297	5434657	334	-46	302.0	304.0	2.0	4.67	
OSK-W-18-1564	2550	Caribou	366.0	452430	5434680	324	-47	160.0	162.0	2.0	4.49	
OSK-W-18-1564	2550	Caribou	366.0	452430	5434680	324	-47	279.0	281.0	2.0	4.71	
OSK-W-18-1565	3500	Lynx	426.0	453387	5434919	330	-57	220.6	223.2	2.6	16.4	
<i>including</i>								220.6	221.2	0.6	68.5	
OSK-W-18-1565	3500	Lynx	426.0	453387	5434919	330	-57	285.5	291.7	6.2	6.49	
<i>including</i>								285.5	286.5	1.0	15.7	
<i>including</i>								291.2	291.7	0.5	31.6	
OSK-W-18-1565	3500	Lynx	426.0	453387	5434919	330	-57	370.0	372.8	2.8	9.63	
<i>including</i>								370.0	370.8	0.8	32.4	
OSK-W-18-1567	2375	Z27	213.0	452238	5434683	328	-48	172.0	174.0	2.0	3.34	
OSK-W-18-1567	2375	Z27	213.0	452238	5434683	328	-48	187.2	191.0	3.8	8.56	
<i>including</i>								190.5	191.0	0.5	40.5	
OSK-W-18-1569	3675	Lynx	522.0	453325	5435397	142	-46	390.7	393.1	2.4	10.3	
<i>including</i>								391.3	392.1	0.8	30.5	
OSK-W-18-1569-W1	3675	Lynx	525.0	453325	5435397	142	-46	428.0	430.4	2.4	20.9	18.8
<i>including</i>								429.4	429.8	0.4	113	100
OSK-W-18-1570	3500	Lynx	402.0	453365	5434932	331	-55	191.0	193.3	2.3	24.5	20.3
<i>including</i>								192.9	193.3	0.4	124	100
OSK-W-18-1570	3500	Lynx	402.0	453365	5434932	331	-55	305.0	307.0	2.0	10.7	
<i>including</i>								305.5	306.2	0.7	30.3	
OSK-W-18-1571	2425	Z27	201.0	452181	5434857	154	-57	180.0	182.0	2.0	3.34	
OSK-W-18-1572	2550	Caribou	558.0	452469	5434627	333	-50	206.6	208.6	2.0	3.44	
OSK-W-18-1572	2550	Z27	558.0	452469	5434627	333	-50	532.0	534.0	2.0	6.61	
<i>including</i>								532.0	532.6	0.6	21.4	
OSK-W-18-1575	3525	Lynx	216.0	453358	5435008	330	-59	133.0	135.4	2.4	36.1	
<i>including</i>								133.7	134.5	0.8	64.1	
<i>including</i>								135.0	135.4	0.4	62.4	
OSK-W-18-1575	3525	Lynx	216.0	453358	5435008	330	-59	142.0	144.0	2.0	7.35	
<i>including</i>								143.0	144.0	1.0	14.7	
OSK-W-18-1577	2475	Z27	153.0	452235	5434844	325	-45	88.8	91.2	2.4	8.83	
<i>including</i>								89.5	90.2	0.7	30.1	
OSK-W-18-1578	3600	Lynx	351.0	453451	5435008	331	-60	259.2	264.3	5.1	5.48	
<i>including</i>								264.0	264.3	0.3	59.9	
OSK-W-18-1578	3600	Lynx	351.0	453451	5435008	331	-60	279.5	282.1	2.6	3.59	
OSK-W-18-1578	3600	Lynx	351.0	453451	5435008	331	-60	294.4	296.6	2.2	3.39	
OSK-W-18-1579	3475	Lynx	171.0	453315	5435013	331	-57	115.0	117.0	2.0	4.07	
OSK-W-18-1579	3475	Lynx	171.0	453315	5435013	331	-57	120.2	122.5	2.3	4.09	
<i>including</i>								122.2	122.5	0.3	20.5	
OSK-W-18-1580	2500	Z27	60.0	452264	5434854	327	-46	15.0	17.0	2.0	6.47	
<i>including</i>								15.0	15.7	0.7	18.1	
OSK-W-18-1582	3700	VNCR	1248.0	453279	5435516	143	-50	530.5	532.5	2.0	3.44	
OSK-W-18-1582	3700	Lynx 4	1248.0	453279	5435516	143	-50	911.0	913.0	2.0	6.64	
OSK-W-18-1586	2550	Z27	117.0	452271	5434953	146	-52	37.5	40.0	2.5	3.63	
OSK-W-18-1586	2550	Z27	117.0	452271	5434953	146	-52	52.4	55.6	3.2	37.9	
<i>including</i>								53.2	54.0	0.8	83.7	
OSK-W-18-1587	3600	Lynx	360.0	453451	5435009	332	-62	198.1	200.1	2.0	10.0	
OSK-W-18-1587	3600	Lynx	360.0	453451	5435009	332	-62	198.1	200.1	2.0	10.0	
<i>including</i>								199.1	200.1	1.0	18.8	
OSK-W-18-1587	3600	Lynx	360.0	453451	5435009	332	-62	288.1	290.5	2.4	13.2	
<i>including</i>								289.1	289.5	0.4	77.7	
OSK-W-18-1587	3600	VNCR	360.0	453451	5435009	332	-62	322.5	328.6	6.1	5.01	
<i>including</i>								322.5	323.5	1.0	17.3	
OSK-W-18-1587	3600	Lynx	360.0	453451	5435009	332	-62	345.8	347.8	2.0	21.3	
<i>including</i>								345.8	346.8	1.0	40.7	
OSK-W-18-1589	2500	Z27	123.0	452237	5434944	138	-48	101.6	103.8	2.2	742	24.0
<i>including</i>								102.9	103.4	0.5	3260	100
OSK-W-18-1593	3675	Lynx	381.0	453489	5435064	329	-68	194.8	197.1	2.3	3.33	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								195.2	195.8	0.6	12.5	
OSK-W-18-1593	3675	Lynx	381.0	453489	5435064	329	-68	228.1	230.9	2.8	494	13.2
<i>including</i>								230.6	230.9	0.3	4590	100
OSK-W-18-1593	3675	VNCR	381.0	453489	5435064	329	-68	354.5	357.0	2.5	6.63	
OSK-W-18-1593	3675	VNCR	381.0	453489	5435064	329	-68	364.9	367.3	2.4	3.19	
OSK-W-18-1594	2500	Z27	270.0	452212	5434965	140	-50	166.9	169.3	2.4	3.53	
OSK-W-18-1594	2500	Z27	270.0	452212	5434965	140	-50	177.8	180.4	2.6	10.4	
OSK-W-18-1596	2450	Z27	339.0	452326	5434670	333	-45	245.0	247.1	2.1	5.52	
<i>including</i>								245.6	246.1	0.5	13.4	
OSK-W-18-1597	2400	Caribou	254.0	452277	5434662	325	-47	127.9	130.0	2.1	9.08	
<i>including</i>								127.9	129.0	1.1	17.3	
OSK-W-18-1597	2400	Z27	254.0	452277	5434662	325	-47	205.0	207.5	2.5	5.08	
OSK-W-18-1598	3750	Lynx	525.0	453346	5435471	145	-51	434.8	437.0	2.2	5.47	
<i>including</i>								435.4	436.1	0.7	14.7	
OSK-W-18-1598-W1	3750	Lynx	546.0	453346	5435471	145	-51	511.0	513.0	2.0	51.5	46.5
OSK-W-18-1601	2375	Caribou	273.0	452267	5434628	330	-49	33.0	35.0	2.0	4.38	
OSK-W-18-1602	2400	Caribou	261.0	452277	5434662	330	-47	83.5	85.5	2.0	18.4	
<i>including</i>								83.5	84.5	1.0	36.4	
OSK-W-18-1602	2400	Caribou	261.0	452277	5434662	330	-47	140.7	143.1	2.4	7.94	
<i>including</i>								141.8	142.4	0.6	22.4	
OSK-W-18-1602	2400	Caribou	261.0	452277	5434662	330	-47	170.5	172.5	2.0	4.13	
OSK-W-18-1603	3275	Triple 8	2109.0	453340	5434543	35	-80	1491.3	1519.6	28.3	20.4	17.7
<i>including</i>								1501.0	1511.0	10.0	44.5	36.9
<i>including</i>								1501.0	1505.0	4.0	81.1	62.0
OSK-W-18-1603-W1	3275	Triple 8	1668.6	453340	5434543	35	-80	1373.3	1375.7	2.4	18.0	
<i>including</i>								1373.3	1374.1	0.8	49.6	
OSK-W-18-1605	2450	Caribou	345.0	452326	5434670	329	-45	91.3	93.3	2.0	3.37	
OSK-W-18-1605	2450	Z27	345.0	452326	5434670	329	-45	248.0	250.0	2.0	3.05	
OSK-W-18-1607	2375	Z27	261.0	452244	5434628	332	-47	202.0	204.0	2.0	3.89	
OSK-W-18-1608	3725	Lynx	1161.0	453330	5435466	146	-51	510.1	513.4	3.3	17.2	
<i>including</i>								512.6	513.4	0.8	54.9	
OSK-W-18-1608	3725	Lynx	1161.0	453330	5435466	146	-51	818.7	823.2	4.5	10.2	
<i>including</i>								819.7	820.6	0.9	26.5	
<i>and</i>								822.9	823.2	0.3	42.2	
OSK-W-18-1608	3725	Lynx	1161.0	453330	5435466	146	-51	1045.5	1048.5	3.0	3.74	
OSK-W-18-1608	3725	Lynx	1161.0	453330	5435466	146	-51	1087.5	1093.0	5.5	3.50	
OSK-W-18-1608	3725	Lynx	1161.0	453330	5435466	146	-51	1099.5	1105.1	5.6	3.73	
OSK-W-18-1608	3725	Lynx	1161.0	453330	5435466	146	-51	1108.5	1110.5	2.0	6.61	
OSK-W-18-1609	2450	Caribou	315.0	452314	5434664	334	-45	58.5	61.0	2.5	5.54	
<i>including</i>								58.5	59.7	1.2	11.4	
OSK-W-18-1609	2450	Z27	315.0	452314	5434664	334	-45	257.8	260.5	2.7	4.69	
<i>including</i>								258.8	259.3	0.5	22.2	
OSK-W-18-1611	2400	Caribou	270.0	452278	5434652	328	-46	82.0	84.1	2.1	5.19	
<i>including</i>								83.3	84.1	0.8	12.6	
OSK-W-18-1611	2400	Z27	270.0	452278	5434652	328	-46	215.9	218.0	2.1	5.41	
OSK-W-18-1613	3475	Lynx	381.0	453201	5435176	141	-52	171.7	174.0	2.3	8.12	
<i>including</i>								173.0	174.0	1.0	18.2	
OSK-W-18-1613	3475	Lynx	381.0	453201	5435176	141	-52	221.4	226.6	5.2	46.4	17.2
<i>including</i>								221.4	222.2	0.8	29.0	100
OSK-W-18-1613	3475	Lynx	381.0	453201	5435176	141	-52	333.0	335.1	2.1	6.58	
<i>including</i>								333.5	334.0	0.5	26.9	
OSK-W-18-1614	2450	Z27	279.0	452158	5434951	146	-47	71.0	73.1	2.1	6.47	
OSK-W-18-1614	2450	Z27	279.0	452158	5434951	146	-47	81.0	85.3	4.3	34.8	28.2
<i>including</i>								84.0	85.3	1.3	100	78.5
OSK-W-18-1615	3725	Lynx	992.5	453330	5435465	149	-48	479.3	481.4	2.1	18.0	
<i>including</i>								479.8	480.4	0.6	60.5	
OSK-W-18-1615	3725	Lynx	992.5	453330	5435465	149	-48	494.5	496.6	2.1	12.7	
<i>including</i>								495.1	495.6	0.5	48.6	
OSK-W-18-1616-W1	4225	New zone	2244.3	454135	5435058	40	-85	1985.1	1988.5	3.4	22.4	18.9
<i>including</i>								1987.1	1987.7	0.6	120	100
OSK-W-18-1616-W2	4225	Triple 8	2293.0	454135	5435058	40	-85	2075.0	2077.0	2.0	13.4	
OSK-W-18-1617	2425	Caribou	245.0	452273	5434675	329	-47	151.7	154.3	2.6	3.49	
<i>including</i>								153.9	154.3	0.4	15.7	
OSK-W-18-1618	2450	Caribou	255.0	452315	5434663	326	-45	160.5	163.0	2.5	3.00	
<i>including</i>								160.8	161.4	0.6	11.0	
OSK-W-18-1622	2450	Z27	303.0	452159	5434943	139	-48	32.5	34.6	2.1	16.0	
OSK-W-18-1623	2425	Caribou	279.0	452291	5434649	332	-45	175.0	177.3	2.3	6.51	
<i>including</i>								175.5	176.0	0.5	19.7	
<i>including</i>								177.0	177.3	0.3	14.3	
OSK-W-18-1624	2450	Caribou	333.0	452315	5434663	330	-47	62.2	65.1	2.9	6.01	
<i>including</i>								62.2	62.9	0.7	15.5	
OSK-W-18-1624	2450	Caribou	333.0	452315	5434663	330	-47	181.6	184.0	2.4	7.97	
<i>including</i>								181.6	182.1	0.5	36.1	
OSK-W-18-1624	2450	Z27	333.0	452315	5434663	330	-47	306.2	311.0	4.8	4.30	
OSK-W-18-1627	3600	Lynx	513.0	453229	5435372	141	-51	406.6	409.0	2.4	9.25	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-18-1627	3600	Lynx	513.0	453229	5435372	141	-51	439.6	442.0	2.4	15.1	
OSK-W-18-1627	3600	Lynx	513.0	453229	5435372	141	-51	476.0	478.0	2.0	11.8	
<i>including</i>								476.9	477.5	0.6	38.1	
OSK-W-18-1628	3700	Lynx	1284.3	453287	5435492	145	-48	533.1	535.7	2.6	57.5	38.8
<i>including</i>								533.1	533.7	0.6	181	100
OSK-W-18-1628	3700	Lynx	1284.3	453287	5435492	145	-48	555.5	557.6	2.1	23.0	
<i>including</i>								555.9	556.6	0.7	68.8	
OSK-W-18-1628	3700	Lynx	1284.3	453287	5435492	145	-48	754.6	758.9	4.3	9.92	
<i>including</i>								754.6	755.4	0.8	46.6	
OSK-W-18-1628	3700	Lynx 4	1284.3	453287	5435492	145	-48	925.3	928.7	3.4	21.0	
<i>including</i>								926.9	927.5	0.6	86.0	
OSK-W-18-1630	2425	Caribou	207.0	452306	5434658	330	-45	41.9	44.0	2.1	3.59	
<i>including</i>								41.9	42.4	0.5	14.3	
OSK-W-18-1631	2475	Caribou	315.0	452357	5434670	330	-45	76.0	81.1	5.1	4.50	
OSK-W-18-1631	2475	Z27	315.0	452357	5434670	330	-45	265.0	267.0	2.0	17.1	
<i>including</i>								266.0	267.0	1.0	34.0	
OSK-W-18-1632	2475	Caribou	390.0	452341	5434668	329	-47	47.0	49.8	2.8	5.51	
OSK-W-18-1632	2475	Z27	390.0	452341	5434668	329	-47	322.0	324.5	2.5	3.28	
OSK-W-18-1632	2475	Z27	390.0	452341	5434668	329	-47	368.6	370.9	2.3	3.20	
OSK-W-18-1634	2425	Caribou	354.0	452305	5434659	330	-46	169.0	172.9	3.9	6.29	
<i>including</i>								169.0	169.3	0.3	32.1	
<i>including</i>								170.5	170.9	0.4	23.3	
<i>including</i>								172.6	172.9	0.3	14.3	
OSK-W-18-1638	3700	Lynx	555.0	453296	5435476	147	-49	515.0	517.0	2.0	198	97.4
<i>including</i>								516.0	517.0	1.0	302	100
OSK-W-18-1638	3700	Lynx	555.0	453296	5435476	147	-49	538.6	540.6	2.0	14.6	
<i>including</i>								538.6	539.6	1.0	29.1	
OSK-W-18-1639	3625	Lynx	519.0	453266	5435397	142	-53	452.0	455.5	3.5	3.27	
OSK-W-18-1639	3625	Lynx	519.0	453266	5435397	142	-53	475.8	481.0	5.2	510	19.8
<i>including</i>								476.8	477.7	0.9	2930	100
OSK-W-18-1639	3625	Lynx	519.0	453266	5435397	142	-53	502.0	504.0	2.0	4.87	
<i>including</i>								502.0	502.7	0.7	13.8	
OSK-W-18-1640	2375	Caribou	407.0	452289	5434575	318	-59	106.7	109.0	2.3	6.27	
<i>including</i>								108.2	108.6	0.4	31.7	
OSK-W-18-1640	2375	Caribou	407.0	452289	5434575	318	-59	121.2	124.2	3.0	50.0	43.6
<i>including</i>								122.4	124.2	1.8	80.6	69.9
OSK-W-18-1642	2450	Caribou	473.0	452331	5434628	331	-55	127.9	131.7	3.8	12.8	
OSK-W-18-1642	2450	Z27	473.0	452331	5434628	331	-55	372.0	374.3	2.3	5.95	
<i>including</i>								372.0	372.3	0.3	23.6	
OSK-W-18-1643	3125	Bobcat	377.0	452871	5435079	139	-45	155.0	157.7	2.7	5.99	
<i>including</i>								156.8	157.7	0.9	17.8	
OSK-W-18-1644	2125	Caribou	342.0	452069	5434449	352	-45	197.0	199.6	2.6	3.32	
OSK-W-18-1644	2125	Z27	342.0	452069	5434449	352	-45	322.5	325.8	3.3	41.1	
OSK-W-18-1645	3725	Lynx	618.0	453309	5435497	141	-50	560.0	562.0	2.0	5.39	
<i>including</i>								560.8	561.5	0.7	15.2	
OSK-W-18-1646	2100	Caribou	330.0	452014	5434503	2	-53	152.8	155.2	2.4	7.51	
OSK-W-18-1646	2100	Z27	330.0	452014	5434503	2	-53	254.3	257.0	2.7	6.28	
OSK-W-18-1647	3625	Lynx	534.0	453266	5435397	142	-53	496.3	498.3	2.0	17.4	
OSK-W-18-1648	2125	Caribou	342.0	452057	5434456	343	-47	50.0	52.0	2.0	3.74	
OSK-W-18-1648	2125	Z27	342.0	452057	5434456	343	-47	330.0	334.4	4.4	9.19	
OSK-W-18-1649	2125	Caribou	369.0	452069	5434449	357	-46	66.8	68.8	2.0	4.61	
OSK-W-18-1649	2125	Caribou	369.0	452069	5434449	357	-46	266.0	268.0	2.0	48.4	45.0
<i>including</i>								266.4	267.3	0.9	108	100
OSK-W-18-1649	2125	Z27	369.0	452069	5434449	357	-46	334.9	337.0	2.1	14.9	
<i>including</i>								334.9	335.2	0.3	88.6	
OSK-W-18-1650	2100	Z27	306.0	452014	5434503	360	-56	265.9	270.0	4.1	6.11	
<i>including</i>								269.0	270.0	1.0	16.1	
OSK-W-18-1650	2100	Z27	306.0	452014	5434503	360	-56	295.0	298.2	3.2	4.22	
OSK-W-18-1651	2125	Caribou	378.0	452069	5434448	2	-45	226.9	229.1	2.2	4.01	
OSK-W-18-1651	2125	Caribou	378.0	452069	5434448	2	-45	305.0	307.0	2.0	3.68	
OSK-W-18-1651	2125	Z27	378.0	452069	5434448	2	-45	320.0	322.0	2.0	7.39	
<i>including</i>								321.0	322.0	1.0	14.3	
OSK-W-18-1651	2125	Z27	378.0	452069	5434448	2	-45	337.3	342.0	4.7	3.45	
OSK-W-18-1653	2125	Z27	336.0	452057	5434456	341	-45	285.4	288.0	2.6	4.15	
OSK-W-18-1654	2100	Z27	282.0	452015	5434503	355	-52	259.0	261.0	2.0	9.10	
OSK-W-18-1655	2150	Caribou	375.0	452088	5434441	351	-45	285.0	287.0	2.0	21.5	20.1
<i>including</i>								285.6	286.0	0.4	107	100
OSK-W-18-1655	2150	Z27	375.0	452088	5434441	351	-45	318.8	321.1	2.3	4.99	
OSK-W-18-1655	2150	Z27	375.0	452088	5434441	351	-45	343.6	363.0	19.4	21.6	19.9
<i>including</i>								343.6	344.6	1.0	60.5	
<i>including</i>								351.0	353.6	2.6	62.2	56.7
<i>including</i>								360.0	360.9	0.9	122	100
OSK-W-18-1655	2150	Z27	375.0	452088	5434441	351	-45	365.8	368.1	2.3	11.1	
<i>including</i>								367.6	368.1	0.5	50.3	
OSK-W-18-1656	3675	Lynx	1154.4	453261	5435471	144	-45	550.9	556.7	5.8	8.28	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	
			<i>including</i>						553.3	554.3	1.0	28.6	
OSK-W-18-1656	3675	Lynx	1154.4	453261	5435471	144	-45	730.0	736.0	6.0	5.07		
			<i>including</i>						730.0	730.5	0.5	36.5	
OSK-W-18-1656	3675	Lynx	1154.4	453261	5435471	144	-45	783.7	786.0	2.3	8.08		
			<i>including</i>						784.7	785.3	0.6	23.0	
OSK-W-18-1656	3675	Lynx	1154.4	453261	5435471	144	-45	900.7	902.8	2.1	131	33.9	
			<i>including</i>						900.7	901.4	0.7	391	100
OSK-W-18-1656	3675	Lynx	1154.4	453261	5435471	144	-45	1090.0	1092.5	2.5	7.29		
			<i>including</i>						1090.9	1091.8	0.9	17.9	
OSK-W-18-1657	3650	Lynx	504.0	453277	5435390	146	-51	391.0	393.3	2.3	5.00		
OSK-W-18-1657	3650	Lynx	504.0	453277	5435390	146	-51	447.0	449.1	2.1	8.41		
OSK-W-18-1659	2100	Z27	315.0	452015	5434501	4	-55	260.3	267.1	6.8	4.09		
OSK-W-18-1659	2100	Z27	315.0	452015	5434501	4	-55	274.3	279.5	5.2	5.88		
			<i>including</i>						275.4	275.8	0.4	27.1	
OSK-W-18-1660	2125	Caribou	387.0	452059	5434457	359	-45	51.2	53.4	2.2	7.19		
			<i>including</i>						51.8	52.6	0.8	18.3	
OSK-W-18-1661	2150	Caribou	393.0	452104	5434436	353	-45	246.8	249.0	2.2	6.23		
			<i>including</i>						247.2	247.6	0.4	29.1	
OSK-W-18-1661	2150	Z27	393.0	452104	5434436	353	-45	347.2	349.3	2.1	9.28		
OSK-W-18-1662	2100	Caribou	303.0	452016	5434501	6	-52	237.0	239.0	2.0	3.55		
OSK-W-18-1662	2100	Z27	303.0	452016	5434501	6	-52	257.9	261.5	3.6	4.08		
OSK-W-18-1662	2100	Z27	303.0	452016	5434501	6	-52	269.0	278.0	9.0	14.8	12.2	
			<i>including</i>						270.9	271.8	0.9	126	100
OSK-W-18-1665	2150	Caribou	375.0	452104	5434436	347	-46	68.7	71.3	2.6	3.60		
			<i>including</i>						71.0	71.3	0.3	15.9	
OSK-W-18-1665	2150	Z27	375.0	452104	5434436	347	-46	341.2	343.9	2.7	4.65		
OSK-W-18-1665	2150	Zone 27	375.0	452104	5434436	347	-46	363.7	366.0	2.3	39.3		
			<i>including</i>						365.0	366.0	1.0	72.2	
OSK-W-18-1667	3675	Lynx	573.0	453260	5435472	141	-48	556.8	559.0	2.2	21.7		
			<i>including</i>						557.1	558.0	0.9	53.1	
OSK-W-18-1669	2125	Caribou	405.0	452059	5434455	3	-47	54.0	56.1	2.1	4.15		
			<i>including</i>						55.3	55.8	0.5	16.0	
OSK-W-18-1669	2125	Z27	405.0	452059	5434455	3	-47	323.6	327.0	3.4	4.75		
			<i>including</i>						325.2	326.0	0.8	12.8	
OSK-W-18-1671	2100	Z27	309.0	452013	5434502	359	-52	248.0	250.3	2.3	12.7		
			<i>including</i>						249.0	249.3	0.3	95.0	
OSK-W-18-1671	2100	Z27	309.0	452013	5434502	359	-52	253.9	257.8	3.9	5.64		
			<i>including</i>						256.8	257.4	0.6	22.3	
OSK-W-18-1671	2100	Z27	309.0	452013	5434502	359	-52	287.9	290.4	2.5	24.1		
			<i>including</i>						289.8	290.4	0.6	85.5	
OSK-W-18-1671	2100	Zone 27	309.0	452013	5434502	359	-52	294.5	296.8	2.3	3.52		
OSK-W-18-1672	2100	Caribou	333.0	452039	5434455	345	-46	55.8	58.0	2.2	4.31		
OSK-W-18-1672	2100	Zone 27	333.0	452039	5434455	345	-46	307.1	309.1	2.0	79.9	27.1	
			<i>including</i>						308.6	309.1	0.5	311	100
OSK-W-18-1673	3675	Lynx	873.1	453260	5435472	135	-46	464.0	466.0	2.0	20.4		
			<i>including</i>						465.0	465.6	0.6	66.1	
OSK-W-18-1673	3675	Lynx	873.1	453260	5435472	135	-46	473.0	476.0	3.0	7.23		
			<i>including</i>						473.7	474.4	0.7	21.9	
OSK-W-18-1673	3675	Lynx	873.1	453260	5435472	135	-46	479.0	481.5	2.5	7.34		
			<i>including</i>						479.7	480.8	1.1	15.4	
OSK-W-18-1673	3675	Lynx	873.1	453260	5435472	135	-46	518.7	521.1	2.4	25.2		
			<i>including</i>						519.1	519.9	0.8	73.4	
OSK-W-18-1674	2150	Caribou	378.0	452102	5434436	345	-45	279.5	281.5	2.0	3.10		
			<i>including</i>						280.5	280.8	0.3	19.7	
OSK-W-18-1674	2150	Caribou	378.0	452102	5434436	345	-45	315.5	317.5	2.0	5.10		
			<i>including</i>						316.3	316.6	0.3	29.9	
OSK-W-18-1674	2150	Zone 27	378.0	452102	5434436	345	-45	340.4	343.0	2.6	3.53		
OSK-W-18-1675	3625	Lynx	420.0	453306	5435331	136	-45	193.8	195.8	2.0	3.63		
OSK-W-18-1678	2375	Zone 27	420.0	452289	5434575	327	-63	387.0	389.1	2.1	5.88		
			<i>including</i>						388.8	389.1	0.3	40.0	
OSK-W-18-1680	2450	Caribou	372.0	452350	5434621	332	-48	91.0	94.0	3.0	10.9		
			<i>including</i>						91.0	92.0	1.0	23.1	
OSK-W-18-1680	2450	Caribou	372.0	452350	5434621	332	-48	101.2	104.0	2.8	5.13		
OSK-W-18-1680	2450	Caribou	372.0	452350	5434621	332	-48	261.0	263.0	2.0	3.84		
OSK-W-18-1680	2450	Zone 27	372.0	452350	5434621	332	-48	279.6	281.6	2.0	14.4		
			<i>including</i>						279.6	280.1	0.5	52.1	
OSK-W-18-1680	2450	Zone 27	372.0	452350	5434621	332	-48	299.1	306.6	7.5	3.21		
			<i>including</i>						304.3	306.6	2.3	5.85	
OSK-W-18-1680	2450	Z27	372.0	452350	5434621	332	-48	332.7	335.2	2.5	9.92		
			<i>including</i>						332.7	333.3	0.6	30.6	
OSK-W-18-1681	3675	Lynx	1131.0	453259	5435473	143	-46	517.0	519.0	2.0	11.9		
			<i>including</i>						517.5	517.8	0.3	76.9	
OSK-W-18-1681	3675	Lynx	1131.0	453259	5435473	143	-46	538.5	541.0	2.5	8.06		
			<i>including</i>						540.0	541.0	1.0	18.9	
OSK-W-18-1681	3675	Lynx_338	1131.0	453259	5435473	143	-46	1071.0	1075.1	4.1	61.6	35.4	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								1071.7	1072.1	0.4	368	100
OSK-W-18-1684	3825	Lynx	390.0	453493	5435405	143	-46	312.5	314.6	2.1	3.73	
OSK-W-18-1685	2450	Zone 27	414.0	452350	5434621	330	-52	361.0	365.1	4.1	7.01	
<i>including</i>								361.0	363.0	2.0	11.9	
OSK-W-18-1685	2450	Zone 27	414.0	452350	5434621	330	-52	368.7	371.8	3.1	7.56	
<i>including</i>								369.5	370.5	1.0	19.7	
OSK-W-18-1685	2450	Zone 27	414.0	452350	5434621	330	-52	377.5	380.0	2.5	32.3	
<i>including</i>								378.8	380.0	1.2	56.9	
OSK-W-18-1686	2325	Zone 27	159.0	452098	5434820	141	-50	124.0	126.4	2.4	9.95	
<i>including</i>								125.5	125.8	0.3	47.2	
OSK-W-18-1687	3750	Lynx	1042.8	453344	5435502	141	-50	552.8	556.0	3.2	3.49	
OSK-W-18-1689	2400	Zone 27	135.0	452177	5434814	150	-54	67.4	70.7	3.3	6.78	
<i>including</i>								67.4	68.4	1.0	16.9	
OSK-W-18-1689	2400	Zone 27	135.0	452177	5434814	150	-54	86.4	88.4	2.0	3.62	
OSK-W-18-1689	2400	Caribou	135.0	452177	5434814	150	-54	123.0	125.0	2.0	3.72	
<i>including</i>								123.7	124.0	0.3	23.8	
OSK-W-18-1690	2400	Zone 27	141.0	452190	5434821	142	-49	17.5	20.0	2.5	6.51	
<i>including</i>								17.9	18.3	0.4	24.7	
OSK-W-18-1691	2350	Caribou	78.0	452251	5434568	338	-59	39.3	41.5	2.2	4.25	
<i>including</i>								39.7	40.5	0.8	11.4	
OSK-W-18-1691	2350	Caribou	78.0	452251	5434568	338	-59	44.9	47.0	2.1	3.30	
OSK-W-18-1692	2500	Caribou	450.0	452407	5434632	329	-52	114.0	116.0	2.0	18.5	
<i>including</i>								114.4	115.0	0.6	57.9	
OSK-W-18-1692	2500	Caribou	450.0	452407	5434632	329	-52	176.3	178.8	2.5	4.30	
<i>including</i>								178.0	178.8	0.8	11.4	
OSK-W-18-1695	2475	Caribou	520.0	452418	5434562	329	-52	321.3	323.9	2.6	3.01	
<i>including</i>								321.3	321.9	0.6	9.45	
OSK-W-18-1695	2475	Caribou	520.0	452418	5434562	329	-52	330.0	332.3	2.3	5.39	
<i>including</i>								330.7	331.6	0.9	13.5	
OSK-W-18-1695	2475	Zone 27	520.0	452418	5434562	329	-52	510.1	512.2	2.1	4.57	
OSK-W-18-1696	3825	Lynx 3	453.0	453481	5435423	142	-45	127.5	131.9	4.4	3.48	
<i>including</i>								127.5	127.8	0.3	11.9	
OSK-W-18-1696	3825	Lynx	453.0	453481	5435423	142	-45	348.9	351.0	2.1	4.77	
OSK-W-18-1697	3175	Lynx	231.0	453022	5434874	328	-61	108.9	111.1	2.2	4.24	
<i>including</i>								109.5	110.1	0.6	15.3	
OSK-W-18-1698	2525	Caribou	513.0	452430	5434608	329	-53	241.8	243.8	2.0	5.75	
OSK-W-18-1698	2525	Caribou	513.0	452430	5434608	329	-53	246.1	248.8	2.7	57.6	50.0
<i>including</i>								247.2	248.0	0.8	126	100
OSK-W-18-1699	3125	Lynx	174.0	452970	5434884	327	-64	82.0	84.0	2.0	5.05	
OSK-W-18-1699	3125	Lynx	174.0	452970	5434884	327	-64	97.9	101.4	3.5	7.26	
OSK-W-18-1699	3125	Lynx	174.0	452970	5434884	327	-64	126.3	131.9	5.6	7.25	
OSK-W-18-1699	3125	Lynx	174.0	452970	5434884	327	-64	138.7	140.7	2.0	18.4	
<i>including</i>								139.7	140.7	1.0	36.6	
OSK-W-18-1701	3100	Lynx	207.0	452968	5434844	328	-66	186.6	188.6	2.0	29.0	
OSK-W-18-1702	2475	Caribou	534.0	452418	5434561	330	-50	56.0	58.0	2.0	15.4	
OSK-W-18-1702	2475	Caribou	534.0	452418	5434561	330	-50	293.0	295.0	2.0	30.3	
<i>including</i>								294.0	295.0	1.0	60.5	
OSK-W-18-1702	2475	Caribou	534.0	452418	5434561	330	-50	307.8	310.1	2.3	3.21	
<i>including</i>								307.8	308.4	0.6	12.1	
OSK-W-18-1702	2475	Caribou	534.0	452418	5434561	330	-50	349.8	351.8	2.0	7.51	
<i>including</i>								350.8	351.8	1.0	15.0	
OSK-W-18-1702	2475	Zone 27	534.0	452418	5434561	330	-50	498.0	502.8	4.8	5.58	
OSK-W-18-1704	3775	Lynx	627.0	453349	5435524	137	-50	577.0	579.0	2.0	14.2	
OSK-W-18-1706	3850	Lynx	416.0	453500	5435428	137	-46	360.0	362.6	2.6	45.5	15.7
<i>including</i>								362.2	362.6	0.4	294	100
OSK-W-18-1707	2550	Caribou	447.0	452450	5434658	329	-49	153.1	155.4	2.3	3.95	
OSK-W-18-1707	2550	Caribou	447.0	452450	5434658	329	-49	199.0	201.0	2.0	6.23	
OSK-W-18-1707	2550	Caribou	447.0	452450	5434658	329	-49	268.0	270.4	2.4	3.02	
OSK-W-18-1707	2550	Zone 27	447.0	452450	5434658	329	-49	380.0	382.4	2.4	27.4	
<i>including</i>								380.0	381.0	1.0	50.4	
OSK-W-18-1707	2550	Zone 27	447.0	452450	5434658	329	-49	387.0	391.0	4.0	6.81	
OSK-W-18-1709	2450	Zone 27	525.0	452399	5434512	330	-51	499.0	501.0	2.0	17.4	
OSK-W-18-1710	3125	Bobcat	330.0	452878	5435058	141	-45	112.3	114.6	2.3	14.2	
OSK-W-18-1711	3800	Lynx	642.0	453367	5435556	134	-52	605.4	608.0	2.6	5.08	
OSK-W-18-1711-W1	3800	Lynx	637.5	453367	5435556	134	-52	547.0	549.0	2.0	4.55	
OSK-W-18-1711-W1	3800	Lynx	637.5	453367	5435556	134	-52	560.6	563.4	2.8	12.5	11.5
<i>including</i>								560.6	560.9	0.3	109	100
OSK-W-18-1711-W1	3800	Lynx	637.5	453367	5435556	134	-52	568.4	570.4	2.0	6.36	
OSK-W-18-1711-W2	3800	Lynx	1525.5	453367	5435556	134	-52	631.3	634.0	2.7	33.3	26.6
<i>including</i>								632.2	632.9	0.7	126	100
OSK-W-18-1711-W2	3800	Lynx	1525.5	453367	5435556	134	-52	821.6	827.0	5.4	4.15	
OSK-W-19-1711-W3	3800	Lynx 312	1233.0	453367	5435556	134	-52	622.0	624.0	2.0	28.3	
<i>including</i>								622.8	623.5	0.7	80.4	
OSK-W-19-1711-W3	3800	Lynx 331	1233.0	453367	5435556	134	-52	789.5	791.5	2.0	5.71	
OSK-W-18-1712	3325	Lynx	252.0	453194	5434916	329	-55	210.0	212.2	2.2	5.14	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								210.4	211.2	0.8	13.0	
OSK-W-18-1713	2400	Zone 27	552.0	452399	5434439	333	-45	533.8	535.9	2.1	6.48	
OSK-W-18-1714	3325	Lynx	321.0	453185	5434903	331	-63	290.0	292.4	2.4	3.59	
OSK-W-18-1721	2525	Caribou	630.0	452510	5434500	332	-49	303.3	305.6	2.3	4.46	
OSK-W-18-1723	3725	Lynx	531.0	453329	5435465	142	-49	488.4	490.6	2.2	22.7	
OSK-W-18-1723	3725	Lynx	531.0	453329	5435465	142	-49	498.6	501.2	2.6	4.06	
<i>including</i>								500.8	501.2	0.4	25.3	
OSK-W-18-1725	3525	Lynx	399.0	453418	5434901	340	-54	283.3	286.0	2.7	1026	64.8
<i>including</i>								283.3	284.0	0.7	502	100
<i>including</i>								284.4	285.3	0.9	2670	100
OSK-W-18-1725	3525	Lynx	399.0	453418	5434901	340	-54	293.0	297.0	4.0	13.9	
<i>including</i>								293.6	294.4	0.8	42.2	
OSK-W-18-1725	3525	Lynx	399.0	453418	5434901	340	-54	377.8	380.2	2.4	9.73	
<i>including</i>								378.1	379.1	1.0	22.0	
OSK-W-18-1727	3625	Lynx	378.0	453461	5435040	331	-61	169.0	171.0	2.0	6.51	
<i>including</i>								169.0	169.8	0.8	15.6	
OSK-W-18-1728	3825	Lynx	507.0	453468	5435417	138	-54	455.0	457.0	2.0	4.89	
OSK-W-18-1728-W1	3825	Lynx	669.0	453468	5435417	145	-51	467.6	470.9	3.3	56.3	36.1
<i>including</i>								468.7	469.4	0.7	196	100
OSK-W-18-1728-W1	3825	Lynx	669.0	453468	5435417	145	-51	489.6	491.7	2.1	9.83	
<i>including</i>								489.6	490.0	0.4	47.2	
OSK-W-18-1729	2100	Zone 27	318.0	452019	5434494	360	-53	263.0	268.0	5.0	3.16	
OSK-W-18-1729	2100	Zone 27	318.0	452019	5434494	360	-53	272.5	274.8	2.3	7.00	
<i>including</i>								272.5	273.3	0.8	13.7	
OSK-W-18-1729	2100	Zone 27	318.0	452019	5434494	360	-53	282.8	285.9	3.1	3.62	
<i>including</i>								282.8	283.2	0.4	20.0	
OSK-W-18-1731	3800	Lynx	611.0	453383	5435518	139	-51	555.0	557.4	2.4	89.3	73.3
<i>including</i>								556.3	557.4	1.1	135	100
OSK-W-18-1731	3800	Lynx	611.0	453383	5435518	139	-51	585.2	590.5	5.3	83.9	35.5
<i>including</i>								586.4	587.0	0.6	456	100
OSK-W-18-1734	3625	Lynx	360.0	453461	5435038	338	-67	252.7	255.0	2.3	3.02	
OSK-W-18-1735	2525	Caribou	327.0	452394	5434680	323	-45	86.7	91.0	4.3	6.54	
<i>including</i>								90.3	91.0	0.7	18.3	
OSK-W-18-1735	2525	Caribou	327.0	452394	5434680	323	-45	117.0	119.0	2.0	5.20	
OSK-W-18-1735	2525	Zone 27	327.0	452394	5434680	323	-45	278.0	280.1	2.1	5.40	
OSK-W-18-1737	3200	Bobcat	1809.8	452902	5435184	130	-53	108.0	110.0	2.0	7.18	
OSK-W-18-1737	3200	Caribou	1809.8	452902	5435184	130	-53	362.0	364.3	2.3	13.0	
OSK-W-18-1737	3200	Lynx	1809.8	452902	5435184	130	-53	514.0	516.0	2.0	16.2	
<i>including</i>								515.3	515.6	0.3	96.1	
OSK-W-18-1737	3200	Lynx	1809.8	452902	5435184	130	-53	628.0	630.0	2.0	9.20	
<i>including</i>								629.1	629.5	0.4	42.4	
OSK-W-18-1737	3200	Lynx	1809.8	452902	5435184	130	-53	688.5	690.7	2.2	19.0	
<i>including</i>								689.0	690.2	1.2	33.7	
OSK-W-18-1737	3200	Lynx	1809.8	452902	5435184	130	-53	743.0	745.9	2.9	4.60	
<i>including</i>								745.0	745.3	0.3	29.8	
OSK-W-18-1738	3600	Lynx	815.0	453460	5434986	329	-69	262.0	264.0	2.0	8.22	
<i>including</i>								262.0	263.0	1.0	16.3	
OSK-W-18-1738	3600	Lynx	815.0	453460	5434986	329	-69	299.6	303.1	3.5	7.99	
OSK-W-18-1738	3600	Lynx	815.0	453460	5434986	329	-69	350.9	353.8	2.9	29.3	16.0
<i>including</i>								351.2	351.5	0.3	229	100
OSK-W-18-1739	3500	Lynx	594.0	453133	5435354	125	-55	516.0	518.0	2.0	13.0	
<i>including</i>								517.3	517.6	0.3	83.6	
OSK-W-18-1741-W1	3725	Lynx	528.0	453328	5435466	144	-48	445.0	447.5	2.5	9.72	
<i>including</i>								446.2	446.7	0.5	47.0	
OSK-W-18-1741-W1	3725	Lynx	528.0	453328	5435466	144	-48	483.1	485.4	2.3	14.0	
<i>including</i>								484.4	484.8	0.4	73.4	
OSK-W-18-1741-W1	3725	Lynx	528.0	453328	5435466	144	-48	498.7	502.0	3.3	5.13	
OSK-W-18-1742	2400	Caribou	462.0	452320	5434588	335	-56	230.0	232.0	2.0	9.64	
OSK-W-18-1743-W1	3700	Lynx	558.0	453331	5435394	140	-45	424.0	426.3	2.3	6.46	
<i>including</i>								425.2	425.8	0.6	17.4	
OSK-W-18-1743-W1	3700	Lynx	558.0	453331	5435394	140	-45	481.1	484.1	3.0	18.6	18.3
<i>including</i>								483.6	484.1	0.5	102	100
OSK-W-18-1743-W1	3700	Lynx	558.0	453331	5435394	140	-45	489.0	491.1	2.1	3.35	
OSK-W-18-1744	3825	Lynx	598.5	453450	5435484	134	-48	507.1	509.5	2.4	8.38	
<i>including</i>								507.1	507.7	0.6	29.6	
OSK-W-18-1744-W1	3825	Lynx	594.0	453450	5435484	134	-48	527.8	532.3	4.5	9.71	
<i>including</i>								527.8	528.1	0.3	55.6	
OSK-W-18-1744-W2	3800	Lynx	621.0	453450	5435484	134	-48	541.0	543.0	2.0	17.7	
<i>including</i>								542.2	542.6	0.4	74.0	
OSK-W-18-1745	3575	Lynx	1038.0	453218	5435347	134	-51	386.0	388.0	2.0	20.4	
<i>including</i>								387.4	388.0	0.6	67.2	
OSK-W-18-1745	3575	Lynx	1038.0	453218	5435347	134	-51	450.9	452.9	2.0	13.0	
<i>including</i>								451.2	452.2	1.0	25.4	
OSK-W-18-1745	3575	Vein	1038.0	453218	5435347	134	-51	470.0	472.3	2.3	7.05	
<i>including</i>								471.2	471.9	0.7	22.9	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-18-1745	3575	Lynx 4	1038.0	453218	5435347	134	-51	800.9	803.4	2.5	5.96	
		<i>including</i>						801.6	802.1	0.5	29.2	
OSK-W-18-1745	3575	Lynx 327	1038.0	453218	5435347	134	-51	905.9	911.6	5.7	3.98	
OSK-W-18-1746	3650	Lynx	882.0	453280	5435389	142	-53	454.0	456.1	2.1	3.23	
OSK-W-18-1746	3650	Lynx 336	882.0	453280	5435389	142	-53	694.9	697.0	2.1	25.3	
OSK-W-19-1746-W1	3650	Lynx	840.0	453280	5435389	142	-53	683.2	685.7	2.5	19.0	
		<i>including</i>						683.2	683.7	0.5	50.1	
OSK-W-19-1746-W1	3650	Lynx 336	840.0	453280	5435389	142	-53	764.0	766.4	2.4	17.0	
		<i>including</i>						765.2	765.7	0.5	81.4	
OSK-W-19-1746-W1	3650	Lynx	840.0	453280	5435389	142	-53	783.2	786.3	3.1	4.38	
OSK-W-18-1747	2575	Caribou	519.0	452463	5434683	333	-54	202.6	205.0	2.4	5.99	
		<i>including</i>						203.2	203.7	0.5	26.0	
OSK-W-18-1747	2575	Caribou	519.0	452463	5434683	333	-54	273.3	276.0	2.7	3.09	
		<i>including</i>						273.3	273.6	0.3	11.0	
OSK-W-18-1747-W1	2575	Zone 27	558.0	452463	5434683	333	-54	505.5	507.5	2.0	3.78	
OSK-W-18-1748	3050	Lynx	147.0	452908	5434835	301	-61	122.0	124.0	2.0	4.23	
OSK-W-18-1750	3500	Lynx	315.0	453379	5434949	333	-52	172.1	174.3	2.2	20.0	
OSK-W-18-1750	3500	Lynx	315.0	453379	5434949	333	-52	198.2	200.6	2.4	6.10	
OSK-W-18-1750	3500	Lynx	315.0	453379	5434949	333	-52	229.4	231.8	2.4	6.27	
OSK-W-18-1750	3500	Lynx	315.0	453379	5434949	333	-52	251.0	253.3	2.3	5.67	
		<i>including</i>						252.3	252.8	0.5	24.9	
OSK-W-18-1754	3475	Lynx	264.0	453338	5434947	332	-53	168.0	170.9	2.9	23.7	
OSK-W-18-1754	3475	Lynx	264.0	453338	5434947	332	-53	188.0	190.0	2.0	5.28	
		<i>including</i>						189.0	189.5	0.5	20.8	
OSK-W-18-1754	3475	Lynx	264.0	453338	5434947	332	-53	208.0	210.0	2.0	22.9	
		<i>including</i>						208.8	209.5	0.7	64.1	
OSK-W-18-1754	3475	Lynx	264.0	453338	5434947	332	-53	222.8	225.0	2.2	3.19	
		<i>including</i>						222.8	223.1	0.3	17.6	
OSK-W-18-1754	3475	Lynx	264.0	453338	5434947	332	-53	237.0	239.7	2.7	3.93	
		<i>including</i>						238.1	238.8	0.7	12.4	
OSK-W-18-1756	3500	Lynx	291.0	453358	5434956	330	-57	169.5	172.0	2.5	53.0	31.9
		<i>including</i>						170.2	170.6	0.4	232	100
OSK-W-18-1756	3500	Lynx	291.0	453358	5434956	330	-57	223.5	227.0	3.5	30.5	
OSK-W-18-1756	3500	Lynx	291.0	453358	5434956	330	-57	244.4	246.4	2.0	6.72	
OSK-W-18-1758	2150	Zone 27	138.0	451942	5434724	160	-45	64.8	68.0	3.2	5.96	
		<i>including</i>						67.1	68.0	0.9	15.5	
OSK-W-18-1759	3475	Lynx	252.0	453323	5434955	331	-57	206.4	208.4	2.0	38.2	
		<i>including</i>						206.4	207.5	1.1	59.1	
OSK-W-18-1759	3475	Lynx	252.0	453323	5434955	331	-57	218.0	220.0	2.0	3.80	
OSK-W-18-1760	3500	Lynx	267.0	453358	5434956	332	-55	211.7	213.7	2.0	3.74	
OSK-W-18-1760	3500	Lynx	267.0	453358	5434956	332	-55	220.0	228.5	8.5	16.9	13.3
OSK-W-18-1760	3500	Lynx	267.0	453358	5434956	332	-55	238.9	241.0	2.1	10.5	
		<i>including</i>						238.9	239.4	0.5	43.2	
OSK-W-18-1761	3100	Caribou	201.0	452873	5435000	329	-50	54.0	56.0	2.0	4.37	
		<i>including</i>						55.1	56.0	0.9	9.43	
OSK-W-18-1761	3100	Caribou	201.0	452873	5435000	329	-50	98.0	100.0	2.0	4.09	
OSK-W-18-1762	3475	Lynx	254.0	453323	5434955	332	-58	229.5	234.2	4.7	13.5	
		<i>including</i>						229.5	230.0	0.5	89.0	
OSK-W-18-1763	3075	Caribou	234.0	452863	5434974	330	-51	203.0	205.4	2.4	7.75	
OSK-W-18-1765	3500	Lynx	306.0	453359	5434955	333	-57	188.0	190.3	2.3	3.16	
		<i>including</i>						189.8	190.3	0.5	10.5	
OSK-W-18-1765	3500	Lynx	306.0	453359	5434955	333	-57	203.0	205.0	2.0	9.84	
		<i>including</i>						204.0	205.0	1.0	19.5	
OSK-W-18-1765	3500	Lynx	306.0	453359	5434955	333	-57	229.8	231.8	2.0	60.3	41.6
		<i>including</i>						231.1	231.4	0.3	217	100
OSK-W-18-1765	3500	Lynx	306.0	453359	5434955	333	-57	249.4	251.8	2.4	7.41	
		<i>including</i>						250.2	250.9	0.7	24.7	
OSK-W-18-1767	2800	Caribou	165.0	452577	5434901	329	-65	47.0	49.0	2.0	3.67	
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	202.5	204.5	2.0	3.65	
		<i>including</i>						202.5	202.8	0.3	23.2	
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	219.0	222.4	3.4	13.0	
		<i>including</i>						219.0	219.8	0.8	48.1	
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	261.0	263.0	2.0	4.49	
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	268.7	273.0	4.3	161	37.0
		<i>including</i>						269.2	269.6	0.4	866	100
		<i>including</i>						271.9	272.7	0.8	381	100
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	283.0	285.5	2.5	22.1	
		<i>including</i>						284.1	284.7	0.6	85.2	
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	294.0	296.0	2.0	74.4	15.1
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	330.3	332.6	2.3	8.06	
		<i>including</i>						332.2	332.6	0.4	22.0	
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	127.8	130.4	2.6	96.9	37.5
		<i>including</i>						128.7	129.5	0.8	293	100
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	172.0	175.0	3.0	11.1	
		<i>including</i>						172.0	173.5	1.5	22.1	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	213.0	215.5	2.5	19.0	
			including									
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	214.1	214.8	0.7	67.9	
			including									
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	246.8	249.0	2.2	30.2	
			including									
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	247.2	248.0	0.8	82.8	
			including									
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	252.0	257.1	5.1	32.0	25.5
			including									
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	256.0	257.1	1.1	113	83.4
OSK-W-18-1771	2525	Caribou	318.0	452475	5434526	334	-57	276.8	279.0	2.2	6.83	
			including									
OSK-W-18-1771	2525	Caribou	318.0	452475	5434526	334	-57	277.4	278.0	0.6	24.2	
OSK-W-18-1772	3575	Lynx	392.0	453431	5434976	331	-64	226.4	228.5	2.1	19.1	
			including									
OSK-W-18-1772	3575	Lynx	392.0	453431	5434976	331	-64	226.4	227.7	1.3	30.7	
			including									
OSK-W-18-1772	3575	Lynx	392.0	453431	5434976	331	-64	274.2	276.3	2.1	31.3	24.0
			including									
OSK-W-18-1772	3575	Lynx	392.0	453431	5434976	331	-64	275.5	275.8	0.3	151	100
OSK-W-18-1772	3575	Lynx	392.0	453431	5434976	331	-64	281.0	283.0	2.0	11.9	
OSK-W-18-1772	3575	Lynx	392.0	453431	5434976	331	-64	349.6	351.9	2.3	4.37	
OSK-W-18-1773	2750	Caribou	621.0	452632	5434696	331	-56	206.0	208.5	2.5	14.3	
OSK-W-18-1773	2750	Z27	621.0	452632	5434696	331	-56	608.0	611.0	3.0	7.59	
OSK-W-18-1774	3450	Lynx	315.0	453307	5434951	331	-60	251.1	255.0	3.9	17.0	
			including									
OSK-W-18-1774	3450	Lynx	315.0	453307	5434951	331	-60	251.1	252.0	0.9	56.7	
OSK-W-18-1779	2475	Caribou	297.0	452430	5434514	334	-58	197.0	199.1	2.1	4.05	
OSK-W-18-1779	2475	Caribou	297.0	452430	5434514	334	-58	286.5	288.5	2.0	6.13	
OSK-W-18-1781	3475	Lynx	300.0	453326	5434951	331	-57	146.7	148.9	2.2	12.7	
			including									
OSK-W-18-1781	3475	Lynx	300.0	453326	5434951	331	-57	147.7	148.6	0.9	30.9	
OSK-W-18-1781	3475	Lynx	300.0	453326	5434951	331	-57	225.0	228.5	3.5	34.6	
OSK-W-18-1783	3375	Triple 8	2223.7	453535	5434373	61	-78	1823.2	1826.5	3.3	4.62	
OSK-W-18-1783	3375	Triple 8	2223.7	453535	5434373	61	-78	1858.9	1860.9	2.0	38.4	28.9
			including									
OSK-W-18-1783	3375	Triple 8	2223.7	453535	5434373	61	-78	1858.9	1859.4	0.5	138	100
OSK-W-18-1783	3375	Triple 8	2223.7	453535	5434373	61	-78	1943.8	1946.1	2.3	16.0	
OSK-W-18-1785	3550	Lynx	273.0	453425	5434953	334	-59	225.0	227.0	2.0	18.5	17.2
			including									
OSK-W-18-1785	3550	Lynx	273.0	453425	5434953	334	-59	225.4	225.7	0.3	109	100
			including									
OSK-W-18-1785	3550	Lynx	273.0	453425	5434953	334	-59	249.2	251.9	2.7	69.9	35.3
			including									
OSK-W-18-1785	3550	Lynx	273.0	453425	5434953	334	-59	251.4	251.9	0.5	287	100
			including									
OSK-W-18-1785	3550	Lynx	273.0	453425	5434953	334	-59	264.9	269.0	4.1	6.87	
			including									
OSK-W-18-1785-W1	3550	Lynx	375.0	453425	5434953	334	-59	224.2	226.3	2.1	64.2	28.2
			including									
OSK-W-18-1785-W1	3550	Lynx_305	375.0	453425	5434953	334	-59	224.8	225.1	0.3	352	100
			including									
OSK-W-18-1785-W1	3550	Lynx_305	375.0	453425	5434953	334	-59	258.9	263.0	4.1	36.0	22.6
			including									
OSK-W-18-1785-W1	3550	Lynx_310	375.0	453425	5434953	334	-59	258.9	259.5	0.6	192	100
			including									
OSK-W-18-1785-W1	3550	Lynx	375.0	453425	5434953	334	-59	275.0	277.3	2.3	27.4	
OSK-W-18-1785-W1	3550	Lynx	375.0	453425	5434953	334	-59	349.4	352.0	2.6	3.42	
OSK-W-18-1785-W1	3550	Lynx	375.0	453425	5434953	334	-59	361.6	364.0	2.4	4.89	
OSK-W-18-1786	2400	Caribou	201.0	452319	5434588	332	-51	93.0	95.0	2.0	14.6	
			including									
OSK-W-18-1786	2400	Caribou	201.0	452319	5434588	332	-51	93.7	94.1	0.4	71.7	
OSK-W-18-1786	2400	Caribou	201.0	452319	5434588	332	-51	115.2	117.3	2.1	3.50	
OSK-W-18-1788	2375	Caribou	141.0	452289	5434590	330	-61	81.6	83.6	2.0	9.87	
			including									
OSK-W-18-1788	2375	Caribou	141.0	452289	5434590	330	-61	81.6	81.9	0.3	65.0	
OSK-W-18-1788	2375	Caribou	141.0	452289	5434590	330	-61	87.7	90.1	2.4	4.03	
OSK-W-18-1788	2375	Caribou	141.0	452289	5434590	330	-61	122.8	125.2	2.4	3.00	
			including									
OSK-W-18-1788	2375	Caribou	141.0	452289	5434590	330	-61	122.8	123.3	0.5	8.62	
OSK-W-18-1789	2725	Caribou	624.0	452611	5434691	332	-56	327.0	329.0	2.0	3.87	
OSK-W-18-1789	2725	Caribou	624.0	452611	5434691	332	-56	481.7	483.9	2.2	3.56	
OSK-W-18-1789	2725	Z27	624.0	452611	5434691	332	-56	575.0	577.0	2.0	4.92	
OSK-W-18-1789	2725	Z27	624.0	452611	5434691	332	-56	593.3	595.4	2.1	4.47	
OSK-W-18-1791	3500	Lynx	294.0	453366	5434930	331	-50	272.5	275.0	2.5	30.9	
			including									
OSK-W-18-1791	3500	Lynx	294.0	453366	5434930	331	-50	272.5	273.4	0.9	77.3	
OSK-W-18-1792	3550	Lynx	315.0	453424	5434939	331	-58	280.0	282.9	2.9	22.1	
OSK-W-18-1792	3550	Lynx	315.0	453424	5434939	331	-58	264.0	266.5	2.5	4.29	
			including									
OSK-W-18-1792	3550	Lynx	315.0	453424	5434939	331	-58	270.8	280.8	10.0	3.70	
			including									
OSK-W-18-1792	3550	Lynx	315.0	453424	5434939	331	-58	270.8	273.3	2.5	6.37	
			including									
OSK-W-18-1795	2125	Caribou	357.0	452070	5434451	354	-45	278.1	280.8	2.7	5.01	
			including									
OSK-W-18-1795	2125	Z27	357.0	452070	5434451	354	-45	257.5	259.5	2.0	15.5	
			including									
OSK-W-18-1795	2125	Z27	357.0	452070	5434451	354	-45	259.0	259.5	0.5	61.9	
			including									
OSK-W-18-1797	2200	Caribou	247.4	452182	5434396	339	-56	318.6	325.6	7.0	11.4	
			including									
OSK-W-18-1797	2200	Caribou	247.4	452182	5434396	339	-56	192.2	194.0	1.8	31.1	
			including									
OSK-W-18-1797	2200	Caribou	247.4	452182	5434396	339	-56	200.1	201.0	0.9	38.8	
OSK-W-18-1803	2675	Caribou	585.0	452547	5434723	334	-58	291.4	294.2	2.8	3.68	
OSK-W-18-1803	2675	Caribou	585.0	452547	5434723	334	-58	443.0	445.0	2.0	3.74	
			including									
OSK-W-18-1803	2675	Z27	585.0	452547	5434723	334	-58	443.5	444.2	0.7	9.77	
			including									
OSK-W-18-1803	2675	Z27	585.0	452547	5434723	334	-58	519.0	525.0	6.0	9.37	
			including									
OSK-W-18-1804	3525	Lynx_305	345.0	453414	5434922	331	-56	523.9	525.0	1.1	30.9	
			including									
OSK-W-18-1804	3525	Lynx_308	345.0	453414	5434922	331	-56	280.0	282.8	2.8	224	20.3
			including									
OSK-W-18-1804	3525	Lynx_308	345.0	453414	5434922	331	-56	282.5	282.8	0.3	2000	100
			including									
OSK-W-18-1804	3525	Lynx_308	345.0	453414	5434922	331	-56	308.6	312.7	4.1	10.8	
			including									
OSK-W-18-1804	3525	Lynx_308	345.0	453414	5434922	331	-56	310.9	311.3	0.4	69.3	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-18-1804	3525	Lynx_308	345.0	453414	5434922	331	-56	314.9	317.0	2.1	77.9	58.5
			including									
			147.0	452259	5434559	331	-56	93.3	97.5	4.2	3.76	
OSK-W-18-1805	2350	Caribou	147.0	452259	5434559	331	-56	108.7	112.9	4.2	3.48	
OSK-W-18-1805	2350	Caribou	147.0	452259	5434559	331	-56	123.0	125.0	2.0	9.59	
			including									
								123.4	124.4	1.0	17.7	
OSK-W-18-1806	2350	Caribou	132.0	452263	5434588	330	-56	55.8	57.8	2.0	3.74	
OSK-W-18-1807	3525	Lynx_304	297.0	453423	5434923	332	-56	260.9	263.2	2.3	3.14	
OSK-W-18-1807	3525	Lynx_304	297.0	453423	5434923	332	-56	267.3	272.0	4.7	18.0	
			including									
								267.3	267.8	0.5	80.0	
OSK-W-18-1808	2425	Caribou	351.0	452297	5434645	330	-50	143.4	145.7	2.3	23.8	
			including									
			351.0	452297	5434645	330	-50	144.3	145.0	0.7	76.9	
OSK-W-18-1808	2425	Caribou	351.0	452297	5434645	330	-50	199.7	201.7	2.0	13.8	
			including									
								200.6	201.7	1.1	24.8	
OSK-W-18-1808	2425	Zone 27	351.0	452297	5434645	330	-50	293.0	295.1	2.1	6.69	
OSK-W-18-1809	3500	Lynx_310	291.0	453366	5434931	328	-51	228.0	230.0	2.0	3.40	
			including									
								228.0	228.6	0.6	9.56	
OSK-W-18-1809	3500	Lynx_308	291.0	453366	5434931	328	-51	265.0	267.3	2.3	6.13	
			including									
								265.9	266.2	0.3	25.8	
OSK-W-18-1810	2450	Caribou	566.0	452401	5434503	335	-49	113.0	115.0	2.0	3.35	
OSK-W-18-1810	2450	Z27	566.0	452401	5434503	335	-49	546.0	548.0	2.0	5.86	
			including									
								547.0	548.0	1.0	11.3	
OSK-W-18-1811	3500	Lynx_304	317.0	453365	5434931	333	-51	188.0	190.4	2.4	4.10	
OSK-W-18-1811	3500	Lynx_305	317.0	453365	5434931	333	-51	214.6	217.0	2.4	5.56	
OSK-W-18-1811	3500	Lynx_308	317.0	453365	5434931	333	-51	255.5	257.5	2.0	15.2	
			including									
								256.8	257.5	0.7	40.9	
OSK-W-18-1811	3500	Lynx_311	317.0	453365	5434931	333	-51	268.6	271.0	2.4	32.6	25.7
			including									
								269.8	270.4	0.6	128	100
OSK-W-18-1812	3500	Lynx_311	303.0	453366	5434932	330	-50	266.3	269.5	3.2	51.2	40.7
			including									
								266.8	267.9	1.1	131	100
OSK-W-18-1813	2750	VNCR	731.0	452683	5434622	330	-60	333.4	335.5	2.1	52.9	
			including									
								333.4	334.5	1.1	98.9	
OSK-W-18-1813	2750	Caribou	731.0	452683	5434622	330	-60	515.2	517.3	2.1	15.8	
			including									
								516.2	517.3	1.1	30.1	
OSK-W-18-1813	2750	Caribou	731.0	452683	5434622	330	-60	580.9	583.0	2.1	5.54	
OSK-W-18-1813	2750	Caribou	731.0	452683	5434622	330	-60	637.4	639.6	2.2	4.38	
			including									
								638.1	638.8	0.7	11.8	
OSK-W-18-1814	2750	Vein	438.0	452683	5434622	333	-59	166.0	168.0	2.0	4.04	
			including									
								166.6	167.5	0.9	8.98	
OSK-W-18-1814	2750	Caribou	438.0	452683	5434622	333	-59	298.0	300.0	2.0	13.2	
			including									
								299.0	300.0	1.0	26.4	
OSK-W-18-1814	2750	Caribou	438.0	452683	5434622	333	-59	345.5	347.5	2.0	3.56	
OSK-W-18-1814	2750	Caribou	438.0	452683	5434622	333	-59	430.0	432.0	2.0	8.19	
			including									
								431.0	432.0	1.0	16.2	
OSK-W-18-1817	2750	Caribou	687.0	452656	5434699	332	-57	341.0	343.0	2.0	3.45	
			including									
								341.0	342.0	1.0	6.61	
OSK-W-18-1817	2750	Caribou	687.0	452656	5434699	332	-57	406.0	408.0	2.0	7.60	
			including									
								406.8	407.6	0.8	18.1	
OSK-W-18-1817	2750	Z27	687.0	452656	5434699	332	-57	555.0	557.3	2.3	5.93	
OSK-W-19-1819-W1	3875	Lynx	654.0	453487	5435512	132	-45	590.3	592.3	2.0	5.63	
			including									
								591.0	591.4	0.4	20.4	
OSK-W-19-1819-W1	3875	Lynx	654.0	453487	5435512	132	-45	601.0	603.4	2.4	34.9	
			including									
								602.5	603.4	0.9	71.4	
OSK-W-19-1820	2775	Caribou	489.0	452672	5434723	333	-59	438.0	440.0	2.0	4.26	
OSK-W-19-1822	2475	Caribou	615.0	452506	5434389	339	-60	513.0	515.0	2.0	4.39	
			including									
								514.0	515.0	1.0	8.62	
OSK-W-19-1823	2675	Caribou	330.0	452546	5434702	329	-52	238.0	240.0	2.0	3.77	
OSK-W-19-1823	2675	Caribou	330.0	452546	5434702	329	-52	257.0	269.6	12.6	9.56	
			including									
								257.0	259.2	2.2	21.8	
			including									
								261.0	263.0	2.0	23.6	
OSK-W-19-1824	2700	Caribou	309.0	452566	5434725	327	-50	230.0	237.0	7.0	3.29	
			including									
								230.0	231.0	1.0	13.1	
OSK-W-19-1828	2200	Caribou	237.0	452203	5434388	340	-50	191.6	194.1	2.5	5.09	
OSK-W-19-1830	2200	Caribou	231.0	452179	5434396	338	-52	181.0	183.6	2.6	8.84	
OSK-W-19-1831	4225	Lynx	774.0	454113	5435093	355	-72	629.6	632.0	2.4	189	33.1
			including									
								629.6	630.0	0.4	1035	100
OSK-W-19-1832	3475	Lynx	345.0	453195	5435212	130	-46	288.8	291.0	2.2	3.63	
			including									
								288.8	289.2	0.4	17.0	
OSK-W-19-1832	3475	Lynx	345.0	453195	5435212	130	-46	293.0	295.0	2.0	4.06	
OSK-W-19-1834	2200	Caribou	216.0	452179	5434396	338	-47	154.7	157.5	2.8	12.4	
			including									
								156.6	157.5	0.9	25.9	
OSK-W-19-1835	2825	Windfall N	1293.0	452305	5435474	172	-53	348.8	351.1	2.3	82.9	18.9
			including									
								349.8	350.2	0.4	468	100
OSK-W-19-1835	2825	Windfall N	1293.0	452305	5435474	172	-53	368.0	370.0	2.0	8.38	
			including									
								368.9	370.0	1.1	15.2	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-19-1835	2825	Windfall N	1293.0	452305	5435474	172	-53	414.3	418.0	3.7	4.17	
		<i>including</i>						417.0	418.0	1.0	10.6	
OSK-W-19-1835	2825	Underdog	1293.0	452305	5435474	172	-53	700.7	703.0	2.3	11.8	
		<i>including</i>						702.0	702.7	0.7	33.6	
OSK-W-19-1835	2825	Underdog	1293.0	452305	5435474	172	-53	883.0	885.0	2.0	14.9	
		<i>including</i>						883.8	884.3	0.5	59.1	
OSK-W-19-1835	2825	Underdog	1293.0	452305	5435474	172	-53	928.0	930.4	2.4	12.8	
		<i>including</i>						929.1	929.5	0.4	61.8	
OSK-W-19-1835	2825	Vein	1293.0	452305	5435474	172	-53	946.0	948.4	2.4	5.06	
		<i>including</i>						947.0	947.4	0.4	30.2	
OSK-W-19-1835	2825	Vein	1293.0	452305	5435474	172	-53	1003.1	1007.9	4.8	13.7	
		<i>including</i>						1006.3	1007.0	0.7	40.4	
OSK-W-19-1835-W1	2825	Underdog	948.0	452305	5435474	172	-53	651.2	653.3	2.1	4.28	
		<i>including</i>						651.2	652.4	1.2	7.38	
OSK-W-19-1835-W1	2825	Underdog	948.0	452305	5435474	172	-53	862.8	865.0	2.2	3.26	
OSK-W-19-1835-W2	2825	Underdog	1251.0	452305	5435474	173	-53	939.0	941.0	2.0	19.8	
		<i>including</i>						939.5	940.7	1.2	32.6	
OSK-W-19-1835-W2	2825	Underdog	1251.0	452305	5435474	173	-53	1035.7	1038.0	2.3	5.06	
OSK-W-19-1846	3475	Lynx_311	324.0	453324	5434949	330	-58	239.9	243.0	3.1	11.3	
		<i>including</i>						242.3	243.0	0.7	33.5	
OSK-W-19-1847	3450	Lynx	293.0	453317	5434947	331	-58	132.7	135.0	2.3	4.95	
		<i>including</i>						134.6	135.0	0.4	18.6	
OSK-W-19-1847	3450	Lynx	293.0	453317	5434947	331	-58	259.1	261.4	2.3	7.18	
		<i>including</i>						260.1	260.5	0.4	37.9	
OSK-W-19-1848	4225	Lynx	697.0	454113	5435093	349	-72	614.4	617.0	2.6	4.44	
		<i>including</i>						614.4	614.7	0.3	18.7	
OSK-W-19-1848	4225	Lynx	697.0	454113	5435093	349	-72	621.2	624.0	2.8	7.46	
		<i>including</i>						623.6	624.0	0.4	35.0	
OSK-W-19-1848	4225	Vein	697.0	454113	5435093	349	-72	669.0	671.0	2.0	5.14	
OSK-W-19-1848-W1	4225	Lynx	672.0	454113	5435093	349	-72	605.7	608.0	2.3	13.2	
		<i>including</i>						606.6	607.6	1.0	28.1	
OSK-W-19-1848-W2	4225	Lynx	675.0	454113	5435093	349	-72	611.0	613.0	2.0	48.1	35.2
		<i>including</i>						612.0	612.7	0.7	137	100
OSK-W-19-1848-W2	4225	Lynx	675.0	454113	5435093	349	-72	628.0	630.1	2.1	86.0	38.4
		<i>including</i>						629.3	630.1	0.8	225	100
OSK-W-19-1850	3475	Lynx_304	270.0	453320	5434954	329	-58	141.8	144.8	3.0	16.8	
		<i>including</i>						141.8	142.1	0.3	99.8	
OSK-W-19-1850	3475	Lynx_311	270.0	453320	5434954	329	-58	228.2	231.4	3.2	43.7	37.6
		<i>including</i>						230.3	231.4	1.1	118	100.0
OSK-W-19-1852	3450	Lynx_305	300.0	453312	5434949	330	-58	154.7	156.8	2.1	13.7	
		<i>including</i>						155.4	156.1	0.7	35.9	
OSK-W-19-1852	3450	Lynx_311	300.0	453312	5434949	330	-58	248.0	250.6	2.6	14.8	
		<i>including</i>						248.9	249.3	0.4	80.2	
OSK-W-19-1855	3450	Lynx_310	351.0	453178	5435190	124	-45	272.8	275.0	2.2	38.6	19.1
		<i>including</i>						274.6	275.0	0.4	207	100
OSK-W-19-1855	3450	Lynx_305	351.0	453178	5435190	124	-45	281.0	284.3	3.3	6.04	
		<i>including</i>						283.9	284.3	0.4	18.1	
OSK-W-19-1855	3450	Lynx_305	351.0	453178	5435190	124	-45	301.0	303.0	2.0	4.67	
OSK-W-19-1857	4000	Lynx	1415.2	453525	5435704	108	-58	1278.3	1282.6	4.3	322	41.9
		<i>including</i>						1282.1	1282.6	0.5	2420	100
OSK-W-19-1857	4000	Lynx	1415.2	453525	5435704	108	-58	1287.8	1290.6	2.8	136	67.9
OSK-W-19-1857	4000	Lynx	1415.2	453525	5435704	108	-58	1314.2	1316.6	2.4	16.0	
OSK-W-19-1857-W1	4000	Lynx	1455.0	453525	5435704	108	-58	1190.1	1192.3	2.2	5.37	
		<i>including</i>						1190.1	1190.9	0.8	13.5	
OSK-W-19-1857-W1	4000	Lynx_313	1455.0	453525	5435704	108	-58	1230.8	1233.3	2.5	3.94	
OSK-W-19-1857-W1	4000	Lynx_313	1455.0	453525	5435704	108	-58	1235.4	1237.6	2.2	3.31	
OSK-W-19-1857-W2	4000	Lynx_313	1449.0	453525	5435704	108	-58	1274.5	1276.8	2.3	121	39.7
		<i>including</i>						1274.9	1275.8	0.9	307	100
OSK-W-19-1857-W2	4000	Triple Lynx	1449.0	453525	5435704	108	-58	1322.0	1325.0	3.0	3.99	
OSK-W-19-1857-W3	4000	Lynx 4	1280.4	453525	5435704	108	-58	1179.0	1181.0	2.0	38.8	
		<i>including</i>						1179.7	1181.0	1.3	59.6	
OSK-W-19-1857-W3	4000	Lynx_313	1280.4	453525	5435704	108	-58	1193.6	1195.9	2.3	6.43	
		<i>including</i>						1193.6	1194.3	0.7	16.8	
OSK-W-19-1857-W4	4000	Lynx 4	1415.0	453525	5435704	108	-58	1312.8	1316.3	3.5	145	49.8
OSK-W-19-1857-W4	4000	Lynx 4	1415.0	453525	5435704	108	-58	1312.8	1313.7	0.9	172	100
OSK-W-19-1857-W4	4000	Lynx 4	1415.0	453525	5435704	108	-58	1313.7	1314.3	0.6	548	100
OSK-W-19-1857-W4	4000	Lynx	1415.0	453525	5435704	108	-58	1353.5	1357.1	3.6	6.33	
OSK-W-19-1857-W5	4000	Lynx 4	1539.0	453525	5435704	108	-58	1402.2	1404.2	2.0	8.12	
OSK-W-19-1857-W6	4000	Lynx 4	1487.4	453525	5435704	108	-58	1342.6	1354.5	11.9	30.8	28.3
		<i>including</i>						1348.0	1348.9	0.9	99.3	74.6
		<i>including</i>						1350.5	1352.7	2.2	88.7	85.7
OSK-W-19-1859	2150	Caribou	153.0	452106	5434414	332	-50	103.7	106.1	2.4	19.4	
		<i>including</i>						103.7	104.2	0.5	84.9	
OSK-W-19-1859	2150	Caribou	153.0	452106	5434414	332	-50	113.1	115.3	2.2	6.30	
		<i>including</i>						114.6	115.3	0.7	17.6	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-19-1860	3475	Lynx_305	333.0	453186	5435200	124	-45	287.7	290.5	2.8	6.39	
			<i>including</i>									
OSK-W-19-1860	3475	Lynx_305	333.0	453186	5435200	124	-45	287.7	288.6	0.9	17.1	
			<i>including</i>									
OSK-W-19-1860	3475	Lynx_304	333.0	453186	5435200	124	-45	294.5	298.4	3.9	13.0	
			<i>including</i>									
OSK-W-19-1860	3475	Lynx_304	333.0	453186	5435200	124	-45	297.0	297.7	0.7	42.4	
			<i>including</i>									
OSK-W-19-1860	3475	Lynx_304	333.0	453186	5435200	124	-45	310.7	313.0	2.3	28.6	
			<i>including</i>									
OSK-W-19-1865	3475	Lynx_304	339.0	453191	5435212	124	-45	311.0	311.9	0.9	70.7	
			<i>including</i>									
OSK-W-19-1865	3475	Lynx_304	339.0	453191	5435212	124	-45	313.3	315.5	2.2	56.0	33.0
			<i>including</i>									
OSK-W-19-1865	3475	Lynx_304	339.0	453191	5435212	124	-45	314.2	314.9	0.7	172	100
OSK-W-19-1871	2475	Caribou	573.0	452496	5434397	331	-56	519.2	521.2	2.0	3.71	
OSK-W-19-1871	2475	Caribou	573.0	452496	5434397	331	-56	524.5	527.0	2.5	8.78	
OSK-W-19-1871	2475	Caribou	573.0	452496	5434397	331	-56	530.1	532.1	2.0	20.5	
			<i>including</i>									
OSK-W-19-1871	2475	Caribou	573.0	452496	5434397	331	-56	531.1	532.1	1.0	40.6	
OSK-W-19-1874	2650	Caribou	327.0	452526	5434697	329	-52	151.4	153.5	2.1	3.11	
			<i>including</i>									
OSK-W-19-1874	2650	Caribou	327.0	452526	5434697	329	-52	152.6	152.9	0.3	21.5	
			<i>including</i>									
OSK-W-19-1874	2650	Caribou	327.0	452526	5434697	329	-52	225.8	238.7	12.9	5.49	
			<i>including</i>									
OSK-W-19-1874	2650	Caribou	327.0	452526	5434697	329	-52	225.8	227.8	2.0	14.8	
OSK-W-19-1875	2450	Vein	360.0	452021	5435223	154	-46	244.3	247.0	2.7	5.76	
			<i>including</i>									
OSK-W-19-1875	2450	Vein	360.0	452021	5435223	154	-46	244.3	245.1	0.8	18.3	
OSK-W-19-1878	3825	Lynx	651.0	453419	5435501	135	-46	544.2	546.3	2.1	48.8	
			<i>including</i>									
OSK-W-19-1878	3825	Lynx	651.0	453419	5435501	135	-46	545.2	545.6	0.4	93.8	
OSK-W-19-1878	3825	Lynx	651.0	453419	5435501	135	-46	556.6	559.0	2.4	3.63	
OSK-W-19-1878	3825	Lynx	651.0	453419	5435501	135	-46	600.0	602.0	2.0	6.98	
			<i>including</i>									
OSK-W-19-1878	3825	Lynx	651.0	453419	5435501	135	-46	601.0	601.6	0.6	22.1	
OSK-W-19-1880	2650	Caribou corridor	372.0	452553	5434682	333	-52	149.0	151.2	2.2	4.07	
			<i>including</i>									
OSK-W-19-1880	2650	Caribou corridor	372.0	452553	5434682	333	-52	149.6	150.2	0.6	14.8	
OSK-W-19-1882	2450	Caribou	555.0	452469	5434405	328	-57	485.1	487.5	2.4	3.74	
			<i>including</i>									
OSK-W-19-1882	2450	Caribou	555.0	452469	5434405	328	-57	487.0	487.5	0.5	15.2	
OSK-W-19-1883	2500	Windfall N	294.0	452064	5435248	154	-46	100.2	102.4	2.2	393	23.5
			<i>including</i>									
OSK-W-19-1883	2500	Windfall N	294.0	452064	5435248	154	-46	101.5	102.0	0.5	1725	100
OSK-W-19-1884	2800	Windfall N	459.0	452278	5435429	163	-52	350.7	353.2	2.5	15.0	
			<i>including</i>									
OSK-W-19-1884	2800	Windfall N	459.0	452278	5435429	163	-52	350.7	351.0	0.3	54.7	
OSK-W-19-1886	2625	Caribou	336.2	452508	5434673	331	-50	185.0	187.4	2.4	5.00	
			<i>including</i>									
OSK-W-19-1886	2625	Caribou	336.2	452508	5434673	331	-50	185.0	185.8	0.8	14.3	
OSK-W-19-1886	2625	Caribou	336.2	452508	5434673	331	-50	253.6	264.0	10.4	3.30	
OSK-W-19-1888	2550	Windfall N	285.0	452122	5435240	156	-46	165.3	168.0	2.7	5.62	
			<i>including</i>									
OSK-W-19-1888	2550	Windfall N	285.0	452122	5435240	156	-46	165.3	165.9	0.6	25.1	
OSK-W-19-1889	2425	Vein	528.0	452452	5434398	327	-57	207.7	210.0	2.3	7.82	
OSK-W-19-1891	3875	Lynx	600.0	453513	5435472	135	-52	495.3	497.6	2.3	72.3	35.0
			<i>including</i>									
OSK-W-19-1891	3875	Lynx	600.0	453513	5435472	135	-52	496.5	497.3	0.8	207	100
OSK-W-19-1891	3875	Lynx	600.0	453513	5435472	135	-52	502.0	504.1	2.1	4.46	
			<i>including</i>									
OSK-W-19-1891	3875	Lynx	600.0	453513	5435472	135	-52	503.6	504.1	0.5	18.2	
			<i>including</i>									
OSK-W-19-1891	3875	Lynx	600.0	453513	5435472	135	-52	515.8	520.6	4.8	96.7	23.0
			<i>including</i>									
OSK-W-19-1891	3875	Lynx	600.0	453513	5435472	135	-52	516.6	516.9	0.3	1070	100
			<i>including</i>									
OSK-W-19-1891	3875	Lynx	600.0	453513	5435472	135	-52	517.9	518.5	0.6	204	100
OSK-W-19-1891	3875	Lynx	600.0	453513	5435472	135	-52	533.0	535.4	2.4	70.0	
OSK-W-19-1891-W1	3875	Lynx HW	585.0	453513	5435472	135	-52	472.0	475.0	3.0	7.18	
			<i>including</i>									
OSK-W-19-1891-W1	3875	Lynx	585.0	453513	5435472	135	-52	473.1	473.8	0.7	30.1	
			<i>including</i>									
OSK-W-19-1891-W1	3875	Lynx	585.0	453513	5435472	135	-52	502.7	504.7	2.0	7.49	
			<i>including</i>									
OSK-W-19-1891-W1	3875	Lynx	585.0	453513	5435472	135	-52	503.3	503.6	0.3	42.9	
OSK-W-19-1891-W1	3875	Lynx	585.0	453513	5435472	135	-52	515.7	520.0	4.3	4.04	
OSK-W-19-1891-W1	3875	Lynx	585.0	453513	5435472	135	-52	532.5	534.5	2.0	31.1	
			<i>including</i>									
OSK-W-19-1891-W1	3875	Lynx	585.0	453513	5435472	135	-52	532.9	534.0	1.1	56.3	
			<i>including</i>									
OSK-W-19-1891-W1	3875	Lynx	585.0	453513	5435472	135	-52	547.1	553.5	6.4	17.0	15.4
			<i>including</i>									
OSK-W-19-1891-W1	3875	Lynx	585.0	453513	5435472	135	-52	553.1	553.5	0.4	125	100
OSK-W-19-1891-W2	3875	Lynx	588.8	453513	5435472	135	-52	513.6	516.3	2.7	5.18	
OSK-W-19-1891-W3	3875	Lynx	603.0	453513	5435472	135	-52	532.3	537.0	4.7	7.54	
OSK-W-19-1891-W3	3875	Lynx	603.0	453513	5435472	135	-52	556.0	558.3	2.3	10.6	
			<i>including</i>									
OSK-W-19-1891-W3	3875	Lynx	603.0	453513	5435472	135	-52	557.0	557.6	0.6	32.0	
			<i>including</i>									
OSK-W-19-1891-W3	3875	Lynx	603.0	453513	5435472	135	-52	566.0	568.0	2.0	4.99	
			<i>including</i>									
OSK-W-19-1891-W3	3875	Lynx	603.0	453513	5435472	135	-52	567.2	567.6	0.4	20.3	
OSK-W-19-1891-W4	3875	Lynx 315	665.6	453513	5435472	135	-52	548.5	551.0	2.5	14.0	
OSK-W-19-1893	2500	Windfall N	182.4	452117	5435149	329	-45	55.5	58.0	2.5	7.77	
			<i>including</i>									
OSK-W-19-1894	2700	Windfall N	459.0	452278	5435429	151	-61	347.4	349.4	2.0	9.51	
			<i>including</i>									
OSK-W-19-1894	2700	Windfall N	459.0	452278	5435429	151	-61	347.8	348.7	0.9	20.7	
OSK-W-19-1896	2500	Windfall N	570.0	452141	5435109	329	-51	161.0	163.0	2.0	3.14	
OSK-W-19-1898	2625	Caribou	300.0	452490	5434706	327	-52	198.0	200.2	2.2	4.85	
OSK-W-19-1898	2625	Caribou	300.0	452490	5434706	327	-52	203.4	208.0	4.6	5.26	
OSK-W-19-1898	2625	Caribou	300.0	452490	5434706	327	-52	214.9	219.5	4.6	6.49	
OSK-W-19-1900	2475	Caribou_230	345.0	452619	5434731	323	-52	262.0	264.0	2.0	9.41	
			<i>including</i>									
OSK-W-19-1900	2475	Caribou	345.0	452619	5434731	323	-52	262.0	263.0	1.0	18.3	
OSK-W-19-1900	2475	Caribou	345.0	452619	5434731	323	-52	286.7	291.1	4.4	6.65	
OSK-W-19-1903	2450	Caribou corridor	564.0	452470	5434383	330	-60	394.6	397.4	2.8	6.18	
			<i>including</i>									
OSK-W-19-1904	2750	Caribou	624.0	452627	5434705	328	-50	395.5	396.4	0.9	16.9	



Windfall Lake Gold Project  
Quebec, Canada  
Assay Results  
Osisko Mining Inc. 2015-2019

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								298.0	298.3	0.3	361	100
OSK-W-19-1904	2750	Caribou	624.0	452627	5434705	328	-50	354.0	356.1	2.1	4.14	
<i>including</i>								354.6	355.1	0.5	10.0	
OSK-W-19-1904	2750	Z27_112	624.0	452627	5434705	328	-50	522.0	525.0	3.0	3.93	
OSK-W-19-1906	2575	Windfall N	240.0	452203	5435146	336	-54	99.7	101.7	2.0	7.10	
<i>including</i>								100.0	100.3	0.3	19.4	
<i>and</i>								100.3	100.7	0.4	16.4	
OSK-W-19-1911	2650	Windfall N	403.8	452154	5435378	147	-50	202.4	204.7	2.3	6.86	
<i>including</i>								203.4	203.7	0.3	39.0	
OSK-W-19-1911	2650	Windfall N	403.8	452154	5435378	147	-50	211.3	217.4	6.1	31.0	12.6
<i>including</i>								215.7	216.0	0.3	474	100
OSK-W-19-1911	2650	Windfall N	403.8	452154	5435378	147	-50	298.0	300.4	2.4	9.75	
<i>including</i>								300.1	300.4	0.3	74.8	
OSK-W-19-1911	2650	Windfall N	403.8	452154	5435378	147	-50	393.9	396.3	2.4	12.9	
<i>including</i>								394.6	395.4	0.8	30.1	
OSK-W-19-1915	4225	Lynx	651.0	454120	5435104	350	-70	562.2	564.9	2.7	3.25	
OSK-W-19-1915	4225	Lynx	651.0	454120	5435104	350	-70	568.2	570.7	2.5	3.12	
OSK-W-19-1915	4225	Lynx	651.0	454120	5435104	350	-70	585.0	587.1	2.1	7.84	
<i>including</i>								585.0	585.4	0.4	40.7	
OSK-W-19-1917	2500	Caribou_240	600.0	452555	5434363	329	-57	465.0	467.0	2.0	3.62	
OSK-W-19-1921-W1	3875	Lynx	951.0	453502	5435488	112	-52	787.0	789.1	2.1	19.9	
<i>including</i>								788.3	788.8	0.5	81.3	
OSK-W-19-1921-W1	3875	Lynx_333	951.0	453502	5435488	112	-52	837.4	840.0	2.6	5.78	
<i>including</i>								839.0	840.0	1.0	14.0	
OSK-W-19-1921-W1	3875	Lynx_312	951.0	453502	5435488	112	-52	897.6	900.0	2.4	4.01	
OSK-W-19-1921-W2	3875	Lynx_317	1080.4	453502	5435488	112	-52	877.3	879.9	2.6	3.67	
OSK-W-19-1921-W2	3875	Lynx_313	1080.4	453502	5435488	112	-52	953.0	956.0	3.0	5.52	
OSK-W-19-1921-W2	3875	Lynx_313	1080.4	453502	5435488	112	-52	958.0	961.6	3.6	5.67	
OSK-W-19-1921-W2	3875	Lynx_4	1080.4	453502	5435488	112	-52	1040.2	1043.7	3.5	7.83	
<i>including</i>								1041.2	1042.0	0.8	20.2	
OSK-W-19-1921-W2	3875	Lynx_4	1080.4	453502	5435488	112	-52	1049.3	1052.2	2.9	5.88	
OSK-W-19-1928	4225	Lynx_326	654.0	454120	5435104	329	-72	582.0	584.1	2.1	37.8	
<i>including</i>								583.3	584.1	0.8	99.0	
OSK-W-19-1932	4125	Lynx_326	711.0	453710	5435620	127	-55	671.7	675.8	4.1	31.3	
<i>including</i>								674.1	675.0	0.9	97.3	
OSK-W-19-1932-W1	4125	Lynx_326	723.0	453710	5435620	127	-55	688.3	690.5	2.2	3.40	
OSK-W-19-1932-W2	4125	Lynx_326	824.4	453710	5435620	127	-55	717.5	719.5	2.0	10.2	
OSK-W-19-1932-W2	4125	Lynx_324	824.4	453710	5435620	127	-55	745.0	747.0	2.0	86.5	70.4
<i>including</i>								745.6	747.0	1.4	123	100
OSK-W-19-1932-W2	4125	Lynx_4	824.4	453710	5435620	127	-55	800.9	803.0	2.1	85.8	20.0
<i>including</i>								801.8	802.2	0.4	445	100
OSK-W-19-1932-W2	4125	Lynx_4	824.4	453710	5435620	127	-55	808.0	810.0	2.0	29.6	27.2
<i>including</i>								808.5	809.0	0.5	110	100
OSK-W-19-1932-W3	4125	Lynx_314	803.0	453710	5435620	127	-55	722.7	724.8	2.1	6.65	
<i>including</i>								723.4	724.2	0.8	17.3	
OSK-W-19-1939	3600	Lynx	519.0	453285	5435277	126	-45	253.6	255.8	2.2	4.47	
OSK-W-19-1939	3600	Lynx_316	519.0	453285	5435277	126	-45	351.0	353.0	2.0	6.44	
OSK-W-19-1939	3600	Lynx_316	519.0	453285	5435277	126	-45	357.9	360.3	2.4	18.7	
<i>including</i>								357.9	358.4	0.5	68.3	
OSK-W-19-1942	3675	Lynx_327	930.0	453315	5435390	128	-54	861.2	863.5	2.3	11.3	
<i>including</i>								861.2	861.7	0.5	45.4	
OSK-W-19-1942	3675	Lynx	930.0	453315	5435390	128	-54	884.0	886.0	2.0	6.66	
<i>including</i>								884.5	885.0	0.5	17.4	
OSK-W-19-1942-W1	3700	Lynx_4	942.0	453315	5435390	128	-54	825.0	828.0	3.0	7.16	
<i>including</i>								825.0	826.5	1.5	13.4	
OSK-W-19-1942-W1	3700	Lynx_313	942.0	453315	5435390	128	-54	837.0	839.0	2.0	3.08	
OSK-W-19-1942-W1	3700	Lynx_4	942.0	453315	5435390	128	-54	844.0	846.0	2.0	12.8	
OSK-W-19-1942-W2	3700	Lynx_303	1056.0	453315	5435390	128	-54	398.5	400.5	2.0	9.48	
<i>including</i>								398.5	399.5	1.0	18.9	
OSK-W-19-1942-W2	3700	Lynx_313	1056.0	453315	5435390	128	-54	849.0	852.0	3.0	9.90	
<i>including</i>								851.5	852.0	0.5	28.8	
OSK-W-19-1942-W2	3700	Lynx_313	1056.0	453315	5435390	128	-54	857.2	859.4	2.2	15.2	
<i>including</i>								857.8	858.7	0.9	35.9	
OSK-W-19-1942-W2	3700	Lynx	1056.0	453315	5435390	128	-54	998.6	1003.4	4.8	6.89	
<i>including</i>								1003.0	1003.4	0.4	41.3	
OSK-W-19-1943	2575	Explo	297.0	452241	5435078	340	-47	106.5	108.5	2.0	5.46	
<i>including</i>								106.5	107.0	0.5	19.3	
OSK-W-19-1948	3600	Lynx_305	489.0	453286	5435277	121	-45	248.8	252.3	3.5	7.06	
<i>including</i>								248.8	249.7	0.9	17.3	
OSK-W-19-1948	3600	Lynx_306	489.0	453286	5435277	121	-45	380.2	382.2	2.0	5.98	
<i>including</i>								381.2	382.2	1.0	11.4	
OSK-W-19-1949	3825	Lynx	1073.0	453440	5435479	105	-57	731.0	733.0	2.0	3.19	
OSK-W-19-1949	3825	Lynx_317	1073.0	453440	5435479	105	-57	971.3	975.0	3.7	11.5	
<i>including</i>								972.1	973.1	1.0	31.2	
OSK-W-19-1949	3825	Lynx_330	1073.0	453440	5435479	105	-57	996.2	999.5	3.3	31.3	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
								996.2	997.1	0.9	74.2	
								999.1	999.5	0.4	79.0	
OSK-W-19-1949-W1	3825	Lynx_317	1071.0	453440	5435479	105	-57	987.0	990.3	3.3	53.1	18.7
								989.4	989.9	0.5	327	100
OSK-W-19-1949-W1	3825	Lynx_313	1071.0	453440	5435479	105	-57	1058.9	1060.9	2.0	20.2	
								1059.9	1060.9	1.0	40.2	
OSK-W-19-1949-W2	3825	Lynx	1127.3	453440	5435479	105	-57	701.0	704.1	3.1	7.88	
OSK-W-19-1949-W2	3825	Lynx	1127.3	453440	5435479	105	-57	719.0	721.0	2.0	288	17.4
								719.7	720.0	0.3	1905	100
OSK-W-19-1949-W2	3825	Lynx_333	1127.3	453440	5435479	105	-57	998.2	1000.2	2.0	7.72	
OSK-W-19-1950	2525	Vein	228.0	452167	5435110	343	-46	32.3	34.6	2.3	38.9	13.5
								32.3	32.6	0.3	295	100
OSK-W-19-1952	3575	Lynx_311	486.0	453236	5435306	132	-51	338.1	341.0	2.9	28.4	
								340.0	341.0	1.0	72.7	
OSK-W-19-1952	3575	Lynx	486.0	453236	5435306	132	-51	346.0	350.0	4.0	4.67	
OSK-W-19-1952	3575	Lynx_308	486.0	453236	5435306	132	-51	373.9	379.0	5.1	14.2	
OSK-W-19-1952	3575	Lynx_310	486.0	453236	5435306	132	-51	383.0	387.7	4.7	21.1	
								384.0	384.5	0.5	40.9	
								386.9	387.7	0.8	79.3	
OSK-W-19-1954	2625	Windfall Nord	246.0	452256	5435146	339	-52	61.6	64.4	2.8	27.8	
								63.6	64.4	0.8	89.6	
OSK-W-19-1958	3850	Lynx	1065.0	453430	5435572	111	-52	690.7	693.0	2.3	12.9	
								692.3	693.0	0.7	41.6	
OSK-W-19-1958	3850	Lynx_317	1065.0	453430	5435572	111	-52	970.3	977.3	7.0	7.94	
								972.1	972.5	0.4	27.9	
OSK-W-19-1958-W1	3850	Lynx_317	1104.0	453430	5435572	111	-52	975.4	977.8	2.4	8.50	
OSK-W-19-1958-W1	3850	Lynx_313	1104.0	453430	5435572	111	-52	1028.0	1030.0	2.0	3.51	
OSK-W-19-1958-W1	3850	Lynx_312	1104.0	453430	5435572	111	-52	1050.0	1052.5	2.5	8.31	
OSK-W-19-1958-W1	3850	Lynx_312	1104.0	453430	5435572	111	-52	1075.3	1077.5	2.2	5.14	
OSK-W-19-1958-W2	3850	Lynx_317	1158.0	453430	5435572	111	-52	1001.3	1007.1	5.8	80.7	52.8
								1002.7	1003.2	0.5	325	100
OSK-W-19-1962	3375	Lynx_310	455.0	453261	5434881	338	-54	232.4	234.4	2.0	5.41	
								234.0	234.4	0.4	22.3	
OSK-W-19-1962	3375	Lynx_307	455.0	453261	5434881	338	-54	306.5	308.8	2.3	5.83	
OSK-W-19-1963-W1	4275	Lynx_4	1461.0	453761	5435816	123	-58	1325.5	1327.9	2.4	56.9	55.9
OSK-W-19-1963-W1	4275	Lynx_4	1461.0	453761	5435816	123	-58	1326.6	1327.6	1.0	103	100
OSK-W-19-1963-W2	4275	Lynx_4	1424.0	453761	5435816	123	-58	1319.2	1324.4	5.2	13.8	
								1319.2	1320.7	1.5	26.8	
OSK-W-19-1963-W2	4275	Lynx_4	1424.0	453761	5435816	123	-58	1337.8	1341.8	4.0	13.0	
								1341.2	1341.8	0.6	45.9	
OSK-W-19-1963-W3	4275	Lynx_4	1459.6	453761	5435816	123	-58	1348.9	1356.0	7.1	27.5	21.0
								1353.2	1354.4	1.2	134	95.8
OSK-W-19-1963-W4	4275	Lynx	1487.4	453761	5435816	123	-58	1230.5	1234.7	4.2	49.4	34.4
								1233.5	1234.7	1.2	152	100
OSK-W-19-1963-W4	4275	Lynx_4	1487.4	453761	5435816	123	-58	1444.0	1448.7	4.7	14.4	
								1444.0	1445.0	1.0	28.8	
OSK-W-19-1963-W5	4275	Lynx_4	1616.0	453761	5435816	123	-58	1466.6	1470.4	3.8	19.5	
								1469.0	1470.4	1.4	42.8	
OSK-W-19-1966	2475	Windfall Nord	195.0	452091	5435139	343	-52	90.0	92.0	2.0	4.69	
OSK-W-19-1969	3025	Lynx	336.0	452832	5434947	164	-51	315.0	317.0	2.0	3.09	
OSK-W-19-1970	2425	Underdog	2274.0	451913	5435346	90	-51	1658.8	1662.0	3.2	5.75	
OSK-W-19-1970	2425	Vein	2274.0	451913	5435346	90	-51	1674.0	1675.0	1.0	62.3	
OSK-W-19-1970	2425	Underdog	2274.0	451913	5435346	90	-51	1770.9	1773.0	2.1	14.1	
								1771.3	1772.0	0.7	41.4	
OSK-W-19-1970	2425	Triple 8	2274.0	451913	5435346	90	-51	2191.2	2198.8	7.6	9.58	9.09
								2191.8	2192.1	0.3	112	100
OSK-W-19-1971	2525	Explo	147.0	452134	5435132	343	-46	135.0	137.4	2.4	3.28	
OSK-W-19-1975	4325	Triple Lynx	1716.0	453768	5435892	119	-58	1510.9	1512.9	2.0	7.98	
OSK-W-19-1975	4325	Triple Lynx	1716.0	453768	5435892	119	-58	1511.2	1512.0	0.8	18.3	
OSK-W-19-1978	2750	Windfall Nord	490.2	452479	5435006	341	-48	454.0	456.0	2.0	12.1	
								454.7	455.4	0.7	33.1	
OSK-W-19-1982	3200	Bobcat	363.0	452974	5435016	163	-53	158.7	161.9	3.2	10.6	
OSK-W-19-1991	3375	Lynx_336	1266.0	453561	5434349	358	-46	852.1	854.3	2.2	5.27	
OSK-W-19-1991	3375	Triple Lynx	1266.0	453561	5434349	358	-46	1127.3	1129.9	2.6	5.82	
OSK-W-19-1991	3375	Triple Lynx	1266.0	453561	5434349	358	-46	1127.3	1128.0	0.7	14.0	
OSK-W-19-1992-W1	4575	Lynx_4	1875.0	454007	5436004	106	-61	1393.2	1396.7	3.5	10.2	
OSK-W-19-1992-W1	4575	Lynx_4	1875.0	454007	5436004	106	-61	1399.9	1403.2	3.3	16.3	
OSK-W-19-1992-W1	4575	Lynx_4	1875.0	454007	5436004	106	-61	1708.4	1714.3	5.9	14.3	
								1711.0	1711.6	0.6	97.8	
OSK-W-19-1999	2975	Bobcat	213.0	452756	5434973	319	-45	122.8	125.0	2.2	29.0	23.0
								122.8	123.3	0.5	127	100
OSK-W-19-2003	3075	Bobcat	186.0	452838	5435025	330	-47	85.8	90.2	4.4	3.06	
OSK-W-19-2004	3150	Bobcat	252.0	452924	5434976	323	-47	213.6	216.9	3.3	5.31	
								216.0	216.9	0.9	15.6	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-19-2009	3175	Bobcat	288.0	452947	5435015	169	-49	145.6	147.8	2.2	3.87	
OSK-W-19-2009	3175	Bobcat	288.0	452947	5435015	169	-49	170.1	174.2	4.1	4.97	
			including									
			170.1									
OSK-W-19-2011	3825	Lynx_301	492.0	453465	5435434	150	-47	463.8	466.0	2.2	22.6	
			including									
			463.8									
OSK-W-19-2012	3650	Lynx_310	321.0	453482	5435045	359	-69	303.0	307.2	4.2	52.3	50.5
			including									
			306.0									
			306.5									
OSK-W-19-2013	3200	F11	201.0	452491	5435886	149	-45	101.6	104.2	2.6	15.5	
			including									
			101.6									
			102.0									
OSK-W-19-2015	3925	Lynx_315	780.0	453481	5435590	132	-50	698.5	700.5	2.0	32.9	
			including									
			699.2									
OSK-W-19-2015	3925	Lynx_315	780.0	453481	5435590	132	-50	703.9	706.0	2.1	3.38	
			including									
			704.5									
OSK-W-19-2020	2400	Bobcat	294.0	452727	5434929	163	-45	68.0	70.0	2.0	9.10	
			including									
			68.6									
OSK-W-19-2020	2400	Bobcat	294.0	452727	5434929	163	-45	166.0	168.0	2.0	7.22	
			including									
			166.0									
OSK-W-19-2020	2400	Bobcat	294.0	452727	5434929	163	-45	185.0	187.0	2.0	5.61	
			including									
			186.6									
OSK-W-19-2020	2400	Bobcat	294.0	452727	5434929	163	-45	190.0	192.0	2.0	3.14	
OSK-W-19-2023	3050	Bobcat	243.0	452825	5434978	157	-49	158.0	160.0	2.0	37.2	25.6
			including									
			158.5									
OSK-W-19-2025	3200	Bobcat	276.0	452977	5435033	157	-51	112.9	115.4	2.5	7.24	
			including									
			114.8									
OSK-W-19-2025	3200	Bobcat	276.0	452977	5435033	157	-51	243.6	246.1	2.5	6.88	
OSK-W-19-2025	3200	Bobcat	276.0	452977	5435033	157	-51	254.0	256.0	2.0	3.71	
OSK-W-19-2026	3700	Triple Lynx	1302.0	453214	5435642	123	-56	1079.6	1089.7	10.1	8.77	
			including									
			1086.3									
			1089.3									
OSK-W-19-2026-W1	3700	Triple Lynx	1152.0	453214	5435642	123	-56	824.1	826.2	2.1	3.43	
			including									
			825.5									
OSK-W-19-2026-W1	3700	Triple Lynx	1152.0	453214	5435642	123	-56	847.7	853.4	5.7	3.70	
OSK-W-19-2026-W1	3700	Triple Lynx	1152.0	453214	5435642	123	-56	890.1	892.2	2.1	9.56	
OSK-W-19-2026-W1	3700	Triple Lynx	1152.0	453214	5435642	123	-56	982.0	984.0	2.0	6.89	
OSK-W-19-2026-W1	3700	Triple Lynx	1152.0	453214	5435642	123	-56	988.5	990.7	2.2	5.04	
OSK-W-19-2032	1950	Underdog	909.0	451949	5434310	360	-48	685.5	687.6	2.1	3.25	
OSK-W-19-2033	3250	Bobcat	174.0	453007	5435076	307	-49	79.0	81.5	2.5	13.5	
			including									
			79.7									
			80.2									
OSK-W-19-2035	3775	Lynx_321	780.0	453421	5435432	134	-51	505.7	508.0	2.3	4.55	
			including									
			506.4									
OSK-W-19-2035	3775	Lynx_315	780.0	453421	5435432	134	-51	672.9	677.0	4.1	14.1	
			including									
			675.9									
			676.3									
OSK-W-19-2036	2975	Bobcat	153.0	452726	5435006	316	-46	26.2	28.3	2.1	16.6	
			including									
			26.2									
OSK-W-19-2037	3075	F11	183.0	452431	5435770	308	-45	23.0	25.0	2.0	14.9	
OSK-W-19-2038	2925	Bobcat	111.0	452690	5435003	322	-46	23.7	26.1	2.4	18.2	
			including									
			24.5									
OSK-W-19-2038	2925	Bobcat	111.0	452690	5435003	322	-46	63.0	65.0	2.0	22.9	
			including									
			63.5									
OSK-W-19-2043	4050	Lynx HW	831.0	453585	5435675	131	-49	736.2	738.4	2.2	3.48	
OSK-W-19-2046	3275	F17	255.0	452726	5435636	150	-54	146.0	148.1	2.1	3.84	
			including									
			146.0									
OSK-W-19-2048	3875	Lynx_301	531.0	453502	5435475	137	-48	480.0	482.0	2.0	12.2	
			including									
			480.0									
OSK-W-19-2055	4075	F51	291.0	453608	5435712	337	-46	193.9	196.0	2.1	7.03	
OSK-W-19-2064	4050	Lynx_314	912.0	453622	5435635	127	-55	793.0	795.2	2.2	4.13	
OSK-W-19-2068	3675	Lynx_330	1098.0	453316	5435389	116	-53	844.3	846.6	2.3	56.0	35.7
			including									
			845.8									
			846.6									
OSK-W-19-2068-W1	3675	Lynx_313	1049.0	453316	5435389	116	-53	903.0	911.7	8.7	8.85	
			including									
			905.0									
OSK-W-19-2068-W1	3675	Lynx_4	1049.0	453316	5435389	116	-53	920.2	922.5	2.3	7.15	
OSK-W-19-2077	3575	Triple Lynx	1122.6	453147	5435489	127	-57	763.5	767.0	3.5	6.10	
			including									
			763.5									
OSK-W-19-2077	3575	Triple Lynx	1122.6	453147	5435489	127	-57	770.0	776.0	6.0	10.7	
			including									
			771.8									
			772.9									
WST-18-0004	2675	Zone 27	195.7	452383	5435015	112	-56	160.7	163.0	2.3	13.0	
			including									
			160.7									
WST-18-0006	2675	Zone 27	114.3	452383	5435013	136	-44	77.0	79.0	2.0	8.80	
			including									
			78.1									
WST-18-0017	2575	Zone 27	177.1	452279	5434973	192	-6	76.6	79.0	2.4	12.8	
			including									
			76.6									
WST-19-0127b	3475	Lynx_311	54.5	453252	5435110	154	-5	41.3	44.4	3.1	21.9	13.8



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								41.9	42.2	0.3	185	100
WST-19-0150B	3475	Lynx_311	72.4	453252	5435110	145	-14	44.0	46.1	2.1	17.7	
WST-19-0142A	3500	Lynx_311	123.4	453268	5435108	136	-30	45.6	48.0	2.4	11.5	
<i>including</i>								46.6	47.1	0.5	53.6	
WST-19-0161A	2400	Caribou_201	132.4	452234	5434710	311	-38	49.0	52.0	3.0	5.70	
WST-19-0150B	3475	Lynx_311	72.4	453252	5435110	145	-14	49.8	51.9	2.1	33.5	26.7
<i>including</i>								49.8	50.2	0.4	136	100
<i>including</i>								51.0	51.4	0.4	21.3	
WST-19-0142A	3500	Lynx_308	123.4	453268	5435108	136	-30	54.5	58.0	3.5	9.86	
WST-19-0165A	3525	Lynx_310	126.7	453290	5435116	130	-15	57.0	59.0	2.0	9.81	
<i>including</i>								58.0	59.0	1.0	18.4	
WST-19-0165A	3525	Lynx_310	126.7	453290	5435116	130	-15	63.0	65.0	2.0	10.6	
WST-19-0065A	2175	Zone 27	132.9	451958	5434734	198	-12	64.8	68.3	3.5	4.02	
WST-19-0054A	2175	Z27	155.5	451959	5434734	157	46	66.0	68.7	2.7	9.37	
<i>including</i>								67.7	68.7	1.0	23.3	
WST-19-0065A	2175	Zone 27	132.9	451958	5434734	198	-12	77.3	79.3	2.0	13.1	
WST-19-0165A	3525	Lynx_304	126.7	453290	5435116	130	-15	84.0	86.0	2.0	4.56	
WST-19-0065A	2175	Z27	132.9	451958	5434734	198	-12	86.4	89.9	3.5	12.0	
<i>including</i>								86.4	87.1	0.7	36.5	
WST-19-0142A	3500	Lynx_305	123.4	453268	5435108	136	-30	103.0	105.0	2.0	5.92	
<i>including</i>								103.6	103.9	0.3	38.4	
WST-19-0142A	3500	Lynx_304	123.4	453268	5435108	136	-30	110.0	112.7	2.7	81.0	40.9
<i>including</i>								110.8	111.9	1.1	199	100.0
WST-19-0160A	2400	Z27_102	225.4	452234	5434710	324	-49	121.4	123.8	2.4	7.15	
WST-18-0023	2575	Z27	102.3	452280	5434973	179	-36	44.4	47.0	2.6	3.58	
<i>including</i>								44.4	44.7	0.3	25.5	
WST-18-0024	2575	Mallard	180.6	452280	5434973	170	-39	25.7	28.1	2.4	26.5	
WST-18-0025	2575	Z27	102.4	452280	5434974	159	12	33.0	35.0	2.0	7.96	
<i>including</i>								33.4	34.3	0.9	17.7	
WST-18-0025	2575	Z27	102.4	452280	5434974	159	12	65.0	67.0	2.0	2223	42.8
<i>including</i>								66.2	67.0	0.8	5550	100
WST-18-0026	2575	Z27	145.0	452280	5434974	159	-31	49.4	51.6	2.2	3.80	
<i>including</i>								49.4	49.7	0.3	25.6	
WST-18-0026	2575	Z27	145.0	452280	5434974	159	-31	107.4	110.0	2.6	4.31	
WST-18-0027	2575	Z27	105.6	452280	5434974	159	-44	91.0	93.0	2.0	11.1	
WST-18-0035	2200	Z27	126.5	452057	5434604	314	-2	56.0	58.0	2.0	14.9	
<i>including</i>								56.0	57.0	1.0	29.5	
WST-18-0035	2200	Z27	126.5	452057	5434604	314	-2	60.9	65.0	4.1	5.98	
<i>including</i>								63.9	64.2	0.3	44.2	
WST-18-0036	2200	Z27	135.5	452057	5434604	308	-2	63.5	67.1	3.6	4.77	
<i>including</i>								66.3	67.1	0.8	12.6	
WST-18-0039	2250	Z27	147.6	452024	5434760	166	-34	98.0	100.0	2.0	3.82	
<i>including</i>								98.9	99.4	0.5	11.0	
WST-18-0039	2250	Caribou	147.6	452024	5434760	166	-34	140.0	146.4	6.4	8.98	
WST-18-0048	2250	Z27	142.0	452025	5434760	164	-39	73.0	75.0	2.0	4.67	
<i>including</i>								73.5	74.0	0.5	17.1	
WST-19-0055	2175	Z27	114.4	451960	5434734	157	31	66.7	68.7	2.0	4.87	
<i>including</i>								68.2	68.7	0.5	17.4	
WST-19-0056	2175	Z27	144.2	451959	5434734	165	35	65.0	69.8	4.8	3.57	
WST-19-0057	2175	Z27	165.0	451959	5434734	171	42	67.3	72.0	4.7	4.99	
WST-19-0057	2175	Z27	165.0	451959	5434734	171	42	75.8	78.0	2.2	4.47	
WST-19-0058	2175	Z27	117.7	451959	5434734	171	31	61.8	66.5	4.7	3.08	
<i>including</i>								65.5	66.5	1.0	9.55	
WST-19-0058	2175	Zone 27	117.7	451959	5434734	171	31	83.0	85.0	2.0	139	15.2
<i>including</i>								83.0	83.3	0.3	927	100
WST-19-0059	2175	Z27	152.0	451959	5434734	176	55	81.0	83.7	2.7	5.16	
WST-19-0059	2175	Z27	152.0	451959	5434734	176	55	96.7	100.6	3.9	4.40	
WST-19-0059	2175	Z27_114	152.0	451959	5434734	176	55	103.0	105.2	2.2	14.8	
<i>including</i>								103.5	103.9	0.4	61.9	
WST-19-0059	2175	Z27	152.0	451959	5434734	176	55	113.8	116.1	2.3	4.08	
WST-19-0060	2175	Z27	165.1	451959	5434734	176	49	69.9	73.0	3.1	4.72	
WST-19-0060	2175	Z27	165.1	451959	5434734	176	49	80.0	82.6	2.6	59.9	27.6
<i>including</i>								81.9	82.6	0.7	220	100
WST-19-0062	2175	Zone 27	150.4	451959	5434734	187	37	75.0	77.2	2.2	18.2	
WST-19-0062	2175	Zone 27	150.4	451959	5434734	187	37	120.0	122.0	2.0	21.1	
<i>including</i>								121.1	122.0	0.9	46.0	
WST-19-0063	2175	Z27	120.6	451959	5434734	187	25	93.0	95.0	2.0	15.0	
<i>including</i>								93.0	94.0	1.0	29.3	
WST-19-0064	2175	Zone 27	150.0	451958	5434734	198	51	131.0	136.2	5.2	12.8	
<i>including</i>								131.0	132.1	1.1	49.1	
WST-19-0066	2175	Zone 27	147.2	451958	5434735	207	25	98.8	100.8	2.0	13.1	
<i>including</i>								98.8	99.5	0.7	35.7	
WST-19-0066	2175	Vein	147.2	451958	5434735	207	25	109.5	112.0	2.5	130	36.3
<i>including</i>								110.3	111.2	0.9	361	100





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
WST-19-0068	2175	Zone 27	152.4	451957	5434735	218	58	63.0	65.4	2.4	7.19	
WST-19-0068	2175	Zone 27	152.4	451957	5434735	218	58	98.0	100.0	2.0	5.59	
WST-19-0068	2175	Zone 27	152.4	451957	5434735	218	58	134.2	142.0	7.8	5.83	
WST-19-0069	2175	Zone 27	156.0	451957	5434735	218	50	120.4	122.9	2.5	4.68	
WST-19-0069	2175	Zone 27	156.0	451957	5434735	218	50	127.9	130.0	2.1	15.0	
WST-19-0072	2400	Z27_108	138.3	452158	5434858	120	22	96.5	98.5	2.0	5.07	
WST-19-0080	2300	Zone 27	177.5	452147	5434645	336	-55	127.0	129.0	2.0	3.78	
		including						127.5	127.9	0.4	16.2	
WST-19-0083	2300	Zone 27	135.5	452147	5434644	322	-42	93.1	95.7	2.6	32.9	
		including						93.1	94.0	0.9	89.4	
WST-19-0085	2300	Caribou	162.4	452147	5434644	322	-58	6.4	8.5	2.1	5.73	
WST-19-0085	2300	Zone 27	162.4	452147	5434644	322	-58	122.7	124.7	2.0	29.0	
WST-19-0085	2300	Zone 27	162.4	452147	5434644	322	-58	133.0	135.3	2.3	3.62	
		including						135.0	135.3	0.3	13.6	
WST-19-0088	2300	Caribou	135.6	452147	5434645	307	16	11.8	14.4	2.6	4.37	
WST-19-0088	2300	Caribou_201	135.6	452147	5434645	307	16	58.9	61.0	2.1	4.67	
WST-19-0088	2300	Zone 27	135.6	452147	5434645	307	16	83.2	86.0	2.8	6.28	
WST-19-0089	3450	Lynx_311	99.5	453219	5435116	131	-14	75.4	77.6	2.2	4.05	
		including						75.4	76.0	0.6	10.9	
WST-19-0090	3450	Lynx_311	99.4	453219	5435116	127	-30	85.0	87.4	2.4	5.23	
		including						85.7	86.5	0.8	15.3	
WST-19-0091	3450	Lynx_311	99.5	453219	5435116	123	-26	85.5	89.8	4.3	21.5	17.5
		including						85.5	86.1	0.6	129	100
WST-19-0092	3450	Lynx_311	107.7	453219	5435116	123	-22	87.0	89.0	2.0	3.33	
		including						88.1	88.4	0.3	17.5	
WST-19-0093	3450	Lynx_311	120.6	453219	5435116	123	-13	72.6	74.7	2.1	24.6	
		including						73.2	73.7	0.5	100	100
WST-19-0093	3450	Lynx_308	120.6	453219	5435116	123	-13	86.3	89.3	3.0	42.1	
WST-19-0094	3450	Lynx_311	93.6	453219	5435116	136	-14	62.7	65.1	2.4	2.91	
WST-19-0097	3450	Lynx_311	96.5	453218	5435115	152	-12	65.9	68.0	2.1	14.2	
		including						65.9	66.5	0.6	46.3	
WST-19-0098	3450	Lynx_311	84.7	453218	5435115	157	-14	66.0	68.7	2.7	38.7	25.6
		including						66.6	67.2	0.6	159	100
WST-19-0099	3450	Lynx_311	99.5	453219	5435116	131	-28	76.5	78.5	2.0	28.5	15.7
		including						77.9	78.2	0.3	185	100
WST-19-0100	3450	Lynx_311	90.6	453219	5435116	137	-20	69.4	72.5	3.1	34.1	18.6
		including						72.2	72.5	0.3	260	100
WST-19-0101	3450	Lynx_311	90.4	453219	5435116	137	-25	73.0	75.0	2.0	7.66	
		including						74.0	74.3	0.3	47.9	
WST-19-0102	3450	Lynx_311	84.6	453218	5435115	162	-12	65.6	68.1	2.5	6.12	
		including						66.2	66.5	0.3	48.7	
WST-19-0106	3450	Lynx_311	135.6	453218	5435115	152	-18	65.0	68.0	3.0	10.2	
		including						66.8	67.3	0.5	36.9	
WST-19-0106	3450	Lynx_310	135.6	453218	5435115	152	-18	108.7	111.0	2.3	5.04	
		including						109.8	110.1	0.3	33.0	
WST-19-0106	3450	Lynx_304	135.6	453218	5435115	152	-18	126.6	130.7	4.1	64.2	11.6
		including						126.6	127.0	0.4	639	100
WST-19-0107	3450	Lynx_311	135.6	453218	5435115	152	-22	66.0	68.6	2.6	9.94	
		including						67.8	68.6	0.8	25.8	
WST-19-0108	3450	Lynx_311	135.6	453219	5435115	147	-19	67.1	69.4	2.3	22.5	
		including						67.6	68.5	0.9	54.7	
WST-19-0111	3450	Lynx_311	132.0	453219	5435116	141	-23	70.4	72.5	2.1	13.3	
		including						71.8	72.5	0.7	37.8	
WST-19-0112	3450	Lynx_311	138.7	453219	5435116	141	-28	70.8	73.1	2.3	17.2	
WST-19-0113	3450	Lynx_311	138.5	453219	5435116	137	-29	75.4	77.7	2.3	82.9	20.7
		including						75.4	75.8	0.4	458	100
WST-19-0114	3450	Lynx_311	135.6	453219	5435116	147	-33	71.0	73.3	2.3	5.89	
		including						71.7	72.4	0.7	18.3	
WST-19-0115	3450	Lynx_311	141.4	453219	5435116	141	-32	72.4	74.8	2.4	17.1	
		including						73.0	73.6	0.6	68.1	
WST-19-0116	3450	Lynx	144.5	453219	5435116	137	-33	87.6	91.1	3.5	26.9	12.6
		including						89.0	89.3	0.3	267	100
WST-19-0116	3450	Lynx_310	144.5	453219	5435116	137	-33	99.0	104.2	5.2	3.91	
		including						103.6	104.2	0.6	19.6	
WST-19-0117	3450	Lynx_308	162.5	453220	5435116	121	-1	84.5	89.5	5.0	132	34.2
		including						84.5	86.0	1.5	418	91.1
		including						85.5	86.0	0.5	922	100
WST-19-0118	3475	Lynx_311	108.8	453252	5435110	161	-14	44.0	47.0	3.0	18.0	
		including						46.4	47.0	0.6	81.9	
WST-19-0119	3475	Lynx_311	156.7	453252	5435110	144	-35	55.7	57.9	2.2	3.94	
		including						56.4	56.9	0.5	16.6	
WST-19-0119	3475	Lynx_310	156.7	453252	5435110	144	-35	87.0	89.0	2.0	106	25.2
		including						88.5	89.0	0.5	425	100
WST-19-0119	3475	Lynx	156.7	453252	5435110	144	-35	97.6	99.7	2.1	4.09	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2019**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
WST-19-0119	3475	Lynx_305	156.7	453252	5435110	144	-35	108.0	110.0	2.0	3.07	
WST-19-0120	3475	Lynx_311	135.7	453253	5435110	134	-33	59.2	63.2	4.0	7.34	
			including									
WST-19-0120	3475	Lynx_304	135.7	453253	5435110	134	-33	128.3	130.7	2.4	10.5	
WST-19-0121	3475	Lynx_308	131.5	453253	5435110	134	3	54.4	58.0	3.6	8.66	
WST-19-0121	3475	Lynx_305	131.5	453253	5435110	134	3	108.4	110.4	2.0	9.53	
			including									
WST-19-0122	3475	Lynx_311	138.4	453253	5435110	137	-7	44.0	46.0	2.0	32.9	15.3
			including									
WST-19-0122	3475	Lynx_308	138.4	453253	5435110	137	-7	55.0	57.0	2.0	50.8	26.2
			including									
WST-19-0123	3475	Lynx_308	135.4	453253	5435110	132	-17	58.5	61.2	2.7	3.51	
			including									
WST-19-0123	3475	Lynx_304	135.4	453253	5435110	132	-17	113.6	116.0	2.4	6.77	
WST-19-0124	3475	Lynx_311	81.2	453253	5435110	128	-30	60.9	65.6	4.7	37.2	16.5
			including									
WST-19-0125	3475	Lynx_311	64.1	453252	5435110	150	-17	47.0	49.0	2.0	85.3	31.1
			including									
WST-19-0125	3475	Lynx_308	64.1	453252	5435110	150	-17	60.0	62.0	2.0	7.36	
WST-19-0126	3475	Lynx	69.6	453252	5435110	143	-7	42.0	44.0	2.0	6.60	
			including									
WST-19-0126	3475	Lynx_311	69.6	453252	5435110	143	-7	42.9	43.5	0.6	21.2	
			including									
WST-19-0128	3475	Lynx_311	138.6	453252	5435110	137	-28	51.4	54.4	3.0	10.7	
			including									
WST-19-0129	3475	Lynx_311	66.6	453252	5435109	151	-27	60.5	62.6	2.1	4.59	
			including									
WST-19-0130	3475	Lynx_311	141.5	453252	5435110	154	-33	50.8	54.3	3.5	37.0	24.3
			including									
WST-19-0131	3475	Lynx_311	128.8	453252	5435110	143	24	50.0	52.4	2.4	13.8	
			including									
WST-19-0131	3475	Lynx_308	128.8	453252	5435110	143	24	56.6	59.1	2.5	92.1	28.6
			including									
			including									
WST-19-0131	3475	Lynx_305	128.8	453252	5435110	143	24	82.5	84.6	2.1	12.9	
WST-19-0132	3475	Lynx_308	129.4	453252	5435110	143	16	51.2	58.5	7.3	14.5	9.91
			including									
WST-19-0132	3475	Lynx_310	129.4	453252	5435110	143	16	72.1	74.1	2.0	27.3	
			including									
WST-19-0132	3475	Lynx	129.4	453252	5435110	143	16	78.5	80.7	2.2	3.03	
WST-19-0132	3475	Lynx_304	129.4	453252	5435110	143	16	104.6	107.3	2.7	6.68	
			including									
WST-19-0132	3475	Lynx	129.4	453252	5435110	143	16	122.0	124.0	2.0	4.17	
			including									
WST-19-0133	3475	Lynx	129.4	453252	5435110	154	27	45.0	47.4	2.4	16.2	
			including									
WST-19-0133	3475	Lynx_311	129.4	453252	5435110	154	27	52.9	59.1	6.2	12.9	12.4
			including									
			including									
			including									
WST-19-0133	3475	Lynx	129.4	453252	5435110	154	27	67.2	69.3	2.1	4.63	
			including									
WST-19-0133	3475	Lynx_306	129.4	453252	5435110	154	27	110.1	113.1	3.0	26.2	15.8
			including									
WST-19-0134	3475	Lynx_308	126.5	453251	5435110	154	14	51.9	54.0	2.1	10.8	
			including									
WST-19-0134	3475	Lynx_308	126.5	453251	5435110	154	14	58.1	60.1	2.0	16.6	
			including									
WST-19-0134	3475	Lynx_310	126.5	453251	5435110	154	14	58.8	59.7	0.9	35.6	
			including									
WST-19-0134	3475	Lynx_304	126.5	453251	5435110	154	14	71.5	73.7	2.2	10.5	
			including									
WST-19-0134	3475	Lynx_304	126.5	453251	5435110	154	14	110.8	113.0	2.2	149	27.3
			including									
WST-19-0136	3500	Lynx_308	107.5	453266	5435107	149	12	41.1	45.1	4.0	8.51	
WST-19-0136	3500	Lynx_308	107.5	453266	5435107	149	12	46.0	48.0	2.0	4.21	
WST-19-0136	3500	Lynx_310	107.5	453266	5435107	149	12	67.7	69.8	2.1	15.9	
WST-19-0136	3500	Lynx_304	107.5	453266	5435107	149	12	94.8	102.2	7.4	5.98	
			including									
WST-19-0137	3500	Lynx_308	129.4	453268	5435108	136	13	50.4	56.3	5.9	17.5	15.9
			including									
			including									
WST-19-0137	3500	Lynx_305	129.4	453268	5435108	136	13	55.9	56.3	0.4	124	100
WST-19-0137	3500	Lynx_304	129.4	453268	5435108	136	13	96.0	98.0	2.0	10.4	
WST-19-0138	3500	Lynx_311	120.4	453268	5435108	136	3	107.0	109.1	2.1	63.6	50.1
			including									
WST-19-0138	3500	Lynx_308	120.4	453268	5435108	136	3	38.0	40.0	2.0	13.5	
			including									
WST-19-0138	3500	Lynx_308	120.4	453268	5435108	136	3	38.9	39.6	0.7	38.0	
			including									
WST-19-0138	3500	Lynx_308	120.4	453268	5435108	136	3	50.0	52.0	2.0	45.9	18.0



Windfall Lake Gold Project  
Quebec, Canada  
Assay Results  
Osisko Mining Inc. 2015-2019

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	
			<i>including</i>						50.4	50.7	0.3	286	100
WST-19-0138	3500	Lynx	120.4	453268	5435108	136	3	68.0	70.4	2.4	5.52		
			<i>including</i>						68.5	69.4	0.9	14.5	
WST-19-0138	3500	Lynx_304	120.4	453268	5435108	136	3	96.0	98.0	2.0	3.04		
			<i>including</i>						96.5	97.1	0.6	9.91	
WST-19-0138	3500	Lynx_304	120.4	453268	5435108	136	3	100.0	102.3	2.3	63.2	39.3	
			<i>including</i>						100.6	101.5	0.9	161	100
WST-19-0139	3500	Lynx_308	120.5	453266	5435107	134	-8	52.2	54.6	2.4	4.08		
WST-19-0139	3500	Lynx_304	120.5	453266	5435107	134	-8	103.0	105.0	2.0	119	46.6	
			<i>including</i>						103.0	103.9	0.9	262	100
WST-19-0140	3500	Lynx	120.4	453266	5435107	134	-16	42.0	44.0	2.0	7.58		
			<i>including</i>						43.1	43.4	0.3	48.2	
WST-19-0140	3500	Lynx_308	120.4	453266	5435107	134	-16	53.4	57.7	4.3	9.00		
			<i>including</i>						53.4	53.8	0.4	76.0	
WST-19-0140	3500	Lynx_304	120.4	453266	5435107	134	-16	102.8	105.4	2.6	10.3		
WST-19-0141	3500	Lynx_308	120.4	453266	5435107	134	-22	53.0	55.4	2.4	3.91		
			<i>including</i>						53.7	54.4	0.7	11.8	
WST-19-0141	3500	Lynx_308	120.4	453266	5435107	134	-22	59.0	61.1	2.1	10.9		
			<i>including</i>						59.0	59.3	0.3	73.7	
WST-19-0141	3500	Lynx_305	120.4	453266	5435107	134	-22	88.4	90.5	2.1	18.4		
WST-19-0141	3500	Lynx_304	120.4	453266	5435107	134	-22	103.2	105.4	2.2	5.89		
			<i>including</i>						105.1	105.4	0.3	42.7	
WST-19-0143	3500	Lynx_311	135.3	453266	5435107	134	-38	53.0	55.1	2.1	115	40.5	
			<i>including</i>						53.8	54.3	0.5	342	100
			<i>including</i>						54.8	55.1	0.3	221	100
WST-19-0143	3500	Lynx_308	135.3	453266	5435107	134	-38	69.7	71.8	2.1	16.1		
			<i>including</i>						69.7	70.4	0.7	48.2	
WST-19-0143	3500	Lynx	135.3	453266	5435107	134	-38	81.0	83.0	2.0	4.85		
			<i>including</i>						81.7	82.1	0.4	23.3	
WST-19-0143	3500	Lynx_304	135.3	453266	5435107	134	-38	117.5	119.7	2.2	3.27		
WST-19-0144	3500	Lynx_308	123.4	453268	5435109	128	2	57.1	60.0	2.9	5.61		
			<i>including</i>						57.1	57.5	0.4	22.1	
WST-19-0144	3500	Lynx_310	123.4	453268	5435109	128	2	68.6	70.8	2.2	9.42		
			<i>including</i>						70.5	70.8	0.3	28.4	
WST-19-0144	3500	Lynx_304	123.4	453268	5435109	128	2	101.6	104.0	2.4	47.2		
			<i>including</i>						102.8	104.0	1.2	80.5	
WST-19-0145	3525	Lynx_310	141.5	453290	5435116	142	-45	68.8	71.5	2.7	86.9	15.2	
			<i>including</i>						68.8	69.1	0.3	746	100
WST-19-0145	3525	Lynx_305	141.5	453290	5435116	142	-45	103.3	105.9	2.6	33.2		
			<i>including</i>						103.3	103.6	0.3	98.9	
WST-19-0145	3525	Lynx_304	141.5	453290	5435116	142	-45	108.5	112.6	4.1	12.2		
WST-19-0146	3525	Lynx_308	159.6	453289	5435116	175	-44	63.0	65.0	2.0	4.84		
			<i>including</i>						63.8	64.1	0.3	31.8	
WST-19-0146	3525	Lynx_310	159.6	453289	5435116	175	-44	77.0	79.0	2.0	3.51		
WST-19-0146	3525	Lynx_310	159.6	453289	5435116	175	-44	88.0	90.0	2.0	63.7	50.2	
			<i>including</i>						89.0	90.0	1.0	127	100
WST-19-0146	3525	Lynx_305	159.6	453289	5435116	175	-44	105.4	109.4	4.0	5.60		
WST-19-0148	3500	Lynx_311	144.6	453268	5435108	128	-39	55.5	57.6	2.1	10.5		
			<i>including</i>						56.8	57.2	0.4	51.7	
WST-19-0148	3500	Lynx	144.6	453268	5435108	128	-39	77.8	80.1	2.3	11.6		
			<i>including</i>						79.7	80.1	0.4	35.4	
WST-19-0148	3500	Lynx_305	144.6	453268	5435108	128	-39	112.0	114.2	2.2	59.3	41.8	
			<i>including</i>						112.0	112.7	0.7	155	100
WST-19-0148	3500	Lynx_304	144.6	453268	5435108	128	-39	118.8	121.2	2.4	6.31		
			<i>including</i>						120.5	121.2	0.7	18.6	
WST-19-0149	3475	Lynx_311	90.4	453252	5435110	159	-28	49.0	51.2	2.2	106	68.4	
			<i>including</i>						49.0	49.4	0.4	199	100
			<i>including</i>						50.7	51.2	0.5	188	100
WST-19-0149	3475	Lynx_310	90.4	453252	5435110	159	-28	76.0	78.4	2.4	4.03		
WST-19-0151	3525	Lynx_311	72.6	453290	5435116	152	-16	34.0	36.0	2.0	30.4	20.9	
			<i>including</i>						35.2	35.6	0.4	148	100
WST-19-0151	3525	Lynx_308	72.6	453290	5435116	152	-16	51.0	53.1	2.1	32.0	30.0	
			<i>including</i>						51.8	52.4	0.6	107	100
WST-19-0153	3525	Lynx_308	114.6	453289	5435116	162	25	45.9	50.4	4.5	15.9		
			<i>including</i>						45.9	47.0	1.1	51.0	
WST-19-0154	3525	Lynx	123.6	453288	5435116	175	26	55.0	57.0	2.0	8.65		
			<i>including</i>						56.0	56.5	0.5	33.5	
WST-19-0154	3525	Lynx_310	123.6	453288	5435116	175	26	73.0	75.2	2.2	95.5	27.9	
			<i>including</i>						74.0	74.6	0.6	348	100
WST-19-0154	3525	Lynx	123.6	453288	5435116	175	26	78.0	80.3	2.3	4.93		
			<i>including</i>						79.3	79.8	0.5	21.3	
WST-19-0154	3525	Lynx_304	123.6	453288	5435116	175	26	102.1	104.2	2.1	7.04		
			<i>including</i>						102.6	102.9	0.3	47.5	
WST-19-0154	3525	Lynx_304	123.6	453288	5435116	175	26	106.2	109.0	2.8	12.8		
			<i>including</i>						106.2	106.9	0.7	46.7	
WST-19-0155	3500	Lynx_311	136.8	453268	5435108	124	-32	51.0	53.3	2.3	5.60		



Windfall Lake Gold Project  
Quebec, Canada  
Assay Results  
Osisko Mining Inc. 2015-2019

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
WST-19-0155	3500	Lynx	136.8	453268	5435108	124	-32	67.0	69.0	2.0	13.8	
		<i>including</i>						68.0	69.0	1.0	27.3	
WST-19-0155	3500	Lynx	136.8	453268	5435108	124	-32	96.7	100.0	3.3	4.67	
WST-19-0155	3500	Lynx	136.8	453268	5435108	124	-32	104.5	107.0	2.5	5.79	
WST-19-0155	3500	Lynx	136.8	453268	5435108	124	-32	112.0	114.0	2.0	3.04	
WST-19-0156	3525	Lynx_311	141.6	453289	5435116	161	-39	46.0	48.9	2.9	10.4	
		<i>including</i>						47.8	48.6	0.8	30.2	
WST-19-0156	3525	Lynx_305	141.6	453289	5435116	161	-39	98.5	101.0	2.5	21.3	16.5
		<i>including</i>						99.6	100.0	0.4	130	100
WST-19-0157	3525	Lynx_311	102.6	453289	5435116	164	-47	48.2	50.8	2.6	9.84	
		<i>including</i>						49.6	50.3	0.7	33.1	
WST-19-0157	3525	Lynx_308	102.6	453289	5435116	164	-47	70.0	72.0	2.0	3.86	
WST-19-0158	3525	Lynx_305	150.5	453290	5435116	149	-50	119.3	121.3	2.0	10.3	
WST-19-0158	3525	Lynx_304	150.5	453290	5435116	149	-50	132.0	134.0	2.0	3.10	
WST-19-0159	2400	Z27_101	182.8	452234	5434710	296	-59	145.0	147.9	2.9	9.86	
		<i>including</i>						147.0	147.9	0.9	22.7	
WST-19-0159	2400	Z27_115	182.8	452234	5434710	296	-59	166.0	168.0	2.0	3.93	
WST-19-0164	3525	Lynx_308	129.6	453290	5435116	138	-7	50.0	52.0	2.0	6.85	
		<i>including</i>						50.6	50.9	0.3	45.1	
WST-19-0164	3525	Lynx_310	129.6	453290	5435116	138	-7	67.0	69.0	2.0	3.54	
WST-19-0164	3525	Lynx_310	129.6	453290	5435116	138	-7	72.0	74.0	2.0	14.0	
		<i>including</i>						72.3	72.9	0.6	43.3	
WST-19-0164	3525	Lynx_310	129.6	453290	5435116	138	-7	79.6	82.0	2.4	8.98	
		<i>including</i>						79.6	80.5	0.9	22.3	
WST-19-0164	3525	Lynx_304	129.6	453290	5435116	138	-7	88.0	90.0	2.0	30.3	
		<i>including</i>						88.6	89.2	0.6	59.7	
WST-19-0167	3525	Lynx_308	123.6	453290	5435116	138	-15	51.0	53.0	2.0	15.1	
		<i>including</i>						51.4	51.9	0.5	57.2	
WST-19-0167	3525	Lynx_308	123.6	453290	5435116	138	-15	57.0	59.0	2.0	8.55	
WST-19-0167	3525	Lynx_310	123.6	453290	5435116	138	-15	64.9	69.2	4.3	20.7	
		<i>including</i>						66.6	67.0	0.4	64.1	
WST-19-0167	3525	Lynx_304	123.6	453290	5435116	138	-15	87.1	90.0	2.9	89.2	57.0
		<i>including</i>						87.4	88.2	0.8	217	100
WST-19-0168	3525	Lynx_308	111.6	453291	5435116	127	-26	44.6	46.8	2.2	6.94	
		<i>including</i>						45.4	45.8	0.4	28.5	
WST-19-0168	3525	Lynx_310	111.6	453291	5435116	127	-26	63.5	65.5	2.0	14.8	
		<i>including</i>						64.2	64.7	0.5	58.4	
WST-19-0168	3525	Lynx	111.6	453291	5435116	127	-26	73.0	75.0	2.0	5.66	
WST-19-0168	3525	Lynx_304	111.6	453291	5435116	127	-26	87.9	90.0	2.1	151	76.9
		<i>including</i>						87.9	88.6	0.7	198	100
		<i>including</i>						88.6	89.5	0.9	197	100
WST-19-0169	3525	Lynx_308	138.7	453291	5435116	122	-6	42.9	45.0	2.1	6.30	
		<i>including</i>						42.9	43.3	0.4	31.1	
WST-19-0169	3525	Lynx_308	138.7	453291	5435116	122	-6	53.0	55.0	2.0	12.0	
		<i>including</i>						54.0	54.5	0.5	47.6	
WST-19-0169	3525	Lynx_304	138.7	453291	5435116	122	-6	98.0	100.8	2.8	16.7	
		<i>including</i>						99.5	100.0	0.5	90.5	
WST-19-0170	3525	Lynx_308	138.6	453291	5435116	117	-16	47.0	50.0	3.0	2.23	
WST-19-0170	3525	Lynx_310	138.6	453291	5435116	117	-16	65.0	67.6	2.6	9.74	
		<i>including</i>						67.1	67.6	0.5	50.5	
WST-19-0170	3525	Lynx_305	138.6	453291	5435116	117	-16	79.5	81.5	2.0	5.46	
		<i>including</i>						81.0	81.5	0.5	21.0	
WST-19-0170	3525	Lynx	138.6	453291	5435116	117	-16	127.0	129.8	2.8	5.50	
		<i>including</i>						128.5	129.8	1.3	11.8	
WST-19-0172	3525	Lynx_310	147.6	453291	5435116	117	-29	71.0	73.5	2.5	50.9	22.3
		<i>including</i>						71.4	71.9	0.5	243	100
WST-19-0172	3525	Lynx_305	147.6	453291	5435116	117	-29	76.6	78.9	2.3	32.4	
		<i>including</i>						77.0	77.4	0.4	85.5	
		<i>including</i>						78.5	78.9	0.4	96.3	
WST-19-0172	3525	Lynx_304	147.6	453291	5435116	117	-29	86.6	89.3	2.7	22.7	
		<i>including</i>						87.6	88.5	0.9	43.5	
WST-19-0172	3525	Lynx_304	147.6	453291	5435116	117	-29	90.9	93.0	2.1	4.09	
		<i>including</i>						92.5	93.0	0.5	12.1	
WST-19-0177	3525	Lynx	111.5	453291	5435116	119	5	91.0	93.1	2.1	9.13	
		<i>including</i>						92.0	92.4	0.4	43.9	
WST-19-0177	3525	Lynx	111.5	453291	5435116	119	5	100.3	104.0	3.7	6.31	
WST-19-0177	3525	Lynx	111.5	453291	5435116	119	5	106.0	110.0	4.0	4.67	
WST-19-0178	3525	Lynx_316	117.5	453291	5435116	125	12	87.8	90.0	2.2	9.82	
		<i>including</i>						88.4	89.1	0.7	26.9	
WST-19-0179	3500	Lynx_311	102.2	453272	5435107	182	-21	34.0	36.0	2.0	36.2	
		<i>including</i>						34.8	35.6	0.8	89.6	
WST-19-0179	3500	Lynx_311	102.2	453272	5435107	182	-21	39.0	41.0	2.0	3.01	
WST-19-0179	3500	Lynx	102.2	453272	5435107	182	-21	57.0	59.0	2.0	3.43	
WST-19-0179	3500	Lynx_305	102.2	453272	5435107	182	-21	81.3	83.9	2.6	10.9	
		<i>including</i>						83.4	83.9	0.5	35.0	
WST-19-0180	3500	Lynx_305	100.2	453272	5435107	186	-11	89.4	91.6	2.2	3.62	



Windfall Lake Gold Project  
 Quebec, Canada  
 Assay Results  
 Osisko Mining Inc. 2015-2019

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
WST-19-0181	3500	Lynx_311	129.6	453273	5435108	158	-23	35.9	38.0	2.1	3.91	
			<i>including</i>					36.3	36.8	0.5	16.0	
WST-19-0181	3500	Lynx	129.6	453273	5435108	158	-23	118.8	121.0	2.2	14.1	
			<i>including</i>					119.1	119.6	0.5	54.8	
WST-19-0182	3500	Lynx_311	114.2	453271	5435107	194	-21	38.0	40.0	2.0	33.3	
			<i>including</i>					39.2	40.0	0.8	83.1	
WST-19-0195	3425	Lynx_307	147.6	453176	5435125	186	13	78.4	80.5	2.1	3.24	
WST-19-0202	3425	Lynx_307	135.5	453178	5435126	156	1	73.4	75.8	2.4	9.84	
			<i>including</i>					74.0	74.3	0.3	64.4	
WST-19-0202	3425	Lynx_319	135.5	453178	5435126	156	1	81.0	83.0	2.0	453	35.0
			<i>including</i>					81.0	81.7	0.7	1295	100
WST-19-0203	3425	Lynx_307	126.6	453178	5435126	156	-16	66.3	69.8	3.5	6.56	
			<i>including</i>					68.1	68.9	0.8	15.5	
WST-19-0205	3425	Lynx_309	168.6	453178	5435126	147	5	79.0	81.0	2.0	5.84	
WST-19-0205	3425	Lynx_311	168.6	453178	5435126	147	5	84.0	86.0	2.0	3.11	
WST-19-0205	3425	Lynx_304	168.6	453178	5435126	147	5	157.0	159.0	2.0	71.8	15.1
			<i>including</i>					157.7	158.0	0.3	478	100
WST-19-0206	3425	Lynx_319	171.7	453178	5435126	147	-3	76.0	78.0	2.0	44.5	20.1
			<i>including</i>					76.8	77.2	0.4	222	100
WST-19-0206	3425	Lynx_305	171.7	453178	5435126	147	-3	122.0	124.0	2.0	3.25	
WST-19-0207	3425	Lynx_307	138.6	453178	5435126	147	-12	72.1	74.5	2.4	7.45	
			<i>including</i>					73.7	74.0	0.3	36.4	
WST-19-0207	3425	Lynx_310	138.6	453178	5435126	147	-12	117.0	119.0	2.0	3.46	
			<i>including</i>					118.2	118.5	0.3	17.6	
WST-19-0208	3425	Lynx_307	141.6	453178	5435126	147	-21	75.5	77.5	2.0	11.8	
WST-19-0209	3425	Lynx_307	129.6	453178	5435126	147	-30	81.9	84.1	2.2	3.65	
WST-19-0217	3425	Lynx_309	120.7	453178	5435126	156	17	81.4	83.9	2.5	3.17	
			<i>including</i>					83.4	83.9	0.5	10.9	