



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
EAG-11-254-EKT	2500	FW3U	753.0	452369	5434676	329	-57	684.1	690.9	6.8	24.7	
		including						686.5	688.7	2.2	30.7	
EAG-11-269	2575	FW3U	567.2	452471	5434647	330	-56	737.1	744.0	6.9	7.71	
		including						738.7	740.7	1.0	42.1	
EAG-11-269	2575	FW4	567.2	452471	5434647	330	-56	886.6	898.3	11.7	0.30	
EAG-13-404	2750	FW3 HW	706.5	452731	5434537	330	-60	1013.0	1016.0	3.0	5.70	
EAG-13-404	2750	FW3	706.5	452731	5434537	330	-60	1055.1	1057.1	2.0	8.38	
		including						1050.1	1055.6	0.5	32.1	
EAG-13-525	2700		539.5	452643	5434638	331	-60	No significant results				
OSK-W-16-309-W1	2575	Quartz vein in Red Dog	1273.5	452548	5434514	326	-63	612.2	615.0	2.8	9.11	
		including						614.0	615.0	1.0	24.5	
OSK-W-16-309-W1	2575	FW3	1273.5	452548	5434514	326	-63	965.0	967.0	2.0	1.19	
OSK-W-16-309-W1	2575	New	1273.5	452548	5434514	326	-63	1115.0	1117.0	2.0	5.80	
		including						1116.0	1117.0	1.0	11.2	
OSK-W-16-309-W2	2575	Caribou North 1	1109.5	452548	5434514	326	-63	520.8	522.7	1.9	0.84	
OSK-W-16-309-W2	2575	FW3	1109.5	452548	5434514	326	-63	924.0	926.0	2.0	0.23	
OSK-W-16-309-W2	2575	New - Underlying corridor	1109.5	452548	5434514	326	-63	972.0	975.0	3.0	5.58	
OSK-W-16-309-W2	2575	New under Red Dog	1109.5	452548	5434514	326	-63	988.0	992.0	4.0	3.27	
OSK-W-16-309-W3	2575	New Zone - Caribou	1172.5	452548	5434514	326	-63	474.0	476.2	2.2	7.63	
OSK-W-16-309-W3	2575	New Zone - Caribou	1172.5	452548	5434514	326	-63	480.4	482.5	2.1	6.32	
OSK-W-16-309-W3	2575	New Zone - Caribou	1172.5	452548	5434514	326	-63	481.3	482.0	0.7	17.3	
		including						528.2	543.8	4.6	11.8	
		including						542.0	543.0	1.0	47.9	
OSK-W-16-309-W3	2575	New Zone - Caribou	1172.5	452548	5434514	326	-63	883.7	886.5	2.8	0.48	
OSK-W-16-311-W1	2325	FW3	1153.5	452311	5434424	330	-62	753.5	756.0	2.5	0.40	
OSK-W-16-311-W1	2325	FW3 hanging wall	1153.5	452311	5434424	330	-62	927.5	930.5	3.0	9.40	
		including						927.5	930.4	1.9	14.5	
OSK-W-16-311-W1	2325	FW3	1153.5	452311	5434424	330	-62	991.0	993.0	2.0	14.4	
OSK-W-16-311-W1	2325	FW4 hanging wall	1153.5	452311	5434424	330	-62	1118.0	1120.0	2.0	15.7	
OSK-W-16-311-W1	2325	FW4	1153.5	452311	5434424	330	-62	1131.0	1132.9	1.9	8.32	
		including						1131.0	1132.0	1.0	15.7	
OSK-W-16-311-W2	2325	FW3	1179.5	452311	5434424	330	-62	734.3	737.8	3.5	0.80	
OSK-W-16-311-W2	2325	FW3 hanging wall	1179.5	452311	5434424	330	-62	918.8	921.0	2.2	13.0	
		including						919.3	919.6	0.3	88.3	
OSK-W-16-311-W2	2325	FW3 hanging wall	1179.5	452311	5434424	330	-62	970.0	972.0	2.0	6.44	
OSK-W-16-311-W2	2325	FW3	1179.5	452311	5434424	330	-62	992.5	994.9	2.4	6.55	
		including						993.3	993.9	0.6	24.7	
OSK-W-16-311-W2	2325	FW3 footwall	1179.5	452311	5434424	330	-62	1050.7	1053.4	2.7	7.87	
		including						1052.4	1053.4	1.0	20.9	
OSK-W-16-311-W2	2325	FW4	1179.5	452311	5434424	330	-62	1149.3	1152.0	2.7	5.24	
		including						1150.3	1151.0	0.7	19.9	
OSK-EAG-12-314	2600	Underdog	1062.0	452534	5434589	330	-59	836.7	838.8	2.1	4.60	
OSK-EAG-12-333	2525	FW3	982.6	452459	5434565	333	-58	787.0	789.0	2.0	5.38	
		including						787.8	788.1	0.3	34.7	
OSK-EAG-12-333	2525	FW3	982.6	452459	5434565	333	-58	818.2	823.0	4.8	3.07	
		including						822.7	823.0	0.3	23.1	
OSK-EAG-12-333	2525	FW3	982.6	452459	5434565	333	-58	848.1	850.2	2.1	118	59.4
		including						849.2	850.2	1.0	219	100
OSK-EAG-12-333	2525	FW3U	982.6	452459	5434565	333	-58	934.0	936.3	2.3	198	21.8
		including						935.2	935.7	0.5	920	100
OSK-EAG-12-399	2700	FW3U	795.0	452584	5434701	328	-56	765.5	768.0	2.5	5.57	
OSK-EAG-12-399	2700	FW3U	795.0	452584	5434701	328	-56	773.9	776.0	2.1	5.21	
OSK-EAG-12-424	2650	FW3	1002.5	452598	5434580	330	-55	802.9	805.3	2.4	7.85	
		including						804.7	805.3	0.6	28.5	
OSK-EAG-12-424	2650	FW3	1002.5	452598	5434580	330	-55	815.5	818.0	2.5	10.0	
		including						816.0	817.0	1.0	20.9	
OSK-EAG-12-424	2650	FW3	1002.5	452598	5434580	330	-55	832.6	835.1	2.5	6.72	
OSK-EAG-12-427	2650	FW3 HW	1215.0	452701	5434438	330	-51	918.0	920.0	2.0	13.0	
		including						918.9	920.0	1.1	29.6	
OSK-EAG-12-427	2675	VNCR	1215.0	452701	5434438	330	-51	1110.0	1112.2	2.2	4.29	
OSK-W-17-466-W1	2575	FW3 Upper	861.0	452484	5434643	330	-52	718.8	724.0	5.2	8.52	
		including						718.8	719.8	1.0	35.7	
OSK-W-17-466-W1	2575	FW3 Upper FW	861.0	452484	5434643	330	-52	736.0	738.4	2.4	8.38	
		including						737.5	738.4	0.9	26.3	
OSK-W-17-466-W2	2575	FW3 Upper	900.0	452484	5434643	330	-52	721.0	723.0	2.0	26.6	
		including						721.3	722.3	1.0	51.5	
OSK-EAG-13-477	2400	Underdog	1194.0	452401	5434431	330	-61	805.9	808.0	2.1	9.59	
		including						806.0	807.0	1.0	19.1	
OSK-EAG-13-477	2400	Underdog	1194.0	452401	5434431	330	-61	1058.0	1060.0	2.0	9.31	
		including						1060.0	1060.7	0.7	24.3	
		and						1065.0	1066.0	1.0	37.1	
OSK-EAG-13-480	2425	Vein	990.6	452400	5434486	331	-57	522.3	524.3	2.0	37.1	20.6
		including						524.0	524.3	0.3	210	100
OSK-EAG-13-480	2425	FW3	990.6	452400	5434486	331	-57	643.2	646.8	3.6	26.1	
		including						645.2	646.8	1.6	63.0	
OSK-EAG-13-480	2425	FW1 FW	990.6	452400	5434486	331	-57	681.0	684.0	3.0	4.67	
		including						683.0	684.0	1.0	11.8	
OSK-EAG-13-480	2425	FW1 FW	990.6	452400	5434486	331	-57	692.0	694.0	2.0	6.48	
		including						692.0	693.0	1.0	12.4	
OSK-EAG-13-480	2425	FW2	990.6	452400	5434486	331	-57	722.7	725.5	2.8	4.09	
OSK-EAG-13-480	2425	FW2	990.6	452400	5434486	331	-57	728.0	730.0	2.0	19.5	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-EAG-13-480	2425	FW2	including 990.6	452400	5434486	331	-57	729.3	729.7	0.4	82.6	
								749.5	751.6	2.1	59.5	15.2
OSK-EAG-13-480	2425	FW3	including 990.6	452400	5434486	331	-57	750.7	751.0	0.3	410	100
								804.0	814.4	10.4	9.65	
			including and					807.5	810.4	2.9	25.5	
								814.1	814.4	0.3	25.0	
OSK-EAG-13-480	2425	FW3	including 990.6	452400	5434486	331	-57	820.0	822.6	2.6	6.44	
								821.4	821.7	0.3	31.5	
OSK-EAG-13-480	2425	FW3	including 990.6	452400	5434486	331	-57	835.0	837.0	2.0	3.35	
OSK-EAG-13-480	2425	FW3U	including 990.6	452400	5434486	331	-57	911.8	914.0	2.2	7.04	
OSK-EAG-13-480	2425	FW3U	including 990.6	452400	5434486	331	-57	923.0	925.0	2.0	5.90	
OSK-EAG-13-480-W1	2425	Underdog	including 651.0	452400	5434486	331	-57	634.4	640.8	6.4	5.98	
								636.4	636.7	0.3	56.5	
OSK-EAG-13-480-W1	2425	Underdog	including 651.0	452400	5434486	331	-57	644.1	646.3	2.2	34.5	
								644.7	645.7	1.0	56.2	
OSK-EAG-13-480-W2	2425	Underdog	including 770.2	452400	5434486	331	-57	656.0	660.1	4.1	88.0	11.5
								659.8	660.1	0.3	1145	100
OSK-EAG-13-480-W2	2425	Underdog	including 770.2	452400	5434486	331	-57	694.9	697.6	2.7	3.93	
								694.9	696.6	0.7	11.2	
OSK-EAG-13-480	2750	Wolf	including 1197.0	452735	5434537	330	-60	738.5	740.6	2.1	6.57	
								740.0	740.6	0.6	19.6	
OSK-EAG-13-494	2750	Wolf	including 1197.0	452735	5434537	330	-60	749.0	752.0	3.0	4.46	
OSK-EAG-13-502	2625	FW3U HW	including 802.0	452506	5434696	331	-56	688.5	690.5	2.0	28.0	
OSK-EAG-13-502	2625	FW3 Upper	including 802.0	452506	5434696	331	-56	695.5	698.2	2.7	37.9	31.6
								695.5	695.8	0.3	66.3	
			including and					695.8	696.1	0.3	88.4	
								696.1	696.6	0.5	134	100
OSK-EAG-13-503	2075	Underdog	including 918.0	451969	5434525	328	-56	342.5	344.9	2.4	8.96	
								343.5	344.9	1.4	13.3	
OSK-EAG-13-504	2800	Wolf	including 810.0	452769	5434575	330	-62	746.9	749.9	3.0	15.9	
OSK-EAG-13-504	2800	Wolf	including 810.0	452769	5434575	330	-62	753.0	755.1	2.1	4.22	
OSK-EAG-13-504	2800	Wolf	including 810.0	452769	5434575	330	-62	751.0	752.5	1.5	2.1	4.22
OSK-EAG-13-505	2025	FW1	including 852.3	451930	5434493	330	-51	329.0	333.8	4.8	8.37	
								332.0	332.8	0.8	28.8	
OSK-EAG-13-508	2700	Z27	including 627.0	452588	5434698	330	-60	611.0	613.4	2.4	11.6	
								612.5	613.4	0.9	39.4	
OSK-EAG-13-509	2625	Zone 37	including 1376.0	452523	5434658	330	-57	536.8	539.2	2.4	4.32	
OSK-EAG-13-510	2650	FW4	including 1133.0	452629	5434514	330	-55	1050.0	1054.0	4.0	10.6	
								1050.0	1052.0	2.0	18.0	
OSK-EAG-13-520	2650	FW3U	including 872.0	452568	5434633	330	-55	839.3	841.6	2.3	3.00	
OBM-15-552	3400	Caribou S1	including 1246.7	452390	5434436	329	-60	448.0	452.0	4.0	5.70	
OBM-15-552	3400	Caribou S1	including 1246.7	452390	5434436	329	-60	707.0	711.0	4.0	2.28	
OBM-15-552	3400	Caribou S1	including 1246.7	452390	5434436	329	-60	743.0	757.0	14.0	0.43	
OBM-15-552	3400	Caribou S1	including 1246.7	452390	5434436	329	-60	881.0	882.0	1.0	29.2	
			including					881.0	881.5	0.5	57.3	
OBM-15-552	3400	Caribou S1	including 1246.7	452390	5434436	329	-60	901.0	901.8	0.8	15.6	
OBM-15-552	3400	Caribou S1	including 1246.7	452390	5434436	329	-60	929.0	931.0	2.0	3.29	
			including					929.8	930.3	0.5	8.83	
OBM-15-552	3400	FW3	including 1246.7	452390	5434436	329	-60	937.0	942.8	5.8	1.98	
								937.7	938.2	0.5	17.5	
OBM-15-552	3400	Footwall of FW3	including 1246.7	452390	5434436	329	-60	951.5	951.8	0.3	11.0	
OBM-15-552	3400	FW4	including 1246.7	452390	5434436	329	-60	1160.5	1164.5	4.0	8.09	
OBM-15-553	2150	FW3	including 47.2	452173	5434313	336	-61	355.1	359.0	3.9	0.41	
OBM-15-554	2150	Caribou W2	including 1135.0	452173	5434313	336	-61	922.0	924.0	2.0	1.85	
OBM-15-554	2150	FW3	including 1135.0	452173	5434313	336	-61	1082.8	1085.0	2.2	3.50	
OBM-15-554	2150	FW4	including 1135.0	452173	5434313	336	-61	1096.0	1097.2	1.2	2.43	
OBM-15-554	2150	Footwall of FW4	including 1135.0	452173	5434313	336	-61	1102.0	1105.0	3.0	6.33	
								1102.0	1103.0	1.0	18.2	
OBM-15-555	2425	FW2	including 281.5	452428	5434499	330	-60	282.8	284.2	1.4	34.9	
OBM-15-556	1850	FW3	including 1112.3	451899	5434189	330	-60	677.0	677.8	0.8	65.4	
OBM-15-556	1850	FW3	including 1112.3	451899	5434189	330	-60	832.8	841.0	8.2	0.07	
OBM-15-556	1850	FW4	including 1112.3	451899	5434189	330	-60	1057.1	1062.1	5.0	0.41	
OBM-15-557	2425	FW1	including 1281.0	452429	5434393	332	-61	200.1	202.0	1.9	4.12	
								200.1	200.8	0.7	9.94	
OBM-15-557	2425	Caribou S1	including 1281.0	452429	5434393	332	-61	350.7	351.2	0.5	9.33	
OBM-15-557	2425	FW1	including 1281.0	452429	5434393	332	-61	479.5	485.3	5.8	0.75	
OBM-15-557	2425	FW1	including 1281.0	452429	5434393	332	-61	852.7	855.0	2.3	4.29	
								853.4	854.3	0.9	7.64	
OBM-15-557	2425	FW3	including 1281.0	452429	5434393	332	-61	894.5	894.8	0.3	2590	100
								894.5	894.8	0.3	2590	100
OBM-15-557	2425	FW3	including 1281.0	452429	5434393	332	-61	971.0	981.3	10.3	3.80	
								975.9	980.6	4.7	7.46	
OBM-15-557	2425	FW3	including and 1281.0	452429	5434393	332	-61	975.9	976.9	1.0	23.4	
								1136.7	1143.0	6.3	3.67	
								1136.7	1137.5	0.8	20.6	
OBM-15-558	2775	FW3	including 1117.0	452748	5434559	330	-60	721.5	727.5	6.0	6.06	
OBM-15-559	2775	FW3	including 1117.0	452748	5434559	330	-60	721.5	727.5	6.0	6.06	
OBM-15-559	2775	Caribou S3 footwall	including 1117.0	452748	5434559	330	-60	545.8	547.0	1.2	6.76	
OBM-15-559	2775	Potential new lens	including 1117.0	452748	5434559	330	-60	628.9	631.7	2.8	5.24	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OBM-15-559	2775	Potential new lens	1319.5	452748	5434559	333	-60	646.5	666.9	20.4	7.04	
		including						646.5	650.5	4.0	12.9	
		and						646.5	647.5	1.0	39.0	
		and						654.0	657.4	3.4	12.9	
		and						662.5	666.9	4.4	8.90	
OBM-15-559	2775	Potential new lens	1319.5	452748	5434559	333	-60	681.0	684.7	3.7	10.0	
OBM-15-559	2775	Potential new lens	1319.5	452748	5434559	333	-60	751.0	761.0	10.0	7.00	
OBM-15-559	2775	-	1319.5	452748	5434559	333	-60	876.1	879.0	2.9	5.74	
		including						977.3	978.0	0.7	23.0	
OBM-15-560	2550	Caribou S1	1508.0	452670	5434252	333	-57	701.9	708.0	6.1	11.0	
		including						702.3	703.4	1.1	45.7	
		and						705.1	707.0	2.0	8.38	
OBM-15-560	2550	Vein in Red Dog	1508.0	452670	5434252	333	-57	737.8	738.3	0.5	69.6	
OBM-15-560	2550	FW0	1508.0	452670	5434252	333	-57	957.0	959.0	2.0	12.5	
		including						958.0	959.0	1.0	18.6	
OBM-15-560	2550	FW1	1508.0	452670	5434252	333	-57	1123.0	1136.0	13.0	5.71	
		including						1131.5	1132.4	0.9	40.0	
		and						1132.4	1133.0	0.6	21.3	
OBM-15-560	2550	Splay FW3	1508.0	452670	5434252	333	-57	1196.8	1203.0	6.2	11.1	
		including						1199.4	1199.9	0.5	48.1	
OBM-15-561	2300	shallow mineralization	60.5	452184	5434597	330	-52	21.0	22.0	1.0	123	100
OBM-15-563	2400	Zone 27	125.4	452594	5434755	331	-64	77.0	89.0	12.0	0.98	
OBM-15-563	2375	-	210.0	452237	5434683	330	-50				No significant results	
OBM-15-564	2700	Potential new lens	1527.0	452759	5434367	330	-60	436.6	439.9	3.3	22.3	
		including						439.5	439.9	0.4	173	100
OBM-15-564	2700	Caribou S1	1527.0	452759	5434367	330	-60	666.7	674.1	7.4	5.59	
		including						666.7	668.8	2.1	17.9	
OBM-15-564	2700	-	1527.0	452759	5434367	330	-60	865.4	867.8	2.4	8.20	
OBM-15-564	2700	New potential lens	1527.0	452759	5434367	330	-60	947.0	954.0	7.0	7.49	
		including						948.8	949.3	0.5	85.4	
OBM-15-564	2700	FW1	1527.0	452759	5434367	330	-60	1102.9	1105.0	2.1	7.19	
OBM-15-564	2700	Hanging wall of FW3	1527.0	452759	5434367	330	-60	1268.9	1271.0	2.1	4.09	
OBM-15-564	2700	Hanging wall of FW3	1527.0	452759	5434367	330	-60	1286.9	1288.0	2.0	5.30	
		including						1286.9	1287.4	0.5	18.5	
OBM-15-564	2700	FW3	1527.0	452759	5434367	330	-60	1296.0	1297.1	2.1	5.32	
OBM-15-568	2375	Caribou	285.0	452263	5434628	330	-50	30.0	35.0	5.0	3.59	
		including						30.5	31.0	0.5	19.3	
		and						37.5	39.0	1.5	6.58	
OBM-15-568	2375	Zone 27	285.0	452263	5434628	330	-50	234.4	241.0	6.6	2.78	
		including						234.4	237.0	2.6	4.94	
		and						234.4	235.4	0.9	8.28	
Osik-OBM-15-565	2375	No name	669.0	452263	5434628	330	-50	393.0	395.0	2.0	48.6	
		including						394.0	396.0	1.0	96.9	
OBM-15-566	2300	Zone 27	195.0	452096	5434745	331	-72	68.5	73.0	4.5	2.37	
		including						71.1	72.1	1.0	4.94	
OBM-15-567	2350	Zone 27	69.0	452071	5434692	330	-63	85.8	89.0	3.2	8.45	
OBM-15-568	2425	Upper Zone 27	214.4	452259	5434698	330	-50	72.5	92.5	20.0	1.04	
		including						82.5	87.0	4.5	2.34	
OBM-15-568	2425	Extension Upper Zone 27	214.4	452259	5434698	330	-50	98.0	101.0	3.0	4.52	
OBM-15-568	2425	Zone 27	214.4	452259	5434698	330	-50	179.5	182.0	2.5	3.63	
OBM-15-569	2425	Zone 27	231.0	452271	5434688	331	-54	79.5	90.5	20.0	0.62	
OBM-15-569	2425	New splay of zone 27	231.0	452271	5434688	331	-54	125.3	127.5	2.2	18.2	
		including						126.5	127.0	0.5	56.3	
OBM-15-569	2425	Zone 27	231.0	452271	5434688	331	-54	218.3	220.5	2.2	10.6	
		including						218.3	218.9	0.6	26.8	
OBM-15-570	2150	Caribou W2	200.5	452122	5434403	331	-50	107.0	109.6	2.6	31.1	
		including						107.9	108.6	0.7	131	100
OBM-15-571	2150	-	263.5	452148	5434364	331	-50	28.4	31.0	2.6	4.20	
		including						28.4	29.2	0.8	13.6	
OBM-15-571	2150	-	263.5	452148	5434364	331	-50	162.0	164.0	2.0	32.3	
		including						162.0	162.4	0.4	163	100
OBM-15-571	2150	Caribou	263.5	452148	5434364	331	-50	165.5	172.7	7.2	1.20	
		including						168.5	169.5	1.0	4.50	
OBM-15-572	2400	Upper Zone 27	261.0	452262	5434662	331	-50	101.5	103.5	2.0	97.3	
		including						101.5	102.5	1.0	194	100
OBM-15-572	2400	Hanging wall Zone 27	261.0	452262	5434662	331	-50	199.0	203.0	4.0	2.17	
		including						200.0	200.6	0.6	10.3	
OBM-15-572	2400	Zone 27	261.0	452262	5434662	331	-50	226.0	232.0	6.0	1.81	
		including						229.3	230.0	0.7	5.83	
		and						231.0	232.0	1.0	3.52	
OBM-15-573	2725	-	651.0	452639	5434672	332	-51	107.0	109.0	2.0	3.77	
OBM-15-573	2725	-	651.0	452639	5434672	332	-51	302.0	304.0	2.0	5.43	
		including						302.0	303.0	1.0	10.6	
OBM-15-573	2725	-	651.0	452639	5434672	332	-51	313.0	315.0	2.0	32.9	
		including						313.5	314.6	1.1	99.7	
OBM-15-573	2725	-	651.0	452639	5434672	332	-51	443.4	446.1	2.7	4.86	
		including						444.4	444.8	0.4	17.3	
OBM-15-573	2725	Zone 27-3	651.0	452639	5434672	332	-51	569.3	571.8	2.5	25.3	
		including						569.3	569.8	0.5	48.8	
OBM-15-574	2375	Caribou W2	228.0	452182	5434397	331	-50	159.0	168.0	9.0	0.75	
		including						165.5	165.8	0.3	4.46	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OBM-16-575	2125	Caribou W2	231.0	452118	5434354	331	-50	182.4	193.1	10.7	0.68	
			including					187.0	193.1	6.1	1.06	
OBM-16-576	2075		201.0	452068	5434363	331	-50				No significant results	
OBM-16-577	2950		345.0	452829	5434777	330	-62	125.0	133.0	4.0	4.13	
			including					132.0	133.0	1.0	11.1	
OBM-16-578	2050	Caribou W1	201.0	452040	5434347	331	-50	164.0	179.5	15.5	0.39	
			including					171.9	172.5	0.6	3.29	
OBM-16-579	2300		240.0	452184	5434611	331	-48	36.6	39.0	2.4	19.7	
			including					36.6	37.5	0.9	51.8	
OBM-16-579	2300	Zone 27	240.0	452184	5434611	331	-48	196.5	199.8	3.3	1.28	
OBM-16-580	2950		1271.0	452818	5434773	332	-63	441.4	446.8	5.4	4.30	
OBM-16-580	2950	Zone 27	1271.0	452818	5434773	332	-63	672.4	675.8	3.4	9.49	
OBM-16-580	2950	FW4	1271.0	452818	5434773	332	-63	1162.2	1168.2	6.0	19.6	
			including					1162.2	1168.2	0.6	150	100
			and					1167.9	1168.2	0.3	87.7	
OBM-16-581	1950	Caribou W	201.0	451955	5434301	331	-50	153.6	166.4	11.8	0.78	
			including					153.6	155.1	1.5	3.32	
OBM-16-582	2800		509.5	452690	5434696	334	-52	216.0	218.8	2.8	15.9	
OBM-16-583	1700		801.0	451766	5434111	334	-55	774.0	777.0	3.0	19.0	
			including					776.0	777.0	1.0	55.9	
OBM-16-584	2900		83.5	452722	5434870	327	-65	36.0	38.0	2.0	5.87	
			including					36.5	37.1	0.6	16.9	
OBM-16-584	2900	Vein	83.5	452722	5434870	327	-65	57.0	58.0	2.0	287	100
			including					57.0	58.0	1.0	166	100
OBM-16-584	2900		83.5	452722	5434870	327	-65	70.9	74.5	3.6	6.19	
			including					73.7	74.5	0.8	26.4	
OBM-16-585	2950		83.5	452768	5434887	330	-67				No significant results	
OBM-16-586	3000		152.5	452835	5434860	330	-65	8.6	10.7	2.1	6.62	
OBM-16-586	3000		152.5	452835	5434860	330	-65	18.0	21.0	3.0	17.6	
OBM-16-587	3000		83.5	452806	5434914	331	-66	12.9	15.3	3.4	3.08	
OBM-16-588	3050		101.5	452873	5434899	329	-67	65.9	67.9	2.0	5.45	
			including					67.0	67.5	0.5	19.3	
OBM-16-589	3050		83.5	452856	5434930	331	-70				No significant results	
OBM-16-589	3050		742.0	451726	5434583	330	-55				No significant results	
OBM-16-591	3100		119.5	452962	5434848	327	-59				No significant results	
OBM-16-592	2750		50.5	452559	5434841	330	-78				No significant results	
OBM-16-593	2800	Crustiform vein	77.5	452606	5434862	150	-72	46.4	48.6	2.2	5.17	
OBM-16-593	2800	Crustiform vein	77.5	452606	5434862	150	-72	53.0	57.6	4.6	8.43	
			including					55.3	55.6	0.3	230	100
OBM-16-594	2850	C-south-2	149.5	452624	5434932	150	-80	88.8	100.0	11.2	1.13	
OBM-16-594	2850	C-south-2	149.5	452624	5434932	150	-80	136.9	139.3	2.4	2.56	
OBM-16-595	2950	New zone	74.5	452679	5435033	145	-80	63.0	65.5	2.5	4.08	
OBM-16-596	2875		36.5	452855	5434568	338	-69				No significant results	
OBM-16-597	2100		276.0	452005	5434512	331	-53				No significant results	
OBM-16-598	2875	Caribou S1	1382.0	452855	5434568	333	-61	504.7	508.0	3.3	9.44	
			including					507.0	508.0	1.0	25.1	
OBM-16-598	2875	C-south-3	1382.0	452855	5434568	333	-61	542.1	558.8	16.7	1.62	
OBM-16-598	2875	FW3	1382.0	452855	5434568	333	-61	1115.0	1122.4	7.4	5.56	
			including					1118.0	1119.0	1.0	9.33	
			and					1121.9	1122.4	0.5	56.8	
OBM-16-599	2100	Zone 27	270.0	451986	5434517	332	-50	193.0	198.6	5.6	2.11	
OBM-16-600	2150	Zone 27 hanging wall	252.0	452030	5434563	331	-48	166.6	170.8	4.2	12.9	
			including					166.6	167.7	1.1	18.9	
			and					169.7	170.0	1.1	23.5	
OBM-16-600	2150	Zone 27	252.0	452030	5434563	331	-48	176.5	182.0	5.5	5.36	
OBM-16-601	2600	Caribou	594.0	452476	5434677	332	-51	231.1	233.5	2.4	5.43	
OBM-16-601	2600	Zone 27	504.0	452476	5434677	332	-51	425.0	427.3	2.3	0.90	
OSK-OBM-16-601	2600	FW3u	801.0	452476	5434677	332	-51	657.6	659.6	2.0	16.2	
OSK-OBM-16-601	2600	FW4	801.0	452476	5434677	332	-51	795.0	797.8	2.8	5.26	
			including					797.1	797.8	0.7	20.7	
OBM-16-602	1700		750.0	451679	5434254	330	-57	193.5	196.5	3.0	14.1	
			including					194.5	195.1	0.6	68.2	
OBM-16-602	1700	FW1	750.0	451679	5434254	330	-57	407.0	409.0	2.0	7.84	
			including					407.6	408.1	0.5	25.7	
OBM-16-603	1700	FW3	750.0	451679	5434254	330	-57	489.5	491.5	2.0	0.35	
OBM-16-603	1700	FW4	750.0	451679	5434254	330	-57	748.0	751.0	2.0	2.86	
OBM-16-603	2150	Zone 27	240.0	452042	5434548	331	-50	188.0	207.9	19.9	11.4	
			including					188.0	189.4	1.4	54.1	
			and					205.4	207.9	7.5	20.3	
			and					206.0	207.9	1.9	71.5	
			and					206.7	207.0	0.3	142	100
OBM-16-603	2150	Feetwall Zone 27	240.0	452042	5434548	331	-50	233.0	235.5	2.5	4.31	
OBM-16-604	2150	Zone 27	279.0	452046	5434533	330	-53	234.0	237.0	3.0	4.29	
OBM-16-605	2575	New vein	443.0	452445	5434706	332	-51	320.0	322.0	2.0	3.64	
OBM-16-605	2575	Zone 27	443.0	452445	5434706	332	-51	345.0	347.8	2.8	0.90	
OBM-16-606	2175	Zone 27	278.6	452072	5434659	331	-50	192.1	197.1	5.0	13.8	
			including					196.0	196.8	0.8	76.9	
OBM-16-607	1700		624.0	451641	5434330	332	-55				FW1 - No significant results	
OBM-16-607	1700		624.0	451641	5434330	332	-55				FW3 - No significant results	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t			
OBM-16-607	1700		624.0	451541	5434330	332	-55	FW4 - No significant results							
OBM-16-608	2225		240.0	452095	5434590	331	-50	87.0	89.1	2.1	5.64				
OBM-16-608	2225	Zone 27	240.0	452095	5434590	331	-50	88.3	89.1	0.8	14.2				
								177.3	186.6	9.3	10.3				
								178.5	181.5	2.0	12.9				
OBM-16-608	2225	Footwall of Zone 27	240.0	452095	5434590	331	-50	183.0	183.5	0.5	232	100			
								183.8	184.2	0.4	13.7				
								201.2	205.0	3.8	7.21				
OBM-16-609	2550	Zone 27	555.0	452459	5434642	331	-49	203.2	204.2	1.0	21.4				
								426.5	437.7	11.2	5.21				
								635.0	637.0	2.0	3.07				
OSK-OBM-16-609	2550	FW3U HW	738.0	452459	5434642	331	-49	635.0	637.0	2.0	3.07				
OSK-OBM-16-609	2550	FW3U HW	738.0	452459	5434642	331	-49	641.8	646.0	4.2	1.17				
OSK-OBM-16-609	2550	FW3U	738.0	452459	5434642	331	-49	654.3	662.0	7.7	63.2	23.7			
OBM-16-610	2225	Zone 27	555.0	452459	5434642	331	-49	656.0	658.0	2.0	18.9				
								660.0	662.0	2.0	222	69.7			
								191.0	192.0	1.0	8.35				
OBM-16-630	2225	Zone 27	270.0	452108	5434572	331	-50	191.0	192.0	1.0	8.35				
OBM-16-630	2225	Zone 27	270.0	452108	5434572	331	-50	198.1	203.0	4.9	3.81				
OBM-16-630	2225	Footwall of Zone 27	270.0	452108	5434572	331	-50	198.1	198.9	0.8	9.06				
								202.1	203.0	0.9	6.82				
								221.0	226.0	5.0	24.2				
OBM-16-611	2250	Zone 27	240.0	452122	5434597	332	-49	223.5	224.5	1.0	419	100			
								87.0	91.5	4.5	4.44				
								177.6	182.0	4.4	3.44				
OBM-16-611	2250	Zone 27	240.0	452122	5434597	332	-49	177.6	178.5	0.9	5.70				
OBM-16-612	2775	Caribou	140.0	452851	5434378	331	-58	Hole abandoned							
								151.0	153.2	2.2	4.83				
								157.8	160.0	2.2	4.43				
OBM-16-613	2550	Footwall Caribou	251.0	452430	5434676	332	-51	157.8	160.0	2.2	4.43				
OBM-16-614	2775	Caribou S3	1118.0	452851	5434378	333	-60	1020.0	1023.1	2.1	3.85				
OBM-16-614	2775	Caribou S3	1118.0	452851	5434378	333	-60	797.1	799.6	2.5	0.69				
OBM-16-614	2775	Caribou S3	1118.0	452851	5434378	333	-60	1020.0	1022.1	2.1	3.85				
OBM-16-614	2775	New zone between FW1 et FW3	1118.0	452851	5434378	333	-60	1026.8	1030.2	3.4	11.2				
OBM-16-614	2775	New zone between FW1 et FW3	1118.0	452851	5434378	333	-60	1028.9	1030.2	0.3	84.9				
								1036.7	1039.0	2.3	3.99				
								1037.5	1038.0	0.5	13.2				
OBM-16-614-W1	2775	FW2	1518.0	452851	5434378	333	-60	1020.1	1023.0	2.9	4.96				
								1020.7	1021.3	0.6	17.9				
								1032.0	1034.0	2.0	3.60				
OBM-16-614-W1	2775	New zone below 12F intrusion	1518.0	452851	5434378	333	-60	1043.7	1046.0	2.3	5.34				
OBM-16-614-W1	2775	New zone below 12F intrusion	1518.0	452851	5434378	333	-60	1043.7	1046.0	2.3	5.34				
OBM-16-614-W1	2775	FW1	1518.0	452851	5434378	333	-60	1200.0	1206.0	2.0	3.40				
OBM-16-614-W1	2775	Quartz veins	1518.0	452851	5434378	333	-60	1204.0	1205.0	1.0	6.30				
								1301.0	1303.0	2.0	3.23				
								1301.0	1302.0	1.0	6.40				
OBM-16-614-W1	2775	FW3	1518.0	452851	5434378	333	-60	1340.0	1342.0	2.0	4.22				
OBM-16-615	2200	Zone 27	84.0	452038	5434645	331	-64	1341.0	1342.0	1.0	8.26				
								54.5	57.0	2.5	4.35				
								122.4	124.8	2.4	18.9				
OBM-16-616	1675	FW3	402.0	451557	5434464	332	-61	122.8	124.5	0.7	37.3				
OBM-16-617	2150	Zone 27	96.0	451986	5434636	332	-73	44.3	50.0	5.7	6.94				
								281.3	283.8	2.5	5.77				
								286.9	289.0	2.1	6.25				
OBM-16-618	2525	Extension Caribou N2	751.5	452426	5434636	333	-51	198.0	408.0	10.0	1.00				
OBM-16-618	2525	-	751.5	452426	5434636	333	-51	398.0	408.0	10.0	1.00				
OBM-16-618	2525	Hanging wall Zone 27	751.5	452426	5434636	333	-51	435.5	436.3	2.8	8.95				
OBM-16-618	2525	Footwall Zone 27	751.5	452426	5434636	333	-51	435.5	436.3	0.8	23.6				
OBM-16-619	2150	Zone 27-1	126.0	451964	5434676	328	-70	68.5	68.8	0.4	0.34				
								69.0	72.1	3.1	1.64				
								98.5	101.0	2.5	1.61				
OBM-16-619	2150	Zone 27-1	126.0	451964	5434676	328	-70	99.6	100.0	0.4	8.27				
OBM-16-620	2200	Mallard	75.0	451913	5434866	327	-67	25.0	27.1	2.1	3.70				
								54.9	451964	5434877	330	-57	Mallard - No significant results		
								114.0	451605	5434772	330	-71	No significant results		
OBM-16-621	2250	-	48.0	451951	5434900	330	-57	No significant results							
OBM-16-624	2300	Zone 27	60.0	452117	5434711	150	-67	27.4	30.7	3.3	1.60				
OBM-16-624	2300	Zone 27	60.0	452117	5434711	150	-67	36.7	38.8	2.1	1.09				
OBM-16-625	2525	-	525.0	452404	5434675	333	-51	167.0	169.2	2.2	11.2				
OBM-16-625	2525	-	525.0	452404	5434675	333	-51	269.0	271.0	2.0	4.29				
OBM-16-625	2525	Zone 27 HW	525.0	452404	5434675	333	-51	333.3	336.0	2.7	7.07				
OBM-16-625	2525	Zone 27 FW	525.0	452404	5434675	333	-51	333.3	334.2	0.9	15.6				
								348.0	352.0	3.0	3.83				
								518.7	521.0	2.3	23.8				
OSK-OBM-16-625	2525	FW3U HW	801.0	452404	5434675	333	-51	588.0	590.1	2.1	4.00				
OSK-OBM-16-625	2525	FW3U	801.0	452404	5434675	333	-51	588.5	588.9	0.4	16.9				
								605.3	610.6	5.3	0.35				
								No significant results							
OBM-16-626	2350	Caribou (upper extension)	81.0	452224	5434626	151	-68	40.5	41.4	0.9	136	100			
OBM-16-626	2350	Crustiform vein	81.0	452224	5434626	151	-68	40.5	41.0	0.5	43.0				
								60.9	63.3	2.4	23.3				
								60.9	61.2	0.3	69.5				
OBM-16-627	1850	Crustiform vein - No significant results	102.0	451590	5434766	320	-56	62.6	63.1	0.7	40.3				
								Hole abandoned							
								29.8	452252	5434613	343	-50			



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OBM-16-629	1875		81.0	451582	5434795	332	-88				Crustiform vein - No significant results	
OBM-16-630	2375	Zone 27	279.0	452252	5434613	329	-51	244.3	248.6	4.3	1.13	
OSK-OBM-16-630	2375	FW3U HW	699.0	452252	5434613	329	-51	518.2	521.0	2.8	4.82	
OBM-16-631	1800		120.0	451501	5434780	351	-56				Crustiform vein - No significant results	
OBM-16-632	1750		105.0	451462	5434740	350	-51				Crustiform vein - No significant results	
OBM-16-633	2350	Zone 27	277.7	452222	5434637	332	-51	203.6	205.9	2.2	7.81	
		including						204.0	204.3	0.3	51.5	
OBM-16-634	1875		165.0	451547	5434650	346	-57				Crustiform vein - No significant results	
OBM-16-635	2500		99.0	452260	5434862	333	-78				Caribou - No significant results	
OBM-16-636	2350	Caribou	300.0	452240	5434584	331	-50	43.6	51.2	7.6	0.51	
OBM-16-636	2350	Zone 27	300.0	452240	5434584	331	-50	253.1	256.0	2.9	0.56	
OBM-16-636	2350		300.0	452240	5434584	331	-50				C-west-4 - No significant results	
OBX-16-637	10000		165.0	450913	5439271	360	-49				No significant results	
OBX-16-638	10725		249.0	450926	5439131	1	-47				No significant results	
OBM-16-639	2825	Shear Zone	266.0	452710	5434725	330	-61	18.0	20.0	2.0	2.96	
OBM-16-640	2825		399.0	452214	5434604	330	-50				No significant results	
OBX-16-641	11100	Exploration	378.0	450980	5439413	182	-45	249.8	253.3	3.5	1.12	
OBX-16-641	11100	Exploration	378.0	450980	5439413	182	-45	256.0	259.0	3.0	1.09	
OBM-16-642	2825	New zone	1089.8	452719	5434726	334	-61	318.4	321.0	2.6	10.0	
OBM-16-642	2825	Caribou North 2	1089.8	452719	5434726	334	-61	510.0	521.0	11.0	3.46	
OBM-16-642	2825	Closing of Zone 27-3	1089.8	452719	5434726	334	-61	610.0	620.6	10.6	1.11	
OBM-16-642	2825	FW3	1089.8	452719	5434726	334	-61	816.4	817.8	1.4	0.26	
OBM-16-642	2825	New underground corridor	1089.8	452719	5434726	334	-61	934.0	937.9	3.9	17.2	
		including						934.0	934.3	0.3	264	100
OBM-16-643	2325	Caribou	300.0	452217	5434580	330	-50	35.0	38.0	3.0	4.95	
OBM-16-643	2325	New zone	300.0	452217	5434580	330	-50	172.0	172.4	5.4	2.48	
		including						174.0	175.0	1.0	6.93	
OBM-16-643	2325	Zone 27	300.0	452217	5434580	330	-50	245.6	247.9	2.3	25.2	
		including						245.6	246.1	0.5	254	100
OBM-16-643	2325	Zone 27 footwall	300.0	452217	5434580	330	-50	261.7	264.0	2.3	5.03	
OBM-16-644	19550	429m	396.0	452602	5439140	358	-48				No significant results	
OBM-16-645	2325	Pyrite vein	396.0	452201	5434629	330	-50	155.0	155.4	0.4	46.4	
OBM-16-645	2325	Zone 27 (pyrite vein)	396.0	452201	5434629	330	-50	184.3	187.0	2.7	2.31	
		including						184.3	184.6	0.3	6.88	
OBM-16-645	2325	Zone 27 footwall	396.0	452201	5434629	330	-50	219.9	222.0	2.1	5.67	
OBM-16-646	10000		399.0	450892	5439135	360	-49				No significant results	
OBM-16-647	2500	Caribou	330.0	452383	5434658	332	-44	100.8	105.0	4.2	5.00	
OBM-16-648	2450		87.0	452327	5434648	329	-85				No significant results	
OBM-16-649	2400	Caribou	126.0	452368	5434647	331	-78	37.0	39.1	2.1	4.37	
OBM-16-649	2400	Caribou	126.0	452368	5434647	331	-78	48.6	51.0	2.4	9.55	
OBM-16-649	2400	Caribou	126.0	452368	5434647	331	-78	81.0	83.5	2.5	3.33	
OBM-16-649	2400	Caribou	126.0	452368	5434647	331	-78	95.5	98.0	2.5	3.93	
OBM-16-650	2900		138.0	452749	5434816	331	-45				No significant results	
OBM-16-651	2375	Zone 27	186.0	452213	5434676	322	-46	73.1	75.1	6.0	0.73	
OBM-16-651	2375	Zone 27 footwall	186.0	452213	5434676	322	-46	158.5	163.8	5.3	8.94	
		including						163.3	163.8	0.5	30.5	
OBM-16-652	-1000	Crustiform vein	234.0	448639	5434175	367	-44	208.7	230.3	1.6	12.7	
OBM-16-653	2950		311.4	452727	5434960	330	-53				No significant results	
OBM-16-654	2250	Zone 27	267.0	452134	5434591	330	-52	171.9	183.0	11.1	0.96	
OBM-16-655	2400	New zone	954.0	452439	5434353	333	-61	207.0	209.5	2.5	3.82	
		including						208.0	209.5	1.5	6.82	
OBM-16-655	2400	Tourmaline vein	954.0	452439	5434353	333	-61	410.0	412.0	2.0	10.8	
		including						410.0	411.0	1.0	22.6	
OBM-16-655	2400	Quartz vein in 12F	954.0	452439	5434353	333	-61	539.4	539.8	0.4	6.66	
OBM-16-655	2400	Quartz-carbonate-chlorite vein in 12F	954.0	452439	5434353	333	-61	550.0	550.3	0.3	75.5	
OBM-16-655	2400	New zone	954.0	452439	5434353	333	-61	917.5	928.5	11.0	5.30	
		including						924.0	928.5	4.5	10.2	
OBM-16-656	2500	Caribou	336.0	452359	5434680	329	-48	60.4	62.5	2.1	6.48	
OBM-16-656	2500	Caribou footwall	336.0	452359	5434680	329	-48	67.7	73.4	5.7	6.39	
		including						72.5	73.4	0.9	24.4	
OBM-16-656	2500	New zone	336.0	452359	5434680	329	-48	195.5	198.3	2.8	3.39	
		including						197.8	198.3	0.5	9.20	
OBM-16-656	2500	Hanging wall of Zone 27	336.0	452359	5434680	329	-48	255.2	261.0	5.8	9.04	
		including						260.0	260.5	0.5	73.8	
OBM-16-656	2500	Zone 27	336.0	452359	5434680	329	-48	273.3	276.4	3.1	30.6	
		including						274.2	275.3	1.1	70.8	
OBM-16-656	2500	Zone 27	336.0	452359	5434680	329	-48	296.0	299.0	3.0	83.5	
		including						296.0	297.0	1.0	22.2	
OBX-16-657	-1050		261.0	448718	5433925	360	-55				No significant results	
OBM-16-658	2675	Caribou South 1	924.0	452611	5434621	333	-60	380.0	382.0	2.0	45.8	
		including						380.0	381.0	1.0	90.0	
OBM-16-658	2675	Caribou South 3	924.0	452611	5434621	333	-60	450.0	454.0	4.0	1.66	
OBM-16-658	2675	New zone	924.0	452611	5434621	333	-60	519.0	527.0	8.0	8.90	
		including						521.0	521.8	0.8	18.8	
		and						522.4	523.4	1.0	37.1	
OBM-16-658	2675	Caribou North 2	924.0	452611	5434621	333	-60	562.4	564.5	2.1	3.96	
OBM-16-658	2675	Zone 27-3	924.0	452611	5434621	333	-60	675.0	676.8	1.8	3.98	
		including						676.0	676.8	0.8	8.80	
OBM-16-658	2675	FW3	924.0	452611	5434621	333	-60	851.0	854.0	3.0	0.39	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OBM-16-659	-1150		240.0	448629	5433901	356	-46			No significant results		
OBM-16-660	2500	Caribou	426.0	452376	5434669	329	-52	93.0	96.7	5.7	2.36	
OBM-16-660	2500	Caribou	426.0	452376	5434669	329	-52	125.1	132.0	6.9	7.25	
								129.6	130.7	1.1	24.3	
OBM-16-660	2500	Zone 27	426.0	452376	5434669	329	-52	301.7	305.4	3.7	2.38	
OSK-OBM-16-660	2500		651.0	452376	5434669	329	-52	573.9	576.8	2.9	15.0	
								573.9	575.0	1.1	17.9	
								576.0	576.8	0.8	22.8	
OBM-16-661	-4025		555.0	448773	5433866	330	-59			No significant results		
OBM-16-662	2550	Hanging wall of Caribou	210.0	452423	5434665	330	-53	125.3	131.4	2.1	3.08	
OBM-16-662	2550	Caribou	210.0	452423	5434665	330	-53	173.7	179.7	6.0	0.95	
OSK-OBM-16-662	2550	227	435.0	452423	5434665	330	-53	395.0	400.0	5.0	4.25	
OBM-16-663	2525	New zone	450.0	452402	5434658	330	-53	233.7	236.1	2.4	30.2	
								233.7	234.4	0.7	169	100
OBM-16-663	2525	Zone 27 hanging wall	450.0	452402	5434658	330	-53	366.8	371.0	4.2	2.92	
								366.8	367.2	0.4	11.4	
								370.0	371.0	1.0	5.13	
OBM-16-663	2525	Zone 27	450.0	452402	5434658	330	-53	383.5	396.2	11.7	5.38	
								384.3	388.5	4.2	10.9	
OSK-W-17-663-W1	2525	FW3U	822.2	452402	5434658	330	-53	648.0	650.0	2.0	4.64	
OBM-16-664	2500	Caribou	498.0	452396	5434618	329	-55	172.9	175.9	3.0	7.34	
								173.7	174.6	0.9	17.8	
OBM-16-664	2500	Zone 27	498.0	452396	5434618	329	-55	439.3	449.5	10.2	4.64	
								439.3	440.0	0.7	29.7	
								440.0	449.5	0.5	19.3	
OBM-16-664	2500	Crustiform vein	498.0	452396	5434618	329	-55	453.0	453.3	0.3	178	100
OSK-OBM-16-664	2500	FW3U win	810.0	452396	5434618	329	-55	649.0	652.0	3.0	12.8	
OSK-OBM-16-664	2500	FW3U	810.0	452396	5434618	329	-55	725.7	728.4	2.7	1.01	
OSK-W-17-664-W1	2500	FW3U win	996.0	452396	5434618	329	-55	631.0	640.0	7.0	0.39	
OSK-W-17-664-W1	2500	FW3U	996.0	452396	5434618	329	-55	754.0	756.4	2.4	4.89	
								754.9	755.8	0.9	12.8	
OBM-16-665	-300		20.5	449316	5434379	335	-48			No significant results		
OBM-16-666	-300	New zone	420.0	449316	5434385	335	-48	151.5	152.5	1.0	44.1	
OBM-16-665	-300	Blowdown vein	420.0	449316	5434385	335	-48	384.0	384.3	0.3	188	100
OBM-16-667	2500	Quartz-tourmaline vein	525.0	452410	5434597	330	-55	111.6	114.0	2.4	3.70	
								111.6	112.6	1.0	8.86	
OBM-16-667	2500	Zone 27	525.0	452410	5434597	330	-55	482.5	485.5	3.0	0.81	
OSK-OBM-16-667	2500	FW3	852.0	452410	5434597	330	-55	665.0	669.0	8.5	12.5	
								663.0	665.0	2.0	37.4	
								663.0	664.2	1.2	50.1	
OBM-16-667	2500		525.0	452410	5434597	330	-55			Caribou - No significant results		
OBM-16-668	2575	Caribou hanging wall	438.0	452450	5434674	330	-45	129.1	131.5	2.4	4.67	
								130.0	130.6	0.6	17.6	
OBM-16-668	2575	New Zone	438.0	452450	5434674	330	-45	197.0	199.0	2.0	6.35	
								198.0	199.0	1.0	12.7	
OBM-16-668	2575	New Zone	438.0	452450	5434674	330	-45	220.5	223.0	2.5	29.3	
								222.1	223.0	0.9	76.1	
OBM-16-668	2575	Zone 27	438.0	452450	5434674	330	-45	351.6	355.0	4.0	75.4	
OBM-16-668	2575		438.0	452450	5434674	330	-45			Caribou - No significant results		
OBM-16-669	2625	Caribou South 2	402.0	452503	5434712	330	-45	141.0	143.0	2.0	0.86	
OBM-16-669	2625	Caribou	402.0	452503	5434712	330	-45	175.8	177.8	2.0	2.98	
OBM-16-669	2625	Caribou footwall	402.0	452503	5434712	330	-45	189.0	192.0	3.0	3.02	
								189.0	189.8	0.8	6.75	
OBM-16-669	2625	New zone	402.0	452503	5434712	330	-45	307.0	309.0	2.0	5.00	
OBM-16-669	2625	Zone 27	402.0	452503	5434712	330	-45	330.0	332.3	2.3	0.84	
OBM-16-669	2625	Zone 27 footwall	402.0	452503	5434712	330	-45	384.7	387.2	2.5	3.92	
OBM-16-670	-1875		420.0	448298	5432887	333	-45			No significant results		
OBM-16-671	2450	New zone	489.0	452374	5434591	330	-57	89.5	90.0	0.5	3.62	
								92.0	93.0	1.0	8.04	
OBM-16-671	2450	Crustiform vein	489.0	452374	5434591	330	-57	339.4	342.0	2.6	15.9	
								339.4	339.8	0.4	152	100
OBM-16-671	2450	New zone	489.0	452374	5434591	330	-57	361.4	365.8	4.5	5.99	
OBM-16-671	2450	Tourmaline vein	489.0	452374	5434591	330	-57	377.1	379.2	2.1	37.2	
								378.6	379.2	0.6	19.5	
OBM-16-671	2450	Zone 27	489.0	452374	5434591	330	-57	466.5	470.8	4.3	0.49	
OBM-16-671	2450		489.0	452374	5434591	330	-57			Caribou - No significant results		
OBM-16-672	2150	Caribou West 2	351.0	452106	5434421	333	-47	82.5	87.0	4.5	1.69	
OBM-16-672	2150		351.0	452106	5434421	333	-47			Zone 27 - No significant results		
OBM-16-673	2650	Crustiform veining	495.0	452518	5434736	330	-57	117.0	119.6	2.6	3.19	
								118.8	119.6	0.8	7.61	
OBM-16-673	2650	Caribou South 2	495.0	452518	5434736	330	-57	152.0	154.3	2.3	2.27	
OBM-16-673	2650	Caribou	495.0	452518	5434736	330	-57	226.5	226.7	10.2	0.88	
OBM-16-673	2650	Zone 27 hanging wall	495.0	452518	5434736	330	-57	450.0	453.3	3.3	0.84	
OBM-16-674	2125	New zone	171.0	451021	5434715	150	-60	17.0	19.0	2.0	7.71	
								17.7	18.0	0.3	90.1	
OBM-16-674	2125	Zone 27 footwall	171.0	451021	5434715	150	-60	61.0	64.0	3.0	2.88	
								63.0	64.0	1.0	7.19	
OBM-16-674	2125	Zone 27 footwall	171.0	451021	5434715	150	-60	72.0	74.0	2.0	6.62	
								72.7	74.0	1.3	9.77	
OBM-16-674	2125	Zone 27 footwall	171.0	451021	5434715	150	-60	76.2	78.8	2.6	4.30	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OBM-16-674	2125	Zone 27	171.0	451021	5434715	150	-60	106.3	113.0	6.7	16.6	
		including						106.3	107.0	0.7	47.0	
		and						110.4	111.8	1.4	45.7	
OBM-16-674	2125	Zone 27 hanging wall	171.0	451021	5434715	150	-60	159.0	161.2	2.2	10.4	
		including						159.6	161.2	1.6	14.3	
OBM-16-675	2450	Caribou	432.0	452338	5434607	332	-55	98.6	101.0	2.4	0.52	
OBM-16-675	2450	New zone	432.0	452338	5434607	332	-55	297.6	301.7	4.1	8.23	
OBM-16-675	2450	Crustiform vein	432.0	452338	5434607	332	-55	331.0	333.0	2.0	3.50	
		including						331.5	331.9	0.4	42.8	
OBM-16-675	2450	Zone 27	432.0	452338	5434607	332	-55	395.9	400.2	4.3	3.18	
OBM-16-676	2350	Quartz vein	156.0	452261	5434543	330	-54	25.2	26.0	0.8	43.4	
OBM-16-676	2350	Caribou West 4	156.0	452261	5434543	330	-54	124.5	127.0	2.5	0.49	
OBM-16-677	2350	Zone 27 upper	125.0	452177	5434724	328	-51	43.8	46.0	2.2	3.34	
		including						43.8	45.0	1.2	5.75	
OBM-16-677	2350	Zone 27	125.0	452177	5434724	328	-51	70.5	73.0	2.5	4.26	
OBM-16-678	2475	Caribou	186.0	452347	5434661	330	-54	71.0	73.0	2.0	2.07	
OSK-OBM-16-678	2475	227	717.0	452347	5434661	330	-54	256.0	258.4	2.4	24.8	
		including						257.5	258.4	0.9	45.4	
OSK-OBM-16-678	2475	227	717.0	452347	5434661	330	-54	318.0	320.0	2.0	43.5	
		including						319.0	320.0	1.0	82.8	
OSK-OBM-16-678	2475	FW3U	717.0	452347	5434661	330	-54	599.0	601.0	2.0	3.22	
OSK-OBM-16-678	2475	FW3U	717.0	452347	5434661	330	-54	604.0	606.2	2.2	3.36	
OSK-OBM-16-678	2475	FW3U	717.0	452347	5434661	330	-54	620.0	621.0	2.0	7.50	
		including						620.0	621.0	1.0	12.9	
OBM-16-679	2450	Zone 27 upper	138.0	452254	5434790	325	-65	50.0	53.6	3.6	2.09	
OBM-16-679	2450	Zone 27	138.0	452254	5434790	325	-65	106.5	112.1	5.6	1.35	
OBM-16-680	2800		36.0	452622	5434634	331	-53			Abandoned		
OBM-16-681	2800	New zone	372.0	452629	5434636	331	-53	78.0	80.3	2.3	4.87	
OBM-16-681	2800		372.0	452626	5434636	331	-53			Caribou South 2 - No significant results		
OBM-16-682	2475	Zone 27	129.0	452369	5434798	331	-55	56.0	58.0	2.0	3.47	
		including						57.6	58.0	0.4	16.4	
OBM-16-683	2425		39.0	452314	5434640	330	-53			Abandoned		
OBM-16-684	2475	Caribou	210.0	452382	5434629	331	-53	130.0	134.0	1.0	5.22	
		including						132.0	133.0	1.0	15.0	
OBM-16-685	2425	Caribou	384.0	452315	5434638	332	-53	41.4	43.7	2.3	0.82	
OBM-16-685	2425	Zone 27	384.0	452315	5434638	332	-53	321.7	333.4	11.7	5.40	
		including						321.7	325.0	3.3	9.63	
OBM-16-686	2475	Zone 27 hanging wall	195.0	452207	5434907	153	-57	133.5	135.0	1.5	8.80	
		including						133.5	134.5	1.0	19.5	
OBM-16-686	2475	Zone 27	195.0	452207	5434907	153	-57	153.0	155.0	2.0	2.39	
		including						154.5	155.0	0.5	6.36	
OBM-16-686	2475	Zone 27 footwall	195.0	452207	5434907	153	-57	179.0	181.4	2.4	1.39	
OBM-16-687	2550	New zone	570.0	452476	5434592	330	-56	105.0	107.0	2.0	3.36	
OBM-16-687	2550	New zone	570.0	452476	5434592	330	-56	194.0	197.0	3.0	4.32	
OBM-16-687	2550	Caribou - Caribou South 1 connection	570.0	452476	5434592	330	-56	309.0	311.6	2.6	0.36	
OBM-16-687	2550	Caribou - Caribou South 1 and Caribou	570.0	452476	5434592	330	-56	354.0	361.0	7.0	6.61	
		including						354.8	355.4	0.6	67.0	
OBM-16-687	2550	Zone 27	570.0	452476	5434592	330	-56	537.9	540.0	2.1	4.78	
		including						537.9	539.2	1.3	7.69	
OSK-OBM-16-687	2550	FW3U HW	882.0	452476	5434592	330	-56	749.0	751.0	2.0	3.48	
OBM-16-688	2475		8.6	452207	5434907	148	-61			Abandoned		
OBM-16-689	2725	Caribou	687.0	452630	5434688	330	-54	359.3	361.8	1.0	3.45	
		including						359.3	360.8	1.5	1.45	
OBM-16-689	2725	New zone	687.0	452630	5434688	330	-54	492.3	495.4	3.1	9.12	
		including						492.3	493.4	1.1	25.1	
OBM-16-689	2725	Zone 27 hanging wall	687.0	452630	5434688	330	-54	577.0	579.3	2.3	4.54	
OBM-16-689	2725	Zone 27 hanging wall	687.0	452630	5434688	330	-54	587.3	589.6	2.3	4.65	
OBM-16-689	2725	Zone 27	687.0	452630	5434688	330	-54	594.0	602.0	8.0	4.36	
		including						597.4	599.3	1.9	12.1	
		including						601.0	602.0	1.0	6.81	
OBM-16-689	2725	Zone 27 footwall	687.0	452630	5434688	330	-54	615.7	618.0	2.3	9.85	
		including						616.4	617.1	0.7	23.7	
OBM-16-690	2500	Zone 27	198.0	452340	5434915	150	-54	117.4	124.9	7.5	0.32	
OBM-16-691	2550	Caribou	327.6	452456	5434636	331	-53	198.4	200.8	2.4	4.36	
OBM-16-692	2850	Crustiform vein	182.0	452273	5434930	150	-54	42.6	47.0	4.4	13.2	
		including						42.6	44.9	2.3	23.9	
		and						43.0	44.0	1.0	27.9	
		and						44.6	44.9	0.3	81.1	
OBM-16-692	2550	Zone 27	182.0	452273	5434930	150	-54	161.9	164.0	2.1	0.66	
OBM-16-693	2525	Caribou	540.0	452443	5434600	331	-54	280.3	283.2	2.9	8.22	
		including						281.5	283.2	0.7	31.5	
OBM-16-693	2525	Caribou - Caribou South 1 connection	540.0	452443	5434600	331	-54	297.0	299.6	2.6	5.34	
OBM-16-693	2525	Caribou North 2	540.0	452443	5434600	331	-54	336.0	339.9	3.9	0.11	
OBM-16-693	2525	Zone 27	540.0	452443	5434600	331	-54	499.0	501.0	2.0	3.23	
OBM-16-693	2525	Zone 27 footwall	540.0	452443	5434600	331	-54	504.8	507.0	2.2	3.23	
		including						505.5	506.9	0.4	13.3	
OSK-OBM-16-693	2525	FW3U HW	861.0	452443	5434600	331	-54	645.4	649.0	3.6	13.3	
OSK-OBM-16-693	2525	FW3U HW	861.0	452443	5434600	331	-54	654.1	664.0	9.9	30.8	22.2
		including						654.1	656.0	1.9	80.0	45.5
		including						658.1	661.9	3.8	37.4	32.1



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-OBM-16-693	2525	FW3U	861.0	452443	5434600	331	-54	805.0	807.0	2.0	7.36	
		including						806.0	807.0	1.0	14.2	
OBM-16-694	2650	Crustiform vein	90.0	452367	5434996	150	-56	19.6	21.6	2.0	7.52	
		including						19.6	20.3	0.7	26.5	
OBM-16-695	2850		147.0	452702	5434784	332	-61				Abandoned	
OBM-16-696	2850	Caribou	510.0	452710	5434810	333	-61	348.2	351.5	3.3	5.50	
		including						350.0	351.5	1.5	7.89	
OBM-16-697	2575	Quartz tourmaline vein	420.0	452501	5434610	330	-54	228.7	230.7	2.0	16.0	
		including						228.7	229.2	0.5	63.5	
OBM-16-697	2575		420.0	452501	5434610	330	-54				Caribou hanging wall -	
OBM-16-697	2575	Caribou	420.0	452501	5434610	330	-54	292.0	302.3	10.3	0.61	
OBM-16-697	2575	Caribou South 1	420.0	452501	5434610	330	-54	315.0	319.3	4.3	1.17	
OBM-16-697	2575	Caribou North 1	420.0	452501	5434610	330	-54	338.0	340.0	2.0	1.23	
OBM-16-697	2575	Caribou North 2	420.0	452501	5434610	330	-54	386.0	388.5	2.5	0.45	
OSK-OBM-16-697	2575	FW3U	885.0	452501	5434610	330	-54	799.0	801.1	2.1	15.3	
		including						800.3	801.1	0.8	40.1	
OSK-OBM-16-697	2575	FW3U	885.0	452501	5434610	330	-54	804.1	806.7	2.6	29.1	
		including						804.1	804.7	0.6	90.1	
OBM-16-698	2850	New zone, shear	684.0	452738	5434749	332	-60	79.5	82.5	3.0	2.97	
OBM-16-698	2850	New zone	684.0	452738	5434749	332	-60	156.5	159.0	2.5	8.06	
		including						156.5	157.5	1.0	19.0	
OBM-16-698	2850	New hanging wall - Quartz tourmaline	684.0	452738	5434749	332	-60	443.1	446.0	2.9	3.62	
OBM-16-698	2850	Caribou North 2	684.0	452738	5434749	332	-60	492.3	495.8	3.5	4.49	
		including						495.1	495.8	0.6	19.3	
OBM-16-699	1600	FW3	351.0	451486	5434418	330	-60	118.5	121.0	2.5	0.02	
OBM-16-699	1600	New zone	351.0	451486	5434418	330	-60	270.0	272.5	2.5	6.63	
OBM-16-700	2550		126.0	452469	5434608	331	-53				Abandoned	
OBM-16-701	2950	New zone	699.0	452818	5434799	328	-63	262.5	263.0	0.5	11.9	
		including						262.5	263.0	0.5	11.9	
OBM-16-701	2950	Tourmaline veins	699.0	452818	5434799	328	-63	310.7	313.0	2.3	6.66	
		including						310.7	311.0	0.3	12.1	
OBM-16-701	2950	Quartz vein	699.0	452818	5434799	328	-63	314.7	317.0	2.3	8.28	
		including						316.7	317.0	0.3	14.4	
OBM-16-701	2950	New zone	699.0	452818	5434799	328	-63	414.7	420.8	6.1	5.14	
OBM-16-701	2950	Caribou hanging wall	699.0	452818	5434799	328	-63	463.0	470.0	7.0	4.82	
		including						463.0	464.0	1.0	22.4	
OBM-16-701	2950	Crustiform vein	699.0	452818	5434799	328	-63	409.0	412.2	3.2	4.51	
OBM-16-701	2950	Extension of Caribou North 2	699.0	452818	5434799	328	-63	551.1	558.0	6.9	8.86	
		including						557.0	558.0	1.0	47.7	
OBM-16-701	2950	Eastern extension of Zone 27	699.0	452818	5434799	328	-63	620.2	622.3	2.1	6.68	
		including						621.3	622.3	1.0	31.3	
OBM-16-702	2425	Caribou	308.0	452311	5434627	329	-55	52.9	55.7	2.8	2.66	
		including						52.9	53.6	0.7	9.69	
OBM-16-703	1625	New zone	678.0	451622	5434235	329	-56	250.5	252.8	2.3	7.81	
		including						250.5	251.3	0.8	22.0	
OBM-16-703	1625	Quartz-carbonate veins	678.0	451622	5434235	329	-56	256.1	259.0	2.9	3.34	
OBM-16-703	1625	FW1	678.0	451622	5434235	329	-56	302.7	303.0	0.3	18.4	
		including						301.4	302.5	1.1	38.2	
OBM-16-703	1625	New zone	678.0	451622	5434235	329	-56	336.5	338.5	2.0	3.17	
		including						336.5	337.7	1.2	5.09	
OBM-16-703	1625	FW3	678.0	451622	5434235	329	-56	469.5	472.5	3.0	0.60	
OBM-16-704	2425	Caribou	408.0	452311	5434627	329	-57	56.0	58.0	2.0	0.79	
OBM-16-704	2425	Zone 27	408.0	452311	5434627	329	-57	346.0	350.2	4.2	3.55	
OBM-16-704	2425	FW3	408.0	452311	5434627	329	-57	594.9	599.2	4.3	0.72	
OSK-W-16-704-W1	2425	FW3 hanging wall	852.0	452311	5434627	329	-57	641.8	644.5	2.8	6.59	
		including						641.1	643.5	0.4	39.1	
OSK-W-16-704-W1	2425	FW3	852.0	452311	5434627	329	-57	649.6	652.5	2.9	15.5	
		including						649.6	650.3	0.7	63.6	
OSK-W-16-704-W1	2425	New - Underdrift corridor	852.0	452311	5434627	329	-57	671.2	677.5	6.3	6.10	
		including						671.2	671.7	0.5	96.3	
OSK-W-16-704-W1	2425	FW4	852.0	452311	5434627	329	-57	797.0	799.0	2.0	25.1	
		including						797.5	798.1	0.6	50.5	
OSK-W-16-705	2650	Caribou South 1	636.0	452599	5434581	333	-60	403.5	406.8	3.3	1.31	
OSK-W-16-705	2650	Caribou South 3	636.0	452599	5434581	333	-60	482.7	485.0	2.3	0.54	
OSK-W-16-705	2650	Wall	636.0	452599	5434581	333	-60	565.0	567.0	2.0	4.04	
		including						565.7	566.4	0.7	10.7	
OSK-W-16-705	2650	New Zone	636.0	452599	5434581	333	-60	594.0	596.2	2.2	3.64	
OSK-W-16-705	2650	FW3	636.0	452599	5434581	333	-60	899.0	901.9	2.9	3.54	
		including						901.1	901.9	0.8	12.8	
OSK-W-16-706	2575	Caribou South 1	1335.0	452611	5434418	327	-57	956.6	952.6	4.0	8.65	
OSK-W-16-706	2575	FW0	1335.0	452611	5434418	327	-57	829.5	831.6	2.1	1.44	
OSK-W-16-706	2575	FW1	1335.0	452611	5434418	327	-57	950.3	952.6	2.3	12.3	
		including						950.3	951.3	1.0	29.4	
OSK-W-16-706-W1	2575	FW3	1335.0	452611	5434418	327	-57	1189.0	1189.8	0.8	0.72	
OSK-W-16-706-W1	2575	Caribou South 1 - cut to 100 g/t Au	1275.0	452611	5434418	327	-57	546.5	553.0	16.5	5.75	
		including						546.5	563.0	16.5	3.53	
OSK-W-16-706-W1	2575	Caribou South 1 footwall	1275.0	452611	5434418	327	-57	549.2	549.5	0.3	222	100
		including						558.3	563.0	4.7	3.41	
		including						558.3	558.7	0.4	14.5	
OSK-W-16-706-W1	2575	FW0	1275.0	452611	5434418	327	-57	818.8	821.3	2.5	28.1	
		including						819.4	820.0	0.6	127	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-16-705-W1	2575	FW1 hanging wall	1275.0	452611	5434418	327	-57	886.2	888.2	2.0	4.93	
		including						886.2	887.2	1.0	0.72	
OSK-W-16-706-W1	2575	FW1	1275.0	452611	5434418	327	-57	902.5	904.5	2.0	2.85	
OSK-W-16-706-W1	2575	FW2	1275.0	452611	5434418	327	-57	981.1	992.0	10.9	10.6	
		including						981.9	983.7	1.8	24.0	
		including						988.5	992.0	3.5	19.4	
OSK-W-16-706-W1	2575	FW2	1275.0	452611	5434418	327	-57	1007.0	1012.0	5.0	7.50	
		including						1008.0	1010.0	2.0	13.8	
OSK-W-16-706-W1	2575	FW2	1275.0	452611	5434418	327	-57	1022.0	1024.3	2.3	18.6	
		including						1022.9	1023.7	0.8	49.9	
OSK-W-16-706-W1	2575	FW3	1275.0	452611	5434418	327	-57	1033.0	1041.9	8.9	16.6	15.9
		including						1033.5	1034.3	0.8	91.6	
		including						1041.0	1041.4	0.4	137	100
OSK-W-16-706-W1	2575	FW4	1275.0	452611	5434418	327	-57	1073.1	1077.0	3.9	8.74	
OSK-W-16-706-W1	2575	New - under Red Dog	1275.0	452611	5434418	327	-57	1248.4	1250.9	2.5	3.95	
OSK-W-16-706-W2	2575	Caribou South 1	1296.0	452611	5434418	327	-57	552.0	556.3	4.3	1.87	
OSK-W-16-706-W2	2575	FW2	1296.0	452611	5434418	327	-57	827.0	829.0	2.0	2.43	
OSK-W-16-706-W2	2575	Quartz-tourmaline veins	1296.0	452611	5434418	327	-57	903.0	905.0	2.0	3.12	
OSK-W-16-706-W2	2575	FW1 (AQ zone)	1296.0	452611	5434418	327	-57	945.1	951.4	6.3	9.17	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1018.0	1020.4	2.4	5.67	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1093.8	1098.3	4.5	3.06	
		including						1093.8	1094.4	0.6	12.7	
		and						1097.4	1098.3	0.9	6.44	
OSK-W-16-706-W2	2575	FW3	1296.0	452611	5434418	327	-57	1146.0	1149.5	3.5	4.95	
		including						1147.8	1148.2	0.4	35.3	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1176.5	1179.0	2.5	3.20	
		including						1177.5	1178.0	0.5	15.7	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1209.2	1205.2	2.0	7.33	
		including						1204.2	1204.6	0.4	33.6	
OSK-W-16-706-W3	2575	FW1	1061.0	452611	5434418	327	-57	944.8	952.5	7.7	7.57	
		including						944.8	945.9	1.1	9.25	
		and						949.0	950.1	1.1	30.0	
OSK-W-16-706-W3	2575	FW2	1061.0	452611	5434418	327	-57	1027.0	1029.2	2.2	7.88	
		including						1028.0	1028.7	0.7	20.3	
OSK-W-16-707	2675	Caribou South 2	600.0	452572	5434688	331	-52	247.3	249.5	2.2	11.8	
		including						248.3	248.7	0.4	58.6	
OSK-W-16-707	2675	Caribou	600.0	452572	5434688	331	-52	319.5	328.0	8.5	0.78	
OSK-W-16-708	2775	Shear and quartz veins	1257.0	452818	5434423	331	-54	354.0	356.2	2.2	3.65	
		including						354.8	355.1	0.3	14.0	
OSK-W-16-708	2775	Caribou South 3	1257.0	452818	5434423	331	-54	625.5	628.0	2.5	1.90	
OSK-W-16-708	2775	New	1257.0	452818	5434423	331	-54	755.6	758.0	2.4	3.36	
OSK-W-16-708	2775	Wolf hanging wall	1257.0	452818	5434423	331	-54	796.0	798.0	2.0	17.1	
OSK-W-16-708	2775	New	1257.0	452818	5434423	331	-54	889.5	891.8	2.3	5.55	
		including						891.2	891.8	0.6	19.0	
OSK-W-16-708	2775	FW1	1257.0	452818	5434423	331	-54	1021.7	1024.5	2.8	3.94	
		including						1022.5	1023.0	0.5	16.1	
OSK-W-16-708	2775	FW3	1257.0	452818	5434423	331	-54	1206.5	1209.7	3.2	0.09	
OSK-W-16-708-W1	2775	Caribou South 3 footwall	1272.0	452818	5434423	331	-54	633.3	635.9	2.6	1.28	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	706.3	708.7	2.4	3.25	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	725.3	733.0	7.7	3.80	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	738.1	740.7	2.6	4.01	
		including						739.0	739.7	0.7	12.0	
OSK-W-16-708-W1	2775	Wolf hanging wall	1272.0	452818	5434423	331	-54	765.5	769.5	4.0	12.2	
OSK-W-16-708-W1	2775	Wolf	1272.0	452818	5434423	331	-54	816.5	820.3	3.8	12.5	
OSK-W-16-708-W1	2775	Wolf footwall	1272.0	452818	5434423	331	-54	834.0	836.4	2.4	4.79	
		including						835.6	836.4	0.8	13.9	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	838.1	844.5	6.4	15.4	
		including						840.5	841.4	0.9	31.5	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	1069.0	1071.0	2.0	8.27	
		including						1069.9	1070.2	0.3	41.7	
OSK-W-16-708-W1	2775	FW3	1272.0	452818	5434423	331	-54	1088.0	1091.0	3.0	3.74	
OSK-W-16-708-W1	2775	New	1272.0	452818	5434423	331	-54	1168.0	1185.1	17.1	6.14	
		including						1163.0	1164.0	1.0	11.1	
OSK-W-16-708-W2	2775	Caribou South 3	1407.0	452818	5434423	331	-54	633.0	636.6	3.6	3.20	
OSK-W-16-708-W2	2775	Shear - Caribou Corridor	1407.0	452818	5434423	331	-54	668.8	671.0	2.2	7.43	
		including						668.8	670.2	1.4	11.4	
OSK-W-16-708-W2	2775	Caribou - Caribou Corridor	1407.0	452818	5434423	331	-54	795.0	798.0	3.0	7.66	
OSK-W-16-708-W2	2775	Wolf - Caribou Corridor	1407.0	452818	5434423	331	-54	843.9	846.7	2.8	4.47	
		including						844.3	844.7	0.4	30.3	
OSK-W-16-708-W2	2775	New zone - Underdog	1407.0	452818	5434423	331	-54	1135.5	1142.1	6.6	13.8	
		including						1136.1	1138.5	2.4	36.1	
OSK-W-16-708-W2	2775	FW3	1407.0	452818	5434423	331	-54	1278.3	1276.3	2.0	0.63	
OSK-W-16-709	2700	New zone - Shear	590.0	452647	5434573	330	-59	186.0	188.0	2.0	3.01	
		including						186.0	187.0	1.0	5.61	
OSK-W-16-709	2700	New zone	590.0	452647	5434573	330	-59	349.5	351.5	2.0	3.22	
OSK-W-16-709	2700	Caribou South 1	590.0	452647	5434573	330	-59	418.2	421.9	3.7	4.90	
OSK-W-16-709	2700	Caribou South 3	590.0	452647	5434573	330	-59	499.2	502.0	2.8	0.75	
OSK-W-16-710	2700	Tourmaline breccia	704.0	452649	5434613	331	-60	68.0	70.0	2.0	3.25	
		including						69.3	70.0	0.7	8.93	
OSK-W-16-710	2700	New zone	704.0	452649	5434613	331	-60	157.0	159.0	2.0	3.13	
		including						157.0	158.3	1.3	4.72	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assmt	Au (g/t) cut to 100 g/t
OSK-W-16-720	2700	New zone	704.0	452649	5434613	331	-60	222.0	225.0	3.0	3.48	
		including						222.0	223.5	1.5	6.94	
OSK-W-16-710	2700	Caribou South 1	704.0	452649	5434613	331	-60	402.8	403.5	0.7	1.94	
OSK-W-16-710	2700	Quartz-tourmaline veins	704.0	452649	5434613	331	-60	498.0	Caribou South 1 - cross-cut by late felsic dike			
		including						498.0	500.5	2.5	10.8	
OSK-W-16-710	2700	New zone	704.0	452649	5434613	331	-60	533.0	534.0	3.0	8.32	
		including						532.5	534.0	1.5	15.5	
OSK-W-16-710	2700	Wolf	704.0	452649	5434613	331	-60	562.0	568.7	6.7	11.8	
		including						565.9	566.6	0.7	212	100
OSK-W-16-710	2700	New zone	704.0	452649	5434613	331	-60	586.0	588.3	2.3	16.2	
		including						586.0	587.9	1.9	19.6	
OSK-W-16-710	2700	Caribou North 2	704.0	452649	5434613	331	-60	620.0	623.5	3.5	1.12	
OSK-W-16-711	-200		393.0	449352	5434556	329	-47	No significant results				
OSK-W-16-712	2775		39.0	452678	5434681	330	-55	Abandoned				
OSK-W-16-713	2775	Caribou	523.0	452678	5434680	331	-56	421.0	423.0	2.0	0.80	
OSK-W-16-713	2775	Caribou North 2 footwall	523.0	452678	5434680	331	-56	472.0	474.4	2.4	1.41	
OSK-W-16-714	300		510.0	449999	5435772	330	-49	No significant results				
OSK-W-16-715	2800	Eastern extension Caribou South 1	804.0	452786	5434527	334	-61	534.5	536.5	2.0	4.85	
OSK-W-16-715	2800	Naze	804.0	452786	5434527	334	-61	541.5	543.5	2.0	4.17	
OSK-W-16-715	2800	Caribou South 3	804.0	452786	5434527	334	-61	646.0	649.0	3.0	22.6	
		including						647.5	649.0	1.5	41.0	
OSK-W-16-715	2800	New	804.0	452786	5434527	334	-61	668.5	671.5	3.0	6.84	
		including						668.5	670.0	1.5	13.1	
OSK-W-16-715	2800	New	804.0	452786	5434527	334	-61	727.0	729.8	2.8	4.38	
OSK-W-16-715	2800	Quartz vein in Red Dog	804.0	452786	5434527	334	-61	800.8	801.3	0.5	18.9	
OSK-W-16-716	-200		602.0	448895	5435348	332	-48	No significant results				
OSK-W-16-717	-175	New	525.0	448758	5435642	331	-45	51.5	52.6	1.1	3.26	
OSK-W-16-717	-175	New discovery - Fox	525.0	448758	5435642	331	-45	243.9	255.5	11.6	3.22	
OSK-W-16-718	2775	Caribou North 1	798.0	452742	5434571	332	-61	431.9	434.9	3.0	23.2	
		including						432.9	434.2	1.3	44.5	
OSK-W-16-718	2775	Caribou South 3	798.0	452742	5434571	332	-61	515.5	518.0	2.5	1.88	
OSK-W-16-718	2775		798.0	452742	5434571	332	-61	527.5	530.7	3.2	3.07	
OSK-W-16-718	2775	Wolf 2	798.0	452742	5434571	332	-61	570.5	575.2	4.7	8.50	
OSK-W-16-718	2775	Quartz-carbonate vein	798.0	452742	5434571	332	-61	679.0	681.2	2.2	10.4	
		including						680.7	681.2	0.5	44.4	
OSK-W-16-718	2775	Wolf	798.0	452742	5434571	332	-61	735.3	737.9	2.6	4.78	
OSK-W-16-719	300		505.0	448757	5434606	329	-46	No significant results				
OSK-W-16-720	2775	Caribou	641.0	452665	5434716	332	-56	260.0	265.7	5.7	34.4	20.9
		including						262.0	262.5	0.5	45.9	
		and						263.1	263.6	0.5	105	100
		including						264.3	264.6	0.3	348	
OSK-W-16-720	2775	Caribou	641.0	452665	5434716	332	-56	394.0	398.4	4.4	5.56	100
		including						394.0	394.5	0.5	18.7	
OSK-W-16-720	2775	Caribou North 2 extension	641.0	452665	5434716	332	-56	436.5	439.0	2.5	3.07	
		including						437.0	438.0	1.0	7.25	
OSK-W-16-721	175		480.1	448442	5436942	327	-45	No significant results				
OSK-W-16-722	2925	New	773.5	452795	5434812	330	-60	53.0	55.0	2.0	6.08	
		including						53.0	54.0	1.0	12.0	
OSK-W-16-723	-325		765.0	447874	5436916	332	-44	No significant results				
OSK-W-16-724	3050	New	822.0	452910	5434850	329	-65	157.0	159.0	2.0	3.18	
OSK-W-16-724	3050	New - Caribou Corridor	822.0	452910	5434850	329	-65	385.0	387.0	2.0	3.34	
		including						385.0	386.0	1.0	8.11	
OSK-W-16-724	3050	New - Caribou Corridor	822.0	452910	5434850	329	-65	478.6	480.7	2.1	3.64	
OSK-W-16-724	3050	Caribou North 2 Zone Extension	822.0	452910	5434850	329	-65	576.7	580.0	3.3	5.06	
		including						576.7	580.0	0.3	26.7	
OSK-W-16-725	-575	Quartz-carbonate veinlets	882.0	447947	5436106	330	-50	346.7	347.2	0.5	3.24	
OSK-W-16-726	1850	FW2	996.0	451895	5434186	328	-59	837.0	839.9	2.9	0.60	
OSK-W-16-726	1850	New zone under Red Dog	996.0	451895	5434186	328	-59	936.6	938.8	2.2	4.49	
		including						938.5	938.8	0.3	18.5	
OSK-W-16-726-w1	1850	FW2	1106.0	451895	5434186	328	-59	962.9	966.3	3.4	0.27	
OSK-W-16-726-w2	1850	FW2 Underdog	564.0	451895	5434186	328	-59	No significant results				
OSK-W-16-727	1775		381.0	451664	5434446	330	-53	274.4	276.5	2.1	9.45	
		including						274.9	276.0	1.1	17.2	
OSK-W-16-728	3200	Crossiform vein	1419.0	453055	5434890	334	-66	363.0	365.4	2.4	42.2	17.2
		including						363.6	364.0	0.4	250	100
OSK-W-16-728	3200	Crossiform vein	1419.0	453055	5434890	334	-66	404.0	405.5	1.5	2.8	
OSK-W-16-728	3200	Caribou Zone extension	1419.0	453055	5434890	334	-66	478.1	481.2	3.1	391	100
		including						478.1	481.2	3.1	34.7	
OSK-W-16-728	3200	Caribou Zone extension	1419.0	453055	5434890	334	-66	478.1	479.5	0.4	3020	100
OSK-W-16-728	3200	New zone - Caribou corridor	1419.0	453055	5434890	334	-66	581.6	584.0	2.4	3.18	
OSK-W-16-728	3200	Zone 27 - Crossiform vein	1419.0	453055	5434890	334	-66	752.2	754.9	2.7	4.69	
		including						753.1	753.9	0.8	15.6	
OSK-U-16-729	-550		482.0	450104	5433288	330	-43	No significant results				
OSK-U-16-730	-200		501.0	449901	5433572	330	-45	No significant results				
OSK-U-16-731	-175	New zone	498.0	449764	5433851	330	-43	358.5	360.5	2.0	6.78	
		including						358.5	359.4	0.9	11.1	
OSK-U-16-732	-175	Fox	420.0	448758	5435641	331	-56	65.5	68.5	3.0	8.04	
		including						67.0	68.5	1.5	16.1	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-U-16-733	-175	Shear veins	501.0	448758	5435642	359	-54	47.3	48.0	1.8	3.40	
		including						47.3	47.8	0.5	9.99	
OSK-U-16-734	-175	Fox	559.0	448758	5435641	302	-46	407.0	409.1	2.1	39.2	
		including						407.0	407.7	0.7	96.2	
		and						408.8	409.1	0.3	48.0	
OSK-W-16-735	2375	Shear vein	1110.0	452285	5434580	332	-64	58.3	60.5	2.2	13.8	
		including						58.3	58.9	0.6	48.7	
OSK-W-16-735	2375	Caribou	1110.0	452285	5434580	332	-64	101.8	137.2	35.4	17.0	
OSK-W-16-735	2375	Caribou Cut to 100g/t Au	1110.0	452285	5434580	332	-64	101.8	137.2	35.4	6.30	
		including						103.0	103.5	0.5	10.1	
		and						112.0	113.7	1.7	338	100
		including						112.0	113.0	1.0	486	100
		and						113.0	113.7	0.7	79.2	
OSK-W-16-735	2375	Zone 27	1110.0	452285	5434580	332	-64	322.8	325.0	2.2	14.6	
		including						322.8	323.4	0.6	53.0	
OSK-W-16-735	2375	FW1	1110.0	452285	5434580	332	-64	532.4	534.5	2.1	14.1	
		including						532.4	533.1	0.7	32.8	
		and						534.2	534.5	0.3	19.6	
OSK-W-16-735	2375	FW1 Footwall	1110.0	452285	5434580	332	-64	554.4	557.8	3.4	10.8	
		including						554.4	554.8	0.4	26.9	
OSK-W-16-735	2375	FW3	1110.0	452285	5434580	332	-64	676.5	681.1	4.6	0.71	
OSK-W-16-735	2375	FW4 Hangingwall	1110.0	452285	5434580	332	-64	797.8	800.0	2.2	6.75	
		including						798.8	799.1	0.3	48.4	
OSK-W-16-735	2375	FW4 Hangingwall	1110.0	452285	5434580	332	-64	812.0	814.9	2.9	8.57	
		including						814.4	814.9	0.5	43.0	
		and						824.2	824.4	0.2	33.6	24.4
OSK-W-16-735	2375	FW4	1110.0	452285	5434580	332	-64	824.2	824.5	0.3	228	100
		and						826.8	828.4	1.6	36.8	
OSK-W-16-735-W1	2375	Z27-2	1071.0	452285	5434580	332	-64	345.8	348.0	2.2	4.50	
OSK-W-16-735-W1	2375	Zone 27	1071.0	452285	5434580	332	-64	404.1	406.0	1.9	1.18	
OSK-W-16-735-W1	2375	Quartz vein in Red Dog	1071.0	452285	5434580	332	-64	427.5	428.5	1.0	5.13	
OSK-W-16-735-W1	2375	Quartz vein in Red Dog	1071.0	452285	5434580	332	-64	477.8	478.1	0.3	11.8	8.70
OSK-W-16-735-W1	2375	FW1	1071.0	452285	5434580	332	-64	520.5	527.3	6.8	11.6	8.70
		including						521.5	522.0	0.5	140	100
OSK-W-16-735-W2	2375	FW3	1071.0	452285	5434580	332	-64	743.1	740.0	3.1	1.08	
OSK-W-16-735-W2	2375	FW1	1089.5	452285	5434580	332	-64	532.2	535.7	3.5	12.2	
OSK-W-16-735-W2	2375	FW1	1089.5	452285	5434580	332	-64	545.8	548.6	2.8	6.80	
OSK-W-16-735-W2	2375	FW3	1089.5	452285	5434580	332	-64	808.8	813.8	5.0	7.92	
OSK-W-16-735-W2	2375	FW3	1089.5	452285	5434580	332	-64	822.7	828.0	5.3	16.7	
		including						825.0	825.5	0.5	54.1	
OSK-U-16-736	-175	Fox	589.0	448758	5435640	302	-60	260.6	262.7	2.1	5.14	
OSK-U-16-736	-175	Fox	589.0	448758	5435640	302	-60	313.0	315.6	2.6	4.32	
OSK-W-16-737	3375	Fox	72.0	453236	5434928	332	-66			Abandoned		
OSK-U-16-738	-175	Fox	546.0	448758	5435640	276	-48	217.8	221.7	3.9	2.58	
OSK-U-16-738	-175	Fox	546.0	448758	5435640	276	-48	222.7	224.4	1.7	2.86	
OSK-W-16-739	3375		42.0	453236	5434928	332	-65			Abandoned		
OSK-W-16-740	3375	Vein	1464.0	453238	5434925	340	-66	137.4	140.0	2.6	7.21	
		including						138.7	139.2	0.5	23.6	
OSK-W-16-740	3375	Lynx	1464.0	453238	5434925	340	-66	159.0	161.0	2.0	4.49	
OSK-W-16-740	3375	Lynx FW	1464.0	453238	5434925	340	-66	248.5	256.7	8.2	4.72	
		including						249.5	250.1	0.6	13.0	
		and						255.7	256.7	1.0	19.3	
OSK-W-16-740	3375	Crustiform Vein	1464.0	453238	5434925	340	-66	305.4	310.0	4.6	5.69	
		including						305.4	306.1	0.7	11.8	
		and						309.0	310.0	1.0	16.3	
OSK-W-16-740	3375	CN2	1464.0	453238	5434925	340	-66	720.5	722.8	2.3	9.66	
		including						720.5	721.5	1.0	19.5	
OSK-W-16-740	3375	New Underdog	1464.0	453238	5434925	340	-66	1389.0	1391.4	2.4	8.71	
		including						1390.2	1390.5	0.3	67.9	
OSK-W-16-741	2525		246.0	452652	5434236	329	-65			No significant results		
OSK-W-16-742	2525		30.0	452651	5434236	330	-64			Abandoned		
OSK-W-16-743	2525	New zone	1560.0	452652	5434236	331	-64	672.2	674.7	2.5	6.44	
OSK-W-16-743	2525	New zone	1560.0	452652	5434236	331	-64	701.1	703.8	2.7	4.91	
		including						703.1	703.8	0.7	15.3	
OSK-W-16-743	2525	CS1	1560.0	452652	5434236	331	-64	776.4	777.3	0.9	1.91	
OSK-W-16-743	2525	New zone	1560.0	452652	5434236	331	-64	790.4	792.8	2.4	4.71	
		including						790.4	790.7	0.3	37.1	
OSK-W-16-743	2525	FW3	1560.0	452652	5434236	331	-64	1007.0	1009.7	2.7	2.52	
OSK-W-16-743	2525	FW3	1560.0	452652	5434236	331	-64	1173.6	1183.3	9.7	3.37	
		including						1179.2	1179.8	0.6	13.3	
OSK-W-16-743	2525	FW2	1560.0	452652	5434236	331	-64	1235.7	1236.3	2.6	303	47.0
		including						1235.7	1235.8	2.1	375	57.7
OSK-W-16-743	2525	FW3	1560.0	452652	5434236	331	-64	1366.0	1368.2	2.2	5.95	
OSK-W-16-743-W1	2525	CS1	1488.0	452652	5434236	331	-64	774.0	776.0	2.0	1.30	
		including						774.6	775.0	0.4	5.06	
OSK-W-16-743-W1	2525	FW0	1488.0	452652	5434236	331	-64	1000.5	1005.7	5.2	5.77	
		including						1001.3	1003.7	2.4	31.0	
OSK-W-16-743-W1	2525	FW0 FW	1488.0	452652	5434236	331	-64	1060.0	1063.0	3.0	3.62	
		including						1060.0	1060.5	0.5	7.97	
OSK-W-16-743-W1	2525	FW2 HW	1488.0	452652	5434236	331	-64	1245.5	1245.6	2.1	6.77	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-16-743-W1	2525	FW2	1488.0	452652	5434236	331	-64	1251.8	1254.4	2.6	8.13	
			including					1252.1	1252.9	0.8	24.0	
OSK-W-16-743-W1	2525	FW3	1488.0	452652	5434236	331	-64	1394.0	1396.0	2.0	6.29	
			including					1394.0	1394.0	0.0	12.9	
OSK-W-16-743-W2	2525	CS1	1625.2	452652	5434236	331	-64	748.0	751.0	3.0	10.3	
			including					749.6	751.0	1.4	21.5	
OSK-W-16-743-W2	2525	FW0	1625.2	452652	5434236	331	-64	1160.0	1162.9	2.9	3.52	
OSK-W-16-743-W2	2525	FW1	1625.2	452652	5434236	331	-64	1279.0	1281.0	2.0	1.90	
OSK-W-16-743-W2	2525	FW2	1625.2	452652	5434236	331	-64	1375.7	1375.3	2.6	9.30	
			including					1374.5	1375.3	0.8	27.5	
OSK-W-16-743-W2	2525	FW3	1625.2	452652	5434236	331	-64	1465.5	1469.0	3.5	0.64	
OSK-W-17-743-W3	2525	CS1	1473.0	452652	5434236	331	-64	816.9	821.6	4.7	1.28	
OSK-W-17-743-W3	2525	Vein - FW0 corridor	1473.0	452652	5434236	331	-64	816.9	868.0	2.0	7.44	
OSK-W-17-743-W3	2525	FW0	1473.0	452652	5434236	331	-64	1066.8	1069.5	2.7	1.43	
OSK-W-17-743-W3	2525	FW3	1473.0	452652	5434236	331	-64	1424.0	1436.0	12.0	0.38	
OSK-W-17-743-W4	2525	CS1	1476.0	452652	5434236	331	-64	796.2	799.0	2.8	585	11.5
			including					796.2	798.5	0.3	5450	100
OSK-W-17-743-W4	2525	FW0	1476.0	452652	5434236	331	-64	997.0	1004.5	7.5	0.28	
OSK-W-17-743-W4	2525	QTV	1476.0	452652	5434236	331	-64	1075.2	1078.0	2.8	3.89	
OSK-W-17-743-W4	2525	FW1 HW	1476.0	452652	5434236	331	-64	1100.0	1103.0	3.0	6.86	
			including					1100.8	1102.2	0.4	42.6	
OSK-W-17-743-W4	2525	FW1 HW	1476.0	452652	5434236	331	-64	1113.6	1116.1	2.5	3.62	
OSK-W-17-743-W4	2525	FW2	1476.0	452652	5434236	331	-64	1139.0	1142.0	3.0	3.21	
OSK-W-17-743-W4	2525	FW2 HW	1476.0	452652	5434236	331	-64	1194.6	1197.0	2.4	16.6	
			including					1195.6	1196.0	0.4	95.1	
OSK-W-17-743-W4	2525	FW2	1476.0	452652	5434236	331	-64	1211.6	1213.1	1.5	4.23	
OSK-W-17-743-W4	2525	FW2 FW	1476.0	452652	5434236	331	-64	1261.4	1264.4	2.0	5.42	
			including					1262.4	1263.3	0.9	11.4	
OSK-W-17-743-W4	2525	FW3	1476.0	452652	5434236	331	-64	1381.7	1384.5	2.8	0.57	
OSK-W-17-743-W4	2525	FW3 FW	1476.0	452652	5434236	331	-64	1416.0	1418.6	2.6	1.49	
OSK-W-17-743-W5	2525	Underdog	1354.0	452652	5434236	331	-64	946.5	951.2	4.7	2.38	
OSK-W-17-743-W5	2525	FW0 HW	1354.0	452652	5434236	331	-64	964.5	967.0	2.5	5.36	
OSK-W-17-743-W5	2525	FW1	1354.0	452652	5434236	331	-64	1187.1	1189.1	2.0	4.27	
OSK-W-17-743-W5	2525	FW2	1354.0	452652	5434236	331	-64	1272.7	1275.3	2.6	55.4	19.4
			including					1273.7	1274.2	0.5	287	100
OSK-W-17-743-W5	2525	FW2 FW	1354.0	452652	5434236	331	-64	1289.1	1291.1	2.0	5.94	
			including					1290.3	1290.8	0.5	12.4	
OSK-W-16-744	2775	New zone	689.4	452665	5434732	331	-56	268.0	270.5	2.5	5.24	
			including					269.0	271.5	1.5	8.35	
OSK-W-16-744	2775	Caribou	689.4	452665	5434732	331	-56	365.0	374.0	9.0	5.00	
			including					372.0	373.0	1.0	31.2	
OSK-W-16-744	2775	Caribou North 2	689.4	452665	5434732	331	-56	417.4	419.9	2.5	4.44	
			including					419.5	419.9	0.4	20.0	
OSK-W-16-744	2775	Zone 27	689.4	452665	5434732	331	-56	576.0	594.0	18.0	4.92	
			including					578.0	582.0	4.0	15.2	
OSK-W-16-746	2650	Caribou	873.0	452551	5434670	331	-57	343.0	348.2	5.2	5.50	
			including					344.8	345.2	0.4	47.2	
OSK-W-16-746	2650	Caribou North 2	873.0	452551	5434670	331	-57	378.2	378.9	0.7	0.35	
OSK-W-16-746	2650	New zone	873.0	452551	5434670	331	-57	455.4	457.7	2.3	3.87	
			including					456.9	457.7	0.8	9.29	
OSK-W-16-746	2650	Vein	873.0	452551	5434670	331	-57	603.0	606.7	3.7	16.5	
OSK-W-16-747	2475	Quartz-tourmaline vein	1050.0	452449	5434488	331	-57	153.0	155.0	2.0	3.66	
			including					154.0	154.3	0.3	23.6	
OSK-W-16-747	2475	Caribou	1050.0	452449	5434488	331	-57	298.3	300.7	2.4	13.7	
			including					298.3	299.3	1.0	31.5	
OSK-W-16-747	2475	Caribou South 1	1050.0	452449	5434488	331	-57	417.0	419.0	2.0	11.4	
			including					417.8	418.3	0.5	45.3	
OSK-W-16-747	2475	Caribou North 1	1050.0	452449	5434488	331	-57	467.1	468.9	1.8	21.7	
OSK-W-16-747	2475	Zone 27 - cross cut by Red Dog	1050.0	452449	5434488	331	-57	813.3	816.0	2.7	6.95	
OSK-W-16-747	2475	FW1	1050.0	452449	5434488	331	-57	677.6	680.0	2.4	3.89	
OSK-W-16-747	2475	FW2	1050.0	452449	5434488	331	-57	813.3	813.7	0.4	26.2	
			including					815.4	815.7	0.3	16.2	
OSK-W-16-747	2475	FW2	1050.0	452449	5434488	331	-57	850.3	856.0	5.7	4.95	
			including					853.0	854.8	1.8	8.53	
OSK-W-16-747	2475	FW3	1050.0	452449	5434488	331	-57	911.7	914.0	2.3	3.92	
OSK-W-16-747	2475	FW3	1050.0	452449	5434488	331	-57	936.9	939.3	2.4	6.96	
			including					938.1	938.6	0.5	32.5	
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	666.2	669.8	3.6	4.7	
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	683.0	685.0	2.0	12.2	
			including					683.0	683.6	0.6	24.2	
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	714.0	716.2	2.2	7.64	
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	721.3	730.0	8.7	20.0	19.7
			including					725.9	728.0	2.1	64.4	63.1
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	726.5	727.1	0.6	105	100
			including					726.0	727.0	1.0	10.9	
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	819.0	821.0	2.0	23.8	
			including					819.0	820.0	1.0	23.8	
OSK-W-18-747-W1	2475	Underdog	1032.0	452449	5434488	331	-57	932.0	936.6	4.6	22.5	20.6
			including					932.0	933.2	1.2	78.9	71.7
OSK-W-18-747-W2	2475	Underdog	798.0	452449	5434488	331	-57	681.0	683.5	2.5	8.58	
OSK-W-18-747-W2	2475	Underdog	798.0	452449	5434488	331	-57	712.8	715.3	2.5	7.50	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-16-747-W2	2475	Underdog	798.0	452449	5434488	331	-57	784.0	786.0	2.0	4.86	
OSK-W-16-749	2450	CS1	551.5	452486	5434389	332	-58	504.6	510.0	5.4	12.7	
		including						504.6	505.3	0.7	35.2	
OSK-W-16-749	2450	CS1 FW	551.5	452486	5434389	332	-58	506.0	510.0	4.0	10.7	
		including						522.0	525.1	3.1	34.3	
OSK-W-16-750	3550	Lynx 1	1658.6	453440	5434933	336	-67	146.0	147.0	1.0	0.86	
OSK-W-16-750	3550	Crustiform vein	1658.6	453440	5434933	336	-67	418.2	420.5	2.3	17.0	
OSK-W-16-750	3550	Caribou	1658.6	453440	5434933	336	-67	709.0	711.0	2.0	41.8	
OSK-W-16-750	3550	Underdog	1658.6	453440	5434933	336	-67	981.5	985.8	2.3	14.8	
		including						984.6	985.2	0.6	56.0	
OSK-W-16-750	3550	Underdog	1658.6	453440	5434933	336	-67	1430.0	1432.0	2.0	4.65	
OSK-W-16-751	3200	Caribou - Shear Zone	942.0	453032	5434930	334	-64	403.0	407.7	4.7	3.09	
OSK-W-16-751	3200	Caribou - Shear Zone	942.0	453032	5434930	334	-64	466.9	469.0	2.1	5.21	
		including						466.9	467.8	0.9	11.5	
OSK-W-16-751	3200	Caribou	942.0	453032	5434930	334	-64	504.6	507.0	2.4	3.17	
OSK-W-16-751	3200	CN2	942.0	453032	5434930	334	-64	519.2	521.5	2.3	6.57	
OSK-W-16-751	3200	Zone 27	942.0	453032	5434930	334	-64	795.6	796.9	1.3	0.07	
OSK-W-16-753	2725	Caribou South 3	755.0	452756	5434463	332	-58	666.5	674.0	7.5	7.89	
		including						666.5	670.1	3.6	14.1	
OSK-W-16-753	2725	Caribou	755.0	452756	5434463	332	-58	688.0	690.7	2.7	4.09	
OSK-W-16-754	2675	CS1	1563.0	452767	5434303	332	-59	724.4	726.5	2.1	7.15	
		including						724.9	725.5	0.6	24.6	
OSK-W-16-754	2675	FW0	1563.0	452767	5434303	332	-59	1108.0	1111.0	3.0	4.98	
		including						1110.0	1111.0	1.0	11.9	
OSK-W-16-754	2675	FW0 FW	1563.0	452767	5434303	332	-59	1128.4	1131.0	2.6	3.69	
		including						1129.2	1129.5	0.3	22.0	
OSK-W-16-754	2675	FW1	1563.0	452767	5434303	332	-59	1257.6	1259.8	1.3	2.67	
OSK-W-16-754	2675	FW3	1563.0	452767	5434303	332	-59	1422.7	1430.0	7.3	0.76	
		including						1424.0	1425.6	1.6	34.6	
OSK-W-16-755	3375	Lynx	1077.0	453213	5434971	336	-65	63.0	69.0	6.0	11.8	
		including						64.0	64.9	0.9	67.1	
OSK-W-16-755	3375	Lynx Footwall	1077.0	453213	5434971	336	-65	147.0	149.0	2.0	8.12	
		including						147.4	147.9	0.5	30.4	
OSK-W-16-755	3375	Caribou Hangingwall	1077.0	453213	5434971	336	-65	188.5	191.0	2.5	3.30	
		including						189.5	190.2	0.7	10.6	
OSK-W-16-755	3375	Caribou	1077.0	453213	5434971	336	-65	568.0	572.9	4.9	21.1	
		including						568.7	570.1	0.5	11.6	
OSK-W-16-755	3375	CN2	1077.0	453213	5434971	336	-65	617.0	621.8	4.8	2.08	
OSK-W-16-755	3375	Vein	1077.0	453213	5434971	336	-65	668.0	670.0	2.0	5.60	
OSK-W-16-755-W1	3375	CN2	684.0	453213	5434971	336	-65	670.7	674.5	3.8	0.61	
OSK-W-16-756	2750	CS1	801.5	452869	5434350	331	-58	672.8	674.4	1.6	2.89	
		including						673.8	674.6	0.8	9.66	
OSK-W-16-756	2750	Vein	801.5	452869	5434350	331	-58	756.6	759.1	2.5	3.70	
		including						758.8	759.1	0.3	26.4	
OSK-W-16-759	3175	Caribou HW	890.0	452988	5434975	330	-65	189.1	193.5	4.4	4.20	
OSK-W-16-759	3175	CN2	890.0	452988	5434975	330	-65	377.4	381.3	3.9	1.53	
OSK-W-16-759	3175	Zone 27	890.0	452988	5434975	330	-65	540.2	542.4	2.2	0.46	
OSK-W-16-760	3550	Lynx HW	1560.0	453403	5434971	332	-65	208.0	211.0	3.0	14.1	
		including						208.5	211.0	2.5	16.7	
OSK-W-16-760	3550	Lynx	1560.0	453403	5434971	332	-65	221.0	232.0	9.0	95.3	42.7
OSK-W-16-760	3550	Lynx	1560.0	453403	5434971	332	-65	221.0	232.0	9.0	42.7	
		including						226.2	232.0	5.7	148	65.0
OSK-W-16-760	3550	Crustiform vein	1560.0	453403	5434971	332	-65	250.5	255.0	4.5	7.79	
OSK-W-16-760	3550	Crustiform vein	1560.0	453403	5434971	332	-65	354.3	357.0	2.7	5.50	
OSK-W-16-761	3350	Lynx FW	1386.0	453182	5434993	330	-63	54.5	56.5	2.0	19.4	
OSK-W-16-761	3350	Lynx FW	1386.0	453182	5434993	330	-63	64.7	67.0	2.3	71.3	64.3
OSK-W-16-762	2675	CS1 HW	1311.0	452730	5434409	332	-56	554.0	556.8	2.8	3.29	
		including						555.0	556.8	1.8	4.95	
OSK-W-16-762	2675	Vein	1311.0	452730	5434409	332	-56	589.0	591.7	2.7	3.12	
OSK-W-16-762	2675	CS1 FW	1311.0	452730	5434409	332	-56	622.0	624.0	2.0	8.80	
		including						623.0	624.0	1.0	17.7	
OSK-W-16-762	2675	CS3	1311.0	452730	5434409	332	-56	666.0	673.0	7.0	7.61	
OSK-W-16-762	2675	CS3 FW	1311.0	452730	5434409	332	-56	680.0	684.1	4.1	4.70	
		including						682.0	684.1	2.1	6.95	
OSK-W-16-762	2675	Caribou	1311.0	452730	5434409	332	-56	693.0	695.0	3.0	4.47	
		including						694.0	695.0	1.0	7.34	
OSK-W-16-762	2675	FW3	1311.0	452730	5434409	332	-56	1158.0	1160.5	2.5	6.59	
		including						1158.8	1158.8	0.8	17.8	
OSK-W-16-762-W1	2675	Underdog	1299.0	452730	5434409	332	-56	901.0	904.5	3.5	8.70	
		including						904.0	904.5	0.5	19.9	
OSK-W-16-762-W1	2675	FW4	1299.0	452730	5434409	332	-56	1220.0	1222.0	2.0	11.1	
		including						1222.0	1221.5	0.5	48.5	
OSK-W-16-764	3350	Caribou extension	1334.8	453147	5435026	329	-60	369.0	374.5	5.5	0.78	
OSK-W-16-764	3350	CN2 extension	1334.8	453147	5435026	329	-60	416.5	420.0	3.5	0.24	
OSK-W-16-765	3175	New zone	900.0	452955	5435002	329	-63	41.3	52.9	11.6	1.11	
OSK-W-16-765	3175	New zone	900.0	452955	5435002	329	-63	82.6	84.0	1.4	4.52	
		including						82.6	82.9	0.3	20.3	
OSK-W-16-765	3175	Caribou extension	900.0	452955	5435002	329	-63	137.0	139.0	2.0	2.27	
		including						137.0	137.5	0.5	8.82	
OSK-W-16-765	3175	Caribou extension	900.0	452955	5435002	329	-63	141.9	144.1	2.2	2.54	
OSK-W-16-765	3175	CN2 extension	900.0	452955	5435002	329	-63	341.1	344.0	2.9	0.98	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-16-765	3175	CN2 extension	900.0	452955	5435002	329	-63	364.3	371.0	6.7	0.21	
OSK-W-16-765	3175	227 extension	900.0	452955	5435002	329	-63	576.1	577.1	1.0	0.13	
OSK-W-16-766	2625	Vein - Caribou corridor	707.9	452690	5434340	329	-56	341.9	345.0	3.1	5.17	
		including	707.9	452690	5434340	329	-56	651.1	653.9	2.8	3.69	
OSK-W-16-766	2625	CS1	707.9	452690	5434340	329	-56	651.1	653.9	2.8	3.69	
OSK-W-17-766-W1	2625	CS1 FW	741.0	452690	5434340	329	-56	674.8	680.6	5.8	15.6	
		including	741.0	452690	5434340	329	-56	676.5	679.5	3.0	27.6	
OSK-W-16-767	2775	Vein - Shear	1605.0	452887	5434330	331	-60	431.7	433.1	1.4	1.70	
		including	1605.0	452887	5434330	331	-60	432.8	433.1	0.3	6.72	
OSK-W-16-767	2775	Vein in late dyke	1605.0	452887	5434330	331	-60	865.9	870.0	4.1	3.68	
OSK-W-16-767	2775	FW0	1605.0	452887	5434330	331	-60	1121.0	1123.0	2.0	4.34	
		including	1605.0	452887	5434330	331	-60	1122.0	1123.0	1.0	7.57	
OSK-W-16-767	2775	FW1	1605.0	452887	5434330	331	-60	1359.7	1365.5	5.8	2.06	
		including	1605.0	452887	5434330	331	-60	1359.7	1360.1	0.4	22.2	
OSK-W-16-767	2775	FW3	1605.0	452887	5434330	331	-60	1535.5	1548.0	12.5	0.40	
OSK-W-16-769	3175	Vein	921.0	452933	5435051	331	-64	235.6	238.7	3.1	3.52	
		including	921.0	452933	5435051	331	-64	237.1	237.7	0.6	13.4	
OSK-W-16-769	3175	CN2	921.0	452933	5435051	331	-64	238.0	300.1	2.1	32.8	24.1
OSK-W-17-770	3325		28.5	453095	5435084	327	-63	Abandoned				
OSK-W-17-772	3325	Caribou extension	1218.0	453095	5435085	330	-61	233.5	237.1	3.6	1.06	
OSK-W-17-772	3325	227 extension	1218.0	453095	5435085	330	-61	466.5	468.6	2.1	0.21	
OSK-W-17-773	3525	Lynx	1444.5	453361	5435006	333	-63	147.5	150.0	2.5	2.50	
		including	1444.5	453361	5435006	333	-63	148.7	149.3	0.6		
OSK-W-17-773	3525	FW4	1444.5	453361	5435006	333	-63	1348.0	1350.2	2.2	1.05	
OSK-W-17-774	2800	CS1	1175.0	452731	5434636	333	-57	339.3	343.1	3.8	0.00	
OSK-W-17-774	2800	Woolf	1175.0	452731	5434636	333	-57	565.5	572.6	7.1	1.49	
		including	1175.0	452731	5434636	333	-57	572.0	572.6	0.6	0.42	
OSK-W-17-774	2800	CN2	1175.0	452731	5434636	333	-57	604.1	608.5	4.4	0.72	
OSK-W-17-774	2800	FW3	1175.0	452731	5434636	333	-57	932.1	934.1	2.0	0.74	
OSK-W-17-774	2800	FW3	1175.0	452731	5434636	333	-57	1028.3	1031.0	2.7	0.75	
OSK-W-17-776	2800	New Caribou corridor	857.0	452851	5434432	330	-57	584.5	586.6	2.1	5.00	
OSK-W-17-776	2800	CS1	857.0	452851	5434432	330	-57	628.3	630.5	2.2	0.36	
OSK-W-17-776	2800	CS3	857.0	452851	5434432	330	-57	707.3	710.1	2.8	1.09	
OSK-W-17-776	2800	Caribou corridor	857.0	452851	5434432	330	-57	773.5	775.5	2.0	11.2	
OSK-W-17-776	2800	Caribou	857.0	452851	5434432	330	-57	797.0	809.0	6.0	6.42	
		including	857.0	452851	5434432	330	-57	797.7	800.3	2.6	10.1	
OSK-W-17-776	2800	Vein in late dyke	857.0	452851	5434432	330	-57	854.4	857.0	2.6	5.65	
		including	857.0	452851	5434432	330	-57	854.4	854.7	0.3	40.0	
OSK-W-17-777	2675	Crustiform vein	1221.0	452678	5434500	330	-59	380.4	383.4	3.0	5.79	
OSK-W-17-777	2675	CS1	1221.0	452678	5434500	330	-59	492.4	492.7	0.3	0.28	
OSK-W-17-777	2675	CS3	1221.0	452678	5434500	330	-59	617.0	621.0	4.0	9.01	
		including	1221.0	452678	5434500	330	-59	618.0	620.0	1.0	18.5	
OSK-W-17-777	2675	UDD 4116	1221.0	452678	5434500	330	-59	821.0	823.4	2.4	3.91	
OSK-W-17-777	2675	Underdog 4101	1221.0	452678	5434500	330	-59	839.0	841.0	2.0	3.52	
OSK-W-17-777	2675	Underdog 4101	1221.0	452678	5434500	330	-59	849.0	850.0	2.0	5.41	
		including	1221.0	452678	5434500	330	-59	850.6	851.0	0.4	20.0	
OSK-W-17-777	2675	Underdog 4101	1221.0	452678	5434500	330	-59	856.9	858.9	2.0	5.63	
		including	1221.0	452678	5434500	330	-59	857.5	857.8	0.3	27.0	
OSK-W-17-777	2675	UDD 4915	1221.0	452678	5434500	330	-59	1075.0	1077.0	2.0	11.1	
		including	1221.0	452678	5434500	330	-59	1075.9	1076.2	0.3	67.3	
OSK-W-21-777-W2	2675	Caribou	969.0	452678	5434500	330	-59	377.6	381.6	4.0	8.48	
		including	969.0	452678	5434500	330	-59	377.6	377.9	0.3	46.2	
OSK-W-21-777-W1	2675	Caribou	969.0	452678	5434500	330	-59	442.4	444.7	2.3	180	33.5
		including	969.0	452678	5434500	330	-59	444.3	444.7	0.4	942	100
OSK-W-21-777-W1	2675	Caribou 2211	969.0	452678	5434500	330	-59	509.1	513.2	4.1	45.5	30.4
		including	969.0	452678	5434500	330	-59	512.8	513.2	0.4	255	100
OSK-W-21-777-W1	2675	Caribou 2233	969.0	452678	5434500	330	-59	610.7	612.9	2.2	17.1	
OSK-W-21-777-W1	2675	Underdog	969.0	452678	5434500	330	-59	817.0	819.1	2.1	3.64	
OSK-W-21-777-W2	2675	Caribou 2211	1170.0	452678	5434500	330	-59	568.0	570.0	2.0	35.2	
OSK-W-21-777-W2	2675	Caribou 2211	1170.0	452678	5434500	330	-59	572.0	574.4	2.4	4.90	
OSK-W-21-777-W2	2675	Caribou 2233	1170.0	452678	5434500	330	-59	611.0	613.0	2.0	9.76	
OSK-W-21-777-W2	2675	Caribou	1170.0	452678	5434500	330	-59	627.6	629.6	2.0	9.53	
		including	1170.0	452678	5434500	330	-59	628.0	628.8	0.8	21.4	
OSK-W-21-777-W2	2675	Underdog	1170.0	452678	5434500	330	-59	1014.0	1016.0	2.0	8.94	
		including	1170.0	452678	5434500	330	-59	1014.0	1014.7	0.7	23.0	
OSK-W-21-777-W2	2675	Underdog	1170.0	452678	5434500	330	-59	1032.9	1035.5	2.6	8.71	
		including	1170.0	452678	5434500	330	-59	1035.1	1035.5	0.4	17.7	
OSK-W-17-778	2625	Crustiform vein	1362.0	452689	5434339	331	-58	545.0	547.7	2.7	33.5	
		including	1362.0	452689	5434339	331	-58	546.6	547.0	0.4	90.2	
OSK-W-17-778	2625	CS1	1362.0	452689	5434339	331	-58	642.7	646.2	3.5	15.0	
		including	1362.0	452689	5434339	331	-58	643.5	644.5	1.0	48.7	
OSK-W-17-778	2625	FW0	1362.0	452689	5434339	331	-58	917.0	919.2	2.2	11.6	
OSK-W-17-778	2625	FW1	1362.0	452689	5434339	331	-58	1096.4	1098.6	2.2	10.6	
OSK-W-17-778	2625	FW2	1362.0	452689	5434339	331	-58	1114.6	1117.1	2.5	9.34	
OSK-W-17-778	2625	FW2	1362.0	452689	5434339	331	-58	1132.0	1134.1	2.1	27.7	19.1
		including	1362.0	452689	5434339	331	-58	1132.0	1132.4	0.4	145	100
OSK-W-17-778	2625	FW2	1362.0	452689	5434339	331	-58	1138.0	1140.0	2.0	4.49	
OSK-W-17-778	2625	Underdog	1362.0	452689	5434339	331	-58	1221.0	1221.8	2.8	4.52	
		including	1362.0	452689	5434339	331	-58	1232.0	1234.5	2.5	11.3	
OSK-W-17-778	2625	Underdog	1362.0	452689	5434339	331	-58	1234.0	1234.5	0.5	55.2	
		including	1362.0	452689	5434339	331	-58	1232.0	1234.3	2.3	96.1	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
including												
OSK-W-17-779	3450	Lynx HW	795.0	453302	5434977	327	-67	111.0	115.8	4.8	0.29	
OSK-W-17-779	3450	Lynx	795.0	453302	5434977	327	-67	129.5	132.0	2.5	5.02	
OSK-W-17-779	3450	Quartz-Journale vein - Lynx Caribou	795.0	453302	5434977	327	-67	163.0	163.6	0.6	6.65	
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434977	327	-67	257.0	259.0	2.0	4.59	
including												
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434977	327	-67	258.0	259.0	1.0	7.17	
including												
and												
including												
and												
including												
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434977	327	-67	268.0	275.9	7.9	21.6	16.9
including												
and												
including												
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434977	327	-67	270.0	271.0	1.0	25.5	
including												
and												
including												
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434977	327	-67	271.7	272.0	0.3	24.2	55.3
including												
and												
including												
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434977	327	-67	274.3	275.9	1.6	78.9	
including												
and												
including												
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434977	327	-67	274.3	275.0	0.7	154	100
including												
and												
including												
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434977	327	-67	282.0	284.5	2.5	18.1	
including												
and												
including												
OSK-W-17-779	3450	Caribou extension	795.0	453302	5434977	327	-67	298.0	300.7	2.7	15.6	
including												
and												
including												
OSK-W-17-779	3450	Caribou extension	795.0	453302	5434977	327	-67	298.9	300.0	1.1	31.2	
including												
and												
including												
OSK-W-17-779	3450	Vein	795.0	453302	5434977	327	-67	371.0	373.5	2.5	3.51	
including												
and												
including												
OSK-W-17-779	3450	CH2	795.0	453302	5434977	327	-67	676.4	678.2	2.3	1.56	
including												
and												
including												
OSK-W-17-779	3450	Crustiform vein	795.0	453302	5434977	327	-67	725.0	728.2	3.2	4.17	
including												
and												
including												
OSK-W-17-780	2850	New - Before Caribou	1551.0	452929	5434374	331	-60	726.9	727.5	0.6	16.3	
including												
and												
including												
OSK-W-17-780	2850	CS3	1551.0	452929	5434374	331	-60	435.9	439.3	3.4	4.46	
including												
and												
including												
OSK-W-17-780	2850	FW0 HW	1551.0	452929	5434374	331	-60	435.9	436.3	0.4	10.7	
including												
and												
including												
OSK-W-17-780	2850	FW0	1551.0	452929	5434374	331	-60	438.8	439.3	0.5	18.8	
including												
and												
including												
OSK-W-17-780	2850	FW0	1551.0	452929	5434374	331	-60	859.0	862.0	3.0	0.23	
including												
and												
including												
OSK-W-17-780	2850	FW0 HW	1551.0	452929	5434374	331	-60	1036.5	1046.9	10.4	7.41	6.21
including												
and												
including												
OSK-W-17-780	2850	FW0	1551.0	452929	5434374	331	-60	1070.3	1074.3	4.0	3.30	
including												
and												
including												
OSK-W-17-780	2850	FW0 FW	1551.0	452929	5434374	331	-60	1072.1	1073.0	0.9	8.61	
including												
and												
including												
OSK-W-17-780	2850	FW0 FW	1551.0	452929	5434374	331	-60	1079.9	1080.0	1.0	8.21	
including												
and												
including												
OSK-W-17-780	2850	Underdog	1551.0	452929	5434374	331	-60	1119.0	1121.0	2.0	5.02	
including												
and												
including												
OSK-W-17-780	2850	FW1 HW	1551.0	452929	5434374	331	-60	1248.0	1250.0	2.0	3.02	
including												
and												
including												
OSK-W-17-780	2850	FW1	1551.0	452929	5434374	331	-60	1271.6	1278.4	6.8	10.69	
including												
and												
including												
OSK-W-17-780	2850	FW3	1551.0	452929	5434374	331	-60	1276.0	1278.4	2.4	28.9	
including												
and												
including												
OSK-W-17-780	2850	FW3	1551.0	452929	5434374	331	-60	1366.0	1370.0	4.0	34.1	
including												
and												
including												
OSK-W-17-780	2850	FW3 FW	1551.0	452929	5434374	331	-60	1368.5	1370.0	1.5	90.1	
including												
and												
including												
OSK-W-17-780	2850	FW3 FW	1551.0	452929	5434374	331	-60	1402.0	1404.0	4.0	9.38	
including												
and												
including												
OSK-W-17-780-W1	2850	FW0	1533.0	452929	5434374	331	-60	1074.0	1091.0	17.0	5.97	
including												
and												
including												
OSK-W-17-780-W1	2850	FW3 HW	1533.0	452929	5434374	331	-60	1348.8	1347.2	1.6	83.5	29.4
including												
and												
including												
OSK-W-17-780-W1	2850	FW3 HW	1533.0	452929	5434374	331	-60	1354.3	1360.8	6.3	6.55	
including												
and												
including												
OSK-W-17-780-W1	2850	FW3	1533.0	452929	5434374	331	-60	1358.5	1359.0	0.5	19.1	
including												
and												
including												
OSK-W-17-780-W1	2850	FW3	1533.0	452929	5434374	331	-60	1396.5	1398.5	2.0	4.76	
including												
and												
including												
OSK-W-17-781	2100	Crustiform vein	1625.5	452845	5434218	331	-60	518.5	520.5	2.0	19.3	
including												
and												
including												
OSK-W-17-781	2700	CS1	1625.5	452845	5434218	331	-60	778.0	780.5	2.5	30.5	
including												
and												
including												
OSK-W-17-781	2700	FW0 HW	1625.5	452845	5434218	331	-60	1145.0	1147.7	2.7	1.49	
including												
and												
including												
OSK-W-17-781	2700	FW0	1625.5	452845	5434218	331	-60	1209.0	1210.0	1.0	0.18	
including												
and												
including												
OSK-W-17-781	2700	FW1	1625.5	452845	5434218	331	-60	1246.6	1247.2	0.6	10.6	
including												
and												
including												
OSK-W-17-781	2700	FW2	1625.5	452845	5434218	331	-60	1466.0	1469.4	3.4	0.87	
including												
and												
including												
OSK-W-17-781	2700	FW3	1625.5	452845	5434218	331	-60	1551.0	1553.0	2.0	2.97	
including												
and												
including												
OSK-W-17-781	3775	Crustiform vein - Lynx FW	1126.0	453535	5435181	329	-72	99.6	101.5	1.9	4.57	
including												
and												
including												
OSK-W-17-781	3775	Caribou extension	1126.0	453535	5435181	329	-72	483.0	460.0	2.0	2.0	
including												
and												
including												
OSK-W-17-784	2825	CS1	894.0	452861	5434488	330	-54	578.5	592.7	14.2	0.96	
including												
and												
including												
OSK-W-17-784	2825	CS3	894.0	452861	5434488	330	-54	660.9	663.3	2.4	0.98	
including												
and												
including												
OSK-W-17-784	2825	Wolf HW	894.0	452861	5434488	330	-54	767.0	770.0	3.0	4.89	
including												
and												
including												
OSK-W-17-784	2825	Wolf HW	894.0	452861	5434488	330	-54	780.4	786.1	5.7	3.21	
including												
and												
including												
OSK-W-17-784	2825	Wolf	894.0	452861	5434488	330	-54	823.0	827.0	4.0	0.42	
including												
and												
including												
OSK-W-17-785	2625	CS2	89.5	452929	5434411	330	-56	518.5	520.5	2.0	19.3	
including												
and												
including												
OSK-W-17-785	2625	CS1	712.0	452674	5434411	330	-55	570.3	572.4	2.1	0.26	
including												
and												
including												
OSK-W-17-785	2625	CS3 HW	712.0	452674	5434411	330	-55	652.3	660.1	7.8	5.17	
including												
and												
including												
OSK-W-17-785	2625	CS3 HW	712.0	452674	5434411	330	-55	652.3	656.0	3.7	9.85	
including												
and												
including												
OSK-W-17-786	3500	Lynx FW	1205.8	453324	5435038	330	-60	1187.7	1211.2	24.4	0.96	
including												
and												
including												
OSK-W-17-787	3500	Caribou extension	1205.8	453324	5435038	330	-60	507.9	514.4	6.5	7.21	
including												
and												
including												
OSK-W-17-787	3500	CH2 extension	1205.8	453324	5435038	330	-60	512.0	513.6	1.0	24.1	
including												
and												
including												
OSK-W-17-788	3450	Lynx HW	375.0	453329	5434931	332	-66	164.5	166.5	2.0	3.09	
including												
and												
including												
OSK-W-17-788	3450	Lynx	375.0	453329	5434931	332	-66	233.0	250.3	17.3	17.0	12.8
including												
and												
including												
OSK-W-17-788	3450	Lynx	375.0	453329	5434931	332	-66	236.4	236.9	0.5	153	100
including												
and												
including												



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-788	3450	Lynx FW	375.0	453320	5434031	332	-66	295.0	297.0	2.0	6.21	
		including						296.6	297.0	0.4	25.7	
OSK-W-17-788	3450	Lynx FW	375.0	453320	5434031	332	-66	301.0	303.0	2.0	3.76	
OSK-W-17-788	2525	CS1	1278.0	452546	5434388	333	-59	526.1	533.5	7.4	5.12	
		including						527.9	530.0	2.1	16.4	
OSK-W-17-788	2525	CS1 FW	1278.0	452546	5434388	333	-59	538.9	544.1	5.2	7.31	6.39
		including						543.8	544.1	0.3	116	100
OSK-W-17-788	2525	CS1 FW	1278.0	452546	5434388	333	-59	581.2	585.7	2.5	3.30	
		including						584.4	585.0	0.6	13.3	
OSK-W-17-788	2525	FW0	1278.0	452546	5434388	333	-59	796.8	799.9	3.1	3.01	
OSK-W-17-788	2525	FW1	1278.0	452546	5434388	333	-59	853.0	860.9	7.9	19.4	16.4
		including						853.0	857.5	4.5	29.7	
OSK-W-17-788	2525	FW1 FW	1278.0	452546	5434388	333	-59	881.9	885.9	2.0	8.35	
		including						884.9	885.6	0.7	24.1	
OSK-W-17-788	2525	FW3	1278.0	452546	5434388	333	-59	964.0	966.3	2.3	8.20	
		including						965.0	965.3	0.3	61.7	
OSK-W-17-788-W1	2525	FW0	1197.0	452546	5434388	333	-59	799.5	804.4	4.9	5.83	
		including						801.9	802.5	0.6	20.4	
OSK-W-17-788-W1	2525	FW1	1197.0	452546	5434388	333	-59	877.1	880.6	3.5	11.0	
OSK-W-17-788-W1	2525	FW3 HW	1197.0	452546	5434388	333	-59	995.4	997.5	2.1	3.59	
		including						995.4	996.0	0.6	10.5	
OSK-W-17-788-W1	2525	FW3	1197.0	452546	5434388	333	-59	1004.1	1006.7	2.6	14.6	
		including						1005.2	1006.0	0.8	34.3	
OSK-W-17-788-W1	2525	FW3 / Z34-Z	1197.0	452546	5434388	333	-59	1119.8	1122.0	2.2	16.4	
		including						1120.4	1121.2	0.8	44.1	
OSK-W-17-788-W2	2525	New / FW0	1194.0	452546	5434388	333	-59	801.0	802.0	2.0	33.2	
OSK-W-17-788-W2	2525	FW1	1194.0	452546	5434388	333	-59	882.0	884.4	2.3	5.00	
OSK-W-17-788-W2	2525	FW1 FW	1194.0	452546	5434388	333	-59	905.5	909.2	2.7	4.79	
OSK-W-17-788-W2	2525	FW3	1194.0	452546	5434388	333	-59	1014.0	1017.0	3.0	8.02	
OSK-W-17-788-W2	2525	FW3 / Z34-Z	1194.0	452546	5434388	333	-59	1152.1	1155.2	3.1	25.5	
		including						1152.1	1153.7	0.6	44.0	
		including						1154.5	1155.2	0.7	67.9	
OSK-W-17-788-W2	2525	FW3 / Z34-Z	1194.0	452546	5434388	333	-59	1163.0	1165.7	2.7	5.62	
OSK-W-17-790	3600	Lynx FW	450.0	453457	5434995	332	-66	261.6	265.2	3.6	11.3	
		including						261.6	262.3	0.7	28.7	
		and						264.7	265.2	0.5	39.9	
OSK-W-17-790	3600	Lynx FW	450.0	453457	5434995	332	-66	269.5	272.5	3.0	4.32	
		including						269.5	270.6	1.1	10.1	
OSK-W-17-790	3600	Lynx 2	450.0	453457	5434995	332	-66	293.0	296.0	2.0	8.61	
OSK-W-17-790	3600	Lynx 2	450.0	453457	5434995	332	-66	301.8	306.8	5.0	6.08	
OSK-W-17-790	3600	Lynx 2	450.0	453457	5434995	332	-66	316.9	325.5	8.6	10.5	10.3
		including						324.8	325.5	0.7	102	100
OSK-W-17-790	3600	VNCR	450.0	453457	5434995	332	-66	392.5	394.7	2.2	10.9	
OSK-W-17-792	3575	Lynx	438.0	453446	5434959	335	-64	305.5	318.7	8.2	42.1	25.2
		including						311.3	314.2	0.9	56.0	
		and						315.6	317.6	2.0	162	100
OSK-W-17-792	3575	Crustiform vein	438.0	453446	5434959	335	-64	380.8	384.5	3.7	2.51	
OSK-W-17-795	2625	FW1	1427.0	452646	5434421	333	-65	1110.3	1113.7	3.4	5.53	
		including						1110.3	1110.9	0.6	21.1	
OSK-W-17-799	3650	Lynx HW	450.0	453481	5435035	332	-74	329.3	331.2	1.9	19.6	
OSK-W-17-799	3650	Lynx	450.0	453481	5435035	332	-74	319.8	324.4	4.6	50.9	49.7
		including						319.8	320.7	0.9	106	100
		and						323.1	324.4	1.3	82.7	
OSK-W-17-799	3650	Lynx FW	450.0	453481	5435035	332	-74	339.8	344.2	4.4	61.8	41.4
		including						341.5	342.3	0.8	228	100
OSK-W-17-799	3650	Crustiform vein	450.0	453481	5435035	332	-74	402.0	408.5	6.5	11.0	
OSK-W-17-800	3500	Lynx 1	414.0	453367	5434941	330	-58	193.6	196.0	2.4	16.5	
		including						194.1	195.0	0.9	40.4	
OSK-W-17-800	3500	VNCR	414.0	453367	5434941	330	-58	306.0	308.8	2.8	25.2	25.4
		including						305.5	307.2	0.7	139	100
OSK-W-17-801	3325	Caribou extension	840.0	453192	5434907	333	-69	688.1	691.0	2.9	7.75	
OSK-W-17-801	3325	Caribou extension	840.0	453192	5434907	333	-69	697.0	699.4	2.4	3.70	
OSK-W-17-801	3325	Caribou extension	840.0	453192	5434907	333	-69	758.5	760.4	11.9	5.58	
		including						758.5	760.0	3.5	10.6	
OSK-W-17-801	3325	Caribou extension	840.0	453192	5434907	333	-69	777.0	781.4	4.4	3.92	
OSK-W-17-802	3475	Lynx 2	399.0	453375	5434898	330	-54	293.1	298.0	4.9	10.4	
		including						297.0	298.0	1.0	37.5	
OSK-W-17-802	3475	Crustiform vein - Lynx corridor	399.0	453375	5434898	330	-54	361.0	365.5	3.1	34.9	
		including						365.3	366.1	0.8	73.2	
OSK-W-17-802	3475	Crustiform vein - Lynx corridor	399.0	453375	5434898	330	-54	378.7	381.3	2.6	3.99	
		including						379.3	380.5	1.2	6.77	
OSK-W-17-803	3450	Lynx HW	411.0	453305	5434943	331	-64	137.0	139.3	2.3	5.23	
		including						137.0	138.5	1.5	7.34	
OSK-W-17-803	3450	Lynx	411.0	453305	5434943	331	-64	169.0	171.9	2.9	19.1	
OSK-W-17-803	3450	Crustiform vein - Lynx corridor	411.0	453305	5434943	331	-64	372.0	374.3	2.3	6.38	
		including						372.0	373.2	1.2	11.1	
OSK-W-17-804	2100	Z27 HW	200.5	451041	5434625	342	-42	69.5	71.5	2.0	5.99	
		including						69.5	69.8	0.3	19.1	
OSK-W-17-804	2100	Z27	200.5	451041	5434625	342	-42	83.9	86.6	2.7	3.38	
		including						86.3	86.6	0.3	27.4	
OSK-W-17-804	2100	Z27-1	200.5	451041	5434625	342	-42	97.4	98.5	2.1	1.46	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-17-805	3350	Lynx 2	321.0	453200	5434910	332	-56	225.5	230.5	5.0	12.4	
		including						227.4	230.5	3.1	17.7	
								230.0	230.5	0.5	64.6	
OSK-W-17-806	3400	Lynx 2	387.0	453261	5434950	331	-60	214.6	217.5	2.9	5.13	
		including						214.6	215.5	0.9	8.24	
OSK-W-17-807	2325	FW0	1170.0	452311	5434423	330	-65	623.5	626.5	3.0	3.89	
OSK-W-17-807	2325	FW1	1170.0	452311	5434423	330	-65	715.5	717.5	2.0	19.2	
		including						715.5	716.0	0.5	51.5	
OSK-W-17-807	2325	FW3 HW	1170.0	452311	5434423	330	-65	861.0	861.5	2.5	2.86	
OSK-W-17-807	2325	FW4	1170.0	452311	5434423	330	-65	1023.0	1028.6	5.6	0.54	
OSK-W-17-807-W1	2325	FW1	1194.0	452311	5434423	330	-65	730.2	734.6	4.4	8.20	
		including						734.0	734.6	0.6	56.3	
OSK-W-17-807-W1	2325	FW3 HW	1194.0	452311	5434423	330	-65	907.0	916.4	9.4	0.01	
		including						913.3	915.7	2.4	20.7	
OSK-W-17-807-W1	2325	FW3 FW	1194.0	452311	5434423	330	-65	1031.9	1034.0	2.1	8.64	
		including						1031.9	1032.5	0.6	27.8	
OSK-W-17-807-W1	2325	FW4	1194.0	452311	5434423	330	-65	1122.8	1127.0	4.2	0.38	
OSK-W-17-807-W2	2325	FW2	1155.0	452311	5434423	330	-65	735.0	738.0	3.0	53.5	26.2
		including						737.0	738.0	1.0	155	100
OSK-W-17-807-W2	2325	Underdog	1155.0	452311	5434423	330	-65	868.5	870.5	2.0	7.75	
OSK-W-17-807-W2	2325	FW3	1155.0	452311	5434423	330	-65	911.0	913.0	2.0	32.9	
		including						911.0	912.0	1.0	65.4	
OSK-W-17-807-W2	2325	Underdog	1155.0	452311	5434423	330	-65	1070.5	1072.5	2.0	4.29	
		including						1070.5	1071.5	1.0	8.20	
OSK-W-17-810	2100	Z27 HW	224.5	451949	5434615	331	-60	93.1	96.0	4.9	7.25	
		including						93.8	95.7	1.9	16.4	
OSK-W-17-810	2100	Z27	224.5	451949	5434615	331	-60	108.7	111.0	2.3	5.94	
								109.2	110.2	1.0	14.9	
OSK-W-17-811	3725	Lynx 1	432.0	453470	5435213	150	-76	152.5	156.0	3.5	3.01	
OSK-W-17-812	3625	Lynx 1	377.7	453460	5435033	330	-65	194.7	196.1	1.4	0.98	
OSK-W-17-812	3625	Lynx 2	377.7	453460	5435033	330	-65	298.5	301.0	2.5	26.0	14.0
		including						299.7	300.0	0.3	200	
OSK-W-17-812	3625	Lynx 2	377.7	453460	5435033	330	-65	304.8	308.9	4.1	18.6	12.5
		including						304.8	305.1	0.3	59.7	
		and						307.3	307.6	0.3	184	100
OSK-W-17-813	2600	CS1	660.0	452612	5434456	332	-63	522.8	525.0	2.2	4.58	
OSK-W-17-813-W1	2600	CS3	660.0	452612	5434456	332	-63	616.5	620.5	2.4	43.9	
OSK-W-17-813-W1	2600	CS2	660.0	452612	5434456	332	-63	626.2	629.1	2.9	9.67	
		including						626.2	627.0	0.8	30.8	
OSK-W-17-814	2075	Z27-1	203.5	451927	5434612	329	-62	118.5	120.5	2.0	189	25.1
		including						120.0	120.5	0.5	756	100
OSK-W-17-816	3725	Lynx 1	1050.0	453470	5435213	147	-69	192.5	194.5	2.0	8.46	
		including						192.5	193.5	1.0	18.7	
OSK-W-17-816	3725	Lynx 1	1050.0	453470	5435213	147	-69	670.0	672.8	2.8	5.24	
		including						672.4	672.8	0.4	14.7	
OSK-W-17-816	3725	Lynx 4	1050.0	453470	5435213	147	-69	797.1	804.8	7.7	11.7	
		including						799.3	800.0	0.8	68.3	
								804.5	804.8	0.3	85.9	
OSK-W-17-817	3600	Lynx 2	820.3	453332	5435229	145	-60	273.3	275.3	2.0	4.40	
		including						273.3	273.7	0.4	14.0	
OSK-W-17-817	3600	Lynx 1	820.3	453332	5435229	145	-60	268.5	269.0	2.5	3.46	
		including						270.0	270.0	1.0	8.33	
OSK-W-17-817	3600	New - Lynx corridor	820.3	453332	5435229	145	-60	594.0	596.0	2.0	13.3	
		including						595.3	596.0	0.7	34.2	
OSK-W-17-818	2050	Z27-1	164.5	451988	5434610	329	-61	80.0	82.0	2.0	5.04	
OSK-W-17-818	2050	Vein	164.5	451988	5434610	329	-61	89.0	101.0	2.0	1.86	
		including						100.0	100.4	0.4	29.0	
OSK-W-17-820	2675	CS1	1104.0	452670	5434484	332	-66	558.5	564.5	6.0	31.4	25.4
		including						561.0	563.0	2.0	83.0	65.0
OSK-W-17-820	2675	CS1 FW	1104.0	452670	5434484	332	-66	616.5	619.0	2.5	936	32.1
		including						616.5	617.5	1.0	28.3	
		and						618.5	619.0	0.5	4620	100
OSK-W-17-820	2675	Vein in later dyke	1104.0	452670	5434484	332	-66	690.0	692.8	2.8	8.05	
		including						690.0	691.5	1.5	14.1	
OSK-W-17-820	2675	FW0 HW	1104.0	452670	5434484	332	-66	821.7	825.0	3.3	3.35	
OSK-W-17-820	2675	FW0 HW	1104.0	452670	5434484	332	-66	840.5	843.6	3.1	1.85	
		including						842.7	843.6	0.9	11.4	
OSK-W-17-820	2675	FW0	1104.0	452670	5434484	332	-66	864.2	867.0	2.8	3.51	
		including						864.2	865.0	0.8	139	
OSK-W-17-820	2675	FW0 FW	1104.0	452670	5434484	332	-66	945.0	948.0	2.0	3.85	
OSK-W-17-820	2675	FW1 FW	1104.0	452670	5434484	332	-66	976.3	982.6	6.3	5.79	
		including						982.1	982.6	0.5	28.7	
OSK-W-17-820-W1	2675	FW0	1356.0	452670	5434484	332	-66	876.1	881.3	5.2	3.25	
OSK-W-17-820-W1	2675	FW0 FW	1356.0	452670	5434484	332	-66	943.0	945.0	2.0	5.78	
		including						944.0	945.0	1.0	11.3	
OSK-W-17-820-W1	2675	FW0 FW	1356.0	452670	5434484	332	-66	949.0	951.0	2.0	9.02	
OSK-W-17-820-W1	2675	FW0 FW	1356.0	452670	5434484	332	-66	981.8	985.0	3.2	21.6	
		including						981.8	983.4	1.6	47.4	
OSK-W-17-820-W1	2675	FW1 FW	1356.0	452670	5434484	332	-66	1044.0	1046.0	2.0	4.26	
		including						1044.0	1045.0	1.0	7.92	
OSK-W-17-820-W1	2675	FW3 HW	1356.0	452670	5434484	332	-66	1109.2	1111.4	2.2	31.7	27.7



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acumult. (°)	Dip (°)	From	To	Length (m)	Au (g/t) Au (g/t) cut to 100 g/t
OSK-W-17-820-W1	2675	FW3	including 1356.0	452670	5434484	332	-66	1110.8	1111.4	0.6	115
			including 1356.0	452670	5434484	332	-66	1146.7	1149.0	2.3	47.0
OSK-W-17-821	2725	FW0 FW	including 1258.6	452739	5434474	332	-65	1147.1	1147.5	0.4	266
			including 1258.6	452739	5434474	332	-65	975.1	977.9	2.2	5.25
OSK-W-17-821	2725	FW1	including 1258.6	452739	5434474	332	-65	976.1	976.7	0.6	15.4
OSK-W-17-821	2725	FW3	including 1258.6	452739	5434474	332	-65	1041.5	1044.0	2.5	1.48
OSK-W-17-821	2725	FW3	including 1258.6	452739	5434474	332	-65	1174.5	1177.8	3.3	0.27
OSK-W-17-821-W1	2725	CS1	including 1416.0	452739	5434474	332	-65	1178.6	1177.8	1.2	21.0
OSK-W-17-821-W1	2725	FW0 FW	including 1416.0	452739	5434474	332	-65	670.0	672.0	2.0	0.90
OSK-W-17-821-W1	2725	FW0	including 1416.0	452739	5434474	332	-65	865.0	867.0	2.0	7.31
			including 1416.0	452739	5434474	332	-65	865.7	866.0	0.3	44.3
OSK-W-17-821-W1	2725	FW0	including 1416.0	452739	5434474	332	-65	905.0	907.0	2.0	7.93
			including 1416.0	452739	5434474	332	-65	905.0	906.0	1.0	12.2
OSK-W-17-821-W1	2725	FW0	including 1416.0	452739	5434474	332	-65	937.0	941.0	4.0	36.7
			including 1416.0	452739	5434474	332	-65	938.0	939.0	1.0	105
OSK-W-17-821-W1	2725	FW0 FW	including 1416.0	452739	5434474	332	-65	952.0	954.0	2.0	16.5
OSK-W-17-821-W1	2725	FW1 FW	including 1416.0	452739	5434474	332	-65	951.0	954.0	1.0	32.6
OSK-W-17-821-W1	2725	FW1 FW	including 1416.0	452739	5434474	332	-65	1079.0	1084.0	5.0	4.63
OSK-W-17-821-W1	2725	FW1	including 1416.0	452739	5434474	332	-65	1082.0	1083.0	1.0	11.3
OSK-W-17-821-W1	2725	FW1	including 1416.0	452739	5434474	332	-65	1110.0	1141.0	31.0	24.9
OSK-W-17-821-W1	2725	FW1	including 1416.0	452739	5434474	332	-65	1144.0	1150.0	6.0	10.5
OSK-W-17-821-W1	2725	FW1	including 1416.0	452739	5434474	332	-65	1158.0	1160.0	2.0	5.33
			including 1416.0	452739	5434474	332	-65	1175.6	1176.3	0.7	29.3
OSK-W-17-821-W1	2725	FW1	including 1416.0	452739	5434474	332	-65	1178.0	1179.0	1.0	19.5
OSK-W-17-821-W1	2725	FW1 FW	including 1416.0	452739	5434474	332	-65	1192.0	1194.0	2.0	3.35
			including 1416.0	452739	5434474	332	-65	1202.8	1207.0	4.2	5.65
OSK-W-17-821-W1	2725	New UnderDog	including 1416.0	452739	5434474	332	-65	1202.8	1203.1	0.3	48.0
OSK-W-17-821-W1	2725	New UnderDog	including 1416.0	452739	5434474	332	-65	1218.4	1223.0	3.6	15.4
			including 1416.0	452739	5434474	332	-65	1222.2	1223.0	0.8	40.8
OSK-W-17-821-W1	2725	FW3	including 1416.0	452739	5434474	332	-65	1278.0	1285.0	7.0	3.84
			including 1416.0	452739	5434474	332	-65	1278.0	1279.0	1.0	9.59
OSK-W-17-821-W1	2725	FW3	including 1416.0	452739	5434474	332	-65	1284.0	1285.0	1.0	9.62
			including 1416.0	452739	5434474	332	-65	1330.3	1333.0	2.7	5.04
OSK-W-17-823	2550	CS1 HW	including 620.3	452565	5434415	330	-57	1330.9	1331.2	0.3	30.1
			including 620.3	452565	5434415	330	-57	486.9	488.0	1.1	13.5
OSK-W-17-823	2550	CS1	including 620.3	452565	5434415	330	-57	490.0	492.0	2.0	37.7
OSK-W-17-823	2550	CS1 FW	including 620.3	452565	5434415	330	-57	526.4	533.5	7.1	0.41
OSK-W-17-823	2550	Caribou corridor	including 620.3	452565	5434415	330	-57	552.2	554.3	2.1	5.43
			including 620.3	452565	5434415	330	-57	574.6	577.0	2.6	4.70
OSK-W-17-823-W1	2550	CS1 HW	including 618.0	452565	5434415	330	-57	575.3	576.4	1.1	10.8
			including 618.0	452565	5434415	330	-57	503.0	508.4	5.4	8.06
OSK-W-17-823-W1	2550	CS1	including 618.0	452565	5434415	330	-57	507.1	508.4	1.3	23.8
			including 618.0	452565	5434415	330	-57	535.0	537.4	2.4	18.6
OSK-W-18-823-W2	2550	CS1	including 918.0	452565	5434415	330	-57	535.0	536.0	1.0	43.9
			including 918.0	452565	5434415	330	-57	510.6	513.5	8.9	9.53
OSK-W-18-823-W2	2550	CS1	including 918.0	452565	5434415	330	-57	510.6	513.5	2.9	18.0
OSK-W-18-823-W2	2550	FW1	including 918.0	452565	5434415	330	-57	526.0	528.0	2.0	5.22
OSK-W-18-823-W2	2550	FW1	including 918.0	452565	5434415	330	-57	843.7	846.0	2.3	11.7
OSK-W-18-823-W2	2550	FW1	including 918.0	452565	5434415	330	-57	845.0	845.3	0.3	80.5
			including 918.0	452565	5434415	330	-57	858.4	862.5	4.1	40.8
OSK-W-17-824	2100	Z27	including 209.5	451956	5434609	330	-67	860.8	861.7	0.9	152
			including 209.5	451956	5434609	330	-67	28.4	31.0	2.6	195
OSK-W-17-824	2100	Z27-1	including 209.5	451956	5434609	330	-67	29.6	30.0	0.4	1260
OSK-W-17-825	3525	Lynx 2	including 579.0	453252	5435182	145	-54	150.9	151.9	2.0	3.28
OSK-W-17-825	3525	Lynx 2	including 579.0	453252	5435182	145	-54	226.1	228.1	2.0	4.06
OSK-W-17-825	3525	Lynx 1	including 579.0	453252	5435182	145	-54	237.1	239.1	2.0	3.18
OSK-W-17-825	3525	Lynx 1	including 579.0	453252	5435182	145	-54	265.2	266.9	1.7	3.18
OSK-W-17-825	3525	Lynx 1	including 579.0	453252	5435182	145	-54	265.2	265.5	0.3	24.0
OSK-W-17-825	3525	Lynx 1	including 579.0	453252	5435182	145	-54	267.9	270.7	2.8	6.71
OSK-W-17-825	3525	Lynx 1	including 579.0	453252	5435182	145	-54	268.9	269.6	0.7	21.6
OSK-W-17-825	3525	Lynx 1	including 579.0	453252	5435182	145	-54	274.0	276.2	2.2	6.88
OSK-W-17-825	3525	Lynx 1	including 579.0	453252	5435182	145	-54	274.8	275.2	0.4	21.6
OSK-W-17-825	3525	Lynx 1	including 579.0	453252	5435182	145	-54	280.5	282.9	2.4	23.8
OSK-W-17-825	3525	Lynx 1	including 579.0	453252	5435182	145	-54	280.5	281.3	0.8	92.1
OSK-W-17-825	3525	Lynx 1	including 579.0	453252	5435182	145	-54	289.8	292.5	2.7	5.27
OSK-W-17-826	2825	CS1	including 1335.0	452800	5434549	330	-67	543.5	544.8	1.3	0.67
OSK-W-17-826	2825	CS1	including 1335.0	452800	5434549	330	-67	658.1	661.9	3.8	1.14
OSK-W-17-826	2825	Caribou Corridor	including 1335.0	452800	5434549	330	-67	720.3	723.7	3.4	4.49
OSK-W-17-826	2825	FW0	including 1335.0	452800	5434549	330	-67	937.0	939.0	2.0	3.79
OSK-W-17-826	2825	FW1 HW	including 1335.0	452800	5434549	330	-67	1031.0	1033.0	2.0	6.53
OSK-W-17-826	2825	FW1 HW	including 1335.0	452800	5434549	330	-67	1031.0	1032.0	1.0	11.3
OSK-W-17-826	2825	FW3/214-2	including 1335.0	452800	5434549	330	-67	1051.0	1051.0	0.0	6.37
OSK-W-17-826	2825	FW3/214-2	including 1335.0	452800	5434549	330	-67	1052.0	1053.0	1.0	11.9
OSK-W-17-826	2825	FW3/214-2	including 1335.0	452800	5434549	330	-67	1204.0	1206.2	2.2	9.6
OSK-W-17-826	2825	FW3/214-2	including 1335.0	452800	5434549	330	-67	1205.6	1206.2	0.6	24.7
OSK-W-17-826	2825	FW3/214-2	including 1335.0	452800	5434549	330	-67	1246.8	1250.0	3.2	4.61
OSK-W-17-826	2825	FW3/214-2	including 1335.0	452800	5434549	330	-67	1298.0	1300.2	2.2	4.67
OSK-W-17-826	2825	FW3/214-2	including 1335.0	452800	5434549	330	-67	1308.3	1310.6	2.3	3.37
OSK-W-17-826	2825	FW3 FW	including 1335.0	452800	5434549	330	-67	1309.0	1309.6	0.6	12.4
			including 1335.0	452800	5434549	330	-67	1316.6	1319.0	2.4	16.0
			including 1335.0	452800	5434549	330	-67	1317.3	1319.0	1.8	21.9



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-825-W1	3425	Caribou corridor	759.0	453280	5434549	330	-67	648.0	650.8	2.8	3.48	
OSK-W-17-827	3425	lyne 3	957.0	453172	5435125	145	-63	158.0	162.1	4.1	12.1	
		including						160.0	161.5	1.5	30.0	
OSK-W-17-827	3425	lyne 2	957.0	453172	5435125	145	-63	196.0	198.5	2.5	2.66	
OSK-W-17-827	3425	lyne 1 FW	957.0	453172	5435125	145	-63	255.0	258.0	3.0	14.6	
OSK-W-17-827	3425	lyne 1 HW	957.0	453172	5435125	145	-63	354.0	356.5	2.5	7.51	
		including						354.0	355.5	1.5	12.4	
OSK-W-17-827	3425	VNCR - Lyne corridor	957.0	453172	5435125	145	-63	381.0	383.0	2.0	5.84	
		including						381.5	382.3	0.8	12.5	
OSK-W-17-827	3425	lyne corridor	957.0	453172	5435125	145	-63	469.0	472.0	3.0	3.63	
OSK-W-17-827	3425	lyne 4	957.0	453172	5435125	145	-63	664.3	667.0	2.7	57.0	50.1
		including						666.0	667.0	1.0	119	100
OSK-W-17-827	3425	lyne 5	957.0	453172	5435125	145	-63	728.0	781.0	2.0	12.7	
		including						780.0	781.0	1.0	25.0	
OSK-W-17-830	2575	C51	819.0	452487	5434622	329	-55	292.0	296.2	4.2	1.03	
OSK-W-17-830	2575	Caribou	819.0	452487	5434622	329	-55	343.0	344.0	1.0	7.92	
OSK-W-17-830	2575	Wolf	819.0	452487	5434622	329	-55	419.4	420.8	1.4	1.02	
OSK-W-17-830	2575	227	819.0	452487	5434622	329	-55	522.1	524.6	2.5	0.60	
OSK-W-17-830	2575	FW3U HW	819.0	452487	5434622	329	-55	670.5	673.5	3.0	3.59	
OSK-W-17-830	2575	FW3U	819.0	452487	5434622	329	-55	762.0	764.0	2.0	7.56	
OSK-W-17-831	3825	lyne 1	561.0	453549	5435279	150	-75	457.7	460.0	2.3	4.61	
OSK-W-17-832	3600	lyne 3	573.0	453332	5435229	146	-55	85.0	87.3	2.3	14.1	
		including						85.8	86.6	0.8	38.3	
OSK-W-17-833	2550	C52	1149.0	452597	5434393	330	-58	540.0	546.3	6.3	5.91	
		including						544.0	546.3	2.3	13.2	
OSK-W-17-833	2550	CN1	1149.0	452597	5434393	330	-58	608.5	614.8	6.3	3.11	
		including						612.9	614.8	1.9	5.93	
OSK-W-17-833	2550	FW0	1149.0	452597	5434393	330	-58	828.2	831.4	3.2	3.48	
OSK-W-17-833	2550	FW2	1149.0	452597	5434393	330	-58	915.3	918.0	2.7	0.94	
OSK-W-17-833	2550	FW2 FW	1149.0	452597	5434393	330	-58	954.0	957.0	3.0	3.40	
OSK-W-17-833	2550	FW3/234	1149.0	452597	5434393	330	-58	1086.0	1088.5	2.5	8.94	
		including						1086.0	1087.0	1.0	15.0	
OSK-W-17-833	2550	FW3/234-2	1149.0	452597	5434393	330	-58	1125.0	1127.4	2.4	8.97	
		including						1125.0	1126.1	1.1	17.1	
OSK-W-17-833-W1	2550	C51	1173.0	452597	5434393	330	-58	534.0	536.0	2.0	8.27	
OSK-W-17-833-W1	2550	FW0	1173.0	452597	5434393	330	-58	815.5	818.0	2.5	5.60	
		including						815.5	816.0	0.5	21.6	
OSK-W-17-833-W1	2550	FW0 FW	1173.0	452597	5434393	330	-58	842.0	844.0	2.0	5.66	
		including						842.6	843.3	0.7	15.6	
OSK-W-17-833-W1	2550	FW1 HW	1173.0	452597	5434393	330	-58	853.7	857.7	4.0	11.8	
OSK-W-17-833-W1	2550	New Underling	1173.0	452597	5434393	330	-58	862.0	864.0	2.0	5.29	
OSK-W-17-833-W1	2550	FW3	1173.0	452597	5434393	330	-58	1080.0	1081.9	2.9	8.24	
		including						1093.6	1091.9	0.3	76.2	
OSK-W-17-833-W1	2550	FW3	1173.0	452597	5434393	330	-58	1100.0	1102.0	2.0	6.36	
OSK-W-17-833-W2	2550	C51	1244.2	452597	5434393	330	-58	534.0	544.0	10.0	8.18	
		including						542.0	544.0	2.0	39.0	
OSK-W-17-833-W2	2550	C51 FW	1244.2	452597	5434393	330	-58	554.0	556.0	2.0	3.87	
OSK-W-17-833-W2	2550	FW1	1244.2	452597	5434393	330	-58	886.0	893.5	7.5	0.21	
OSK-W-17-833-W2	2550	FW2	1244.2	452597	5434393	330	-58	1014.0	1017.0	3.0	43.9	
		including						1014.7	1015.4	1.7	72.8	98.7
								1014.7	1015.0	0.3	123	100
OSK-W-17-833-W2	2550	FW3	1244.2	452597	5434393	330	-58	1022.0	1024.6	2.6	2.14	
OSK-W-17-833-W2	2550	Underling	1244.2	452597	5434393	330	-58	1184.0	1186.0	2.0	3.43	
OSK-W-17-834	3525	lyne 2	402.0	453248	5435187	144	-59	277.6	280.0	2.4	16.6	
OSK-W-17-834	3525		402.0	453248	5435187	144	-59	285.1	286.4	2.3	3.52	
		including						285.1	286.5	0.4	16.1	
OSK-W-17-834	3525	lyne 1	402.0	453248	5435187	144	-59	292.0	295.7	3.7	421	27.8
		including						293.1	295.5	0.4	3740	100
OSK-W-17-836	3825	lyne HW	1045.4	453549	5435279	145	-68	210.0	214.5	4.5	4.98	
OSK-W-17-836	3825	lyne HW	1045.4	453549	5435279	145	-68	219.9	222.0	2.1	5.49	
OSK-W-17-836	3825	Crustiform vein - Lyne corridor	1045.4	453549	5435279	145	-68	269.3	272.0	2.7	4.96	
		including						269.3	270.0	0.7	18.7	
OSK-W-17-836	3825	New - Lyne Corridor	1045.4	453549	5435279	145	-68	307.2	309.7	2.5	18.5	
		including						307.2	307.2	0.5	86.2	
OSK-W-17-836	3825	New - Lyne corridor	1045.4	453549	5435279	145	-68	382.4	384.7	2.3	20.7	14.8
		including						382.4	382.7	0.3	146	100
OSK-W-17-836	3825	New - Lyne Corridor	1045.4	453549	5435279	145	-68	421.2	423.5	2.3	3.30	
OSK-W-17-836	3825	New - Lyne Corridor	1045.4	453549	5435279	145	-68	517.0	520.1	3.1	3.85	
OSK-W-17-836	3825	lyne 5	1045.4	453549	5435279	145	-68	868.0	870.4	2.4	116	46.4
		including						869.3	870.4	1.1	25.3	100
OSK-W-17-836	3825	New - Lyne corridor	1045.4	453549	5435279	145	-68	890.1	892.7	2.6	163	
		including						890.1	890.6	0.5	25.9	
OSK-W-17-837	3650	lyne 1 HW	465.0	453485	5435060	332	-75	207.0	210.4	3.4	43.9	35.5
		including						210.0	210.4	0.4	172	100
OSK-W-17-837	3650	lyne 1	465.0	453485	5435060	332	-75	285.8	291.2	5.4	16.8	
		including						285.8	287.2	1.4	45.7	
OSK-W-17-837	3650	lyne 2	465.0	453485	5435060	332	-75	336.0	338.4	8.4	97.7	33.7
		including						325.7	322.8	2.1	65.0	
		and						324.7	325.4	0.7	865	100
OSK-W-17-837	3650	VNCR - Lyne corridor	465.0	453485	5435060	332	-75	335.9	339.0	3.1	5.77	
OSK-W-17-837	3650	VNCR	465.0	453485	5435060	332	-75	343.7	346.6	2.9	15.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-837	3650	Vein - Lynx corridor	465.0	453485	5435050	332	-75	407.6	408.7	1.1	3.98	
OSK-W-17-838	3275	Caribou Corridor	726.0	453344	5434900	329	-65	488.7	490.7	2.0	7.31	
		including						489.7	490.7	1.0	12.4	
OSK-W-17-838	3275	Caribou Corridor	726.0	453344	5434900	329	-65	497.0	500.0	3.0	4.55	
		including						498.0	499.0	1.0	10.8	
OSK-W-17-838	3275	Caribou, 2558	726.0	453344	5434900	329	-65	674.0	676.0	2.0	8.27	
		including						674.9	675.3	0.4	40.7	
OSK-W-17-839	3525	Lynx 1 HW	449.2	453431	5434889	331	-56	310.0	312.1	2.1	10.5	
		including						310.8	312.1	1.3	16.7	
OSK-W-17-839	3525	Lynx 1	449.2	453431	5434889	331	-56	319.7	328.0	8.3	6.58	
		including						325.2	325.7	0.5	30.4	
		including						326.4	327.1	0.7	24.9	
OSK-W-17-842	2475	CS1 HW	1302.0	452509	5434390	331	-59	505.5	508.0	2.5	3.29	
		including						505.5	505.9	0.4	18.3	
OSK-W-17-842	2475	CS1	1302.0	452509	5434390	331	-59	540.0	545.5	5.5	14.5	8.55
		including						540.0	540.4	0.4	182	100
OSK-W-17-842	2475	PW0	1302.0	452509	5434390	331	-59	799.5	808.5	9.0	0.41	
OSK-W-17-842	2475	PW2	1302.0	452509	5434390	331	-59	823.7	825.8	2.1	4.01	
OSK-W-17-842	2475	QTV	1302.0	452509	5434390	331	-59	1030.0	1032.0	2.0	4.01	
OSK-W-17-843	3525	Lynx 1	462.0	453427	5434866	330	-50	327.1	331.4	4.3	1.83	
OSK-W-17-843	3525	VNCR	462.0	453427	5434866	330	-50	450.4	452.8	2.4	5.93	
		including						450.4	451.1	0.7	19.0	
OSK-W-17-844	2750	CS2	1092.0	452728	5434545	333	-57	414.3	426.1	1.8	0.89	
OSK-W-17-844	2750	CS3	1092.0	452728	5434545	333	-57	520.8	523.6	2.8	11.6	
		including						521.7	522.6	0.9	33.7	
OSK-W-17-844	2750	Wolf 2	1092.0	452728	5434545	333	-57	568.7	571.2	2.5	8.14	
		including						569.7	570.1	0.4	26.2	
OSK-W-17-844	2750	Wolf 2 PW	1092.0	452728	5434545	333	-57	595.4	598.0	2.6	5.30	
		including						596.4	597.0	0.6	20.3	
OSK-W-17-844	2750	Wolf	1092.0	452728	5434545	333	-57	665.1	668.6	3.5	18.7	
		including						668.0	668.6	0.6	69.4	
OSK-W-17-844	2750	PW3	1092.0	452728	5434545	333	-57	864.8	867.6	2.8	56.9	35.5
		including						957.1	957.6	0.5	220	100
OSK-W-17-844	2750	Underdog	1092.0	452728	5434545	333	-57	1058.5	1060.5	2.0	4.87	
OSK-W-17-845	3550	Lynx 1	375.0	453452	5434917	338	-58	316.2	318.2	2.0	10.7	
		including						316.7	317.5	0.8	26.3	
OSK-W-17-846	3300	Lynx 1	249.0	453342	5434934	331	-64	95.0	97.0	2.0	113	75.1
		including						95.5	97.0	1.5	151	100
OSK-W-17-846	3300	Lynx 2	249.0	453342	5434934	331	-64	174.6	176.5	1.9	3.25	
OSK-W-17-847	2625	CS1	1347.0	452645	5434429	334	-69	601.0	603.0	2.0	29.8	
OSK-W-17-847	2625	PW2	1347.0	452645	5434429	334	-69	831.0	833.0	2.0	6.87	
OSK-W-17-847	2625	PW0	1347.0	452645	5434429	334	-69	864.9	871.8	6.9	3.57	
OSK-W-17-847	2625	PW2	1347.0	452645	5434429	334	-69	1085.1	1089.0	3.9	8.85	
OSK-W-17-847	2625	PW3	1347.0	452645	5434429	334	-69	1162.0	1174.0	12.0	8.44	
		including						1169.0	1170.0	1.0	32.9	
OSK-W-17-847	2625	PW3 PW	1347.0	452645	5434429	334	-69	1208.0	1211.0	3.0	20.4	
OSK-W-17-847	2625	PW4	1347.0	452645	5434429	334	-69	1296.9	1304.1	7.2	0.14	
OSK-W-17-847-W1	2625	CS1 HW	1133.6	452645	5434429	334	-69	584.0	586.0	2.0	5.82	
		including						585.0	586.0	1.0	10.7	
OSK-W-17-847-W1	2625	CS1	1133.6	452645	5434429	334	-69	606.0	609.0	3.0	39.1	
		including						608.0	609.0	1.0	81.9	
OSK-W-17-847-W1	2625	CS1 FW	1133.6	452645	5434429	334	-69	621.0	626.0	5.0	6.75	
		including						622.0	624.0	2.0	14.7	
OSK-W-17-847-W1	2625	CS3	1133.6	452645	5434429	334	-69	643.0	645.0	2.0	4.08	
		including						644.5	646.0	0.5	13.4	
OSK-W-17-847-W1	2625	PW0	1133.6	452645	5434429	334	-69	907.0	910.0	3.0	13.1	
		including						908.0	909.0	1.0	26.0	
OSK-W-17-847-W1	2625	PW0 FW	1133.6	452645	5434429	334	-69	965.0	967.0	2.0	3.41	
OSK-W-17-847-W1	2625	PW2	1133.6	452645	5434429	334	-69	1124.0	1126.0	2.0	3.30	
OSK-W-17-847-W2	2625	QTV	1275.0	452645	5434429	334	-69	1075.1	1077.2	2.1	10.7	
		including						1075.1	1075.5	0.4	51.1	
OSK-W-17-847-W2	2625	PW1	1275.0	452645	5434429	334	-69	1149.0	1152.5	3.5	19.3	
		including						1149.0	1150.0	1.0	35.5	
		including						1151.8	1152.5	0.7	44.9	
OSK-W-17-847-W2	2625	PW1 FW	1275.0	452645	5434429	334	-69	1171.0	1173.0	2.0	4.07	
OSK-W-20-847-W3	2625	Caribou, 2214	649.0	452645	5434429	334	-69	628.8	631.0	2.2	4.32	
		including						629.5	630.0	0.5	12.9	
OSK-W-17-848	3650	Lynx 2	669.0	453311	5435357	135	-45	348.0	350.6	2.6	8.4	
		including						348.0	348.8	0.9	21.3	
OSK-W-17-848	3650	Lynx 1	669.0	453311	5435357	135	-45	363.0	365.5	2.5	7.95	
		including						364.5	365.5	1.0	19.9	
OSK-W-17-848	3650	New - Lynx corridor	669.0	453311	5435357	135	-45	486.5	488.5	2.0	3.11	
OSK-W-17-848	3650	New - Lynx corridor	669.0	453311	5435357	135	-45	490.5	491.8	1.3	6.21	
		including						491.3	492.2	0.9	15.0	
OSK-W-17-848	3650	Lynx HW	669.0	453311	5435357	135	-45	518.5	520.6	2.1	15.1	
		including						518.5	519.5	1.0	26.2	
OSK-W-17-848	3650	Lynx 4	669.0	453311	5435357	135	-45	576.0	580.4	8.4	0.35	
OSK-W-17-849	3350	Lynx 2	315.0	453220	5434911	333	-48	150.0	150.0	2.0	7.20	
OSK-W-17-851	3550	Lynx HW	375.0	453452	5434918	320	-50	249.0	251.0	2.0	3.04	
OSK-W-17-851	3550	Lynx 2	375.0	453452	5434918	320	-50	340.0	343.0	3.0	8.09	
OSK-W-17-851	3550	Crustiform vein - Lynx corridor	375.0	453452	5434918	320	-50	148.0	350.0	2.0	131	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assort	Au (g/t) cut to 100 g/t
OSK-W-17-852	2875	Caribou	1356.0	452874	5434552	330	-55	712.0	714.0	2.0	10.8	
		including						712.5	712.8	0.3	42.4	
OSK-W-17-852-W1	2875	Wolf	897.0	452874	5434552	330	-55	706.0	708.0	2.0	12.1	
		including						706.0	708.0	0.6	36.8	
OSK-W-20-852-W2	2875	Caribou 2218	873.0	452874	5434552	330	-55	793.2	795.5	2.3	4.68	
		including						793.2	793.5	0.3	32.7	
OSK-W-20-852-W3	2875	Caribou	849.0	452874	5434552	330	-55	640.4	646.8	6.4	10.6	
		including						640.4	640.7	0.3	43.4	
OSK-W-20-852-W3	2875	Caribou 2250	849.0	452874	5434552	330	-55	681.0	683.0	2.0	4.20	
OSK-W-20-852-W4	2875	Caribou 2524	873.0	452874	5434552	330	-55	548.0	550.0	2.0	8.55	
OSK-W-20-852-W4	2875	Caribou 2212	873.0	452874	5434552	330	-55	725.0	727.0	2.0	6.83	
		including						725.6	726.0	0.4	27.6	
OSK-W-20-852-W4	2875	Caribou	873.0	452874	5434552	330	-55	814.0	816.0	2.0	13.9	
		including						814.0	815.0	1.0	21.8	
OSK-W-17-854	2550	Caribou	846.0	452485	5434592	331	-53	280.0	282.0	2.0	12.5	
		including						280.8	282.0	1.2	19.8	
OSK-W-17-854	2550	CN2	846.0	452485	5434592	331	-53	369.0	371.9	2.9	9.07	
		including						370.5	371.0	0.5	33.0	
OSK-W-17-854	2550	FW3U	846.0	452485	5434592	331	-53	767.0	769.0	2.0	7.48	
		including						767.0	768.0	1.0	14.9	
OSK-W-17-854-W1	2550	Wolf FW	843.8	452485	5434592	331	-53	489.6	492.0	2.4	7.97	
		including						491.3	492.0	0.7	15.1	
OSK-W-17-854-W1	2550	Wolf FW	843.8	452485	5434592	331	-53	498.0	502.0	4.0	5.38	
OSK-W-17-854-W1	2550	FW3U HW	843.8	452485	5434592	331	-53	701.0	703.5	2.5	5.00	
		including						702.0	703.5	0.5	24.7	
OSK-W-17-854-W1	2550	FW3U	843.8	452485	5434592	331	-53	800.5	803.3	2.8	4.65	
		including						795.7	799.2	3.5	18.6	
OSK-W-17-854-W1	2550	FW3U	873.0	452485	5434592	331	-53	788.1	789.6	0.5	80.3	
OSK-W-17-855	2300	Vein	717.0	452309	5434384	334	-64	166.6	169.4	2.8	3.93	
OSK-W-17-855	2300	Caribou corridor	717.0	452309	5434384	334	-64	269.0	271.5	2.5	24.4	
		including						270.5	271.5	1.0	46.6	
OSK-W-17-855	2300	FW0	717.0	452309	5434384	334	-64	654.0	658.0	4.0	0.43	
OSK-W-17-855-W1	2300	FW2	1197.0	452309	5434384	334	-64	752.0	754.0	2.0	21.0	
		including						752.0	753.0	1.0	41.2	
OSK-W-17-855-W1	2300	FW2	1197.0	452309	5434384	334	-64	843.0	845.2	2.2	3.18	
		including						844.0	844.5	0.5	12.5	
OSK-W-17-855-W1	2300	FW3	1197.0	452309	5434384	334	-64	916.3	919.5	3.2	3.79	
		including						919.0	919.5	0.5	15.8	
OSK-W-17-855-W1	2300	FW3 FW	1197.0	452309	5434384	334	-64	968.0	971.0	3.0	13.5	
		including						969.0	971.0	2.0	18.2	
OSK-W-17-855-W1	2300	FW3	1197.0	452309	5434384	334	-64	985.0	987.0	2.0	4.85	
OSK-W-17-855-W1	2300	QTV	1197.0	452309	5434384	334	-64	1012.0	1014.0	2.0	8.31	
		including						1013.0	1014.0	1.0	16.5	
OSK-W-17-855-W1	2300	FW4	1197.0	452309	5434384	334	-64	1158.0	1166.0	8.0	1.24	
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	759.9	762.0	2.1	11.1	
		including						759.9	762.0	1.1	20.8	
OSK-W-17-855-W2	2300	FW2	1197.0	452309	5434384	334	-64	861.0	863.0	2.0	8.88	
		including						862.0	863.0	1.0	17.4	
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	924.8	928.3	3.5	26.1	
		including						924.8	925.5	0.7	33.5	
		including						925.5	926.9	0.4	66.2	
		including						927.0	928.3	1.3	31.5	
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	973.0	975.0	2.0	4.21	
		including						973.0	973.7	0.7	11.2	
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	1095.8	1098.0	2.2	9.20	
		including						1097.0	1098.0	1.0	18.6	
OSK-W-17-855-W2	2300	FW3	1203.0	452309	5434384	334	-64	945.0	947.0	2.0	5.18	
OSK-W-17-856	3425	Lynx 1	291.0	453292	5434909	328	-52	162.0	166.0	3.6	0.25	
OSK-W-17-856	3425	Lynx 2	291.0	453292	5434909	328	-52	270.4	276.0	5.6	5.03	
		including						270.4	271.0	0.6	18.1	
		including						274.0	275.0	1.0	15.2	
OSK-W-17-857	3525	Lynx HW	436.5	453414	5434889	330	-49	248.0	250.0	2.0	4.24	
OSK-W-17-857	3525	Lynx HW	436.5	453414	5434889	330	-49	252.0	254.0	2.0	27.5	
		including						253.1	253.6	0.5	95.0	
OSK-W-17-857	3525	Vein - Lynx corridor	436.5	453414	5434889	330	-49	348.0	350.8	2.9	30.0	
		including						349.2	350.9	1.7	50.0	
OSK-W-17-857	3525	VNCR	436.5	453414	5434889	330	-49	361.5	364.2	2.7	159	17.0
		including						363.8	364.2	0.4	1060	100
OSK-W-17-858	3600	SWK	840.0	453524	5434616	331	-53	46.8	46.8	0.0	2.7	3.75
		including						46.8	47.7	0.9	9.58	
OSK-W-17-858-W1	3600	FW3U	915.0	453524	5434616	331	-53	781.0	784.0	3.0	11.1	
		including						781.0	782.5	1.5	18.3	
OSK-W-17-858-W2	3600	Wolf FW	909.0	453524	5434616	331	-53	486.3	488.6	2.3	8.51	
OSK-W-17-858-W2	3600	Z27	909.0	453524	5434616	331	-53	586.3	589.3	3.0	1.67	
OSK-W-17-858-W2	3600	Vein	909.0	453524	5434616	331	-53	630.1	632.5	2.4	32.6	
		including						631.6	632.5	0.9	76.6	
OSK-W-17-858-W2	3600	FW3U	909.0	453524	5434616	331	-53	806.0	810.0	4.0	0.06	
OSK-W-17-858-W2	3600	VNCR	909.0	453524	5434616	331	-53	810.7	812.7	2.0	9.50	
		including						810.7	811.2	0.5	34.5	
OSK-W-17-859	3550	Lynx 1	414.0	453433	5434905	337	-55	307.0	309.0	2.0	5.86	
OSK-W-17-859	3550	Lynx 2	414.0	453433	5434905	337	-55	326.0	328.0	2.0	2.26	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-17-859	3550	Crustiform vein - Lynx corridor	414.0	453433	5434905	337	-55	380.5	382.7	2.2	73.5	29.1
		including						381.4	382.0	0.6	263	100
OSK-W-17-859	3550	Crustiform vein - Lynx corridor	414.0	453433	5434905	337	-55	390.6	393.4	2.8	10.3	
		including						390.6	393.5	0.9	27.3	
OSK-W-17-861	3775	Lynx 2	726.0	453386	5435455	332	-45	388.5	390.5	2.0	9.41	
		including						388.5	389.5	1.0	18.7	
OSK-W-17-861	3775	Lynx HW	726.0	453386	5435455	332	-45	506.7	509.0	2.3	4.06	
		including						506.6	509.0	0.4	12.5	
OSK-W-17-862	2725	Caribou corridor	993.0	452683	5434577	332	-55	369.3	372.2	2.9	17.4	
		including						369.3	370.8	1.5	30.8	
OSK-W-17-862	2725	CS3	993.0	452683	5434577	332	-55	513.0	514.9	1.9	1.27	
OSK-W-17-862	2725	Wolf	993.0	452683	5434577	332	-55	570.7	572.5	1.8	0.29	
OSK-W-17-862-W2	2725	CS3	759.0	452683	5434577	332	-55	465.7	468.3	2.6	4.99	
OSK-W-17-862-W2	2725	CS3	759.0	452683	5434577	332	-55	473.0	477.7	4.7	17.8	
		including						475.0	477.0	2.0	33.3	
OSK-W-17-862-W2	2725	Wolf HW	759.0	452683	5434577	332	-55	551.8	554.0	2.2	6.12	
		including						552.3	552.8	0.5	26.3	
OSK-W-17-862-W2	2725	Wolf	759.0	452683	5434577	332	-55	568.0	570.0	2.0	1.48	
OSK-W-17-862-W2	2725	Wolf FW	759.0	452683	5434577	332	-55	640.0	643.0	3.0	13.4	
		including						642.0	643.0	1.0	38.9	
OSK-W-17-862-W2	2725	Vein	759.0	452683	5434577	332	-55	712.7	714.8	2.1	297	14.5
		including						713.8	714.1	0.3	2060	100
OSK-W-17-864	2550	CS1	813.4	452467	5434581	330	-54	257.0	280.0	23.0	0.90	
		Caribou corridor						305.0	308.0	3.0	4.17	
OSK-W-17-864	2550	CN2	813.4	452467	5434581	330	-54	338.5	348.0	9.5	0.56	
OSK-W-17-864	2550	227	813.4	452467	5434581	330	-54	516.0	524.0	8.0	7.90	
OSK-W-17-864	2550	227	813.4	452467	5434581	330	-54	518.0	524.0	6.0	8.22	
		including and						518.0	519.0	1.0	22.7	
								522.3	524.0	1.7	14.9	
OSK-W-17-864	2550	FW3U	813.4	452467	5434581	330	-54	768.4	770.7	2.3	4.35	
		including						769.3	769.6	0.3	15.1	
OSK-W-17-864	2550	FW3U	813.4	452467	5434581	330	-54	790.3	793.0	2.7	14.0	
		including						792.0	793.0	1.0	28.6	
OSK-W-17-864-W2	2550	FW3U	834.0	452467	5434581	330	-54	800.5	803.0	2.5	3.21	
OSK-W-17-866	2525	New - Caribou corridor	1299.0	452633	5434280	332	-57	347.8	350.4	2.6	3.49	
OSK-W-17-866	2525	Underbit	1299.0	452633	5434280	332	-57	769.7	772.2	2.5	10.9	
		including						771.6	772.2	0.6	40.0	
OSK-W-17-866	2525	FW1	1299.0	452633	5434280	332	-57	1031.0	1033.4	2.4	1.20	
OSK-W-17-866	2525	FW2	1299.0	452633	5434280	332	-57	1105.0	1107.0	2.0	19.4	
		including						1105.6	1108.1	0.5	73.2	
OSK-W-17-866	2525	FW3	1299.0	452633	5434280	332	-57	1138.0	1140.0	2.0	13.9	
OSK-W-17-866	2525	FW3 FW	1299.0	452633	5434280	332	-57	1168.4	1172.9	4.5	4.50	
		including						1168.4	1168.9	0.5	19.9	
OSK-W-17-866	2525	FW3 FW	1299.0	452633	5434280	332	-57	1229.2	1231.5	2.3	14.0	
		including						1229.2	1229.9	0.7	41.1	
OSK-W-17-866	2525	FW3	1299.0	452633	5434280	332	-57	1272.4	1274.5	2.1	6.29	
		including						1273.1	1273.9	0.8	16.3	
OSK-W-17-866-W1	2525	Caribou	1359.0	452633	5434280	332	-57	514.7	519.0	4.3	2.48	
OSK-W-17-866-W1	2525	FW1	1359.0	452633	5434280	332	-57	1034.5	1040.0	5.5	3.76	
		including						1034.5	1035.5	1.0	8.41	
OSK-W-17-866-W1	2525	FW3	1359.0	452633	5434280	332	-57	1100.0	1102.0	2.0	1.35	
OSK-W-17-866-W2	2525	FW0	1332.0	452633	5434280	332	-57	933.3	935.5	2.2	4.92	
OSK-W-17-866-W2	2525	FW0	1332.0	452633	5434280	332	-57	943.5	946.5	3.0	11.6	
		including						946.1	946.5	0.4	44.0	
OSK-W-17-866-W2	2525	FW0	1332.0	452633	5434280	332	-57	961.2	962.5	1.3	1.64	
OSK-W-17-866-W2	2525	FW0 FW	1332.0	452633	5434280	332	-57	964.0	966.4	2.4	12.9	
		including						965.1	966.6	0.5	31.1	
OSK-W-17-866-W2	2525	FW1	1332.0	452633	5434280	332	-57	1056.0	1062.0	6.0	4.21	
		including						1060.5	1062.0	1.5	12.6	
OSK-W-17-866-W2	2525	FW1	1332.0	452633	5434280	332	-57	1095.5	1097.7	2.2	5.40	
		including						1096.3	1096.7	0.4	29.0	
OSK-W-17-866-W2	2525	FW3	1332.0	452633	5434280	332	-57	1126.1	1128.5	2.4	87.0	37.4
		including						1126.1	1128.9	0.8	248	100
OSK-W-17-866-W2	2525	FW1	1332.0	452633	5434280	332	-57	1146.7	1149.0	2.3	0.48	
		including						1147.6	1148.4	0.8	26.3	
OSK-W-17-866-W2	2525	FW3	1332.0	452633	5434280	332	-57	1221.0	1223.0	2.0	7.59	
		including						1221.7	1222.3	0.6	24.7	
OSK-W-17-867	2825	Caribou	1029.0	452800	5434550	331	-53	591.0	598.9	7.9	5.94	
OSK-W-17-867	2825	Wolf	1029.0	452800	5434550	331	-53	637.2	638.5	1.3	1.67	
OSK-W-17-867	2825	Wolf FW	1029.0	452800	5434550	331	-53	714.1	717.5	3.4	36.6	29.9
		including						715.0	716.0	1.0	123	
OSK-W-17-867	2825	Caribou	1029.0	452800	5434550	331	-53	735.0	737.6	2.6	5.96	
		including						735.9	736.9	1.0	12.6	
OSK-W-17-867	2825	227	1029.0	452800	5434550	331	-53	780.0	784.0	4.0	0.91	
OSK-W-17-868	3575	Lynx HW	435.0	453427	5434976	332	-64	199.8	200.2	0.4	0.77	
		including						200.5	201.3	0.8	25.2	
OSK-W-17-868	3575	Lynx HW	435.0	453427	5434976	332	-64	231.0	232.0	1.0	26.7	
OSK-W-17-868	3575	Lynx 1	435.0	453427	5434976	332	-64	267.0	269.0	2.0	8.22	
		including						267.4	268.2	0.8	18.0	
OSK-W-17-868	3575	Lynx 1	435.0	453427	5434976	332	-64	272.0	277.4	5.4	5.54	
OSK-W-17-868	3575	Lynx 2	435.0	453427	5434976	332	-64	301.0	303.5	2.5	12.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
including												
OSK-W-17-868	3575	VNCR	435.0	453427	5434976	332	-64	302.0	302.6	0.6	50.4	
OSK-W-17-869	3600	VNCR	864.0	453229	5435372	332	-48	388.1	397.2	9.1	4.67	
OSK-W-17-870	3550	Lynx HW	411.0	453419	5434937	332	-50	210.4	213.1	2.7	25.7	
OSK-W-17-870	3550	Lynx 1	411.0	453419	5434937	332	-50	230.9	233.7	2.8	18.9	
including												
OSK-W-17-870	3550	Lynx 3	411.0	453419	5434937	332	-50	230.9	231.6	0.7	69.0	
OSK-W-17-871	2500	T80	532.6	452402	5434623	328	-54	23.2	25.8	2.6	5.39	
including												
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	152.0	156.8	4.8	17.9	13.4
including												
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	155.5	156.0	0.5	100	
including												
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	177.3	179.9	2.6	3.47	
including												
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	269.0	271.4	2.4	6.21	
OSK-W-17-871	2500	227	532.6	452402	5434623	328	-54	429.3	432.0	2.7	3.18	
OSK-W-17-871	2500	227 FW	532.6	452402	5434623	328	-54	480.0	482.0	2.0	3.35	
OSK-W-17-871-W1	2500	QTV	840.0	452402	5434623	328	-54	610.1	612.4	2.3	8.38	
including												
OSK-W-17-871-W1	2500	FW3U	840.0	452402	5434623	328	-54	752.1	754.1	2.0	120	28.7
including												
OSK-W-17-872	3400	Crustiform vein - Lynx corridor	307.3	453265	5434914	334	-47	194.7	197.4	2.7	4.27	
OSK-W-17-872	3400	Lynx 2	307.3	453265	5434914	334	-47	210.3	212.4	2.0	0.83	
OSK-W-17-873	3575	Lynx HW	393.0	453427	5434976	326	-61	210.0	212.0	2.0	3.51	
OSK-W-17-873	3575	Lynx 1	393.0	453427	5434976	326	-61	242.0	246.9	4.9	10.7	
OSK-W-17-873	3575	Lynx 1 FW	393.0	453427	5434976	326	-61	254.0	256.0	2.0	3.66	
OSK-W-17-873	3575	Lynx 2	393.0	453427	5434976	326	-61	269.0	271.6	2.6	10.0	
including												
OSK-W-17-873	3575	Lynx 2	393.0	453427	5434976	326	-61	300.0	302.0	2.0	9.30	
including												
OSK-W-17-873	3575	Lynx 2	393.0	453427	5434976	326	-61	305.2	308.5	2.3	116	31.8
including												
OSK-W-17-873	3575	VNCR	393.0	453427	5434976	326	-61	307.8	308.5	0.7	100	100
including												
OSK-W-17-873	3575	VNCR	393.0	453427	5434976	326	-61	320.9	321.7	0.8	28.7	
including												
OSK-W-17-873	3575	Crustiform vein	393.0	453427	5434976	326	-61	327.0	329.5	2.5	4.29	
including												
OSK-W-17-874	3425	Lynx HW	372.0	453313	5434908	332	-49	154.6	156.0	1.4	0.26	
OSK-W-17-874	3425	Lynx 1	372.0	453313	5434908	332	-49	168.0	170.0	2.0	7.03	
including												
OSK-W-17-874	3425	Lynx 2	372.0	453313	5434908	332	-49	169.1	170.0	0.9	14.9	
OSK-W-17-874	3425	Lynx 2	372.0	453313	5434908	332	-49	258.0	261.0	3.0	1.33	
OSK-W-17-875	3750	Lynx 3	924.0	453374	5435443	144	-51	359.0	360.9	1.9	0.11	
OSK-W-17-875	3750	Lynx 1	924.0	453374	5435443	144	-51	451.5	454.5	3.0	1.52	
OSK-W-17-875	3750	Vein - Lynx corridor	924.0	453374	5435443	144	-51	851.0	853.0	2.0	13.7	
including												
OSK-W-17-876	3400	Lynx HW	393.0	453256	5434939	335	-48	852.0	853.0	1.0	27.3	
OSK-W-17-876	3400	Lynx 2	393.0	453256	5434939	335	-48	91.8	97.0	3.2	1.65	
OSK-W-17-876	3400	Lynx 3	393.0	453256	5434939	335	-48	158.6	161.6	3.0	2.85	
including												
OSK-W-17-877	3400	Lynx HW	360.0	453296	5434888	330	-50	210.0	212.0	2.0	25.9	15.3
including												
OSK-W-17-877	3400	Lynx 1	360.0	453296	5434888	330	-50	210.6	210.9	0.3	171	100
including												
OSK-W-17-877	3400	Crustiform vein	360.0	453296	5434888	330	-50	177.7	181.0	3.3	5.02	
OSK-W-17-878	3600	Lynx HW	417.0	453455	5434983	329	-62	179.1	179.6	0.5	30.0	
OSK-W-17-878	3600	Crustiform vein	417.0	453455	5434983	329	-62	196.2	198.2	2.0	1.49	
including												
OSK-W-17-878	3600	Lynx 1	417.0	453455	5434983	329	-62	308.0	310.3	2.3	57.8	
OSK-W-17-878	3600	Crustiform vein	417.0	453455	5434983	329	-62	230.7	233.0	2.3	0.74	
including												
OSK-W-17-878	3600	Lynx 1	417.0	453455	5434983	329	-62	234.2	236.4	2.2	14.6	
OSK-W-17-878	3600	Lynx 2	417.0	453455	5434983	329	-62	235.8	236.4	0.6	51.5	
including												
OSK-W-17-878	3600	Crustiform vein	417.0	453455	5434983	329	-62	250.0	252.0	2.0	1.81	
including												
OSK-W-17-878	3600	Crustiform vein	417.0	453455	5434983	329	-62	287.0	290.7	15.7	5.32	
including												
OSK-W-17-878	3600	Crustiform vein	417.0	453455	5434983	329	-62	292.7	293.0	0.3	100	100
including												
OSK-W-17-878	3600	Crustiform vein	417.0	453455	5434983	329	-62	298.2	298.6	0.4	66.1	
including												
OSK-W-17-878	3600	Crustiform vein	417.0	453455	5434983	329	-62	364.0	366.0	2.0	16.8	
including												
OSK-W-17-879	3400	Lynx 1	369.0	453241	5434965	335	-46	364.3	365.3	1.0	33.2	
OSK-W-17-879	3400	Lynx HW	369.0	453241	5434965	335	-46	76.3	77.8	1.5	1.98	
OSK-W-17-879	3400	Lynx 2	369.0	453241	5434965	335	-46	84.2	86.2	2.0	1.93	
OSK-W-17-879	3400	Lynx 2	369.0	453241	5434965	335	-46	108.1	110.4	2.3	52.8	
OSK-W-17-879	3400	Lynx 2	369.0	453241	5434965	335	-46	108.6	109.4	0.8	96.2	
OSK-W-17-879	3400	Lynx 2	369.0	453241	5434965	335	-46	115.8	117.8	2.0	14.5	
including												
OSK-W-17-880	2500	Caribou HW	813.0	452425	5434565	327	-50	115.8	116.8	1.0	28.3	
OSK-W-17-880	2500	227 HW	813.0	452425	5434565	327	-50	146.2	149.4	3.2	3.32	
including												
OSK-W-17-880	2500	227	813.0	452425	5434565	327	-50	415.5	418.0	2.5	7.92	
OSK-W-17-880	2500	227	813.0	452425	5434565	327	-50	415.5	417.0	1.5	13.2	
OSK-W-17-880	2500	FW3U	813.0	452425	5434565	327	-50	461.4	463.9	2.5	5.38	
OSK-W-17-880	2500	FW3U	813.0	452425	5434565	327	-50	713.0	729.0	6.0	0.45	
OSK-W-17-880-W1	2500	227	801.0	452425	5434565	327	-50	373.0	376.0	3.0	16.5	
including												
OSK-W-17-880-W1	2500	227	801.0	452425	5434565	327	-50	373.0	374.5	1.5	33.0	
including												
OSK-W-17-880-W1	2500	227	801.0	452425	5434565	327	-50	464.0	466.5	2.5	43.7	
including												
OSK-W-17-880-W1	2500	227	801.0	452425	5434565	327	-50	466.0	466.5	0.5	12.1	
OSK-W-17-880-W2	2500	227	846.0	452425	5434565	327	-50	475.6	478.0	2.4	2.32	
OSK-W-17-880-W2	2500	FW3U HW	846.0	452425	5434565	327	-50	699.8	706.7	6.9	0.19	
OSK-W-17-880-W2	2500	FW3U	846.0	452425	5434565	327	-50	776.8	779.5	2.7	8.41	
including												
OSK-W-17-881	3575	Lynx 2 FW	867.0	453217	5435342	136	-48	390.5	394.7	4.2	5.34	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-881	3575	Lynx 2 FW	867.0	453217	5435342	136	-48	362.0	363.4	1.4	15.0	
								384.0	386.0	2.0	20.8	
								385.0	386.0	1.0	59.4	
OSK-W-17-881	3575	Lynx 2	867.0	453217	5435342	136	-48	412.0	414.0	2.0	37.0	30.7
								412.7	413.3	0.6	126.0	100
OSK-W-17-881	3575	Lynx 1	867.0	453217	5435342	136	-48	445.8	448.2	2.4	2.97	
OSK-W-17-881	3575	Crustiform vein	867.0	453217	5435342	136	-48	732.7	734.8	2.1	4.70	
								733.3	733.9	0.6	14.3	
OSK-W-17-882	3450	Lynx HW	473.0	453369	5434846	331	-53	240.2	244.0	3.8	1.50	
OSK-W-17-882	3450	VNCR	473.0	453369	5434846	331	-53	417.0	420.0	3.0	3.39	
								418.0	418.5	0.5	18.8	
OSK-W-17-882	3450	VNCR	473.0	453369	5434846	331	-53	426.0	428.0	2.0	2.62	
OSK-W-17-882	3450		473.0	453369	5434846	331	-53	426.6	427.3	0.5	9.83	
OSK-W-17-883	3600	Lynx 1 + Lynx 2	396.0	453455	5434983	326	-60	254.0	256.0	2.0	12.4	
								254.9	255.4	0.5	36.8	
OSK-W-17-883	3600	Lynx 1 + Lynx 2	396.0	453455	5434983	326	-60	259.0	261.0	2.0	7.52	
								259.7	260.0	0.3	44.4	
OSK-W-17-883	3600	Lynx 2	396.0	453455	5434983	326	-60	274.5	276.5	2.0	18.5	
								275.5	276.5	1.0	32.5	
OSK-W-17-883	3600	Lynx 2	396.0	453455	5434983	326	-60	288.5	290.5	2.0	3.89	
OSK-W-17-883	3600	VNCR	396.0	453455	5434983	326	-60	353.0	355.2	2.2	3.07	
OSK-W-17-884	3375	Lynx 1	373.0	453213	5434983	334	-53	48.5	53.0	3.5	1.14	
OSK-W-17-884	3375	Lynx 2	373.0	453213	5434983	334	-53	77.0	80.0	3.0	6.88	
								77.0	77.5	0.5	26.0	
OSK-W-17-884	3375	Lynx 3	373.0	453213	5434983	334	-53	120.0	126.1	6.1	0.30	
OSK-W-17-885	2850	Vein	1458.0	452861	5434494	335	-67	472.0	474.0	2.0	21.4	19.8
								472.9	473.2	0.3	121	100
OSK-W-17-885	2850	CS3	1458.0	452861	5434494	335	-67	812.3	817.4	5.1	4.74	
								812.3	813.0	0.7	11.1	
OSK-W-17-885	2850	FWO HW	1458.0	452861	5434494	335	-67	1018.0	1020.0	2.0	6.44	
OSK-W-17-885	2850	FWO	1458.0	452861	5434494	335	-67	1051.0	1053.0	2.0	7.81	
								1053.0	1052.0	1.0	15.5	
OSK-W-17-885	2850	FWO FW	1458.0	452861	5434494	335	-67	1092.0	1100.0	8.0	6.69	
								1092.0	1093.0	1.0	22.3	
OSK-W-17-885	2850	FWO	1458.0	452861	5434494	335	-67	1119.0	1121.0	2.0	8.37	
OSK-W-17-885	2850	FWO2	1458.0	452861	5434494	335	-67	1309.0	1307.0	2.0	1.62	
OSK-W-17-885	2850	FWO3	1458.0	452861	5434494	335	-67	1366.0	1368.5	2.6	6.55	
								1367.0	1367.8	0.8	18.3	
OSK-W-17-885-W1	2850	FWO HW	1383.0	452861	5434494	335	-67	1056.4	1061.0	4.6	5.24	
								1060.0	1060.0	1.0	14.3	
OSK-W-17-885-W1	2850	FWO	1383.0	452861	5434494	335	-67	1095.0	1070.0	3.0	3.38	
OSK-W-17-885-W1	2850	FW1 HW	1383.0	452861	5434494	335	-67	1188.0	1190.0	2.0	8.12	
								1188.3	1189.3	1.0	15.3	
OSK-W-17-885-W1	2850	FW1 HW	1383.0	452861	5434494	335	-67	1217.0	1219.0	2.0	5.95	
								1217.7	1218.5	0.8	11.2	
OSK-W-17-885-W1	2850	FW1	1383.0	452861	5434494	335	-67	1340.0	1345.8	5.8	5.39	
								1340.0	1341.0	1.0	15.6	
								1345.4	1345.8	0.4	17.8	
OSK-W-17-885-W2	2850	FWO	1229.0	452861	5434494	335	-67	1102.0	1108.0	6.0	0.38	
OSK-W-17-885-W2	2850	FWO FW	1229.0	452861	5434494	335	-67	1199.0	1201.0	2.0	10.8	
								1199.0	1200.0	1.0	21.3	
OSK-W-17-887	3750	Lynx 2	593.5	453374	5435444	144	-55	457.6	461.6	4.0	0.35	
OSK-W-17-887	3750	Crustiform vein	593.5	453374	5435444	144	-55	492.0	494.6	2.6	24.3	
OSK-W-17-887	3750	Lynx 1	593.5	453374	5435444	144	-55	492.0	494.6	2.6	24.3	
								492.9	493.5	0.6	91.6	
								492.9	493.5	0.6	91.6	
OSK-W-17-888	3500	Lynx 2	402.0	453367	5434941	334	-52	235.2	240.0	4.8	22.6	21.8
								236.0	237.2	1.2	52.3	48.9
								236.3	236.8	0.5	109	100
OSK-W-17-888	3500	Lynx 2	402.0	453367	5434941	334	-52	238.3	240.0	1.7	23.7	
								238.3	238.8	0.5	65.3	
OSK-W-17-888	3500	Lynx 2	402.0	453367	5434941	334	-52	248.0	250.0	2.0	17.8	
								248.5	249.1	0.6	58.1	
OSK-W-17-888	3500	Lynx 2	402.0	453367	5434941	334	-52	257.3	259.4	2.1	4.06	
								257.3	257.8	0.5	16.2	
OSK-W-17-889	2725	Caribou	786.0	452695	5434564	333	-57	386.5	388.5	2.0	16.2	
								388.0	388.5	0.5	58.0	
OSK-W-17-889	2725	Wolf 2	786.0	452695	5434564	333	-57	540.5	544.0	3.5	4.32	
OSK-W-17-889	2725	Wolf HW	786.0	452695	5434564	333	-57	606.0	608.5	2.5	6.79	
								606.0	607.0	1.0	15.9	
OSK-W-17-889	2725	Wolf HW	786.0	452695	5434564	333	-57	631.5	634.0	2.5	19.2	
								631.5	632.0	0.5	65.0	
OSK-W-17-889	2725	Wolf	786.0	452695	5434564	333	-57	662.0	664.0	2.0	9.88	
OSK-W-17-889	2725	Wolf	786.0	452695	5434564	333	-57	684.0	686.0	2.0	11.4	
								684.0	685.5	1.5	15.2	
OSK-W-17-889	2725	Vein	786.0	452695	5434564	333	-57	729.1	731.4	2.3	4.93	
OSK-W-17-895	3475	Lynx HW	444.0	453349	5434937	332	-50	236.0	188.6	12.6	0.17	
OSK-W-17-895	3475	Lynx 1	444.0	453349	5434937	332	-50	179.1	181.3	2.2	24.3	
								179.1	180.0	0.9	54.0	
OSK-W-17-895	3475	Lynx 2	444.0	453349	5434937	332	-50	209.0	211.0	2.0	17.5	
								209.0	210.0	1.0	34.4	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-895	3475	Lynx 2	444.0	453349	5434937	332	-50	221.0	227.5	6.5	8.98	
OSK-W-17-895	3475	Lynx 2	444.0	453349	5434937	332	-50	221.0	225.0	4.0	9.81	
		including and						221.0	222.0	1.0	94.7	
								225.0	227.5	2.5	7.65	
OSK-W-17-898	3700	Lynx 3	555.0	453330	5435403	148	-51	375.5	380.7	5.2	3.75	
		including						375.5	376.2	0.7	10.8	
								380.2	380.7	0.5	16.4	
OSK-W-17-898	3700	Lynx 2	555.0	453330	5435403	148	-51	411.0	433.5	2.5	12.2	
OSK-W-17-898	3700	Lynx 2	555.0	453330	5435403	148	-51	429.9	432.9	3.0	23.5	
		including						431.2	432.0	0.8	85.2	
OSK-W-17-898	3700	Lynx 1	555.0	453330	5435403	148	-51	448.7	452.0	3.3	17.3	
OSK-W-17-899	3350	Lynx 1	303.0	453219	5434913	334	-57	142.9	145.9	2.4	1.13	
OSK-W-17-899	3350	Lynx 2	303.0	453219	5434913	334	-57	243.0	245.0	2.0	4.46	
OSK-W-17-901	2500	Caribou	810.0	452391	5434638	328	-55	122.5	124.6	2.1	16.2	
		including						123.1	123.9	0.8	34.7	
OSK-W-17-901	2500	Caribou corridor	810.0	452391	5434638	328	-55	157.0	159.0	2.0	33.8	
OSK-W-17-901	2500	Caribou corridor	810.0	452391	5434638	328	-55	209.0	211.0	2.0	7.12	
		including						210.0	211.0	1.0	13.3	
OSK-W-17-901	2500	Z27	810.0	452391	5434638	328	-55	403.0	409.0	6.0	0.77	
OSK-W-17-901	2500	FW3U	810.0	452391	5434638	328	-55	675.5	678.0	2.5	82.7	
		including						676.6	678.9	0.3	65.9	
OSK-W-17-902	3475	Lynx HW	468.0	453390	5434852	331	-50	213.5	236.0	2.5	3.95	
OSK-W-17-902	3475	Lynx 1	468.0	453390	5434852	331	-50	281.1	283.1	2.0	4.56	
		including						281.1	282.1	1.0	9.07	
OSK-W-17-902	3475	QTV	468.0	453390	5434852	331	-50	398.0	400.0	2.0	3.67	
OSK-W-17-902	3475	VNCR	468.0	453390	5434852	331	-50	398.8	399.2	0.4	16.8	
		including						431.0	433.1	2.1	11.7	
OSK-W-17-903	2650	Caribou	801.0	452539	5434692	329	-56	431.0	432.1	1.1	22.0	
		including						228.0	230.5	2.5	5.35	
OSK-W-17-903	2650	CK2 FW	801.0	452539	5434692	329	-56	229.2	229.6	0.4	31.3	
		including						412.5	420.0	7.5	4.97	
OSK-W-17-903	2650	Z27	801.0	452539	5434692	329	-56	412.5	414.0	1.5	19.4	
		including						539.0	543.0	4.0	36.1	34.2
OSK-W-17-903	2650	Z27	801.0	452539	5434692	329	-56	539.0	540.0	1.0	108	100
OSK-W-17-903	2650	Z27	801.0	452539	5434692	329	-56	554.0	556.0	2.0	69.6	26.5
OSK-W-17-903	2650	Z27	801.0	452539	5434692	329	-56	554.9	555.6	0.7	197	100
		including						559.0	561.0	2.0	10.7	
OSK-W-17-903	2650	Vern	801.0	452539	5434692	329	-56	559.8	560.3	0.5	37.7	
		including						668.5	670.5	2.0	50.1	50.1
								688.5	689.5	1.0	50.1	
OSK-W-17-903	2650	FW3U	801.0	452539	5434692	329	-56	778.0	780.0	2.0	73.6	40.2
		including						779.2	780.0	0.8	184	100
OSK-W-17-903-W1	2650	CK2 FW	657.0	452539	5434692	329	-56	408.9	410.9	2.0	9.30	
OSK-W-17-903-W1	2650	Z27 FW	657.0	452539	5434692	329	-56	408.9	410.0	1.1	16.7	
		including						577.6	580.2	2.6	25.7	
OSK-W-17-903-W2	2650	Z27	795.0	452539	5434692	329	-56	577.6	578.5	0.9	73.7	
		including						556.0	560.9	4.9	3.72	
								556.0	557.1	1.1	8.88	
OSK-W-17-903-W2	2650	Z27 FW	795.0	452539	5434692	329	-56	560.0	560.9	0.9	8.84	
		including						593.0	595.0	2.0	8.52	
OSK-W-17-903-W2	2650	FW3U	795.0	452539	5434692	329	-56	593.0	594.0	1.0	16.7	
		including						688.4	690.9	2.5	3.22	
OSK-W-17-906	3475	Lynx HW	442.0	453349	5434937	331	-56	699.8	699.4	0.6	9.47	
OSK-W-17-906	3475	Lynx HW	442.0	453349	5434937	331	-56	699.3	170.2	0.7	27.0	
OSK-W-17-906	3475	Lynx HW	442.0	453349	5434937	331	-56	174.0	176.5	2.5	4.25	
OSK-W-17-906	3475	Lynx 1	442.0	453349	5434937	331	-56	174.6	175.0	0.4	21.9	
OSK-W-17-906	3475	Lynx 1	442.0	453349	5434937	331	-56	182.0	184.0	2.0	23.9	
OSK-W-17-906	3475	Lynx 1 + Lynx 2	442.0	453349	5434937	331	-56	182.4	183.0	0.6	79.6	
		including						213.0	215.0	2.0	4.45	
OSK-W-17-906	3475	Lynx 2 FW	442.0	453349	5434937	331	-56	213.0	214.0	1.0	8.55	
		including						276.0	280.0	4.0	5.05	
OSK-W-17-907	3575	Lynx 3	1317.0	453219	5435340	134	-51	729.0	730.0	1.0	83.7	
OSK-W-17-907	3575	Lynx 3	1317.0	453219	5435340	134	-51	324.0	333.4	9.4	0.39	
		including						436.7	441.6	4.9	7.56	
OSK-W-17-907	3575	Lynx 4	1317.0	453219	5435340	134	-51	440.0	440.7	0.7	31.3	
OSK-W-17-907	3575	Lynx 4	1317.0	453219	5435340	134	-51	851.3	852.2	2.4	36.6	
OSK-W-17-907	3575	Lynx 4	1317.0	453219	5435340	134	-51	853.7	854.7	1.0	83.1	
		including						861.0	863.0	2.0	6.39	
OSK-W-17-907	3575	Lynx 4	1317.0	453219	5435340	134	-51	861.0	862.1	1.1	10.3	
		including						893.0	895.0	2.0	5.71	
OSK-W-17-907	3575	T80	1317.0	453219	5435340	134	-51	894.0	895.0	1.0	10.3	
		including						952.0	954.0	2.0	80.3	
OSK-W-17-907	3575	Lynx T80	1317.0	453219	5435340	134	-51	952.4	953.1	0.7	85.2	
		including						961.9	964.0	2.1	25.9	
OSK-W-17-908	4350	Lynx corridor extension	824.0	453871	5435782	135	-54	962.3	963.0	0.7	98.5	
OSK-W-17-908	4350	Lynx corridor extension	824.0	453871	5435782	135	-54	738.4	742.6	4.2	10.6	
		including						741.0	742.6	1.6	26.6	
OSK-W-17-908	4350	Lynx corridor extension	824.0	453871	5435782	135	-54	756.0	760.1	4.1	7.34	
		including						756.0	756.4	0.4	15.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assort	Au (g/t) cut to 100 g/t
including												
OSK-W-17-908	4350	Lynx corridor extension	824.0	453871	5435782	135	-54	759.0	760.1	1.1	19.3	
including												
OSK-W-17-909	4325	VNCR - Lynx corridor	1119.0	453683	5435677	131	-55	764.0	766.5	2.5	12.6	
including												
OSK-W-17-909	4325	Lynx 1	1119.0	453683	5435677	131	-55	765.5	766.5	1.0	26.7	
including												
OSK-W-17-909	4325	Lynx 1	1119.0	453683	5435677	131	-55	869.0	872.7	3.7	4.33	
including												
OSK-W-17-909	4325	Lynx 1	1119.0	453683	5435677	131	-55	908.0	910.0	2.0	11.8	
including												
OSK-W-17-909	4325	Lynx 1	1119.0	453683	5435677	131	-55	908.5	909.0	0.5	37.0	
and												
and												
including												
OSK-W-17-909	4325	Lynx 1	1119.0	453683	5435677	131	-55	912.0	918.2	6.2	301	53.7
including												
OSK-W-17-909	4325	Lynx 1	1119.0	453683	5435677	131	-55	913.0	913.6	0.6	162	100
and												
and												
including												
OSK-W-17-909	4325	Lynx 1	1119.0	453683	5435677	131	-55	913.6	914.9	1.3	1230	100
including												
OSK-W-17-909	4325	Lynx 1	1119.0	453683	5435677	131	-55	914.9	916.0	1.1	125	100
including												
OSK-W-17-909	4325	Lynx 1	1119.0	453683	5435677	131	-55	922.0	928.0	6.0	10.7	
including												
OSK-W-17-909	4325	Lynx 1	1119.0	453683	5435677	131	-55	923.0	924.2	1.2	37.2	
OSK-W-17-909	4325	Lynx 1	1119.0	453683	5435677	131	-55	933.0	935.0	2.0	4.97	
OSK-W-17-909	4325	Lynx 1	1119.0	453683	5435677	131	-55	959.0	961.0	2.0	3.26	
OSK-W-17-909	4325	Lynx 1	1119.0	453683	5435677	131	-55	982.9	986.0	3.1	4.94	
OSK-W-19-909-W11	4325	Lynx	990.0	453683	5435677	131	-55	857.5	859.7	2.2	15.5	
including												
OSK-W-19-909-W12	4325	Lynx	994.0	453683	5435677	131	-55	858.5	859.0	0.5	67.2	
including												
OSK-W-19-909-W11	4325	Lynx 317	990.0	453683	5435677	131	-55	872.0	924.0	52.0	84.6	42.3
including												
including												
including												
OSK-W-19-909-W12	4325	Lynx	994.0	453683	5435677	131	-55	915.8	922.6	6.8	142	68.2
including												
OSK-W-19-909-W10	4325	Lynx	1049.0	453683	5435677	131	-55	915.8	927.4	1.6	149	100
including												
OSK-W-19-909-W2	4325	Lynx 1	1071.0	453683	5435677	131	-55	920.1	922.6	2.5	266	97.2
including												
OSK-W-17-909-W3	4325	Lynx 1	1066.0	453683	5435677	131	-55	944.7	949.2	4.5	14.2	
including												
OSK-W-17-909-W3	4325	Lynx 1	1066.0	453683	5435677	131	-55	944.7	945.5	0.8	63.2	
including												
OSK-W-19-909-W10	4325	Lynx	1049.0	453683	5435677	131	-55	955.0	957.6	2.6	6.40	
OSK-W-17-909-W2	4325	Lynx 1	1071.0	453683	5435677	131	-55	955.0	957.6	2.1	19.2	
including												
OSK-W-17-909-W3	4325	Lynx 1	1066.0	453683	5435677	131	-55	955.0	957.6	0.5	63.6	
including												
OSK-W-17-909-W3	4325	Lynx 1	1066.0	453683	5435677	131	-55	955.0	957.6	0.5	63.6	
including												
OSK-W-17-909-W3	4325	Lynx 1	1066.0	453683	5435677	131	-55	955.0	957.6	0.5	63.6	
including												
OSK-W-17-909-W4	4325	Lynx 4	1134.0	453683	5435677	131	-55	955.0	957.6	2.5	8.96	
including												
OSK-W-17-909-W4	4325	Lynx 4	1134.0	453683	5435677	131	-55	955.0	957.6	2.5	8.96	
including												
OSK-W-17-909-W4	4325	Lynx 4	1134.0	453683	5435677	131	-55	955.0	957.6	2.5	8.96	
including												
OSK-W-18-909-W5	4325	VNCR	1057.3	453683	5435677	131	-55	887.0	889.1	2.1	7.94	
including												
OSK-W-18-909-W5	4325	Lynx	1057.3	453683	5435677	131	-55	887.0	887.8	0.8	20.7	
including												
OSK-W-18-909-W5	4325	Lynx	1057.3	453683	5435677	131	-55	887.0	887.8	0.8	20.7	
including												
OSK-W-18-909-W5	4325	Lynx	1057.3	453683	5435677	131	-55	887.0	887.8	0.8	20.7	
including												
OSK-W-19-909-W5	4325	Lynx	1093.7	453683	5435677	131	-55	956.9	957.3	0.4	182	52.6
including												
OSK-W-19-909-W5	4325	Lynx	1093.7	453683	5435677	131	-55	956.9	957.3	0.4	182	52.6
including												
OSK-W-19-909-W5	4325	Lynx	1093.7	453683	5435677	131	-55	956.9	957.3	0.4	182	52.6
including												
OSK-W-19-909-W7	4325	Lynx 313	1080.0	453683	5435677	131	-55	956.9	957.3	0.4	182	52.6
including												
OSK-W-19-909-W7	4325	Lynx 313	1080.0	453683	5435677	131	-55	956.9	957.3	0.4	182	52.6
including												
OSK-W-19-909-W8	4325	Lynx	1053.0	453683	5435677	131	-55	956.9	957.3	0.4	182	52.6
including												
OSK-W-19-909-W8	4325	Lynx	1053.0	453683	5435677	131	-55	956.9	957.3	0.4	182	52.6
including												
OSK-W-19-909-W8	4325	Lynx	1053.0	453683	5435677	131	-55	956.9	957.3	0.4	182	52.6
including												
OSK-W-19-909-W9	4325	Lynx	1143.0	453683	5435677	131	-55	956.9	957.3	0.4	182	52.6
including												
OSK-W-19-909-W9	4325	Lynx	1143.0	453683	5435677	131	-55	956.9	957.3	0.4	182	52.6
including												
OSK-W-17-911	3325	Lynx 2	255.0	453178	5434908	331	-54	210.8	211.0	0.2	11.1	
including												
OSK-W-17-912	3700	Lynx 3	569.8	453330	5435402	147	-48	415.0	417.8	2.8	6.65	
including												
OSK-W-17-912	3700	Lynx 2	569.8	453330	5435402	147	-48	415.0	417.8	2.8	6.65	
including												
OSK-W-17-912	3700	Lynx 1	569.8	453330	5435402	147	-48	415.0	417.8	2.8	6.65	
including												
OSK-W-17-912	3700	Lynx 1	569.8	453330	5435402	147	-48	415.0	417.8	2.8	6.65	
including												
OSK-W-17-912	3700	Lynx 1	569.8	453330	5435402	147	-48	415.0	417.8	2.8	6.65	
including												
OSK-W-17-913	2825	Caribou corridor	954.0	452878	5434419	334	-52	533.8	535.5	1.7	5.09	
including												
OSK-W-17-913	2825	Caribou corridor	954.0	452878	5434419	334	-52	533.8	535.5	1.2	11.1	
including												
OSK-W-17-913	2825	CS1	954.0	452878	5434419	334	-52	534.0	534.0	0.3	3.45	
including												
OSK-W-17-913	2825	Venn	954.0	452878	5434419	334	-52	643.0	644.0	2.0	5.86	
including												
OSK-W-17-913	2825	CS3	954.0	452878	5434419	334	-52	642.0	643.0	1.0	11.7	
including												
OSK-W-17-913	2825	Wolf 2	954.0	452878	5434419	334	-52	699.1	700.9	3.8	2.06	
including												
OSK-W-17-913	2825	Wolf 2	954.0	452878	5434419	334	-52	719.0	721.0	2.0	63.1	15.4
including												
OSK-W-17-913	2825	Wolf HW	954.0	452878	5434419	334	-52	719.8	720.1	0.3	40.70	100
including												
OSK-W-17-913	2825	Wolf FW	954.0	452878	5434419	334	-52	783.0	785.0	2.0	3.37	
including												
OSK-W-17-913	2825	Wolf HW	954.0	452878	5434419	334	-52	791.0	793.0	2.0	13.5	
including												
OSK-W-17-913	2825	Wolf FW	954.0	452878	5434419	334	-52	791.0	792.0	1.0	26.2	
including												
OSK-W-17-913	2825	Wolf FW	954.0	452878	5434419	334	-52	857.0	859.0	2.0	13.6	
including												
OSK-W-20-913-W1	2825	Caribou 2523	939.0	452878	5434419	334	-52	634.7	637.0	2.3	3.39	
including												
OSK-W-20-913-W1	2825	Caribou 2219	939.0	452878	5434419	334	-52	634.7	635.0	0.3	18.6	
including												
OSK-W-20-913-W1	2825	Caribou	939.0	452878	5434419	334	-52	851.0	851.5	0.5	47.1	
including												
OSK-W-20-913-W2	2825	Caribou	913.1	452878	5434419	334	-52	622.0	624.0	2.0	4.60	
including												
OSK-W-20-913-W2	2825	Caribou	913.1	452878	5434419	334	-52	622.5	622.8	0.3	28.8	
including												
OSK-W-20-913-W2	2825	Caribou	913.1	452878	5434419	334	-52	672.0	674.5	2.5	47.80	
including												
OSK-W-20-913-W2	2825	Caribou	913.1	452878	5434419	334	-52	673.0	673.5	0.5	15.8	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acumuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-20-913-W2	2825	Caribou 2210	913.1	452878	5434419	334	-52	715.0	717.8	2.8	3.89	
OSK-W-20-913-W2	2825	Caribou	913.1	452878	5434419	334	-52	755.0	757.0	2.0	16.7	
		including						755.4	756.0	0.6	53.9	
OSK-W-20-913-W2	2825	Caribou 2220	913.1	452878	5434419	334	-52	801.0	803.0	2.0	5.04	
OSK-W-20-913-W2	2825	Caribou 2219	913.1	452878	5434419	334	-52	846.0	848.0	2.0	15.5	
		including						846.0	846.7	0.7	44.0	
OSK-W-20-913-W2	2825	Caribou	913.1	452878	5434419	334	-52	858.0	860.0	2.0	3.48	
OSK-W-17-914	3475	Lynx HW	447.0	453390	5434852	332	-53	239.3	241.6	2.3	27.2	26.6
		including						240.7	241.0	0.3	105	100
OSK-W-17-916	3325	Lynx HW	336.0	453172	5434924	331	-54	108.0	111.5	3.5	14.3	
		including						108.0	108.5	0.5	75.1	
OSK-W-17-918	3525	Lynx HW	744.0	453387	5434953	336	-57	179.0	180.0	1.0	0.40	
OSK-W-17-918	3525	Lynx 1	744.0	453387	5434953	336	-57	185.5	187.9	2.4	13.3	13.3
OSK-W-17-918	3525	Lynx 1	744.0	453387	5434953	336	-57	185.5	187.9	2.4	43.4	13.3
		including						186.4	186.7	0.3	100.0	100
		including						186.4	186.7	0.3	325	100
OSK-W-17-918	3525	Lynx 1	744.0	453387	5434953	336	-57	225.0	232.0	7.0	6.84	
		including						229.0	230.0	1.0	31.1	
OSK-W-17-918	3525	Lynx 2	744.0	453387	5434953	336	-57	238.0	240.0	2.0	23.4	
OSK-W-17-918	3525	Lynx 2	744.0	453387	5434953	336	-57	238.7	239.3	0.6	61.3	
		including						258.0	261.0	3.0	12.4	
OSK-W-17-919	2200	Mailard	495.0	453193	5434836	329	-54	91.5	96.4	4.9	43.0	
		including						91.5	92.3	0.8	11.0	
OSK-W-17-921	3525	Lynx HW	834.0	453428	5434865	331	-57	328.6	330.6	2.0	3.06	
OSK-W-17-921	3525	Lynx 1	834.0	453428	5434865	331	-57	328.6	330.6	2.0	20.6	
		including						329.3	329.7	0.4	60.08	
		including						329.3	329.7	0.4	97.8	
OSK-W-17-921	3525	Lynx 1	834.0	453428	5434865	331	-57	336.0	343.9	7.9	0.59	
OSK-W-17-921	3525	Lynx 2	834.0	453428	5434865	331	-57	360.0	362.4	2.4	0.78	
OSK-W-17-922	3725	New - Lynx corridor	591.0	453360	5435437	144	-52	864.0	866.2	2.2	3.89	
OSK-W-17-922	3725	Lynx 2	591.0	453360	5435437	144	-52	456.1	459.6	3.5	27.1	20.6
		including						457.5	457.8	0.3	176	100
OSK-W-17-922	3725	Lynx 1	591.0	453360	5435437	144	-52	402.4	405.0	2.6	1.46	
OSK-W-17-923	4025	Caribou	1062.0	453607	5435603	137	-56	309.0	311.0	2.0	6.23	
OSK-W-17-923	4025	Lynx 4	1062.0	453607	5435603	137	-56	890.1	891.5	1.4	210	44.3
		including						890.8	891.8	1.0	498	100
		including						890.8	891.3	0.5	838	100
OSK-W-17-923	4025	Lynx 4 corridor	1062.0	453607	5435603	137	-56	928.2	931.2	3.0	4.33	
OSK-W-18-923-W1	4025	Lynx 4	965.7	453607	5435603	137	-56	876.2	878.2	2.0	3.39	
OSK-W-18-923-W2	4025	Lynx 4	1164.0	453607	5435603	137	-56	895.0	897.2	2.2	5.34	
		including						895.8	896.1	0.3	38.5	
OSK-W-18-923-W2	4025	Lynx 4	1164.0	453607	5435603	137	-56	911.1	917.0	5.9	10.1	
		including						916.2	917.0	0.8	60.8	
OSK-W-18-923-W2	4025	Lynx	1164.0	453607	5435603	137	-56	1134.3	1136.5	2.2	6.80	
		including						1139.0	1139.0	1.0	12.3	
OSK-W-18-923-W2	4025	Lynx 4	1164.0	453607	5435603	137	-56	1160.0	1162.0	2.0	3.34	
OSK-W-19-923-W4	4025	Lynx	1035.0	453607	5435603	137	-56	796.9	798.9	2.0	3.63	
OSK-W-19-923-W4	4025	Lynx 317	1035.0	453607	5435603	137	-56	865.6	867.7	2.1	20.3	
		including						866.6	867.7	1.1	38.4	
OSK-W-19-923-W4	4025	Lynx 330	1035.0	453607	5435603	137	-56	892.3	894.3	2.0	31.7	
		including						893.3	894.3	1.0	63.0	
OSK-W-19-923-W4	4025	Lynx 312	1035.0	453607	5435603	137	-56	942.0	944.1	2.1	23.7	
		including						943.1	944.1	1.0	49.6	
OSK-W-17-924	3525	Lynx HW	375.0	453414	5434927	334	-54	226.9	227.0	0.1	9.28	
		including						229.9	232.0	2.1	29.5	
OSK-W-17-924	3525	Lynx 1	375.0	453414	5434927	334	-54	233.0	235.0	2.0	9.12	
		including						233.0	234.0	1.0	15.4	
OSK-W-17-924	3525	Lynx 2	375.0	453414	5434927	334	-54	278.4	280.7	2.3	12.5	
		including						280.0	280.7	0.7	38.0	
OSK-W-17-924	3525	Lynx 2 FW	375.0	453414	5434927	334	-54	308.0	312.0	4.0	25.5	
OSK-W-17-926	2225	Mailard	215.6	453196	5434828	329	-54	123.8	126.3	2.5	5.18	
OSK-W-17-928	3550	Lynx HW	464.6	453433	5434905	333	-64	247.0	249.0	2.0	68.8	50.0
		including						247.0	248.0	1.0	138	100
OSK-W-17-928	3550	Lynx 1	464.6	453433	5434905	333	-64	341.7	344.3	2.6	79.4	14.7
		including						341.7	342.0	0.3	665	100
OSK-W-17-928	3550	Lynx 2	464.6	453433	5434905	333	-64	376.2	378.3	2.1	9.39	
		including						376.7	377.6	0.9	20.0	
OSK-W-17-929	4350	Lynx 1	1218.0	453871	5435782	130	-58	901.5	903.7	2.2	6.58	
		including						901.1	903.0	0.9	14.7	
OSK-W-17-929	4350	Lynx 1	1218.0	453871	5435782	130	-58	936.5	938.5	2.0	18.9	
		including						937.2	937.6	0.4	62.6	
OSK-W-17-930	3500	Lynx HW	372.0	453404	5434873	334	-51	257.0	259.1	2.1	17.7	
		including						257.0	257.9	0.9	27.9	
OSK-W-17-930	3500	Lynx 2	372.0	453404	5434873	334	-51	324.0	326.4	2.4	18.0	
OSK-W-17-931	3725	Lynx 4	936.0	453360	5435437	134	-50	683.0	685.0	2.0	42.1	22.4
OSK-W-17-934	3800	Lynx 1	967.5	453407	5435463	144	-55	476.2	479.0	2.8	20.8	
		including						476.2	477.2	1.0	57.0	
OSK-W-17-934	3800	Lynx	967.5	453407	5435463	144	-55	867.3	869.8	2.5	94.7	24.3
		including						869.3	869.8	0.5	45.2	100
OSK-W-17-934	3800	Lynx	967.5	453407	5435463	144	-55	885.0	887.0	2.0	42.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t	
including									885.0	886.0	1.0	83.6	
OSK-W-19-934-W1	3800	Lynx	1164.0	453407	5435463	144	-55	918.0	921.7	3.7	489	23.2	
including									918.0	918.3	0.3	2640	100
and									918.1	918.5	0.4	2500	100
OSK-W-19-934-W2	3800	Lynx 4	1167.0	453407	5435463	144	-55	831.0	834.0	3.0	32.9		
including									831.0	832.0	1.0	79.8	
OSK-W-19-934-W2	3800	Lynx 4	1167.0	453407	5435463	144	-55	855.9	857.9	2.0	16.9		
including									855.9	857.9	1.0	31.4	
OSK-W-19-934-W2	3800	Lynx 333	1167.0	453407	5435463	144	-55	901.8	904.0	2.2	420	50.2	
including									901.8	902.4	0.6	1270	100
including									903.5	904.0	0.5	361	100
OSK-W-19-934-W2	3800	Lynx	1167.0	453407	5435463	144	-55	955.1	959.8	4.7	0.75		
including									955.1	955.5	0.4	72.9	
and									958.0	959.8	0.9	17.5	
OSK-W-19-934-W2	3800	Lynx	1167.0	453407	5435463	144	-55	1030.0	1032.0	2.0	6.79		
OSK-W-19-934-W2	3800	Lynx	1167.0	453407	5435463	144	-55	1079.3	1081.8	2.5	72.2	53.0	
including									1079.3	1080.3	1.0	148	100
OSK-W-19-934-W3	3800	Lynx	1074.8	453407	5435463	144	-55	978.0	980.3	2.3	10.4		
including									978.0	978.6	0.3	33.2	
OSK-W-19-934-W4	3800	Lynx 4	1155.0	453407	5435463	144	-55	840.0	842.6	2.6	4.60		
including									840.8	841.6	0.8	14.3	
OSK-W-19-934-W4	3800	Lynx	1155.0	453407	5435463	144	-55	1031.4	1039.2	7.8	37.6	15.6	
including									1031.9	1032.2	0.3	538	100
and									1037.4	1037.9	0.5	180	100
OSK-W-19-934-W4	3800	Lynx	1155.0	453407	5435463	144	-55	1042.0	1044.0	2.0	7.34		
OSK-W-19-934-W4	3800	Lynx	1155.0	453407	5435463	144	-55	1046.0	1048.0	2.0	20.6		
including									1047.0	1048.0	1.0	39.4	
OSK-W-17-935	2275	Maland HW	474.0	452025	5434827	327	-51	80.0	82.8	2.8	3.34		
OSK-W-17-935	2275	Maland	474.0	452025	5434827	327	-51	151.0	153.0	2.0	2.74		
OSK-W-17-936	2800	CS1	822.0	452773	5434547	332	-56	518.0	523.5	5.5	3.49		
including									522.0	523.5	0.5	19.6	
OSK-W-17-936	2800	Caribou corridor	822.0	452773	5434547	332	-56	516.6	519.6	3.0	16.5		
including									616.6	617.6	1.0	38.3	
OSK-W-17-936	2800	Wolf	822.0	452773	5434547	332	-56	666.0	668.0	2.0	6.17		
OSK-W-17-936	2800	Wolf HW	822.0	452773	5434547	332	-56	729.0	732.0	3.0	3.79		
OSK-W-17-936-W1	2800	Wolf HW	808.0	452773	5434547	332	-56	617.3	619.9	2.6	12.8		
including									617.3	618.3	1.0	21.3	
OSK-W-17-936-W1	2800	Wolf	808.0	452773	5434547	332	-56	640.8	643.0	2.2	14.2		
including									642.4	643.0	0.6	40.2	
OSK-W-17-936-W1	2800	Wolf	808.0	452773	5434547	332	-56	668.5	670.6	2.1	3.55		
including									668.9	669.3	0.4	16.9	
OSK-W-17-936-W1	2800	Wolf FW	808.0	452773	5434547	332	-56	697.0	699.0	2.0	204	50.5	
including									697.0	698.0	1.0	407	100
OSK-W-17-936-W1	2800	Wolf FW	808.0	452773	5434547	332	-56	704.0	706.0	2.0	14.8		
including									705.0	706.0	1.0	29.0	
OSK-W-17-936-W1	2800	227	808.0	452773	5434547	332	-56	776.0	778.0	2.0	3.65		
including									777.2	778.0	0.8	8.07	
OSK-W-17-936-W1	2800	227	808.0	452773	5434547	332	-56	785.0	787.7	2.7	4.03		
including									787.0	787.7	0.7	7.71	
OSK-W-17-936-W2	2800	Caribou	819.0	452773	5434547	332	-56	522.4	524.8	2.4	16.7		
including									523.4	523.8	0.4	95.0	
OSK-W-17-936-W2	2800	Wolf 2	819.0	452773	5434547	332	-56	574.5	577.9	3.4	3.36		
OSK-W-17-936-W2	2800	Wolf HW	819.0	452773	5434547	332	-56	671.1	673.3	2.2	11.1		
OSK-W-17-936-W2	2800	YNCR	819.0	452773	5434547	332	-56	693.9	695.9	2.0	27.7		
including									694.9	695.9	1.0	55.4	
OSK-W-17-936-W2	2800	Wolf	819.0	452773	5434547	332	-56	701.6	703.6	2.0	5.80		
OSK-W-17-936-W2	2800	Wolf FW	819.0	452773	5434547	332	-56	735.0	738.3	3.3	6.41		
including									735.0	735.9	0.9	14.6	
including									738.0	738.3	0.3	16.3	
OSK-W-17-937	2850	Venn	935.2	452897	5434430	333	-57	445.0	448.0	3.0	5.58		
including									447.0	448.0	1.0	11.8	
OSK-W-17-937	2850	CS1	935.2	452897	5434430	333	-57	638.0	640.0	10.0	0.66		
OSK-W-17-937	2850	CS1	935.2	452897	5434430	333	-57	757.8	759.8	2.0	11.9		
OSK-W-17-937	2850	Wolf 2	935.2	452897	5434430	333	-57	782.0	784.4	2.4	8.09		
including									783.0	783.8	0.8	22.4	
OSK-W-17-937	2850	Wolf HW	935.2	452897	5434430	333	-57	811.0	813.0	2.0	3.94		
OSK-W-17-937-W1	2850	CS1 HW	945.0	452897	5434430	333	-57	583.0	585.6	2.6	14.6		
including									583.8	584.9	1.1	34.1	
OSK-W-17-937-W1	2850	CS1	945.0	452897	5434430	333	-57	647.2	650.0	2.8	2.75		
including									756.2	758.6	2.4	26.6	
OSK-W-17-937-W1	2850	Wolf 2	945.0	452897	5434430	333	-57	764.4	766.6	2.2	32.0		
OSK-W-17-937-W1	2850	Wolf HW	945.0	452897	5434430	333	-57	757.0	758.6	1.6	39.0		
OSK-W-17-937-W2	2850	Wolf 2	933.0	452897	5434430	333	-57	749.0	751.5	2.5	16.8		
OSK-W-17-937-W2	2850	Wolf HW	933.0	452897	5434430	333	-57	811.0	813.0	2.0	9.01		
including									811.3	811.8	0.5	25.2	
OSK-W-17-937-W2	2850	Wolf HW	933.0	452897	5434430	333	-57	831.4	833.4	2.0	3.35		
OSK-W-17-939	3475	Lynx HW	414.0	453376	5434898	327	-51	193.7	195.1	1.4	0.90		
OSK-W-17-939	3475	Lynx 1	414.0	453376	5434898	327	-51	246.0	248.0	2.0	12.1		
including									246.0	247.0	1.0	20.6	
OSK-W-17-939	3475	Lynx 2	414.0	453376	5434898	327	-51	296.0	298.0	2.0	4.71		
including									296.7	298.0	1.3	6.96	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-17-939	3475	VNCR	414.0	453376	5434908	327	-51	347.0	349.0	2.0	3.25	
OSK-W-17-941	3575	Lynx HW	444.0	453434	5434969	330	-49	188.3	190.5	2.2	13.4	
		including						189.3	189.6	0.3	85.1	
OSK-W-17-941	3575	Lynx 1	444.0	453434	5434969	330	-49	197.7	200.0	2.3	5.27	
		including						198.7	199.0	0.3	39.1	
OSK-W-17-941	3575	Lynx 2	444.0	453434	5434969	330	-49	231.0	233.9	2.9	71.9	25.9
		including						231.9	232.2	0.3	545	100
OSK-W-17-943	2675	CS1	744.0	452660	5434494	331	-55	401.0	403.0	2.0	3.00	
		including						402.0	403.0	1.0	5.57	
OSK-W-17-943	2675	Wolf HW	744.0	452660	5434494	331	-55	610.8	616.0	5.2	3.25	
OSK-W-17-943	2675	Wolf	744.0	452660	5434494	331	-55	688.0	690.0	2.0	4.96	
		including						688.0	689.0	1.0	0.64	
OSK-W-17-945	3750	Lynx 1	556.5	453376	5435444	149	-50	466.6	468.8	2.2	20.8	
OSK-W-17-945	3750	Lynx 1	556.5	453376	5435444	149	-50	466.6	468.8	2.2	20.6	
		including						466.6	467.6	1.0	44.5	
		including						466.6	467.6	1.0	44.5	
OSK-W-17-945	3750	Lynx 1	556.5	453376	5435444	149	-50	472.8	476.8	4.0	7.86	
		including						474.8	476.0	1.2	17.1	
OSK-W-17-945	3750	Lynx 1	556.5	453376	5435444	149	-50	481.0	483.0	2.0	5.38	
OSK-W-17-947	3475	Lynx HW	444.0	453376	5434906	330	-58	208.0	210.2	2.2	3.62	
OSK-W-17-947	3475	VNCR	444.0	453376	5434906	330	-58	239.8	242.1	2.3	5.45	
		including						241.2	242.1	0.9	0.87	
OSK-W-17-947	3475	Lynx 1	444.0	453376	5434906	330	-58	299.0	304.0	5.0	4.35	
		including						302.6	304.0	1.4	8.73	
OSK-W-17-948	3800	Lynx 3	920.0	453407	5435463	144	-52	363.4	366.6	3.2	0.38	
OSK-W-17-948	3800	Lynx 2	920.0	453407	5435463	144	-52	426.8	429.3	2.5	0.03	
OSK-W-17-948	3800	Lynx 1	920.0	453407	5435463	144	-52	475.0	477.0	2.0	4.39	
		including						475.0	475.5	0.5	17.3	
OSK-W-17-948	3800	Lynx HW	920.0	453407	5435463	144	-52	593.6	596.0	2.4	4.62	
OSK-W-17-949	3575	Lynx HW	423.0	453434	5434969	333	-55	196.0	200.0	4.0	5.38	
		including						196.5	196.9	0.4	28.3	
OSK-W-17-949	3575	Lynx 1	423.0	453434	5434969	333	-55	234.1	235.5	1.4	4.50	
OSK-W-17-949	3575	Lynx 2	423.0	453434	5434969	333	-55	236.3	238.3	2.0	10.4	
		including						236.9	237.3	0.4	40.1	
OSK-W-17-949	3575	Vein	423.0	453434	5434969	333	-55	403.5	406.5	3.0	3.97	
OSK-W-17-950	4125	Lynx 2	1806.0	453583	5435676	131	-59	699.0	699.6	2.6	1.14	
OSK-W-17-950	4125	Lynx 1	1806.0	453583	5435676	131	-59	888.1	891.0	2.9	1.38	
OSK-W-17-950	4125	VNCR	1806.0	453583	5435676	131	-59	1131.0	1133.0	2.0	4.49	
		including						1132.0	1132.4	0.4	21.7	
OSK-W-17-950	4125	Lynx 4	1806.0	453583	5435676	131	-59	1211.3	1215.5	4.2	6.52	
OSK-W-17-953	3575	Lynx 3	762.0	453218	5435353	132	-48	336.6	339.0	2.4	5.85	
OSK-W-17-953	3575	Lynx 1	762.0	453218	5435353	132	-48	370.0	372.0	2.0	6.02	
		including						370.8	371.1	0.3	38.1	
OSK-W-17-953	3575	Lynx 2	762.0	453218	5435353	132	-48	433.0	435.5	2.5	61.8	33.3
		including						433.7	434.5	0.8	189	100
OSK-W-17-953	3575	Lynx 1	762.0	453218	5435353	132	-48	456.6	458.0	1.4	0.54	
OSK-W-17-957	3475	Lynx 1	228.1	453329	5434973	327	-56	125.3	127.8	2.5	0.42	
OSK-W-17-957	3475	Lynx 1 + Lynx 2	228.1	453329	5434973	327	-56	169.0	171.0	2.0	3.99	
OSK-W-17-957	3475	Lynx 2	228.1	453329	5434973	327	-56	193.7	197.9	4.2	6.02	
		including						197.6	197.9	0.3	84.1	
OSK-W-17-957	3475	Lynx 2	228.1	453329	5434973	327	-56	205.0	207.0	2.0	8.75	
		including						205.0	206.0	1.0	17.1	
OSK-W-17-957	3475	Lynx 2	228.1	453329	5434973	327	-56	212.0	214.0	2.0	21.5	
		including						212.6	212.2	0.6	70.8	
OSK-W-17-958	3725	Lynx 2	1212.0	453359	5435437	143	-55	441.8	444.0	2.2	9.28	
OSK-W-17-958	3725	Lynx	1212.0	453359	5435437	143	-55	480.9	483.0	2.1	36.5	25.9
		including						481.5	482.0	0.5	145	100
OSK-W-17-958	3725	Lynx 1	1212.0	453359	5435437	143	-55	500.0	502.0	2.0	22.0	
		including						500.0	500.5	0.5	87.0	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	712.0	717.0	5.0	5.34	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	828.0	831.0	3.0	3.14	
		including						829.5	831.0	1.5	6.35	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	996.0	998.0	2.0	4.55	
		including						997.5	998.0	0.5	17.8	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	1053.0	1058.5	5.5	11.8	
		including						1054.0	1054.3	0.3	68.7	
OSK-W-17-958	3725	TBD - Lynx corridor	1212.0	453359	5435437	143	-55	1057.9	1058.5	0.6	53.5	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435437	143	-55	1076.0	1077.0	2.0	5.36	
		including						1077.0	1078.0	1.0	18.9	
OSK-W-17-958	3725	Lynx 5	1212.0	453359	5435437	143	-55	1116.5	1119.0	2.5	0.29	
OSK-W-17-959	3550	Lynx 1	393.0	453404	5434771	336	-46	178.1	180.2	2.1	3.73	
		including						179.1	179.4	0.3	23.0	
OSK-W-17-960	3625	Lynx 4	1077.0	453283	5435344	138	-54	655.9	658.0	2.1	8.83	
		including						656.6	657.0	0.4	43.6	
OSK-W-17-960	3625	Lynx	1077.0	453283	5435344	138	-54	1031.0	1033.2	2.2	7.06	
OSK-W-17-960	3625	Lynx 4	1077.0	453283	5435344	138	-54	1076.4	1076.9	2.1	8.37	
OSK-W-17-961	3625	Lynx 4	1185.0	453438	5435479	141	-54	862.8	865.1	2.3	40.9	
		including						863.5	864.3	0.8	83.5	
OSK-W-19-961-W1	3625	Lynx 333	1182.0	453438	5435479	141	-54	914.0	916.0	2.0	6.54	
OSK-W-19-961-W1	3625	Lynx 312	1182.0	453438	5435479	141	-54	1075.0	1077.0	2.0	5.11	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-967	3325	Lynx 1	720.0	453176	5434910	337	-62	149.0	151.0	2.0	0.82	
OSK-W-17-967	3325	Lynx 2	720.0	453176	5434910	337	-62	202.2	206.3	4.1	0.81	
OSK-W-17-967	3325	VNCR	720.0	453176	5434910	337	-62	246.9	243.0	2.1	52.3	47.7
OSK-W-17-967	3325		including					242.0	243.0	1.0	150	100
OSK-W-17-967	3325	VNCR	720.0	453176	5434910	337	-62	259.0	261.0	2.0	10.9	
OSK-W-17-967	3325		including					259.0	260.0	1.0	21.4	
OSK-W-17-967	3325	Caribou extension	720.0	453176	5434910	337	-62	603.0	605.0	2.0	23.2	15.3
OSK-W-17-967	3325		including					603.5	603.8	0.3	151	100
OSK-W-17-967	3325	Caribou extension	720.0	453176	5434910	337	-62	655.8	660.3	4.5	10.2	
OSK-W-17-968	2175		including					658.1	658.5	0.4	45.8	
OSK-W-17-968	2175	Z27	201.0	451948	5434759	152	-51	102.0	109.4	7.4	4.02	
OSK-W-17-968	2175		including					107.4	109.4	2.0	7.77	
OSK-W-17-968	2175	QTV	201.0	451948	5434759	152	-51	118.0	122.3	4.3	11.2	10.5
OSK-W-17-968	2175		including					122.0	122.3	0.3	109	100
OSK-W-17-968	2175	Z27	201.0	451948	5434759	152	-51	160.0	162.4	2.4	5.77	
OSK-W-17-969	2450	Drake	324.0	452200	5434867	328	-48	58.2	61.5	3.3	7.39	
OSK-W-17-969	2450		including					58.2	58.6	0.4	28.4	
OSK-W-17-969	2450	Drake 2	324.0	452200	5434867	328	-48	71.2	78.0	2.8	4.83	
OSK-W-17-969	2450		including					71.6	72.2	0.6	15.0	
OSK-W-17-969	2450	Mallard	324.0	452200	5434867	328	-48	210.6	213.0	2.4	10.1	
OSK-W-17-970	3800		including					210.6	211.0	0.4	53.0	
OSK-W-17-970	3800	Lynx HW	734.0	453407	5435462	143	-51	524.0	526.0	2.0	7.51	
OSK-W-17-970	3800		including					524.9	525.5	0.6	15.0	
OSK-W-17-972	3325	Lynx 1	291.0	453176	5434910	333	-60	144.0	146.0	2.0	0.29	
OSK-W-17-972	3325	QTV	291.0	453176	5434910	333	-60	224.5	226.5	2.0	5.23	
OSK-W-17-972	3325		including					224.5	225.0	0.5	20.5	
OSK-W-17-973	2175	Z27	96.0	451969	5434707	150	-46	57.4	60.6	2.4	66.5	51.6
OSK-W-17-973	2175		including					57.9	58.9	1.0	122	100
OSK-W-17-973	2175	Z27	96.0	451969	5434707	150	-46	64.0	66.1	2.1	5.12	
OSK-W-17-973	2175		including					65.7	66.1	0.4	25.2	
OSK-W-17-974	3450		including					172.0	174.0	2.0	24.2	
OSK-W-17-974	3450	Lynx 2	357.0	452502	5434978	330	-59	171.8	173.8	0.5	94.2	
OSK-W-17-975	3000	Caribou extension	804.0	452862	5434814	334	-64	424.0	426.5	2.5	4.06	
OSK-W-17-975	3000		including					424.6	425.0	0.4	23.2	
OSK-W-17-975	3000	Caribou	804.0	452862	5434814	334	-64	465.0	472.8	7.8	4.31	
OSK-W-17-975	3000		including					465.0	467.0	2.0	8.29	
OSK-W-17-975	3000		including					472.0	472.8	0.8	13.9	
OSK-W-17-975	3000	Z27	804.0	452862	5434814	334	-64	675.0	677.2	2.2	7.09	
OSK-W-17-975	3000		including					675.7	676.5	0.8	15.7	
OSK-W-17-976	2300	Z27	306.0	452038	5434840	330	-49	273.0	275.0	2.0	3.89	
OSK-W-17-977	2425	Z27	540.0	452207	5434816	331	-51	24.3	24.7	0.4	4.83	
OSK-W-17-977	2425	Mallard	540.0	452207	5434816	331	-51	269.5	271.7	2.2	12.0	
OSK-W-17-977	2425		including					270.8	271.7	0.9	25.4	
OSK-W-17-977	2425	Underdog	540.0	452207	5434816	331	-51	386.2	389.0	2.8	3.39	
OSK-W-17-978	2975		including					386.2	387.0	0.8	9.92	
OSK-W-17-978	2975	VNCR	804.0	452851	5434803	335	-67	58.0	100.0	2.0	65.5	20.1
OSK-W-17-978	2975		including					99.6	100.0	0.4	327	100
OSK-W-17-978	2975	New zone	804.0	452851	5434803	335	-67	108.0	110.0	2.0	14.0	
OSK-W-17-978	2975		including					109.1	109.4	0.3	92.2	
OSK-W-17-978	2975	Caribou extension	804.0	452851	5434803	335	-67	492.2	495.0	2.8	3.04	
OSK-W-17-978	2975	Sisk VN	804.0	452851	5434803	335	-67	677.0	678.3	2.3	3.00	
OSK-W-17-979	3550		including					677.5	677.8	0.3	21.5	
OSK-W-17-979	3550	Lynx	471.0	453429	5434951	339	-69	304.0	306.0	2.0	17.0	
OSK-W-17-979	3550		including					305.2	306.0	0.8	38.5	
OSK-W-17-979	3550	Lynx	471.0	453429	5434951	339	-69	312.0	314.2	2.2	3.22	
OSK-W-17-979	3550		including					312.0	312.4	0.4	14.8	
OSK-W-17-981	4025	Lynx 1	1281.0	453606	5435603	133	-62	697.7	704.1	6.4	0.58	
OSK-W-17-981	4025	Lynx HW	1281.0	453606	5435603	133	-62	828.9	831.0	2.1	6.21	
OSK-W-17-981	4025		including					830.0	831.0	1.0	12.5	
OSK-W-17-981	4025	Lynx 4	1281.0	453606	5435603	133	-62	890.0	892.0	2.0	5.23	
OSK-W-17-981	4025		including					890.5	890.9	0.4	24.5	
OSK-W-17-981	4025	TPV	1281.0	453606	5435603	133	-62	1008.0	1010.0	2.0	3.01	
OSK-W-17-984	3450	Lynx 1	366.0	453301	5434978	326	-48	103.5	107.0	3.5	12.1	
OSK-W-17-984	3450		including					103.5	103.8	0.3	98.1	
OSK-W-17-984	3450		including					106.0	106.5	0.5	26.8	
OSK-W-17-985	2325	Z27	225.0	452074	5434827	144	-49	145.4	150.0	4.6	9.92	
OSK-W-17-985	2325		including					145.4	145.7	0.3	42.9	
OSK-W-17-986	3600	Lynx 1	360.0	453447	5435019	328	-66	194.0	198.2	4.2	0.22	
OSK-W-17-986	3600	Lynx 2	360.0	453447	5435019	328	-66	261.0	265.0	2.0	6.74	
OSK-W-17-986	3600		including					261.0	264.0	1.0	13.1	
OSK-W-17-986	3600	VNCR - Lynx corridor	360.0	453447	5435019	328	-66	317.0	320.1	3.1	5.69	
OSK-W-17-986	3600		including					317.0	318.0	1.0	15.9	
OSK-W-17-986	3600	VNCR	360.0	453447	5435019	328	-66	337.7	340.0	2.3	50.3	48.7
OSK-W-17-986	3600		including					338.4	339.5	1.1	106	100
OSK-W-17-987	3350		including					132.7	135.0	2.3	4.97	
OSK-W-17-987	3350	Lynx HW	327.0	453224	5434909	339	-60	134.0	135.0	1.0	11.4	
OSK-W-17-987	3350	Lynx 1	327.0	453224	5434909	339	-60	212.3	214.7	2.4	2.12	
OSK-W-17-987	3350	Lynx 2	327.0	453224	5434909	339	-60	224.0	227.0	3.0	0.59	
OSK-W-17-987	3350	VNCR - Lynx corridor	327.0	453224	5434909	339	-60	270.2	272.2	2.0	5.77	
OSK-W-17-987	3350		including					270.7	271.9	1.2	9.06	
OSK-W-17-989	2675	Wolf HW	738.0	452660	5434497	335	-56	633.4	635.5	2.1	4.52	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-989	2675	Wailf	738.0	452660	5434497	335	-56	668.0	670.0	2.0	4.18	
OSK-W-17-989-W1	2675	New zone	751.4	452660	5434497	335	-56	504.0	511.0	7.0	3.59	
OSK-W-17-989-W1	2675	CS1 FW	751.4	452660	5434497	335	-56	514.0	517.0	3.0	7.74	
OSK-W-17-989-W2	2675	CS1	743.0	452660	5434497	335	-56	515.0	516.0	1.0	26.5	
		including						506.0	509.0	3.0	6.29	
OSK-W-17-989-W2	2675	CS3	743.0	452660	5434497	335	-56	542.0	544.7	2.7	5.28	
		including						542.0	543.0	1.0	13.0	
OSK-W-17-989-W2	2675	Wailf	743.0	452660	5434497	335	-56	664.6	667.0	2.4	4.56	
OSK-W-17-990	2350	227	327.0	452122	5434815	147	-49	104.8	108.1	3.3	3.25	
OSK-W-17-990	2350	227	327.0	452122	5434815	147	-49	186.3	189.0	2.7	26.4	15.1
		including						187.3	187.7	0.4	176	100
OSK-W-19-991	4550	Lynx 1	1376.2	453980	5435993	128	-58	1148.0	1153.0	2.0	5.11	
OSK-W-19-991-W10	4550	Lynx 4	1686.0	453980	5435993	128	-58	1505.5	1509.0	3.5	42.1	34.3
OSK-W-19-991-W2	4550	Lynx 1	1740.0	453980	5435993	128	-58	1505.8	1509.5	3.7	33.4	17.3
		including						1509.0	1509.5	0.5	219	100
OSK-W-19-991-W3	4550	Lynx 4	1701.0	453980	5435993	128	-58	1257.0	1259.0	2.0	5.34	
OSK-W-19-991-W3	4550	Lynx 4	1701.0	453980	5435993	128	-58	1417.0	1419.6	2.6	9.00	
OSK-W-19-991-W4	4550	Lynx 4	1523.0	453980	5435993	128	-58	1442.0	1445.8	4.8	29.3	
OSK-W-19-991-W4	4550	Lynx 4	1523.0	453980	5435993	128	-58	1443.0	1444.0	1.0	51.6	
OSK-W-19-991-W5	4550	Lynx 4	1530.1	453980	5435993	128	-58	1299.0	1295.0	2.0	8.82	
		including						1299.4	1293.7	0.3	56.7	
OSK-W-19-991-W5	4550	Lynx 4	1530.1	453980	5435993	128	-58	1464.4	1465.5	2.1	5.77	
OSK-W-19-991-W5	4550	Lynx 4	1530.1	453980	5435993	128	-58	1475.0	1474.0	3.0	3.47	
OSK-W-19-991-W5	4550	Lynx 4	1530.1	453980	5435993	128	-58	1483.3	1488.0	4.7	16.8	
		including						1487.1	1488.0	0.9	60.8	
OSK-W-19-991-W5	4550	Lynx 4	1761.0	453980	5435993	128	-58	1215.9	1218.0	2.1	3.88	
OSK-W-19-991-W8	4550	Lynx 4	1652.2	453980	5435993	128	-58	1440.0	1442.0	13.0	106	48.0
OSK-W-19-991-W9	4550	Lynx 349	1562.0	453980	5435993	128	-58	1479.9	1481.8	2.0	56.3	
		including						1479.9	1480.4	0.5	243	100
OSK-W-17-993	3625	Lynx 2	1053.4	453283	5435344	133	-51	394.0	398.1	4.1	10.1	
		including						396.9	398.1	1.2	25.3	
OSK-W-17-993	3625	Lynx	1053.4	453283	5435344	133	-51	902.0	904.3	2.3	5.95	
		including						902.6	902.9	0.3	43.1	
OSK-W-17-993	3625	Lynx	1053.4	453283	5435344	133	-51	1014.5	1016.6	2.1	5.18	
		including						1015.1	1015.4	0.3	32.7	
OSK-W-17-995	3350	Lynx 1	363.0	453224	5434910	327	-62	134.6	137.3	2.7	5.84	
OSK-W-17-995	3350	VNCR	363.0	453224	5434910	327	-62	305.2	307.3	2.1	5.31	
OSK-W-17-995	3350	Lynx 3	363.0	453224	5434910	327	-62	352.9	355.0	2.1	5.31	
OSK-W-17-996	2500	Mallard	393.0	452270	5434844	328	-56	308.7	311.2	2.5	2.20	
OSK-W-17-996	2500	Mallard	393.0	452270	5434844	328	-56	308.7	311.2	2.5	2.20	
OSK-W-17-996	2500	Mallard FW	393.0	452270	5434844	328	-56	359.0	361.2	2.2	0.62	
		including						359.7	360.4	0.7	24.1	
OSK-W-17-998	3425	Lynx 1	372.0	453313	5434909	330	-57	211.0	212.7	1.7	0.05	
OSK-W-17-998	3425	Lynx 1 + Lynx 2	372.0	453313	5434909	330	-57	261.0	263.0	2.0	15.8	
		including						261.0	262.0	1.0	31.5	
OSK-W-17-998	3425	Lynx 2	372.0	453313	5434909	330	-57	295.0	307.7	12.7	0.53	
OSK-W-17-998	3425	VNCR	372.0	453313	5434909	330	-57	325.0	329.5	4.5	4.78	
OSK-W-17-999	3000	YBO	516.0	452861	5434813	330	-61	91.5	94.0	2.5	5.18	
		including						91.5	93.0	1.5	8.54	
OSK-W-17-999	3000	Caribou extension	516.0	452861	5434813	330	-61	400.7	403.9	3.2	3.68	
OSK-W-17-999	3000	Caribou extension	516.0	452861	5434813	330	-61	432.9	436.4	3.5	5.79	
OSK-W-17-999	3000	Caribou extension	516.0	452861	5434813	330	-61	459.4	461.0	2.6	5.39	
		including						460.0	461.0	1.0	10.4	
OSK-W-17-1000	3800	Lynx 301	786.0	453406	5435462	142	-50	573.0	577.3	4.3	8.92	
		including						573.0	574.0	1.0	17.1	
OSK-W-17-1002	2250	227	303.0	452013	5434821	142	-48	284.0	286.0	2.0	5.07	
		including						284.6	285.0	0.4	16.5	
OSK-W-17-1003	3350	Lynx 1	366.0	453223	5434910	329	-59	131.1	133.7	2.6	5.18	
		including						131.1	131.9	0.8	16.8	
OSK-W-17-1003	3350	Lynx 2	366.0	453223	5434910	329	-59	213.1	215.1	2.0	19.5	
		including						213.1	213.9	0.8	46.3	
OSK-W-17-1003	3350	Lynx 2	366.0	453223	5434910	329	-59	240.8	243.0	2.2	3.00	
		including						241.8	242.1	0.3	11.5	
OSK-W-17-1006	3625	Lynx 3	762.0	453283	5435344	136	-49	251.3	253.3	2.0	0.28	
OSK-W-17-1006	3625	Lynx 1 FW	762.0	453283	5435344	136	-49	351.0	353.0	2.0	3.78	
		including						351.5	353.0	1.5	4.86	
OSK-W-17-1006	3625	Lynx 2	762.0	453283	5435344	136	-49	383.3	390.2	6.9	36.0	29.9
		including						383.3	384.0	0.9	147	100
		including						384.6	385.7	1.1	62.3	
OSK-W-17-1006	3625	Lynx 4	762.0	453283	5435344	136	-49	398.3	399.2	0.9	41.4	
OSK-W-17-1006	3625	Lynx 4	762.0	453283	5435344	136	-49	612.9	615.5	2.6	0.54	
		including						707.8	710.0	2.2	13.8	
		including						707.8	708.4	0.6	40.1	
OSK-W-17-1007	3650	Lynx 1	378.0	453477	5435045	334	-68	238.6	240.6	2.0	6.54	
		including						238.6	240.0	1.4	9.31	
OSK-W-17-1007	3650	VNCR	378.0	453477	5435045	334	-68	340.0	342.2	2.2	10.4	
OSK-W-17-1009	2325	227	183.0	453107	5434809	147	-49	109.0	110.7	2.7	5.73	
		including						109.0	110.0	1.0	13.7	
OSK-W-17-1009	2325	227	183.0	453107	5434809	147	-49	127.9	130.0	2.1	3.16	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-1020	3425	Lynx HW	369.0	453313	5434908	330	-53	169.9	172.0	2.1	5.84	
		including						170.3	171.0	0.7	16.8	
OSK-W-17-1020	3425	VNCR	369.0	453313	5434908	330	-53	310.5	314.0	3.5	24.3	
		including						310.5	311.5	1.0	62.9	
OSK-W-17-1021	3350	Lynx HW	111.0	453175	5434955	331	-46	20.0	22.0	2.0	0.08	
OSK-W-17-1021	3350	Lynx 1	111.0	453175	5434955	331	-46	55.0	85.0	10.0	0.13	
OSK-W-17-1021	3350	Lynx 2	111.0	453175	5434955	331	-46	79.0	81.3	2.3	0.82	
OSK-W-17-1021	2475	Z27	24.0	452246	5434866	333	-48	0.2	12.0	2.8	4.56	
		including						0.6	10.1	0.5	24.9	
OSK-W-17-1024	2300	Z27	195.0	452063	5434811	141	-47	133.5	135.8	2.1	5.22	
OSK-W-17-1024	2300	Z27	195.0	452063	5434811	141	-47	176.6	180.0	3.4	6.27	
		including						178.4	179.0	0.6	30.0	
OSK-W-17-1025	3550	Lynx 2	474.0	453232	5435294	137	-50	344.1	346.2	2.1	4.02	
		including						344.9	345.5	0.6	13.7	
OSK-W-17-1025	3550	Lynx 2	474.0	453232	5435294	137	-50	357.9	360.5	2.6	6.26	
		including						358.8	359.2	0.4	31.7	
OSK-W-17-1025	3550	VNCR	474.0	453232	5435294	137	-50	400.0	402.3	2.3	8.38	
		including						400.7	401.7	1.0	19.0	
OSK-W-17-1028	2475	Z27	300.0	452247	5434865	333	-47	10.0	12.0	2.0	3.88	
OSK-W-17-1028	2475	Mallard	300.0	452247	5434865	333	-47	199.7	205.6	5.9	3.55	
		including						200.5	200.8	0.3	30.9	
OSK-W-17-1029	2875	Lynx 1	606.0	452660	5434915	140	-52	227.0	229.0	2.0	11.3	
		including						227.5	228.5	1.0	22.6	
OSK-W-17-1029	2875	Lynx 4	606.0	452660	5434915	140	-52	329.0	331.2	2.2	3.21	
		including						329.5	330.0	0.5	13.5	
OSK-W-17-1029	2875	Vain	606.0	452660	5434915	140	-52	589.0	591.0	2.0	9.04	
OSK-W-17-1020	3350	Bolocat	312.0	453217	5434928	337	-54	271.5	273.5	2.0	72.8	
		including						272.0	273.5	1.5	96.9	
OSK-W-17-1021	3150	VNCR - Lynx corridor	621.0	452990	5434889	333	-55	68.0	70.2	2.2	9.72	
OSK-W-17-1023	2275	Z27	238.0	452033	5434796	145	-48	134.4	138.8	3.6	4.00	
		including						134.4	135.2	0.8	13.1	
OSK-W-17-1024	3450	Lynx 1	360.0	453195	5434947	330	-53	134.0	136.0	2.0	3.97	
OSK-W-17-1024	3450	Lynx 1	360.0	453195	5434947	330	-53	138.0	140.0	2.0	3.40	
OSK-W-17-1025	2475	T80	990.0	452487	5434435	330	-58	94.9	96.9	2.0	4.17	
OSK-W-17-1025	2475	FW0	990.0	452487	5434435	330	-58	690.0	692.3	2.3	3.13	
OSK-W-17-1025	2475	FW1	990.0	452487	5434435	330	-58	732.0	734.0	2.0	3.23	
OSK-W-17-1025	2475	FW2	990.0	452487	5434435	330	-58	806.7	809.5	2.8	8.34	
		including						806.7	807.6	0.9	20.2	
OSK-W-18-1025-W1	2475	Underdog	852.0	452487	5434435	330	-58	793.0	795.0	2.0	13.9	
OSK-W-18-1025-W1	2475	Underdog	852.0	452487	5434435	330	-58	800.0	802.0	2.0	14.0	
		including						800.0	800.5	0.5	42.0	
OSK-W-18-1025-W1	2475	Underdog	852.0	452487	5434435	330	-58	822.4	824.5	2.1	4.67	
		including						822.4	822.8	0.4	22.8	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-46	60.3	62.6	2.3	4.57	
		including						62.0	62.6	0.6	16.5	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-46	81.6	85.9	2.3	4.93	
		including						85.0	85.9	0.9	12.4	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-46	92.7	95.9	3.2	4.88	
		including						94.8	95.9	1.1	11.2	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-46	124.6	127.0	2.4	4.24	
OSK-W-17-1027	3825	Lynx 2	825.0	453437	5435479	134	-59	604.0	606.0	2.0	3.85	
OSK-W-17-1027	3825	Vain	825.0	453437	5435479	134	-59	625.0	627.2	2.2	12.2	
		including						626.0	627.2	1.2	22.3	
OSK-W-17-1027	3825	Lynx HW	825.0	453437	5435479	134	-59	779.5	782.0	2.5	3.47	
OSK-W-17-1028	3000	Lynx 1	807.0	452861	5434811	326	-59	76.0	78.0	2.0	8.18	
		including						77.0	77.3	0.3	45.4	
OSK-W-17-1028	3000	Caribou extension	807.0	452861	5434811	326	-59	370.9	374.0	3.1	11.6	
		including						372.7	374.0	1.3	18.6	
OSK-W-17-1028	3000	Caribou extension	807.0	452861	5434811	326	-59	383.6	385.9	2.3	10.6	
		including						385.5	385.9	0.4	51.1	
OSK-W-17-1028	3000	Caribou extension	807.0	452861	5434811	326	-59	393.0	395.1	3.1	3.12	
OSK-W-17-1028	3000	Caribou extension	807.0	452861	5434811	326	-59	727.5	729.5	2.0	6.77	
OSK-W-17-1030	3500	Lynx 1	300.0	453346	5434982	332	-56	145.1	146.7	0.6	34.4	
		including						148.3	149.0	0.7	3.7	
OSK-W-17-1031	2525	Z27	390.0	452296	5434867	336	-62	61.5	63.8	2.3	2.38	
OSK-W-17-1031	2525	Drake	390.0	452296	5434867	336	-62	182.0	184.0	2.0	3.14	
		including						182.3	182.6	0.3	18.7	
OSK-W-17-1031	2525	Mallard	390.0	452296	5434867	336	-62	325.6	327.8	2.2	0.58	
OSK-W-17-1034	3350	Z27	228.0	452978	5434914	330	-53	202.3	206.0	3.7	6.29	
OSK-W-17-1035	2300	Z27	105.0	452101	5434747	133	-45	68.4	71.0	2.6	4.27	
		including						69.1	69.6	0.5	15.2	
OSK-W-17-1036	3550	VNCR	432.0	453231	5435294	139	-54	345.8	350.6	4.8	3.73	
		including						349.6	350.6	1.0	15.7	
OSK-W-17-1036	3550	VNCR	432.0	453231	5435294	139	-54	358.6	361.5	2.9	2.8	
		including						358.6	360.5	0.9	58.1	
OSK-W-17-1036	3550	QTV	432.0	453231	5435294	139	-54	414.0	416.0	2.0	3.34	
		including						415.0	416.0	1.0	6.23	
OSK-W-17-1038	2275	Z27	130.0	452067	5434773	147	-49	97.4	99.7	2.3	16.4	
OSK-W-17-1039	3725	Lynx 2	513.0	453363	5435436	147	-49	375.1	381.1	2.0	1.06	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-1039	3725	Lynx 1	513.0	453361	5435436	147	-49	436.9	441.3	4.4	11.6	
		including						436.9	437.9	1.0	34.4	
OSK-W-17-1039	3725	Lynx	513.0	453361	5435436	147	-49	454.2	456.6	2.4	11.4	
		including						454.2	456.6	0.4	63.9	
OSK-W-17-1040	3650	Lynx 2	294.0	453295	5434948	327	-85	162.0	164.0	2.0	15.9	
		including						162.3	162.7	0.4	68.3	
OSK-W-17-1042	2325	Z27	156.0	452119	5434786	146	-52	62.8	75.0	12.2	3.39	
		including						73.0	74.0	1.0	20.2	
OSK-W-17-1042	2325	Z27	156.0	452119	5434786	146	-52	84.0	86.3	2.3	3.52	
OSK-W-17-1043	3625	Lynx 1	438.0	453384	5435344	133	-47	374.0	376.0	2.0	3.11	
OSK-W-17-1044	3650	Lynx 1	381.0	453477	5435045	333	-70	242.0	244.1	2.1	3.08	
OSK-W-17-1044	3650	Lynx 1 + Lynx 2	381.0	453477	5435045	333	-70	264.6	266.7	2.1	3.59	
OSK-W-17-1047	3100	VNCR	186.0	452937	5434890	333	-62	84.0	86.6	2.6	3.95	
OSK-W-17-1048	3350	Lynx 2	303.0	453215	5434914	333	-52	209.1	212.0	2.9	10.4	
		including						210.3	210.7	0.4	49.2	
OSK-W-17-1048	3350	Lynx 2	303.0	453215	5434914	333	-52	216.0	219.0	3.0	21.3	
		including						217.8	219.0	1.2	37.4	
OSK-W-17-1050	2250	Z27	105.6	452053	5434749	148	-49	39.7	41.7	2.0	11.4	
OSK-W-17-1050	2250	Z27	105.6	452053	5434749	148	-49	76.5	80.0	3.5	6.55	
OSK-W-17-1051	2775	VNCR	1248.0	452314	5435321	138	-68	51.0	53.4	2.4	3.94	
OSK-W-17-1051	2775	FW3	1248.0	452314	5435321	138	-68	303.0	305.1	2.1	7.85	
OSK-W-17-1051	2775	FW3	1248.0	452314	5435321	138	-68	846.0	848.0	2.0	27.8	
		including						847.0	848.0	1.0	53.8	
OSK-W-17-1051	2775	FW3	1248.0	452314	5435321	138	-68	857.1	859.8	2.7	5.35	
OSK-W-17-1051	2775	FW3	1248.0	452314	5435321	138	-68	954.0	956.4	2.4	7.00	
OSK-W-17-1051	2775	FW2	1248.0	452314	5435321	138	-68	1067.0	1069.0	2.0	3.23	
OSK-W-17-1051	2775	FW1	1248.0	452314	5435321	138	-68	1096.7	1099.0	2.3	5.22	
		including						1097.5	1098.0	0.5	17.5	
OSK-W-17-1051	2775	FW1	1248.0	452314	5435321	138	-68	1103.0	1105.4	2.4	7.00	
		including						1104.0	1104.4	0.4	34.6	
OSK-W-17-1051	2775	FW1	1248.0	452314	5435321	138	-68	1111.0	1114.5	3.5	6.82	
		including						1113.9	1114.5	0.6	29.7	
OSK-W-17-1051-W1	2775	FW3	1279.0	452314	5435321	138	-68	941.0	941.0	0.0	3.96	
OSK-W-17-1051-W2	2775	FW1	1279.0	452314	5435321	138	-68	1262.0	1264.0	2.0	10.5	
OSK-W-17-1051-W2	2775	FW1	1206.0	452314	5435321	138	-68	1083.5	1085.5	4.0	11.8	
		including						1081.5	1082.0	0.5	52.4	
OSK-W-17-1051-W2	2775	FW1 FW	1206.0	452314	5435321	138	-68	1105.1	1121.3	2.2	7.39	
OSK-W-17-1051-W3	2775	QTV	1206.0	452314	5435321	138	-68	1183.0	1185.0	2.0	3.32	
OSK-W-17-1051-W3	3125	Lynx 1	839.5	452999	5434854	328	-67	94.0	96.1	2.1	3.00	
		including						94.6	96.3	0.7	8.64	
OSK-W-17-1052	3125	Lynx 1	839.5	452999	5434854	328	-67	115.9	120.0	4.1	7.65	
		including						118.2	119.4	1.2	20.8	
OSK-W-17-1052	3125	Caribou extension	839.5	452999	5434854	328	-67	507.0	509.0	2.0	3.26	
OSK-W-17-1052	3125	Z27	839.5	452999	5434854	328	-67	721.0	723.3	2.3	3.81	
		including						721.8	722.1	0.3	21.9	
OSK-W-17-1053	2325	Z27	96.0	452031	5434741	148	-49	74.7	79.8	5.1	5.06	
		including						79.2	79.8	0.6	38.2	
OSK-W-17-1054	3650	Lynx 1	363.0	453282	5435000	325	-48	86.0	88.0	2.0	12.9	
		including						86.4	87.0	0.6	42.6	
OSK-W-17-1055	2275	Z27	144.0	452083	5434739	148	-49	72.0	74.0	2.0	3.69	
OSK-W-17-1056	2225	Z27	120.0	452003	5434746	150	-46	35.0	37.0	2.0	35.3	20.4
		including						35.0	35.4	0.4	176	100
OSK-W-17-1056	2225	Z27	120.0	452003	5434746	150	-46	87.5	90.5	3.0	3.89	
OSK-W-17-1056	2225	Z27	120.0	452003	5434746	150	-46	96.9	100.6	3.7	7.71	
OSK-W-17-1058	3350	Lynx 1	318.0	453201	5434911	332	-50	137.0	139.5	2.5	0.73	
OSK-W-17-1058	3350	Lynx 2	318.0	453201	5434911	332	-50	190.0	191.1	3.1	8.50	
		including						190.0	190.3	0.3	15.4	
		and						192.8	193.1	0.3	64.5	
OSK-W-17-1059	3625	Lynx 3	660.0	453284	5435344	136	-46	264.0	266.0	2.0	14.0	55.9
		including						264.0	266.0	1.1	140	100
OSK-W-17-1059	3625	Lynx 1	660.0	453284	5435344	136	-46	362.8	365.2	2.4	17.7	
		including						362.8	364.0	1.2	33.6	
OSK-W-17-1062	2225	Z27	152.0	452009	5434774	147	-49	110.5	116.2	5.7	3.25	
OSK-W-17-1064	3625	Lynx HW	441.0	453461	5435018	330	-74	234.0	237.0	3.0	4.42	
		including						235.5	237.0	1.5	8.41	
OSK-W-17-1064	3625	Lynx 1	441.0	453461	5435018	330	-74	325.0	328.0	3.0	8.92	
OSK-W-17-1064	3625	Lynx 1	441.0	453461	5435018	330	-74	330.0	335.0	2.0	3.19	
OSK-W-17-1064	3625	Lynx 2	441.0	453461	5435018	330	-74	344.9	356.5	11.6	20.5	15.5
		including						345.7	346.7	1.0	159	
OSK-W-17-1064	3625	Lynx 3	441.0	453461	5435018	330	-74	417.5	420.0	2.5	2.78	
OSK-W-17-1065	2550	Mallard - 2	330.0	452291	5434903	334	-56	31.9	34.2	2.3	3.28	
OSK-W-17-1065	2550	Mallard	330.0	452291	5434903	334	-56	229.1	231.5	2.4	0.30	
OSK-W-17-1066	2475	Vein	639.0	452486	5434435	332	-56	214.5	216.5	2.0	4.21	
OSK-W-17-1066	2475	CS1 HW	639.0	452486	5434435	332	-56	412.0	415.4	3.4	4.72	
OSK-W-17-1066	2475	CS2	639.0	452486	5434435	332	-56	458.6	460.9	2.3	4.48	
OSK-W-17-1066	2475	CN1	639.0	452486	5434435	332	-56	514.0	517.0	3.0	7.98	
		including						515.6	516.1	0.5	43.1	
OSK-W-17-1066	2475	Vein in Red Dog	639.0	452486	5434435	332	-56	572.3	572.9	0.6	32.5	
OSK-W-18-1066-W1	2475	Underdog	1137.0	452486	5434435	332	-56	583.9	685.9	1.9	26.0	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) reported	Au (g/t) cut to 100 g/t
OSK-W-18-1066-W1	2475	Underdog	including 1137.0	452486	5434435	332	-56	683.9 760.0	684.6 762.0	0.7 2.0	70.4 6.60	
OSK-W-18-1066-W1	2475	Underdog	including 1137.0	452486	5434435	332	-56	760.0 769.0	761.0 774.0	1.0 5.0	13.0 4.79	
OSK-W-18-1066-W1	2475	Underdog	including 1137.0	452486	5434435	332	-56	769.0 779.5	770.0 780.3	1.0 9.8	16.1 68.5	41.6
OSK-W-18-1066-W1	2475	Underdog	including 1137.0	452486	5434435	332	-56	780.3 786.0	784.0 788.2	0.4 2.2	94.3 220	100.0
OSK-W-18-1066-W1	2475	Underdog	including 1137.0	452486	5434435	332	-56	786.0 792.0	788.2 795.5	2.2 7.3	220 18.1	
OSK-W-18-1066-W1	2475	Underdog	including 1137.0	452486	5434435	332	-56	792.0 854.8	795.5 857.0	3.3 2.2	220 39.6	35.3
OSK-W-18-1066-W1	2475	FW3	including 1137.0	452486	5434435	332	-56	854.8 944.4	856.1 946.4	0.7 2.0	134 12.9	100
OSK-W-18-1066-W1	2475	FW3	including 1137.0	452486	5434435	332	-56	944.4 945.0	946.4 947.0	2.0 0.7	12.9 36.0	
OSK-W-18-1066-W1	2475	FW3 FW	including 1137.0	452486	5434435	332	-56	945.0 1008.2	947.0 1009.1	2.2 0.3	36.0 81.6	
OSK-W-18-1066-W2	2475	Underdog	1065.0	452486	5434435	332	-56	750.0	752.0	2.0	6.76	
OSK-W-18-1066-W2	2475	Underdog	1065.0	452486	5434435	332	-56	1021.0	1023.0	2.0	23.3	
OSK-W-18-1066-W2	2475	Underdog	including 1065.0	452486	5434435	332	-56	1021.0 1043.0	1022.4 1045.0	1.4 2.0	33.2 7.55	
OSK-W-18-1066-W2	2475	Underdog	including 1065.0	452486	5434435	332	-56	1043.0 1044.5	1045.0 1045.0	0.5 2.0	28.0 7.55	
OSK-W-18-1066-W3	2475	Underdog	including 849.0	452486	5434435	332	-56	771.5 775.7	772.1 775.7	0.6 4.2	24.7 5.96	
OSK-W-18-1066-W3	2475	Underdog	including 849.0	452486	5434435	332	-56	775.7 788.9	778.9 789.9	3.0 10.1	85.1 48.1	
OSK-W-18-1066-W3	2475	Underdog	including 849.0	452486	5434435	332	-56	788.9 788.0	789.9 789.4	1.0 1.4	179 100	
OSK-W-17-1067	3700	Lynx HW	653.2	453339	5435399	132	-48	512.6	515.7	3.1	4.54	
OSK-W-17-1068	3575	Lynx HW	513.0	453253	5435279	130	-45	414.0	416.0	2.0	4.56	
OSK-W-17-1068	3575	Lynx HW	513.0	453253	5435279	130	-45	451.9	454.3	2.4	4.77	
OSK-W-17-1070	2200	227	including 66.0	452024	5434701	141	-49	21.0	23.8	2.8	8.12	
OSK-W-17-1070	2200	227	including 66.0	452024	5434701	141	-49	22.0 45.0	22.7 47.4	0.7 2.4	32.3 9.58	
OSK-W-17-1071	2200	227	including 204.0	453184	5434774	146	-49	46.8 112.7	46.9 115.5	0.9 2.8	22.9 7.23	
OSK-W-17-1071	2200	227	including 204.0	453184	5434774	146	-49	112.7 139.5	115.5 141.7	2.3 2.2	12.1 12.1	
OSK-W-17-1071	2200	227	including 204.0	453184	5434774	146	-49	139.5 150.8	141.7 152.8	2.0 2.0	5.31 5.31	
OSK-W-17-1071	2200	227	including 204.0	453184	5434774	146	-49	150.8 156.0	152.8 158.8	2.8 0.7	9.72 2.8	
OSK-W-17-1071	2200	227	including 204.0	453184	5434774	146	-49	156.0 161.2	158.8 160.4	2.3 2.3	32.7 32.7	
OSK-W-17-1072	4000	Lynx 3	1086.0	453612	5435532	145	-57	971.9	974.0	2.1	0.06	
OSK-W-17-1072	4000	Lynx 2	1086.0	453612	5435532	145	-57	518.9	520.0	1.1	1.26	
OSK-W-17-1072	4000	Lynx 4	1086.0	453612	5435532	145	-57	884.0	886.3	2.3	3.73	
OSK-W-17-1072-W1	4000	Lynx 1	including 948.0	453612	5435532	145	-57	886.0 886.0	886.3 886.3	0.3 0.3	22.8 22.8	
OSK-W-17-1072-W1	4000	Lynx HW	including 948.0	453612	5435532	145	-57	886.0 893.0	886.3 895.0	4.7 2.0	14.5 4.50	
OSK-W-17-1072-W1	4000	Lynx 4	including 948.0	453612	5435532	145	-57	893.0 818.0	895.0 820.0	1.0 2.0	8.76 3.79	
OSK-W-17-1072-W1	4000	Lynx 4	including 948.0	453612	5435532	145	-57	818.0 819.0	820.0 821.3	0.3 0.3	23.0 23.0	
OSK-W-17-1072-W1	4000	Lynx 4	including 948.0	453612	5435532	145	-57	819.0 825.0	821.3 827.0	2.0 2.0	10.9 9.52	
OSK-W-17-1072-W1	4000	Lynx 4	including 948.0	453612	5435532	145	-57	825.0 911.0	826.0 914.0	1.0 3.0	19.0 6.09	
OSK-W-17-1072-W1	4000	Lynx 4	including 948.0	453612	5435532	145	-57	911.0 911.0	912.0 912.0	1.0 1.0	17.5 17.5	
OSK-W-17-1072-W2	4000	Lynx 4	including 1059.0	453612	5435532	145	-57	842.8 842.8	845.9 845.9	3.1 3.1	5.24 5.24	
OSK-W-17-1072-W2	4000	Lynx 4	including 1059.0	453612	5435532	145	-57	842.8 885.2	845.9 887.2	2.0 2.0	10.9 17.7	
OSK-W-17-1072-W2	4000	Lynx 4	including 1059.0	453612	5435532	145	-57	885.2 886.9	887.2 887.2	0.3 0.3	88.2 88.2	
OSK-W-17-1072-W2	4000	Lynx 4	including 1059.0	453612	5435532	145	-57	886.9 908.0	887.2 911.0	3.0 3.0	8.60 8.60	
OSK-W-17-1072-W2	4000	Lynx 4	including 1059.0	453612	5435532	145	-57	908.0 916.0	911.0 917.0	0.4 0.4	56.6 56.6	
OSK-W-17-1072-W2	4000	Lynx 4	including 1059.0	453612	5435532	145	-57	916.0 915.0	917.0 917.0	2.0 2.0	10.9 10.9	
OSK-W-17-1072-W2	4000	Lynx 4	including 1059.0	453612	5435532	145	-57	915.0 915.5	917.0 916.2	0.7 3.0	30.9 30.9	
OSK-W-17-1072-W2	4000	Lynx 4	including 1059.0	453612	5435532	145	-57	915.5 899.7	916.2 990.0	2.3 0.3	17.1 127	
OSK-W-17-1072-W2	4000	Lynx 4	including 1059.0	453612	5435532	145	-57	899.7 901.7	990.0 1002.0	0.3 2.3	4.36 4.36	
OSK-W-17-1072-W3	4000	Lynx 4	including 1110.0	453612	5435532	145	-57	1002.0 1002.0	1005.0 1005.0	0.3 0.3	31.0 31.0	
OSK-W-17-1072-W3	4000	Lynx 4	including 1110.0	453612	5435532	145	-57	1005.0 1005.0	1006.0 1006.0	1.0 1.0	20.6 20.6	
OSK-W-17-1072-W4	4000	Lynx 330	including 1092.0	453612	5435532	145	-57	868.4 868.4	871.9 871.9	3.5 3.5	89.0 89.0	
OSK-W-17-1072-W4	4000	Lynx 340	including 1092.0	453612	5435532	145	-57	868.4 928.0	871.9 930.2	0.6 2.2	37.1 11.1	
OSK-W-17-1072-W4	4000	Lynx 4	including 1092.0	453612	5435532	145	-57	928.0 966.0	930.2 968.8	0.3 2.2	32.9 29.3	
OSK-W-17-1072-W4	4000	Lynx 4	including 1092.0	453612	5435532	145	-57	966.0 1010.0	968.8 1012.0	2.0 1.0	8.65 11.5	
OSK-W-17-1072-W4	4000	Lynx 330	including 1262.0	453612	5435532	145	-57	1010.0 1011.0	1012.0 1012.0	1.0 1.0	20.6 20.6	
OSK-W-17-1072-W4	4000	Lynx 340	including 1262.0	453612	5435532	145	-57	1011.0 867.1	1012.0 869.1	2.0 0.3	54.1 341	18.0
OSK-W-17-1072-W5	4000	Lynx 4	including 1262.0	453612	5435532	145	-57	867.1 868.0	869.1 869.1	0.3 0.3	341 341	100
OSK-W-17-1072-W5	4000	Lynx 4	including 1262.0	453612	5435532	145	-57	868.0 884.0	869.1 885.0	2.0 1.0	30.8 56.5	
OSK-W-17-1072-W5	4000	Lynx 4	including 1262.0	453612	5435532	145	-57	884.0 1079.5	885.0 1081.5	2.0 2.0	56.5 3.17	
OSK-W-17-1073	2975	Epith4	603.0	452757	5434979	144	-51	472.2	474.4	4.2	8.11	
OSK-W-17-1073	2975	Vein	603.0	452757	5434979	144	-51	474.4	477.0	2.6	2.08	
OSK-W-17-1073	2975	Vein	including 603.0	452757	5434979	144	-51	477.0 470.5	477.0 471.2	0.7 0.7	13.0 4.08	
OSK-W-17-1073	2975	Vein	including 603.0	452757	5434979	144	-51	470.5 473.3	471.2 477.9	2.6 2.6	4.08 2.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-1073	2975	Vein	603.0	452757	5434979	144	-51	475.3	476.0	0.7	12.4	
								481.0	483.2	2.2	3.78	
								482.5	483.2	0.7	11.3	
OSK-W-17-1077	2575	227	302.9	451987	5434710	148	-54	59.0	60.0	2.0	8.41	
								59.4	60.0	0.6	18.0	
OSK-W-17-1079	2550	On1 FW	615.0	452545	5434452	532	-58	597.0	599.3	2.3	108	17.5
								597.6	598.0	0.4	618	100
OSK-W-17-1080	3550	Lynx 2	84.0	453166	5434979	330	-45	51.0	53.0	2.0	5.47	
								52.1	52.4	0.3	34.0	
OSK-W-17-1081	2275	227	117.0	451987	5434710	146	-65	61.3	62.7	2.4	10.4	
								62.0	62.6	0.6	35.2	
OSK-W-17-1085	3625	Lynx 1	915.0	453461	5435018	339	-68	230.0	232.5	2.5	4.41	
OSK-W-17-1085	3625	Lynx 1	915.0	453461	5435018	339	-68	254.8	257.0	2.2	4.83	
OSK-W-17-1085	3625	Lynx 2	915.0	453461	5435018	339	-68	272.0	278.0	4.0	4.45	
OSK-W-17-1085	3625	Lynx 2	915.0	453461	5435018	339	-68	328.5	330.7	2.2	29.8	
								329.5	330.7	1.2	54.6	
OSK-W-17-1087	2475	Drake	381.0	452255	5434828	328	-61	243.0	245.0	2.0	3.28	
OSK-W-17-1087	2475	Malard	381.0	452255	5434828	328	-61	354.0	356.6	2.6	191	19.6
								354.0	354.5	0.5	991	100
OSK-W-17-1088	2175	227	129.0	451972	5434733	148	-55	80.2	82.4	2.2	7.73	
								80.2	81.0	0.8	19.5	
OSK-W-17-1090	2350	227	237.0	452219	5434642	334	-45	134.2	136.5	2.3	5.24	
								134.2	134.6	0.4	26.3	
OSK-W-17-1091	3575	Lynx 1	246.0	453207	5434960	332	-51	60.4	62.7	2.3	11.3	
								61.0	62.0	1.0	25.2	
OSK-W-17-1091	3575	Lynx 2	246.0	453207	5434960	332	-51	104.0	106.4	2.4	3.64	
								105.6	106.4	0.8	9.30	
OSK-W-17-1095	2175	227	147.0	451961	5434731	147	-50	88.2	90.7	2.5	58.8	52.9
								88.6	89.7	1.1	134	100
OSK-W-17-1095	2175	227	147.0	451961	5434731	147	-50	113.0	116.0	3.0	4.09	
OSK-W-17-1096	3575	Vein	120.0	453207	5434960	330	-46	58.8	61.1	2.3	3.48	
OSK-W-17-1096	3575	Lynx 3	434.5	453255	5435289	129	-48	249.9	251.4	2.4	13.7	
								250.6	251.8	0.8	34.1	
OSK-W-17-1098	3575	Lynx 2	434.5	453255	5435289	129	-48	326.2	328.8	2.6	8.51	
								327.9	328.8	0.9	18.1	
OSK-W-17-1098	3575	Lynx 2	434.5	453255	5435289	129	-48	338.3	340.6	2.3	42.8	25.0
								340.1	340.6	0.5	182	100
OSK-W-17-1099	3300	Lynx 1	264.0	453144	5434935	335	-56	83.0	85.0	2.0	74.7	
								83.0	83.3	0.3	51.9	
OSK-W-17-1099	3300	Lynx 2	264.0	453144	5434935	335	-56	108.0	110.1	2.1	3.04	
								109.8	110.1	0.3	14.5	
OSK-W-17-1100	3675	Lynx 3	426.0	453395	5435250	149	-61	165.5	167.5	2.0	5.88	
								165.5	166.5	1.0	11.8	
OSK-W-17-1102	3400	Lynx 1	345.0	453275	5434898	330	-50	174.0	176.0	2.0	3.58	
								175.7	176.0	0.3	16.2	
OSK-W-17-1102	3400	Lynx 1	345.0	453275	5434898	330	-50	220.0	223.0	3.0	1.26	
OSK-W-17-1102	3400	Lynx 2	345.0	453275	5434898	330	-50	280.9	284.5	3.6	13.0	
								280.9	281.6	0.7	55.4	
OSK-W-17-1103	2200	227	111.0	452016	5434721	148	-49	79.8	82.0	2.2	15.4	
OSK-W-17-1104	3775	Lynx 1	1059.0	453383	5435455	142	-50	472.0	474.0	2.0	1.77	
OSK-W-17-1104	3775	Lynx HW	1059.0	453383	5435455	142	-50	560.0	562.0	2.0	4.30	
								560.5	561.3	0.8	10.4	
OSK-W-17-1104	3775	Lynx HW	1059.0	453383	5435455	142	-50	578.2	581.0	2.8	6.79	
								578.2	578.6	0.4	46.4	
OSK-W-17-1104	3775	Lynx HW	1059.0	453383	5435455	142	-50	591.8	594.0	2.2	4.06	
								591.8	592.3	0.5	17.8	
OSK-W-17-1104	3775	Vein	1059.0	453383	5435455	142	-50	857.4	860.0	2.6	48.7	27.3
								857.4	858.0	0.6	193	100
OSK-W-17-1104	3775	Lynx 4	1059.0	453383	5435455	142	-50	883.0	885.0	2.0	3.61	
								884.3	884.7	0.4	17.0	
OSK-W-17-1104	3775	Lynx 5	1059.0	453383	5435455	142	-50	978.0	980.0	2.0	10.3	
								978.6	979.3	0.7	29.3	
OSK-W-18-1104-W1	3775	Lynx	600.0	453383	5435455	142	-50	446.0	448.0	2.0	6.52	
								446.3	446.6	0.3	41.8	
OSK-W-19-1104-W2	3775	Lynx 313	927.0	453383	5435455	142	-50	894.6	896.7	2.1	30.3	
								894.6	895.5	0.9	99.9	
OSK-W-19-1104-W4	3775	Lynx 359	933.0	453383	5435455	142	-50	470.6	473.0	2.4	3.42	
								471.3	471.6	0.3	25.6	
OSK-W-19-1104-W4	3775	Lynx 321	933.0	453383	5435455	142	-50	575.0	577.7	2.7	3.72	
								576.5	576.9	0.4	17.6	
OSK-W-19-1104-W4	3775	Lynx 4	933.0	453383	5435455	142	-50	526.0	528.0	2.0	4.14	
OSK-W-19-1104-W4	3775	Lynx 313	933.0	453383	5435455	142	-50	840.9	846.5	5.6	6.82	
								840.9	841.6	0.7	29.1	
OSK-W-19-1104-W4	3775	Lynx 4	933.0	453383	5435455	142	-50	856.0	861.0	5.0	36.9	16.3
								858.2	858.6	0.4	95.7	100
OSK-W-19-1104-W4	3775	Lynx 4	933.0	453383	5435455	142	-50	905.5	908.5	2.0	25.7	16.0
								907.5	907.8	0.3	165	100
OSK-W-19-1104-W5	3775	Lynx	920.4	453383	5435455	142	-50	811.6	812.0	0.4	31.0	
								818.7	840.8	2.1	9.80	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t	
OSK-W-19-1104-W6	3775	Lyne	869.0	453383	5435455	142	-50	755.5	757.8	2.3	8.84		
OSK-W-19-1104-W6	3775	Lyne 313	869.0	453383	5435455	142	-50	822.4	824.6	2.2	9.36		
OSK-W-20-1104-W7	3775	Lyne 359	867.0	453383	5435455	142	-50	470.0	472.0	2.0	7.98		
OSK-W-20-1104-W7	3775	Lyne	including	867.0	453383	5435455	142	-50	470.7	471.2	0.5	29.4	
OSK-W-20-1104-W7	3775	Lyne	including	867.0	453383	5435455	142	-50	502.0	504.3	2.3	34.6	
OSK-W-20-1104-W7	3775	Lyne 322	including	867.0	453383	5435455	142	-50	503.0	504.0	1.0	79.1	
OSK-W-20-1104-W7	3775	Lyne 322	including	867.0	453383	5435455	142	-50	533.0	535.0	2.0	139	21.7
OSK-W-20-1104-W7	3775	Lyne 347	including	867.0	453383	5435455	142	-50	533.0	533.3	0.3	885	100
OSK-W-20-1104-W7	3775	Lyne 347	including	867.0	453383	5435455	142	-50	802.0	804.0	2.0	6.08	
OSK-W-20-1104-W7	3775	Lyne 347	including	867.0	453383	5435455	142	-50	802.7	809.4	0.7	16.0	
OSK-W-20-1104-W7	3775	Lyne 347	including	867.0	453383	5435455	142	-50	808.1	810.1	2.0	3.52	
OSK-W-17-1105	3050	New zone	including	858.0	452921	5434844	328	-71	808.6	808.9	0.3	16.8	
OSK-W-17-1105	3050	Caribou extension	including	858.0	452921	5434844	328	-71	468.0	470.0	2.0	3.42	
OSK-W-17-1105	3050	Caribou extension	including	858.0	452921	5434844	328	-71	468.0	469.0	1.0	6.71	
OSK-W-17-1105	3050	Caribou extension	including	858.0	452921	5434844	328	-71	527.5	528.0	0.5	17.3	
OSK-W-17-1105	3050	Caribou extension	including	858.0	452921	5434844	328	-71	534.3	539.0	4.7	4.94	
OSK-W-17-1105	3050	Caribou extension	including	858.0	452921	5434844	328	-71	534.3	535.0	0.7	14.5	
OSK-W-17-1105	3050	Caribou extension	including	858.0	452921	5434844	328	-71	550.0	552.0	2.0	3.76	
OSK-W-17-1105	3050	Caribou extension	including	858.0	452921	5434844	328	-71	556.2	558.5	2.3	4.21	
OSK-W-17-1105	3050	Wolf FW	including	858.0	452921	5434844	328	-71	684.9	696.1	11.2	11.0	7.95
OSK-W-17-1105	3050	Z27	including	858.0	452921	5434844	328	-71	684.9	689.8	4.9	21.4	14.5
OSK-W-17-1105	3050	Z27	including	858.0	452921	5434844	328	-71	772.0	774.0	2.0	4.49	
OSK-W-17-1106	2325	Z27	including	342.0	452153	5434730	330	-50	772.3	772.9	0.6	14.5	
OSK-W-17-1106	2325	Malillard	including	342.0	452153	5434730	330	-50	18.0	21.2	2.2	3.02	
OSK-W-17-1106	2325	Malillard	including	342.0	452153	5434730	330	-50	20.9	21.2	0.3	18.6	
OSK-W-17-1108	3300	Lyne 1	302.0	453133	5434954	330	-46	314.0	316.8	2.9	0.62		
OSK-W-17-1110	2475	C51	570.0	452487	5434434	333	-60	60.9	62.0	1.0	4.55		
OSK-W-17-1110	2475	C51	including	570.0	452487	5434434	333	-60	466.6	468.3	1.7	4.39	
OSK-W-17-1111	3400	Lyne HW	307.0	453274	5434898	335	-50	466.6	461.2	0.6	12.4		
OSK-W-17-1111	3400	Lyne 1 + Lyne 2	including	307.0	453274	5434898	335	-50	156.7	158.5	1.8	2.17	
OSK-W-17-1111	3400	Lyne 1 + Lyne 2	including	307.0	453274	5434898	335	-50	204.0	205.0	1.0	11.0	
OSK-W-17-1111	3400	Lyne 1 + Lyne 2	including	307.0	453274	5434898	335	-50	204.0	205.0	1.0	21.7	
OSK-W-17-1111	3400	Lyne 2	307.0	453274	5434898	335	-50	259.0	261.0	2.0	4.38		
OSK-W-17-1111	3400	Lyne 2	307.0	453274	5434898	335	-50	268.5	271.0	2.5	1.72		
OSK-W-17-1111	3400	Lyne 2	307.0	453274	5434898	335	-50	274.7	280.6	6.8	10.0		
OSK-W-17-1111	3400	Lyne 2	including	307.0	453274	5434898	335	-50	281.0	282.0	1.0	72.1	
OSK-W-17-1112	3825	Lyne 1	636.0	453436	5435480	136	-54	503.0	506.0	2.0	4.09		
OSK-W-17-1112	3825	Lyne HW	including	636.0	453436	5435480	136	-54	603.0	605.1	2.1	9.96	
OSK-W-17-1112	3825	Lyne HW	including	636.0	453436	5435480	136	-54	604.0	604.7	0.7	24.7	
OSK-W-17-1113	3625	Vein	480.0	453282	5435346	138	-50	363.4	366.0	2.6	3.38		
OSK-W-17-1113	3625	Vein	including	480.0	453282	5435346	138	-50	365.6	366.0	0.4	19.5	
OSK-W-17-1113	3625	Lyne 2	including	480.0	453282	5435346	138	-50	374.1	376.2	2.1	63.5	
OSK-W-17-1113	3625	Lyne 2	including	480.0	453282	5435346	138	-50	374.7	375.2	0.5	25.2	
OSK-W-17-1113	3625	Lyne 1 + Lyne 2	including	480.0	453282	5435346	138	-50	382.4	387.0	4.6	8.46	
OSK-W-17-1113	3625	Lyne 1 + Lyne 2	including	480.0	453282	5435346	138	-50	386.4	387.0	0.6	22.2	
OSK-W-17-1113	3625	Lyne 2	including	480.0	453282	5435346	138	-50	389.6	395.0	5.4	4.66	
OSK-W-17-1113	3625	Lyne 2	including	480.0	453282	5435346	138	-50	389.6	389.9	0.3	20.1	
OSK-W-17-1113	3625	Lyne 5	including	480.0	453282	5435346	138	-50	418.4	420.7	2.3	3.11	
OSK-W-17-1115	3075	New zone	836.0	452798	5435114	153	-48	419.5	419.8	0.3	22.9		
OSK-W-17-1115	3075	New zone	836.0	452798	5435114	153	-48	625.5	628.0	2.5	3.86		
OSK-W-17-1115	3075	Vein	836.0	452798	5435114	153	-48	693.0	695.0	2.0	11.7		
OSK-W-17-1116	2225	Z27	123.0	452039	5434727	150	-47	61.0	66.0	5.0	0.13		
OSK-W-17-1117	3275	Lyne 2	471.0	453120	5434934	334	-46	86.9	89.0	2.1	4.76		
OSK-W-17-1117	3275	Lyne 2	including	471.0	453120	5434934	334	-46	86.9	87.5	0.6	16.0	
OSK-W-17-1119	2550	CN1	609.0	452540	5434453	331	-55	527.4	529.5	2.1	10.7		
OSK-W-17-1119	2550	CN1	including	609.0	452540	5434453	331	-55	528.3	528.7	0.4	44.4	
OSK-W-17-1119	2550	CN1	including	609.0	452540	5434453	331	-55	534.3	540.4	6.1	3.08	
OSK-W-17-1119	2550	Caribou	including	609.0	452540	5434453	331	-55	539.2	540.4	1.2	9.48	
OSK-W-17-1119	2550	Caribou	including	609.0	452540	5434453	331	-55	548.1	551.0	2.9	5.63	
OSK-W-17-1120	3775	Lyne 2	453.0	453458	5435335	154	-54	548.1	549.0	0.9	17.0		
OSK-W-17-1120	3775	Lyne 2	including	453.0	453458	5435335	154	-54	210.0	212.0	2.0	4.93	
OSK-W-17-1120	3775	Lyne HW	453.0	453458	5435335	154	-54	210.0	211.0	1.0	9.12		
OSK-W-17-1120	3775	Lyne HW	453.0	453458	5435335	154	-54	329.0	331.2	2.2	3.24		
OSK-W-17-1121	3575	Lyne 1	782.7	453436	5434959	335	-64	334.0	336.7	2.7	5.68		
OSK-W-17-1121	3575	Lyne 1	including	782.7	453436	5434959	335	-64	303.0	305.0	2.0	4.29	
OSK-W-17-1121	3575	Lyne 1	including	782.7	453436	5434959	335	-64	309.5	313.5	4.0	7.78	
OSK-W-17-1121	3575	VNCR	including	782.7	453436	5434959	335	-64	309.5	311.4	1.7	14.9	
OSK-W-17-1121	3575	VNCR	including	782.7	453436	5434959	335	-64	335.4	337.7	2.3	19.0	
OSK-W-17-1121	3575	VNCR	including	782.7	453436	5434959	335	-64	336.2	336.9	0.7	58.8	
OSK-W-17-1121	3575	VNCR	including	782.7	453436	5434959	335	-64	421.9	424.0	2.1	3.34	
OSK-W-17-1121	3575	VNCR	including	782.7	453436	5434959	335	-64	435.0	437.7	2.7	8.62	
OSK-W-17-1121	3575	VNCR	including	782.7	453436	5434959	335	-64	436.0	437.7	1.7	18.7	
OSK-W-17-1121	3575	Lyne 367	including	782.7	453436	5434959	335	-64	701.4	709.6	2.2	5.77	
OSK-W-17-1122	2250	Z27	114.0	452063	5434738	150	-47	63.0	65.2	2.2	7.05		
OSK-W-17-1123	3475	Lyne 1	345.0	453315	5434971	336	-46	113.0	116.0	3.0	1.49		
OSK-W-17-1123	3475	Lyne 1	including	345.0	453315	5434971	336	-46	130.0	132.1	2.1	11.6	
OSK-W-17-1123	3475	Lyne 1	including	345.0	453315	5434971	336	-46	130.9	131.3	0.4	42.5	
OSK-W-17-1123	3475	Lyne 3	345.0	453315	5434971	336	-46	163.0	167.0	4.0	0.74		
OSK-W-17-1124	2250	Malillard	255.0	452015	5434775	331	-51	204.6	207.0	2.4	18.3		



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1139-W1	2500	Underdog	including 874.0	452474	5434469	333	-56	697.0	697.8	0.8	54.9	
			including 874.0	452474	5434469	333	-56	713.0	726.7	13.7	38.9	33.9
OSK-W-18-1139-W1	2500	Underdog	including 874.0	452474	5434469	333	-56	716.0	724.4	5.4	81.7	69.2
			including 874.0	452474	5434469	333	-56	768.7	771.0	2.3	47.8	45.2
OSK-W-18-1139-W1	2500	Underdog	including 874.0	452474	5434469	333	-56	773.0	775.0	2.0	6.90	
			including 874.0	452474	5434469	333	-56	774.0	774.3	0.3	41.6	
OSK-W-18-1139-W1	2500	Underdog	including 874.0	452474	5434469	333	-56	790.0	794.4	4.4	27.7	26.8
			including 874.0	452474	5434469	333	-56	791.2	792.7	1.5	72.1	69.3
OSK-W-18-1139-W1	2500	Vein	including 874.0	452474	5434469	333	-56	815.2	817.5	2.3	5.65	
			including 819.0	452474	5434469	333	-56	815.2	815.9	0.7	17.6	
OSK-W-18-1139-W2	2500	Underdog	including 819.0	452474	5434469	333	-56	727.0	729.0	2.0	5.29	
OSK-W-18-1139-W2	2500	Underdog	including 819.0	452474	5434469	333	-56	735.8	738.0	2.2	9.83	
			including 819.0	452474	5434469	333	-56	736.8	737.4	0.6	31.4	
OSK-W-18-1139-W3	2500	Underdog	including 918.0	452474	5434469	333	-56	783.4	786.2	2.8	6.46	
			including 918.0	452474	5434469	333	-56	783.4	783.7	0.3	33.1	
OSK-W-18-1139-W3	2500	Underdog	including 918.0	452474	5434469	333	-56	843.0	845.2	2.2	5.26	
			including 918.0	452474	5434469	333	-56	843.6	845.9	0.3	43.4	
OSK-W-17-1140	2975	Vein	including 975.0	453007	5434521	336	-35	326.0	328.4	2.4	3.94	
			including 975.0	453007	5434521	336	-35	328.1	328.4	0.3	29.7	
OSK-W-17-1140	2975	Caribou extension	including 975.0	453007	5434521	336	-35	781.2	783.3	2.1	7.07	
			including 975.0	453007	5434521	336	-35	783.0	783.3	0.3	48.8	
OSK-W-17-1140	2975	227	including 975.0	453007	5434521	336	-35	937.3	942.0	4.7	3.56	
OSK-W-17-1141	2325	227	including 252.0	453243	5434745	236	-65	59.4	65.8	2.4	30.0	
			including 252.0	453243	5434745	236	-65	59.4	61.0	1.6	44.7	
OSK-W-17-1141	2325	227	including 252.0	453243	5434745	236	-65	71.7	74.0	2.3	6.04	
			including 252.0	453243	5434745	236	-65	73.4	74.0	0.6	28.0	
OSK-W-17-1141	2325	227	including 252.0	453243	5434745	236	-65	87.0	91.1	4.1	4.00	
OSK-W-17-1141	2325	CW4	including 679.5	453202	5434628	324	-45	13.1	15.2	2.1	26.5	
			including 679.5	453202	5434628	324	-45	14.0	14.6	0.6	84.5	
OSK-W-17-1142	2325	227 NW	including 679.5	453202	5434628	324	-45	142.0	144.0	2.0	3.07	
OSK-W-17-1143-W1	3425	Vein	including 609.0	453253	5435003	331	-46	270.0	372.0	2.0	169.0	59.0
OSK-W-17-1143	3425	Lynx 2	including 159.0	453253	5435003	331	-46	67.5	69.6	2.1	27.9	
			including 159.0	453253	5435003	331	-46	67.5	68.2	0.7	83.3	
OSK-W-17-1143	3425	Lynx 2	including 159.0	453253	5435003	331	-46	73.0	75.0	2.0	10.6	
OSK-W-17-1143	3425	Lynx	including 159.0	453253	5435003	331	-46	85.0	87.0	2.0	20.4	15.4
			including 159.0	453253	5435003	331	-46	86.0	86.3	0.3	136	100
OSK-W-17-1145	2250	227 FW	including 156.6	453042	5434767	146	-49	64.3	67.5	3.2	4.01	
			including 156.6	453042	5434767	146	-49	66.5	67.5	1.0	10.2	
OSK-W-17-1145	2250	227	including 156.6	453042	5434767	146	-49	90.9	93.3	2.4	12.5	
OSK-W-17-1145	2250	227	including 156.6	453042	5434767	146	-49	95.6	100.4	4.8	8.83	
OSK-W-17-1145	2250	227	including 156.6	453042	5434767	146	-49	120.0	125.0	5.0	7.25	
OSK-W-17-1146	3375	Lynx 2	including 156.0	453180	5435003	333	-50	38.6	42.2	3.6	0.56	
OSK-W-17-1146	3375	Lynx 3	including 156.0	453180	5435003	333	-50	63.2	65.6	2.4	1.15	
OSK-W-17-1146	3375	Lynx 4	including 817.3	453242	5434380	335	-52	712.8	716.5	3.7	3.29	
			including 817.3	453242	5434380	335	-52	712.8	713.1	0.3	34.4	
OSK-W-17-1147-W1	3125	No name	including 1212.0	453242	5434380	335	-52	798.0	800.4	2.4	3.36	
OSK-W-17-1147-W1	3125	Caribou extension	including 1212.0	453242	5434380	335	-52	809.0	911.0	2.0	3.94	
OSK-W-17-1147-W1	3125	Caribou extension	including 1212.0	453242	5434380	335	-52	1116.7	1119.0	2.3	4.63	
OSK-W-17-1147-W1	3125	Caribou extension	including 1212.0	453242	5434380	335	-52	1127.0	1131.0	2.0	7.52	
			including 1212.0	453242	5434380	335	-52	1130.0	1130.5	0.5	29.2	
OSK-W-17-1149	3825	Lynx HW	including 489.0	453486	5435422	140	-47	346.8	349.0	2.2	11.0	
OSK-W-17-1152	1750	FW1	including 885.0	451739	5434290	330	-53	367.0	369.0	2.0	5.67	
			including 885.0	451739	5434290	330	-53	368.0	368.6	0.6	16.6	
OSK-W-17-1152	1750	FW4	including 885.0	451739	5434290	330	-53	703.8	706.0	2.2	1.72	
OSK-W-17-1153	3525	Lynx 1	including 615.0	453375	5434984	341	-45	149.0	151.1	2.1	10.4	
			including 615.0	453375	5434984	341	-45	150.3	151.1	0.8	25.6	
OSK-W-17-1153	3525	Lynx 2	including 615.0	453375	5434984	341	-45	160.2	163.0	2.8	1.30	
OSK-W-17-1154	2225	227	including 174.0	452023	5434758	149	-49	91.0	95.2	4.2	18.8	
			including 477.0	453453	5435008	333	-71	92.8	98.8	1.0	84.4	
OSK-W-17-1155	2725	Vinck	including 477.0	453453	5435008	333	-71	327.0	329.7	2.7	8.64	
			including 663.0	453459	5435482	136	-49	329.0	329.7	0.7	12.9	
OSK-W-17-1156	3825	Lynx HW	including 663.0	453459	5435482	136	-49	520.8	525.0	4.2	26.1	25.0
			including 696.0	453046	5434870	331	-59	521.1	522.2	1.1	92.2	88.2
OSK-W-17-1158	3175	Lynx	including 696.0	453046	5434870	331	-59	145.0	147.0	2.0	71.4	50.1
			including 696.0	453046	5434870	331	-59	146.0	147.0	1.0	140	100
OSK-W-17-1158	3175	Caribou extension	including 696.0	453046	5434870	331	-59	596.0	598.4	2.4	4.12	
			including 795.4	452858	5434808	331	-70	597.0	597.8	0.8	10.6	
OSK-W-17-1159	3000	Caribou extension	including 795.4	452858	5434808	331	-70	538.0	540.0	2.0	4.99	
OSK-W-17-1163	2750	No name	including 477.0	452469	5435028	332	-61	356.0	358.0	2.0	9.60	
			including 336.0	451958	5434750	143	-58	356.0	357.0	1.0	18.1	
OSK-W-17-1164	2175	227	including 336.0	451958	5434750	143	-58	120.7	123.0	2.3	3.37	
OSK-W-17-1164	2175	227	including 336.0	451958	5434750	143	-58	132.0	139.8	7.8	7.12	
			including 1182.0	453621	5435638	132	-59	139.3	139.8	0.5	64.9	
OSK-W-17-1166	4050	Lynx 4	including 1182.0	453621	5435638	132	-59	918.5	924.7	6.2	9.05	
OSK-W-17-1166	4050	Lynx 4	including 1182.0	453621	5435638	132	-59	971.0	976.1	5.1	72.8	14.9
			including 1516.1	453621	5435638	132	-59	974.4	974.8	0.4	549	100
OSK-W-17-1166-W1	4050	TBD - Lynx corridor	including 1516.1	453621	5435638	132	-59	662.0	665.0	3.0	3.32	
OSK-W-17-1166-W1	4050	TBD - Lynx corridor	including 1516.1	453621	5435638	132	-59	676.3	682.0	5.7	3.13	
OSK-W-17-1166-W1	4050	Lynx 1	including 1516.1	453621	5435638	132	-59	799.0	801.0	2.0	3.12	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-17-1166-W1	4050	Lynx 4	1516.1	453621	5435638	132	-59	997.7	1006.5	8.8	19.9	12.5
		including						1005.4	1005.7	0.3	317	100
OSK-W-17-1166-W1	4050	Lynx 4	1516.1	453621	5435638	132	-59	1012.0	1024.1	2.1	15.0	
		including						1011.5	1024.1	0.6	49.6	
OSK-W-17-1166-W1	4050	Lynx 4	1516.1	453621	5435638	132	-59	1027.0	1032.9	5.9	415	69.6
		including						1027.0	1037.8	0.8	68.8	
		including						1028.4	1029.3	0.9	1870	100
		including						1029.3	1030.3	0.9	126	100
		including						1032.3	1032.0	0.7	275	100
		including						1032.0	1032.9	0.9	431	100
OSK-W-17-1166-W2	4050	Vein	1197.0	453621	5435638	132	-59	1048.6	1050.8	2.2	5.06	
OSK-W-17-1166-W2	4050	Vein	1197.0	453621	5435638	132	-59	1140.0	1142.0	2.0	3.39	
		including						1140.6	1141.1	0.5	13.3	
OSK-W-17-1166-W3	4050	Lynx	1551.0	453621	5435638	132	-59	661.0	664.8	3.8	6.38	
		including						663.5	664.8	1.3	14.3	
OSK-W-17-1166-W3	4050	VNCR	1551.0	453621	5435638	132	-59	941.4	944.0	2.6	4.21	
OSK-W-17-1166-W3	4050	QTV	1551.0	453621	5435638	132	-59	969.4	971.5	2.1	6.63	
		including						969.4	970.0	0.6	16.1	
OSK-W-17-1166-W3	4050	Lynx 6	1551.0	453621	5435638	132	-59	1267.0	1269.1	2.1	6.96	
		including						1267.5	1268.2	0.7	16.6	
OSK-W-17-1166-W3	4050	Lynx 6	1551.0	453621	5435638	132	-59	1341.0	1343.0	2.0	4.06	
OSK-W-17-1166-W3	4050	Lynx 6	1551.0	453621	5435638	132	-59	1385.0	1387.0	2.0	6.26	
		including						1386.0	1386.3	0.3	41.3	
OSK-W-17-1166-W3	4050	TBD - Lynx corridor	1551.0	453621	5435638	132	-59	1477.0	1479.0	2.0	4.05	
		including						1477.0	1477.4	0.4	16.8	
OSK-W-17-1166-W4	4050	Lynx	1413.0	453621	5435638	132	-59	672.0	674.0	2.0	11.1	
OSK-W-17-1166-W4	4050	Lynx 4	1413.0	453621	5435638	132	-59	1061.0	1061.0	2.0	3.33	
OSK-W-17-1166-W4	4050	Lynx 4	1413.0	453621	5435638	132	-59	1079.7	1084.5	4.8	17.4	
OSK-W-19-1166-W4	4050	Lynx	1155.0	453621	5435638	132	-59	670.0	672.0	2.0	6.58	
OSK-W-19-1166-W5	4050	Lynx	1155.0	453621	5435638	132	-59	679.9	683.0	3.1	10.3	
OSK-W-19-1166-W6	4050	Lynx 330	1137.0	453621	5435638	132	-59	938.2	941.1	2.9	7.35	
		including						940.2	940.6	0.4	50.6	
OSK-W-19-1166-W6	4050	Lynx 330	1137.0	453621	5435638	132	-59	960.5	962.9	2.4	40.4	28.9
		including						961.5	962.1	0.6	182	100
OSK-W-17-1168	3650	Lynx 3	717.0	453464	5435089	329	-57	213.0	217.0	4.0	6.05	
		including						216.0	217.0	1.0	14.5	
OSK-W-17-1168	3650	VNCR	717.0	453464	5435089	329	-57	503.6	506.0	2.4	265	13.3
		including						504.3	504.6	0.3	2110	100
OSK-W-17-1168	3650	VNCR	717.0	453464	5435089	329	-57	544.0	546.6	2.6	3.99	
		including						546.0	546.6	0.6	25.4	
OSK-W-17-1169	3725	Lynx 2	1437.0	453332	5435467	129	-55	573.0	576.5	3.5	4.23	
		including						575.6	576.5	0.9	12.6	
OSK-W-17-1169	3725	Lynx 1	1437.0	453332	5435467	129	-55	624.0	627.0	3.0	9.75	
		including						625.5	627.0	1.5	19.4	
OSK-W-17-1169	3725	Lynx corridor	1437.0	453332	5435467	129	-55	761.0	763.0	2.0	479	30.3
		including						761.9	762.5	0.6	1595	100
OSK-W-17-1169	3725	QTV	1437.0	453332	5435467	129	-55	874.0	876.0	2.0	5.13	
		including						874.4	875.0	0.6	17.0	
OSK-W-17-1169	3725	Lynx 4	1437.0	453332	5435467	129	-55	1017.7	1040.1	2.4	7.14	
		including						1019.7	1040.1	0.4	21.8	
OSK-W-17-1169	3725	Lynx 4	1437.0	453332	5435467	129	-55	1104.2	1108.5	4.3	21.2	
		including						1107.5	1108.5	1.0	42.4	
OSK-W-17-1169	3725	Lynx 5	1437.0	453332	5435467	129	-55	1198.1	1201.6	3.5	2.07	
OSK-W-18-1169-W1	3725	Lynx 2	1301.0	453332	5435467	129	-55	564.0	566.1	2.1	7.84	
OSK-W-18-1169-W2	3725	Lynx 4	1301.0	453332	5435467	129	-55	888.0	890.0	2.0	7.69	
		including						889.2	889.6	0.4	31.6	
OSK-W-18-1169-W2	3725	Lynx 4	1155.0	453332	5435467	129	-55	908.1	910.6	2.5	118	49.7
		including						908.4	909.0	0.6	386	
OSK-W-18-1169-W2	3725	Lynx 4	1155.0	453332	5435467	129	-55	925.0	927.0	2.0	4.09	
OSK-W-18-1169-W2	3725	Lynx 4	1155.0	453332	5435467	129	-55	1082.0	1084.0	2.0	85.1	46.9
		including						1082.3	1083.2	0.9	185	100
OSK-W-19-1169-W3	3725	Lynx 330	1266.0	453332	5435467	129	-55	570.9	573.1	2.2	9.47	
		including						570.9	571.3	0.4	82.5	
OSK-W-19-1169-W2	3725	Lynx HW	1266.0	453332	5435467	129	-55	616.0	618.0	2.0	7.62	
		including						616.3	616.9	0.6	25.3	
OSK-W-19-1169-W3	3725	Lynx 313	1266.0	453332	5435467	129	-55	1024.0	1031.2	7.2	23.3	18.8
		including						1029.0	1029.9	0.9	136	100
OSK-W-19-1169-W2	3725	Lynx 313	1266.0	453332	5435467	129	-55	1048.3	1051.3	3.0	9.02	
		including						1052.0	1052.5	0.5	51.3	
OSK-W-17-1170	3125	VNCR	594.0	452877	5435047	154	-49	63.3	66.0	2.7	4.87	
OSK-W-17-1170	3125	VNCR	594.0	452877	5435047	154	-49	232.0	234.0	2.0	4.22	
OSK-W-17-1170	3125	Vein	594.0	452877	5435047	154	-49	417.0	419.0	2.0	3.23	
		including						417.0	417.5	0.5	12.3	
OSK-W-17-1172	2250	227	207.0	452022	5484797	144	-49	136.5	141.0	4.5	34.3	27.4
		including						136.5	137.0	0.5	44.1	
		including						140.0	141.0	1.0	131	100
OSK-W-17-1177	4225	Lynx 1	1422.0	454113	5435088	340	-67	571.0	576.5	5.5	16.0	
		including						571.2	573.0	0.8	97.6	
OSK-W-17-1177	4225	Lynx 1	1422.0	454113	5435088	340	-67	575.0	577.0	2.0	3.71	
OSK-W-17-1177	4225	TBD - Lynx corridor	1422.0	454113	5435088	340	-67	764.0	766.4	2.4	22.9	
		including						765.3	766.0	0.7	77.0	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-1177	4025	Caribou extension	1422.0	454113	5435088	340	-67	1353.1	1356.5	3.4	7.86	
		including						1354.1	1355.1	1.0	17.1	
OSK-W-17-1178	3150	Bobcat	411.0	452919	5435012	330	-63	78.0	80.1	2.1	5.89	
		including						79.5	80.1	0.6	17.5	
OSK-W-17-1179	3650	Underdog	777.0	451563	5434375	332	-57	742.8	745.5	2.7	4.58	
		including						742.8	743.7	0.9	11.6	
OSK-W-17-1180	2200	227	189.0	452067	5434618	322	-45	71.0	74.0	3.0	5.04	
OSK-W-17-1180	2200	227	189.0	452067	5434618	322	-45	80.0	85.0	5.0	18.0	
		including						80.9	81.9	1.0	49.5	
OSK-W-17-1180	2200	227	189.0	452067	5434618	322	-45	142.8	146.0	3.2	3.98	
OSK-W-17-1180	2200	227	189.0	452067	5434618	322	-45	156.5	158.7	2.2	3.47	
OSK-W-17-1181	4275	Lynx 4	1082.0	453789	5435790	133	-58	933.5	936.0	2.5	4.46	
		including						934.3	935.1	0.9	12.7	
OSK-W-17-1181-W1	4275	Lynx 1	1395.0	453789	5435790	133	-58	920.9	923.9	2.4	27.9	25.6
		including						921.5	922.1	0.6	150	100
OSK-W-17-1181-W1	4275	Lynx 4	1395.0	453789	5435790	133	-58	1030.0	1032.3	2.3	14.4	
		including						1032.1	1033.7	0.6	48.2	
OSK-W-17-1181-W1	4275	Lynx 4	1395.0	453789	5435790	133	-58	1040.5	1042.6	2.1	4.66	
		including						1043.0	1043.8	0.8	12.2	
OSK-W-19-1181-W12	4275	Lynx 4	1371.0	453789	5435790	133	-58	1129.0	1133.2	4.2	5.01	
		including						1129.0	1130.0	1.0	10.2	
OSK-W-19-1181-W12	4275	Lynx 330	1371.0	453789	5435790	133	-58	1137.0	1139.0	2.0	3.15	
OSK-W-19-1181-W12	4275	Lynx 4	1371.0	453789	5435790	133	-58	1149.0	1151.0	2.0	12.2	
		including						1150.0	1150.7	0.7	32.0	
OSK-W-19-1181-W12	4275	Lynx 317	1371.0	453789	5435790	133	-58	1158.4	1166.0	7.6	16.5	
		including						1159.4	1161.9	2.5	37.5	
OSK-W-19-1181-W12	4275	Lynx 317	1371.0	453789	5435790	133	-58	1173.0	1174.0	1.0	94.6	48.9
		including						1173.0	1172.0	1.0	237	100
OSK-W-19-1181-W12	4275	Lynx 317	1371.0	453789	5435790	133	-58	1185.0	1187.3	2.3	4.27	
OSK-W-19-1181-W12	4275	Lynx 317	1371.0	453789	5435790	133	-58	1189.2	1192.0	2.8	179	100
OSK-W-17-1181-W2	4275	Lynx 1	1158.0	453789	5435790	133	-58	909.0	915.0	6.0	5.92	
OSK-W-17-1181-W2	4275	Lynx 4	1158.0	453789	5435790	133	-58	938.0	940.0	4.0	4.60	
OSK-W-17-1181-W2	4275	Lynx 4	1158.0	453789	5435790	133	-58	949.0	954.0	5.0	10.5	
		including						949.5	950.0	0.5	59.5	
OSK-W-17-1181-W2	4275	Lynx 4	1158.0	453789	5435790	133	-58	961.1	963.2	2.1	41.0	
OSK-W-17-1181-W3	4275	Lynx 4	1247.0	453789	5435790	133	-58	1097.5	1103.0	5.5	5.31	
OSK-W-17-1181-W3	4275	Lynx 4	1247.0	453789	5435790	133	-58	1113.7	1115.4	1.7	6.11	
OSK-W-19-1181-W5	4275	Lynx 317	1115.0	453789	5435790	133	-58	991.7	993.9	2.2	19.6	
		including						993.4	993.9	0.5	74.2	
OSK-W-19-1181-W5	4275	Lynx 4	1115.0	453789	5435790	133	-58	997.2	999.2	2.0	6.50	
		including						998.2	999.4	1.0	12.2	
OSK-W-19-1181-W5	4275	Lynx 330	1115.0	453789	5435790	133	-58	1005.0	1009.7	4.7	13.4	
		including						1006.2	1007.0	0.8	47.7	
OSK-W-19-1181-W6	4275	Lynx	1080.0	453789	5435790	133	-58	925.0	927.3	2.3	10.0	
		including						925.4	926.1	0.7	30.8	
OSK-W-19-1181-W6	4275	Lynx	1080.0	453789	5435790	133	-58	981.1	983.1	2.0	13.4	
		including						982.2	983.1	0.9	21.8	
OSK-W-19-1181-W7	4275	Lynx 4	1113.0	453789	5435790	133	-58	965.2	967.6	2.4	7.93	
OSK-W-19-1181-W7	4275	Lynx	1113.0	453789	5435790	133	-58	997.0	999.0	2.0	5.52	
		including						997.8	998.7	0.9	12.2	
OSK-W-19-1181-W7	4275	Lynx	1113.0	453789	5435790	133	-58	1038.9	1042.0	4.0	75.8	19.6
		including						1042.3	1042.9	0.6	47.1	12.6
OSK-W-19-1181-W7	4275	Lynx	1113.0	453789	5435790	133	-58	1088.6	1091.0	2.4	61.1	12.6
		including						1089.0	1089.3	0.3	488	100
OSK-W-19-1181-W8	4275	Lynx 324	1035.0	453789	5435790	133	-58	879.8	882.0	2.2	20.5	
		including						879.8	880.4	0.6	54.2	
OSK-W-19-1181-W8	4275	Lynx 324	1035.0	453789	5435790	133	-58	910.3	912.6	2.3	8.31	
		including						911.0	911.6	0.6	28.3	
OSK-W-19-1181-W8	4275	Lynx 327	1035.0	453789	5435790	133	-58	931.7	936.0	4.3	13.1	
		including						934.7	935.3	0.6	34.2	
OSK-W-19-1181-W9	4275	Lynx 324	1057.8	453789	5435790	133	-58	907.9	910.1	2.2	25.4	
		including						907.9	908.7	0.8	68.8	
OSK-W-19-1181-W9	4275	Lynx 317	1057.8	453789	5435790	133	-58	952.4	955.0	2.6	48.2	28.3
		including						953.4	954.0	0.7	120	100
OSK-W-17-1184	2200	227 HW	210.0	452068	5434617	320	-51	50.0	52.0	2.0	4.21	
		including						50.5	51.0	0.5	16.8	
OSK-W-17-1184	2200	227	210.0	452068	5434617	320	-51	113.8	119.7	5.9	19.0	15.1
		including						116.4	117.0	0.6	139	100
OSK-W-17-1184	2200	227	210.0	452068	5434617	320	-51	164.9	167.6	2.6	4.64	
		including						166.6	167.5	0.9	13.0	
OSK-W-17-1185	3125	227 corridor	342.0	452004	5435022	334	-47	246.7	249.5	2.8	3.61	
		including						248.6	249.5	0.9	10.4	
OSK-W-17-1186	2475	Caribou	984.0	452417	5434558	331	-54	228.0	237.0	9.0	5.38	
		including						229.1	229.6	0.5	38.4	
OSK-W-17-1186	2475	CN2	984.0	452417	5434558	331	-54	236.0	237.0	1.0	23.6	
		including						407.5	410.5	3.0	12.3	
OSK-W-17-1186	2475	227 HW	984.0	452417	5434558	331	-54	407.5	409.0	1.5	24.4	
		including						502.0	504.5	2.5	3.49	
OSK-W-17-1186	2475	227	984.0	452417	5434558	331	-54	502.0	503.0	1.0	8.61	
		including						521.5	524.4	2.9	33.1	
OSK-W-17-1186	2475	227	984.0	452417	5434558	331	-54	523.0	524.0	1.0	87.8	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-1186	2475	Underdog	984.0	452417	5434558	331	-54	770.0	772.0	2.0	18.0	15.3
		including						771.0	771.3	0.3	118	100
OSK-W-17-1186	2475	FW3U	984.0	452417	5434558	331	-54	865.0	866.0	1.0	15.7	
		including						862.0	864.6	1.6	27.5	
OSK-W-17-1187	3620	Lynx 3	477.0	453441	5435025	333	-55	254.0	256.7	2.7	3.43	
OSK-W-17-1188	2200	227	201.0	452068	5434616	318	-57	99.2	101.8	2.6	16.8	
		including						100.2	100.8	0.6	67.9	
OSK-W-17-1188	2200	227	201.0	452068	5434616	318	-57	147.5	149.9	2.4	3.09	
		including						148.9	149.9	1.0	4.97	
OSK-W-17-1188	2200	227	201.0	452068	5434616	318	-57	167.8	169.8	2.0	3.28	
OSK-W-17-1188	2950	Caribou	1005.0	452946	5434561	335	-47	718.5	723.7	5.2	6.58	
		including						718.5	729.0	0.5	49.8	
OSK-W-17-1190	3200	Lynx 1 SW	1179.0	452905	5435152	151	-49	450.0	452.0	2.0	5.91	
		including						450.6	451.6	1.0	11.6	
OSK-W-17-1190	3200	Lynx 4 Corridor	1179.0	452905	5435152	151	-49	538.6	541.1	2.5	11.0	
OSK-W-17-1190	3200	Lynx 4 Corridor	1179.0	452905	5435152	151	-49	548.0	552.0	4.0	16.9	
		including						549.0	549.7	0.7	57.2	
OSK-W-17-1190	3200	Lynx 5	1179.0	452905	5435152	151	-49	762.3	764.4	2.1	6.08	
OSK-W-17-1190	3200	Lynx 5	1179.0	452905	5435152	151	-49	798.0	804.0	6.0	4.09	
		including						801.7	804.0	2.3	5.08	
OSK-W-17-1190	3200	Lynx 6	1179.0	452905	5435152	151	-49	998.0	1000.0	2.0	13.6	
OSK-W-17-1191	2200	227	255.0	452068	5434616	315	-69	194.2	197.0	2.8	13.9	
		including						194.2	194.8	0.6	63.4	
OSK-W-17-1191	2200	227	255.0	452068	5434616	315	-69	200.5	202.6	2.1	7.46	
		including						201.5	202.6	1.1	13.9	
OSK-W-17-1191	2200	Z27 FW	255.0	452068	5434616	315	-69	235.4	237.5	2.1	218	34.6
		including						236.8	237.6	0.8	500.9	
OSK-W-17-1193	4275	Lynx 4	1803.0	453807	5435721	141	-59	971.3	979.0	7.7	28.3	24.9
		including						971.3	974.4	3.1	66.5	58.1
OSK-W-17-1193	4275	Lynx 4	1803.0	453807	5435721	141	-59	979.0	981.8	2.8	4.48	
OSK-W-17-1193	4275	Vein	1803.0	453807	5435721	141	-59	1659.8	1662.0	2.2	5.66	
		including						1659.8	1660.6	0.8	16.5	
OSK-W-17-1193	4275	Vein	1803.0	453807	5435721	141	-59	1682.0	1684.0	2.0	11.0	
		including						1682.5	1683.1	0.6	33.6	
OSK-W-17-1193-W1	4275	VNCR	1320.0	453807	5435721	141	-59	947.6	952.0	4.4	14.8	
		including						947.6	948.1	0.5	27.7	
		including						950.5	951.5	1.0	46.3	
OSK-W-19-1193-W2	4275	Lynx 334	1095.0	453807	5435721	141	-59	928.2	930.5	2.3	73.6	30.6
		including						928.6	929.2	0.6	265	100
OSK-W-19-1193-W2	4275	Lynx 330	1095.0	453807	5435721	141	-59	996.5	999.8	3.3	49.1	59.9
		including						998.0	998.8	0.8	1625	100
OSK-W-17-1194	2525	No name	375.0	452265	5434915	332	-53	325.5	331.4	5.9	3.32	
		including						325.5	326.1	0.6	23.8	
OSK-W-17-1196	2200	227	210.0	452067	5434618	310	-59	155.5	158.0	2.5	3.26	
OSK-W-17-1196	2200	Z27 FW	210.0	452067	5434618	310	-59	185.0	187.0	2.0	15.7	
		including						186.6	187.0	0.4	72.5	
OSK-W-17-1198	2200	227	261.0	452067	5434618	306	-63	186.9	194.4	7.5	3.47	
		including						186.9	188.1	1.2	12.6	
OSK-W-17-1199	3620	Lynx 3	672.0	453418	5435070	333	-53	172.1	174.1	2.0	3.88	
OSK-W-17-1200	2425	New zone	264.0	452147	5434925	332	-46	245.1	248.0	2.9	3.00	
		including						247.1	248.0	0.9	87.4	
OSK-W-17-1202	2975	Caribou extension	932.0	452975	5434580	328	-52	554.8	557.0	2.2	8.75	
		including						554.8	555.6	0.8	23.2	
OSK-W-17-1202	2975	227	932.0	452975	5434580	328	-52	849.3	855.0	5.7	10.1	
OSK-W-17-1203	2500	227	372.0	452276	5434867	333	-53	27.9	30.0	2.1	128	42.9
		including						27.9	28.8	0.9	298	100
OSK-W-17-1203	2500	Mailard	372.0	452276	5434867	333	-53	269.0	272.0	3.0	6.76	
		including						270.2	270.7	0.5	31.7	
OSK-W-17-1204	3225	Lynx 2	615.0	453093	5434875	338	-61	241.5	243.6	2.1	3.36	
OSK-W-17-1204	3225	Caribou corridor	615.0	453093	5434875	338	-61	472.1	474.3	2.2	3.26	
OSK-W-17-1207	3425	Drake	367.0	453147	5434924	334	-57	8.0	10.3	2.3	5.94	
		including						8.0	8.8	0.8	14.3	
OSK-W-17-1207	3425	Mailard	267.0	452147	5434924	334	-57	147.7	149.7	2.0	6.17	
		including						148.0	148.7	0.7	16.0	
OSK-W-17-1207	3425	Mailard	267.0	452147	5434924	334	-57	182.6	184.9	2.3	3.35	
OSK-W-17-1208	1725	Vein	538.5	451612	5434443	331	-56	440.0	442.0	2.0	5.21	
		including						441.0	442.0	1.0	6.41	
OSK-W-17-1209	1600	FW4	428.0	451455	5434452	333	-59	236.4	239.2	2.8	4.68	
		including						236.4	237.1	0.7	17.2	
OSK-W-17-1210	3250	Caribou extension	317.6	453010	5435052	334	-51	205.5	211.6	2.1	4.26	
OSK-W-17-1212	2550	Mailard	334.0	452304	5434915	331	-62	215.0	217.0	2.0	6.87	
		including						215.0	217.0	1.0	13.2	
OSK-W-17-1215	850	New zone	350.0	450882	5434017	299	-58	105.0	107.0	2.0	4.11	
OSK-W-17-1217	2125	No name	132.0	451885	5434797	331	-50	14.9	17.1	2.2	5.47	
		including						15.6	16.4	0.8	14.4	
OSK-W-17-1218	3225	VNCR	405.0	453003	5435008	327	-62	271.0	28.0	2.0	3.98	
OSK-W-17-1218	3225	Robcat	405.0	453003	5435008	327	-62	189.0	191.5	2.5	4.46	
OSK-W-17-1218	3225	Caribou extension	405.0	453003	5435008	327	-62	384.0	386.0	2.0	6.88	
		including						385.3	385.6	0.3	28.7	
OSK-W-17-1220	2275	227	303.0	452026	5434808	141	-47	179.4	182.0	2.6	12.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-1220	2275	227	303.0	452026	5434808	141	-47	180.2	181.1	0.9	29.7	
OSK-W-17-1221	3050	Caribou corridor	1079.0	453083	5434541	335	-51	197.7	202.0	4.3	4.63	
OSK-W-17-1221	3050	Caribou corridor	1079.0	453083	5434541	335	-51	707.4	709.4	2.0	7.28	
OSK-W-17-1221	3050	Caribou corridor	1079.0	453083	5434541	335	-51	707.4	708.0	0.6	29.7	
OSK-W-17-1221	3050	Vein	1079.0	453083	5434541	335	-51	715.8	719.7	3.9	3.45	
OSK-W-17-1221	3050		1079.0	453083	5434541	335	-51	771.0	773.0	2.0	4.61	
OSK-W-17-1224	2550	Mallard 2	402.0	452304	5434914	333	-70	771.0	771.8	0.8	11.5	
OSK-W-17-1224	2550		402.0	452304	5434914	333	-70	70.3	75.1	2.8	15.7	
OSK-W-17-1224	2550		402.0	452304	5434914	333	-70	72.7	73.1	0.4	44.2	
OSK-W-17-1225	2250	New zone	252.0	452041	5434770	335	-48	371.0	373.4	2.4	3.12	
OSK-W-17-1225	2250	Mallard HW	252.0	452041	5434770	335	-48	201.3	203.6	2.3	0.58	
OSK-W-17-1225	2250		252.0	452041	5434770	335	-48	201.3	202.0	0.7	30.3	
OSK-W-17-1225	2250		252.0	452041	5434770	335	-48	245.2	247.5	2.3	20.5	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	245.2	246.4	1.2	39.1	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	662.0	664.0	2.0	11.5	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	662.6	663.5	0.9	24.4	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	673.0	675.0	2.0	10.4	
OSK-W-17-1226	3400	Caribou corridor	934.3	453371	5434727	331	-51	673.0	674.0	1.0	20.3	
OSK-W-17-1226	3400		934.3	453371	5434727	331	-51	717.0	721.6	4.6	8.29	
OSK-W-17-1226	3400		934.3	453371	5434727	331	-51	717.8	718.3	0.5	18.1	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	720.0	721.6	1.6	11.2	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	743.4	746.2	2.8	3.48	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	743.4	744.0	0.6	8.96	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	765.0	767.0	2.0	3.78	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	765.0	765.6	0.6	11.6	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	823.8	826.0	2.2	6.57	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434727	331	-51	823.8	825.0	1.2	12.0	
OSK-W-17-1226	3400	CN2	934.3	453371	5434727	331	-51	852.7	855.0	2.3	3.47	
OSK-W-17-1227	3225	Vein	1164.0	453290	5434533	329	-50	419.9	422.0	2.1	4.32	
OSK-W-17-1227	3225		1164.0	453290	5434533	329	-50	420.4	421.1	0.7	12.9	
OSK-W-17-1227	3225	Wolf extension	1164.0	453290	5434533	329	-50	628.0	621.0	2.0	3.62	
OSK-W-17-1227	3225	Wolf extension	1164.0	453290	5434533	329	-50	926.0	929.4	3.4	6.56	
OSK-W-17-1227	3225	Wolf extension	1164.0	453290	5434533	329	-50	926.0	927.0	1.0	15.8	
OSK-W-17-1227	3225	Wolf extension	1164.0	453290	5434533	329	-50	962.0	964.0	2.0	10.5	
OSK-W-17-1228	1600	Vein	657.0	451442	5434482	328	-59	965.0	972.2	7.0	4.83	
OSK-W-17-1228	1600	Vein	657.0	451442	5434482	328	-59	50.7	53.0	2.3	7.59	
OSK-W-17-1228	1600	Vein	657.0	451442	5434482	328	-59	164.9	168.6	3.7	0.10	
OSK-W-17-1232	2275	227	351.0	452024	5434834	154	-47	149.0	151.5	2.5	5.50	
OSK-W-17-1232	2275	227	351.0	452024	5434834	154	-47	183.0	186.0	3.0	3.99	
OSK-W-17-1232	2275	227	351.0	452024	5434834	154	-47	206.0	208.0	2.0	27.2	
OSK-W-17-1232	2275	Vein	351.0	452024	5434834	154	-47	331.0	333.0	2.0	4.70	
OSK-W-17-1233	2300	No name	228.0	452040	5434839	333	-53	39.9	40.7	2.8	32.7	
OSK-W-17-1233	2300		228.0	452040	5434839	333	-53	40.5	41.6	1.1	81.3	
OSK-W-17-1237	2950	Caribou extension	903.6	452946	5434560	330	-49	550.0	552.0	2.0	3.38	
OSK-W-17-1237	2950	Caribou extension	903.6	452946	5434560	330	-49	563.0	565.0	2.0	3.75	
OSK-W-17-1237	2950	Caribou extension	903.6	452946	5434560	330	-49	586.0	588.0	2.0	3.11	
OSK-W-17-1239	2475	Caribou	939.0	452417	5434558	326	-53	226.0	228.0	2.0	4.11	
OSK-W-17-1239	2475	Caribou corridor	939.0	452417	5434558	326	-53	255.2	258.0	2.8	10.4	
OSK-W-17-1239	2475	227	939.0	452417	5434558	326	-53	390.0	392.0	2.0	31.2	29.5
OSK-W-17-1239	2475		939.0	452417	5434558	326	-53	390.0	390.5	0.5	115	100
OSK-W-17-1239	2475	FW3U HW	939.0	452417	5434558	326	-53	728.0	730.0	2.0	2.40	
OSK-W-17-1239	2475	FW3U HW	939.0	452417	5434558	326	-53	759.0	761.0	2.0	50.4	
OSK-W-17-1241	3225	Caribou corridor	282.0	452948	5435107	130	-45	759.0	760.0	1.0	10.3	
OSK-W-17-1241	3225		282.0	452948	5435107	130	-45	22.0	25.5	3.5	8.11	
OSK-W-17-1242	3950	Lynx 4	1206.0	453571	5435489	144	-58	24.6	25.5	0.9	17.9	
OSK-W-17-1242	3950		1206.0	453571	5435489	144	-58	820.0	822.5	2.5	3.68	
OSK-W-17-1242	3950		1206.0	453571	5435489	144	-58	821.3	822.1	0.8	9.25	
OSK-W-17-1242	3950		1206.0	453571	5435489	144	-58	871.0	873.0	2.0	15.3	
OSK-W-17-1242	3950		1206.0	453571	5435489	144	-58	871.7	872.2	0.5	15.3	
OSK-W-17-1242	3950		1206.0	453571	5435489	144	-58	1032.0	1034.5	2.5	43.8	12.3
OSK-W-17-1242-W1	3950	Lynx 4	1008.0	453571	5435489	144	-58	1034.2	1034.5	0.3	362	100
OSK-W-17-1242-W2	3950	Lynx HW	1110.0	453571	5435489	144	-58	943.0	945.0	2.0	3.64	
OSK-W-17-1242-W2	3950		1110.0	453571	5435489	144	-58	960.0	963.0	3.0	26.8	
OSK-W-17-1243	2275		189.0	452081	5434778	146	-49	602.1	603.0	0.9	13.1	
OSK-W-17-1246	2225	227 HW	191.0	452083	5434636	324	-50	99.6	101.6	0.6	13.6	
OSK-W-17-1246	2225	227	191.0	452083	5434636	324	-50	34.5	39.9	5.4	5.62	
OSK-W-17-1247	809	New zone	687.0	451015	5432824	338	-46	175.2	182.0	6.8	2.48	
OSK-W-17-1251	3100	Bobcat	372.0	452880	5434987	326	-60	226.0	229.0	3.0	4.00	
OSK-W-17-1251	3100		372.0	452880	5434987	326	-60	24.0	27.0	3.0	8.89	
OSK-W-17-1251	3100	Bobcat	372.0	452880	5434987	326	-60	24.0	25.0	1.0	21.0	
OSK-W-17-1251	3100	Bobcat	372.0	452880	5434987	326	-60	55.0	59.0	4.0	3.86	
OSK-W-17-1251	3100	Bobcat	372.0	452880	5434987	326	-60	55.0	56.0	1.0	12.3	
OSK-W-17-1251	3100		372.0	452880	5434987	326	-60	192.0	195.0	3.0	4.11	
OSK-W-17-1252	2425	Mallard	231.0	452133	5434945	324	-46	193.4	193.7	0.3	40.2	
OSK-W-17-1252	2425	Mallard	231.0	452133	5434945	324	-46	8.8	11.6	2.8	0.34	
OSK-W-17-1252	2425	Mallard	231.0	452133	5434945	324	-46	18.5	21.0	2.5	3.55	
OSK-W-17-1252	2425		231.0	452133	5434945	324	-46	19.3	20.3	1.0	8.74	
OSK-W-17-1252	2425	New zone	231.0	452133	5434945	324	-46	168.0	170.0	2.0	8.38	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
			including					168.0	169.0	1.0	16.7	
OSK-W-17-1253	2225	227	186.0	452083	5434636	337	-52	43.0	47.3	4.3	4.88	
OSK-W-17-1253	2225	227	186.0	452083	5434636	337	-52	56.0	58.0	3.0	3.68	
OSK-W-17-1255	3225	Bobcat	276.0	452947	5435107	130	-65	156.0	161.6	5.6	14.1	
			including					156.6	159.5	2.9	21.1	
OSK-W-17-1256	2475	Mallard	372.0	452254	5434813	334	-50	315.0	317.2	2.2	3.11	
OSK-W-17-1257	2225	227	250.0	452083	5434636	322	-71	155.5	157.6	2.1	7.69	
			including					156.2	156.5	0.3	44.9	
OSK-W-17-1257	2225	227	250.0	452083	5434636	322	-71	161.0	163.3	2.3	3.15	
			including					163.0	163.3	0.3	17.2	
OSK-W-17-1257	2225	227	250.0	452083	5434636	322	-71	172.0	174.0	2.0	15.4	
			including					172.0	173.0	1.0	30.1	
OSK-W-17-1258	3275	Lynx 389	1128.0	452972	5435211	126	-51	381.2	383.5	2.3	3.54	
OSK-W-17-1258	3275	Lynx	1128.0	452972	5435211	126	-51	401.0	403.8	2.8	3.03	
			including					403.1	403.8	0.7	12.0	
OSK-W-17-1258	3275	Lynx	1128.0	452972	5435211	126	-51	603.6	606.0	2.4	15.2	
			including					603.6	604.2	0.6	50.5	
OSK-W-17-1258	3275	Lynx 4	1128.0	452972	5435211	126	-51	971.7	973.7	2.0	3.33	
			including					971.7	972.7	1.0	6.56	
OSK-W-17-1258	3275	Lynx 4	1128.0	452972	5435211	126	-51	1014.3	1023.1	8.8	0.72	
			including					1020.3	1021.3	1.0	40.6	
OSK-W-17-1258	3275	Lynx 4	1128.0	452972	5435211	126	-51	1010.8	1031.1	2.3	5.68	
			including					1011.4	1021.9	0.5	25.8	
OSK-W-17-1259	1600	FW4	414.0	451523	5434374	332	-54	364.0	366.0	2.0	38.7	
			including					365.0	366.0	1.0	77.1	
OSK-W-17-1260	2875	227 3	1134.0	452865	5434568	329	-49	739.0	741.0	2.0	4.37	
			including					836.0	832.0	2.0	3.38	
OSK-W-17-1260	2875	UDC 4123	1134.0	452865	5434568	329	-49	1061.4	1071.0	9.6	0.38	
			including					1072.0	1073.0	1.0	23.8	
OSK-W-17-1264	2225	227 HW	252.0	452084	5434636	332	-73	71.1	74.5	3.4	6.33	
			including					71.4	71.9	0.5	41.4	
OSK-W-17-1264	2225	227	252.0	452084	5434636	332	-73	166.5	169.0	2.5	6.88	
			including					167.4	167.7	0.3	54.0	
OSK-W-17-1265	3050	Lynx 4	1074.0	453083	5434539	334	-53	415.8	418.5	2.7	3.39	
OSK-W-17-1265	3050	Caribou extension	1074.0	453083	5434539	334	-53	738.7	741.0	2.3	5.34	
OSK-W-17-1265	3050	227	1074.0	453083	5434539	334	-53	940.8	942.3	1.5	13.0	
			including					941.2	942.3	1.0	26.7	
OSK-W-17-1267	3075	Caribou	894.0	452839	5435005	332	-46	101.6	104.0	2.4	3.04	
OSK-W-17-1268	2575	No name	372.0	452272	5435002	160	-58	83.0	85.0	2.0	5.51	
OSK-W-17-1268	2575	Drake	372.0	452272	5435002	160	-58	161.0	163.0	2.0	9.39	
OSK-W-17-1268	2575	227 FW	372.0	452272	5435002	160	-58	183.0	186.0	3.0	8.17	
			including					183.0	183.9	0.9	23.8	
OSK-W-17-1268	2575	227	372.0	452272	5435002	160	-58	266.3	268.4	2.1	4.84	
			including					266.3	266.8	0.5	15.0	
OSK-W-17-1269	2225	227 HW	201.0	452083	5434637	342	-70	69.5	72.0	2.5	3.50	
OSK-W-17-1269	2225	227 HW	201.0	452083	5434637	342	-70	117.5	122.0	4.5	3.69	
			including					117.5	118.0	0.5	8.01	
OSK-W-17-1269	2225	227	201.0	452083	5434637	342	-70	134.5	137.5	3.0	3.09	
OSK-W-17-1269	2225	227	201.0	452083	5434637	342	-70	146.0	148.4	2.4	3.47	
OSK-W-17-1269	2225	227	201.0	452083	5434637	342	-70	175.3	178.0	2.7	3.33	
			including					176.0	177.0	1.0	7.47	
OSK-W-17-1270	3400	Caribou extension	1251.0	453371	5434727	328	-58	918.2	926.0	7.8	3.07	
OSK-W-17-1270	3400	Yain	1251.0	453371	5434727	328	-58	950.1	953.0	2.9	7.14	
OSK-W-17-1272	3675	Triple Lynx	1409.0	453246	5435535	127	-60	776.0	778.7	2.7	12.1	
			including					778.2	778.7	0.5	49.4	
OSK-W-17-1272	3675	Triple Lynx	1409.0	453246	5435535	127	-60	841.7	845.7	2.0	8.80	
OSK-W-17-1272	3675	Triple Lynx	1409.0	453246	5435535	127	-60	858.4	870.5	12.1	47.8	35.6
			including					858.4	865.1	6.7	63.5	54.3
OSK-W-17-1272	3675	Triple Lynx	1409.0	453246	5435535	127	-60	898.7	901.6	2.9	12.4	
			including					900.7	901.6	0.9	58.6	
OSK-W-17-1272	3675	Triple Lynx	1409.0	453246	5435535	127	-60	970.5	973.7	3.2	3.44	
OSK-W-17-1272	3675	Triple Lynx	1409.0	453246	5435535	127	-60	1006.4	1010.8	4.4	34.1	
			including					1008.7	1009.9	1.2	91.8	80.4
OSK-W-17-1272	3675	Triple Lynx	1409.0	453246	5435535	127	-60	1014.0	1015.0	2.0	38.3	
			including					1014.0	1014.0	0.0	87.6	
OSK-W-17-1272	3675	Triple Lynx	1409.0	453246	5435535	127	-60	1311.3	1314.0	2.7	6.84	
			including					1311.3	1312.0	0.7	21.8	
OSK-W-19-1272-W1	3675	Triple Lynx	1101.4	453246	5435535	127	-60	762.2	774.9	12.7	72.3	40.1
OSK-W-19-1272-W1	3675	Triple Lynx	1101.4	453246	5435535	127	-60	768.2	768.8	1.2	49.1	100
OSK-W-19-1272-W1	3675	Triple Lynx	1101.4	453246	5435535	127	-60	847.9	850.2	2.3	0.71	
OSK-W-19-1272-W2	3675	Triple Lynx	1054.0	453246	5435535	127	-60	765.4	771.0	5.6	5.62	
OSK-W-19-1272-W2	3675	Triple Lynx	1054.0	453246	5435535	127	-60	775.6	788.0	12.4	52.0	28.9
OSK-W-19-1272-W2	3675	Triple Lynx	1054.0	453246	5435535	127	-60	785.6	788.0	2.5	164	100
OSK-W-19-1272-W3	3675	Triple Lynx	1164.0	453246	5435535	127	-60	763.0	769.9	26.3	5.94	
			including					763.7	763.7	2.8	11.8	
OSK-W-19-1272-W3	3675	Triple Lynx	1164.0	453246	5435535	127	-60	799.0	803.0	4.0	7.92	
OSK-W-19-1272-W4	3675	Lynx 371	1070.0	453246	5435535	127	-60	763.5	772.0	8.5	8.56	
			including					763.5	764.0	0.5	48.8	
OSK-W-19-1272-W4	3675	Lynx 361	1070.0	453246	5435535	127	-60	774.5	782.6	18.1	21.9	15.4
			including					780.0	780.4	0.4	392	100
			and					786.1	786.6	0.5	55.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-1295	1600	Underdog	801.0	451560	5434288	334	-57	696.9	699.2	2.3	8.14	
		including						697.7	699.5	0.8	20.9	
OSK-W-17-1296	2250	227	180.0	452092	5434661	14	-56	125.6	128.0	2.4	5.82	
		including						125.6	128.0	0.4	23.5	
OSK-W-17-1303	3025	Caribou extension	663.0	452842	5434897	335	-65	211.0	213.3	2.3	3.74	
OSK-W-17-1305	2575	Vein	888.0	452499	5434593	330	-54	348.0	351.0	3.0	106	50.1
		including						349.5	351.0	1.5	211	100
OSK-W-17-1305	2575	Caribou	888.0	452499	5434593	330	-54	376.0	378.5	2.5	7.65	
		including						376.1	378.5	0.4	40.9	
OSK-W-17-1305	2575	FW3U HW	888.0	452499	5434593	330	-54	722.9	725.5	2.6	14.5	
		including						722.9	725.5	0.3	51.6	
OSK-W-17-1305-W1	2575	VNCR	951.0	452499	5434593	330	-54	858.5	861.0	2.5	14.8	
		including						860.3	861.0	0.7	47.0	
OSK-W-17-1306	3225	Lynx 4	1210.9	453291	5434533	341	-62	616.0	618.2	2.2	8.60	
OSK-W-17-1306	3225	Caribou extension	1210.9	453291	5434533	341	-62	968.3	970.6	2.3	3.02	
OSK-W-17-1306	3225	Caribou extension	1210.9	453291	5434533	341	-62	987.0	989.6	2.6	14.7	
		including						988.2	989.6	0.7	54.2	
OSK-W-17-1308	3125	Lynx 4	1448.0	453210	5434466	332	-53	568.9	571.0	2.1	3.13	
OSK-W-17-1308	3125	Wolf extension	1448.0	453210	5434466	332	-53	884.0	889.4	5.4	11.5	
		including						888.6	889.9	0.3	66.7	
OSK-W-17-1308-W1	3125	Wolf	1032.0	453210	5434466	332	-53	907.0	909.0	2.0	7.27	
OSK-W-17-1309	2200	227 FW	237.0	452074	5434609	330	-69	218.1	220.2	2.1	5.64	
		including						218.1	220.8	0.7	16.5	
OSK-W-17-1310	2325	Caribou	375.0	452210	5434616	312	-45	34.0	35.8	1.8	8.45	
OSK-W-17-1310	2325	Vein	375.0	452210	5434616	312	-45	354.0	357.0	3.0	3.37	
OSK-W-17-1312	2200	227 HW	55.5	452073	5434610	325	-66	43.0	46.5	3.5	7.56	
OSK-W-17-1313	2375	Vein	876.0	452280	5434572	331	-51	18.0	22.0	3.0	3.06	
OSK-W-17-1313	2375	Caribou	876.0	452280	5434572	331	-51	90.9	93.0	2.1	3.34	
OSK-W-17-1313	2375	Caribou	876.0	452280	5434572	331	-51	122.0	125.0	3.0	5.29	
OSK-W-17-1313	2375	227 HW	876.0	452280	5434572	331	-51	211.0	213.0	2.0	11.3	
OSK-W-17-1313	2375	227	876.0	452280	5434572	331	-51	351.4	360.3	8.9	25.7	
OSK-W-17-1313	2375	227 FW	876.0	452280	5434572	331	-51	425.1	427.3	2.2	5.46	
		including						425.9	428.7	0.8	14.3	
OSK-W-17-1313	2375	227 FW	876.0	452280	5434572	331	-51	443.0	445.5	2.5	3.30	
OSK-W-17-1313	2375	Vein RD	876.0	452280	5434572	331	-51	456.0	458.0	2.0	25.2	
		including						456.5	456.8	0.3	168	
OSK-W-17-1317	2200	227 HW	276.0	452074	5434610	327	-65	45.0	47.5	2.5	4.31	
OSK-W-17-1317	2200	227	276.0	452074	5434610	327	-65	170.0	172.0	2.0	4.60	
OSK-W-17-1317	2200	227	276.0	452074	5434610	327	-65	182.9	191.0	8.1	10.0	
		including						186.9	188.0	1.1	54.3	
OSK-W-17-1319	2325	227 HW	291.0	452222	5434607	310	-50	162.0	165.0	3.0	5.80	
		including						162.0	165.5	1.5	11.4	
OSK-W-17-1319	2325	227	291.0	452222	5434607	310	-50	215.3	217.3	2.0	7.42	
		including						217.0	217.3	0.3	22.8	
OSK-W-17-1320	3050	Lynx 1	852.0	452906	5434846	328	-76	61.8	64.3	2.5	4.72	
OSK-W-17-1320	3050	Vein	852.0	452906	5434846	328	-76	90.4	93.0	2.6	43.0	15.6
		including						91.3	91.7	0.4	278	100
OSK-W-17-1320	3050	Lynx 1	852.0	452906	5434846	328	-76	112.0	114.0	2.0	5.45	
		including						112.4	112.7	0.3	31.0	
OSK-W-17-1320	3050	Caribou extension	852.0	452906	5434846	328	-76	463.0	465.0	2.0	11.9	
		including						463.0	464.0	1.0	23.8	
OSK-W-17-1320	3050	Caribou extension	852.0	452906	5434846	328	-76	472.1	477.3	5.2	5.35	
		including						472.1	477.4	1.3	14.1	
OSK-W-17-1320	3050	Caribou extension	852.0	452906	5434846	328	-76	557.5	560.8	3.3	3.46	
OSK-W-17-1320	3050	Caribou extension	852.0	452906	5434846	328	-76	801.0	805.0	2.0	6.04	
		including						802.0	805.0	1.0	11.8	
OSK-W-17-1323	2975	Vein	597.0	452855	5434788	340	-74	433.0	435.2	2.2	5.87	
OSK-W-17-1325	1500	Underdog	688.5	451431	5434333	331	-69	629.2	631.3	2.1	7.57	
OSK-W-17-1326	2200	227	225.0	452075	5434609	328	-61	159.0	161.0	2.0	8.32	
		including						160.0	161.0	1.0	16.0	
OSK-W-17-1326	2200	227	225.0	452075	5434609	328	-61	180.0	183.3	3.3	61.3	
		including						183.0	183.3	0.3	65.1	
OSK-W-17-1332	2125	No name	795.0	451894	5434769	280	-45	25.0	27.0	2.0	8.27	
		including						26.2	27.0	0.8	18.8	
OSK-W-17-1333	3300	Caribou extension	852.0	453158	5434897	336	-61	503.0	506.5	3.5	18.4	
		including						504.0	506.0	1.0	23.8	
OSK-W-17-1333	3300	Caribou extension	852.0	453158	5434897	336	-61	593.6	596.0	2.4	4.85	
		including						593.6	594.3	0.7	13.8	
OSK-W-17-1333	3300	Caribou extension	852.0	453158	5434897	336	-61	628.0	630.4	2.4	5.89	
		including						628.0	628.8	0.8	15.3	
OSK-W-17-1334	3025	Bolocat	657.0	452842	5434896	334	-70	86.0	88.0	2.0	4.05	
OSK-W-17-1334	3025	Caribou extension	657.0	452842	5434896	334	-70	338.2	340.7	2.5	3.31	
		including						338.2	338.7	0.5	16.4	
OSK-W-17-1334	3025	Caribou extension	657.0	452842	5434896	334	-70	459.0	461.5	2.5	74.0	12.2
		including						460.5	461.5	0.3	50.0	100
OSK-W-17-1334	3025	Caribou extension	657.0	452842	5434896	334	-70	489.0	491.2	2.2	12.8	
		including						490.0	490.7	0.7	33.9	
OSK-W-17-1334	3025	Caribou extension	657.0	452842	5434896	334	-70	498.5	502.0	3.5	3.73	
OSK-W-17-1334	3025	227	657.0	452842	5434896	334	-70	557.2	560.1	2.9	29.6	
		including						558.1	560.1	1.0	83.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-1335	2200	Mallard	201.0	451963	5434779	333	-49	179.0	181.1	2.1	5.66	
			including					179.8	180.3	0.5	20.7	
OSK-W-17-1336	3600	FW0	1149.0	452617	5434447	335	-61	810.0	813.0	3.0	17.0	
OSK-W-17-1336	2600	FW0	1149.0	452617	5434447	335	-61	816.0	820.0	4.0	24.0	
			including					817.5	820.0	2.5	35.5	
OSK-W-17-1336	3600	FW1	1149.0	452617	5434447	335	-61	891.0	893.0	2.0	6.64	
			including					891.0	891.3	0.3	22.3	
OSK-W-17-1336	2600	FW2	1149.0	452617	5434447	335	-61	972.0	974.0	2.0	4.30	
OSK-W-17-1336	2600	FW3	1149.0	452617	5434447	335	-61	1087.0	1084.5	2.5	15.0	
			including					1084.0	1084.5	0.5	67.9	
OSK-W-17-1336-W1	2600	Vein	1335.0	452617	5434447	335	-61	723.0	725.0	2.0	9.44	
			including					723.7	724.0	0.3	62.8	
OSK-W-17-1336-W1	2600	FW1	1335.0	452617	5434447	335	-61	992.9	995.0	2.1	42.9	28.8
			including					992.9	993.5	0.6	150	100
OSK-W-17-1336-W1	2600	FW2	1335.0	452617	5434447	335	-61	1064.1	1073.0	8.9	56.1	15.1
			including					1067.0	1070.1	3.1	151	33.7
OSK-W-17-1336-W1	2600	FW3	1335.0	452617	5434447	335	-61	1153.5	1161.0	7.5	61.2	
			including					1157.0	1158.0	1.0	17.0	
OSK-W-18-1336-W2	2600	FW0	1193.0	452617	5434447	335	-61	831.9	835.3	3.4	4.82	
OSK-W-18-1336-W2	2600	FW0	1193.0	452617	5434447	335	-61	849.7	852.3	2.6	3.53	
OSK-W-18-1336-W2	2600	Underdog	1193.0	452617	5434447	335	-61	920.6	923.0	2.4	4.36	
			including					920.6	921.0	0.4	17.8	
OSK-W-18-1336-W2	2600	FW1	1193.0	452617	5434447	335	-61	950.0	952.3	2.3	3.92	
OSK-W-18-1336-W2	2600	FW1	1193.0	452617	5434447	335	-61	964.0	969.7	5.7	13.0	
			including					967.3	967.8	0.5	92.2	
OSK-W-18-1336-W2	2600	Underdog	1193.0	452617	5434447	335	-61	1132.0	1136.0	4.0	39.6	11.6
			including					1136.7	1137.1	0.4	160	100
OSK-W-18-1336-W2	2600	Underdog	1193.0	452617	5434447	335	-61	1182.0	1184.0	2.0	4.55	
OSK-W-17-1337	2350	Mallard	360.0	452055	5434957	140	-57	19.0	21.5	2.5	3.39	
			including					20.0	20.4	0.4	13.7	
OSK-W-17-1337	2350	Drain	360.0	452055	5434957	140	-57	236.3	238.4	2.1	5.51	
OSK-W-17-1341	2450	Caribou	732.0	452334	5434661	329	-49	84.0	86.0	2.0	3.43	
OSK-W-17-1341	2450	227 HW	732.0	452334	5434661	329	-49	169.0	171.3	2.3	17.0	
			including					169.6	170.2	0.6	63.1	
OSK-W-17-1341	3450	227	732.0	452334	5434661	329	-49	253.4	256.3	2.9	7.79	
OSK-W-17-1341	2450	227	732.0	452334	5434661	329	-49	272.8	277.9	5.1	4.45	
OSK-W-17-1341	2450	227	732.0	452334	5434661	329	-49	316.6	318.9	2.3	5.23	
OSK-W-17-1342	2300	Mallard Fw	282.0	452086	5434760	333	-50	211.9	214.0	2.1	8.19	
			including					211.9	213.0	1.1	15.4	
OSK-W-17-1342	2300	Mallard	282.0	452086	5434760	333	-50	261.8	263.8	2.0	3.80	
OSK-W-17-1343	3950	Lynx HW	681.0	453572	5435489	137	-56	541.0	546.0	5.0	140	30.8
			including					544.7	545.6	0.9	704	100
OSK-W-17-1343-W1	3950	Lynx HW	870.0	453572	5435489	137	-56	560.8	563.9	3.1	3.32	
OSK-W-17-1343-W1	3950	Lynx HW	870.0	453572	5435489	137	-56	596.7	601.8	5.1	58.7	30.3
			including					597.7	599.0	1.3	214	100.0
OSK-W-17-1343-W2	3950	Lynx HW	1323.0	453572	5435489	137	-56	507.3	511.7	4.4	34.1	29.5
			including					507.3	509.1	1.8	77.7	66.6
OSK-W-17-1343-W2	3950	Lynx HW	1323.0	453572	5435489	137	-56	636.5	639.0	2.5	3.31	
OSK-W-17-1343-W2	3950	Lynx 4	1323.0	453572	5435489	137	-56	864.8	867.0	2.2	5.79	
OSK-W-17-1343-W2	3950	Lynx 4	1323.0	453572	5435489	137	-56	879.0	881.0	2.0	14.2	
			including					879.4	879.7	0.3	69.6	
OSK-W-17-1343-W2	3950	Lynx 4	1323.0	453572	5435489	137	-56	937.0	939.0	2.0	3.59	
OSK-W-17-1343-W2	3950	Lynx 6	1323.0	453572	5435489	137	-56	1134.0	1137.0	3.0	6.31	
OSK-W-17-1343-W2	3950	Lynx 6	1323.0	453572	5435489	137	-56	1197.9	1200.0	2.1	7.84	
			including					1197.9	1198.2	0.3	54.3	
OSK-W-19-1343-W3	3950	Lynx	637.0	453572	5435489	137	-56	584.6	589.5	4.9	13.2	
			including					584.6	585.6	1.0	50.9	
OSK-W-17-1344	3075	Caribou extension	525.0	452935	5434858	332	-74	446.0	448.4	2.4	9.54	
			including					447.8	448.4	0.6	37.5	
OSK-W-17-1345	2900	CSJ	894.0	452902	5434563	329	-52	540.8	543.3	2.5	7.40	
OSK-W-17-1345	2900	Wolf	894.0	452902	5434563	329	-52	684.0	688.3	4.3	86.7	13.9
			including					687.9	688.3	0.4	883	100
OSK-W-17-1346	3650	Lynx 1 + Lynx 2	858.0	453467	5435069	335	-64	214.0	218.1	4.1	3.26	
OSK-W-17-1346	3650	Lynx 365	858.0	453467	5435069	335	-64	520.1	526.2	6.1	3.46	
OSK-W-17-1347	2550	Vein	480.0	452160	5435158	151	-61	164.0	166.0	2.0	4.64	
			including					165.2	166.0	0.8	11.5	
OSK-W-17-1347	2550	Mallard FW	480.0	452160	5435158	151	-61	249.4	252.2	2.8	11.1	
			including					250.4	251.3	0.9	27.3	
OSK-W-17-1348	2975	Caribou extension	575.0	452844	5434806	333	-53	423.0	426.0	3.0	4.28	
			including					423.4	423.9	0.5	11.6	
OSK-W-17-1350	2975	Lynx 4	843.0	452993	5434556	328	-55	386.7	388.7	2.0	6.31	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	538.9	540.9	2.0	9.37	
			including					539.6	540.3	0.7	22.7	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	697.0	699.0	2.0	4.45	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	724.0	726.0	2.0	4.16	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	776.0	778.0	2.0	6.33	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434556	328	-55	826.3	829.7	3.4	6.88	
			including					826.7	827.0	0.3	39.0	
OSK-W-17-1351	3225	Caribou extension	834.8	453101	5434875	335	-66	454.0	456.2	2.2	6.14	
OSK-W-17-1351	3225	Caribou extension	834.8	453101	5434875	335	-66	725.8	728.0	2.2	3.65	
OSK-W-17-1351	3225	Caribou extension	834.8	453101	5434875	335	-66	735.4	737.7	2.3	3.64	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acumult. (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-1352	3400	Caribou extension	909.0	453378	5434742	327	-50	646.0	648.0	2.0	9.39	
		including						646.8	647.5	0.7	26.4	
OSK-W-17-1353	1575	FW3	750.0	451490	5434338	526	-56	233.9	236.3	2.4	4.66	
		including						234.5	236.0	0.5	20.3	
OSK-W-17-1354	1775	FW3	433.0	451643	5434469	333	-50	225.3	231.4	6.1	5.05	
		including						229.6	230.0	0.4	22.9	
OSK-W-17-1356	3600	Lynx 1	429.0	453442	5435026	333	-67	195.2	197.5	2.3	10.0	
OSK-W-17-1356	3600	Lynx 1	429.0	453442	5435026	333	-67	229.6	232.0	2.4	4.14	
OSK-W-17-1359	3175	Caribou extension	807.0	453039	5434873	339	-64	467.4	470.0	2.6	5.08	
		including						467.4	468.5	1.1	10.8	
OSK-W-17-1359	3175	Caribou extension	807.0	453039	5434873	339	-64	499.0	501.3	2.3	5.37	
		including						499.0	499.5	0.5	16.8	
OSK-W-17-1359	3175	Caribou extension	807.0	453039	5434873	339	-64	604.6	606.7	2.1	3.87	
OSK-W-17-1359	3175	227 extension	807.0	453039	5434873	339	-64	754.8	757.0	2.2	4.98	
OSK-W-17-1362	1775	FW4	625.7	451643	5434470	347	-50	337.9	339.9	2.0	4.48	
		including						339.4	339.9	0.5	15.3	
OSK-W-17-1363	3625	Lynx HW	900.0	453457	5435025	341	-72	222.0	224.0	2.0	3.28	
OSK-W-17-1363	3625	Lynx 2	900.0	453457	5435025	341	-72	371.6	372.0	8.4	115	24.0
		including						377.0	377.7	0.7	1180	100
		including						378.0	380.0	1.0	97.7	
OSK-W-17-1363	3625	VNCR	900.0	453457	5435025	341	-72	470.5	472.5	2.0	40.1	
		including						470.5	471.5	1.0	78.9	
OSK-W-17-1364	3150	Lynx 1	534.0	453289	5435073	139	-45	301.0	307.1	6.4	15.0	
		including						301.8	305.1	3.3	35.0	
OSK-W-17-1367-W1	4300	Lynx 4	1161.0	453755	5435873	131	-52	1009.5	1011.6	2.1	52.5	29.2
		including						1010.3	1010.9	0.6	182	100
OSK-W-17-1367-W1	4300	Lynx 4	1161.0	453755	5435873	131	-52	1016.6	1019.0	2.4	76.4	28.3
		including						1016.6	1017.4	0.8	321	100
OSK-W-18-1367-W2	4300	Lynx 4	1224.0	453755	5435873	131	-52	878.0	882.0	4.0	4.55	
OSK-W-18-1367-W2	4300	Lynx 4	1224.0	453755	5435873	131	-52	1169.6	1171.7	2.1	80.0	22.8
		including						1171.4	1171.7	0.3	501	
OSK-W-19-1367-W4	4300	Lynx 4	1386.0	453755	5435873	131	-52	1150.0	1153.0	3.0	46.7	31.4
OSK-W-19-1367-W4	4300	Lynx 4	1386.0	453755	5435873	131	-52	1151.6	1151.8	0.3	273	100
OSK-W-17-1368	3100	Caribou extension	762.0	452952	5434873	330	-64	236.0	238.0	2.0	3.77	
OSK-W-17-1368	3100	Caribou extension	762.0	452952	5434873	330	-64	270.9	273.0	2.1	8.05	
		including						271.0	271.2	0.3	54.0	
OSK-W-17-1368	3100	Caribou extension	762.0	452952	5434873	330	-64	410.9	413.0	2.0	8.23	
OSK-W-17-1369	2550	Caribou	786.0	452434	5434679	329	-49	112.0	116.0	6.3	5.47	
OSK-W-17-1369	2550	227	786.0	452434	5434679	329	-49	346.0	348.0	2.0	14.8	
OSK-W-17-1371	3225	Caribou extension	980.5	453101	5434874	334	-69	363.0	365.6	2.6	5.63	
		including						363.0	363.8	0.8	15.7	
OSK-W-17-1371	3225	Caribou extension	980.5	453101	5434874	334	-69	565.0	567.0	2.0	3.19	
		including						565.3	565.7	0.4	14.8	
OSK-W-17-1371	3225	Caribou extension	980.5	453101	5434874	334	-69	604.6	607.0	2.4	3.61	
OSK-W-17-1371	3225	Vein	980.5	453101	5434874	334	-69	722.1	724.6	2.5	3.96	
		including						724.0	724.6	0.6	35.8	
OSK-W-17-1374	2375	227 HW	873.0	452273	5434579	318	-59	312.6	315.0	2.4	4.27	
OSK-W-17-1374	2375	227 HW	873.0	452273	5434579	318	-59	324.5	328.3	3.8	26.2	
OSK-W-17-1374	2375	Vein RD	873.0	452273	5434579	318	-59	424.7	427.0	2.3	4.11	
OSK-W-17-1374	2375	FW1	873.0	452273	5434579	318	-59	504.0	508.0	4.0	4.84	
OSK-W-17-1374	2375	FW1	873.0	452273	5434579	318	-59	526.1	530.0	3.9	3.04	
OSK-W-17-1374	2375	FW3	873.0	452273	5434579	318	-59	721.0	723.7	2.7	3.09	
		including						723.0	723.7	0.7	10.5	
OSK-W-17-1376	2400	Vein	1125.0	452425	5434380	330	-50	198.7	201.0	2.3	10.2	
		including						198.7	199.0	0.3	72.7	
OSK-W-17-1376	2400	FW3	1125.0	452425	5434380	330	-50	816.5	818.6	2.1	39.6	
		including						816.5	817.3	0.8	73.3	
OSK-W-17-1378	2750	Caribou	741.0	452689	5434636	331	-56	229.9	232.0	2.1	4.41	
OSK-W-17-1378	2750	Caribou	741.0	452689	5434636	331	-56	336.9	339.4	2.5	5.36	
OSK-W-17-1378	2750	Caribou corridor	741.0	452689	5434636	331	-56	362.0	364.0	2.0	4.22	
OSK-W-17-1378	2750	Vein	741.0	452689	5434636	331	-56	477.2	479.3	2.1	5.40	
OSK-W-17-1378	2750	Vein	741.0	452689	5434636	331	-56	695.0	697.0	2.0	4.03	
		including						696.0	696.4	0.4	16.8	
OSK-W-17-1378	2750	Vein	741.0	452689	5434636	331	-56	720.2	722.5	2.3	9.26	
		including						721.3	721.7	0.4	52.8	
OSK-W-17-1379	2900	Lynx 1	540.0	452780	5434771	332	-66	136.4	138.5	2.1	5.62	
		including						136.4	137.0	0.6	18.9	
OSK-W-17-1379	2900	Caribou extension	540.0	452780	5434771	332	-66	485.0	487.3	2.3	3.03	
OSK-W-17-1380	1975	Underdog	624.0	451895	5434474	335	-45	361.1	363.2	2.1	25.5	25.3
		including						361.0	363.4	0.5	101	
OSK-W-17-1381	3200	Bobcat	723.0	453017	5434936	329	-63	111.5	113.8	2.3	36.7	
		including						112.5	112.9	0.4	94.6	
OSK-W-17-1381	3200	Caribou extension	723.0	453017	5434936	329	-63	299.3	302.5	3.2	7.60	
OSK-W-17-1381	3200	Vein	723.0	453017	5434936	329	-63	654.0	655.3	2.3	52.8	11.2
		including						654.2	654.5	0.3	408	100
OSK-W-17-1383	2950	Bobcat	597.0	452767	5434865	331	-63	38.1	40.4	2.3	173	18.2
		including						39.0	39.4	0.4	990	100
OSK-W-17-1383	2950	Bobcat	597.0	452767	5434865	331	-63	83.0	87.0	4.0	4.01	
OSK-W-17-1383	2950	Bobcat	597.0	452767	5434865	331	-63	84.9	87.0	2.1	5.01	
OSK-W-17-1383	2950	Bobcat	597.0	452767	5434865	331	-63	102.0	104.1	2.1	5.33	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-18-1402-W1	2600	FW1	1224.0	452617	5434447	330	-59	853.0	855.0	2.0	3.52	
OSK-W-18-1402-W1	2600	FW1	1224.0	452617	5434447	330	-59	859.1	862.0	2.9	53.9	
OSK-W-18-1402-W1	2600	FW3	1224.0	452617	5434447	330	-59	1088.9	1091.5	2.6	6.63	
OSK-W-18-1402-W1	2600	FW4 including	1224.0	452617	5434447	330	-59	1090.3	1090.8	0.5	26.9	
OSK-W-18-1402-W1	2600		1224.0	452617	5434447	330	-59	1150.6	1153.0	2.4	4.47	
OSK-W-18-1402-W1	2600	FW0 including	1224.0	452617	5434447	330	-59	1150.6	1151.1	0.5	12.8	
OSK-W-18-1402-W1	2600		1182.0	452617	5434447	330	-59	778.0	780.3	2.3	8.11	
OSK-W-18-1402-W3	2600	FW1	1182.0	452617	5434447	330	-59	779.2	779.7	0.5	25.5	
OSK-W-18-1402-W3	2600	FW1 FW	1182.0	452617	5434447	330	-59	821.1	824.4	3.3	6.21	
OSK-W-18-1402-W3	2600	FW1 FW including	1182.0	452617	5434447	330	-59	880.0	882.0	2.0	4.98	
OSK-W-18-1402-W3	2600		1182.0	452617	5434447	330	-59	881.0	881.7	0.7	12.3	
OSK-W-18-1402-W3	2600	FW1 FW including	1182.0	452617	5434447	330	-59	888.5	890.0	1.5	41.2	
OSK-W-18-1402-W3	2600		1182.0	452617	5434447	330	-59	888.5	890.0	1.5	65.9	
OSK-W-18-1402-W3	2600	Underdog	1182.0	452617	5434447	330	-59	920.1	929.3	9.2	9.01	
OSK-W-18-1402-W3	2600	Underdog	1182.0	452617	5434447	330	-59	954.0	956.0	2.0	4.03	
OSK-W-18-1402-W3	2600	FW3	1182.0	452617	5434447	330	-59	1104.7	1109.4	4.7	9.36	
OSK-W-18-1402-W3	2600	including and	1104.7	452617	5434447	330	-59	1104.7	1105.1	0.4	35.4	
OSK-W-18-1402-W3	2600		1109.1	452617	5434447	330	-59	1109.1	1109.4	0.3	96.1	
OSK-W-18-1402-W3	2600	Underdog	1182.0	452617	5434447	330	-59	1144.0	1146.0	2.0	6.57	
OSK-W-18-1402-W3	2600	including	1144.0	452617	5434447	330	-59	1145.2	1145.6	0.4	30.6	
OSK-W-18-1402-W3	2600		1145.2	452617	5434447	330	-59	1145.2	1145.6	0.4	30.6	
OSK-W-17-1404	3000	Bobcat	635.3	452854	5434824	335	-67	141.4	144.0	2.6	4.28	
OSK-W-17-1404	3000	Bobcat including	635.3	452854	5434824	335	-67	142.0	143.0	1.0	11.0	
OSK-W-17-1404	3000		635.3	452854	5434824	335	-67	168.0	171.0	3.0	4.54	
OSK-W-17-1404	3000	Caribou extension including	635.3	452854	5434824	335	-67	170.7	171.0	0.3	13.4	
OSK-W-17-1404	3000		635.3	452854	5434824	335	-67	356.8	359.5	2.7	10.4	
OSK-W-17-1404	3000	Caribou extension	635.3	452854	5434824	335	-67	356.8	359.5	2.7	10.4	
OSK-W-17-1404	3000	Caribou extension	635.3	452854	5434824	335	-67	535.0	537.0	2.0	5.32	
OSK-W-17-1406	3075	Caribou extension	635.3	452854	5434824	335	-67	539.7	543.0	3.3	4.33	
OSK-W-17-1406	3075	VNCR	579.0	452912	5434878	334	-60	79.3	81.8	2.5	6.97	
OSK-W-17-1406	3075	Vn including	579.0	452912	5434878	334	-60	79.7	80.0	0.3	47.7	
OSK-W-17-1406	3075		579.0	452912	5434878	334	-60	117.0	119.0	2.0	7.28	
OSK-W-17-1406	3075	QTV	579.0	452912	5434878	334	-60	129.0	131.0	2.0	6.91	
OSK-W-17-1406	3075	Bobcat including	579.0	452912	5434878	334	-60	129.4	130.3	0.9	15.2	
OSK-W-17-1406	3075		579.0	452912	5434878	334	-60	248.5	250.9	2.4	3.47	
OSK-W-17-1406	3075	Bobcat	579.0	452912	5434878	334	-60	322.0	324.2	2.2	5.71	
OSK-W-17-1409	2925	Bobcat	402.0	452747	5434882	331	-53	133.3	135.7	2.4	24.0	13.6
OSK-W-17-1409	2925	Bobcat including	402.0	452747	5434882	331	-53	135.4	135.7	0.3	184	100
OSK-W-17-1409	2925		402.0	452747	5434882	331	-53	205.0	207.0	2.0	6.11	
OSK-W-17-1409	2925	Caribou extension	402.0	452747	5434882	331	-53	205.4	206.0	0.6	39.8	
OSK-W-17-1409	2925	including	402.0	452747	5434882	331	-53	305.0	305.4	0.4	73.7	
OSK-W-17-1409	2925		402.0	452747	5434882	331	-53	351.0	351.5	0.5	34.1	
OSK-W-18-1412-W1	4125	Lynx 1	825.0	453684	5435676	133	-51	720.0	722.7	2.7	403	50.9
OSK-W-18-1412-W1	4125	Lynx 1 including	825.0	453684	5435676	133	-51	721.7	722.7	1.0	1050	100
OSK-W-18-1412-W1	4125		825.0	453684	5435676	133	-51	731.0	733.0	2.0	10.4	
OSK-W-18-1412-W1	4125	Lynx 3.26 including	825.0	453684	5435676	133	-51	731.0	733.0	2.0	50.0	
OSK-W-18-1412-W1	4125		825.0	453684	5435676	133	-51	733.0	735.0	2.0	50.0	
OSK-W-17-1413	3450	Lynx 2	996.0	453155	5435214	137	-53	296.0	298.3	2.3	40.6	39.4
OSK-W-17-1413	3450	Lynx 4 including	996.0	453155	5435214	137	-53	297.4	298.3	0.9	103	
OSK-W-17-1413	3450		996.0	453155	5435214	137	-53	534.6	537.0	2.4	5.77	
OSK-W-17-1413	3450	Lynx 4	996.0	453155	5435214	137	-53	742.0	744.0	2.0	3.83	
OSK-W-17-1413	3450	Lynx 6	996.0	453155	5435214	137	-53	967.8	970.2	2.4	8.35	
OSK-W-17-1413	3450	Lynx 6 including	996.0	453155	5435214	137	-53	967.8	968.7	0.9	15.9	
OSK-W-17-1413	3450		996.0	453155	5435214	137	-53	980.5	983.0	2.5	3.30	
OSK-W-18-1414-W1	4100	Lynx 1	1197.8	453656	5435645	133	-57	842.4	846.0	3.6	8.20	
OSK-W-18-1414-W1	4100	Lynx 1 including and	1197.8	453656	5435645	133	-57	842.4	843.0	0.6	20.6	
OSK-W-18-1414-W1	4100		1197.8	453656	5435645	133	-57	844.8	845.3	0.5	17.1	
OSK-W-18-1414-W1	4100	Lynx 4 including	1197.8	453656	5435645	133	-57	855.2	857.9	2.7	26.5	
OSK-W-18-1414-W1	4100		1197.8	453656	5435645	133	-57	934.5	936.7	2.2	151	83.5
OSK-W-18-1414-W1	4100	Lynx 4 including	1197.8	453656	5435645	133	-57	934.5	935.0	0.5	369	100
OSK-W-18-1414-W1	4100		1197.8	453656	5435645	133	-57	935.8	936.7	0.9	137	100
OSK-W-18-1414-W2	4100	Lynx 4	1095.0	453656	5435645	133	-57	1039.0	1041.0	2.0	5.38	
OSK-W-18-1414-W2	4100	Lynx 4 including	1095.0	453656	5435645	133	-57	1039.0	1039.9	0.9	11.6	
OSK-W-18-1414-W2	4100		1095.0	453656	5435645	133	-57	981.0	983.5	2.5	3.24	
OSK-W-18-1414-W3	4100	Lynx 1	1107.0	453656	5435645	133	-57	1002.1	1004.5	2.4	9.43	
OSK-W-18-1414-W3	4100	Lynx 1	1107.0	453656	5435645	133	-57	1008.3	1011.8	3.5	4.20	
OSK-W-18-1414-W3	4100	Lynx 1	1107.0	453656	5435645	133	-57	1010.7	1012.5	1.8	4.31	
OSK-W-18-1414-W6	4100	Lynx 1	1020.0	453656	5435645	133	-57	923.4	925.5	2.1	200	20.6
OSK-W-18-1414-W6	4100	Lynx 1 including	1020.0	453656	5435645	133	-57	923.4	923.8	0.4	1040	100
OSK-W-18-1414-W6	4100		1020.0	453656	5435645	133	-57	946.0	953.1	7.1	13.6	
OSK-W-18-1414-W7	4100	Lynx 3.13	1002.0	453656	5435645	133	-57	966.3	969.1	2.8	37.8	
OSK-W-18-1414-W8	4100	Lynx 1	1082.0	453656	5435645	133	-57	924.4	933.3	8.9	26.0	18.8
OSK-W-18-1415	3850	Lynx HW	560.8	453491	5435451	139	-49	457.0	463.5	6.5	10.1	
OSK-W-18-1415	3850	Lynx HW including	560.8	453491	5435451	139	-49	457.0	457.7	0.7	68.8	
OSK-W-18-1415	3850		560.8	453491	5435451	139	-49	544.0	546.9	2.9	6.09	
OSK-W-18-1418	3225	Lynx 4	1077.0	453288	5434531	334	-45	545.2	545.5	0.3	61.0	
OSK-W-18-1418	3225	Lynx 4 including	1077.0	453288	5434531	334	-45	551.0	553.2	2.2	4.02	
OSK-W-18-1418	3225		1077.0	453288	5434531	334	-45	660.0	665.0	5.0	4.78	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1418	3225	Caribou extension	1077.0	453288	5434531	334	-46	710.0	717.0	7.0	5.96	
		including						710.7	712.6	1.9	11.9	
OSK-W-18-1418	3225	QTV	1077.0	453288	5434531	334	-46	893.0	896.4	3.4	6.72	
		including						893.0	893.5	0.5	39.0	
OSK-W-18-1418	3225	Caribou extension	1077.0	453288	5434531	334	-46	930.0	932.0	2.0	5.86	
OSK-W-18-1419-W1	3875	Lynx 321	906.0	453453	5435560	137	-49	642.0	648.0	6.0	8.63	
OSK-W-18-1419-W1	3875	Lynx 301	906.0	453453	5435560	137	-49	668.0	671.9	3.9	9.13	
		including						670.0	671.0	1.0	24.5	
OSK-W-18-1419-W1	3875	Lynx 333	906.0	453453	5435560	137	-49	807.9	812.2	4.3	14.0	
		including						809.0	809.7	0.7	35.4	
OSK-W-18-1421	2200	CW2	918.0	452216	5434357	340	-47	231.0	233.9	2.9	17.7	
OSK-W-18-1421	2200	FW4	918.0	452216	5434357	340	-47	872.6	875.8	3.2	36.1	
		including						874.5	875.5	1.0	61.8	
OSK-W-18-1422	3850	Lynx HW	476.0	453496	5435446	140	-46	386.0	388.0	2.0	48.0	21.8
		including						386.7	387.1	0.4	231	100
OSK-W-18-1423	3150	Lynx 1 SW	792.0	453025	5434853	327	-61	507.5	509.6	2.1	7.77	
		including						508.5	509.9	0.4	38.7	
OSK-W-18-1423	3150	VNCB	792.0	453025	5434853	327	-61	221.2	223.7	2.5	4.65	
OSK-W-18-1423	3150	Robcat	792.0	453025	5434853	327	-61	268.4	271.0	2.6	3.07	
OSK-W-18-1423	3150	Caribou extension	792.0	453025	5434853	327	-61	509.8	512.0	2.2	5.63	
		including						509.8	510.5	0.7	17.3	
OSK-W-18-1423	3150	Caribou extension	792.0	453025	5434853	327	-61	512.2	515.5	3.3	6.94	
OSK-W-18-1423	3150	Caribou extension	792.0	453025	5434853	327	-61	556.0	559.0	3.0	9.97	
OSK-W-18-1424	3200	No name	930.0	453357	5434364	357	-57	666.3	668.5	2.2	7.58	
OSK-W-18-1424	3200	Lynx 4	930.0	453357	5434364	357	-57	878.2	880.7	2.5	4.24	
		including						879.1	879.9	0.8	12.0	
OSK-W-18-1424-W1	3200	Lynx	1485.0	453357	5434364	357	-57	921.0	923.0	2.0	5.60	
		including						921.8	923.0	1.2	9.32	
OSK-W-18-1426	3875	Lynx	804.0	453453	5435560	136	-47	640.0	642.0	2.0	12.1	
		including						640.0	640.6	0.6	40.2	
OSK-W-18-1426	3875	Lynx	804.0	453453	5435560	136	-47	644.6	646.9	2.3	5.64	
		including						644.6	645.0	0.4	34.7	
OSK-W-18-1426-W1	3875	Lynx	687.0	453453	5435560	136	-47	594.4	596.5	2.1	4.23	
OSK-W-18-1426-W1	3875	Lynx	687.0	453453	5435560	136	-47	600.1	602.5	2.4	6.48	
		including						600.1	600.5	0.4	35.4	
OSK-W-18-1426-W1	3875	Lynx	687.0	453453	5435560	136	-47	622.8	625.8	3.0	45.0	33.4
		including						624.4	624.8	0.4	18.7	100
		including						625.4	625.8	0.4	99.8	
OSK-W-18-1426-W2	3875	Lynx	687.0	453453	5435560	136	-47	666.8	677.8	11.0	21.3	13.9
		including						668.0	668.4	0.4	153	100
		and						671.9	675.2	3.3	23.8	100
OSK-W-18-1426-W3	3875	Lynx	755.5	453453	5435560	136	-47	695.2	697.4	2.2	23.8	
		including						696.0	696.7	0.7	61.5	
OSK-W-18-1429	3975	Lynx HW	819.0	453532	5435607	138	-49	688.4	690.5	2.1	16.9	
		including						690.1	690.5	0.4	41.7	
OSK-W-18-1430	2300	FW1	984.0	452318	5434378	339	-60	707.5	709.5	2.0	7.91	
		including						708.3	709.9	0.6	23.1	
OSK-W-18-1430-W1	2300	FW2	1125.0	452318	5434378	339	-60	818.0	821.0	3.0	4.95	
OSK-W-18-1430-W1	2300	Underdog	1125.0	452318	5434378	339	-60	1105.0	1105.0	0.0	26.0	20.4
		including						1104.0	1104.4	0.4	128	100
OSK-W-18-1431	2250	FW2	1128.0	452288	5434336	337	-62	894.0	896.0	2.0	5.57	
		including						894.8	895.2	0.4	17.6	
OSK-W-18-1431	2250	FW3	1128.0	452288	5434336	337	-62	922.3	925.1	2.8	13.5	
		including						923.2	924.3	1.1	32.1	
OSK-W-18-1431	2250	FW4	1128.0	452288	5434336	337	-62	1070.0	1072.0	2.0	5.73	
OSK-W-18-1431-W1	2250	FW2	1092.0	452288	5434336	337	-62	758.0	760.9	2.9	1.06	
OSK-W-18-1431-W1	2250	FW3	1092.0	452288	5434336	337	-62	922.1	924.6	2.5	4.25	
OSK-W-18-1431-W1	2250	FW3 FW	1092.0	452288	5434336	337	-62	967.8	969.9	2.1	13.5	
		including						969.2	969.9	0.7	28.0	
OSK-W-18-1431-W2	2250	FW2	1140.0	452288	5434336	337	-62	765.0	767.0	2.0	3.55	
OSK-W-18-1431-W2	2250	Underdog	1140.0	452288	5434336	337	-62	854.4	856.5	2.1	11.3	
		including						854.9	855.5	0.6	37.7	
OSK-W-18-1432	4300	Lynx	1101.0	453811	5435779	132	-55	945.0	947.0	2.0	8.94	
		including						946.0	947.0	1.0	17.4	
OSK-W-18-1432-W1	4300	Lynx 4	1149.0	453811	5435779	132	-55	944.0	946.5	2.5	8.89	
OSK-W-18-1432-W1	4300	Lynx 3437	1082.0	453811	5435779	132	-55	895.5	898.0	2.5	34.0	72.1
		including						896.2	896.0	0.8	596	100
OSK-W-18-1432-W3	4300	Lynx 4	1094.0	453811	5435779	132	-55	950.0	952.5	2.5	37.5	32.7
		including						951.0	951.5	0.5	124	100
OSK-W-18-1432-W3	4300	LMA 3446	1094.0	453811	5435779	132	-55	1033.4	1037.2	3.8	91.0	41.3
		including						1035.4	1034.3	0.9	306	100
OSK-W-18-1432-W4	4300	LMA 3424	1053.0	453811	5435779	132	-55	866.0	868.9	2.9	209	63.9
		including						867.0	867.9	0.9	480	100
OSK-W-18-1432-W4	4300	LMA	1053.0	453811	5435779	132	-55	907.8	910.0	2.2	16.1	
		including						908.6	909.0	0.4	96.4	
OSK-W-18-1432-W4	4300	LMA	1053.0	453811	5435779	132	-55	915.1	917.8	2.7	237.0	
		including						916.2	917.0	0.8	60.9	
OSK-W-18-1432-W4	4300	LMA 3437	1053.0	453811	5435779	132	-55	938.0	940.0	2.0	7.17	
		including						938.5	939.0	0.5	26.6	
OSK-W-18-1434	2975	Underdog	1026.0	452483	5434496	335	-55	752.0	754.0	2.0	4.76	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acumuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1434	2475	FW3	including 1026.0	452453	5434496	335	-50	752.7	753.3	0.6	15.1	
			including and					859.5	864.2	4.7	11.6	
								859.5	860.0	0.5	61.4	
OSK-W-18-1434	2475	FW3U	including 1026.0	452453	5434496	335	-55	863.8	864.2	0.4	45.5	
			including					960.0	962.4	2.4	16.0	
								962.0	962.4	0.4	68.7	
OSK-W-18-1435	3150	Bobcat	including 801.0	453025	5434852	331	-65	301.5	303.8	2.3	32.8	31.1
			including					302.1	302.8	0.7	106	100
OSK-W-18-1435	3150	Caribou extension	including 801.0	453025	5434852	331	-65	532.0	534.6	2.6	34.3	24.7
			including					533.3	533.9	0.6	142	100
OSK-W-18-1435	3150	Caribou extension	including 801.0	453025	5434852	331	-65	539.0	541.0	2.0	4.38	
			including					540.2	540.5	0.3	29.0	
OSK-W-18-1435	3150	Caribou extension	including 801.0	453025	5434852	331	-65	555.5	558.0	2.5	16.7	
			including					555.5	556.5	1.0	40.7	
OSK-W-18-1436	3775	Lynx 2	including 1128.0	453374	5435505	139	-52	546.0	548.0	2.0	36.3	
			including					547.0	547.6	0.6	91.0	
OSK-W-18-1436	3775	Lynx 4	including 1128.0	453374	5435505	139	-52	902.5	904.5	2.0	8.40	
			including					903.3	903.6	0.3	49.8	
OSK-W-18-1436	3775	Lynx	including 1128.0	453374	5435505	139	-52	1026.7	1029.2	2.5	10.1	
OSK-W-18-1436	3775	Lynx 4	including 1128.0	453374	5435505	139	-52	1062.3	1064.3	2.0	48.0	25.2
			including					1063.8	1064.3	0.5	195	
OSK-W-18-1436	3775	Lynx 4	including 1128.0	453374	5435505	139	-52	1069.2	1074.2	5.0	33.8	
			including					1069.2	1069.8	0.6	97.6	
OSK-W-18-1440	2425	Vein	including 870.0	452420	5434447	329	-57	144.1	146.5	2.4	6.61	
			including					145.6	146.5	0.9	17.6	
OSK-W-18-1440	2425	FW2	including 870.0	452420	5434447	329	-57	729.3	732.0	2.7	81.4	26.7
			including					730.3	731.0	0.7	138	100
OSK-W-18-1441	3075	Bobcat	including 441.0	452889	5434909	328	-60	181.0	187.6	6.6	8.06	
OSK-W-18-1441	3075	Bobcat	including 441.0	452889	5434909	328	-60	304.0	306.6	2.6	3.41	
OSK-W-18-1443	3825	Lynx HW	including 792.0	453443	5435477	136	-50	584.0	586.0	2.0	4.25	
			including					584.4	585.0	0.6	13.7	
OSK-W-18-1443	3825	Lynx 4	including 792.0	453443	5435477	136	-50	668.0	670.8	2.9	68.5	45.1
			including					668.9	669.9	1.0	168	100
OSK-W-18-1445	3050	Caribou extension	including 660.0	452895	5434864	338	-66	531.9	535.4	3.5	5.75	
OSK-W-18-1446	2225	FW1	including 987.0	452257	5434331	335	-48	679.0	682.2	3.2	10.8	
			including					680.2	680.8	0.6	32.6	
OSK-W-18-1446	2225	FW2	including 987.0	452257	5434331	335	-48	761.0	763.0	2.0	4.27	
			including					761.7	762.4	0.7	12.1	
OSK-W-18-1446	2225	FW3	including 987.0	452257	5434331	335	-48	794.6	796.2	1.6	4.05	
			including					795.2	796.0	0.8	11.0	
OSK-W-18-1448	2950	Caribou	including 483.0	452687	5434809	333	-53	261.0	265.0	4.0	14.0	
OSK-W-18-1448	2950	Caribou	including 483.0	452687	5434809	333	-53	324.0	326.0	2.0	6.89	
OSK-W-18-1449	3175	Bobcat	including 603.0	452901	5435120	145	-48	48.4	51.2	2.8	3.71	
OSK-W-18-1450	3800	Lynx	including 660.0	453386	5435517	135	-52	535.0	537.0	2.0	13.4	
			including					536.5	537.0	0.5	51.6	
OSK-W-18-1450	3800	Lynx 2	including 660.0	453386	5435517	135	-52	565.1	567.3	2.2	36.7	
OSK-W-18-1453-W2	4225	Lynx 324	including 879.0	453787	5435664	142	-56	736.8	739.0	2.2	12.2	
			including					738.0	739.0	1.0	26.2	
OSK-W-18-1454	3750	Lynx	including 1089.0	453376	5435452	145	-53	486.8	490.1	3.3	45.5	
			including					486.8	487.6	0.8	97.1	
			including					496.6	490.1	6.5	29.4	
OSK-W-18-1454	3750	Lynx 4	including 1089.0	453376	5435452	145	-53	896.1	898.7	2.6	17.0	16.4
			including					896.1	896.5	0.4	104	100
OSK-W-18-1455	3050	Lynx HW	including 552.0	453567	5435492	140	-49	441.0	443.0	2.0	4.12	
			including					441.3	442.0	0.7	10.5	
OSK-W-18-1457	3275	Bobcat	including 318.0	452981	5435148	137	-57	52.7	55.0	2.3	10.5	
			including					54.0	54.3	0.3	66.0	
OSK-W-18-1459	3175	VNCR	including 621.0	452982	5435185	152	-50	180.0	182.0	2.0	8.26	
			including					181.2	182.0	0.8	20.1	
OSK-W-18-1459	3175	Bobcat	including 621.0	452982	5435185	152	-50	256.0	258.0	2.0	9.52	
			including					257.5	258.0	0.5	36.4	
OSK-W-18-1460	3775	Lynx HW	including 432.3	453469	5435345	143	-51	296.0	298.0	2.0	3.87	
OSK-W-18-1460	3775	Lynx HW	including 432.3	453469	5435345	143	-51	311.3	316.5	5.2	0.21	
OSK-W-18-1460	3775	Lynx HW	including 432.3	453469	5435345	143	-51	332.0	337.4	5.4	4.50	
			including					332.0	332.5	0.5	26.3	
			including					337.0	337.4	0.4	26.5	
OSK-W-18-1461	3725	Lynx	including 849.0	453307	5435500	133	-52	782.0	784.3	2.3	16.9	
			including					783.5	784.3	0.8	38.1	
OSK-W-18-1462	3475	Lynx	including 225.0	453324	5434950	331	-47	141.3	144.0	2.7	3.77	
			including					142.3	142.6	0.3	49.3	
OSK-W-18-1463	2150	Z27	including 135.0	451930	5434743	161	-45	81.0	83.0	2.0	14.6	
			including					81.6	82.6	1.0	28.4	
OSK-W-18-1463	2150	Z27	including 135.0	451930	5434743	161	-45	101.8	112.2	10.4	3.34	
			including					101.8	102.5	0.7	17.3	
OSK-W-18-1464	3625	Lynx	including 432.0	453466	5435043	334	-72	208.8	211.0	2.2	4.75	
OSK-W-18-1464	3625	Lynx	including 432.0	453466	5435043	334	-72	260.0	262.9	2.9	3.84	
OSK-W-18-1464	3625	Lynx	including 432.0	453466	5435043	334	-72	273.0	275.7	2.7	6.07	
			including					273.8	274.3	0.5	35.7	
OSK-W-18-1464	3625	Lynx	including 432.0	453466	5435043	334	-72	277.0	279.7	2.7	4.52	
			including					278.9	279.3	0.4	22.9	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) reported	Au (g/t) cut to 100 g/t
OSK-W-18-1464	3625	VNCR	432.0	453466	5435043	334	-72	396.1	399.7	3.6	42.3	15.9
		including						397.5	398.0	0.5	290	100
OSK-W-18-1464	3625	VNCR	432.0	453466	5435043	334	-72	406.8	409.7	2.9	3.80	
OSK-W-18-1465	2825	Bobcat	166.3	453561	5434807	530	-50	152.0	154.3	2.3	3.24	
		including						152.0	152.6	0.6	12.0	
OSK-W-18-1466	2100		300.0	453079	5434532	345	-47	129.2	131.2	2.0	4.36	
		including						130.7	131.2	0.5	14.3	
OSK-W-18-1466	2100		300.0	453079	5434532	345	-47	177.0	179.0	2.0	3.81	
		including						178.1	178.5	0.4	17.8	
OSK-W-18-1468	2350	Caribou	68.0	452532	5434590	328	-55	46.7	50.0	3.3	10.3	
		including						47.2	47.5	0.3	27.2	
OSK-W-18-1470	3475	Lynx	324.0	453325	5434948	332	-57	149.2	152.3	3.1	14.5	
		including						150.4	151.2	0.8	44.9	
OSK-W-18-1470	3475	Lynx	324.0	453325	5434948	332	-57	184.0	186.0	2.0	28.4	
		including						184.0	185.0	1.0	56.7	
OSK-W-18-1470	3475	Lynx	324.0	453325	5434948	332	-57	203.9	206.0	2.1	5.43	
		including						203.9	204.2	0.3	33.5	
OSK-W-18-1470	3475	Lynx	324.0	453325	5434948	332	-57	235.6	237.0	1.4	37.4	
		including						236.0	236.7	0.7	21.5	100
OSK-W-18-1471	2125		147.0	453189	5434762	146	-46	144.0	146.0	2.0	14.9	
OSK-W-18-1472	2825	Bobcat	300.0	453268	5434899	146	-47	45.0	56.1	11.1	14.4	
		including						50.4	53.0	2.6	38.4	
OSK-W-18-1473	2350	Caribou	387.0	453225	5434589	329	-55	46.7	49.6	2.9	11.9	
OSK-W-18-1473	2350	Caribou	387.0	453225	5434589	329	-55	162.0	164.0	2.0	4.33	
		including						162.5	163.0	0.5	12.1	
OSK-W-18-1473	2350		387.0	453225	5434589	329	-55	373.0	375.3	2.3	3.87	
OSK-W-18-1475	3375	Lynx	357.0	453262	5434892	327	-56	258.8	261.0	2.2	8.09	
		including						258.8	259.1	0.3	96.1	
OSK-W-18-1476	2100		294.0	452016	5434498	334	-46	230.7	233.0	2.3	3.08	
		including						230.7	231.0	0.3	12.6	
OSK-W-18-1476	2100		294.0	452016	5434498	334	-46	251.0	253.0	2.0	6.38	
		including						252.0	252.4	0.4	30.1	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	134	-50	549.1	552.8	3.7	20.1	
		including						550.1	551.0	0.9	63.9	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	134	-50	749.8	752.8	3.0	3.00	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	134	-50	783.3	787.0	3.7	86.9	15.9
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	134	-50	783.3	788.8	5.5	68.0	100
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	134	-50	793.8	796.0	2.2	102	42.1
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	134	-50	794.8	795.4	0.6	330	100
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	134	-50	846.0	848.0	2.0	3.82	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	134	-50	895.0	897.0	2.0	15.9	
		including						896.0	897.0	1.0	31.8	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	134	-50	912.1	914.9	2.8	7.01	
		including						912.1	912.4	0.3	53.8	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	134	-50	1099.0	1103.0	2.0	8.83	
		including						1099.0	1100.0	1.0	17.5	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	134	-50	1106.0	1117.8	11.8	4.83	
		including						1106.9	1112.7	5.8	14.4	
OSK-W-18-1477	3675	Lynx	1200.0	453257	5435474	134	-50	1167.0	1169.2	2.2	20.3	
		including						1167.8	1168.2	0.4	58.0	
OSK-W-18-1481	2925	Bobcat	538.0	453706	5434971	522	-46	49.0	50.0	2.0	12.7	
		including						89.4	90.5	1.1	22.9	
OSK-W-18-1483	2950	Lynx	177.0	452778	5434886	143	-54	100.0	102.0	2.0	3.31	
		including						101.2	101.5	0.3	21.7	
OSK-W-18-1486	3400	Lynx	366.0	453283	5434874	331	-53	301.6	304.0	2.4	3.60	
		including						301.6	302.5	0.9	9.24	
OSK-W-18-1487	2475	Caribou	57.0	452342	5434658	332	-46	44.5	50.0	5.5	3.82	
OSK-W-18-1488	3425	Caribou	145.0	452313	5434629	328	-53	83.9	86.6	2.7	5.17	
OSK-W-18-1490	2925	Bobcat	129.0	452749	5434854	334	-55	34.7	37.3	2.6	7.34	
		including						35.7	36.3	0.6	19.2	
OSK-W-18-1492	3550	Lynx	420.0	453438	5434905	333	-58	311.4	314.7	3.3	68.0	
OSK-W-18-1492	3550	VNCR	420.0	453438	5434905	333	-58	337.3	339.5	2.2	10.1	
		including						338.7	339.5	0.8	26.3	
OSK-W-18-1492	3550	VNCR	420.0	453438	5434905	333	-58	402.6	405.0	2.4	3.82	
OSK-W-18-1494	3025	Bobcat	231.0	452836	5434894	332	-50	110.4	112.4	2.0	34.8	
		including						110.9	111.6	0.7	36.5	
OSK-W-18-1494	3025	Bobcat	231.0	452836	5434894	332	-50	190.7	192.9	2.2	5.71	
		including						191.4	192.5	1.1	11.0	
OSK-W-18-1495	3575	Lynx	381.0	453454	5434963	336	-67	365.0	367.0	2.0	7.54	
		including						365.5	366.4	0.9	45.8	
OSK-W-18-1496	3675	Lynx	456.4	453318	5435368	143	-51	390.1	394.8	4.7	14.5	
		including						392.3	392.8	0.5	91.9	
OSK-W-18-1496	3675	Lynx	456.4	453318	5435368	143	-51	422.8	425.0	2.2	10.1	
		including						422.8	423.7	0.9	24.6	
OSK-W-18-1497	2475	Caribou	363.0	452349	5434662	331	-52	72.2	74.4	2.2	5.45	
		including						72.2	72.8	0.6	14.1	
OSK-W-18-1497	2475	Caribou	363.0	452349	5434662	331	-52	91.3	94.0	2.7	3.84	
OSK-W-18-1497	2475		363.0	452349	5434662	331	-52	288.0	295.0	7.0	10.00	
		including						292.0	292.8	0.8	46.9	
OSK-W-18-1497	2475		363.0	452349	5434662	331	-52	305.0	311.0	6.0	8.53	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acumult. (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1565	3500	Lynx	including 436.0	453387	5434019	330	-57	291.2	291.7	0.5	31.6	
			including 436.0	453387	5434019	330	-57	370.0	372.8	2.8	9.63	
OSK-W-18-1567	2375	227	213.0	452238	5434683	338	-48	172.0	174.0	2.0	3.34	
OSK-W-18-1567	2375	227	213.0	452238	5434683	338	-48	187.2	191.0	3.8	8.56	
			including 522.0	453325	5435397	142	-46	190.5	191.0	0.5	40.5	
OSK-W-18-1569	3675	Lynx	including 522.0	453325	5435397	142	-46	390.7	393.1	2.4	10.3	
			including 525.0	453325	5435397	142	-46	391.3	392.1	0.8	30.5	
OSK-W-18-1569-W1	3675	Lynx	including 525.0	453325	5435397	142	-46	428.0	429.4	1.4	20.9	18.8
			including 402.0	453365	5434932	331	-55	429.4	429.8	0.4	113	100
OSK-W-18-1570	3500	Lynx	including 402.0	453365	5434932	331	-55	191.0	193.3	2.3	24.5	20.3
			including 402.0	453365	5434932	331	-55	192.9	193.3	0.4	124	100
OSK-W-18-1570	3500	Lynx	including 402.0	453365	5434932	331	-55	305.0	307.0	2.0	10.7	
			including 201.0	452181	5434857	154	-57	305.5	306.2	0.7	30.3	
OSK-W-18-1571	2425	227	738.0	452469	5434627	333	-50	180.0	182.0	2.0	3.34	
OSK-W-18-1572	2550	Caribou	738.0	452469	5434627	333	-50	206.6	208.6	2.0	3.44	
OSK-W-18-1572	2550	227	738.0	452469	5434627	333	-50	532.0	534.0	2.0	6.61	
			including 216.0	453358	5435008	330	-59	532.0	532.6	0.6	21.4	
OSK-W-18-1575	3525	Lynx	including 216.0	453358	5435008	330	-59	133.0	135.4	2.4	36.1	
			including 216.0	453358	5435008	330	-59	133.7	134.5	0.8	64.1	
OSK-W-18-1575	3525	Lynx	including 216.0	453358	5435008	330	-59	135.0	135.4	0.4	62.4	
			including 153.0	452235	5434844	325	-45	142.0	144.0	2.0	7.35	
OSK-W-18-1577	2475	227	including 153.0	452235	5434844	325	-45	143.0	144.0	1.0	8.83	
			including 351.0	453451	5435008	331	-60	88.8	90.2	1.4	30.1	
OSK-W-18-1578	3600	Lynx	including 351.0	453451	5435008	331	-60	259.2	264.3	5.1	5.48	
			including 351.0	453451	5435008	331	-60	264.0	264.3	0.3	59.9	
OSK-W-18-1578	3600	Lynx	including 351.0	453451	5435008	331	-60	279.5	282.1	2.6	3.59	
OSK-W-18-1578	3600	Lynx	including 351.0	453451	5435008	331	-60	284.4	286.6	2.2	3.39	
OSK-W-18-1579	3500	Lynx	including 171.0	453315	5435013	331	-57	115.0	117.0	2.0	4.09	
OSK-W-18-1579	3500	Lynx	including 171.0	453315	5435013	331	-57	120.2	122.5	2.3	40.9	
			including 68.0	453264	5434854	327	-46	122.2	122.5	0.3	20.5	
OSK-W-18-1580	2500	227	including 68.0	453264	5434854	327	-46	15.0	17.0	2.0	6.47	
			including 1248.0	453279	5435516	143	-50	15.0	15.7	0.7	18.1	
OSK-W-18-1582	3700	Lynx 4	including 1248.0	453279	5435516	143	-50	530.5	532.5	2.0	3.34	
OSK-W-18-1582	3700	Lynx 4	including 1248.0	453279	5435516	143	-50	874.2	877.3	3.1	13.6	
			including 1248.0	453279	5435516	143	-50	874.2	875.0	0.8	35.4	
OSK-W-18-1582	3700	Lynx 4	including 1248.0	453279	5435516	143	-50	911.0	913.0	2.0	6.64	
OSK-W-18-1586	2550	227	117.0	452271	5434953	146	-52	37.5	40.0	2.5	3.63	
OSK-W-18-1586	2550	227	117.0	452271	5434953	146	-52	52.4	55.6	3.2	37.9	
			including 360.0	453451	5435009	332	-62	53.2	54.0	0.8	83.7	
OSK-W-18-1587	3600	Lynx	including 360.0	453451	5435009	332	-62	198.1	200.1	2.0	10.0	
OSK-W-18-1587	3600	Lynx	including 360.0	453451	5435009	332	-62	198.1	200.1	2.0	10.0	
			including 360.0	453451	5435009	332	-62	199.1	200.1	1.0	18.8	
OSK-W-18-1587	3600	Lynx	including 360.0	453451	5435009	332	-62	288.1	290.5	2.4	13.2	
			including 360.0	453451	5435009	332	-62	289.1	289.5	0.4	77.7	
OSK-W-18-1587	3600	VNCR	including 360.0	453451	5435009	332	-62	322.5	328.6	6.1	5.01	
			including 360.0	453451	5435009	332	-62	322.5	323.5	1.0	17.3	
OSK-W-18-1587	3600	Lynx	including 360.0	453451	5435009	332	-62	345.8	347.8	2.0	21.3	
			including 123.0	452237	5434944	198	-48	345.8	346.8	1.0	40.7	
OSK-W-18-1589	2525	227	including 123.0	452237	5434944	198	-48	101.6	103.8	2.2	742	24.0
			including 381.0	453489	5435064	329	-68	102.9	103.4	0.5	3260	100
OSK-W-18-1593	3675	Lynx	including 381.0	453489	5435064	329	-68	194.8	197.1	2.3	3.33	
			including 381.0	453489	5435064	329	-68	195.2	195.8	0.6	12.5	
OSK-W-18-1593	3675	Lynx	including 381.0	453489	5435064	329	-68	228.1	230.9	2.8	494	13.2
			including 381.0	453489	5435064	329	-68	230.6	230.9	0.3	4590	100
OSK-W-18-1593	3675	VNCR	including 381.0	453489	5435064	329	-68	354.5	357.0	2.5	6.63	
OSK-W-18-1594	2500	227	270.0	452212	5434965	140	-50	166.9	169.3	2.4	3.53	
OSK-W-18-1594	2500	227	270.0	452212	5434965	140	-50	177.8	180.4	2.6	10.4	
OSK-W-18-1596	2450	227	339.0	452326	5434670	333	-45	245.0	247.1	2.1	5.52	
			including 254.0	452277	5434662	325	-47	245.6	246.1	0.5	13.4	
OSK-W-18-1597	2400	Caribou	including 254.0	452277	5434662	325	-47	127.9	130.0	2.1	9.08	
			including 254.0	452277	5434662	325	-47	127.9	129.0	1.1	17.3	
OSK-W-18-1597	2400	227	including 525.0	452346	5435471	145	-53	205.0	207.5	2.5	5.08	
			including 525.0	452346	5435471	145	-53	434.8	437.0	2.2	5.47	
OSK-W-18-1598-W1	3750	Lynx	including 546.0	453346	5435471	145	-51	435.4	436.1	0.7	14.7	
			including 273.0	452267	5434628	330	-49	511.0	513.0	2.0	51.5	46.5
OSK-W-18-1601	2375	Caribou	273.0	452267	5434628	330	-49	33.0	35.0	2.0	4.38	
OSK-W-18-1602	2400	Caribou	261.0	452277	5434662	330	-47	83.5	85.5	2.0	18.4	
			including 261.0	452277	5434662	330	-47	83.5	84.5	1.0	26.4	
OSK-W-18-1602	2400	Caribou	including 261.0	452277	5434662	330	-47	140.7	143.1	2.4	7.98	
			including 261.0	452277	5434662	330	-47	141.8	142.4	0.6	22.4	
OSK-W-18-1602	2400	Caribou	261.0	452277	5434662	330	-47	170.5	172.5	2.0	4.13	
OSK-W-18-1602	3275	Triples 8	2309.0	453340	5434543	35	-80	1495.3	1519.6	28.3	20.4	17.7
			including 1668.6	453340	5434543	35	-80	1501.0	1511.0	10.0	46.5	36.8
			including 1668.6	453340	5434543	35	-80	1501.0	1505.0	4.0	81.1	62.0
OSK-W-18-1603-W1	3275	Triples 8	including 1668.6	453340	5434543	35	-80	1378.3	1379.7	1.4	18.0	
			including 1743.0	453340	5434543	35	-80	1378.3	1374.1	0.8	49.6	
OSK-W-18-1603-W3	3275	Triples 8	including 1743.0	453340	5434543	35	-80	1411.0	1413.9	2.9	8.94	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-1603-W3	3275	Triple 8	1743.0	453340	5434543	35	-80	1453.5	1455.6	2.1	11.9	
		including						1453.5	1454.2	0.7	31.8	
OSK-W-19-1603-W3	3275	Triple 8	1743.0	453340	5434543	35	-80	1459.5	1461.5	2.0	4.04	
OSK-W-19-1603-W3	3275	Triple 8	1743.0	453340	5434543	35	-80	1477.7	1479.7	2.0	5.62	
OSK-W-19-1603-W3	3275	Triple 8	1743.0	453340	5434543	35	-80	1550.8	1553.0	2.2	4.25	
		including						1552.0	1552.4	0.4	13.2	
OSK-W-19-1603-W3	3275	Triple 8	1743.0	453340	5434543	35	-80	1558.0	1560.2	2.2	4.92	
OSK-W-19-1603-W4	3275	Triple 8	1748.0	453340	5434543	35	-80	1622.3	1624.8	2.5	0.17	
OSK-W-19-1603-W5	3275	Triple 8 - 8000	1799.0	453340	5434543	35	-80	1523.4	1526.0	2.6	3.70	
OSK-W-19-1603-W5	3275	Triple 8	1799.0	453340	5434543	35	-80	1542.0	1544.0	2.0	4.96	
		including						1542.5	1542.8	0.3	15.7	
OSK-W-19-1603-W5	3275	Triple 8	1799.0	453340	5434543	35	-80	1612.0	1614.0	2.0	266	50.1
		including						1612.0	1613.0	1.0	531	100
OSK-W-19-1603-W5	3275	Triple 8	1799.0	453340	5434543	35	-80	1613.3	1615.3	2.0	19.0	
		including						1613.9	1614.7	0.8	44.0	
OSK-W-19-1603-W5	3275	Triple 8	1799.0	453340	5434543	35	-80	1680.8	1683.0	2.2	7.08	
		including						1681.4	1681.9	0.5	29.6	
OSK-W-19-1603-W5	3275	Triple 8	1799.0	453340	5434543	35	-80	1711.7	1713.9	2.2	0.85	
OSK-W-18-1604	3575	Lynx 336	909.0	453219	5435347	142	-52	715.3	717.3	2.0	35.1	
		including						715.3	716.3	1.0	66.9	
OSK-W-18-1604	3575	Lynx 350	909.0	453219	5435347	142	-52	833.0	836.7	3.7	29.1	
		including						834.6	834.9	0.3	23.7	100
OSK-W-18-1605	2450	Caribou	945.0	452326	5434670	129	-45	91.3	95.3	2.0	3.27	
OSK-W-18-1605	2450	227	345.0	452326	5434670	129	-45	248.0	250.0	2.0	3.05	
OSK-W-18-1607	2375	227	261.0	452244	5434628	132	-47	202.0	204.0	2.0	3.89	
OSK-W-18-1608	3725	Lynx	1161.0	453330	5435466	146	-51	510.1	513.4	3.3	17.2	
		including						512.6	513.4	0.8	54.9	
OSK-W-18-1608	3725	Lynx	1161.0	453330	5435466	146	-51	518.7	521.2	4.5	10.2	
		including						519.7	520.6	0.9	26.5	
		and						822.9	823.2	0.3	42.2	
OSK-W-18-1608	3725	Lynx	1161.0	453330	5435466	146	-51	1045.5	1048.5	3.0	3.74	
OSK-W-18-1608	3725	Lynx	1161.0	453330	5435466	146	-51	1087.5	1090.0	5.5	3.50	
OSK-W-18-1608	3725	Lynx	1161.0	453330	5435466	146	-51	1099.5	1101.1	5.6	3.73	
OSK-W-18-1608	3725	Lynx	1161.0	453330	5435466	146	-51	1108.5	1110.5	2.0	6.61	
OSK-W-18-1609	2450	Caribou	315.0	452314	5434664	134	-45	58.5	65.0	2.5	5.54	
		including						58.5	59.7	1.2	11.4	
OSK-W-18-1609	2450	227	315.0	452314	5434664	134	-45	257.8	260.5	2.7	4.69	
		including						258.8	259.3	0.5	22.2	
OSK-W-18-1611	2400	Caribou	270.0	452276	5434652	128	-46	82.0	84.1	2.1	5.39	
		including						83.3	84.1	0.8	12.6	
OSK-W-18-1611	2400	227	270.0	452276	5434652	128	-46	215.9	218.0	2.1	5.41	
OSK-W-18-1613	3475	Lynx	381.0	453201	5435176	141	-52	171.7	174.0	2.3	8.12	
		including						173.0	174.0	1.0	18.2	
OSK-W-18-1613	3475	Lynx	381.0	453201	5435176	141	-52	221.4	226.6	5.2	46.4	17.2
		including						221.4	222.2	0.8	290	100
OSK-W-18-1613	3475	Lynx	381.0	453201	5435176	141	-52	333.0	335.1	2.1	6.58	
		including						333.5	334.0	0.5	26.9	
OSK-W-18-1614	2450	227	279.0	452158	5434951	146	-47	71.0	75.1	2.1	6.47	
OSK-W-18-1614	2450	227	279.0	452158	5434951	146	-47	81.0	85.3	4.3	34.8	28.2
		including						84.0	85.3	1.3	109	78.5
OSK-W-18-1615	3725	Lynx	992.5	453330	5435465	149	-48	479.3	481.4	2.1	18.0	
		including						479.8	480.4	0.6	60.5	
OSK-W-18-1615	3725	Lynx	992.5	453330	5435465	149	-48	494.5	496.6	2.1	12.7	
		including						495.1	495.6	0.5	48.6	
OSK-W-18-1616-W1	4225	New zone	2244.3	454135	5435058	40	-85	1986.1	1988.5	2.4	22.4	18.9
		including						1987.1	1987.7	0.6	129	100
OSK-W-18-1616-W2	4225	Triple 8	2293.0	454135	5435058	40	-85	2075.0	2077.0	2.0	13.4	
OSK-W-18-1617	3425	Caribou	245.0	452273	5434675	129	-47	151.7	154.3	2.6	3.49	
		including						153.9	154.3	0.4	15.7	
OSK-W-18-1618	2450	Caribou	255.0	452315	5434663	126	-45	160.5	161.0	2.5	3.00	
		including						160.8	161.4	0.6	11.0	
OSK-W-18-1622	2450	227	303.0	452159	5434943	139	-48	32.5	34.6	2.1	16.0	
OSK-W-18-1623	3425	Caribou	279.0	452291	5434649	132	-45	175.0	177.3	2.3	6.51	
		including						175.5	176.0	0.5	19.7	
		including						177.0	177.3	0.3	24.3	
OSK-W-18-1624	2450	Caribou	333.0	452315	5434663	130	-47	62.2	65.1	2.9	6.01	
		including						62.2	62.9	0.7	15.5	
OSK-W-18-1624	2450	Caribou	333.0	452315	5434663	130	-47	181.6	184.0	2.4	7.97	
		including						181.6	182.1	0.5	36.1	
OSK-W-18-1624	2450	227	333.0	452315	5434663	130	-47	396.2	311.0	4.2	4.30	
OSK-W-18-1627	3600	Lynx	513.0	453229	5435372	141	-51	405.6	409.0	2.4	9.25	
OSK-W-18-1627	3600	Lynx	513.0	453229	5435372	141	-51	439.6	442.0	2.4	15.1	
		including						476.0	478.0	2.0	11.8	
OSK-W-18-1628	3700	Lynx	1284.3	453287	5435492	145	-48	476.9	477.5	0.6	38.1	
		including						533.1	535.7	2.6	57.5	38.8
OSK-W-18-1628	3700	Lynx	1284.3	453287	5435492	145	-48	555.5	557.6	2.1	23.0	
		including						555.9	556.6	0.7	68.8	
OSK-W-18-1628	3700	Lynx	1284.3	453287	5435492	145	-48	754.6	758.9	4.3	9.92	
		including						754.6	755.4	0.8	46.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1628	3700	Lynx 4	1284.3	452327	5435492	145	-48	925.3	928.7	3.4	21.0	
		including						925.9	927.5	0.6	86.0	
OSK-W-18-1630	3425	Caribou	207.0	452306	5434658	330	-45	41.9	44.0	2.1	3.59	
		including						41.9	42.4	0.5	14.3	
OSK-W-18-1631	3475	Caribou	315.0	452357	5434670	330	-45	76.0	81.1	5.1	4.50	
OSK-W-18-1631	3475	227	315.0	452357	5434670	330	-45	265.0	267.0	2.0	17.1	
		including						266.0	267.0	1.0	34.0	
OSK-W-18-1632	3475	Caribou	390.0	452341	5434668	329	-47	47.0	48.8	2.8	5.51	
OSK-W-18-1632	3475	227	390.0	452341	5434668	329	-47	322.0	324.5	2.5	3.28	
OSK-W-18-1632	3475	227	390.0	452341	5434668	329	-47	368.6	370.9	2.3	3.50	
OSK-W-18-1634	3425	Caribou	354.0	452305	5434659	330	-46	169.0	172.9	3.9	6.29	
		including						169.0	169.3	0.3	32.1	
		including						170.5	170.9	0.4	23.3	
		including						172.6	172.9	0.3	14.3	
OSK-W-18-1638	3700	Lynx	555.0	453296	5435476	147	-49	515.0	517.0	2.0	198	97.4
		including						516.0	517.0	1.0	302	100
OSK-W-18-1638	3700	Lynx	555.0	453296	5435476	147	-49	538.6	540.6	2.0	14.6	
		including						538.6	539.6	1.0	29.1	
OSK-W-18-1639	3625	Lynx	1163.5	453266	5435397	142	-53	452.0	455.5	3.5	3.27	
OSK-W-18-1639	3625	Lynx	1163.5	453266	5435397	142	-53	475.8	481.0	5.2	51.0	19.8
		including						476.8	477.7	0.9	29.90	100
OSK-W-18-1639	3625	Lynx	1163.5	453266	5435397	142	-53	502.0	504.0	2.0	4.87	
		including						502.0	503.7	0.7	13.8	
OSK-W-18-1639	3625	Lynx 336	1163.5	453266	5435397	142	-53	754.0	757.0	3.0	8.80	
		including						754.0	755.0	1.0	15.6	
OSK-W-18-1639	3625	Lynx 350	1163.5	453266	5435397	142	-53	875.0	877.0	2.0	23.7	
		including						875.0	876.0	1.0	45.3	
OSK-W-18-1639	3625	Lynx 327	1163.5	453266	5435397	142	-53	1078.9	1081.0	3.1	7.49	
OSK-W-18-1640	2375	Caribou	407.0	452289	5434575	318	-59	106.7	109.0	2.3	6.27	
		including						108.2	108.6	0.4	31.7	
OSK-W-18-1640	2375	Caribou	407.0	452289	5434575	318	-59	121.2	124.2	3.0	50.0	49.6
		including						122.4	124.2	1.8	80.6	69.9
OSK-W-18-1642	2450	Caribou	473.0	452331	5434628	331	-55	127.9	131.7	3.8	12.8	
OSK-W-18-1642	2450	227	473.0	452331	5434628	331	-55	372.0	374.3	2.3	5.95	
		including						372.0	372.3	0.3	23.6	
OSK-W-18-1643	3125	Bolocat	377.0	452871	5435970	189	-45	155.0	157.7	2.7	5.99	
		including						156.8	157.7	0.9	17.6	
OSK-W-18-1644	2125	Caribou	342.0	452069	5434448	353	-45	197.0	199.6	2.6	3.32	
OSK-W-18-1644	2125	227	342.0	452069	5434448	353	-45	322.5	325.8	3.3	41.1	
OSK-W-18-1645	3725	Lynx	618.0	453309	5435497	141	-50	560.0	562.0	2.0	5.39	
		including						560.8	561.5	0.7	15.2	
OSK-W-18-1646	2100	Caribou	330.0	452014	5434503	2	-53	152.8	155.2	2.4	7.51	
OSK-W-18-1646	2100	227	330.0	452014	5434503	2	-53	254.3	257.0	2.7	6.28	
OSK-W-18-1647	3625	Lynx	534.0	453266	5435397	142	-53	496.3	498.3	2.0	17.4	
OSK-W-18-1648	2125	Caribou	342.0	452057	5434456	343	-47	50.0	52.0	2.0	3.74	
OSK-W-18-1648	2125	227	342.0	452057	5434456	343	-47	330.0	334.4	4.4	0.39	
OSK-W-18-1649	2125	Caribou	369.0	452069	5434449	358	-45	64.8	68.8	2.0	4.61	
OSK-W-18-1649	2125	Caribou	369.0	452069	5434449	358	-45	265.0	268.0	3.0	48.4	45.0
		including						266.4	267.3	0.9	108	100
OSK-W-18-1649	2125	227	369.0	452069	5434449	358	-45	334.9	337.0	2.1	14.9	
		including						344.9	345.2	0.3	88.6	
OSK-W-18-1650	2100	227	306.0	452014	5434503	360	-56	261.9	270.0	4.1	6.11	
		including						269.0	270.0	1.0	16.1	
OSK-W-18-1650	2100	227	306.0	452014	5434503	360	-56	295.0	298.2	3.2	4.22	
OSK-W-18-1651	2125	Caribou	378.0	452069	5434448	2	-45	226.9	229.1	2.2	4.01	
OSK-W-18-1651	2125	Caribou	378.0	452069	5434448	2	-45	305.0	307.0	2.0	5.68	
OSK-W-18-1651	2125	227	378.0	452069	5434448	2	-45	320.0	322.0	2.0	7.39	
		including						321.0	322.0	1.0	14.3	
OSK-W-18-1651	2125	227	378.0	452069	5434448	2	-45	337.3	342.0	4.7	3.45	
OSK-W-18-1653	2125	227	336.0	452057	5434456	341	-45	285.4	288.0	2.6	4.15	
OSK-W-18-1654	2100	227	282.0	452015	5434503	355	-52	259.0	261.0	2.0	0.10	
OSK-W-18-1655	2150	Caribou	375.0	452088	5434441	351	-45	381.0	387.0	2.0	21.5	20.1
		including						285.6	286.0	0.4	107	100
OSK-W-18-1655	2150	227	375.0	452088	5434441	351	-45	318.8	321.1	2.3	4.99	
OSK-W-18-1655	2150	227	375.0	452088	5434441	351	-45	343.6	346.0	19.4	21.6	19.9
		including						343.6	344.6	1.0	60.5	
		including						351.0	353.6	2.6	62.2	56.7
		including						360.0	360.9	0.9	122	100
OSK-W-18-1655	2150	227	375.0	452088	5434441	351	-45	365.8	368.1	2.3	11.1	
		including						367.6	368.1	0.5	30.3	
OSK-W-18-1656	3675	Lynx	1154.4	453261	5435471	144	-45	550.9	556.7	5.8	8.28	
		including						553.3	554.3	1.0	28.6	
OSK-W-18-1656	3675	Lynx	1154.4	453261	5435471	144	-45	730.0	736.0	6.0	5.07	
		including						730.0	730.5	0.5	36.5	
OSK-W-18-1656	3675	Lynx	1154.4	453261	5435471	144	-45	781.7	786.0	2.3	6.08	
		including						784.7	785.3	0.6	23.0	
OSK-W-18-1656	3675	Lynx	1154.4	453261	5435471	144	-45	900.7	902.8	2.1	131	33.9
		including						900.7	901.4	0.7	391	100
OSK-W-18-1656	3675	Lynx	1154.4	453261	5435471	144	-45	1090.0	1092.5	2.5	7.29	
		including						1090.9	1091.9	0.9	17.9	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-18-1657	3650	Lynx	1131.0	453277	5435390	147	-51	391.0	393.3	2.3	5.00	
OSK-W-18-1657	3650	Lynx	1131.0	453277	5435390	147	-51	447.0	449.1	2.1	8.41	
OSK-W-18-1659	2100	227	315.0	452015	5434501	4	-55	260.3	267.1	6.8	4.09	
OSK-W-18-1659	2100	227	315.0	452015	5434501	4	-55	274.3	279.5	5.2	5.88	
		including						275.4	275.8	0.4	27.1	
OSK-W-18-1660	2125	Caribou	387.0	452059	5434457	359	-45	51.2	53.4	2.2	7.19	
		including						51.8	52.6	0.8	18.3	
OSK-W-18-1661	2150	Caribou	393.0	452104	5434436	353	-45	246.8	249.0	2.2	6.23	
		including						347.2	347.6	0.4	29.1	
OSK-W-18-1661	2150	227	393.0	452104	5434436	353	-45	347.2	349.3	2.1	0.28	
OSK-W-18-1662	2100	Caribou	303.0	452016	5434501	6	-52	237.0	239.0	2.0	3.55	
OSK-W-18-1662	2100	227	303.0	452016	5434501	6	-52	257.9	261.5	3.6	4.08	
OSK-W-18-1662	2100	227	303.0	452016	5434501	6	-52	269.0	278.0	9.0	14.8	12.2
		including						270.9	271.9	0.9	126	100
OSK-W-18-1665	2150	Caribou	375.0	452104	5434436	347	-46	68.7	71.3	2.6	3.60	
		including						71.0	71.3	0.3	15.9	
OSK-W-18-1665	2150	227	375.0	452104	5434436	347	-46	341.2	343.9	2.7	4.65	
OSK-W-18-1665	2150	Zone 27	375.0	452104	5434436	347	-46	363.7	366.0	2.3	39.3	
		including						365.0	366.0	1.0	72.2	
OSK-W-18-1667	3675	Lynx	573.0	453260	5435472	142	-47	556.8	559.0	2.2	21.7	
		including						557.1	558.0	0.9	53.1	
OSK-W-18-1669	2125	Caribou	405.0	452059	5434455	3	-47	54.0	56.1	2.1	4.15	
		including						55.3	55.8	0.5	16.0	
OSK-W-18-1669	2125	227	405.0	452059	5434455	3	-47	323.6	327.0	3.4	4.75	
		including						325.2	326.0	0.8	12.8	
OSK-W-18-1671	2100	227	309.0	452013	5434502	359	-52	248.0	250.3	2.3	12.7	
		including						249.0	249.3	0.3	95.0	
OSK-W-18-1671	2100	227	309.0	452013	5434502	359	-52	251.9	257.8	5.9	5.64	
		including						256.8	257.4	0.6	22.3	
OSK-W-18-1671	2100	227	309.0	452013	5434502	359	-52	287.9	290.4	2.5	24.1	
		including						289.8	290.4	0.6	85.5	
OSK-W-18-1671	2100	Zone 27	309.0	452013	5434502	359	-52	294.5	296.8	2.3	3.6	
OSK-W-18-1672	2100	Caribou	333.0	452039	5434455	345	-46	55.8	58.0	2.2	4.31	
OSK-W-18-1672	2100	Zone 27	333.0	452039	5434455	345	-46	307.1	309.1	2.0	79.9	27.1
		including						308.6	309.1	0.5	311	100
OSK-W-18-1673	3675	Lynx	984.0	453260	5435472	135	-46	464.0	466.0	2.0	20.4	
		including						465.0	466.6	0.6	1.1	
OSK-W-18-1673	3675	Lynx	984.0	453260	5435472	135	-46	473.0	476.0	3.0	7.23	
		including						473.7	474.4	0.7	21.9	
OSK-W-18-1673	3675	Lynx	984.0	453260	5435472	135	-46	479.0	481.5	2.5	7.34	
		including						479.7	480.8	1.1	15.4	
OSK-W-18-1673	3675	Lynx	984.0	453260	5435472	135	-46	518.7	521.1	2.4	25.2	
		including						519.1	519.9	0.8	73.4	
OSK-W-18-1673	3675	Lynx 313	984.0	453260	5435472	135	-46	925.5	941.6	16.1	23.4	21.8
		including						937.8	938.6	0.8	132	100
OSK-W-18-1674	2150	Caribou	378.0	452102	5434436	345	-45	279.5	281.5	2.0	3.30	
		including						280.5	280.8	0.3	19.7	
OSK-W-18-1674	2150	Caribou	378.0	452102	5434436	345	-45	315.5	317.5	2.0	5.30	
		including						316.3	316.6	0.3	29.9	
OSK-W-18-1674	2150	Zone 27	378.0	452102	5434436	345	-45	340.4	343.0	2.6	3.53	
OSK-W-18-1675	3675	Lynx	420.0	453209	5435312	136	-45	191.8	195.8	2.0	8.43	
OSK-W-18-1678	2375	Zone 27	420.0	453289	5434575	327	-63	387.0	389.1	2.1	5.88	
		including						388.8	389.1	0.3	40.0	
OSK-W-18-1680	2450	Caribou	372.0	452350	5434621	332	-48	91.0	94.0	3.0	10.9	
		including						91.0	92.0	1.0	21.1	
OSK-W-18-1680	2450	Caribou	372.0	452350	5434621	332	-48	101.2	104.0	2.8	5.13	
OSK-W-18-1680	2450	Caribou	372.0	452350	5434621	332	-48	261.0	263.0	2.0	3.84	
OSK-W-18-1680	2450	Zone 27	372.0	452350	5434621	332	-48	279.6	281.6	2.0	14.4	
		including						279.6	280.1	0.5	52.1	
OSK-W-18-1680	2450	Zone 27	372.0	452350	5434621	332	-48	299.1	306.6	7.5	3.21	
		including						304.3	306.6	2.3	5.85	
OSK-W-18-1680	2450	227	372.0	452350	5434621	332	-48	332.7	335.2	2.5	9.92	
		including						332.7	333.3	0.6	30.6	
OSK-W-18-1681	3675	Lynx	1131.0	453259	5435473	143	-46	517.0	519.0	2.0	11.9	
		including						517.5	517.8	0.3	76.9	
OSK-W-18-1681	3675	Lynx	1131.0	453259	5435473	143	-46	538.5	541.0	2.5	8.06	
		including						540.0	541.0	1.0	18.9	
OSK-W-18-1681	3675	Lynx 338	1131.0	453259	5435473	143	-46	1071.0	1075.1	4.1	61.6	35.4
		including						1071.7	1072.4	0.4	50	100
OSK-W-18-1684	3825	Lynx	390.0	453483	5435405	143	-46	312.5	314.6	2.1	3.73	
OSK-W-18-1685	2450	Zone 27	414.0	452350	5434621	330	-52	361.0	365.1	4.1	7.01	
		including						361.0	363.0	2.0	11.9	
OSK-W-18-1685	2450	Zone 27	414.0	452350	5434621	330	-52	368.7	371.8	3.1	7.56	
		including						369.5	370.5	1.0	19.7	
OSK-W-18-1685	2450	Zone 27	414.0	452350	5434621	330	-52	377.5	380.0	2.5	32.3	
		including						378.8	380.0	1.2	56.9	
OSK-W-18-1686	2325	Zone 27	159.0	452096	5434820	141	-50	124.0	126.4	2.4	9.95	
		including						125.5	125.8	0.3	47.2	
OSK-W-18-1687	3750	Lynx	1042.8	453344	5435502	141	-50	563.8	566.0	3.2	8.49	
OSK-W-18-1687	3750	Lynx 331	1042.8	453344	5435502	141	-50	765.5	767.6	2.1	46.1	40.6



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1738	3600	Lynx	815.0	453460	5434986	329	-69	299.6	303.1	3.5	7.99	
OSK-W-18-1738	3600	Lynx	815.0	453460	5434986	329	-69	350.9	353.8	2.9	29.3	16.0
								351.2	351.5	0.3	229	100
OSK-W-18-1738	3600	Vein	815.0	453460	5434986	329	-69	427.0	429.4	2.4	5.31	
OSK-W-18-1738	3600	Lynx	815.0	453460	5434986	329	-69	428.0	428.4	0.4	13.9	
								472.0	474.0	2.0	6.46	
OSK-W-18-1738	3600	Lynx 367	815.0	453460	5434986	329	-69	473.0	473.5	0.5	25.5	
								696.4	699.0	2.6	3.96	
								696.4	696.8	0.4	14.7	
OSK-W-18-1738	3600	Lynx 367	815.0	453460	5434986	329	-69	706.0	708.3	2.3	3.21	
								710.0	712.3	2.3	18.3	
OSK-W-18-1738	3600	Lynx 367	815.0	453460	5434986	329	-69	710.4	711.3	0.9	44.7	
								516.0	518.0	2.0	13.0	
OSK-W-18-1739	3500	Lynx	813.0	453333	5435354	125	-55	517.3	517.6	0.3	83.6	
								703.0	709.0	6.0	21.2	
OSK-W-18-1739	3500	Lynx 331	813.0	453333	5435354	125	-55	707.0	708.0	1.0	95.1	
								722.0	726.0	4.0	5.41	
OSK-W-18-1739	3500	Lynx 331	813.0	453333	5435354	125	-55	725.0	728.0	3.0	16.1	
								737.0	739.0	2.0	13.0	
OSK-W-18-1739	3500	Lynx 331	813.0	453333	5435354	125	-55	737.9	738.2	0.3	81.1	
OSK-W-18-1743-W1	3725	Lynx	1083.0	453328	5435466	144	-48	445.0	447.5	2.5	0.72	
								446.2	446.7	0.5	47.0	
OSK-W-18-1743-W1	3725	Lynx	1083.0	453328	5435466	144	-48	483.1	485.4	2.3	14.0	
								484.4	484.8	0.4	73.4	
OSK-W-18-1743-W1	3725	Lynx	1083.0	453328	5435466	144	-48	498.7	502.0	3.3	5.13	
OSK-W-18-1743-W1	3725	Lynx 336	1083.0	453328	5435466	144	-48	693.8	696.1	2.3	4.05	
OSK-W-18-1743-W1	3725	Lynx 4	1083.0	453328	5435466	144	-48	847.0	849.7	2.7	7.05	
								848.2	848.7	0.5	33.1	
OSK-W-18-1743-W1	3725	Lynx 329	1083.0	453328	5435466	144	-48	916.1	918.7	2.6	76.5	50.0
								916.1	917.0	0.9	177	100
OSK-W-18-1743-W1	3725	Lynx 4	1083.0	453328	5435466	144	-48	926.0	929.0	3.0	4.80	
OSK-W-20-1743-W2	3725	Lynx 347	972.0	453328	5435466	144	-48	860.0	862.0	2.0	3.20	
OSK-W-20-1743-W2	3725	Lynx 329	972.0	453328	5435466	144	-48	899.0	901.0	2.0	4.29	
								899.4	900.0	0.6	13.6	
OSK-W-20-1743-W3	3725	Lynx 336	1098.0	453328	5435466	144	-48	696.0	698.0	2.0	3.97	
OSK-W-20-1743-W3	3725	Lynx 329	1098.0	453328	5435466	144	-48	968.0	970.0	2.0	6.12	
OSK-W-20-1743-W3	3725	Lynx 312	1098.0	453328	5435466	144	-48	1080.9	1083.1	2.2	20.7	
								1082.0	1083.1	1.1	35.8	
OSK-W-18-1742	2425	Caribou	462.0	452320	5434588	335	-56	230.0	232.0	2.0	9.64	
OSK-W-18-1743-W1	3700	Lynx	558.0	453331	5435394	140	-45	424.0	426.5	2.5	6.46	
								425.2	425.8	0.6	17.4	
OSK-W-18-1743-W1	3700	Lynx	558.0	453331	5435394	140	-45	481.1	484.1	3.0	18.6	18.3
								483.6	484.1	0.5	10.2	100
OSK-W-18-1743-W1	3700	Lynx	558.0	453331	5435394	140	-45	489.0	491.1	2.1	3.35	
OSK-W-18-1744	3825	Lynx	598.5	453450	5435484	134	-48	507.1	509.5	2.4	8.38	
								507.1	507.7	0.6	29.6	
OSK-W-18-1744-W1	3825	Lynx	594.0	453450	5435484	134	-48	527.8	532.3	4.5	0.71	
								527.8	528.1	0.3	55.6	
OSK-W-18-1744-W2	3825	Lynx	621.0	453450	5435484	134	-48	543.0	543.0	2.0	17.7	
								542.2	542.6	0.4	74.9	
OSK-W-18-1745	3575	Lynx	1038.0	453218	5435347	134	-51	386.0	388.0	2.0	29.4	
								387.4	388.0	0.6	67.2	
OSK-W-18-1745	3575	Lynx	1038.0	453218	5435347	134	-51	450.9	452.9	2.0	13.0	
								451.2	452.2	1.0	25.4	
OSK-W-18-1745	3575	Vein	1038.0	453218	5435347	134	-51	476.0	472.3	3.7	7.05	
								471.2	471.9	0.7	22.9	
OSK-W-18-1745	3575	Lynx 4	1038.0	453218	5435347	134	-51	800.9	803.4	2.5	5.96	
								801.6	802.1	0.5	29.1	
OSK-W-18-1745	3575	Lynx 327	1038.0	453218	5435347	134	-51	905.9	911.6	5.7	3.88	
OSK-W-18-1746	3650	Lynx	882.0	453280	5435389	142	-53	454.0	456.1	2.1	3.23	
OSK-W-18-1746	3650	Lynx 336	882.0	453280	5435389	142	-53	694.9	697.0	2.1	25.3	
OSK-W-19-1746-W1	3650	Lynx	840.0	453280	5435389	142	-53	683.2	685.7	2.5	19.0	
								683.2	683.7	0.5	50.1	
OSK-W-19-1746-W1	3650	Lynx 336	840.0	453280	5435389	142	-53	764.0	766.4	2.4	17.0	
								765.2	765.7	0.5	81.4	
OSK-W-19-1746-W1	3650	Lynx	840.0	453280	5435389	142	-53	783.2	786.3	3.1	4.38	
OSK-W-18-1747	2575	Caribou	519.0	452463	5434683	333	-54	202.6	205.0	2.4	5.99	
								203.2	203.7	0.5	26.0	
OSK-W-18-1747	2575	Caribou	519.0	452463	5434683	333	-54	273.3	276.0	2.7	1.89	
								273.3	273.6	0.3	11.0	
OSK-W-18-1747-W1	2575	Zone 27	558.0	452463	5434683	333	-54	505.5	507.5	2.0	3.78	
OSK-W-18-1748	3050	Lynx	147.0	452508	5434835	301	-61	122.0	124.0	2.0	4.23	
OSK-W-18-1750	3525	Lynx	315.0	453379	5434940	333	-52	172.1	174.3	2.2	20.0	
OSK-W-18-1750	3525	Lynx	315.0	453379	5434940	333	-52	198.0	200.6	2.6	6.59	
OSK-W-18-1750	3525	Lynx	315.0	453379	5434940	333	-52	229.4	231.8	2.4	6.27	
OSK-W-18-1750	3525	Lynx	315.0	453379	5434940	333	-52	251.0	253.3	2.3	5.67	
								252.3	252.8	0.5	24.9	
OSK-W-18-1754	3475	Lynx	264.0	453338	5434947	332	-53	168.0	170.9	2.9	21.7	
OSK-W-18-1754	3475	Lynx	264.0	453338	5434947	332	-53	188.0	190.0	2.0	5.28	
								189.0	189.5	0.5	20.8	
OSK-W-18-1754	3475	Lynx	264.0	453338	5434947	332	-53	208.0	210.0	2.0	22.9	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1754	3475	Lynx	including 264.0	453338	5434047	332	-53	208.8	209.5	0.7	64.1	
			including 264.0	453338	5434047	332	-53	222.8	225.0	2.2	3.19	
OSK-W-18-1754	3475	Lynx	264.0	453338	5434047	332	-53	222.8	223.1	0.3	17.6	
			including 264.0	453338	5434047	332	-53	237.0	239.7	2.7	1.89	
OSK-W-18-1756	3500	Lynx	291.0	453358	5434956	332	-57	238.1	238.8	0.7	12.4	
			including 291.0	453358	5434956	332	-57	169.5	172.0	2.5	53.0	31.9
OSK-W-18-1756	3500	Lynx	291.0	453358	5434956	332	-57	170.2	170.6	0.4	232	100
OSK-W-18-1756	3500	Lynx	291.0	453358	5434956	332	-57	221.5	227.0	5.5	30.5	
OSK-W-18-1758	2150	Zone 37	138.0	451942	5434724	160	-46	244.4	246.4	2.0	6.72	
			including 138.0	451942	5434724	160	-46	64.8	68.0	3.2	5.96	
OSK-W-18-1759	3475	Lynx	252.0	453323	5434955	331	-57	67.1	68.0	0.9	15.5	
			including 252.0	453323	5434955	331	-57	206.4	208.4	2.0	38.2	
OSK-W-18-1759	3475	Lynx	252.0	453323	5434955	331	-57	216.0	207.5	1.1	59.1	
OSK-W-18-1760	3500	Lynx	267.0	453358	5434956	332	-55	218.0	220.0	2.0	3.80	
OSK-W-18-1760	3500	Lynx	267.0	453358	5434956	332	-55	211.7	213.7	2.0	3.74	
OSK-W-18-1760	3500	Lynx	267.0	453358	5434956	332	-55	220.0	228.5	8.5	16.9	13.3
OSK-W-18-1760	3500	Lynx	267.0	453358	5434956	332	-55	238.9	241.0	2.1	10.5	
			including 267.0	453358	5434956	332	-55	238.9	239.4	0.5	43.2	
OSK-W-18-1761	3100	Caribou	201.0	452873	5435000	329	-50	54.0	56.0	2.0	4.37	
			including 201.0	452873	5435000	329	-50	55.1	56.0	0.9	9.43	
OSK-W-18-1761	3100	Caribou	201.0	452873	5435000	329	-50	98.0	100.0	2.0	4.09	
OSK-W-18-1762	3475	Lynx	254.0	453323	5434955	332	-54	229.5	234.2	4.7	13.5	
			including 254.0	453323	5434955	332	-54	229.5	230.0	0.5	80.0	
OSK-W-18-1763	3075	Caribou	234.0	452863	5434974	330	-51	203.0	205.4	2.4	7.75	
OSK-W-18-1763	3500	Lynx	306.0	453359	5434955	335	-57	188.0	190.3	2.3	3.16	
			including 306.0	453359	5434955	335	-57	189.8	190.3	0.5	10.5	
OSK-W-18-1765	3500	Lynx	306.0	453359	5434955	335	-57	203.0	205.0	2.0	9.84	
			including 306.0	453359	5434955	335	-57	204.0	205.0	1.0	19.5	
OSK-W-18-1765	3500	Lynx	306.0	453359	5434955	335	-57	228.8	231.8	3.0	60.3	41.6
			including 306.0	453359	5434955	335	-57	231.1	231.4	0.3	217	100
OSK-W-18-1765	3500	Lynx	306.0	453359	5434955	335	-57	249.4	251.8	2.4	7.41	
			including 306.0	453359	5434955	335	-57	250.2	250.6	0.4	24.3	
OSK-W-18-1767	2800	Caribou	165.0	452577	5434901	329	-45	47.0	49.0	2.0	1.67	
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	202.5	204.5	2.0	3.85	
			including 375.0	453430	5434976	332	-63	202.5	202.8	0.3	23.2	
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	219.0	222.4	3.4	13.0	
			including 375.0	453430	5434976	332	-63	219.0	219.8	0.8	48.1	
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	261.0	263.0	2.0	4.49	
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	268.7	273.0	4.3	161	37.0
			including 375.0	453430	5434976	332	-63	269.2	269.6	0.4	866	100
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	271.9	277.7	5.8	383	100
			including 375.0	453430	5434976	332	-63	281.0	285.5	4.5	23.1	
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	284.1	284.7	0.6	85.2	
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	294.0	296.0	2.0	74.4	15.1
OSK-W-18-1768	3575	Lynx	375.0	453430	5434976	332	-63	330.3	332.6	2.3	8.06	
			including 375.0	453430	5434976	332	-63	332.2	332.6	0.4	22.8	
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	127.8	130.4	2.6	96.9	37.5
			including 312.0	453308	5434951	335	-60	128.7	129.5	0.8	293	100
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	172.0	175.0	3.0	11.1	
			including 312.0	453308	5434951	335	-60	172.0	173.5	1.5	22.1	
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	213.0	215.5	2.5	19.0	
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	214.1	214.8	0.7	67.9	
			including 312.0	453308	5434951	335	-60	246.8	249.0	2.2	30.2	
OSK-W-18-1770	3450	Lynx	312.0	453308	5434951	335	-60	247.2	248.0	0.8	82.8	
			including 312.0	453308	5434951	335	-60	252.0	257.1	5.1	32.0	25.5
OSK-W-18-1771	2525	Caribou	318.0	452475	5434526	334	-57	256.0	257.1	1.1	113	83.4
			including 318.0	452475	5434526	334	-57	276.8	279.0	2.2	6.83	
OSK-W-18-1772	3575	Lynx	392.0	453431	5434976	331	-64	277.4	278.0	0.6	24.2	
			including 392.0	453431	5434976	331	-64	226.4	228.5	2.1	19.1	
OSK-W-18-1772	3575	Lynx	392.0	453431	5434976	331	-64	226.4	227.7	1.3	36.7	
			including 392.0	453431	5434976	331	-64	274.2	276.3	2.1	31.3	24.0
OSK-W-18-1772	3575	Lynx	392.0	453431	5434976	331	-64	275.5	275.8	0.3	151	100
OSK-W-18-1772	3575	Lynx	392.0	453431	5434976	331	-64	281.0	283.0	2.0	11.9	
OSK-W-18-1772	3575	Lynx	392.0	453431	5434976	331	-64	348.6	351.9	3.3	4.37	
OSK-W-18-1773	2750	Caribou	621.0	452632	5434696	331	-56	205.0	208.4	3.4	14.3	
OSK-W-18-1773	2750	227	621.0	452632	5434696	331	-56	608.0	611.0	3.0	7.59	
OSK-W-18-1774	3450	Lynx	315.0	453307	5434951	331	-60	251.1	255.0	3.9	17.0	
			including 315.0	453307	5434951	331	-60	251.1	252.0	0.9	56.7	
OSK-W-18-1779	2475	Caribou	297.0	452430	5434514	334	-58	197.0	199.1	2.1	4.05	
OSK-W-18-1779	2475	Caribou	297.0	452430	5434514	334	-58	286.5	288.5	2.0	6.13	
OSK-W-18-1781	3475	Lynx	300.0	453326	5434951	331	-56	146.7	146.9	2.2	12.7	
			including 300.0	453326	5434951	331	-56	147.7	148.6	0.9	30.9	
OSK-W-18-1781	3475	Lynx	300.0	453326	5434951	331	-56	225.0	228.5	3.5	34.6	
OSK-W-18-1783	3375	Triple 8	2223.7	453535	5434373	61	-78	1875.2	1882.5	7.3	4.62	
OSK-W-18-1783	3375	Triple 8	2223.7	453535	5434373	61	-78	1858.9	1865.0	6.1	38.4	28.9
			including 2223.7	453535	5434373	61	-78	1958.9	1859.4	0.5	138	100
OSK-W-18-1783	3375	Triple 8	2223.7	453535	5434373	61	-78	1945.8	1946.1	2.3	16.0	
OSK-W-19-1783-W3	3375	Triple 8	2208.0	453535	5434373	61	-78	1620.8	1624.2	3.4	5.48	
OSK-W-19-1783-W3	3375	Triple 8	2208.0	453535	5434373	61	-78	1815.0	1817.3	2.3	180	14.0
			including 2208.0	453535	5434373	61	-78	1936.9	1937.2	0.3	734	100
OSK-W-19-1783-W3	3375	Triple 8	2208.0	453535	5434373	61	-78	2019.4	2021.8	2.4	6.65	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-18-1812	3500	Lynx 311	303.0	453366	5434932	330	-50	266.3	269.5	3.2	51.2	40.7
			including					266.8	267.9	1.1	133	100
OSK-W-18-1813	2750	VNCR	731.0	452683	5434622	330	-60	333.4	335.5	2.1	52.9	
			including					333.4	334.5	1.1	96.9	
OSK-W-18-1813	2750	Caribou	731.0	452683	5434622	330	-60	515.2	517.3	2.1	15.8	
			including					516.2	517.3	1.1	80.1	
OSK-W-18-1813	2750	Caribou	731.0	452683	5434622	330	-60	580.9	583.0	2.1	5.54	
OSK-W-18-1813	2750	Caribou	731.0	452683	5434622	330	-60	637.4	639.6	2.2	4.38	
			including					638.1	638.8	0.7	11.8	
OSK-W-18-1814	2750	Vein	438.0	452683	5434622	333	-59	166.0	168.0	2.0	4.04	
			including					166.6	167.5	0.9	8.98	
OSK-W-18-1814	2750	Caribou	438.0	452683	5434622	333	-59	298.0	300.0	2.0	13.2	
			including					299.0	300.0	1.0	26.4	
OSK-W-18-1814	2750	Caribou	438.0	452683	5434622	333	-59	345.5	347.5	2.0	3.58	
OSK-W-18-1814	2750	Caribou	438.0	452683	5434622	333	-59	430.0	432.0	2.0	8.19	
			including					431.0	432.0	1.0	16.2	
OSK-W-18-1817	2750	Caribou	687.0	452656	5434699	332	-57	341.0	343.0	2.0	3.45	
			including					341.0	342.0	1.0	6.61	
OSK-W-18-1817	2750	Caribou	687.0	452656	5434699	332	-57	406.0	408.0	2.0	7.60	
			including					406.8	407.6	0.8	18.1	
OSK-W-18-1817	2750	227	687.0	452656	5434699	332	-57	555.0	557.3	2.3	5.93	
OSK-W-19-1815-W1	3875	Lynx	654.0	453487	5435512	132	-45	592.3	593.3	2.0	5.63	
			including					591.0	591.4	0.4	20.4	
OSK-W-19-1815-W1	3875	Lynx	654.0	453487	5435512	132	-45	601.0	603.4	2.4	34.9	
			including					602.5	603.4	0.9	71.4	
OSK-W-19-1820	2775	Caribou	990.0	452672	5434723	333	-59	438.0	440.0	2.0	4.26	
OSK-W-19-1822	2475	Caribou	615.0	452506	5434389	339	-60	511.0	513.0	2.0	4.89	
			including					514.0	515.0	1.0	8.62	
OSK-W-19-1823	2675	Caribou	330.0	452546	5434702	329	-52	238.0	240.0	2.0	3.77	
OSK-W-19-1823	2675	Caribou	330.0	452546	5434702	329	-52	257.0	259.2	2.2	21.8	
			including					261.0	263.0	2.0	29.8	
OSK-W-19-1824	2700	Caribou	309.0	452566	5434725	327	-50	230.0	237.0	7.0	1.29	
			including					230.0	231.0	1.0	13.1	
OSK-W-19-1827-W1	2475	UDD 4510	1257.0	452506	5434390	331	-58	1004.8	1007.0	2.2	13.8	
OSK-W-21-1827-W2	2475	Caribou 2231	690.0	452506	5434390	331	-58	504.0	506.0	2.0	15.3	
			including					504.9	505.5	0.6	46.7	
OSK-W-21-1827-W2	2475	Caribou 2231	690.0	452506	5434390	331	-58	511.3	513.8	2.6	5.11	
			including					511.3	512.1	0.8	11.5	
OSK-W-21-1827-W3	2475	UDD 4121	1251.0	452506	5434390	331	-58	796.0	798.0	2.0	6.31	
			including					796.9	797.3	0.4	27.0	
OSK-W-21-1827-W3	2475	UDD 4515	1251.0	452506	5434390	331	-58	846.0	848.4	2.4	5.84	
			including					847.4	847.9	0.5	27.2	
OSK-W-21-1827-W3	2475	UDD 4513	1251.0	452506	5434390	331	-58	1089.0	1091.0	2.0	5.02	
			including					1089.0	1089.3	0.3	32.1	
OSK-W-21-1827-W4	2475	Caribou	1045.7	452506	5434390	331	-58	548.0	550.1	2.1	7.94	
			including					549.3	550.1	0.8	20.5	
OSK-W-21-1827-W4	2475	Underdog	1045.7	452506	5434390	331	-58	1024.3	1026.5	2.2	4.54	
			including					1024.3	1024.6	0.3	20.0	
OSK-W-21-1827-W5	2475	CA2 2231	1203.0	452506	5434390	331	-58	510.0	512.4	2.4	17.3	
			including					511.1	511.7	0.6	60.9	
OSK-W-21-1827-W5	2475	Caribou 2241	1203.0	452506	5434390	331	-58	520.7	523.0	2.3	6.06	
			including					520.7	521.7	1.0	13.4	
OSK-W-19-1828	2225	Caribou	237.0	452203	5434388	340	-50	191.6	194.1	2.5	5.09	
OSK-W-19-1830	2200	Caribou	231.0	452179	5434396	338	-52	181.0	183.6	2.6	8.84	
OSK-W-19-1831	4225	Lynx	734.0	454309	5435091	355	-72	629.6	632.0	2.4	189	31.1
			including					629.6	630.0	0.4	30.9	100
OSK-W-19-1832	3475	Lynx	345.0	453195	5435212	130	-46	288.8	291.0	2.2	3.63	
			including					288.8	289.2	0.4	17.0	
OSK-W-19-1832	3475	Lynx	345.0	453195	5435212	130	-46	293.0	295.0	2.0	4.06	
OSK-W-19-1834	2200	Caribou	216.0	452179	5434396	338	-47	154.7	157.5	2.8	12.4	
			including					156.6	157.5	0.9	25.9	
OSK-W-19-1835	2825	Windfall N	1293.0	452305	5435474	172	-53	348.8	351.1	2.3	82.9	18.9
			including					349.8	350.2	0.4	468	100
OSK-W-19-1835	2825	Windfall N	1293.0	452305	5435474	172	-53	368.0	370.0	2.0	8.38	
			including					368.9	370.0	1.1	5.82	
OSK-W-19-1835	2825	Windfall N	1293.0	452305	5435474	172	-53	414.3	418.0	3.7	4.17	
			including					417.0	418.0	1.0	10.6	
OSK-W-19-1835	2825	Underdog	1293.0	452305	5435474	172	-53	700.7	703.0	2.3	11.8	
			including					702.0	702.7	0.7	33.6	
OSK-W-19-1835	2825	Underdog	1293.0	452305	5435474	172	-53	881.0	885.0	2.0	14.9	
			including					881.8	884.3	0.5	59.1	
OSK-W-19-1835	2825	Underdog	1293.0	452305	5435474	172	-53	928.0	930.4	2.4	12.8	
			including					929.1	929.5	0.4	61.8	
OSK-W-19-1835	2825	Vein	1293.0	452305	5435474	172	-53	846.0	848.4	2.4	5.84	
			including					847.0	847.4	0.4	30.2	
OSK-W-19-1835	2825	Vein	1293.0	452305	5435474	172	-53	1003.1	1007.8	4.8	13.7	
			including					1006.3	1007.0	0.7	40.4	
OSK-W-19-1835-W1	2825	Underdog	948.0	452305	5435474	172	-53	651.2	653.3	2.1	4.28	
			including					651.2	652.4	1.2	7.38	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-19-1835-W1	2825	Underdog	948.0	452305	5435474	172	-53	862.8	865.0	2.2	3.26	
OSK-W-19-1835-W2	2825	Underdog	1251.0	452305	5435474	172	-53	939.0	941.0	2.0	19.8	
		including						939.5	940.7	1.2	32.6	
OSK-W-19-1835-W3	2825	Underdog	1251.0	452305	5435474	172	-53	838.7	838.8	2.3	5.06	
OSK-W-19-1835-W3	2825	Underdog	1308.0	452305	5435474	172	-53	604.7	607.0	2.3	3.06	
OSK-W-19-1835-W3	2825	Underdog	1308.0	452305	5435474	172	-53	746.0	748.0	2.0	3.43	
OSK-W-19-1835-W3	2825	Underdog	1308.0	452305	5435474	172	-53	915.0	917.0	2.0	3.33	
OSK-W-19-1835-W3	2825	Underdog	1308.0	452305	5435474	172	-53	1144.0	1146.0	2.0	4.04	
OSK-W-19-1835-W3	2825	Underdog	1308.0	452305	5435474	172	-53	1186.4	1186.5	10.1	4.75	
		including						1192.7	1193.4	0.7	17.1	
OSK-W-19-1846	3475	Lynx 311	324.0	453324	5434949	930	-58	239.9	243.0	3.1	11.3	
		including						242.3	243.0	0.7	33.5	
OSK-W-19-1847	3450	Lynx	293.0	453317	5434947	931	-58	132.7	135.0	2.3	4.95	
		including						134.6	135.0	0.4	18.5	
OSK-W-19-1847	3450	Lynx	293.0	453317	5434947	931	-58	259.1	261.4	2.3	7.18	
		including						260.1	260.5	0.4	37.9	
OSK-W-19-1848	4225	Lynx	697.0	454109	5435087	949	-72	614.4	617.0	2.6	4.44	
		including						614.4	614.7	0.3	18.7	
OSK-W-19-1848	4225	Lynx	697.0	454109	5435087	949	-72	621.2	624.0	2.8	7.46	
		including						623.6	624.0	0.4	35.0	
OSK-W-19-1848	4225	Vein	697.0	454109	5435087	949	-72	669.0	671.0	2.0	5.34	
OSK-W-19-1848-W1	4225	Lynx	672.0	454109	5435087	949	-72	605.7	608.0	2.3	13.1	
		including						606.6	607.6	1.0	26.2	
OSK-W-19-1848-W2	4225	Lynx	675.0	454109	5435087	949	-72	611.0	613.0	2.0	48.1	35.2
		including						612.0	612.7	0.7	137	
OSK-W-19-1848-W2	4225	Lynx	675.0	454109	5435087	949	-72	628.0	630.1	2.1	86.0	38.4
		including						629.3	630.1	0.8	225	100
OSK-W-19-1850	3475	Lynx 304	270.0	453320	5434954	929	-58	141.8	142.4	0.6	16.8	
OSK-W-19-1850	3475	Lynx 311	270.0	453320	5434954	929	-58	228.2	231.4	3.2	43.7	37.6
		including						230.3	231.4	1.1	118	100.0
OSK-W-19-1852	3450	Lynx 305	300.0	453312	5434949	930	-58	154.7	156.8	2.1	12.9	
		including						155.4	156.1	0.7	33.9	
OSK-W-19-1852	3450	Lynx 311	300.0	453312	5434949	930	-58	248.0	250.6	2.6	14.8	
		including						248.9	249.3	0.4	80.2	
OSK-W-19-1855	3450	Lynx 330	351.0	453178	5435190	124	-45	272.8	275.0	2.2	38.6	19.1
		including						274.6	275.0	0.4	201	100
OSK-W-19-1855	3450	Lynx 305	351.0	453178	5435190	124	-45	281.0	284.3	3.3	6.04	
		including						283.9	284.3	0.4	18.1	
OSK-W-19-1855	3450	Lynx 305	351.0	453178	5435190	124	-45	301.0	303.0	2.0	4.67	
OSK-W-19-1857	4000	Lynx	1415.2	453525	5435704	108	-58	1276.3	1282.6	6.3	132	41.9
		including						1282.1	1282.6	0.5	2420	100
OSK-W-19-1857	4000	Lynx	1415.2	453525	5435704	108	-58	1287.8	1290.6	2.8	136	67.9
OSK-W-19-1857	4000	Lynx	1415.2	453525	5435704	108	-58	1314.2	1316.6	2.4	16.0	
OSK-W-19-1857-W1	4000	Lynx	1455.0	453525	5435704	108	-58	1190.1	1192.3	2.2	5.37	
		including						1196.1	1196.9	0.8	13.5	
OSK-W-19-1857-W1	4000	Lynx 313	1455.0	453525	5435704	108	-58	1230.8	1233.3	2.5	3.94	
OSK-W-19-1857-W1	4000	Lynx 313	1455.0	453525	5435704	108	-58	1235.4	1237.6	2.2	3.31	
OSK-W-19-1857-W11	4000	Lynx 4	1385.0	453525	5435704	108	-58	1300.8	1304.6	3.8	7.39	
OSK-W-20-1857-W12	4000	Lynx 349	1354.0	453525	5435704	108	-58	1453.0	1455.5	2.5	10.2	
OSK-W-20-1857-W12	4000	Lynx 349	1354.0	453525	5435704	108	-58	1457.5	1460.0	2.5	3.10	
		including						1457.5	1458.2	0.7	9.81	
OSK-W-19-1857-W2	4000	Lynx 313	1449.0	453525	5435704	108	-58	1274.5	1276.8	2.3	121	39.7
		including						1274.9	1275.8	0.9	307	100
OSK-W-19-1857-W2	4000	Triple Lynx	1449.0	453525	5435704	108	-58	1322.0	1325.0	3.0	3.99	
OSK-W-19-1857-W3	4000	Lynx 4	1280.4	453525	5435704	108	-58	1179.0	1181.0	2.0	38.8	
		including						1179.7	1181.0	1.3	59.6	
OSK-W-19-1857-W3	4000	Lynx 313	1280.4	453525	5435704	108	-58	1193.6	1195.9	2.3	64.3	
		including						1193.6	1194.3	0.7	16.8	
OSK-W-19-1857-W4	4000	Lynx 4	1415.0	453525	5435704	108	-58	1312.8	1316.3	3.5	145	49.8
OSK-W-19-1857-W4	4000	Lynx	1415.0	453525	5435704	108	-58	1312.8	1313.7	0.9	172	100
OSK-W-19-1857-W4	4000	Lynx	1415.0	453525	5435704	108	-58	1313.7	1314.3	0.6	548	100
OSK-W-19-1857-W4	4000	Lynx	1415.0	453525	5435704	108	-58	1353.5	1357.1	3.6	6.31	
OSK-W-19-1857-W5	4000	Lynx 4	1539.0	453525	5435704	108	-58	1402.2	1404.2	2.0	8.32	
OSK-W-19-1857-W6	4000	Lynx 4	1487.4	453525	5435704	108	-58	1342.6	1354.5	11.9	30.8	28.3
		including						1348.0	1348.0	0.9	99.3	74.6
		including						1350.5	1352.7	2.2	88.7	85.7
OSK-W-19-1857-W7	4000	Lynx 4	1480.4	453525	5435704	108	-58	1371.0	1373.4	2.4	23.1	
		including						1372.4	1372.9	0.5	65.7	
OSK-W-19-1857-W7	4000	Lynx 4	1460.4	453525	5435704	108	-58	1421.0	1423.0	2.0	10.0	
		including						1421.0	1422.0	1.0	18.9	
OSK-W-19-1857-W8	4000	Lynx 4	1527.0	453525	5435704	108	-58	1415.1	1420.8	5.7	62.4	38.3
		including						1418.3	1419.6	1.3	206	100
OSK-W-19-1859	2150	Caribou	153.0	452106	5434414	332	-50	103.7	106.1	2.4	19.4	
		including						103.7	104.2	0.5	84.9	
OSK-W-19-1859	2150	Caribou	153.0	452106	5434414	332	-50	113.1	115.3	2.2	6.30	
		including						114.6	115.3	0.7	17.6	
OSK-W-19-1860	3475	Lynx 305	333.0	453186	5435200	124	-45	287.7	290.5	2.8	6.39	
		including						287.7	288.6	0.9	17.1	
OSK-W-19-1860	3475	Lynx 305	333.0	453186	5435200	124	-45	294.5	298.4	3.9	13.0	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acumult. (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-19-1893-W4	3875	Lynx 335	665.6	453513	5435472	135	-52	587.5	589.7	2.2	6.06	
OSK-W-19-1893	2500	Windfall N	182.4	452113	5435150	329	-46	55.5	56.0	2.5	7.77	
		including						56.5	57.3	0.7	19.2	
OSK-W-19-1894	2775	Windfall N	459.0	452278	5435429	151	-61	347.4	349.4	2.0	9.51	
		including						347.8	348.7	0.9	20.7	
OSK-W-19-1896	2500	Windfall N	570.0	452140	5435111	329	-51	161.0	163.0	2.0	3.14	
OSK-W-19-1897	2500	Underdog 4300	1125.0	452535	5434406	331	-57	848.0	851.0	3.0	4.37	
OSK-W-19-1897	2500	Underdog	1125.0	452535	5434406	331	-57	860.0	862.3	2.3	19.0	
		including						860.8	861.8	1.0	42.8	
OSK-W-19-1897	2500	Underdog	1125.0	452535	5434406	331	-57	892.0	894.0	2.0	6.96	
OSK-W-19-1897	2500	Underdog 4511	1125.0	452535	5434406	331	-57	883.3	885.6	2.3	6.35	
		including						885.1	885.6	0.5	17.8	
OSK-W-19-1898	3625	Caribou	300.0	452490	5434705	327	-52	119.0	200.2	2.2	4.85	
OSK-W-19-1898	2625	Caribou	300.0	452490	5434705	327	-52	203.4	208.0	4.6	5.25	
OSK-W-19-1898	2625	Caribou	300.0	452490	5434705	327	-52	214.9	219.5	4.6	6.49	
OSK-W-19-1900	2750	Caribou 230	345.0	452619	5434733	323	-52	262.0	264.0	2.0	9.41	
		including						262.0	263.0	1.0	18.3	
OSK-W-19-1900	2750	Caribou	345.0	452619	5434733	323	-52	286.7	291.1	4.4	6.65	
OSK-W-19-1903	2450	Caribou corridor	564.0	452470	5434382	330	-60	205.6	208.0	2.4	8.35	
		including						205.6	206.4	0.8	10.0	
OSK-W-19-1903	2450	Caribou corridor	564.0	452470	5434382	330	-60	394.6	397.4	2.8	6.28	
		including						395.5	396.4	0.9	16.0	
OSK-W-19-1904	2750	Caribou	624.0	452628	5434706	328	-50	297.2	299.3	2.1	51.9	14.6
		including						298.0	298.3	0.3	36.0	100
OSK-W-19-1904	2750	Caribou	624.0	452628	5434706	328	-50	354.0	356.1	2.1	4.14	
		including						354.6	355.1	0.5	10.0	
OSK-W-19-1904	2750	227 112	624.0	452628	5434706	328	-50	522.0	525.0	3.0	9.88	
OSK-W-19-1906	2575	Windfall N	240.0	452103	5435149	326	-54	99.7	101.7	2.0	7.83	
		and						100.0	100.3	0.3	19.4	
		including						100.3	100.7	0.4	16.4	
OSK-W-19-1911	2650	Windfall N	403.8	452154	5435377	147	-50	202.4	204.7	2.3	6.86	
		including						203.4	205.7	0.3	39.0	
OSK-W-19-1911	2650	Windfall N	403.8	452154	5435377	147	-50	211.3	217.4	6.1	31.0	12.6
		including						215.7	216.0	0.3	474	100
OSK-W-19-1911	2650	Windfall N	403.8	452154	5435377	147	-50	298.0	300.4	2.4	9.75	
		including						300.1	300.4	0.3	24.8	
OSK-W-19-1911	2650	Windfall N	403.8	452154	5435377	147	-50	393.9	396.3	2.4	12.9	
		including						394.6	395.4	0.8	30.1	
OSK-W-19-1915	4025	Lynx	651.0	454120	5435104	350	-70	562.2	564.9	2.7	3.25	
OSK-W-19-1915	4025	Lynx	651.0	454120	5435104	350	-70	568.2	570.7	2.5	3.12	
OSK-W-19-1915	4025	Lynx	651.0	454120	5435104	350	-70	585.0	587.1	2.1	7.84	
		including						585.0	585.4	0.4	40.7	
OSK-W-19-1917	2500	Caribou 240	600.0	452555	5434363	329	-57	465.0	467.0	2.0	3.62	
OSK-W-19-1921-W1	3875	Lynx	951.0	453502	5435488	112	-52	787.0	789.1	2.1	19.9	
		including						788.3	788.8	0.5	81.3	
OSK-W-19-1921-W1	3875	Lynx 333	951.0	453502	5435488	112	-52	837.4	840.2	2.6	5.78	
		including						839.0	840.0	1.0	14.0	
OSK-W-19-1921-W1	3875	Lynx 312	951.0	453502	5435488	112	-52	897.6	900.0	2.4	4.03	
OSK-W-19-1921-W2	3875	Lynx 317	1080.4	453502	5435488	112	-52	877.3	879.9	2.6	3.67	
OSK-W-19-1921-W2	3875	Lynx 313	1080.4	453502	5435488	112	-52	953.0	956.0	3.0	5.52	
OSK-W-19-1921-W2	3875	Lynx 313	1080.4	453502	5435488	112	-52	958.0	961.6	3.6	5.67	
OSK-W-19-1921-W2	3875	Lynx 4	1080.4	453502	5435488	112	-52	1040.2	1043.7	3.5	7.83	
		including						1041.2	1042.0	0.8	20.2	
OSK-W-19-1921-W2	3875	Lynx 4	1080.4	453502	5435488	112	-52	1040.3	1052.2	2.9	5.88	
OSK-W-19-1928	4025	Lynx 326	654.0	454120	5435104	349	-72	582.0	584.1	2.1	37.8	
		including						583.3	584.1	0.8	99.0	
OSK-W-19-1932	4025	Lynx 326	711.0	453710	5435620	127	-55	671.7	675.8	4.1	31.3	
		including						674.1	675.0	0.9	97.3	
OSK-W-19-1932-W1	4025	Lynx 326	723.0	453710	5435620	127	-55	688.3	690.5	2.2	3.40	
OSK-W-19-1932-W2	4025	Lynx 326	824.4	453710	5435620	127	-55	717.5	729.5	2.0	10.2	
OSK-W-19-1932-W2	4025	Lynx 324	824.4	453710	5435620	127	-55	745.0	747.0	2.0	66.5	70.4
		including						745.6	747.0	1.4	125	100
OSK-W-19-1932-W2	4025	Lynx 4	824.4	453710	5435620	127	-55	800.9	803.0	2.1	85.8	20.0
		including						801.8	802.2	0.4	445	100
OSK-W-19-1932-W2	4025	Lynx 4	824.4	453710	5435620	127	-55	808.0	810.0	2.0	29.6	27.2
		including						808.5	809.0	0.5	110	100
OSK-W-19-1932-W3	4025	Lynx 314	805.0	453710	5435620	127	-55	722.7	724.8	2.1	6.86	
		including						723.4	724.2	0.8	17.3	
OSK-W-19-1933	2700	Caribou 201	602.0	452578	5434713	333	-54	303.0	305.0	2.0	3.40	
OSK-W-19-1933	2700	Caribou 207	602.0	452578	5434713	333	-54	396.0	398.1	2.1	4.53	
OSK-W-19-1933	2700	227 112	602.0	452578	5434713	333	-54	508.5	512.0	3.5	3.96	
OSK-W-19-1933	2700	227 130	602.0	452578	5434713	333	-54	524.0	526.7	2.7	4.91	
OSK-W-19-1939	3600	Lynx	519.0	453285	5435277	126	-46	253.6	255.8	2.2	4.47	
OSK-W-19-1939	3600	Lynx 316	519.0	453285	5435277	126	-46	351.0	353.0	2.0	6.44	
OSK-W-19-1939	3600	Lynx 326	519.0	453285	5435277	126	-46	357.9	360.3	2.4	18.7	
		including						357.9	358.4	0.5	68.3	
OSK-W-19-1942	3875	Lynx 323	930.0	453315	5435390	128	-54	447.0	449.7	2.7	3.25	
		including						448.3	448.9	0.6	14.0	
OSK-W-19-1942	3875	Lynx 327	930.0	453315	5435390	128	-54	861.2	863.5	2.3	11.3	
		including						861.2	861.7	0.5	45.4	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-1942	3675	Lynx	930.0	453315	5435390	128	-54	884.0	886.0	2.0	6.66	
		including						884.5	885.0	0.5	17.4	
OSK-W-19-1942-W1	3675	Lynx 4	942.0	453315	5435390	128	-54	825.0	828.0	3.0	7.36	
		including						825.0	826.5	1.5	13.4	
OSK-W-19-1942-W1	3675	Lynx 313	942.0	453315	5435390	128	-54	837.0	839.0	2.0	3.08	
OSK-W-19-1942-W1	3675	Lynx 4	942.0	453315	5435390	128	-54	844.0	846.0	2.0	12.8	
OSK-W-19-1942-W2	3675	Lynx 303	1056.0	453315	5435390	128	-54	398.5	400.5	2.0	9.48	
		including						398.5	399.5	1.0	18.9	
OSK-W-19-1942-W2	3675	Lynx 313	1056.0	453315	5435390	128	-54	849.0	852.0	3.0	9.90	
		including						851.5	852.0	0.5	28.8	
OSK-W-19-1942-W2	3675	Lynx 313	1056.0	453315	5435390	128	-54	857.2	859.4	2.2	15.2	
		including						857.8	858.7	0.9	35.9	
OSK-W-19-1942-W2	3675	Lynx 327	1056.0	453315	5435390	128	-54	906.0	908.2	2.2	4.81	
		including						907.8	908.2	0.4	17.9	
OSK-W-19-1942-W2	3675	Lynx 313	1056.0	453315	5435390	128	-54	998.6	1003.4	4.8	6.89	
		including						1003.0	1003.4	0.4	41.3	
OSK-W-19-1943	2575	Explo	297.0	452241	5435078	940	-47	106.5	108.5	2.0	5.46	
		including						106.5	107.0	0.5	19.3	
OSK-W-19-1947	3800	Lynx 321	632.8	453412	5435463	137	-46	502.1	504.6	2.5	12.8	
		including						502.1	503.1	1.0	28.2	
OSK-W-19-1947	3800	Lynx 301	632.8	453412	5435463	137	-46	517.5	520.9	3.4	14.1	
		including						517.5	519.0	0.5	34.0	
OSK-W-19-1948	3600	Lynx 309	489.0	453286	5435277	121	-45	185.0	188.9	3.9	8.67	
OSK-W-19-1948	3600	Lynx 305	489.0	453286	5435277	121	-45	248.8	252.3	3.5	7.06	
		including						248.8	249.7	0.9	17.3	
OSK-W-19-1948	3600	Lynx 306	489.0	453286	5435277	121	-45	380.2	382.2	2.0	5.98	
		including						381.2	382.2	1.0	11.4	
OSK-W-19-1949	3825	Lynx 319	1073.0	453440	5435479	105	-57	731.0	733.0	2.0	3.39	
OSK-W-19-1949	3825	Lynx 317	1073.0	453440	5435479	105	-57	971.3	975.0	3.7	11.5	
		including						972.1	973.1	1.0	31.2	
OSK-W-19-1949	3825	Lynx 330	1073.0	453440	5435479	105	-57	996.2	999.5	3.3	31.3	
		including						996.2	997.1	0.9	74.2	
		including						999.1	999.5	0.4	79.0	
OSK-W-19-1949-W1	3825	Lynx 317	1071.0	453440	5435479	105	-57	987.0	990.3	3.3	53.1	18.7
		including						989.4	989.9	0.5	32.7	100
OSK-W-19-1949-W1	3825	Lynx 313	1071.0	453440	5435479	105	-57	1058.9	1060.0	2.0	20.2	
		including						1059.9	1060.0	1.0	40.2	
OSK-W-19-1949-W2	3825	Lynx 313	1127.3	453440	5435479	105	-57	701.0	704.1	3.1	7.88	
OSK-W-19-1949-W2	3825	Lynx 313	1127.3	453440	5435479	105	-57	719.0	721.0	2.0	288	17.4
		including						719.7	720.0	0.3	3905	100
OSK-W-19-1949-W2	3825	Lynx 333	1127.3	453440	5435479	105	-57	998.2	1000.3	2.0	7.72	
OSK-W-19-1949-W2	3825	Lynx 313	1127.3	453440	5435479	105	-57	1080.6	1085.4	4.8	25.4	18.1
		including						1082.4	1083.1	0.7	150	100
OSK-W-19-1949-W2	3825	Lynx 313	1127.3	453440	5435479	105	-57	1097.8	1100.5	2.7	3.92	
OSK-W-19-1949-W3	3825	Lynx 341	1326.0	453440	5435479	105	-57	642.2	644.6	2.4	4.58	
OSK-W-19-1949-W3	3825	Lynx 313	1326.0	453440	5435479	105	-57	651.0	653.0	2.0	14.0	
		including						652.3	653.0	0.7	39.5	
OSK-W-19-1949-W3	3825	Lynx 313	1326.0	453440	5435479	105	-57	691.2	696.8	5.6	37.4	23.6
		including						692.7	693.8	1.1	170	1000.0
OSK-W-19-1949-W3	3825	Lynx 313	1326.0	453440	5435479	105	-57	698.1	702.4	4.3	3.27	
OSK-W-19-1949-W3	3825	Lynx 313	1326.0	453440	5435479	105	-57	737.4	739.6	2.2	74.2	47.0
		including						737.4	737.8	0.4	133	100
		and						737.8	738.3	0.5	194	100
OSK-W-19-1949-W3	3825	Lynx 333	1326.0	453440	5435479	105	-57	1046.0	1048.0	2.0	138	31.3
		including						1046.0	1046.6	0.6	458	100
OSK-W-19-1949-W3	3825	Lynx 4	1326.0	453440	5435479	105	-57	1295.0	1297.0	2.0	10.8	
		including						1295.5	1296.2	0.7	30.2	
OSK-W-19-1949-W4	3825	Lynx 333	1297.9	453440	5435479	105	-57	1068.7	1068.8	2.1	5.61	
OSK-W-21-1949-W5	3825	LMA 3304	1301.0	453440	5435479	105	-57	643.2	645.0	1.8	8.88	
		including						645.3	645.9	0.6	25.5	
OSK-W-21-1949-W5	3825	LMA 3430	1301.0	453440	5435479	105	-57	1095.0	1097.2	2.2	7.28	
OSK-W-21-1949-W6	3825	LMA 3430	1227.0	453440	5435479	105	-57	1175.0	1177.0	2.0	13.2	
		including						1175.5	1176.0	0.5	30.1	
OSK-W-19-1950	2525	Vern	228.0	453267	5435110	343	-46	32.3	32.6	2.3	38.9	13.5
		including						32.3	32.6	0.3	295	100
OSK-W-19-1952	3550	Lynx 311	486.0	453236	5435306	132	-51	338.1	341.0	2.9	28.4	
		including						340.0	341.0	1.0	72.7	
OSK-W-19-1952	3550	Lynx 311	486.0	453236	5435306	132	-51	346.0	350.0	4.0	4.67	
OSK-W-19-1952	3550	Lynx 308	486.0	453236	5435306	132	-51	373.9	379.0	5.1	14.2	
OSK-W-19-1952	3550	Lynx 310	486.0	453236	5435306	132	-51	383.0	387.7	4.7	21.1	
		including						384.0	384.5	0.5	40.9	
		and						385.9	387.7	0.8	79.3	
OSK-W-19-1954	2625	Windfall Nord	246.0	452256	5435146	389	-52	61.6	64.4	2.8	27.8	
		including						63.6	64.4	0.8	89.6	
OSK-W-19-1958	3850	Lynx 317	1065.0	453430	5435572	111	-52	690.7	693.0	2.3	12.9	
		including						692.3	693.0	0.7	43.6	
OSK-W-19-1958	3850	Lynx 317	1065.0	453430	5435572	111	-52	970.3	977.3	7.0	7.94	
		including						972.1	973.6	0.6	27.9	
OSK-W-19-1958-W1	3850	Lynx 317	1104.0	453430	5435572	111	-52	975.4	977.8	2.4	8.50	
OSK-W-19-1958-W1	3850	Lynx 312	1104.0	453430	5435572	111	-52	1020.8	1030.0	2.0	3.51	
OSK-W-19-1958-W1	3850	Lynx 312	1104.0	453430	5435572	111	-52	1050.0	1052.5	2.5	8.31	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-1958-W1	3850	Lynx 312	1104.0	453430	5435572	111	-52	1075.3	1077.5	2.2	5.14	
OSK-W-19-1958-W2	3850	Lynx 317	1158.0	453430	5435572	111	-52	1006.3	1007.1	5.8	80.7	52.8
			including					1002.7	1003.2	0.5	325	100
OSK-W-19-1962	3375	Lynx 310	455.0	453261	5434881	338	-54	232.4	234.4	2.0	5.41	
			including					234.0	234.4	0.4	22.3	
OSK-W-19-1962	3375	Lynx 307	455.0	453261	5434881	338	-54	305.5	308.8	2.3	5.83	
OSK-W-19-1963-W1	4275	Lynx 4	1461.0	453761	5435816	123	-58	1325.5	1327.9	2.4	56.9	55.9
OSK-W-19-1963-W1	4275		1461.0	453761	5435816	123	-58	1326.6	1327.6	1.0	103	100
OSK-W-19-1963-W2	4275	Lynx 4	1424.0	453761	5435816	123	-58	1122.0	1124.0	2.0	6.34	
OSK-W-19-1963-W2	4275	Lynx 4	1424.0	453761	5435816	123	-58	1319.2	1324.4	5.2	13.8	
			including					1319.2	1320.7	1.5	26.8	
OSK-W-19-1963-W2	4275	Lynx 4	1424.0	453761	5435816	123	-58	1337.8	1341.8	4.0	13.0	
			including					1341.2	1341.8	0.6	49.9	
OSK-W-19-1963-W2	4275	Lynx 4	1459.6	453761	5435816	123	-58	1348.9	1356.0	7.1	27.5	27.0
			including					1353.2	1354.4	1.2	134	95.8
OSK-W-19-1963-W3	4275	Lynx 345	1459.6	453761	5435816	123	-58	1400.0	1403.5	2.5	3.03	
OSK-W-19-1963-W3	4275	Lynx 4	1459.6	453761	5435816	123	-58	1433.0	1433.8	2.8	7.29	
			including					1433.7	1433.8	0.1	44.8	
OSK-W-19-1963-W4	4275	Lynx	1487.4	453761	5435816	123	-58	1230.5	1234.2	4.2	49.6	34.4
			including					1233.5	1234.7	1.2	152	100
OSK-W-19-1963-W4	4275	Lynx 4	1487.4	453761	5435816	123	-58	1444.0	1448.7	4.7	14.4	
			including					1444.0	1445.0	1.0	28.8	
OSK-W-19-1963-W5	4275		1616.0	453761	5435816	123	-58	1466.6	1470.4	3.8	19.5	
			including					1469.0	1470.4	1.4	42.8	
OSK-W-19-1963-W6	4275	Lynx 4	1493.0	453761	5435816	123	-58	1402.7	1406.6	3.9	23.8	
			including					1405.1	1406.6	1.5	44.8	
OSK-W-19-1963-W6	4275	Lynx 4	1493.0	453761	5435816	123	-58	1411.8	1414.0	2.2	3.94	
OSK-W-19-1965	2575	Windfall Nord	331.0	453261	5435148	351	-48	116.0	118.5	2.5	144	34.8
			including					117.3	118.1	0.8	346	100
OSK-W-19-1966	3475	Windfall Nord	395.0	452091	5435139	343	-52	90.0	92.0	2.0	4.69	
OSK-W-19-1969	3025	Lynx corridor	336.0	452832	5434947	164	-51	198.0	200.0	2.0	3.06	
			including					199.0	200.0	1.0	5.64	
OSK-W-19-1969	3025	Lynx corridor	336.0	452832	5434947	164	-51	305.0	307.0	2.0	7.82	
			including					305.0	307.0	1.0	15.6	
OSK-W-19-1969	3025	Lynx	336.0	452832	5434947	164	-51	315.0	317.0	2.0	3.09	
OSK-W-19-1970	2425	Explo	2274.0	451911	5435347	90	-51	2018.6	2020.9	2.3	7.96	
			including					2010.3	2020.9	0.6	28.8	
OSK-W-19-1970	2425	Underdog	2274.0	451911	5435347	90	-51	1658.8	1662.0	3.2	5.75	
OSK-W-19-1970	2425	Vein	2274.0	451911	5435347	90	-51	1674.0	1675.0	1.0	62.3	
OSK-W-19-1970	2425	Underdog	2274.0	451911	5435347	90	-51	1770.9	1773.0	2.1	14.1	
			including					1773.3	1773.0	0.7	41.4	
OSK-W-19-1970	2425	Explo	2274.0	451911	5435347	90	-51	2046.1	2050.7	2.6	3.39	
OSK-W-19-1970	2425	Triple 8	2274.0	451911	5435347	90	-51	2195.2	2198.8	7.6	9.58	9.09
			including					2195.8	2192.1	0.3	112	100
OSK-W-19-1970-W1	2425	Explo	1467.0	451911	5435347	90	-51	2358.2	2360.7	2.5	4.01	
			including					2358.9	2359.5	0.6	15.7	
OSK-W-19-1970-W1	2425	Explo	1467.0	451911	5435347	90	-51	2372.0	2372.0	15.0	1.34	
			including					2385.0	2385.8	0.8	9.88	
OSK-W-19-1970-W1	2425	Explo	1467.0	451911	5435347	90	-51	2545.0	2547.0	2.0	5.72	
OSK-W-19-1970-W1	2425	Explo	1467.0	451911	5435347	90	-51	2650.2	2670.0	19.8	0.75	
			including					2669.5	2670.0	0.5	11.7	
OSK-W-19-1970-W1	2425	Explo	1467.0	451911	5435347	90	-51	2718.0	2740.0	2.0	7.41	
			including					2739.0	2739.3	0.3	43.7	
OSK-W-19-1970-W1	2425	Explo	1467.0	451911	5435347	90	-51	2867.9	2870.2	2.3	10.7	
OSK-W-19-1970-W1	2425	Explo	1467.0	451911	5435347	90	-51	3084.0	3088.0	4.0	5.25	
OSK-W-19-1970-W1	2425	Explo	1467.0	451911	5435347	90	-51	3139.0	3150.0	10.0	1.04	
			including					3168.9	3170.3	1.4	11.4	
			including					3178.0	3180.0	2.0	3.26	
			including					3199.0	3200.0	1.0	15.4	
			including					3274.5	3277.0	2.5	10.0	
			including					3275.9	3277.0	1.1	19.9	
OSK-W-19-1971	2525	Explo	147.0	452134	5435132	343	-46	135.0	137.4	2.4	3.28	
OSK-W-19-1973	2450	Caribou 220	509.0	452392	5434547	325	-50	83.2	85.5	2.3	5.29	
			including					84.2	84.5	0.3	40.5	
OSK-W-19-1973	2450	Caribou 220	509.0	452392	5434547	325	-50	92.2	95.1	2.9	4.37	
			including					94.8	95.1	0.3	22.7	
OSK-W-19-1973	2450	Caribou 201	509.0	452392	5434547	325	-50	387.0	389.0	2.0	4.51	
OSK-W-19-1973	2450	227 corridor	509.0	452392	5434547	325	-50	415.2	418.0	2.8	5.91	
OSK-W-19-1975	4325	Triple Lynx	1716.0	453768	5435892	119	-58	1510.9	1512.0	2.0	7.98	
OSK-W-19-1975	4325		1716.0	453768	5435892	119	-58	1511.2	1512.0	0.8	18.3	
OSK-W-19-1975-W1	4325	Lynx 4	1560.0	453768	5435892	119	-58	1504.2	1506.8	2.4	5.89	
OSK-W-19-1978	2750	Windfall Nord	490.2	452479	5435006	341	-48	454.0	456.0	2.0	12.1	
			including					454.7	455.4	0.7	33.1	
OSK-W-19-1982	3200	Bobcat	363.0	452974	5435016	163	-53	158.7	161.9	3.2	10.6	
OSK-W-19-1986	3225	Lynx	1085.0	453352	5434424	46	-75	952.4	960.6	8.2	13.9	
			including					956.0	956.7	0.7	12.4	
			and					959.4	960.0	0.6	13.5	
OSK-W-19-1988	3275	Triple 8	1962.0	453374	5434480	48	-78	1583.2	1585.4	2.2	9.52	
OSK-W-19-1988	3275	Triple 8	1962.0	453374	5434480	48	-78	1608.8	1603.0	2.2	5.97	
OSK-W-19-1988	3275	Triple 8	1962.0	453374	5434480	48	-78	1771.0	1773.2	2.2	6.17	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acumult. (")	Dip (")	From	To	Length (m)	Au (g/t) assayed	Au (g/t) cut to 100 g/t
OSK-W-19-1988	3275	Triple 8	1862.0	453374	5434480	48	-78	1779.0	1783.0	4.0	6.02	
OSK-W-19-1988-W1	3275	Triple 8	1812.0	453374	5434480	48	-78	1596.0	1598.0	2.0	9.06	
OSK-W-19-1988-W1	3275	Triple 8	1812.0	453374	5434480	48	-78	1798.8	1798.8	2.0	5.66	
		including						1795.3	1795.3	0.4	24.7	
OSK-W-19-1991	3375	Lynx 336	1266.0	453561	5434349	358	-46	852.1	854.3	2.2	5.27	
OSK-W-19-1991	3375	Lynx 4	1266.0	453561	5434349	358	-46	891.2	893.7	2.5	5.30	
OSK-W-19-1991	3375	Triple Lynx	1266.0	453561	5434349	358	-46	1127.3	1129.9	2.6	5.82	
OSK-W-19-1991	3375		1266.0	453561	5434349	358	-46	1127.3	1128.0	0.7	14.0	
OSK-W-19-1992-W1	4575	Lynx 4	1875.0	454007	5436004	106	-61	1399.3	1398.7	5.5	10.2	
OSK-W-19-1992-W1	4575	Lynx 4	1875.0	454007	5436004	106	-61	1399.9	1403.2	3.3	16.3	
OSK-W-19-1992-W1	4575	Lynx 4	1875.0	454007	5436004	106	-61	1708.4	1714.3	5.9	14.3	
		including						1711.0	1711.6	0.6	97.8	
OSK-W-19-1993	3050	F11	192.0	452350	5435850	146	-54	103.1	105.5	2.4	5.14	
OSK-W-19-1995	2950	Lynx 335	564.0	453218	5434775	336	-59	131.3	136.9	5.0	248	25.0
		including						135.3	136.3	1.0	740	100
OSK-W-19-1995	2950	Caribou 230	564.0	453218	5434775	336	-59	400.1	402.4	2.3	4.36	
OSK-W-19-1995	2950	Caribou 254	564.0	453218	5434775	336	-59	424.1	427.3	3.2	4.19	
OSK-W-19-1995	2950	Caribou 207	564.0	453218	5434775	336	-59	501.0	502.9	2.5	13.2	
		including						501.0	502.0	1.0	30.3	
OSK-W-19-1996	3000	Bobcat	165.0	452380	5434912	177	-55	13.0	35.1	2.1	3.67	
OSK-W-19-1998	3050	F11	183.0	452350	5435850	151	-46	100.9	104.0	3.1	12.6	
		including						103.0	104.0	1.0	30.0	
OSK-W-19-1999	2975	Bobcat	213.0	452756	5434973	319	-45	122.8	125.0	2.2	29.0	23.0
		including						121.8	123.3	1.5	12.7	100
OSK-W-19-2001	3100	F11	201.0	452402	5435876	166	-53	119.5	121.7	2.2	16.8	
		including						119.5	120.1	0.6	43.6	
OSK-W-19-2001	3100		201.0	452402	5435876	166	-53	125.4	127.7	2.3	7.81	
OSK-W-19-2003	3075	Bobcat	186.0	452328	5435025	80	-47	85.8	96.2	4.4	5.01	
OSK-W-19-2004	3125	Bobcat	352.0	453294	5434976	323	-47	213.6	216.8	3.3	3.31	
		including						216.0	216.9	0.9	15.6	
OSK-W-19-2009	3175	Bobcat	288.0	452947	5435015	169	-49	145.6	147.8	2.2	3.87	
OSK-W-19-2009	3175	Bobcat	288.0	452947	5435015	169	-49	170.1	174.2	4.1	4.97	
		including						170.1	172.0	1.9	8.25	
OSK-W-19-2011	3825	Lynx 301	480.0	453465	5435434	150	-47	463.8	466.0	2.2	22.6	
		including						463.8	464.3	0.5	98.0	
OSK-W-19-2012	3650	Lynx 306	321.0	453482	5435045	359	-69	216.0	218.0	2.0	6.44	
		including						216.0	216.6	0.6	20.9	
OSK-W-19-2012	3650	Lynx 310	321.0	453482	5435045	359	-69	303.0	307.2	4.2	52.3	50.5
		including						306.0	306.5	0.5	115	100
OSK-W-19-2013	3200	F11	201.0	452491	5435886	149	-45	101.6	104.2	2.6	15.5	
		including						101.6	102.0	0.4	43.9	
								102.0	102.4	0.4	54.4	
OSK-W-19-2015	3925	Lynx 315	780.0	453481	5435590	132	-50	698.5	700.5	2.0	32.9	
		including						699.2	699.8	0.6	57.2	
OSK-W-19-2015	3925	Lynx 315	780.0	453481	5435590	132	-50	703.9	706.0	2.1	3.38	
		including						704.5	705.3	0.8	8.34	
OSK-W-19-2017	3825	Lynx 322	471.0	453466	5435433	149	-46	385.0	387.0	2.0	17.9	
		including						386.0	388.5	0.5	70.5	
OSK-W-19-2017	3825	Lynx 301	471.0	453466	5435433	149	-46	415.0	417.0	2.0	6.99	
		including						415.0	416.0	1.0	13.2	
OSK-W-19-2019	3150	F11	234.0	452407	5435919	153	-51	149.0	151.0	2.0	17.5	
		including						149.0	150.0	1.0	84.8	
OSK-W-19-2020	2925	Bobcat	294.0	452727	5434929	163	-45	68.0	70.0	2.0	9.30	
		including						68.6	69.0	0.4	44.3	
OSK-W-19-2020	2925	Bobcat	294.0	452727	5434929	163	-45	166.0	168.0	2.0	7.22	
		including						166.0	166.6	0.6	23.9	
OSK-W-19-2020	2925	Bobcat	294.0	452727	5434929	163	-45	185.0	187.0	2.0	5.64	
		including						186.6	187.0	0.4	23.7	
OSK-W-19-2020	2925	Bobcat	294.0	452727	5434929	163	-45	190.0	192.0	2.0	3.14	
		including						224.9	225.4	0.5	14.4	
OSK-W-19-2021	3250	F11	192.0	452534	5435914	152	-49	58.4	60.4	2.0	4.08	
		including						60.0	60.4	0.4	17.4	
OSK-W-19-2023	3050	Bobcat	243.0	452825	5434978	157	-49	158.0	160.0	2.0	37.2	25.6
		including						158.5	159.0	0.5	147	100
OSK-W-19-2023	3050	Lynx 302	243.0	452825	5434978	157	-49	206.0	208.0	2.0	11.5	
		including						207.0	207.4	0.4	57.1	
OSK-W-19-2024	3125	F11	162.0	452415	5435854	165	-45	99.0	101.0	2.0	12.9	
		including						100.0	101.0	1.0	24.3	
OSK-W-19-2024	3125	F11	162.0	452415	5435854	165	-45	108.6	110.6	2.0	4.24	
OSK-W-19-2025	3200	Bobcat	276.0	452977	5435033	157	-51	112.9	115.4	2.5	7.24	
		including						114.8	115.4	0.6	26.2	
OSK-W-19-2025	3200	Bobcat	276.0	452977	5435033	157	-51	107.6	108.9	1.3	8.77	
OSK-W-19-2026	3700	Triple Lynx	1302.0	453224	5435642	123	-56	1086.3	1086.7	0.4	40.7	
		including						1080.3	1089.7	0.4	36.9	
OSK-W-19-2026-W1	3700	Triple Lynx	1152.0	453224	5435642	123	-56	824.1	826.2	2.1	3.43	
		including						825.5	826.2	0.7	10.1	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-2026-W1	3700	Triple Lynx	1152.0	453214	5435642	123	-56	847.7	853.4	5.7	3.70	
OSK-W-19-2026-W1	3700	Triple Lynx	1152.0	453214	5435642	123	-56	850.1	852.2	2.1	9.56	
OSK-W-19-2026-W1	3700	Triple Lynx	1152.0	453214	5435642	123	-56	932.2	939.0	6.8	4.12	
OSK-W-19-2026-W1	3700	Triple Lynx	including					932.2	932.0	0.4	22.3	
OSK-W-19-2026-W1	3700	Triple Lynx	1152.0	453214	5435642	123	-56	982.0	984.0	2.0	6.89	
OSK-W-19-2026-W1	3700	Triple Lynx	1152.0	453214	5435642	123	-56	988.5	990.7	2.2	5.04	
OSK-W-19-2026-W1	3700	Triple Lynx	1152.0	453214	5435642	123	-56	1026.0	1028.9	2.9	4.86	
OSK-W-19-2026-W1	3700	Triple Lynx	including					1026.0	1028.9	0.3	22.0	
OSK-W-19-2026-W1	3700	Triple Lynx	1152.0	453214	5435642	123	-56	1058.0	1064.0	6.0	3.92	
OSK-W-19-2026-W1	3700	Triple Lynx	including					1063.1	1063.4	0.3	16.6	
OSK-W-19-2026-W1	3700	Triple Lynx	1152.0	453214	5435642	123	-56	1083.0	1085.1	2.1	6.74	
OSK-W-19-2026-W1	3700	Triple Lynx	including					1083.8	1084.1	0.3	37.3	
OSK-W-19-2026-W2	3700	Triple Lynx	1208.0	453214	5435642	123	-56	927.0	929.3	2.3	8.95	
OSK-W-19-2026-W2	3700	Triple Lynx	including					928.4	928.7	0.3	38.4	
OSK-W-19-2026-W2	3700	Triple Lynx	1208.0	453214	5435642	123	-56	973.0	975.0	2.0	5.98	
OSK-W-19-2026-W2	3700	Triple Lynx	1208.0	453214	5435642	123	-56	982.6	987.0	4.4	8.71	
OSK-W-19-2026-W2	3700	Triple Lynx	including					983.0	984.1	1.1	24.7	
OSK-W-19-2026-W2	3700	Triple Lynx	1208.0	453214	5435642	123	-56	1003.3	1004.2	3.9	13.7	
OSK-W-19-2026-W2	3700	Triple Lynx	including					1003.7	1004.2	0.5	62.7	
OSK-W-19-2026-W2	3700	Triple Lynx	1208.0	453214	5435642	123	-56	1034.0	1036.4	2.4	35.7	
OSK-W-19-2026-W2	3700	Triple Lynx	including					1034.6	1035.4	0.8	99.8	
OSK-W-19-2026-W2	3700	Triple Lynx	1208.0	453214	5435642	123	-56	1052.6	1054.6	2.0	9.27	
OSK-W-19-2026-W2	3700	Triple Lynx	including					1054.3	1054.6	0.3	32.4	
OSK-W-19-2026-W2	3700	Triple Lynx	1208.0	453214	5435642	123	-56	1063.0	1065.0	2.0	6.97	
OSK-W-19-2026-W2	3700	Triple Lynx	including					1063.0	1063.3	0.3	41.8	
OSK-W-19-2026-W3	3700	Triple Lynx	1182.0	453214	5435642	123	-56	996.0	998.1	2.1	5.08	
OSK-W-19-2026-W3	3700	Triple Lynx	1182.0	453214	5435642	123	-56	987.0	989.0	2.0	4.40	
OSK-W-19-2026-W3	3700	Triple Lynx	1182.0	453214	5435642	123	-56	1059.0	1063.0	4.0	12.7	
OSK-W-19-2027	2925	F11	102.0	452274	5435732	154	-46	21.0	27.0	6.0	4.46	
OSK-W-19-2027	2925	F11	102.0	452274	5435732	154	-46	29.9	32.5	2.6	3.20	
OSK-W-19-2031	3250	Bobcat	78.0	452995	5435106	271	-68	72.0	74.2	2.2	14.9	
OSK-W-19-2031	3250	Bobcat	including					73.4	76.2	0.8	37.7	
OSK-W-19-2032	1950	Underdog	909.0	451949	5434310	360	-48	685.5	687.6	2.1	3.25	
OSK-W-19-2032	1950	Underdog	909.0	451949	5434310	360	-48	831.0	833.0	2.0	8.40	
OSK-W-19-2032	3250	Bobcat	including					832.1	833.0	0.9	18.6	
OSK-W-19-2032	3250	Bobcat	174.0	453007	5435076	307	-49	79.0	81.6	2.6	15.5	
OSK-W-19-2032	3250	Bobcat	including					79.7	82.2	0.5	38.7	
OSK-W-19-2035	3775	Lynx 321	780.0	453421	5435432	134	-51	505.7	508.0	2.3	4.55	
OSK-W-19-2035	3775	Lynx 301	including					506.4	507.0	0.6	17.0	
OSK-W-19-2035	3775	Lynx 301	780.0	453421	5435432	134	-51	554.1	556.2	2.4	3.24	
OSK-W-19-2035	3775	Lynx 315	780.0	453421	5435432	134	-51	672.9	677.0	4.1	14.1	
OSK-W-19-2035	3775	Lynx 4	including					675.9	676.3	0.4	27.0	
OSK-W-19-2035	3775	Lynx 4	780.0	453421	5435432	134	-51	743.0	745.3	2.3	7.82	
OSK-W-19-2035	3775	Lynx 4	including					744.1	744.8	0.7	24.9	
OSK-W-19-2036	2975	Bobcat	153.0	452726	5435006	316	-46	26.2	28.3	2.1	16.6	
OSK-W-19-2036	2975	Bobcat	including					26.2	26.8	0.6	55.6	
OSK-W-19-2037	3075	F11	183.0	452431	5435770	308	-45	23.0	25.0	2.0	14.9	
OSK-W-19-2038	2950	Bobcat	111.0	452690	5435003	322	-46	23.7	25.1	2.4	18.2	
OSK-W-19-2038	2950	Bobcat	including					24.5	25.4	0.9	48.2	
OSK-W-19-2038	2950	Bobcat	111.0	452690	5435003	322	-46	63.0	65.0	2.0	22.9	
OSK-W-19-2038	2950	Bobcat	including					63.5	64.2	0.7	99.1	
OSK-W-19-2041-W1	3800	Triple Lynx	1350.0	453236	5435775	118	-49	1099.0	1106.0	7.0	3.88	
OSK-W-19-2041-W1	3800	Triple Lynx	1350.0	453236	5435775	118	-49	1108.0	1113.8	4.8	14.8	13.2
OSK-W-19-2041-W1	3800	Triple Lynx	including					1109.0	1109.5	0.5	116	100
OSK-W-19-2041-W1	3800	Triple Lynx	1350.0	453236	5435775	118	-49	1131.9	1134.9	2.9	5.48	
OSK-W-19-2041-W1	3800	Triple Lynx	831.0	453585	5435675	131	-49	736.2	738.4	2.2	3.48	
OSK-W-19-2044	3050	Lynx corridor	441.0	452820	5435006	158	-48	143.2	147.3	4.1	10.9	
OSK-W-19-2044	3050	Lynx 344	441.0	452820	5435006	158	-48	192.0	194.0	2.0	31.7	
OSK-W-19-2046	3275	F17	255.0	452726	5435636	150	-54	146.0	148.1	2.1	3.84	
OSK-W-19-2046	3275	F17	including					146.0	146.7	0.7	10.5	
OSK-W-19-2048	3875	Lynx 301	531.0	453502	5435475	137	-48	480.0	482.0	2.0	12.2	
OSK-W-19-2048	3875	Lynx 301	including					480.0	480.7	0.7	34.1	
OSK-W-19-2054	1950	Caribou	573.0	451513	5434363	359	-46	194.0	196.0	2.0	6.24	
OSK-W-19-2055	4075	F51	291.0	453608	5435712	337	-46	193.9	196.0	2.1	7.03	
OSK-W-19-2055	4075	F51	including					210.8	212.0	2.2	32.4	
OSK-W-19-2055	4075	F51	291.0	453608	5435712	337	-46	211.6	211.8	0.3	80.3	
OSK-W-19-2055	4075	F51	291.0	453608	5435712	337	-46	280.9	283.0	2.1	7.50	
OSK-W-19-2059	3825	Lynx 321	993.0	453446	5435477	131	-52	563.0	565.0	2.0	7.90	
OSK-W-19-2059	3825	Lynx 3	993.0	453446	5435477	131	-52	685.0	687.0	2.0	3.27	
OSK-W-19-2059	3825	Lynx 4	993.0	453446	5435477	131	-52	795.6	796.0	2.4	16.3	
OSK-W-19-2059	3825	Lynx 4	including					795.1	795.9	0.8	39.3	
OSK-W-19-2059	3825	Lynx 324	993.0	453446	5435477	131	-52	846.9	852.0	5.1	21.3	
OSK-W-19-2059	3825	Lynx 327	including					850.0	852.0	2.0	41.2	
OSK-W-19-2059	3825	Lynx 327	993.0	453446	5435477	131	-52	863.8	866.7	2.9	7.07	
OSK-W-19-2059	3825	Lynx 301	including					865.4	865.7	0.3	43.0	
OSK-W-19-2059	3825	Lynx 301	1041.0	453446	5435477	131	-52	588.0	590.0	2.0	3.19	
OSK-W-19-2059	3825	Lynx 301	1041.0	453446	5435477	131	-52	595.0	597.0	2.0	58.8	50.8
OSK-W-19-2059	3825	Lynx 301	including					596.0	597.0	1.0	116	100
OSK-W-19-2059	3825	Lynx 301	1041.0	453446	5435477	131	-52	735.0	737.0	2.0	3.77	
OSK-W-19-2059	3825	Lynx 333	1041.0	453446	5435477	131	-52	785.4	782.4	2.0	9.45	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-2059-W1	3825	Lynx	1041.0	453446	5435477	131	-52	822.8	824.8	2.0	7.07	
		including						824.1	824.4	0.3	25.7	
OSK-W-19-2059-W1	3825	Lynx	1041.0	453446	5435477	131	-52	827.0	829.0	2.0	3.24	
		including						827.5	828.0	0.5	12.0	
OSK-W-19-2059-W1	3825	Lynx 313	1041.0	453446	5435477	131	-52	833.9	836.3	2.4	11.1	
		including						834.8	835.7	0.9	27.3	
OSK-W-19-2059-W1	3825	Lynx 329	1041.0	453446	5435477	131	-52	867.4	869.4	2.0	50.0	
OSK-W-19-2059-W1	3825	Lynx 4	1041.0	453446	5435477	131	-52	881.0	883.4	2.4	7.54	
OSK-W-19-2059-W1	3825	Lynx 4	1041.0	453446	5435477	131	-52	985.9	988.0	2.1	0.43	
OSK-W-20-2059-W2	3825	Lynx 321	933.0	453446	5435477	131	-52	596.0	598.5	2.5	6.05	
		including						597.6	598.0	0.4	25.7	
OSK-W-20-2059-W2	3825	Lynx 333	933.0	453446	5435477	131	-52	806.0	808.0	2.0	7.15	
OSK-W-20-2059-W2	3825	Lynx 335	1029.3	453446	5435477	131	-52	701.3	704.0	2.7	11.3	
		including						701.1	704.0	0.9	29.3	
OSK-W-20-2059-W3	3825	Lynx 330	1029.2	453446	5435477	131	-52	805.0	807.2	2.2	10.1	
		including						806.7	807.2	0.5	43.5	
OSK-W-20-2059-W3	3825	Lynx 4	1029.2	453446	5435477	131	-52	992.8	995.0	2.2	7.28	
OSK-W-20-2059-W4	3825	Lynx 327	1092.8	453446	5435477	131	-52	991.5	995.4	3.9	1.34	
		including						994.2	994.5	0.3	18.0	
OSK-W-20-2059-W4	3825	Lynx 348	1092.0	453446	5435477	131	-52	1038.1	1066.1	28.0	202	31.0
		including						1043.3	1043.6	0.3	102	100
		and						1049.4	1049.7	0.3	674	100
		and						1049.7	1050.0	0.3	9830	100
		and						1050.0	1050.8	0.8	152	100
		and						1051.7	1052.5	0.8	468	100
		and						1054.6	1055.0	0.4	157	100
		and						1055.0	1055.0	1.0	103	100
		and						1058.1	1058.5	0.4	236	100
		and						1058.5	1059.1	0.6	307	100
		and						1062.5	1063.1	0.6	1785	100
		and						1063.1	1064.0	0.9	269	100
OSK-W-20-2059-W4	3825	Lynx 4	1092.0	453446	5435477	131	-52	1077.0	1079.0	2.0	3.40	
		including						1077.7	1078.0	0.3	17.4	
OSK-W-19-2061	3025	Lynx corridor	468.0	452783	5435007	150	-48	155.7	158.0	2.3	3.73	
OSK-W-19-2061	3025	Lynx 335	468.0	452783	5435007	150	-48	252.0	254.3	2.3	5.17	
OSK-W-19-2061	3025	Lynx 335	468.0	452783	5435007	150	-48	453.0	455.0	2.0	4.72	
OSK-W-19-2064	4030	Lynx 314	912.0	453622	5435035	127	-35	793.0	796.2	3.2	4.13	
OSK-W-19-2066	4525	F31	429.0	453486	5436028	159	-45	261.5	263.7	2.2	50.1	
		including						261.8	263.4	1.6	79.2	
OSK-W-19-2067	3750	Triple Lynx	1212.0	453241	5435697	123	-53	925.4	927.7	2.3	12.6	
		including						927.2	927.7	0.5	26.8	
OSK-W-19-2067	3750	Triple Lynx	1212.0	453241	5435697	123	-53	1058.1	1060.8	2.7	6.85	
		including						1060.4	1060.8	0.4	24.4	
OSK-W-19-2067	3750	Triple Lynx	1212.0	453241	5435697	123	-53	1146.0	1146.0	2.0	3.56	
OSK-W-19-2067-W1	3750	Triple Lynx	1302.0	453241	5435697	123	-53	1105.5	1105.0	2.5	21.8	
		including						1106.3	1105.0	0.7	51.6	
OSK-W-19-2067-W1	3750	Triple Lynx	1302.0	453241	5435697	123	-53	1120.3	1122.3	2.0	8.20	
		including						1121.1	1121.4	0.3	37.7	
OSK-W-19-2067-W1	3750	Triple Lynx	1302.0	453241	5435697	123	-53	1127.1	1129.1	2.0	8.38	
		including						1127.1	1127.4	0.3	51.9	
OSK-W-19-2067-W1	3750	Triple Lynx	1302.0	453241	5435697	123	-53	1140.1	1142.2	2.1	47.9	14.7
		including						1141.9	1142.2	0.3	352	100
OSK-W-19-2067-W2	3750	Triple Lynx	1158.5	453241	5435697	123	-53	924.3	926.4	2.1	3.38	
OSK-W-19-2067-W2	3750	Triple Lynx	1158.5	453241	5435697	123	-53	933.0	935.0	2.0	4.02	
OSK-W-19-2067-W2	3750	Triple Lynx	1158.5	453241	5435697	123	-53	937.7	940.0	2.3	3.71	
OSK-W-19-2067-W2	3750	Triple Lynx	1158.5	453241	5435697	123	-53	945.0	948.0	3.0	3.74	
OSK-W-19-2067-W2	3750	Triple Lynx	1158.5	453241	5435697	123	-53	957.4	960.6	3.2	17.8	
		including						958.8	959.2	0.4	50.3	
OSK-W-19-2067-W2	3750	Triple Lynx	1158.5	453241	5435697	123	-53	986.0	991.6	5.6	35.0	33.2
		including						987.3	988.2	0.9	112	100
OSK-W-19-2067-W2	3750	Triple Lynx	1158.5	453241	5435697	123	-53	1029.0	1031.3	2.3	14.6	
OSK-W-19-2067-W2	3750	Lynx 374	1158.5	453241	5435697	123	-53	1155.0	1157.0	2.0	4.49	
OSK-W-19-2067-W3	3750	Triple Lynx	1227.0	453241	5435697	123	-53	1063.0	1065.0	2.0	5.09	
OSK-W-19-2067-W3	3750	Triple Lynx	1227.0	453241	5435697	123	-53	1078.0	1080.0	2.0	3.87	
OSK-W-19-2067-W4	3750	Lynx 368	1203.0	453241	5435697	123	-53	1028.0	1030.5	2.5	3.25	
OSK-W-19-2067-W4	3750	Triple Lynx	1203.0	453241	5435697	123	-53	1040.0	1053.3	4.3	3.70	
OSK-W-19-2067-W4	3750	Triple Lynx	1203.0	453241	5435697	123	-53	1068.5	1072.0	3.5	6.88	
OSK-W-19-2067-W4	3750	Triple Lynx	1203.0	453241	5435697	123	-53	1086.0	1090.0	3.0	12.2	
OSK-W-19-2067-W4	3750	Triple Lynx	1203.0	453241	5435697	123	-53	1115.0	1117.5	2.5	5.46	
OSK-W-19-2067-W4	3750	Triple Lynx	1203.0	453241	5435697	123	-53	1129.0	1126.6	3.6	15.4	
		including						1124.0	1125.0	1.0	37.4	
OSK-W-19-2067-W4	3750	Triple Lynx	1203.0	453241	5435697	123	-53	1134.0	1139.0	5.0	5.56	
OSK-W-19-2067-W5	3750	Triple Lynx	1226.0	453241	5435697	123	-53	1077.0	1080.0	2.0	4.48	
OSK-W-19-2067-W5	3750	Triple Lynx	1226.0	453241	5435697	123	-53	1134.4	1136.8	2.4	0.04	
OSK-W-19-2067-W5	3750	Lynx 370	1226.0	453241	5435697	123	-53	1148.0	1151.0	3.0	8.24	
		including						1150.7	1151.0	0.3	46.8	
OSK-W-19-2067-W5	3750	Triple Lynx	1226.0	453241	5435697	123	-53	1174.0	1176.0	2.0	8.52	
OSK-W-21-2067-W6	3750	TUX 3183	1281.0	453241	5435697	123	-53	1019.9	1021.1	2.2	4.61	
		including						1019.9	1021.2	0.3	13.1	
OSK-W-21-2067-W6	3750	TUX 3183	1281.0	453241	5435697	123	-53	1015.0	1017.0	2.0	3.82	
		including						1016.0	1016.4	0.4	13.1	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-21-2067-W6	3750	Tlx 3163	1281.0	453241	5435697	123	-53	1032.5	1034.5	2.0	6.53	
OSK-W-21-2067-W6	3750	Tlx 3162	1281.0	453241	5435697	123	-53	1078.7	1080.8	2.1	4.77	
OSK-W-21-2067-W6	3750	Tlx 3170	1281.0	453241	5435697	123	-53	1095.7	1098.0	2.3	128	19.0
OSK-W-21-2067-W6	3750	Tlx 3172	1281.0	453241	5435697	123	-53	1095.7	1096.1	0.4	725	100
OSK-W-21-2067-W6	3750	Tlx 3172	1281.0	453241	5435697	123	-53	1108.9	1114.0	5.1	23.9	
OSK-W-21-2067-W6	3750	Tlx 3172	1281.0	453241	5435697	123	-53	1108.2	1110.2	1.0	48.4	
OSK-W-21-2067-W6	3750	Tlx 3172	1281.0	453241	5435697	123	-53	1110.0	1121.0	2.0	0.48	
OSK-W-21-2067-W6	3750	Tlx 3172	1281.0	453241	5435697	123	-53	1129.7	1131.9	2.2	94.2	14.9
OSK-W-21-2067-W6	3750	Tlx 3172	1281.0	453241	5435697	123	-53	1132.0	1131.3	0.3	245	100
OSK-W-21-2067-W7	3750	Tlx 3183	1165.9	453241	5435697	123	-53	1029.0	1033.0	4.0	5.08	
OSK-W-21-2067-W7	3750	Tlx 3183	1165.9	453241	5435697	123	-53	1030.5	1042.4	2.9	41.2	21.7
OSK-W-21-2067-W7	3750	Tlx 3162	1165.9	453241	5435697	123	-53	1039.5	1059.8	0.3	180	100
OSK-W-21-2067-W7	3750	Tlx 3162	1165.9	453241	5435697	123	-53	1042.1	1042.4	0.3	209	100
OSK-W-21-2067-W7	3750	Tlx 3170	1165.9	453241	5435697	123	-53	1097.3	1097.6	0.3	130	100
OSK-W-21-2067-W7	3750	Tlx 3170	1165.9	453241	5435697	123	-53	1098.1	1098.4	0.3	38.6	
OSK-W-21-2067-W7	3750	Tlx 3172	1165.9	453241	5435697	123	-53	1115.0	1117.5	0.5	274	100
OSK-W-21-2067-W7	3750	Tlx 3172	1165.9	453241	5435697	123	-53	1132.1	1134.2	2.1	34.2	15.5
OSK-W-21-2067-W7	3750	Tlx 3172	1165.9	453241	5435697	123	-53	1133.9	1134.2	0.3	231	100
OSK-W-21-2067-W7	3750	Tlx 3170	1165.9	453241	5435697	123	-53	1136.0	1138.0	2.0	87.1	20.1
OSK-W-21-2067-W8	3750	Triple Lynx	1191.0	453241	5435697	123	-53	1136.8	1137.2	0.4	431	100
OSK-W-21-2067-W8	3750	Tlx 3183	1191.0	453241	5435697	123	-53	998.0	999.0	1.0	4.34	
OSK-W-21-2067-W8	3750	Tlx 3183	1191.0	453241	5435697	123	-53	1029.0	1031.2	2.2	9.66	
OSK-W-21-2067-W8	3750	Tlx 3163	1191.0	453241	5435697	123	-53	1053.0	1055.0	2.0	20.8	
OSK-W-21-2067-W8	3750	Triple Lynx	1191.0	453241	5435697	123	-53	1086.0	1087.0	2.0	4.39	
OSK-W-21-2067-W8	3750	Tlx 3162	1191.0	453241	5435697	123	-53	1087.0	1089.0	2.0	12.8	
OSK-W-21-2067-W8	3750	Tlx 3170	1191.0	453241	5435697	123	-53	1101.0	1105.0	2.0	7.17	
OSK-W-21-2067-W8	3750	Tlx 3170	1191.0	453241	5435697	123	-53	1104.0	1104.3	0.3	37.4	
OSK-W-21-2067-W8	3750	Tlx 3170	1191.0	453241	5435697	123	-53	1112.0	1118.0	6.0	29.5	20.1
OSK-W-21-2067-W8	3750	Tlx 3172	1191.0	453241	5435697	123	-53	1115.4	1116.1	0.7	181	100
OSK-W-21-2067-W8	3750	Tlx 3172	1191.0	453241	5435697	123	-53	1126.0	1128.0	2.0	4.11	
OSK-W-21-2067-W9	3750	Tlx 3183	1164.0	453241	5435697	123	-53	1048.0	1050.0	2.0	10.1	
OSK-W-21-2067-W9	3750	Tlx 3163	1164.0	453241	5435697	123	-53	1069.0	1071.0	2.0	6.57	
OSK-W-21-2067-W9	3750	Tlx 3162	1164.0	453241	5435697	123	-53	1107.6	1111.5	3.9	5.52	
OSK-W-21-2067-W9	3750	Tlx 3170	1164.0	453241	5435697	123	-53	1110.7	1111.1	0.4	11.9	
OSK-W-21-2067-W9	3750	Tlx 3170	1164.0	453241	5435697	123	-53	1114.3	1115.9	2.6	6.47	
OSK-W-21-2067-W9	3750	Tlx 3170	1164.0	453241	5435697	123	-53	1115.1	1115.6	0.5	16.0	
OSK-W-21-2067-W9	3750	Tlx 3170	1164.0	453241	5435697	123	-53	1122.0	1124.0	2.0	12.3	
OSK-W-21-2067-W9	3750	Tlx 3170	1164.0	453241	5435697	123	-53	1123.0	1123.5	0.5	26.1	
OSK-W-21-2067-W9	3750	Tlx 3170	1164.0	453241	5435697	123	-53	1126.3	1133.0	6.7	90.0	
OSK-W-21-2067-W9	3750	Tlx 3172	1164.0	453241	5435697	123	-53	1126.6	1127.0	0.4	28.0	
OSK-W-21-2067-W9	3750	Tlx 3172	1164.0	453241	5435697	123	-53	1129.0	1130.0	1.0	24.7	
OSK-W-21-2068-W1	3675	Lynx 304	1098.0	453317	5435387	116	-53	1136.0	1138.5	2.3	36.4	23.7
OSK-W-21-2068-W1	3675	Lynx 304	1098.0	453317	5435387	116	-53	1137.5	1137.8	0.3	198	100
OSK-W-21-2068-W1	3675	Lynx 304	1098.0	453317	5435387	116	-53	481.0	483.3	2.3	9.57	
OSK-W-21-2068-W1	3675	Lynx 304	1098.0	453317	5435387	116	-53	481.5	481.9	0.4	45.2	
OSK-W-21-2068-W1	3675	Lynx 304	1098.0	453317	5435387	116	-53	516.8	519.0	2.2	4.17	
OSK-W-21-2068-W1	3675	Lynx 304	1098.0	453317	5435387	116	-53	844.3	846.6	2.3	56.0	35.7
OSK-W-21-2068-W1	3675	Lynx 304	1098.0	453317	5435387	116	-53	845.8	846.6	0.8	159	100
OSK-W-21-2068-W1	3675	Lynx 304	1098.0	453317	5435387	116	-53	915.5	917.7	2.2	38.4	32.6
OSK-W-21-2068-W1	3675	Lynx 304	1098.0	453317	5435387	116	-53	917.3	917.7	0.4	132	100
OSK-W-21-2068-W1	3675	Lynx 304	1098.0	453317	5435387	116	-53	1008.8	1010.0	3.2	5.23	
OSK-W-21-2068-W1	3675	Lynx 304	1098.0	453317	5435387	116	-53	1011.0	1013.0	2.0	6.67	
OSK-W-21-2068-W1	3675	Lynx 313	1049.0	453317	5435387	116	-53	885.5	887.7	2.2	5.63	
OSK-W-21-2068-W1	3675	Lynx 313	1049.0	453317	5435387	116	-53	903.0	911.7	8.7	8.85	
OSK-W-21-2068-W1	3675	Lynx 313	1049.0	453317	5435387	116	-53	905.0	906.7	1.7	23.4	
OSK-W-21-2068-W1	3675	Lynx 313	1049.0	453317	5435387	116	-53	920.2	921.5	2.3	71.5	
OSK-W-21-2068-W1	3675	Lynx 327	1049.0	453317	5435387	116	-53	942.5	944.5	2.0	3.93	
OSK-W-21-2068-W1	3675	Lynx 312	1049.0	453317	5435387	116	-53	990.0	995.0	2.0	4.32	
OSK-W-21-2068-W2	3675	Lynx 333	1046.0	453317	5435387	116	-53	804.2	806.9	2.7	4.54	
OSK-W-21-2068-W2	3675	Lynx 313	1046.0	453317	5435387	116	-53	853.8	861.8	8.0	163	60.7
OSK-W-21-2068-W2	3675	Lynx 313	1046.0	453317	5435387	116	-53	856.5	857.0	0.5	287	100
OSK-W-21-2068-W2	3675	Lynx 313	1046.0	453317	5435387	116	-53	857.6	858.8	1.2	488	100
OSK-W-21-2068-W2	3675	Lynx 313	1046.0	453317	5435387	116	-53	861.2	861.8	0.6	345	100
OSK-W-21-2068-W2	3675	Lynx 327	1046.0	453317	5435387	116	-53	897.0	901.1	4.1	16.5	
OSK-W-21-2068-W2	3675	Lynx 312	1046.0	453317	5435387	116	-53	906.6	906.1	0.5	36.9	
OSK-W-21-2068-W2	3675	Lynx 312	1046.0	453317	5435387	116	-53	934.7	936.8	2.1	6.54	
OSK-W-21-2068-W2	3675	Lynx 312	1046.0	453317	5435387	116	-53	934.7	935.3	0.6	18.2	
OSK-W-21-2068-W2	3675	Lynx 312	1046.0	453317	5435387	116	-53	967.0	969.0	2.0	3.76	
OSK-W-21-2068-W2	3675	Lynx 312	1046.0	453317	5435387	116	-53	1021.0	1023.0	2.0	4.05	
OSK-W-21-2068-W2	3675	Lynx 313	1022.0	453317	5435387	116	-53	893.5	896.0	2.5	22.3	
OSK-W-21-2068-W3	3675	Lynx 338	1022.0	453317	5435387	116	-53	894.7	895.3	0.6	82.1	
OSK-W-21-2068-W3	3675	Lynx 338	1022.0	453317	5435387	116	-53	902.3	904.5	2.2	9.57	
OSK-W-21-2070	3900	Lynx 333	990.0	453502	5435523	112	-53	992.3	993.0	0.7	21.3	
OSK-W-21-2075	2175	Lynx corridor	288.0	452940	5435028	127	-50	909.9	910.6	0.7	40.8	
OSK-W-21-2077	3575	Lynx 363	1122.0	453147	5435489	127	-57	755.4	761.0	5.6	4.56	
OSK-W-21-2077	3575	Triple Lynx	1122.0	453147	5435489	127	-57	755.4	756.0	0.6	14.1	
OSK-W-21-2077	3575	Triple Lynx	1122.0	453147	5435489	127	-57	763.5	767.0	3.5	6.30	
OSK-W-21-2077	3575	Triple Lynx	1122.0	453147	5435489	127	-57	763.5	764.0	0.5	23.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-2077	3575	Triple Lynx	1122.0	453147	5435480	127	-57	770.0	776.0	6.0	10.7	
		including						771.8	772.3	0.5	36.7	
		including						772.9	773.2	0.3	35.2	
OSK-W-19-2077	3575	Lynx 364	1122.0	453147	5435480	127	-57	797.0	799.0	2.0	4.35	
OSK-W-19-2077	3575	Triple Lynx	1122.0	453147	5435480	127	-57	808.0	810.0	2.0	15.0	
		including						808.6	809.0	0.4	69.5	
OSK-W-19-2080	4175	F51	433.6	453541	5436009	157	-46	153.7	155.7	2.0	8.68	
		including						153.7	154.2	0.5	20.5	
OSK-W-19-2080	4175	F51	433.6	453541	5436009	157	-46	199.6	201.2	1.6	28.2	
		including						199.6	200.0	0.4	43.9	
		and						202.2	203.2	1.0	70.7	
OSK-W-19-2080	4175	F51	433.6	453541	5436009	157	-46	211.0	213.3	2.3	5.09	
OSK-W-19-2081	3100	Bobcat	291.0	452838	5435047	152	-47	38.1	40.4	2.3	44.7	39.4
		including						38.1	39.0	0.9	114	100
OSK-W-19-2081	3100	Vein	291.0	452838	5435047	152	-47	161.1	164.0	2.9	11.5	
		including						161.1	161.5	0.4	82.1	
OSK-W-19-2081	3100	Lynx 344	291.0	452838	5435047	152	-47	198.4	201.4	3.0	16.1	
OSK-W-19-2082	3100	Bobcat	291.0	452838	5435047	152	-47	151.0	154.0	3.0	5.11	
OSK-W-19-2083	1975	Caribou	597.0	451959	5434350	359	-46	115.0	117.0	2.0	3.67	
		including						115.5	116.5	1.0	6.93	
OSK-W-19-2084-W1	3875	Lynx	1200.0	453439	5435574	120	-58	703.4	706.0	2.6	37.6	
		including						704.3	705.0	0.7	69.7	
		and						705.5	706.0	0.5	68.2	
OSK-W-19-2086	4275	F51	387.0	451603	5436123	145	-45	280.0	282.0	2.0	6.76	
		including						281.0	281.5	0.5	18.7	
OSK-W-19-2087	4325	F51	348.0	453635	5435729	941	-44	215.4	217.4	2.0	4.59	
OSK-W-19-2100	3650	Triple Lynx	1110.0	453095	5435726	122	-47	945.0	953.0	8.0	9.23	
		including						945.0	948.0	3.0	20.7	
OSK-W-19-2100	3650	Triple Lynx	1110.0	453095	5435726	122	-47	980.0	982.1	2.1	3.96	
OSK-W-19-2100	3650	Triple Lynx	1110.0	453095	5435726	122	-47	989.0	991.6	2.6	8.06	
		including						989.0	990.0	1.0	18.6	
OSK-W-19-2100-W2	3650	Triple Lynx	1134.0	453095	5435726	122	-47	964.8	967.0	2.2	8.15	
OSK-W-19-2100-W2	3650	Triple Lynx	1134.0	453095	5435726	122	-47	984.3	987.1	2.8	11.2	
		including						995.7	997.7	0.7	29.4	
OSK-W-19-2100-W2	3650	Triple Lynx	1134.0	453095	5435726	122	-47	1056.5	1068.5	2.0	35.7	26.0
		including						1067.3	1067.8	0.5	139	100
OSK-W-19-2100-W4	3650	Triple Lynx	1260.0	453095	5435726	122	-47	967.5	970.0	2.5	9.80	
		including						967.7	970.0	0.3	56.5	
OSK-W-19-2100-W4	3650	Triple Lynx	1260.0	453095	5435726	122	-47	1212.5	1214.7	2.2	5.22	
OSK-W-19-2100-W4	3650	Triple Lynx	1260.0	453095	5435726	122	-47	1242.0	1244.0	2.0	6.47	
OSK-W-19-2100-W5	3650	Triple Lynx	1134.0	453095	5435726	122	-47	907.0	911.0	4.0	7.09	
OSK-W-19-2100-W5	3650	Triple Lynx	1134.0	453095	5435726	122	-47	917.6	921.0	3.4	3.74	
OSK-W-19-2100-W5	3650	Triple Lynx	1134.0	453095	5435726	122	-47	962.0	968.2	6.2	23.8	20.3
		including						966.2	966.8	0.6	136	100
OSK-W-19-2100-W5	3650	Lynx 363	1134.0	453095	5435726	122	-47	987.8	999.0	11.2	19.0	8.64
		including						998.6	999.0	0.4	389	100
OSK-W-19-2100-W5	3650	Triple Lynx	1134.0	453095	5435726	122	-47	1012.5	1015.0	2.5	3.09	
OSK-W-19-2100-W6	3650	Lynx 371	1260.0	453095	5435726	122	-47	896.8	899.0	2.2	59.7	19.0
		including						896.8	897.2	0.4	324	100
OSK-W-19-2100-W6	3650	Lynx 361	1260.0	453095	5435726	122	-47	927.5	930.3	2.8	51.6	34.3
		including						928.9	929.2	0.3	262	100
OSK-W-19-2100-W6	3650	Lynx 363	1260.0	453095	5435726	122	-47	964.0	957.0	7.0	3.55	
OSK-W-19-2100-W6	3650	Triple Lynx	1260.0	453095	5435726	122	-47	984.9	987.0	2.1	11.5	
		including						986.5	987.0	0.5	38.4	
OSK-W-19-2100-W6	3650	Triple Lynx	1260.0	453095	5435726	122	-47	1024.0	1025.3	1.3	4.30	
		including						1025.0	1025.4	0.4	22.6	
OSK-W-19-2100-W7	3650	Lynx 371	1122.0	453095	5435726	122	-47	888.4	890.5	2.1	22.7	
		including						889.3	890.7	0.7	61.2	
OSK-W-19-2100-W7	3650	Lynx 361	1122.0	453095	5435726	122	-47	923.0	925.0	2.0	85.7	55.7
		including						923.6	924.0	0.4	196	100
		and						924.3	925.0	0.7	137	100
OSK-W-19-2100-W7	3650	Lynx 361	1122.0	453095	5435726	122	-47	933.0	935.0	2.0	415	16.1
		including						934.0	934.3	0.3	2780	100
OSK-W-19-2100-W7	3650	Lynx 361	1122.0	453095	5435726	122	-47	946.0	948.0	2.0	3.81	
OSK-W-19-2100-W7	3650	Lynx 362	1122.0	453095	5435726	122	-47	959.0	962.0	3.0	6.58	
OSK-W-19-2100-W7	3650	Lynx 363	1122.0	453095	5435726	122	-47	967.0	969.0	2.0	4.79	
		including						967.7	968.0	0.3	26.0	
OSK-W-19-2100-W7	3650	Lynx 364	1122.0	453095	5435726	122	-47	979.0	981.6	2.6	7.05	
		including						981.0	981.6	0.6	29	100
OSK-W-19-2100-W9	3650	Lynx 361	1074.0	453095	5435726	122	-47	931.0	933.4	2.0	4.38	
OSK-W-19-2100-W9	3650	Triple Lynx	1074.0	453095	5435726	122	-47	949.0	954.4	5.4	4.57	
OSK-W-19-2101	3475	Triple Lynx	909.0	453426	5434779	18	-68	664.4	667.0	2.6	5.48	
OSK-W-19-2101	3475	Triple Lynx	909.0	453426	5434779	18	-68	721.0	724.7	3.7	9.33	
		including						724.3	724.7	0.4	31.0	
OSK-W-19-2101	3475	Lynx 361	909.0	453426	5434779	18	-68	787.0	789.0	2.0	3.84	
OSK-W-19-2104	3225	F11	291.0	452484	5435937	149	-45	95.5	102.2	2.7	3.13	
OSK-W-19-2107	3475	Lynx	1095.0	453426	5434778	23	-70	581.1	593.7	12.6	3.93	
		including						584.0	586.0	2.0	7.62	
OSK-W-19-2107	3475	Triple Lynx	1095.0	453426	5434778	23	-70	690.6	693.5	2.9	3.52	
OSK-W-19-2107	3475	Triple Lynx	1095.0	453426	5434778	23	-70	699.0	701.1	2.1	3.67	
		including						699.9	700.2	0.3	22.2	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-19-2107-W1	3475	Lynx 331	1059.0	453426	5434778	23	-70	579.0	584.0	5.0	4.88	
OSK-W-19-2107-W3	3475	Triple Lynx	1059.0	453426	5434778	23	-70	631.0	633.0	2.0	4.13	
OSK-W-19-2107-W5	3475	Triple Lynx	1059.0	453426	5434778	23	-70	639.0	641.0	2.0	5.58	
								639.7	640.5	0.8	13.7	
OSK-W-19-2107-W1	3475	Triple Lynx	1059.0	453426	5434778	23	-70	646.0	648.0	2.0	4.65	
OSK-W-19-2107-W1	3475	Triple Lynx	1059.0	453426	5434778	23	-70	733.0	737.0	4.0	3.72	
OSK-W-19-2107-W1	3475	Triple Lynx	1059.0	453426	5434778	23	-70	782.0	784.0	2.0	6.28	
OSK-W-19-2107-W1	3475	Triple Lynx	1059.0	453426	5434778	23	-70	890.5	893.0	2.5	174	56.6
								891.2	892.0	0.8	464	100
OSK-W-19-2107-W2	3475	Lynx 331	932.0	453426	5434778	23	-70	578.5	580.6	2.1	12.2	
								579.8	580.2	0.4	28.7	
OSK-W-19-2107-W2	3475	Triple Lynx	932.0	453426	5434778	23	-70	636.4	639.0	2.6	5.19	
OSK-W-19-2107-W2	3475	Triple Lynx	932.0	453426	5434778	23	-70	730.4	734.1	3.7	3.85	
OSK-W-19-2107-W2	3475	Triple Lynx	932.0	453426	5434778	23	-70	779.0	781.0	2.0	15.5	15.1
								779.5	779.8	0.3	103	100
OSK-W-19-2107-W2	3475	Triple Lynx	932.0	453426	5434778	23	-70	890.0	892.0	2.0	3.82	
OSK-W-19-2108-W1	3825	Triple Lynx	1506.0	453215	5435858	117	-53	1352.6	1357.8	5.2	18.8	
								1355.1	1357.8	2.5	34.8	
OSK-W-19-2108-W2	3825	Triple Lynx	1578.0	453215	5435858	117	-53	1299.6	1302.0	2.4	11.2	
								1299.6	1300.1	0.5	52.9	
OSK-W-19-2108-W2	3825	Triple Lynx	1578.0	453215	5435858	117	-53	1346.2	1348.5	2.3	6.50	
OSK-W-19-2115	2925	Underdog	1806.0	453382	5434267	8	-68	1795.9	1798.5	2.6	8.02	
								1797.0	1798.5	1.5	13.2	
OSK-W-19-2119	3300	F11 6001	282.0	452546	5436001	148	-46	129.3	132.1	2.8	8.26	
OSK-W-19-2119	3300	F11 6001	282.0	452546	5436001	148	-46	157.0	161.1	4.1	12.6	
								157.0	158.0	1.0	37.3	
OSK-W-19-2120-W2	4075	Lynx 4	1317.0	453800	5435747	114	-60	1058.4	1060.4	2.0	26.5	
OSK-W-19-2120-W2	4075	Lynx 4	1317.0	453800	5435747	114	-60	1128.0	1132.2	4.2	56.5	35.9
								1131.8	1132.2	0.4	317	100
OSK-W-19-2120-W2	4075	Lynx 4	1317.0	453800	5435747	114	-60	1205.4	1203.6	2.2	337	60.0
								1205.4	1207.7	1.3	569	100
OSK-W-19-2120-W2	4075	Lynx 4	1317.0	453800	5435747	114	-60	1209.5	1211.6	2.1	8.42	
								1211.5	1212.0	0.5	23.2	
OSK-W-19-2120-W3	4075	Lynx 4	1247.0	453800	5435747	114	-60	1052.4	1054.8	2.4	3.33	
OSK-W-19-2123	3800	Triple Lynx	1293.0	453235	5435774	126	-57	1164.4	1167.0	2.6	9.97	
OSK-W-19-2123	3800	Triple Lynx	1293.0	453235	5435774	126	-57	1197.0	1199.3	2.3	26.7	20.8
								1198.9	1199.8	0.9	134	100
OSK-W-19-2123	3800	Triple Lynx	1293.0	453235	5435774	126	-57	1203.0	1205.0	2.0	3.26	
OSK-W-19-2123-W1	3800	Triple Lynx	1308.0	453235	5435774	126	-57	1048.0	1051.5	3.5	3.84	
OSK-W-19-2123-W1	3800	Triple Lynx	1308.0	453235	5435774	126	-57	1123.0	1125.0	2.0	8.72	
								1123.8	1124.4	0.6	27.9	
OSK-W-19-2123-W1	3800	Triple Lynx	1308.0	453235	5435774	126	-57	1191.0	1194.0	3.0	5.39	
OSK-W-19-2123-W1	3800	Triple Lynx	1308.0	453235	5435774	126	-57	1217.0	1226.0	9.0	24.9	24.1
								1221.0	1222.3	1.3	80.3	74.7
								1224.0	1225.0	1.0	71.4	
OSK-W-19-2123-W2	3800	Triple Lynx	1367.0	453235	5435774	126	-57	1198.0	1200.0	2.0	11.5	
								1199.1	1199.4	0.3	73.4	
OSK-W-19-2123-W2	3800	Triple Lynx	1367.0	453235	5435774	126	-57	1265.4	1268.2	2.8	10.7	
								1267.6	1268.2	0.6	49.8	
OSK-W-19-2123-W3	3800	Triple Lynx	1284.0	453235	5435774	126	-57	1002.0	1004.8	2.8	3.23	
OSK-W-19-2123-W3	3800	Triple Lynx	1284.0	453235	5435774	126	-57	1081.0	1083.0	2.0	5.55	
OSK-W-19-2123-W3	3800	Lynx 363	1284.0	453235	5435774	126	-57	1147.0	1149.4	2.4	4.30	
								1148.0	1149.4	0.4	13.9	
OSK-W-19-2123-W3	3800	Triple Lynx	1284.0	453235	5435774	126	-57	1185.3	1187.5	2.2	4.24	
OSK-W-19-2123-W3	3800	Triple Lynx	1284.0	453235	5435774	126	-57	1190.5	1193.5	3.0	5.11	
								1191.1	1191.7	0.6	14.6	
OSK-W-19-2123-W3	3800	Lynx 370	1284.0	453235	5435774	126	-57	1194.5	1196.6	2.1	4.06	
OSK-W-19-2123-W3	3800	Lynx 370	1284.0	453235	5435774	126	-57	1198.3	1201.5	3.2	58.4	37.7
								1198.6	1199.2	0.6	210	100
OSK-W-20-2123-W4	3800	Triple Lynx	1235.5	453235	5435774	126	-57	1086.0	1088.0	2.0	4.00	
OSK-W-20-2123-W4	3800	Triple Lynx	1235.5	453235	5435774	126	-57	1096.0	1098.0	2.0	12.6	
OSK-W-20-2123-W4	3800	Lynx 368	1235.5	453235	5435774	126	-57	1112.0	1114.0	2.0	3.13	
OSK-W-20-2123-W4	3800	Triple Lynx	1235.5	453235	5435774	126	-57	1128.0	1130.3	2.3	5.31	
OSK-W-20-2123-W4	3800	Lynx 364	1235.5	453235	5435774	126	-57	1168.0	1170.0	2.0	8.48	
OSK-W-20-2123-W4	3800	Triple Lynx	1235.5	453235	5435774	126	-57	1177.2	1182.5	5.3	35.0	33.6
								1177.5	1178.0	0.5	118	100
OSK-W-20-2123-W4	3800	Lynx 370	1235.5	453235	5435774	126	-57	1184.0	1186.5	2.5	7.70	
OSK-W-20-2123-W4	3800	Triple Lynx	1235.5	453235	5435774	126	-57	1198.0	1200.0	2.0	8.07	
OSK-W-21-2123-W5	3800	Triple Lynx	1332.0	453235	5435774	126	-57	1154.6	1158.0	4.4	16.6	
								1154.6	1155.0	0.4	42.9	
								1156.0	1156.4	0.4	61.4	
								1157.6	1158.0	0.4	41.9	
OSK-W-21-2123-W5	3800	Triple Lynx	1332.0	453235	5435774	126	-57	1200.0	1205.0	5.0	5.59	
								1200.8	1204.1	3.3	13.3	
OSK-W-21-2123-W5	3800	Triple Lynx	1332.0	453235	5435774	126	-57	1200.0	1211.0	2.0	4.32	
OSK-W-21-2123-W5	3800	Triple Lynx	1332.0	453235	5435774	126	-57	1220.0	1222.0	2.0	5.99	
								1220.0	1220.5	0.5	20.2	
OSK-W-21-2123-W5	3800	Triple Lynx	1332.0	453235	5435774	126	-57	1231.0	1235.0	4.0	4.61	
OSK-W-21-2123-W5	3800	Triple Lynx	1332.0	453235	5435774	126	-57	1293.3	1295.7	2.4	0.77	
								1294.7	1295.7	1.0	19.8	
OSK-W-21-2123-W6	3800	Triple Lynx	1346.0	453235	5435774	126	-57	1091.0	1093.0	2.0	6.76	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-20-2130-W5	3450	Lynx 364	1146.0	452980	5435549	115	-52	941.7	947.0	5.3	3.60	
		including						941.7	947.0	1.3	7.91	
OSK-W-20-2130-W5	3450	Triple Lynx	1146.0	452980	5435549	115	-52	1006.0	1008.5	2.5	4.82	
OSK-W-20-2130-W5	3450	Lynx 374	1146.0	452980	5435549	115	-52	1113.4	1115.9	2.5	3.12	
		including						1114.4	1114.8	0.4	18.7	
OSK-W-20-2130-W6	3450	Lynx 361	1089.0	452980	5435549	115	-52	874.8	876.8	2.0	91.3	45.7
		including						876.0	876.4	0.4	328	100
OSK-W-20-2130-W6	3450	Triple Lynx	1089.0	452980	5435549	115	-52	902.0	904.3	2.3	39.8	16.6
		including						902.4	902.7	0.3	278	100
OSK-W-20-2130-W6	3450	Triple Lynx	1089.0	452980	5435549	115	-52	912.3	914.3	2.0	5.64	
		including						913.6	913.9	0.3	34.5	
OSK-W-20-2130-W6	3450	Lynx 369	1089.0	452980	5435549	115	-52	939.0	941.3	2.3	25.1	
		including						939.8	940.8	1.0	48.3	
OSK-W-20-2130-W7	3450	Lynx 361	1164.0	452980	5435549	115	-52	867.0	869.0	2.0	4.41	
		including						867.8	868.2	0.4	12.5	
OSK-W-20-2130-W7	3450	Lynx 361	1164.0	452980	5435549	115	-52	872.0	874.8	2.8	3.09	
OSK-W-20-2130-W7	3450	Lynx 363	1164.0	452980	5435549	115	-52	894.0	896.6	2.6	3.01	
		including						895.0	895.3	0.3	24.5	
OSK-W-20-2130-W7	3450	Lynx 363	1164.0	452980	5435549	115	-52	899.4	901.7	2.3	3.06	
OSK-W-20-2130-W7	3450	Triple Lynx	1164.0	452980	5435549	115	-52	1081.0	1083.5	2.5	9.53	
		including						1081.9	1081.9	0.9	26.1	
OSK-W-20-2130-W8	3450	Triple Lynx	1125.0	452980	5435549	115	-52	543.0	545.0	2.0	6.68	
		including						543.5	544.4	0.9	14.5	
OSK-W-20-2130-W8	3450	Triple Lynx	1125.0	452980	5435549	115	-52	565.0	567.4	2.4	9.28	
		including						566.2	566.8	0.6	36.9	
OSK-W-20-2130-W8	3450	Lynx 371	1125.0	452980	5435549	115	-52	918.7	920.7	2.0	22.3	20.2
		including						919.6	919.8	0.3	134	100
OSK-W-20-2130-W8	3450	Lynx 371	1125.0	452980	5435549	115	-52	931.5	933.7	2.2	4.90	
OSK-W-20-2130-W8	3450	Lynx 361	1125.0	452980	5435549	115	-52	940.7	942.7	2.0	4.31	
		including						940.7	941.0	0.3	12.3	
OSK-W-20-2130-W8	3450	Lynx 368	1125.0	452980	5435549	115	-52	957.0	962.3	5.3	8.62	
		including						957.7	958.0	0.3	49.1	
OSK-W-20-2130-W8	3450	Lynx 363	1125.0	452980	5435549	115	-52	967.3	970.4	3.1	8.51	
		including						969.6	970.1	0.5	21.9	
OSK-W-20-2130-W8	3450	Lynx 369	1125.0	452980	5435549	115	-52	1002.0	1004.0	2.0	175	57.3
		including						1009.6	1009.4	0.4	677	100
OSK-W-20-2130-W8	3450	Lynx 369	1125.0	452980	5435549	115	-52	1030.1	1033.0	2.9	5.17	
OSK-W-20-2130-W8	3450	Lynx 369	1125.0	452980	5435549	115	-52	1037.6	1039.6	2.0	4.21	
OSK-W-20-2130-W9	3450	Triple Lynx	1152.0	452980	5435549	115	-52	543.5	545.7	2.2	20.5	
		including						544.0	544.7	0.7	63.3	
OSK-W-20-2130-W9	3450	Lynx 371	1152.0	452980	5435549	115	-52	886.7	893.0	6.3	15.4	
OSK-W-20-2130-W9	3450	Lynx 361	1152.0	452980	5435549	115	-52	908.9	912.5	3.6	57.9	15.6
		including						912.0	912.5	0.5	405	100
OSK-W-20-2130-W9	3450	Lynx 364	1152.0	452980	5435549	115	-52	940.0	951.0	2.0	5.68	
		including						949.0	949.5	0.5	14.0	
OSK-W-19-2151	3850	Lynx 320	834.0	453420	5435559	125	-36	671.3	674.0	2.7	4.41	
		including						671.3	671.7	0.4	16.2	
OSK-W-19-2151	3850	Lynx 320	834.0	453420	5435559	125	-36	684.9	689.0	4.1	6.48	
		including						684.9	685.4	0.5	294	
OSK-W-19-2154	3325	Lynx 305	225.0	453178	5434012	338	-53	126.4	128.4	2.0	7.18	
		including						127.4	127.7	0.3	46.8	
OSK-W-19-2154	3325	Lynx 307	225.0	453178	5434012	338	-52	174.0	176.0	2.0	34.5	
		including						174.3	175.1	0.8	86.0	
OSK-W-19-2155	3650	Lynx	909.0	453224	5435512	138	-53	522.9	525.0	2.1	11.9	
		including						523.4	524.1	0.7	27.1	
OSK-W-19-2155	3650	Lynx	909.0	453224	5435512	138	-51	532.6	535.1	2.5	9.00	
OSK-W-19-2160	3550	Lynx	1032.0	453086	5435526	124	-50	743.0	745.0	2.0	3.37	
OSK-W-19-2160	3550	Lynx	1032.0	453086	5435526	124	-50	869.0	871.2	2.2	4.20	
OSK-W-19-2165	3325	Lynx 305	183.0	453177	5434012	333	-45	118.1	120.1	2.0	10.4	
OSK-W-19-2165	3325	Lynx 307	183.0	453177	5434012	333	-45	151.7	154.0	2.3	19.1	
		including						153.6	154.0	0.4	52.8	
OSK-W-19-2164	3425	Lynx 376	1053.0	452944	5435566	130	-52	837.4	839.9	2.5	3.26	
OSK-W-19-2164	3425	Triple Lynx	1053.0	452944	5435566	130	-52	950.0	952.1	2.1	980	48.8
		including						950.0	951.0	1.0	794	100
OSK-W-19-2164-W1	3425	Lynx 367	1098.0	452944	5435566	130	-52	777.0	780.4	3.4	6.35	
		including						779.4	780.4	1.0	17.0	
OSK-W-19-2164-W1	3425	Triple Lynx	1098.0	452944	5435566	130	-52	931.6	933.6	2.0	13.4	
		including						932.3	932.6	0.3	86	
OSK-W-19-2165	3300	Lynx 305	162.0	453177	5434097	335	-48	142.2	145.0	2.8	18.4	
		including						143.2	144.0	0.8	63.0	
OSK-W-19-2166	3300	Lynx 307	228.0	453177	5434097	326	-48	177.1	179.4	2.3	12.0	
		including						177.1	178.2	1.1	23.9	
OSK-W-19-2168	3375	Lynx	537.0	453457	5435342	149	-56	443.7	445.7	2.0	5.92	
		including						445.0	445.7	0.7	14.1	
OSK-W-19-2169	3650	Lynx 311	1267.5	453215	5435512	130	-50	596.6	598.7	2.1	4.61	
OSK-W-19-2169	3650	Lynx 4	1267.5	453215	5435512	130	-50	893.9	895.9	2.0	5.89	
		including						894.7	895.3	0.6	18.2	
OSK-W-19-2169	3650	Vein	1267.5	453215	5435512	130	-50	1031.8	1031.8	0.0	9.36	
		including						1031.8	1032.1	0.3	55.7	
OSK-W-19-2169	3650	Lynx 4	1267.5	453215	5435512	130	-50	1256.3	1258.4	2.1	15.8	
		including						1257.5	1258.4	0.9	36.2	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-19-2170	3900	Triple Lynx	1203.0	453425	5435657	128	-59	923.1	926.6	3.5	40.2	
		including						923.7	924.7	1.0	88.0	
OSK-W-19-2170	3900	Triple Lynx	1203.0	453425	5435657	128	-59	960.3	963.0	2.7	35.5	
		including						960.9	961.9	0.9	70.5	
OSK-W-19-2170	3900	Triple Lynx	1203.0	453425	5435657	128	-59	1016.7	1018.8	2.1	3.96	
OSK-W-19-2170	3900	Triple Lynx	1203.0	453425	5435657	128	-59	1022.8	1026.0	3.2	44.7	16.4
		including						1022.8	1023.1	0.3	402	100
OSK-W-20-2170-W2	3900	Lynx 363	1188.0	453425	5435657	128	-59	971.0	976.6	5.6	149	99.3
		including						974.8	976.6	1.8	439	100
OSK-W-20-2170-W2	3900	Lynx 363	1188.0	453425	5435657	128	-59	981.0	984.0	3.0	6.81	
OSK-W-20-2170-W2	3900	Lynx 363	1188.0	453425	5435657	128	-59	988.0	990.0	2.0	4.66	
OSK-W-20-2170-W2	3900	Lynx 364	1188.0	453425	5435657	128	-59	1011.5	1015.1	3.6	9.47	
		including						1011.5	1012.1	0.6	29.0	
OSK-W-20-2170-W2	3900	Lynx 370	1188.0	453425	5435657	128	-59	1116.0	1118.0	2.0	13.8	
		including						1116.9	1117.2	0.3	80.8	
OSK-W-20-2170-W5	3900	Triple Lynx	1148.2	453425	5435657	128	-59	980.5	982.5	2.0	3.28	
OSK-W-20-2170-W5	3900	Triple Lynx	1148.2	453425	5435657	128	-59	1021.3	1023.7	2.4	9.55	
		including						1021.3	1022.0	0.7	29.5	
OSK-W-20-2170-W5	3900	Lynx 364	1148.2	453425	5435657	128	-59	1047.0	1049.4	2.4	9.54	
		including						1047.0	1047.5	0.5	38.0	
OSK-W-20-2170-W6	3900	Lynx 4	1407.1	453425	5435657	128	-59	1367.8	1370.0	2.2	6.61	
OSK-W-20-2170-W6	3900	Lynx 4	1407.1	453425	5435657	128	-59	1379.0	1381.0	2.0	24.5	
OSK-W-20-2170-W6	3900	Lynx 4	1407.1	453425	5435657	128	-59	1386.0	1386.4	0.4	6.30	
OSK-W-20-2170-W7	3900	TLX 3163	1205.0	453425	5435657	128	-59	971.0	973.0	2.0	25.5	
		including						971.0	972.0	1.0	41.1	
OSK-W-20-2170-W7	3900	TLX 3163	1205.0	453425	5435657	128	-59	995.0	997.5	2.5	4.18	
OSK-W-20-2170-W7	3900	Triple Lynx	1205.0	453425	5435657	128	-59	1029.6	1031.8	2.3	11.1	
		including						1029.6	1030.0	0.4	59.7	
OSK-W-20-2170-W7	3900	TLX 3162	1205.0	453425	5435657	128	-59	1053.0	1053.0	2.0	4.07	
OSK-W-20-2170-W7	3900	TLX 3170	1205.0	453425	5435657	128	-59	1102.0	1104.0	2.0	5.61	
		including						1102.5	1103.0	0.4	25.5	
OSK-W-19-2171	3900	Lynx 307	202.0	453177	5434898	329	-45	167.0	170.0	3.0	129	39.4
		including						168.5	169.0	0.5	488	100
OSK-W-19-2172	3900	Lynx 308	207.0	453148	5434907	329	-53	157.8	161.5	3.7	7.86	
		including						160.8	161.5	0.7	23.5	
OSK-W-19-2173	3850	F11	234.0	452182	5435722	156	-46	29.0	35.0	2.0	3.07	
OSK-W-19-2176	3900	Lynx 307	195.0	453148	5434907	328	-48	148.5	153.7	4.3	4.60	
		including						151.0	151.6	0.6	14.9	
OSK-W-19-2176	3900	Lynx 307	195.0	453148	5434907	328	-48	158.5	160.5	2.0	5.08	
OSK-W-19-2177	3825	F11	396.0	452454	5435997	153	-51	200.0	202.0	2.0	3.30	
OSK-W-19-2178	3850	Lynx 301	416.0	453504	5435428	132	-46	367.0	369.3	2.3	13.4	
		including						367.5	368.3	0.8	37.5	
OSK-W-19-2179	3900	Lynx 305	213.0	453149	5434907	335	-45	104.0	106.0	2.0	9.35	
		including						104.9	106.6	0.7	25.5	
OSK-W-19-2181	3925	Lynx 305	207.0	453179	5434911	333	-48	117.0	119.1	2.1	4.11	
		including						117.0	117.3	0.3	20.0	
OSK-W-19-2181	3925	Lynx 307	207.0	453179	5434911	333	-48	150.6	153.2	2.6	19.2	
OSK-W-19-2182	3850	Lynx	243.0	453505	5435428	132	-50	97.0	99.0	2.0	9.65	
OSK-W-19-2183	3850	Lynx 301	485.0	453504	5435428	135	-49	441.0	443.1	2.1	8.41	
		including						441.0	441.5	0.5	17.9	
OSK-W-19-2184	3975	Lynx 308	120.0	453211	5434967	334	-50	97.0	99.4	2.4	18.0	
		including						98.5	98.9	0.4	89.9	
OSK-W-19-2186	3975	Lynx	135.0	453211	5434968	332	-45	62.0	64.1	2.1	14.4	
		including						62.0	62.3	0.3	87.0	
OSK-W-19-2186	3975	Lynx 308	135.0	453211	5434968	332	-45	83.0	85.0	2.0	6.42	
		including						84.2	84.5	0.3	41.3	
OSK-W-19-2188	3975	Lynx 306	120.0	453211	5434968	323	-47	53.8	55.9	2.1	5.05	
		including						53.8	54.1	0.3	33.2	
OSK-W-19-2188	3975	Lynx 308	120.0	453211	5434968	323	-47	93.0	95.0	2.0	7.50	
OSK-W-19-2191	3975	Lynx 330	93.0	453197	5434994	327	-54	52.7	55.1	2.4	5.68	
		including						54.0	54.3	0.3	37.3	
OSK-W-19-2193	3975	Lynx 308	90.0	453197	5434995	333	-45	60.0	62.2	2.2	4.29	
		including						61.6	61.9	0.3	19.7	
OSK-W-19-2194	3650	Triple Lynx	1122.0	453215	5435512	135	-51	778.7	786.2	7.5	5.36	
		including						778.7	779.5	0.8	12.9	
		and						781.5	784.3	0.8	13.5	
		and						785.2	786.2	1.0	13.2	
OSK-W-19-2194	3650	Lynx 350	1122.0	453215	5435512	135	-51	992.3	994.5	2.2	11.7	
		including						993.6	994.5	0.9	25.2	
OSK-W-19-2195	3850	Lynx 301	420.0	453503	5435430	134	-45	336.9	339.0	2.1	138.0	
		including						336.9	338.0	1.1	81.7	
OSK-W-19-2197	3550	Lynx	1059.0	453087	5435526	122	-48	758.8	762.0	3.2	4.04	
OSK-W-19-2197	3550	Lynx	1059.0	453087	5435526	122	-48	878.0	881.0	3.0	5.11	
OSK-W-19-2197	3550	Lynx 331	1059.0	453087	5435526	122	-48	904.7	906.7	2.0	12.0	
		including						904.7	905.4	0.7	29.3	
OSK-W-19-2197-W2	3550	Triple Lynx	1104.0	453087	5435526	122	-48	784.5	789.6	5.1	72.0	23.6
		including						788.0	789.6	0.6	51.1	100
OSK-W-19-2197-W3	3550	Triple Lynx	1104.0	453087	5435526	122	-48	822.4	826.5	4.1	7.30	
		including						825.9	826.5	0.6	29.4	
OSK-W-19-2197-W1	3550	Triple Lynx	1104.0	453087	5435526	122	-48	845.0	847.1	2.1	5.99	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-2197-W1	3550	Triple Lynx	1104.0	453087	5435526	122	-48	1047.8	1050.0	2.2	64.4	20.4
		including						1048.6	1048.9	0.3	42.9	100
OSK-W-19-2197-W1	3550	Triple Lynx	1104.0	453087	5435526	122	-48	1052.0	1064.0	2.0	143	45.4
		including						1052.5	1052.4	0.9	117	100
OSK-W-20-2197-W2	3550	Lynx 361	1064.0	453087	5435526	122	-48	768.7	771.4	2.7	10.3	
		including						769.7	770.7	1.0	26.0	
OSK-W-20-2197-W2	3550	Lynx 363	1064.0	453087	5435526	122	-48	780.0	782.0	2.0	10.1	
		including						780.8	781.7	0.9	22.1	
OSK-W-20-2197-W2	3550	Lynx 4	1064.0	453087	5435526	122	-48	1045.0	1067.0	2.0	5.66	
OSK-W-19-2201	3350	Lynx 311	93.0	453179	5434981	331	-46	48.8	53.0	2.2	14.1	
		including						49.4	50.6	1.2	25.6	
OSK-W-19-2202	3500	Triple Lynx	1176.0	452997	5435606	127	-54	942.0	944.0	2.0	3.21	
		including						943.2	944.0	0.8	7.80	
OSK-W-20-2202-W1	3500	Triple Lynx	1259.2	452997	5435606	127	-54	850.0	852.6	2.6	5.35	
OSK-W-20-2202-W1	3500	Triple Lynx	1259.2	452997	5435606	127	-54	891.0	899.0	2.0	6.52	
		including						891.0	891.4	0.4	29.7	
OSK-W-20-2202-W2	3500	Lynx 367	1146.0	452997	5435606	127	-54	848.1	850.7	2.1	12.0	
		including						849.9	850.2	0.3	49.4	
OSK-W-20-2202-W2	3500	Triple Lynx	1146.0	452997	5435606	127	-54	874.8	877.0	2.2	7.38	
		including						874.8	875.2	0.4	38.7	
OSK-W-20-2202-W2	3500	Lynx 361	1146.0	452997	5435606	127	-54	930.7	934.4	3.7	11.8	
		including and						932.9	933.4	0.5	27.2	
								934.1	934.4	0.3	10.2	
OSK-W-20-2202-W2	3500	Lynx 363	1146.0	452997	5435606	127	-54	949.0	951.0	2.0	15.4	
		including						950.0	950.3	0.3	81.1	
OSK-W-20-2202-W2	3500	Lynx 363	1146.0	452997	5435606	127	-54	954.4	960.5	6.1	7.49	
		and						954.4	954.7	0.3	54.4	
OSK-W-20-2202-W2	3500	Lynx 363	1146.0	452997	5435606	127	-54	966.6	972.0	2.4	14.2	13.3
		including						970.1	970.4	0.3	107	100
OSK-W-19-2203	3400	Lynx 308	111.0	453220	5434993	329	-50	71.5	73.9	2.4	55.2	18.2
		including						72.9	73.2	0.3	398	100
OSK-W-19-2204	3425	Lynx 304	143.0	453254	5434979	326	-46	69.4	71.5	2.1	4.85	
		including						70.8	71.5	0.7	14.2	
OSK-W-19-2208	3400	Lynx 308	81.0	453212	5435008	334	-45	56.0	58.1	2.1	40.4	28.7
		including						57.5	58.1	0.6	141	100
OSK-W-19-2210	3400	Lynx 311	135.0	453235	5434970	332	-50	97.3	99.5	2.2	11.7	
		including						98.0	98.5	0.5	49.6	
OSK-W-19-2210	3400	Lynx 311	135.0	453235	5434970	332	-50	101.1	103.6	2.5	19.0	
		including						102.0	102.7	0.7	65.5	
OSK-W-19-2213	3400	Lynx 308	144.0	453235	5434970	325	-48	103.1	105.5	2.4	18.0	
		including						103.4	104.3	0.9	40.5	
OSK-W-19-2215	3425	Lynx 304	204.0	453254	5434980	329	-51	71.0	73.5	2.5	4.71	
OSK-W-19-2216	3400	Lynx 306	129.0	453235	5434971	329	-45	72.4	74.4	2.0	5.02	
OSK-W-19-2216	3400	Lynx 308	129.0	453235	5434971	329	-45	91.7	94.7	3.0	39.7	26.8
		including and						91.7	92.0	0.3	115	100
								94.2	94.7	0.5	189	100
OSK-W-19-2217	3425	Triple Lynx	1172.0	452944	5435565	134	-48	781.9	784.0	2.1	16.8	
		including						782.6	783.0	0.4	78.9	
OSK-W-19-2217	3425	Triple Lynx	1172.0	452944	5435565	134	-48	791.6	793.6	2.0	3.11	
OSK-W-19-2217	3425	Triple Lynx	1172.0	452944	5435565	134	-48	805.4	807.5	2.1	4.61	
OSK-W-19-2217	3425	Triple Lynx	1172.0	452944	5435565	134	-48	876.7	878.8	2.1	13.4	
		including						878.0	878.8	0.8	29.3	
OSK-W-19-2217	3425	Triple Lynx	1172.0	452944	5435565	134	-48	905.5	908.0	2.5	8.61	
		including						905.5	906.5	1.0	17.4	
OSK-W-19-2217	3425	Triple Lynx	1172.0	452944	5435565	134	-48	961.2	966.3	5.1	13.4	
		including						961.7	964.2	0.5	98.4	
OSK-W-20-2217-W1	3425	Triple Lynx	1044.0	452944	5435565	134	-48	753.8	759.2	5.4	3.04	
		including						754.8	755.1	0.3	11.1	
OSK-W-20-2217-W1	3425	Triple Lynx	1044.0	452944	5435565	134	-48	877.0	879.0	2.0	3.29	
		including						877.0	877.4	0.4	9.71	
OSK-W-20-2217-W1	3425	Triple Lynx	1044.0	452944	5435565	134	-48	948.0	950.0	2.0	4.36	
		including						948.8	949.4	0.6	14.0	
OSK-W-20-2217-W2	3425	Lynx 365	892.8	452944	5435565	134	-48	546.0	548.0	2.0	11.7	
		including						546.0	547.0	1.0	23.4	
OSK-W-20-2217-W2	3425	Triple Lynx	892.8	452944	5435565	134	-48	755.2	757.9	2.7	36.3	17.0
		including						756.3	756.6	0.3	265	100
OSK-W-20-2217-W2	3425	Triple Lynx	892.8	452944	5435565	134	-48	795.7	797.7	2.0	6.84	
		including						795.7	796.0	0.3	44.7	
OSK-W-20-2217-W2	3425	Triple Lynx	892.8	452944	5435565	134	-48	806.0	808.0	2.0	4.41	
OSK-W-20-2217-W2	3425	Triple Lynx	892.8	452944	5435565	134	-48	860.0	862.0	2.0	14.0	
		including						860.0	860.5	0.5	55.6	
OSK-W-20-2217-W3	3425	Triple Lynx	1128.0	452944	5435565	134	-48	760.4	764.0	3.6	21.8	
OSK-W-20-2217-W3	3425	Lynx 363	1128.0	452944	5435565	134	-48	830.0	832.3	2.3	7.53	
		including						831.0	831.4	0.4	26.8	
OSK-W-20-2217-W3	3425	Triple Lynx	1128.0	452944	5435565	134	-48	910.0	912.0	2.0	19.7	
		including						910.5	911.0	0.5	78.8	
OSK-W-20-2217-W3	3425	Triple Lynx	1128.0	452944	5435565	134	-48	1111.7	1114.0	2.3	16.4	
		including						1113.5	1114.0	0.5	64.3	
OSK-W-20-2217-W4	3425	Triple Lynx	1134.0	452944	5435565	134	-48	768.7	775.0	6.3	9.98	
		including						772.8	773.6	0.8	52.3	
OSK-W-20-2217-W4	3425	Triple Lynx	1134.0	452944	5435565	134	-48	781.0	783.0	2.0	4.08	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-20-2217-W4	3425	Triple Lynx	including 1134.0	452944	5435565	134	-48	793.6	795.8	2.2	4.42	
								795.2	795.5	0.3	24.4	
OSK-W-20-2217-W4	3425	Triple Lynx	including 1134.0	452944	5435565	134	-48	912.0	919.0	2.0	10.9	
								918.0	918.3	0.3	71.9	
OSK-W-20-2217-W4	3425	Triple Lynx	including 1134.0	452944	5435565	134	-48	972.0	974.0	2.0	22.8	
								973.0	974.0	1.0	43.9	
OSK-W-20-2217-W4	3425	Triple Lynx	including 1134.0	452944	5435565	134	-48	981.0	983.0	2.0	29.2	15.6
								981.3	981.6	0.3	19.5	100
OSK-W-19-2219	3450	Lynx 308	including 174.0	453286	5434966	330	-45	135.0	137.0	2.0	13.5	
								135.6	135.9	0.3	68.2	
OSK-W-19-2221	3800	Lynx 315	including 789.0	453422	5435465	134	-49	607.0	609.0	2.0	4.93	
								608.3	609.0	0.7	11.7	
OSK-W-19-2221	3800	Lynx 4	including 789.0	453422	5435465	134	-49	775.0	777.0	2.0	5.46	
								775.7	776.1	0.4	26.4	
OSK-W-19-2225	3450	Lynx 308	including 189.0	453286	5434966	334	-52	144.7	146.6	3.9	18.8	
								144.7	145.4	0.7	76.0	
OSK-W-19-2225	3450	Lynx	including 189.0	453286	5434966	334	-52	179.2	181.2	2.0	4.57	
								179.2	179.9	0.6	15.0	
OSK-W-19-2226	3425	Lynx 311	including 126.0	453238	5435014	322	-55	49.0	51.2	2.2	4.27	
								55.7	58.1	2.4	948	33.8
OSK-W-19-2226	3425	Lynx 311	including 126.0	453238	5435014	322	-55	55.7	56.2	0.5	377	100
								57.8	58.1	0.3	6950	100
								71.6	74.0	2.4	15.4	
OSK-W-19-2226	3425	Lynx	including 108.0	453238	5435014	322	-55	31.7	34.0	2.3	4.24	
								49.9	51.9	2.0	5.63	
OSK-W-19-2230	3450	Lynx 304	including 177.0	453298	5434984	332	-53	105.5	108.0	2.5	4.38	
								106.6	107.1	0.5	20.1	
OSK-W-19-2230	3450	Lynx 311	including 177.0	453298	5434984	332	-53	154.5	156.6	2.1	3.90	
								92.5	94.9	2.4	3.01	
OSK-W-19-2232	3425	Lynx 318	including 123.0	453251	5435018	337	-59	133.0	135.3	2.3	3.80	
								133.0	133.5	0.5	14.8	
OSK-W-19-2237	3425	Lynx 311	including 207.0	453267	5434960	337	-49	181.1	182.2	1.1	8.26	
								181.1	181.5	0.4	41.5	
OSK-W-20-2238	3425	Lynx 304	including 189.0	453267	5434960	328	-51	151.9	154.0	2.1	3.36	
								152.7	153.3	0.6	10.7	
OSK-W-20-2238	3425	Lynx 311	including 189.0	453267	5434960	328	-51	151.9	154.0	2.1	3.36	
								152.7	153.3	0.6	10.7	
OSK-W-20-2239	3425	Lynx	including 165.0	453267	5434960	322	-48	130.0	132.0	2.0	4.43	
								130.7	131.4	0.7	1.88	
OSK-W-20-2240	3425	Lynx	including 167.0	453267	5434960	323	-45	120.6	122.6	2.0	3.88	
								120.6	120.9	0.3	26.1	
OSK-W-20-2240	3425	Lynx 311	including 167.0	453267	5434960	323	-45	128.6	131.0	2.4	31.2	31.1
								128.4	129.7	0.3	102	100
OSK-W-20-2241	3425	Lynx 304	including 165.0	453267	5434961	328	-49	81.9	82.9	2.0	4.62	
								82.3	82.7	0.4	21.7	
OSK-W-20-2241	3425	Lynx 311	including 165.0	453267	5434961	328	-49	140.2	144.0	3.8	4.29	
								789.6	792.0	2.4	19.4	18.4
OSK-W-20-2243	3550	Lynx 361	including 815.3	453086	5435526	122	-54	790.2	790.5	0.3	108	100
								795.0	797.0	2.0	2.13	
OSK-W-20-2243	3550	Lynx 361	including 815.3	453086	5435526	122	-54	800.1	802.4	2.3	5.01	
								800.1	802.4	2.3	5.01	
OSK-W-20-2243-W1	3550	Triple Lynx	including 960.0	453086	5435526	122	-54	795.0	797.1	2.1	6.82	
								795.3	796.1	0.8	15.9	
OSK-W-20-2243-W1	3550	Lynx 363	including 960.0	453086	5435526	122	-54	804.0	806.0	2.0	3.05	
								810.0	816.0	0.6	5.36	
OSK-W-20-2243-W1	3550	Lynx 363	including 960.0	453086	5435526	122	-54	824.0	824.3	3.5	15.4	
								822.4	823.3	0.9	46.8	
OSK-W-20-2243-W1	3550	Lynx 364	including 960.0	453086	5435526	122	-54	828.1	833.3	5.2	5.43	
								828.1	828.4	0.3	40.6	
OSK-W-20-2243-W1	3550	Triple Lynx	including 960.0	453086	5435526	122	-54	923.0	927.0	4.0	5.34	
								789.0	796.2	6.2	31.0	16.5
OSK-W-20-2243-W2	3550	Lynx 361	including 972.0	453086	5435526	122	-54	792.2	792.5	0.3	399	100
								804.5	807.0	2.5	10.9	
OSK-W-20-2243-W2	3550	Lynx 363	including 972.0	453086	5435526	122	-54	805.4	805.7	0.3	49.3	
								828.0	834.0	6.0	2.99	
OSK-W-20-2243-W2	3550	Triple Lynx	including 972.0	453086	5435526	122	-54	862.0	864.0	2.0	17.7	
								863.2	863.6	0.4	85.7	
OSK-W-20-2243-W2	3550	Lynx 361	including 1082.0	453086	5435526	122	-54	782.9	785.0	8.1	10.8	
								783.9	784.5	0.6	24.6	
OSK-W-20-2243-W3	3550	Lynx 363	including 1082.0	453086	5435526	122	-54	819.8	822.0	2.2	3.80	
								819.8	820.1	0.3	11.6	
OSK-W-20-2243-W3	3550	Triple Lynx	including 1082.0	453086	5435526	122	-54	1016.0	1018.0	2.0	15.1	
								1016.0	1017.0	1.0	30.2	
OSK-W-20-2243-W4	3550	Triple Lynx	including 1121.0	453086	5435526	122	-54	773.4	776.5	3.1	42.8	20.9
								774.8	775.1	0.3	326	100
OSK-W-20-2243-W4	3550	Lynx 364	including 1121.0	453086	5435526	122	-54	829.0	831.0	2.0	4.09	
								804.7	806.8	2.1	9.02	
OSK-W-20-2243-W6	3550	Lynx 361	including 965.0	453086	5435526	122	-54	851.4	854.8	3.4	23.5	
								851.1	853.9	0.8	68.9	
OSK-W-20-2243-W6	3550	Triple Lynx	including 965.0	453086	5435526	122	-54	925.2	928.9	3.7	32.2	
								927.2	928.2	1.0	55.2	
OSK-W-20-2244	3400	Lynx 304	including 165.0	453236	5434971	330	-52	108.7	111.0	2.3	21.5	20.1
								108.7	109.9	0.4	108	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-20-2245	3400	Lynx 304	153.0	453236	5434971	321	-49	77.3	79.4	2.1	7.31	
		including						77.3	77.9	0.6	25.2	
OSK-W-20-2245	3400	Lynx 311	153.0	453236	5434971	321	-49	109.5	111.5	2.0	15.2	
		including						110.6	110.9	0.3	91.6	
OSK-W-20-2246	3425	Lynx 311	111.0	453237	5435001	329	-52	62.0	64.0	2.0	10.7	
		including						62.3	62.9	0.6	35.5	
OSK-W-20-2248	3400	Lynx 311	123.0	453214	5435007	328	-52	55.9	58.0	2.1	8.14	
		including						56.3	56.6	0.3	56.7	
OSK-W-20-2249	3100	Bolbec	759.0	453275	5435192	132	-56	354.0	356.0	2.0	5.08	
								354.7	355.3	0.6	16.4	
OSK-W-20-2249	3100	Caribou Corridor	759.0	452775	5435192	132	-56	374.6	376.6	2.0	3.44	
OSK-W-20-2249	3100	Lynx SW	759.0	452775	5435192	132	-56	736.0	732.0	2.0	5.66	
		including						736.5	730.9	0.4	22.8	
OSK-W-20-2250	3575	Lynx 364	1064.0	453129	5435505	132	-57	799.5	804.0	4.5	27.0	14.7
		including						799.5	799.8	0.3	134	100
		and						801.5	801.8	0.3	251	100
OSK-W-20-2250	3575	Lynx 364	1064.0	453129	5435505	132	-57	807.0	809.0	2.0	5.87	
OSK-W-20-2250	3575	Triple Lynx	1064.0	453129	5435505	132	-57	1000.2	1005.0	2.8	18.1	15.6
		including						1002.2	1002.5	0.3	123	100
OSK-W-20-2250-W1	3575	Triple Lynx	1059.8	453129	5435505	132	-57	719.9	722.4	2.5	27.1	
		including						720.9	721.8	0.9	47.0	
OSK-W-20-2250-W1	3575	Triple Lynx	1059.8	453129	5435505	132	-57	732.8	735.0	2.2	3.53	
OSK-W-20-2250-W1	3575	Triple Lynx	1059.8	453129	5435505	132	-57	751.0	752.6	5.6	4.07	
OSK-W-20-2250-W1	3575	Lynx 363	1059.8	453129	5435505	132	-57	767.0	769.0	2.0	5.65	
OSK-W-20-2250-W1	3575	Lynx 372	1059.8	453129	5435505	132	-57	930.4	932.6	2.2	42.6	28.0
		including						930.4	931.0	0.6	154	100
OSK-W-20-2250-W1	3575	Triple Lynx	1059.8	453129	5435505	132	-57	973.0	975.0	2.0	48.6	15.4
		including						973.5	973.8	0.3	321	100
OSK-W-20-2250-W1	3575	Triple Lynx	1059.8	453129	5435505	132	-57	1009.0	1011.1	2.1	5.08	
OSK-W-20-2250-W2	3575	Lynx 364	1134.0	453129	5435505	132	-57	787.0	792.0	5.0	11.1	
		including						790.0	790.4	0.4	67.5	
OSK-W-20-2250-W2	3575	Triple Lynx	1134.0	453129	5435505	132	-57	1024.7	1027.0	3.3	28.8	
		including						1026.4	1027.0	0.6	63.0	
OSK-W-20-2250-W3	3575	Triple Lynx	1170.0	453129	5435505	132	-57	714.0	716.5	2.5	14.4	
OSK-W-20-2250-W3	3575	Triple Lynx	1170.0	453129	5435505	132	-57	748.0	750.0	2.0	3.11	
OSK-W-20-2250-W3	3575	Triple Lynx	1170.0	453129	5435505	132	-57	756.4	758.5	2.1	11.5	
		including						756.8	757.1	0.3	42.9	
OSK-W-20-2250-W3	3575	Lynx 363	1170.0	453129	5435505	132	-57	765.0	767.0	2.0	28.4	24.5
		including						765.5	765.8	0.3	126	100
OSK-W-20-2250-W4	3575	Triple Lynx	1005.0	453129	5435505	132	-57	727.7	734.5	6.8	45.8	
		including						727.2	728.4	0.7	46.3	
		and						730.5	731.0	0.5	12.0	
OSK-W-20-2250-W4	3575	Lynx 371	1005.0	453129	5435505	132	-57	744.0	746.0	2.0	14.3	
		including						744.0	745.0	1.0	27.3	
OSK-W-20-2250-W4	3575	Lynx 361	1005.0	453129	5435505	132	-57	764.7	767.0	2.3	10.8	
		including						765.7	766.4	0.7	33.1	
OSK-W-20-2250-W4	3575	Triple Lynx	1005.0	453129	5435505	132	-57	855.4	858.0	2.6	6.29	
		including						857.2	858.0	0.8	18.6	
OSK-W-20-2251	3900	Triple Lynx	2053.3	453262	5435936	96	-53	1836.0	1838.0	2.0	21.1	20.3
		including						1836.9	1837.3	0.4	104	100
OSK-W-20-2251	3900	Triple Lynx	2053.3	453262	5435936	96	-53	1908.6	1910.8	2.0	5.24	
		including						1908.6	1909.2	0.6	15.9	
OSK-W-20-2251-W1	3900	Lynx 4	2278.0	453262	5435936	96	-53	2112.0	2114.0	2.0	8.45	
OSK-W-20-2252	3750	Lynx 371	1194.0	453241	5435694	129	-54	871.1	873.6	2.5	3.21	
		including						871.1	872.0	0.9	7.51	
OSK-W-20-2252	3750	Lynx 371	1194.0	453241	5435694	129	-54	875.3	877.7	2.4	4.09	
		including						876.3	877.0	0.7	10.6	
OSK-W-20-2252-W1	3750	Lynx 371	1119.0	453241	5435694	129	-54	828.0	830.0	2.0	3.48	
		including						828.9	829.2	0.3	19.1	
OSK-W-20-2252-W1	3750	Lynx 371	1119.0	453241	5435694	129	-54	832.0	834.6	2.6	27.6	13.2
		including						834.3	834.6	0.3	225	100
OSK-W-20-2252-W11	3750	TLX 3189	1191.0	453241	5435694	129	-54	851.0	853.0	2.0	3.99	
OSK-W-20-2252-W11	3750	Triple Lynx	1119.0	453241	5435694	129	-54	861.0	863.0	2.0	4.86	
OSK-W-20-2252-W11	3750	Lynx 361	1119.0	453241	5435694	129	-54	874.1	876.2	2.1	4.23	
OSK-W-20-2252-W11	3750	Lynx 361	1119.0	453241	5435694	129	-54	892.0	894.0	2.0	3.60	
OSK-W-21-2252-W12	3750	TLX 3161	1161.0	453241	5435694	129	-54	916.0	918.0	2.0	15.4	
OSK-W-21-2252-W12	3750	TLX 3161	1161.0	453241	5435694	129	-54	921.0	923.4	2.4	7.13	
		including						921.0	921.4	0.4	27.6	
OSK-W-21-2252-W12	3750	TLX 3161	1161.0	453241	5435694	129	-54	926.4	929.2	2.8	5.83	
OSK-W-21-2252-W12	3750	TLX 3161	1161.0	453241	5435694	129	-54	932.4	937.0	4.6	6.60	
		including						932.4	932.8	0.4	17.3	
		and						936.0	937.0	1.0	15.9	
OSK-W-20-2252-W10	3750	TLX 3163	1226.0	453241	5435694	129	-54	939.9	942.0	2.1	3.31	
OSK-W-20-2252-W11	3750	Triple Lynx	1191.0	453241	5435694	129	-54	944.0	946.0	2.0	4.53	
OSK-W-20-2252-W11	3750	Triple Lynx	1191.0	453241	5435694	129	-54	961.1	963.5	2.4	10.1	15.2
		including						961.4	961.7	0.3	131	100
OSK-W-20-2252-W11	3750	Triple Lynx	1191.0	453241	5435694	129	-54	965.8	969.0	3.2	129	21.2
		including						967.8	968.1	0.3	1250	100
OSK-W-21-2252-W12		TLX 3163	1161.0	453241	5435694	129	-54	971.0	974.0	3.0	12.7	
		including						973.3	974.0	0.7	39.0	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-20-2252-W11	3750	Triple Lynx	1191.0	453241	5435694	129	-54	975.0	977.0	2.0	4.58	
OSK-W-20-2252-W1	3750	Lynx 369	1110.0	453241	5435694	129	-54	987.9	990.0	2.1	3.29	
		including						988.5	989.0	0.5	8.49	
OSK-W-20-2252-W10	3750	TUX 3168	1226.0	453241	5435694	129	-54	989.0	991.0	2.0	12.1	
OSK-W-20-2252-W10	3750	TUX 3163	1225.0	453241	5435694	129	-54	993.0	999.5	6.5	9.83	
OSK-W-21-2252-W12	3750	TUX 3163	1161.0	453241	5435694	129	-54	998.0	1000.0	2.0	3.91	
		including						998.9	999.3	0.4	71.3	
OSK-W-21-2252-W12	3750	TUX 3164	1161.0	453241	5435694	129	-54	1024.9	1027.2	2.3	29.2	13.4
		including						1024.9	1025.2	0.3	225	100
OSK-W-20-2252-W10	3750	Triple Lynx	1226.0	453241	5435694	129	-54	1182.6	1184.8	2.2	8.89	
OSK-W-20-2252-W10	3750	Triple Lynx	1226.0	453241	5435694	129	-54	1190.2	1192.4	2.2	13.8	
		including						1191.2	1192.1	0.9	31.3	
OSK-W-20-2252-W10	3750	Triple Lynx	1226.0	453241	5435694	129	-54	1206.3	1209.3	3.0	4.22	
OSK-W-20-2252-W2	3750	Triple Lynx	1194.0	453241	5435694	129	-54	812.0	814.0	2.0	7.64	
OSK-W-20-2252-W2	3750	Triple Lynx	1194.0	453241	5435694	129	-54	812.2	822.0	9.8	54.4	10.4
		including						817.2	817.5	0.3	804	100
OSK-W-20-2252-W2	3750	Lynx 371	1194.0	453241	5435694	129	-54	826.0	828.0	2.0	4.04	
OSK-W-20-2252-W2	3750	Lynx 371	1194.0	453241	5435694	129	-54	833.0	835.0	2.0	4.41	
OSK-W-20-2252-W2	3750	Triple Lynx	1194.0	453241	5435694	129	-54	837.0	841.2	4.2	12.9	
		including						838.8	839.5	0.7	59.7	
OSK-W-20-2252-W2	3750	Lynx 371	1194.0	453241	5435694	129	-54	856.0	860.1	4.1	31.2	12.7
		including						859.7	860.1	0.4	290	100
OSK-W-20-2252-W2	3750	Lynx 374	1194.0	453241	5435694	129	-54	1114.0	1158.8	44.8	5.37	
OSK-W-20-2252-W1	3750	Triple Lynx	1062.0	453241	5435694	129	-54	824.3	829.7	5.4	3.58	
OSK-W-20-2252-W3	3750	Triple Lynx	1062.0	453241	5435694	129	-54	845.1	847.1	2.0	4.01	
OSK-W-20-2252-W3	3750	Lynx 371	1062.0	453241	5435694	129	-54	865.7	867.7	2.0	11.7	
		including						865.7	866.0	0.3	58.6	
OSK-W-20-2252-W3	3750	Lynx 363	1062.0	453241	5435694	129	-54	940.1	943.0	2.9	4.33	
		including						940.1	940.4	0.3	21.3	
OSK-W-20-2252-W4	3750	Lynx 371	1143.0	453241	5435694	129	-54	880.5	882.6	2.1	53.4	33.2
		including						882.0	882.6	0.6	173	100
OSK-W-20-2252-W4	3750	Lynx 361	1143.0	453241	5435694	129	-54	889.0	892.0	3.0	3.24	
OSK-W-20-2252-W4	3750	Lynx 361	1143.0	453241	5435694	129	-54	902.0	904.0	2.0	41.5	
		including						903.0	904.0	1.0	82.1	
OSK-W-20-2252-W4	3750	Triple Lynx	1143.0	453241	5435694	129	-54	1059.0	1061.0	2.0	12.5	
OSK-W-20-2252-W4	3750	Triple Lynx	1143.0	453241	5435694	129	-54	1100.2	1104.9	4.7	6.74	
		including						1100.2	1105.6	5.4	20.7	
		and						1106.3	1104.9	1.4	33.2	
OSK-W-20-2252-W4	3750	Triple Lynx	1143.0	453241	5435694	129	-54	1109.4	1113.6	4.2	19.2	
		including						1111.0	1111.7	0.7	40.6	
OSK-W-20-2252-W5	3750	Lynx 371	1092.0	453241	5435694	129	-54	854.7	856.9	2.2	18.6	
		including						855.6	856.0	0.4	97.3	
OSK-W-20-2252-W5	3750	Lynx 371	1092.0	453241	5435694	129	-54	882.3	886.3	4.0	71.3	43.8
		including						884.1	884.6	0.5	234	100
		and						885.9	886.3	0.4	375	100
OSK-W-20-2252-W5	3750	TUX 3185	1092.0	453241	5435694	129	-54	901.0	903.0	2.0	3.30	
OSK-W-20-2252-W5	3750	Triple Lynx	1092.0	453241	5435694	129	-54	1017.7	1020.0	2.3	8.54	
		including						1018.5	1019.0	0.5	35.3	
OSK-W-20-2252-W7	3750	Triple Lynx	1191.0	453241	5435694	129	-54	842.6	849.0	6.4	6.99	
		including						844.8	845.1	0.3	41.7	
OSK-W-20-2252-W7	3750	Triple Lynx	1191.0	453241	5435694	129	-54	861.3	866.6	5.3	4.54	
		including						866.3	866.6	0.3	16.6	
OSK-W-20-2252-W7	3750	Lynx 371	1191.0	453241	5435694	129	-54	871.0	876.0	5.0	5.45	
OSK-W-20-2252-W7	3750	Lynx 371	1191.0	453241	5435694	129	-54	879.1	881.8	2.7	4.62	
		including						879.4	879.7	0.3	36.0	
OSK-W-20-2252-W7	3750	Lynx 371	1191.0	453241	5435694	129	-54	885.0	889.0	4.0	4.29	
OSK-W-20-2252-W7	3750	Lynx 371	1191.0	453241	5435694	129	-54	893.9	896.7	2.8	5.67	
OSK-W-20-2252-W7	3750	Lynx 371	1191.0	453241	5435694	129	-54	900.0	900.7	0.7	90.5	32.3
		including						904.7	905.2	0.5	334	100
		and						905.6	906.2	0.6	725	100
OSK-W-20-2252-W7	3750	Lynx 361	1191.0	453241	5435694	129	-54	911.2	913.3	2.1	7.79	
		including						912.1	912.4	0.3	33.7	
OSK-W-20-2252-W7	3750	Lynx 361	1191.0	453241	5435694	129	-54	919.7	923.0	3.3	4.45	
		including						919.7	920.0	0.3	53.3	
OSK-W-20-2252-W7	3750	Lynx 368	1191.0	453241	5435694	129	-54	943.6	950.1	6.5	36.0	25.8
		including						943.9	945.2	1.3	153	100
OSK-W-20-2252-W7	3750	Lynx 361	1191.0	453241	5435694	129	-54	961.9	964.0	2.1	13.7	
		including						962.8	963.1	0.3	75.9	
OSK-W-20-2252-W7	3750	Lynx 364	1191.0	453241	5435694	129	-54	987.0	989.3	2.3	3.26	
OSK-W-20-2252-W8	3750	Lynx 371	1239.0	453241	5435694	129	-54	877.0	879.0	2.0	4.30	
OSK-W-20-2252-W8	3750	Lynx 361	1239.0	453241	5435694	129	-54	921.8	924.1	2.3	23.7	
		including						922.8	923.4	0.6	62.1	
OSK-W-20-2252-W8	3750	Lynx 363	1239.0	453241	5435694	129	-54	967.0	972.5	5.5	36.4	
		including						969.6	970.6	1.0	91.7	
		and						970.6	971.6	1.0	69.5	
OSK-W-20-2252-W8	3750	Triple Lynx	1239.0	453241	5435694	129	-54	975.2	980.0	4.8	25.1	22.6
		including						976.5	977.7	1.2	85.8	75.6
OSK-W-20-2252-W8	3750	Triple Lynx	1239.0	453241	5435694	129	-54	1190.0	1192.0	2.0	7.24	
		including						1190.0	1190.3	0.3	24.7	
OSK-W-20-2253	3225	Caribou Corridor	924.0	452831	5435325	128	-54	387.5	389.5	2.0	4.30	
OSK-W-20-2253	3225	Triple Lynx	924.0	452831	5435325	128	-54	554.1	556.4	2.3	5.60	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-20-2253	3225	Triple Lynx	924.0	452831	5435325	128	-54	554.1	555.0	0.9	12.2	
								596.7	599.0	2.3	3.01	
								598.7	599.0	0.3	16.4	
OSK-W-20-2253	3225	Lynx	924.0	452831	5435325	128	-54	823.8	825.0	2.1	3.39	
OSK-W-20-2256	3675	Triple Lynx	1179.0	453160	5435686	125	-51	830.7	833.4	2.7	4.61	
OSK-W-20-2256	3675	Lynx 371	1179.0	453160	5435686	125	-51	844.0	846.5	2.5	4.34	
OSK-W-20-2256	3675	Lynx 371	1179.0	453160	5435686	125	-51	852.8	855.0	2.2	44.4	19.7
								853.2	853.6	0.4	236	100
OSK-W-20-2256	3675	Triple Lynx	1179.0	453160	5435686	125	-51	870.0	872.8	2.8	9.85	
OSK-W-20-2256	3675	Lynx 361	1179.0	453160	5435686	125	-51	881.1	883.4	2.3	127	51.1
								882.2	882.8	0.6	390	100
OSK-W-20-2256	3675	Lynx 361	1179.0	453160	5435686	125	-51	894.0	896.2	2.2	4.63	
OSK-W-20-2256	3675	Lynx 361	1179.0	453160	5435686	125	-51	898.0	900.0	2.0	11.3	
OSK-W-20-2256	3675	Lynx 369	1179.0	453160	5435686	125	-51	978.9	982.9	4.0	4.44	
								982.2	982.9	0.7	10.5	
OSK-W-20-2256-W1	3675	Lynx 361	1201.0	453160	5435686	125	-51	855.0	868.0	13.0	21.0	17.0
								862.5	863.2	0.7	174	100
OSK-W-20-2256-W1	3675	Lynx 375	1201.0	453160	5435686	125	-51	947.0	949.0	2.0	15.3	
								947.0	948.0	1.0	29.7	
OSK-W-20-2256-W2	3675	Triple Lynx	957.0	453160	5435686	125	-51	815.0	817.0	2.0	3.17	
OSK-W-20-2256-W2	3675	Triple Lynx	957.0	453160	5435686	125	-51	855.0	859.0	4.0	4.21	
OSK-W-20-2256-W2	3675	Lynx 361	957.0	453160	5435686	125	-51	874.7	880.3	5.6	115	16.0
								876.5	877.1	0.6	1020	100
OSK-W-20-2256-W2	3675	Lynx 369	957.0	453160	5435686	125	-51	931.9	936.0	4.1	3.78	
								931.9	932.2	0.3	12.0	
								935.0	936.0	1.0	6.94	
OSK-W-20-2256-W2	3675	Lynx 369	957.0	453160	5435686	125	-51	940.0	945.0	5.0	26.5	
								940.0	943.0	1.0	53.4	
OSK-W-20-2256-W4	3675	Lynx 361	1122.0	453160	5435686	125	-51	862.0	871.2	9.2	61.5	32.6
								863.0	864.0	1.0	281	100
								870.0	871.2	1.2	172	100
OSK-W-20-2256-W4	3675	Lynx 361	1122.0	453160	5435686	125	-51	881.0	884.0	3.0	37.0	
								882.0	883.0	1.0	86.2	
OSK-W-20-2256-W4	3675	Lynx 364	1122.0	453160	5435686	125	-51	930.0	934.0	4.0	5.63	
OSK-W-20-2256-W4	3675	Lynx 369	1122.0	453160	5435686	125	-51	963.0	965.0	2.0	10.3	
								964.0	964.5	0.5	76.4	
OSK-W-20-2256-W5	3675	Triple Lynx	1122.0	453160	5435686	125	-51	1012.0	1014.0	2.0	14.6	
OSK-W-20-2256-W5	3675	Lynx 361	1022.0	453160	5435686	125	-51	858.5	873.0	14.5	86.2	16.4
								868.1	868.4	0.3	230	100
								868.4	868.7	0.3	320	100
								869.0	869.3	0.3	321	100
OSK-W-20-2256-W5	3675	Lynx 368	1022.0	453160	5435686	125	-51	892.1	894.1	2.0	4.85	
OSK-W-20-2256-W5	3675	Lynx 371	1157.0	453160	5435686	125	-51	868.8	872.6	3.8	24.4	
								869.7	870.3	0.6	79.5	
OSK-W-20-2256-W6	3675	Lynx 371	1157.0	453160	5435686	125	-51	875.0	879.0	4.0	4.91	
OSK-W-20-2256-W6	3675	Lynx 361	1157.0	453160	5435686	125	-51	883.0	892.0	9.0	18.2	
								887.6	888.3	0.7	57.6	
OSK-W-20-2256-W6	3675	Triple Lynx	1157.0	453160	5435686	125	-51	1053.0	1054.0	3.0	12.0	
								1052.1	1053.0	0.9	97.7	
OSK-W-20-2256-W7	3675	Lynx 361	1005.0	453160	5435686	125	-51	889.4	872.0	2.6	4.88	
OSK-W-20-2256-W7	3675	Lynx 361	1005.0	453160	5435686	125	-51	881.0	895.5	10.5	108	30.7
								885.8	887.0	1.2	567	100
								887.5	888.6	1.1	302	100.0
OSK-W-20-2256-W7	3675	Triple Lynx	1005.0	453160	5435686	125	-51	899.0	901.0	2.0	15.4	
								899.6	900.0	0.4	69.4	
OSK-W-20-2256-W8	3675	TUX 3189	1056.0	453160	5435686	125	-51	872.5	877.0	4.5	4.39	
OSK-W-20-2256-W8	3675	TUX 3161	1056.0	453160	5435686	125	-51	883.2	887.0	3.8	4.17	
								886.0	886.5	0.5	8.68	
OSK-W-20-2256-W8	3675	TUX 3161	1056.0	453160	5435686	125	-51	888.5	890.5	2.0	7.73	
OSK-W-20-2256-W8	3675	TUX 3161	1056.0	453160	5435686	125	-51	889.4	889.9	0.5	30.2	
								901.7	905.7	4.0	56.4	48.5
								901.7	902.2	0.5	139	100
OSK-W-20-2256-W8	3675	TUX 3161	1056.0	453160	5435686	125	-51	903.0	905.5	2.5	128	100
								907.7	913.2	5.5	18.3	
								911.7	912.5	0.8	44.5	
OSK-W-20-2256-W8	3675	TUX 3161	1056.0	453160	5435686	125	-51	921.0	923.1	2.1	45.3	
								922.1	923.1	1.0	90.7	
OSK-W-20-2256-W8	3675	TUX 3183	1056.0	453160	5435686	125	-51	932.0	944.4	12.4	8.56	
								935.8	937.0	1.2	22.2	
OSK-W-20-2256-W8	3675	TUX 3163	1056.0	453160	5435686	125	-51	947.7	954.0	6.3	5.56	
								948.4	949.4	1.0	12.0	
								951.4	954.0	2.6	13.1	
OSK-W-20-2256-W8	3675	TUX 3163	1056.0	453160	5435686	125	-51	961.0	956.3	5.3	13.4	
								965.7	966.3	0.6	87.2	
OSK-W-20-2256-W8	3675	TUX 3163	1056.0	453160	5435686	125	-51	972.0	974.0	2.0	3.59	
OSK-W-20-2256-W8	3675	TUX 3164	1056.0	453160	5435686	125	-51	987.0	989.0	2.0	4.79	
OSK-W-20-2256-W8	3675	TUX 3164	1056.0	453160	5435686	125	-51	1001.2	1003.6	2.4	13.8	
								1002.2	1002.6	0.4	40.5	
OSK-W-20-2260	3700	Lynx 361	1038.0	453201	5435667	127	-48	834.5	836.6	2.1	20.2	
								834.8	835.2	0.4	91.4	
OSK-W-20-2260-W1	3700	Lynx 361	1140.0	453201	5435667	127	-48	843.0	846.0	3.0	334	38.0



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-20-2260-W1	3700	Lynx 363	including 1140.0	453201	5435667	127	-48	843.4 891.0	844.4 893.0	1.0 2.0	927 32.3	100
OSK-W-20-2260-W1	3700	Lynx 369	including 1140.0	453201	5435667	127	-48	891.9 939.0	892.6 940.0	0.7 2.0	86.1 6.9	
OSK-W-20-2260-W1	3700	Lynx 374	including 1140.0	453201	5435667	127	-48	939.0 1096.0	940.0 1100.3	1.0 2.3	14.0 7.30	
OSK-W-20-2260-W2	3700	Lynx 361	including 1191.4	453201	5435667	127	-48	1099.3 838.7	1100.3 842.0	1.0 3.3	13.3 54.4	
OSK-W-20-2260-W2	3700	Lynx 363	including 1191.4	453201	5435667	127	-48	838.7 878.0	840.5 880.0	1.8 2.0	98.2 4.25	
OSK-W-20-2260-W2	3700	Lynx 363	including 1191.4	453201	5435667	127	-48	882.0 891.0	884.0 893.0	2.0 2.0	3.03 12.2	
OSK-W-20-2260-W2	3700	Lynx 363	including 1191.4	453201	5435667	127	-48	891.8 908.9	893.3 912.0	0.5 2.1	96.3 4.77	
OSK-W-20-2260-W2	3700	Lynx 364	including 1191.4	453201	5435667	127	-48	941.0 1091.4	943.0 1093.0	2.0 2.0	10.1 6.47	
OSK-W-20-2260-W2	3700	Lynx 364	including 1191.4	453201	5435667	127	-48	1091.4 1174.4	1093.0 1176.5	0.7 2.1	18.1 9.43	
OSK-W-20-2260-W2	3700	Lynx 364	including 1191.4	453201	5435667	127	-48	1174.4 1176.0	1176.5 1176.5	0.5 2.0	28.0 7.76	
OSK-W-20-2263	3225	Bobcat	including 1029.0	452927	5435187	128	-49	94.0 106.7	96.0 108.8	2.0 2.1	7.76 6.32	
OSK-W-20-2263	3225	Bobcat	including 1029.0	452927	5435187	128	-49	106.7 108.0	108.8 108.8	0.8 0.8	14.1 14.1	
OSK-W-20-2263	3225	Lynx 311	including 1029.0	452927	5435187	128	-49	384.4 522.3	386.7 524.3	2.3 2.0	3.42 29.4	
OSK-W-20-2263	3225	Lynx 356	including 1029.0	452927	5435187	128	-49	522.9 593.0	524.4 595.0	0.5 2.0	68.3 4.33	
OSK-W-20-2263	3225	Lynx	including 1029.0	452927	5435187	128	-49	593.0 710.0	595.0 712.0	2.0 2.0	4.33 42.6	21.4
OSK-W-20-2264	4225	Lynx 334	including 1119.0	454127	5435062	292	-74	711.2 766.5	711.6 778.8	0.4 12.3	206 75.7	100 21.0
OSK-W-20-2264	4225	Lynx 330	including 1119.0	454127	5435062	292	-74	766.5 771.8	778.8 774.4	0.6 0.6	1065 1065	100 100
OSK-W-20-2264	4225	Lynx 4	including 1119.0	454127	5435062	292	-74	771.8 782.2	774.4 790.0	0.9 2.0	190 10.5	100 10.5
OSK-W-20-2264	4225	Lynx 4	including 1119.0	454127	5435062	292	-74	790.0 816.3	790.0 836.8	0.7 0.5	38.4 31.4	
OSK-W-20-2264	4225	Lynx 4	including 1119.0	454127	5435062	292	-74	816.3 818.8	836.8 839.6	0.5 0.8	31.4 57.5	
OSK-W-20-2264	4225	Lynx 4	including 1119.0	454127	5435062	292	-74	839.6 863.3	839.6 865.3	2.0 2.0	6.29 6.29	
OSK-W-20-2266	3500	Triple Lynx	including 1050.0	453067	5435478	128	-55	731.8 752.0	736.0 758.0	2.2 3.0	10.3 106.8	
OSK-W-20-2266	3500	Triple Lynx	including 1050.0	453067	5435478	128	-55	752.0 753.4	758.0 753.8	0.4 0.4	21.2 21.2	
OSK-W-20-2266	3500	Triple Lynx	including 1050.0	453067	5435478	128	-55	753.4 1027.4	753.8 1029.5	0.4 2.1	21.2 5.58	
OSK-W-20-2266-W1	3500	Triple Lynx	including 1116.0	453067	5435478	128	-55	1027.4 1028.7	1029.5 1029.0	2.1 0.3	5.58 31.1	
OSK-W-20-2266-W1	3500	Triple Lynx	including 1116.0	453067	5435478	128	-55	1028.7 119.2	1029.0 721.3	0.3 2.1	31.1 5.38	
OSK-W-20-2266-W1	3500	Triple Lynx	including 1116.0	453067	5435478	128	-55	721.3 727.3	724.0 727.3	10.4 0.6	34.8 375	18.5 100
OSK-W-20-2266-W1	3500	Triple Lynx	including 1116.0	453067	5435478	128	-55	727.3 742.4	724.0 743.0	0.6 0.3	375 119	100 100
OSK-W-20-2266-W1	3500	Triple Lynx	including 1116.0	453067	5435478	128	-55	742.4 767.5	743.0 769.9	0.3 2.4	119 4.08	
OSK-W-20-2266-W1	3500	Triple Lynx	including 1116.0	453067	5435478	128	-55	767.5 776.8	769.9 779.2	2.4 2.4	4.08 5.73	
OSK-W-20-2266-W1	3500	Triple Lynx	including 1116.0	453067	5435478	128	-55	776.8 778.0	779.2 779.2	1.2 1.2	5.73 11.1	
OSK-W-20-2266-W1	3500	Lynx 364	including 1116.0	453067	5435478	128	-55	778.0 797.3	779.2 799.3	2.0 2.0	11.1 3.08	
OSK-W-20-2266-W1	3500	Lynx 370	including 1116.0	453067	5435478	128	-55	797.3 839.6	799.3 842.3	2.0 2.7	3.08 4.99	
OSK-W-20-2266-W2	3500	Lynx 363	including 1131.0	453067	5435478	128	-55	842.3 717.4	843.0 719.4	2.0 2.0	4.99 39.9	
OSK-W-20-2266-W2	3500	Lynx 361	including 1131.0	453067	5435478	128	-55	717.4 731.9	719.4 740.7	2.0 10.8	39.9 9.07	
OSK-W-20-2266-W2	3500	Lynx 363	including 1131.0	453067	5435478	128	-55	740.7 774.0	740.7 776.0	1.1 2.0	35.3 8.57	
OSK-W-20-2267	3275	Bobcat	including 66.0	452972	5435210	135	-52	774.0 775.0	776.0 775.3	2.0 0.3	8.57 46.5	
OSK-W-20-2267	3275	Bobcat	including 66.0	452972	5435210	135	-52	775.0 804.4	775.3 80.8	0.3 2.4	46.5 18.4	
OSK-W-20-2268	3575	Triple Lynx	including 849.0	453148	5435488	127	-55	804.4 51.0	80.8 33.5	2.4 0.5	18.4 46.4	
OSK-W-20-2268-W1	3575	Triple Lynx	including 1073.0	453148	5435488	127	-55	51.0 711.2	33.5 712.2	0.5 0.5	46.4 102	
OSK-W-20-2268-W1	3575	Triple Lynx	including 1073.0	453148	5435488	127	-55	711.2 713.0	712.2 713.8	0.8 0.8	102 49.3	
OSK-W-20-2268-W1	3575	Triple Lynx	including 1073.0	453148	5435488	127	-55	713.0 737.1	713.8 738.3	0.8 2.7	49.3 7.48	
OSK-W-20-2268-W1	3575	Triple Lynx	including 1073.0	453148	5435488	127	-55	737.1 812.5	738.3 814.5	0.7 2.0	7.48 4.64	
OSK-W-20-2268-W1	3575	Triple Lynx	including 1073.0	453148	5435488	127	-55	812.5 813.7	814.5 814.1	2.0 0.4	4.64 12.1	
OSK-W-20-2268-W1	3575	Triple Lynx	including 1073.0	453148	5435488	127	-55	813.7 819.0	814.1 821.3	0.4 2.3	12.1 27.4	
OSK-W-20-2268-W1	3575	Triple Lynx	including 1073.0	453148	5435488	127	-55	819.0 1027.4	821.3 1029.0	2.0 2.0	27.4 6.70	
OSK-W-20-2268-W2	3575	Triple Lynx	including 1038.0	453148	5435488	127	-55	1027.4 999.0	1029.0 1001.0	0.8 2.0	16.5 5.08	
OSK-W-20-2268-W3	3575	Triple Lynx	including 975.0	453148	5435488	127	-55	999.0 779.0	1001.0 781.3	2.0 2.3	5.08 77.3	18.5
OSK-W-20-2268-W3	3575	Triple Lynx	including 975.0	453148	5435488	127	-55	779.0 780.7	781.3 781.0	2.3 0.3	77.3 150	100
OSK-W-20-2268-W3	3575	Triple Lynx	including 975.0	453148	5435488	127	-55	780.7 790.9	781.0 796.0	0.3 5.1	150 4.60	
OSK-W-20-2269	3275	Bobcat	including 933.0	452972	5435210	133	-50	796.0 97.3	796.0 98.5	2.2 2.2	4.60 8.21	
OSK-W-20-2269	3275	Lynx 311	including 933.0	452972	5435210	133	-50	98.5 98.0	98.5 98.4	2.2 0.4	8.21 30.8	
OSK-W-20-2269	3275	Lynx	including 933.0	452972	5435210	133	-50	98.0 510.2	98.4 510.0	0.4 0.3	30.8 3.85	
OSK-W-20-2269	3275	Lynx SW	including 933.0	452972	5435210	133	-50	510.2 518.2	510.0 520.6	0.3 2.4	3.85 3.37	
OSK-W-20-2269	3275	Lynx	including 933.0	452972	5435210	133	-50	518.2 580.1	520.6 582.5	2.4 2.4	3.37 15.5	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-20-2269	3275	Lynx SW	933.0	452972	5435210	133	-50	886.0	886.0	2.0	14.0	
		including						886.5	886.8	0.3	92.5	
OSK-W-20-2270	3275	Lynx 356	774.0	452973	5435209	133	-53	596.0	596.0	2.0	5.99	
		including						597.0	597.5	0.5	23.8	
OSK-W-20-2271	3950	Lynx	1247.0	453462	5435682	120	-53	775.0	777.0	2.0	7.99	
		including						809.6	815.2	5.6	6.69	
OSK-W-20-2271	3950	Lynx	1247.0	453462	5435682	120	-53	814.2	815.2	1.0	17.4	
		including						841.1	843.1	2.0	18.2	
OSK-W-20-2271	3950	Lynx	1247.0	453462	5435682	120	-53	842.1	843.1	1.0	35.0	
		including						877.0	879.0	2.0	5.36	
OSK-W-20-2271	3950	Lynx 4	1247.0	453462	5435682	120	-53	877.9	878.2	0.3	27.8	
		including						1108.6	1114.2	5.6	13.2	
OSK-W-20-2271-W1	3950	Lynx	1200.0	453462	5435682	120	-53	1110.8	1113.5	0.7	51.8	
		including						752.1	754.2	2.1	5.88	
OSK-W-20-2271-W1	3950	Lynx	1200.0	453462	5435682	120	-53	784.3	786.5	2.2	4.38	
		including						840.1	842.2	2.1	4.57	
OSK-W-20-2271-W1	3950	Lynx	1200.0	453462	5435682	120	-53	841.9	842.2	0.3	19.7	
		including						847.5	849.5	2.0	4.50	
OSK-W-20-2271-W1	3950	Lynx 4	1200.0	453462	5435682	120	-53	1032.0	1034.0	2.0	26.3	
		including						1033.0	1033.5	0.5	97.5	
OSK-W-20-2271-W1	3950	Lynx	1200.0	453462	5435682	120	-53	1040.0	1051.0	2.0	7.88	
		including						814.0	815.9	2.9	6.00	
OSK-W-20-2271-W2	3950	Lynx 330	1222.7	453462	5435682	120	-53	1024.5	1026.9	2.4	32.1	
		including						1026.6	1026.9	0.3	90.1	
OSK-W-20-2271-W2	3950	Lynx 4	1222.7	453462	5435682	120	-53	1038.0	1040.0	2.0	3.79	
		including						1054.0	1056.1	2.1	6.13	
OSK-W-20-2271-W2	3950	Lynx 334	1222.7	453462	5435682	120	-53	1060.2	1065.6	0.4	20.3	
		including						1077.0	1079.0	2.0	5.15	
OSK-W-20-2271-W2	3950	Lynx 4	1222.7	453462	5435682	120	-53	1133.5	1135.5	2.0	3.64	
		including						1134.0	1134.5	0.5	14.5	
OSK-W-20-2271-W1	3950	Lynx 330	1235.0	453462	5435682	120	-53	1057.6	1068.9	11.3	21.7	
		including						1063.8	1062.1	0.3	64.1	
		and						1064.0	1064.3	0.3	92.8	
OSK-W-20-2271-W1	3950	LXM 3440	1235.0	453462	5435682	120	-53	1099.0	1099.0	2.0	4.59	
		including						1134.0	1134.0	5.90	5.90	
OSK-W-20-2271-W4	3950	LXM 3304	1134.0	453462	5435682	120	-53	757.7	759.7	2.0	5.90	
		including						791.2	792.7	0.5	25.3	
OSK-W-20-2271-W4	3950	Lynx	1134.0	453462	5435682	120	-53	793.0	794.0	2.0	29.4	
		including						792.0	793.0	1.0	55.0	
OSK-W-20-2271-W4	3950	Lynx	1134.0	453462	5435682	120	-53	804.0	807.0	3.0	8.32	
		including						804.0	804.6	0.6	21.9	
OSK-W-20-2271-W4	3950	LXM 3418	1134.0	453462	5435682	120	-53	1085.0	1087.0	2.0	8.68	
		including						1085.0	1085.5	0.5	21.0	
OSK-W-20-2271-W5	3950	LXM 3317	1247.0	453462	5435682	120	-53	825.5	828.0	2.5	29.5	12.4
		including						826.2	826.5	0.3	242	100
OSK-W-20-2271-W5	3950	Lynx 4	1247.0	453462	5435682	120	-53	1064.6	1067.4	2.8	4.74	
		including						1064.6	1065.0	0.4	13.1	
OSK-W-20-2271-W5	3950	LXM 3430	1247.0	453462	5435682	120	-53	1177.2	1179.8	2.6	6.19	
		including						849.0	851.0	2.0	5.07	
OSK-W-20-2271-W6	3950	LXM 3345	1232.0	453462	5435682	120	-53	1131.6	1133.2	2.1	10.5	
		including						1132.7	1133.0	0.3	46.1	
OSK-W-20-2271-W6	3950	LXM 3434	1232.0	453462	5435682	120	-53	1135.6	1138.0	2.4	63.8	26.7
		including						1137.3	1137.7	0.4	323	100
OSK-W-20-2272	3300	Lynx 356	1004.0	452967	5435265	149	-45	568.5	570.5	2.0	4.65	
		including						569.5	569.9	0.4	21.4	
OSK-W-20-2272	3300	Lynx 356	1004.0	452967	5435265	149	-45	613.0	615.0	2.0	3.45	
		including						683.0	685.1	2.1	13.0	
OSK-W-20-2273	3500	Lynx 363	1059.0	453067	5435478	129	-51	706.7	708.7	2.0	8.32	
		including						706.7	707.2	0.5	22.4	
OSK-W-20-2273	3500	Triple Lynx	1059.0	453067	5435478	129	-51	1013.8	1017.3	3.5	5.31	
		including						1015.1	1015.5	0.4	20.7	
OSK-W-20-2275	3400	Triple Lynx	1094.0	452888	5435583	127	-49	670.3	672.4	2.1	4.11	
		including						670.3	670.7	0.4	10.5	
OSK-W-20-2275	3400	Triple Lynx	1094.0	452888	5435583	127	-49	756.0	758.0	2.0	4.76	
		including						796.0	798.0	2.0	4.38	
OSK-W-20-2275	3400	Lynx 365	1094.0	452888	5435583	127	-49	796.0	796.6	0.6	11.3	
		including						837.0	839.2	2.2	23.4	22.8
OSK-W-20-2275-W2	3400	Lynx 365	1035.0	452888	5435583	127	-49	837.7	839.2	0.5	10.9	
		including						628.9	631.0	2.1	8.38	100
OSK-W-20-2275-W2	3400	Lynx 376	1035.0	452888	5435583	127	-49	800.0	802.3	2.3	3.65	
		including						802.0	802.6	0.6	10.9	
OSK-W-20-2275-W2	3400	Triple Lynx	1035.0	452888	5435583	127	-49	806.6	810.3	3.7	7.46	
		including						909.0	909.5	0.5	25.7	
OSK-W-20-2275-W2	3400	TLX 8139	1035.0	452888	5435583	127	-49	949.0	951.0	2.0	12.5	
		including						669.5	672.3	2.8	11.8	
OSK-W-20-2275-W3	3400	Triple Lynx	1050.0	452888	5435583	127	-49	669.5	670.2	0.7	46.5	
		including						776.7	781.0	4.3	9.73	
OSK-W-20-2275-W3	3400	Lynx 376	1050.0	452888	5435583	127	-49	807.5	809.5	2.0	37.6	15.5
		including						807.5	807.8	0.3	247	100
OSK-W-20-2275-W3	3400	Triple Lynx	1050.0	452888	5435583	127	-49	864.7	867.2	2.5	3.68	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-20-2275-W3	3400	Triple Lynx	including 1050.0	452888	5435583	127	-49	899.0	900.0	2.0	10.8	
								900.3	900.7	0.4	43.3	
OSK-W-20-2275-W4	3400	Lynx 365	including 1052.0	452888	5435583	127	-49	635.0	637.1	2.1	7.18	
								636.1	636.5	0.4	25.6	
OSK-W-20-2275-W4	3400	Lynx 376	including 1052.0	452888	5435583	127	-49	804.8	810.4	5.6	11.8	
								806.3	806.9	0.6	55.1	
OSK-W-20-2275-W4	3400	Triple Lynx	including 1052.0	452888	5435583	127	-49	835.0	837.0	2.0	11.1	
								835.6	836.0	0.4	54.7	
OSK-W-20-2275-W4	3400	Triple Lynx	including 1052.0	452888	5435583	127	-49	889.5	890.0	2.5	6.40	
								890.4	891.0	0.6	22.4	
OSK-W-20-2275-W4	3400	Triple Lynx	including 1052.0	452888	5435583	127	-49	920.7	923.0	2.3	57.8	17.6
								921.2	921.5	0.3	408	100
OSK-W-20-2275-W4	3400	Triple Lynx	including 1052.0	452888	5435583	127	-49	932.8	935.2	2.3	8.63	
OSK-W-21-2275-W5	3400	Triple Lynx	including 1242.0	452888	5435583	127	-49	584.9	587.0	2.1	5.00	
OSK-W-21-2275-W5	3400	TUX 3171	including 1242.0	452888	5435583	127	-49	800.8	807.5	6.7	5.20	
								800.8	801.1	0.3	31.3	
								806.8	807.5	0.7	17.0	
OSK-W-21-2275-W5	3400	TUX 3171	including 1242.0	452888	5435583	127	-49	809.0	811.0	2.0	4.57	
								809.8	810.2	0.4	15.0	
OSK-W-21-2275-W5	3400	TUX 3129	including 1242.0	452888	5435583	127	-49	827.0	827.4	0.4	19.3	
								809.0	811.0	2.0	24.7	
OSK-W-21-2275-W5	3400	TUX 3129	including 1242.0	452888	5435583	127	-49	918.0	920.0	2.0	36.9	21.5
								918.9	919.3	0.4	177	
OSK-W-21-2275-W5	3400	Triple Lynx	including 1242.0	452888	5435583	127	-49	1053.0	1057.1	4.1	17.2	
								1053.5	1053.8	0.3	37.2	
								1056.3	1057.1	0.8	72.5	
OSK-W-21-2275-W6	3400	TUX 3171	including 1251.0	452888	5435583	127	-49	800.0	802.0	2.0	10.5	
								800.9	801.5	0.6	28.8	
OSK-W-21-2275-W6	3400	TUX 3184	including 1251.0	452888	5435583	127	-49	812.0	814.1	2.1	17.0	15.5
								813.5	813.8	0.3	11.8	100
OSK-W-21-2275-W6	3400	TUX 3184	including 1251.0	452888	5435583	127	-49	820.0	822.1	2.1	3.75	
								821.6	822.1	0.5	13.6	
OSK-W-21-2275-W6	3400	Triple Lynx	including 1251.0	452888	5435583	127	-49	830.0	832.0	2.0	6.12	
								830.5	830.8	0.3	36.2	
OSK-W-21-2275-W7	3400	TUX 3196	including 1182.0	452888	5435583	127	-49	675.0	677.0	2.0	4.70	
								675.4	676.0	0.6	14.6	
OSK-W-21-2275-W7	3400	Triple Lynx	including 1182.0	452888	5435583	127	-49	766.9	769.0	2.1	3.55	
								766.9	767.2	0.3	24.5	
OSK-W-21-2275-W7	3400	Triple Lynx	including 1182.0	452888	5435583	127	-49	784.5	785.0	2.5	5.86	
								783.1	783.6	0.5	14.1	
								784.5	785.0	0.5	14.6	
OSK-W-21-2275-W7	3400	TUX 3171	including 1182.0	452888	5435583	127	-49	793.0	795.2	2.2	13.2	
								794.2	794.5	0.3	37.1	
OSK-W-21-2275-W7	3400	Triple Lynx	including 1182.0	452888	5435583	127	-49	862.0	864.0	2.0	5.04	
								862.5	862.9	0.4	13.4	
								863.7	864.0	0.3	12.6	
OSK-W-21-2275-W7	3400	Triple Lynx	including 1182.0	452888	5435583	127	-49	1113.4	1115.6	2.2	9.83	
OSK-W-20-2276	3125	F17 6003	including 138.0	452639	5435491	149	-47	83.6	85.9	2.3	3.11	
								84.7	85.0	0.3	18.6	
OSK-W-20-2276	3125	F17 6003	including 138.0	452639	5435491	149	-47	94.0	96.3	2.3	7.06	
								94.6	95.0	0.4	38.0	
OSK-W-20-2276	3125	F17 6005	including 138.0	452639	5435491	149	-47	98.5	102.0	3.5	4.09	
OSK-W-20-2278	3150	F17	including 186.0	452633	5435021	158	-53	105.5	107.5	2.0	6.36	
								106.4	106.9	0.5	18.7	
OSK-W-20-2280	3775	Lynx 368	including 1161.0	453304	5435619	127	-58	1005.7	1006.3	2.6	4.94	
								1005.7	1004.0	0.3	11.1	
								1006.0	1004.4	0.4	10.5	
OSK-W-20-2280	3775	Triple Lynx	including 1161.0	453304	5435619	127	-58	1013.2	1016.7	3.5	5.23	
								1013.8	1014.2	0.4	26.7	
								1016.4	1016.7	0.3	11.3	
OSK-W-20-2280	3775	Lynx 363	including 1161.0	453304	5435619	127	-58	1025.9	1026.1	4.2	8.13	
								1027.0	1027.5	0.5	25.5	
OSK-W-20-2280	3775	Lynx 363	including 1161.0	453304	5435619	127	-58	1038.0	1040.0	2.0	3.76	
								1039.4	1040.0	0.6	8.30	
OSK-W-20-2280	3775	Lynx 364	including 1161.0	453304	5435619	127	-58	1067.0	1068.0	2.0	12.5	
								1067.8	1068.1	0.3	52.1	
OSK-W-20-2280	3775	Lynx 364	including 1161.0	453304	5435619	127	-58	1079.0	1081.0	2.0	4.09	
OSK-W-20-2280	3775	Triple Lynx	including 1161.0	453304	5435619	127	-58	1084.7	1087.0	2.3	4.27	
OSK-W-20-2280	3775	Lynx 369	including 1161.0	453304	5435619	127	-58	1088.7	1084.4	5.7	16.8	12.9
								1091.2	1091.5	0.3	17.0	100
OSK-W-20-2280	3775	Lynx 370	including 1161.0	453304	5435619	127	-58	1109.0	1111.0	2.0	4.64	
OSK-W-20-2280-W10	3775	TUX 3180	including 1170.0	453304	5435619	127	-58	982.0	986.3	4.3	9.80	
								983.3	983.6	0.3	67.4	
								986.0	986.9	0.9	30.4	
OSK-W-20-2280-W1	3775	Lynx 368	including 1170.0	453304	5435619	127	-58	1006.0	1008.0	2.0	4.27	
								1006.0	1007.0	1.0	8.08	
OSK-W-20-2280-W10	3775	Triple Lynx	including 1182.0	453304	5435619	127	-58	1010.0	1012.0	2.0	6.40	
								1011.3	1012.0	0.7	22.4	
OSK-W-20-2280-W1	3775	Lynx 368	including 1170.0	453304	5435619	127	-58	1013.0	1016.0	3.0	4.82	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-20-2280-W10	3775	Triple Lynx	1182.0	453304	5435639	127	-58	1014.0	1016.0	2.0	5.34	
OSK-W-20-2280-W1	3775	Lynx 363	1170.0	453304	5435639	127	-58	1021.9	1024.1	2.2	20.3	
OSK-W-20-2280-W1	3775	Tlx 3183	1182.0	453304	5435639	127	-58	1023.4	1026.8	3.4	7.49	
								1023.4	1024.0	0.6	19.6	
OSK-W-20-2280-W1	3775	Lynx 363	1170.0	453304	5435639	127	-58	1041.4	1047.6	6.2	27.7	
								1043.7	1044.7	1.0	78.6	
OSK-W-20-2280-W10	3775	Tlx 3163	1182.0	453304	5435639	127	-58	1046.4	1048.4	2.0	3.59	
								1047.6	1048.4	0.8	8.18	
OSK-W-20-2280-W10	3775	Tlx 3164	1182.0	453304	5435639	127	-58	1068.4	1071.4	3.0	5.58	
OSK-W-20-2280-W1	3775	Lynx 364	1170.0	453304	5435639	127	-58	1080.8	1081.0	2.2	4.81	
OSK-W-20-2280-W1	3775	Triple Lynx	1170.0	453304	5435639	127	-58	1090.0	1092.0	2.0	11.8	
OSK-W-20-2280-W1	3775	Lynx 370	1170.0	453304	5435639	127	-58	1097.0	1106.8	9.8	33.6	27.6
OSK-W-20-2280-W10	3775	Tlx 3170	1182.0	453304	5435639	127	-58	1101.0	1105.0	4.0	10.3	
								1102.0	1104.0	2.0	129	100
								1104.0	1105.0	1.0	33.3	
								1106.1	1106.8	0.7	108	100
OSK-W-20-2280-W2	3775	Lynx 368	1211.0	453304	5435639	127	-58	998.4	1001.1	2.7	11.2	
OSK-W-20-2280-W2	3775	Lynx 368	1211.0	453304	5435639	127	-58	1012.2	1014.9	2.7	7.72	
OSK-W-20-2280-W2	3775	Lynx 363	1211.0	453304	5435639	127	-58	1027.9	1031.3	3.4	5.60	
								1027.9	1028.3	0.4	28.3	
OSK-W-20-2280-W2	3775	Triple Lynx	1211.0	453304	5435639	127	-58	1059.8	1062.0	2.2	30.7	
								1060.8	1062.0	1.2	53.2	
OSK-W-20-2280-W2	3775	Lynx 364	1211.0	453304	5435639	127	-58	1073.6	1075.6	2.0	13.9	
								1074.2	1074.9	0.7	35.9	
OSK-W-20-2280-W2	3775	Lynx 364	1211.0	453304	5435639	127	-58	1081.0	1086.0	5.0	9.71	
OSK-W-20-2280-W2	3775	Tlx 3170	1211.0	453304	5435639	127	-58	1096.4	1098.8	2.4	6.46	
OSK-W-20-2280-W2	3775		1211.0	453304	5435639	127	-58	1100.7	1105.0	4.3	5.46	
								1105.5	1104.0	0.5	20.9	
								1113.4	1115.4	2.0	4.29	
								1113.7	1114.0	0.3	19.3	
OSK-W-20-2280-W3	3775	Lynx 368	1191.0	453304	5435639	127	-58	1011.0	1013.0	2.0	9.31	
OSK-W-20-2280-W3	3775	Lynx 363	1191.0	453304	5435639	127	-58	1030.0	1041.0	11.0	4.33	
								1030.6	1039.9	9.3	26.3	
OSK-W-20-2280-W3	3775	Lynx 363	1191.0	453304	5435639	127	-58	1045.0	1047.0	2.0	4.58	
								1046.2	1046.5	0.3	28.8	
OSK-W-20-2280-W3	3775	Lynx 364	1191.0	453304	5435639	127	-58	1075.0	1078.0	3.0	10.1	
OSK-W-20-2280-W3	3775	Triple Lynx	1191.0	453304	5435639	127	-58	1099.2	1103.3	4.1	5.22	
								1100.0	1101.3	1.3	17.2	
OSK-W-20-2280-W3	3775	Triple Lynx	1191.0	453304	5435639	127	-58	1103.0	1108.0	5.0	4.80	
								1108.6	1108.0	0.3	18.2	
OSK-W-20-2280-W3	3775	Lynx 370	1191.0	453304	5435639	127	-58	1112.9	1116.0	3.1	20.1	
								1112.9	1113.5	0.6	77.8	
OSK-W-20-2280-W4	3775	Lynx 368	1215.0	453304	5435639	127	-58	1046.0	1047.0	1.0	6.30	
OSK-W-20-2280-W4	3775	Triple Lynx	1215.0	453304	5435639	127	-58	1044.0	1046.0	2.0	4.83	
								1044.6	1044.9	0.3	24.6	
OSK-W-20-2280-W4	3775	Lynx 363	1215.0	453304	5435639	127	-58	1072.9	1077.5	4.6	12.8	
								1075.5	1075.9	0.4	97.2	
OSK-W-20-2280-W4	3775	Triple Lynx	1215.0	453304	5435639	127	-58	1092.2	1098.0	5.8	3.98	
OSK-W-20-2280-W4	3775	Lynx 364	1215.0	453304	5435639	127	-58	1100.7	1105.0	4.3	13.5	12.7
								1100.7	1101.0	0.3	112	100
OSK-W-20-2280-W4	3775	Lynx 364	1215.0	453304	5435639	127	-58	1108.7	1114.0	5.3	16.9	15.7
								1109.7	1110.0	0.3	117	100
OSK-W-20-2280-W4	3775	Lynx 370	1215.0	453304	5435639	127	-58	1124.0	1129.0	5.0	7.04	
								1125.3	1125.8	0.5	30.0	
OSK-W-20-2280-W5	3775	Triple Lynx	1134.0	453304	5435639	127	-58	888.7	890.7	2.0	19.2	
								890.1	890.7	0.6	62.3	
OSK-W-20-2280-W5	3775	Lynx 368	1134.0	453304	5435639	127	-58	976.8	979.4	2.6	114	29.3
								976.8	977.5	0.7	488	100
OSK-W-20-2280-W5	3775	Lynx 363	1134.0	453304	5435639	127	-58	1010.5	1016.0	5.5	3.61	
OSK-W-20-2280-W5	3775	Lynx 364	1134.0	453304	5435639	127	-58	1039.0	1041.0	2.0	22.4	
								1039.5	1040.0	0.5	81.8	
OSK-W-20-2280-W5	3775	Lynx 364	1134.0	453304	5435639	127	-58	1046.0	1052.0	6.0	30.4	23.7
								1047.8	1049.0	1.2	129	95.0
OSK-W-20-2280-W5	3775	Lynx 364	1134.0	453304	5435639	127	-58	1054.0	1059.0	5.0	14.7	
								1059.2	1059.0	0.2	82.6	
OSK-W-20-2280-W5	3775	Triple Lynx	1134.0	453304	5435639	127	-58	1070.0	1074.0	4.0	22.0	
								1072.3	1073.2	0.9	52.3	
OSK-W-20-2280-W5	3775	Triple Lynx	1134.0	453304	5435639	127	-58	1093.0	1096.0	3.0	12.0	
OSK-W-20-2280-W5	3775	Tlx 3161	1152.0	453304	5435639	127	-58	916.0	918.1	2.1	5.88	
								916.7	917.1	0.4	16.3	
OSK-W-20-2280-W6	3775	Triple Lynx	1152.0	453304	5435639	127	-58	937.5	939.5	2.0	4.75	
								937.5	937.8	0.3	16.1	
OSK-W-20-2280-W6	3775	Tlx 3180	1152.0	453304	5435639	127	-58	951.0	953.7	2.7	3.43	
OSK-W-20-2280-W6	3775	Tlx 3180	1152.0	453304	5435639	127	-58	964.0	969.0	5.0	3.64	
OSK-W-20-2280-W6	3775	Tlx 3180	1152.0	453304	5435639	127	-58	965.0	967.0	2.0	42.2	
								966.0	967.0	1.0	82.8	
OSK-W-20-2280-W6	3775	Tlx 3183	1152.0	453304	5435639	127	-58	994.1	997.5	3.4	15.7	
								994.1	994.9	0.8	41.5	
OSK-W-20-2280-W6	3775	Tlx 3164	1152.0	453304	5435639	127	-58	1021.9	1024.4	2.5	5.30	
								1022.7	1023.3	0.6	12.3	
OSK-W-20-2280-W6	3775	Tlx 3164	1152.0	453304	5435639	127	-58	1038.1	1039.0	0.9	45.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-20-2880-W6	3775	TUX 3162	including 1152.0	453304	5435639	127	-58	1033.4	1033.8	0.4	25.0	
			including 1152.0	453304	5435639	127	-58	1062.6	1064.9	2.3	7.50	
OSK-W-20-2880-W6	3775	TUX 3170	1152.0	453304	5435639	127	-58	1063.5	1064.3	0.8	20.5	
OSK-W-20-2880-W6	3775	TUX 3170	1152.0	453304	5435639	127	-58	1078.9	1081.0	2.1	11.3	
			including 1131.0	453304	5435639	127	-58	1085.6	1087.8	2.2	42.3	35.0
OSK-W-20-2880-W7	3775	Triple Lynx	1131.0	453304	5435639	127	-58	1085.6	1085.9	0.3	154	100
			including 1131.0	453304	5435639	127	-58	977.0	981.8	4.8	7.78	
OSK-W-20-2880-W7	3775	TUX 3163	1131.0	453304	5435639	127	-58	977.0	977.4	0.4	30.4	
			including 1131.0	453304	5435639	127	-58	999.0	1001.0	2.0	78.4	39.1
OSK-W-20-2880-W7	3775	TUX 3164	1131.0	453304	5435639	127	-58	999.0	999.6	0.6	231	100
OSK-W-20-2880-W8	3775	TUX 3163	1134.0	453304	5435639	127	-58	1017.2	1019.6	2.4	4.06	
OSK-W-20-2880-W8	3775	TUX 3163	1134.0	453304	5435639	127	-58	960.9	964.0	3.1	5.07	
OSK-W-20-2880-W8	3775	TUX 3163	1134.0	453304	5435639	127	-58	996.0	998.3	2.3	31.4	30.2
			including 1176.0	453304	5435639	127	-58	997.2	997.7	0.5	105	100
OSK-W-20-2880-W9	3775	TUX 3180	1176.0	453304	5435639	127	-58	979.0	981.0	2.0	3.17	
OSK-W-20-2880-W9	3775	TUX 3180	1176.0	453304	5435639	127	-58	985.0	987.0	2.0	4.84	
			including 1176.0	453304	5435639	127	-58	986.7	987.0	0.3	21.0	
OSK-W-20-2880-W9	3775	TUX 3182	1176.0	453304	5435639	127	-58	1020.0	1022.3	2.3	5.00	
OSK-W-20-2880-W9	3775	TUX 3163	1176.0	453304	5435639	127	-58	1045.0	1047.0	2.0	9.03	
OSK-W-20-2880-W9	3775	TUX 3164	1176.0	453304	5435639	127	-58	1066.1	1069.0	2.9	5.01	
			including 1176.0	453304	5435639	127	-58	1066.1	1066.4	0.3	26.0	
OSK-W-20-2880-W9	3775	TUX 3162	1176.0	453304	5435639	127	-58	1071.0	1075.0	4.0	4.82	
			including 1176.0	453304	5435639	127	-58	1074.0	1075.0	1.0	12.7	
OSK-W-20-2880-W9	3775	TUX 3162	1176.0	453304	5435639	127	-58	1082.0	1089.0	7.0	4.51	
OSK-W-20-2880-W9	3775	TUX 3170	1176.0	453304	5435639	127	-58	1087.7	1088.1	0.4	22.2	
			including 1176.0	453304	5435639	127	-58	1100.0	1102.0	2.0	16.3	
OSK-W-20-2881	3150	F17 6003	171.0	452630	5435548	140	-47	1100.7	1101.0	0.3	66.7	
			including 171.0	452630	5435548	140	-47	125.0	129.0	4.0	3.08	
			and 852.0	452875	5435184	148	-56	128.5	128.0	0.5	7.46	
OSK-W-20-2882	3175	Bobcat	852.0	452875	5435184	148	-56	108.4	100.8	7.6	6.18	
			including 309.0	452875	5435184	148	-56	309.0	309.5	0.5	16.6	
OSK-W-20-2883	3500	Triple Lynx	1151.0	452997	5435607	135	-50	808.0	813.4	5.4	33.5	29.0
			including 1151.0	452997	5435607	135	-50	810.8	811.3	0.5	73.1	
OSK-W-20-2883	3500	Triple Lynx	1151.0	452997	5435607	135	-50	811.7	812.0	0.3	182	100
			including 1151.0	452997	5435607	135	-50	818.0	821.0	3.0	7.27	
OSK-W-20-2883	3500	Triple Lynx	1151.0	452997	5435607	135	-50	818.6	820.0	1.4	24.1	
			including 1151.0	452997	5435607	135	-50	823.2	825.5	2.3	4.30	
OSK-W-20-2883	3500	Triple Lynx	1151.0	452997	5435607	135	-50	823.6	824.4	0.8	10.6	
			including 1151.0	452997	5435607	135	-50	935.0	937.0	2.0	18.5	
OSK-W-20-2883	3500	Triple Lynx	1151.0	452997	5435607	135	-50	936.0	936.7	0.7	49.6	
			including 1151.0	452997	5435607	135	-50	1001.0	1003.2	2.2	44.8	23.6
OSK-W-20-2883	3500	Triple Lynx	1151.0	452997	5435607	135	-50	1002.7	1003.2	0.5	194	100
			including 1151.0	452997	5435607	135	-50	1018.0	1020.0	2.0	19.3	
OSK-W-20-2883-W1	3500	Lynx 365	1035.0	452997	5435607	135	-50	1018.9	1020.5	1.6	54.4	
			including 1035.0	452997	5435607	135	-50	553.9	556.0	2.1	7.37	
OSK-W-20-2883-W1	3500	Triple Lynx	1035.0	452997	5435607	135	-50	554.5	555.3	0.8	16.7	
OSK-W-20-2883-W1	3500	Triple Lynx	1035.0	452997	5435607	135	-50	794.5	797.7	3.2	22.1	
			including 1035.0	452997	5435607	135	-50	807.0	809.6	2.6	8.20	
OSK-W-20-2883-W1	3500	Triple Lynx	1035.0	452997	5435607	135	-50	807.5	809.6	2.1	9.02	
OSK-W-20-2883-W1	3500	Triple Lynx	1035.0	452997	5435607	135	-50	818.0	820.0	2.0	6.80	
OSK-W-20-2883-W1	3500	Triple Lynx	1035.0	452997	5435607	135	-50	826.0	828.0	2.0	3.91	
OSK-W-20-2883-W2	3500	TUX 3171	1011.0	452997	5435607	135	-50	789.6	791.8	2.2	4.34	
			including 1011.0	452997	5435607	135	-50	790.9	791.2	0.3	18.5	
OSK-W-20-2883-W2	3500	Triple Lynx	1011.0	452997	5435607	135	-50	814.8	817.1	2.3	8.36	
			including 1011.0	452997	5435607	135	-50	816.6	817.1	0.5	26.8	
OSK-W-20-2883-W2	3500	Triple Lynx	1011.0	452997	5435607	135	-50	832.7	835.0	2.3	6.13	
OSK-W-20-2883-W2	3500	Triple Lynx	1011.0	452997	5435607	135	-50	945.0	947.0	2.0	15.7	
			including 1011.0	452997	5435607	135	-50	946.0	947.0	1.0	31.1	
OSK-W-20-2883-W2	3500	Triple Lynx	1011.0	452997	5435607	135	-50	951.0	953.0	2.0	3.94	
OSK-W-20-2883-W2	3500	Triple Lynx	1011.0	452997	5435607	135	-50	991.0	993.0	2.0	9.11	
			including 1003.5	452997	5435607	135	-50	991.3	991.8	0.5	35.7	
OSK-W-20-2883-W3	3500	TUX 3171	1003.5	452997	5435607	135	-50	797.0	799.0	2.0	5.52	
			including 1003.5	452997	5435607	135	-50	788.0	788.3	0.3	35.6	
OSK-W-20-2883-W3	3500	TUX 3184	1003.5	452997	5435607	135	-50	805.0	807.0	2.0	3.51	
OSK-W-20-2883-W3	3500	TUX 3184	1003.5	452997	5435607	135	-50	811.0	813.3	2.3	9.66	
			including 1003.5	452997	5435607	135	-50	811.7	812.0	0.3	67.4	
OSK-W-20-2883-W3	3500	TUX 3169	1003.5	452997	5435607	135	-50	820.0	821.0	1.0	11.2	
			including 1003.5	452997	5435607	135	-50	871.1	871.5	0.4	41.8	
OSK-W-20-2883-W3	3500	TUX 3194	1003.5	452997	5435607	135	-50	939.0	941.3	2.3	4.50	
			including 1003.5	452997	5435607	135	-50	940.2	940.6	0.4	25.0	
OSK-W-20-2883-W3	3500	TUX 3195	1003.5	452997	5435607	135	-50	984.6	987.0	2.4	4.47	
			including 1003.5	452997	5435607	135	-50	985.5	986.0	0.5	20.5	
OSK-W-20-2883-W3	3500	TUX 3195	1003.5	452997	5435607	135	-50	991.4	993.5	2.1	36.5	
			including 1011.6	452997	5435607	135	-50	992.0	992.8	0.8	95.7	
OSK-W-20-2883-W4	3500	TUX 3171	1011.6	452997	5435607	135	-50	792.0	796.0	4.0	21.1	
OSK-W-20-2883-W4	3500	TUX 3184	1011.6	452997	5435607	135	-50	808.0	810.9	2.9	3.26	
			including 1011.6	452997	5435607	135	-50	809.1	810.0	0.9	19.9	
OSK-W-20-2883-W4	3500	TUX 3194	1011.6	452997	5435607	135	-50	921.0	926.0	5.0	5.36	
			including 1011.6	452997	5435607	135	-50	922.7	924.0	1.3	13.9	
OSK-W-20-2883-W4	3500	TUX 3195	1011.6	452997	5435607	135	-50	983.0	985.0	2.0	4.48	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-20-2283-W5	3500	TUX 3171	1043.0	452997	5435607	135	-50	803.8	811.0	7.2	37.7	
		including						807.7	809.0	1.3	26.5	
OSK-W-20-2283-W5	3500	TUX 3184	1043.0	452997	5435607	135	-50	826.0	828.0	2.0	16.7	16.5
		including						826.8	827.1	0.3	100	100
OSK-W-20-2283-W5	3500	TUX 3194	1043.0	452997	5435607	135	-50	990.0	992.0	2.0	148	35.8
		including						990.0	990.7	0.7	421	100
OSK-W-20-2283-W6	3500	Lynx 361	1013.0	452997	5435607	135	-50	831.6	836.0	4.4	17.6	
		including						833.3	834.6	1.3	40.6	
OSK-W-20-2283-W6	3500	Triple Lynx	1013.0	452997	5435607	135	-50	844.8	847.0	2.2	3.62	
		including						844.8	845.3	0.5	13.0	
OSK-W-20-2283-W6	3500	TUX 3193	1013.0	452997	5435607	135	-50	969.0	971.0	2.0	6.38	
		including						970.2	970.6	0.4	31.1	
OSK-W-20-2283-W7	3500	TUX 3184	1049.0	452997	5435607	135	-50	840.0	847.0	7.0	10.4	
		including						844.0	845.0	1.0	42.3	
OSK-W-20-2283-W7	3500	TUX 3184	1049.0	452997	5435607	135	-50	849.0	852.0	3.0	6.3	
OSK-W-20-2283-W8	3500	TUX 3171	1235.5	452997	5435607	135	-50	810.4	816.0	5.6	7.64	
		including						810.4	811.0	0.6	25.8	
		and						814.4	814.7	0.3	25.3	
OSK-W-20-2283-W8	3500	TUX 3184	1235.5	452997	5435607	135	-50	833.0	835.0	2.0	4.18	
OSK-W-20-2283-W8	3500	TUX 3161	1235.5	452997	5435607	135	-50	864.8	867.0	2.2	30.4	
		including						865.4	866.0	0.6	96.8	
OSK-W-20-2283-W8	3500	TUX 3169	1235.5	452997	5435607	135	-50	869.9	892.0	2.1	3.84	
		including						890.2	890.5	0.3	23.2	
OSK-W-20-2283-W8	3500	TUX 3175	1235.5	452997	5435607	135	-50	895.0	897.0	2.0	6.94	
		including						895.0	895.5	0.5	25.5	
OSK-W-20-2283-W8	3500	TUX 3176	1235.5	452997	5435607	135	-50	1127.9	1125.5	2.6	3.55	
		including						1127.9	1127.2	0.7	15.9	
OSK-W-20-2287	4075	Lynx 346	1406.0	453607	5435714	116	-53	1158.9	1161.0	2.1	7.64	
OSK-W-20-2287	4075	Lynx 4	1406.0	453607	5435714	116	-53	1245.0	1247.0	2.0	3.51	
OSK-W-20-2287	4075	Lynx 3445	1406.0	453607	5435714	116	-53	1284.0	1286.0	2.0	8.11	
		including						1284.5	1284.8	0.3	32.0	
OSK-W-21-2287-W1	4075	LMA 3449	1374.0	453607	5435714	116	-53	1209.9	1212.4	2.5	2181	57.4
		including						1210.4	1211.3	0.9	5950	100
OSK-W-21-2287-W1	4075	LMA 3449	1374.0	453607	5435714	116	-53	1215.0	1217.2	2.2	403	99.3
		including						1216.1	1217.2	1.1	708	100
OSK-W-21-2287-W2	4075	LMA 3455	1392.0	453607	5435714	116	-53	1149.7	1152.1	2.4	6.58	
		including						1152.3	1152.1	0.2	16.4	
OSK-W-21-2287-W2	4075	LMA 3449	1392.0	453607	5435714	116	-53	1245.0	1248.4	3.4	4.54	
OSK-W-21-2287-W2	4075	Lynx 4	1392.0	453607	5435714	116	-53	1259.0	1261.0	2.0	4.68	
OSK-W-21-2287-W2	4075	LMA 3445	1392.0	453607	5435714	116	-53	1262.4	1264.7	2.3	40.9	30.4
		including						1264.1	1264.7	0.6	140	100
OSK-W-21-2287-W2	4075	LMA 3445	1392.0	453607	5435714	116	-53	1278.6	1280.7	2.1	57.0	34.1
		including						1279.0	1279.7	0.7	369	100
OSK-W-21-2287-W3	4075	LMA 3449	1368.0	453607	5435714	116	-53	1229.8	1233.0	3.2	38.8	
		including						1232.0	1233.0	1.0	96.5	
OSK-W-21-2287-W3	4075	LMA 3449	1368.0	453607	5435714	116	-53	1243.6	1245.5	2.9	130	73.1
		including						1245.3	1245.6	0.3	324	100
		and						1245.6	1245.9	0.3	258	100
OSK-W-20-2288	3175	Caribou 2527	749.0	452875	5435181	146	-51	169.6	172.0	2.4	6.44	
OSK-W-20-2288	3175	Caribou 2527	749.0	452875	5435181	146	-51	193.0	195.0	2.0	13.8	
		including						194.0	194.6	0.6	24.5	
OSK-W-20-2288	3175	Caribou 2527	749.0	452875	5435181	146	-51	204.7	206.8	2.1	3.77	
OSK-W-20-2288	3175	Lynx SW	749.0	452875	5435181	146	-51	467.0	469.8	2.8	8.13	
		including						467.0	467.4	0.4	38.9	
OSK-W-20-2288	3175	Lynx 356	749.0	452875	5435181	146	-51	624.4	633.9	9.5	12.0	
		including						629.4	630.0	0.6	27.9	
		and						632.7	633.3	0.6	28.8	
OSK-W-20-2289	3175	F17 6003	141.0	452662	5435527	149	-47	98.6	101.0	2.4	10.7	
		including						100.0	100.0	1.0	22.1	
OSK-W-20-2291	3200	F17 6003	131.0	452692	5435521	158	-48	89.7	92.0	2.3	18.2	
		including						89.7	90.5	0.8	24.3	
		and						90.5	91.3	0.8	26.7	
OSK-W-20-2292	3500	Lynx	1059.0	453035	5435561	125	-54	990.0	992.0	2.0	7.18	
		including						991.7	992.0	0.3	19.3	
OSK-W-20-2292	3500	Triple Lynx	1059.0	453035	5435561	125	-54	835.4	837.8	2.4	4.47	
OSK-W-20-2292	3500	Lynx 361	1059.0	453035	5435561	125	-54	845.0	847.0	2.0	11.8	
		including						845.8	846.3	0.5	41.0	
OSK-W-20-2292	3500	Lynx 363	1059.0	453035	5435561	125	-54	852.0	854.0	2.0	5.87	
		including						852.0	852.7	0.7	10.9	
OSK-W-20-2292	3500	Lynx 364	1059.0	453035	5435561	125	-54	882.0	884.0	2.0	8.01	
		including						883.0	884.0	1.0	15.7	
OSK-W-20-2292	3500	Lynx 372	1059.0	453035	5435561	125	-54	1007.2	1009.2	2.0	49.8	21.0
		including						1008.8	1009.2	0.4	244	100
OSK-W-20-2292-W1	3500	Triple Lynx	1149.0	453035	5435561	125	-54	559.2	561.5	2.3	11.6	
OSK-W-20-2292-W1	3500	Lynx 361	1149.0	453035	5435561	125	-54	835.9	838.0	2.1	3.39	
OSK-W-20-2292-W1	3500	Lynx 361	1149.0	453035	5435561	125	-54	840.0	843.5	3.5	3.65	
		including						840.0	840.4	0.4	7.83	
		and						843.0	843.5	0.5	9.84	
OSK-W-20-2292-W1	3500	Lynx 363	1149.0	453035	5435561	125	-54	857.0	859.3	2.3	26.0	
		including						858.3	859.3	1.0	57.6	
OSK-W-20-2292-W1	3500	Lynx 364	1149.0	453035	5435561	125	-54	889.5	892.0	2.5	97.8	32.2



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
including												
OSK-W-20-2202-W1	3500	Triple Lynx	1149.0	453035	5435561	125	-54	890.3	891.1	0.8	305	100
OSK-W-20-2202-W1	3500	Lynx 374	1149.0	453035	5435561	125	-54	1014.6	1016.6	2.0	5.46	
including												
OSK-W-20-2202-W1	3500	Triple Lynx	1149.0	453035	5435561	125	-54	1040.7	1043.0	2.3	395	15.4
OSK-W-20-2202-W1	3500	Triple Lynx	1149.0	453035	5435561	125	-54	1041.3	1041.6	0.3	3010	100
OSK-W-20-2202-W1	3500	Triple Lynx	1149.0	453035	5435561	125	-54	1115.0	1117.0	2.0	4.39	
OSK-W-20-2202-W1	3500	Triple Lynx	1149.0	453035	5435561	125	-54	1122.6	1125.0	2.4	12.6	
including												
OSK-W-20-2202-W1	3500	Triple Lynx	1149.0	453035	5435561	125	-54	1123.8	1124.5	0.7	28.1	
including												
OSK-W-20-2202-W2	3500	Triple Lynx	1002.0	453035	5435561	125	-54	1118.6	1114.0	2.2	3.66	
including												
OSK-W-20-2202-W2	3500	Triple Lynx	1002.0	453035	5435561	125	-54	1115.8	1121.1	0.3	23.5	
including												
OSK-W-20-2202-W2	3500	TUX 3161	1002.0	453035	5435561	125	-54	560.0	562.0	2.0	6.43	
including												
OSK-W-20-2202-W2	3500	TUX 3161	1002.0	453035	5435561	125	-54	560.0	560.5	0.5	21.2	
OSK-W-20-2202-W2	3500	Lynx 375	1002.0	453035	5435561	125	-54	830.0	832.0	2.0	4.89	
OSK-W-20-2202-W2	3500	Lynx 361	942.9	453035	5435561	125	-54	809.3	813.0	3.7	8.64	
OSK-W-20-2202-W4	3500	TUX 3175	984.0	453035	5435561	125	-54	817.0	819.0	2.0	4.11	
including												
OSK-W-20-2202-W4	3500	Lynx 375	984.0	453035	5435561	125	-54	884.3	888.8	4.5	30.9	21.7
including												
OSK-W-20-2202-W4	3500	Lynx 375	984.0	453035	5435561	125	-54	887.3	888.0	0.7	159	100
including												
OSK-W-20-2202-W4	3500	Lynx 375	984.0	453035	5435561	125	-54	892.0	894.9	2.9	4.02	
including												
OSK-W-20-2202-W5	3500	Triple Lynx	1134.0	453035	5435561	125	-54	891.1	893.8	0.7	10.3	
including												
OSK-W-20-2202-W5	3500	Triple Lynx	1134.0	453035	5435561	125	-54	1039.0	1041.0	2.0	59.5	20.3
including												
OSK-W-20-2202-W6	3500	F17 6001	1110.0	453035	5435561	125	-54	1039.4	1039.8	0.4	296	100
OSK-W-20-2203	3375	F17 6001	183.0	452658	5435549	145	-44	884.4	886.5	2.1	8.95	
including												
OSK-W-20-2203	3375	F17 6005	183.0	452658	5435549	145	-44	1146	117.3	2.7	5.30	
including												
OSK-W-20-2203	3375	F17 6005	183.0	452658	5435549	145	-44	1146	117.3	0.5	10.1	
including												
OSK-W-20-2203	3375	Triple Lynx	987.0	452933	5435473	132	-51	139.9	142.4	2.5	5.25	
including												
OSK-W-20-2203	3375	Triple Lynx	987.0	452933	5435473	132	-51	142.0	142.4	0.4	18.0	
including												
OSK-W-20-2203	3375	Triple Lynx	987.0	452933	5435473	132	-51	651.2	656.0	6.8	12.4	
including												
OSK-W-20-2203	3375	Triple Lynx	987.0	452933	5435473	132	-51	651.4	652.7	0.3	28.7	
including												
OSK-W-20-2203	3375	Triple Lynx	987.0	452933	5435473	132	-51	653.4	654.0	0.6	45.9	
including												
OSK-W-20-2203	3375	Triple Lynx	987.0	452933	5435473	132	-51	656.1	656.7	0.6	56.9	
including												
OSK-W-20-2203-W1	3375	Lynx 365	960.0	452933	5435473	132	-51	891.7	893.7	2.0	11.6	
including												
OSK-W-20-2203-W1	3375	Triple Lynx	960.0	452933	5435473	132	-51	891.7	893.7	1.0	29.6	
including												
OSK-W-20-2203-W1	3375	Triple Lynx	960.0	452933	5435473	132	-51	477.9	478.5	0.6	69.8	
including												
OSK-W-20-2203-W1	3375	Triple Lynx	960.0	452933	5435473	132	-51	648.6	651.4	2.8	45.1	30.1
including												
OSK-W-20-2203-W1	3375	Triple Lynx	960.0	452933	5435473	132	-51	655.0	656.7	0.7	160	100
including												
OSK-W-20-2203-W1	3375	Triple Lynx	960.0	452933	5435473	132	-51	805.0	807.0	2.0	17.5	
including												
OSK-W-20-2203-W1	3375	Triple Lynx	960.0	452933	5435473	132	-51	805.5	806.4	0.9	36.3	
including												
OSK-W-20-2203-W2	3375	Lynx 365	963.0	452933	5435473	132	-51	477.0	479.1	2.1	3.60	
including												
OSK-W-20-2203-W2	3375	Lynx 376	963.0	452933	5435473	132	-51	654.0	656.0	2.0	16.1	
including												
OSK-W-20-2203-W2	3375	Triple Lynx	963.0	452933	5435473	132	-51	654.5	655.0	0.5	51.9	
including												
OSK-W-20-2203-W2	3375	Triple Lynx	963.0	452933	5435473	132	-51	679.7	682.0	2.3	24.7	17.4
including												
OSK-W-20-2203-W2	3375	Triple Lynx	963.0	452933	5435473	132	-51	681.7	682.0	0.3	157	100
including												
OSK-W-20-2203-W2	3375	Triple Lynx	963.0	452933	5435473	132	-51	826.2	828.2	2.0	13.0	
including												
OSK-W-20-2203-W2	3375	Triple Lynx	963.0	452933	5435473	132	-51	827.6	828.2	0.6	88.3	
including												
OSK-W-20-2203-W2	3375	Triple Lynx	963.0	452933	5435473	132	-51	885.7	888.0	2.3	4.53	
including												
OSK-W-20-2203-W2	3375	Triple Lynx	963.0	452933	5435473	132	-51	919.6	921.6	2.0	3.76	
including												
OSK-W-20-2203-W3	3375	Triple Lynx	969.0	452933	5435473	132	-51	919.6	920.0	0.4	18.4	
including												
OSK-W-20-2203-W3	3375	Triple Lynx	969.0	452933	5435473	132	-51	660.3	662.3	2.0	3.89	
including												
OSK-W-20-2203-W3	3375	Triple Lynx	969.0	452933	5435473	132	-51	680.0	691.0	2.0	7.23	
including												
OSK-W-20-2203-W3	3375	Triple Lynx	969.0	452933	5435473	132	-51	680.5	690.0	0.5	27.4	
including												
OSK-W-20-2203-W3	3375	Triple Lynx	969.0	452933	5435473	132	-51	697.0	699.0	2.0	5.11	
including												
OSK-W-20-2203-W3	3375	Triple Lynx	969.0	452933	5435473	132	-51	698.1	698.5	0.4	22.8	
including												
OSK-W-20-2203-W4	3375	Triple Lynx	1081.5	452933	5435473	132	-51	890.7	892.7	2.0	12.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) report	Au (g/t) cut to 100 g/t
OSK-W-20-2298	3100	Lynx 356	596.0	452847	5435059	137	-50	487.0	489.0	2.0	11.2	
		including						487.7	489.6	0.9	24.6	
OSK-W-20-2299	3225	F17 6003	201.0	452681	5435583	150	-49	134.7	136.7	2.0	62.2	41.5
		including						135.1	136.9	0.8	152	100
OSK-W-20-2300	3225	F17	192.0	452699	5435578	152	-45	9.2	13.0	3.8	7.0	
OSK-W-20-2300	3225	F17	192.0	452699	5435578	152	-45	24.0	35.0	2.0	9.95	
OSK-W-20-2300	3225	F17	192.0	452699	5435578	152	-45	39.0	44.3	5.3	9.59	
OSK-W-20-2300	3225	F17 6005	192.0	452699	5435578	152	-45	149.7	154.0	4.3	7.42	
		including						151.0	152.0	1.0	15.6	
OSK-W-20-2301	3200	F17 6003	139.6	452696	5435534	140	-49	94.7	96.7	2.0	8.34	
		including						96.0	96.7	0.7	21.6	
OSK-W-20-2301	3200	F17 6003	139.6	452696	5435534	140	-49	101.2	103.6	2.4	3.54	
		including						101.2	101.7	0.5	96.9	
OSK-W-20-2305	3425	Triple Lynx	911.0	453026	5435407	124	-55	630.6	635.0	4.2	4.47	
		including						634.0	635.0	1.0	9.32	
OSK-W-20-2305	3425	Triple Lynx	911.0	453026	5435407	124	-55	876.0	878.3	2.3	10.7	
		including						877.6	878.3	0.7	31.6	
OSK-W-20-2305	3425	Triple Lynx	911.0	453026	5435407	124	-55	882.2	884.5	2.4	43.0	18.0
		including						883.4	883.8	0.4	250	100
OSK-W-20-2306	3175	Bobcat	531.0	452872	5435155	152	-55	137.8	140.0	2.2	4.30	
OSK-W-20-2306	3175	Bobcat	531.0	452872	5435155	152	-55	147.1	149.4	2.3	3.12	
OSK-W-20-2306	3175	Bobcat	531.0	452872	5435155	152	-55	199.5	205.3	5.8	7.48	
		including						202.3	202.8	0.5	43.8	
OSK-W-20-2306	3175	Bobcat	531.0	452872	5435155	152	-55	275.0	277.3	2.3	8.58	
		including						275.8	276.5	0.7	20.7	
OSK-W-20-2306	3175	Lynx	531.0	452872	5435155	152	-55	386.1	388.3	2.2	3.94	
		including						386.6	387.0	0.4	15.6	
OSK-W-20-2307	3825	Lynx 341	878.0	453397	5435557	134	-54	689.6	691.9	2.3	142	75.8
		including						690.0	690.4	0.4	413	100
OSK-W-20-2310	2225	Mallard 5200	144.0	451971	5434835	333	-51	69.7	72.0	2.3	35.6	13.8
		including						70.8	71.1	0.3	267	100
OSK-W-20-2312	2225	Mallard	192.0	451965	5434815	334	-51	85.0	87.5	2.3	7.80	
		including						85.7	86.2	0.5	25.5	
OSK-W-20-2312	2225	Mallard 5200	192.0	451965	5434815	334	-51	126.0	128.0	2.0	7.36	
		including						127.0	127.6	0.6	22.6	
OSK-W-20-2313	3450	Triple Lynx	1080.0	452965	5435583	134	-52	864.0	870.0	6.0	5.58	
		including						864.0	864.6	0.6	33.0	
OSK-W-20-2313	3450	Triple Lynx	1080.0	452965	5435583	134	-52	1035.4	1037.6	2.2	13.0	
		including						1036.4	1037.0	0.6	47.4	
OSK-W-20-2313-W10	3450	TLX 3178	1059.0	452965	5435583	134	-52	625.7	627.7	2.0	4.44	
OSK-W-20-2313-W10	3450	Triple Lynx	1059.0	452965	5435583	134	-52	1009.0	1011.0	2.0	3.49	
OSK-W-20-2313-W10	3450	Triple Lynx	1059.0	452965	5435583	134	-52	1052.0	1054.0	2.0	22.4	
		including						1052.0	1053.0	1.0	44.6	
OSK-W-20-2313-W2	3450	Triple Lynx	1047.0	452965	5435583	134	-52	645.8	648.0	2.2	344	13.7
		including						647.1	647.4	0.3	2520	100
OSK-W-20-2313-W2	3450	Triple Lynx	1047.0	452965	5435583	134	-52	978.3	981.4	3.1	8.56	
		including						978.8	980.2	0.4	21.8	
OSK-W-20-2313-W2	3450	Triple Lynx	1047.0	452965	5435583	134	-52	986.3	988.3	2.0	6.69	
OSK-W-20-2313-W3	3450	Triple Lynx	1041.0	452965	5435583	134	-52	849.7	852.0	2.3	12.9	
		including						850.2	850.5	0.3	88.8	
OSK-W-20-2313-W4	3450	Triple Lynx	1134.0	452965	5435583	134	-52	1119.3	1121.9	2.6	4.09	
		including						1120.2	1121.0	0.8	12.5	
OSK-W-20-2313-W5	3450	Lynx 376	1086.0	452965	5435583	134	-52	819.9	822.0	2.1	7.49	
OSK-W-20-2313-W5	3450	Triple Lynx	1086.0	452965	5435583	134	-52	911.9	914.0	2.1	21.2	17.5
		including						911.9	912.2	0.3	148	100
OSK-W-20-2313-W6	3450	Triple Lynx	1029.0	452965	5435583	134	-52	790.0	792.0	2.0	4.13	
OSK-W-20-2313-W6	3450	Triple Lynx	1029.0	452965	5435583	134	-52	929.0	931.0	2.0	5.42	
		including						929.8	930.2	0.4	12.5	
OSK-W-20-2313-W6	3450	TLX 3195	1029.0	452965	5435583	134	-52	1009.2	1005.3	3.1	5.89	
		including						1009.2	1009.7	0.5	98.5	
OSK-W-20-2313-W7	3450	TLX 3161	1086.0	452965	5435583	134	-52	868.7	872.6	3.9	6.43	
OSK-W-20-2313-W7	3450	TLX 3193	1086.0	452965	5435583	134	-52	960.0	962.0	2.0	3.92	
		including						960.7	961.4	0.7	11.0	
OSK-W-20-2313-W7	3450	Triple Lynx	1086.0	452965	5435583	134	-52	993.0	995.2	2.2	70.2	14.4
		including						994.9	995.2	0.3	100	100
OSK-W-20-2313-W8	3450	TLX 3171	1152.0	452965	5435583	134	-52	827.8	830.0	2.2	3.82	
		including						828.6	828.9	0.3	20.8	
OSK-W-20-2313-W8	3450	TLX 3184	1152.0	452965	5435583	134	-52	839.0	841.0	2.0	36.9	
		including						839.5	839.8	0.3	17.3	
OSK-W-20-2313-W9	3450	Triple Lynx	1218.0	452965	5435583	134	-52	791.0	797.5	6.5	14.6	
		including						796.5	797.5	1.0	13.4	
OSK-W-20-2313-W9	3450	TLX 3171	1218.0	452965	5435583	134	-52	815.0	817.1	2.1	3.27	
OSK-W-20-2313-W9	3450	TLX 3184	1218.0	452965	5435583	134	-52	826.3	829.0	2.7	6.53	
		including						827.2	827.9	0.7	240	
OSK-W-20-2313-W9	3450	TLX 3184	1218.0	452965	5435583	134	-52	832.7	835.0	2.3	7.30	
		including						833.5	834.4	0.9	17.4	
OSK-W-20-2313-W9	3450	TLX 3184	1218.0	452965	5435583	134	-52	844.0	846.4	2.4	32.5	19.5
		including						845.1	846.4	0.3	204	100
OSK-W-20-2313-W9	3450	TLX 3194	1218.0	452965	5435583	134	-52	948.0	950.5	2.5	3.72	
OSK-W-20-2313-W9	3450	TLX 3195	1218.0	452965	5435583	134	-52	1006.5	1008.6	2.1	7.12	
		including						1007.2	1007.6	0.4	23.4	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-20-2315	2225	Mallard 5200	192.0	451980	5434804	334	-52	127.0	129.0	2.0	5.99	
OSK-W-20-2315	2225	Mallard 5213	192.0	451980	5434804	334	-52	157.0	159.0	2.0	4.13	
OSK-W-20-2317	3425	Triple Lynx	900.0	453026	5435407	129	-55	621.0	623.0	2.0	7.24	
OSK-W-20-2317	3425	Triple Lynx	900.0	453026	5435407	129	-55	662.0	664.2	2.2	3.81	
OSK-W-20-2317	3425	Triple Lynx	900.0	453026	5435407	129	-55	663.7	664.2	0.5	13.1	
OSK-W-20-2317	3425	Triple Lynx	900.0	453026	5435407	129	-55	741.0	743.4	2.4	5.05	
OSK-W-20-2317	3425	Triple Lynx	900.0	453026	5435407	129	-55	741.8	742.4	0.6	19.8	
OSK-W-20-2319	3175	Bolocat	768.0	452872	5435153	141	-50	510.0	512.0	2.0	4.83	
OSK-W-20-2319	3175	Bolocat	768.0	452872	5435153	141	-50	290.0	292.5	2.5	5.89	
OSK-W-20-2319	3175	Lynx	768.0	452872	5435153	141	-50	514.0	516.7	2.7	19.1	
OSK-W-20-2319	3175	Lynx	768.0	452872	5435153	141	-50	589.4	591.9	2.5	21.9	20.7
OSK-W-20-2319	3175	Lynx	768.0	452872	5435153	141	-50	591.4	591.9	0.5	106	100
OSK-W-20-2319	3175	Lynx	768.0	452872	5435153	141	-50	672.0	674.0	2.0	5.13	
OSK-W-20-2319	3175	Lynx	768.0	452872	5435153	141	-50	672.0	672.9	0.9	11.4	
OSK-W-20-2321	2200	Mallard 5213	176.2	451958	5434790	332	-51	166.3	168.5	2.2	6.40	
OSK-W-20-2322	4075	Lynx 334	1293.0	453608	5435715	130	-54	167.2	167.8	0.6	21.2	
OSK-W-20-2322-W1	4075	Lynx 4	1233.0	453608	5435715	130	-54	1090.3	1094.1	3.8	28.9	
OSK-W-20-2322-W1	4075	Lynx 4	1233.0	453608	5435715	130	-54	1047.4	1049.7	2.3	3.69	
OSK-W-20-2322-W1	4075	Lynx 330	1233.0	453608	5435715	130	-54	1047.4	1048.0	0.6	13.7	
OSK-W-20-2322-W1	4075	Lynx 330	1233.0	453608	5435715	130	-54	1119.8	1124.6	4.8	7.20	
OSK-W-20-2322-W3	4075	Lynx	1274.0	453608	5435715	130	-54	1120.5	1121.2	0.7	13.5	
OSK-W-20-2322-W3	4075	Lynx	1274.0	453608	5435715	130	-54	812.0	814.4	2.4	24.4	
OSK-W-20-2322-W3	4075	Lynx	1274.0	453608	5435715	130	-54	812.5	813.0	0.5	59.6	
OSK-W-20-2322-W3	4075	Lynx	1274.0	453608	5435715	130	-54	857.0	859.0	2.0	6.67	
OSK-W-20-2322-W3	4075	Lynx	1274.0	453608	5435715	130	-54	857.7	858.5	0.8	24.5	
OSK-W-20-2322-W3	4075	Lynx 3430	1274.0	453608	5435715	130	-54	1138.0	1140.2	2.2	6.26	
OSK-W-20-2322-W3	4075	Lynx 3430	1274.0	453608	5435715	130	-54	1139.6	1140.2	0.6	16.5	
OSK-W-20-2322-W3	4075	Lynx 3430	1274.0	453608	5435715	130	-54	1160.0	1162.0	2.0	16.4	
OSK-W-20-2323	2175	Mallard 5213	171.0	451937	5434789	335	-49	1160.4	1161.1	0.7	35.1	
OSK-W-20-2323	2175	Mallard 5213	171.0	451937	5434789	335	-49	153.0	155.0	2.0	8.48	
OSK-W-20-2323	2175	Mallard 5213	171.0	451937	5434789	335	-49	154.7	155.0	0.3	24.3	
OSK-W-20-2324	2200	Mallard	167.0	451945	5434809	334	-51	90.0	92.5	2.5	8.43	
OSK-W-20-2324	2200	Mallard 5200	171.0	451946	5434809	331	-51	128.0	130.8	2.8	35.1	25.6
OSK-W-20-2324	2200	Mallard 5213	171.0	451946	5434809	331	-51	130.1	130.8	0.7	13.8	100
OSK-W-20-2325	2200	Mallard 5213	171.0	451946	5434809	331	-51	143.6	145.8	2.2	13.1	
OSK-W-20-2325	2175	Mallard 5213	156.0	451920	5434828	335	-50	82.0	85.0	4.0	0.47	
OSK-W-20-2327	2150	Mallard 5213	132.0	451899	5434812	334	-49	82.0	85.0	1.0	29.5	
OSK-W-20-2327	2150	Mallard 5213	132.0	451899	5434812	334	-49	94.0	96.7	2.7	14.1	
OSK-W-20-2327	2150	Mallard 5213	132.0	451899	5434812	334	-49	96.0	96.7	0.7	33.7	
OSK-W-20-2327	2150	Mallard 5213	132.0	451899	5434812	334	-49	105.3	111.4	6.1	13.6	
OSK-W-20-2327	2150	Mallard 5213	132.0	451899	5434812	334	-49	109.0	110.0	1.0	48.9	
OSK-W-20-2328	3175	Caribou 2527	942.0	452872	5435153	136	-56	177.0	182.5	5.5	6.50	
OSK-W-20-2328	3175	Caribou	942.0	452872	5435153	136	-56	287.0	289.5	2.5	4.92	
OSK-W-20-2328	3175	Caribou	942.0	452872	5435153	136	-56	289.1	289.5	0.4	24.4	
OSK-W-20-2328	3175	Lynx SW	942.0	452872	5435153	136	-56	351.6	353.6	2.0	3.95	
OSK-W-20-2328	3175	Lynx SW	942.0	452872	5435153	136	-56	525.0	527.0	2.0	6.68	
OSK-W-20-2328	3175	Lynx SW	942.0	452872	5435153	136	-56	525.0	526.0	1.0	13.1	
OSK-W-20-2328	3175	Lynx SW	942.0	452872	5435153	136	-56	669.0	671.7	2.7	6.43	
OSK-W-20-2328	3175	Lynx 4	942.0	452872	5435153	136	-56	676.4	677.7	0.3	45.8	
OSK-W-20-2328	3175	Lynx 4	942.0	452872	5435153	136	-56	805.5	805.5	2.0	0.89	
OSK-W-20-2328	3175	Lynx 4	942.0	452872	5435153	136	-56	860.4	861.0	0.6	31.1	
OSK-W-20-2328	3175	Lynx 4	942.0	452872	5435153	136	-56	898.2	900.5	2.3	3.64	
OSK-W-20-2330	2150	Mallard 5213	156.0	451912	5434792	333	-48	137.7	140.0	2.3	9.57	
OSK-W-20-2331	2200	Mallard 5216	239.0	451987	5434764	335	-50	138.8	139.4	0.6	35.1	
OSK-W-20-2332	2250	Mallard 5213	222.0	452019	5434790	335	-49	51.0	53.0	2.0	4.86	
OSK-W-20-2334	3825	Lynx	1166.2	453399	5435556	125	-53	101.7	103.3	2.2	47.5	41.7
OSK-W-20-2334	3825	Lynx 330	1166.2	453399	5435556	125	-53	1007.1	1009.3	2.2	47.5	41.7
OSK-W-20-2338	3200	F17	213.0	452679	5435584	155	-57	108.0	108.8	0.4	13.1	100
OSK-W-20-2339	3400	Triple Lynx	1025.0	452961	5435441	144	-50	37.0	39.0	2.0	5.12	
OSK-W-20-2339	3400	Triple Lynx	1025.0	452961	5435441	144	-50	608.3	610.5	2.2	8.59	
OSK-W-20-2339	3400	Triple Lynx	1025.0	452961	5435441	144	-50	933.0	935.0	2.0	5.27	
OSK-W-20-2339	3400	Triple Lynx	1025.0	452961	5435441	144	-50	944.0	946.0	2.0	5.05	
OSK-W-20-2340	3175	F17	200.5	452650	5435568	146	-55	75.0	77.0	2.0	6.51	
OSK-W-20-2345	2950	Lynx 355	162.0	452828	5434780	336	-62	76.1	76.7	0.6	21.4	
OSK-W-20-2346	3825	Lynx 3223	1161.0	453399	5435555	130	-53	144.2	150.0	5.8	4.23	
OSK-W-20-2346	3825	Lynx 330	1161.0	453399	5435555	130	-53	509.0	592.0	2.0	6.20	
OSK-W-20-2346	3825	Lynx 330	1161.0	453399	5435555	130	-53	800.0	811.0	2.0	3.79	
OSK-W-20-2346	3825	Lynx 330	1161.0	453399	5435555	130	-53	892.0	894.2	2.2	12.1	
OSK-W-20-2346	3825	Lynx 330	1161.0	453399	5435555	130	-53	893.5	893.8	0.3	78.5	
OSK-W-20-2346	3825	Lynx 4	1161.0	453399	5435555	130	-53	958.4	960.5	2.1	7.36	
OSK-W-20-2346	3825	Lynx 4	1161.0	453399	5435555	130	-53	958.9	959.4	0.5	29.2	
OSK-W-20-2346	3825	Lynx 3429	1161.0	453399	5435555	130	-53	976.0	980.0	2.0	12.1	
OSK-W-20-2346	3825	Lynx 3429	1161.0	453399	5435555	130	-53	1011.2	1015.3	2.3	8.40	
OSK-W-20-2346	3825	Lynx 3436	1161.0	453399	5435555	130	-53	1014.0	1014.7	0.7	27.5	
OSK-W-20-2346	3825	Lynx 3436	1161.0	453399	5435555	130	-53	1092.0	1094.1	2.1	3.88	
OSK-W-20-2350	2975	Lynx 335	177.0	452854	5434793	334	-62	112.5	115.0	2.5	22.9	20.6
OSK-W-20-2350	2975	Lynx 335	177.0	452854	5434793	334	-62	113.5	113.9	0.4	115	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 ft
OSK-W-20-2350	2075	Lynx 355	177.0	452854	5434793	324	-62	137.0	139.0	2.0	16.3	15.8
		including						137.5	137.8	0.3	109	100
OSK-W-20-2351	3575	Lynx 376	1107.0	452895	5435539	141	-49	699.0	701.0	2.0	0.84	
		including						699.7	700.2	0.5	37.6	
OSK-W-20-2353	3250	Triple Lynx	1338.0	452732	5435570	129	-50	978.8	981.0	2.2	3.80	
		including						978.8	979.3	0.5	11.6	
OSK-W-20-2353	3250	Triple Lynx	1338.0	452732	5435570	129	-50	1295.2	1297.3	2.1	4.49	
OSK-W-20-2354	2725	Caribou 2516	759.0	452738	5434475	336	-60	501.0	503.3	2.3	5.33	
		including						501.0	503.0	1.0	12.0	
OSK-W-20-2354	2725	Caribou	759.0	452738	5434475	336	-60	620.0	622.0	2.0	24.7	
		including						620.0	620.4	0.4	76.5	
OSK-W-20-2354	2725	Caribou 2233	759.0	452738	5434475	336	-60	653.3	655.9	2.6	5.39	
		including						654.1	654.5	0.4	19.7	
OSK-W-20-2354	2725	Caribou 2217	759.0	452738	5434475	336	-60	695.5	697.5	2.0	7.53	
		including						696.7	697.1	0.4	29.2	
OSK-W-20-2354	2725	Caribou 2218	759.0	452738	5434475	336	-60	728.7	730.7	2.0	19.5	
		including						729.4	729.8	0.4	77.0	
OSK-W-20-2354	2725	Caribou 2218	759.0	452738	5434475	336	-60	725.3	729.5	4.2	16.9	
		including						739.2	739.5	0.3	125	100
OSK-W-20-2354-W1	2725	Caribou 2233	792.0	452738	5434475	336	-60	647.0	650.5	3.5	14.6	
OSK-W-20-2354-W1	2725	Caribou 2208	792.0	452738	5434475	336	-60	674.2	677.4	3.2	24.7	
		including						677.0	679.0	2.0	4.80	
OSK-W-20-2354-W1	2725	Caribou	792.0	452738	5434475	336	-60	702.0	704.0	2.0	9.26	
		including						703.0	704.0	1.0	9.26	
OSK-W-20-2354-W1	2725	Caribou	792.0	452738	5434475	336	-60	705.8	707.8	2.0	3.62	
		including						706.6	707.1	0.5	12.5	
OSK-W-20-2354-W1	2725	Caribou	792.0	452738	5434475	336	-60	722.2	725.4	3.2	26.0	
		including						723.4	724.0	0.6	55.3	
OSK-W-20-2354-W1	2725	Caribou	792.0	452738	5434475	336	-60	757.2	759.9	2.7	13.5	
		including						757.2	757.5	0.3	74.8	
OSK-W-20-2354-W2	2725	Caribou	749.5	452738	5434475	336	-60	545.0	547.5	2.5	74.2	
		including						546.2	546.5	0.3	47.3	
OSK-W-20-2354-W2	2725	Caribou	749.5	452738	5434475	336	-60	633.5	638.1	4.6	8.0	
		including						633.5	634.9	1.4	20.0	
OSK-W-20-2354-W2	2725	Caribou 2233	749.5	452738	5434475	336	-60	641.0	646.5	5.5	18.9	
		including						642.8	643.1	0.3	87.0	
OSK-W-20-2354-W3	2725	Caribou	750.0	452738	5434475	336	-60	541.3	544.0	2.7	3.99	
OSK-W-20-2354-W3	2725	Caribou 2214	750.0	452738	5434475	336	-60	632.0	635.0	3.0	8.61	
OSK-W-20-2354-W3	2725	Caribou 2208	750.0	452738	5434475	336	-60	665.7	670.0	4.3	7.53	
		including						669.0	670.0	1.0	17.1	
OSK-W-20-2354-W4	2725	Caribou	783.0	452738	5434475	336	-60	498.8	501.0	2.2	3.78	
OSK-W-20-2354-W4	2725	Caribou	783.0	452738	5434475	336	-60	629.0	633.0	4.0	11.2	
		including						629.0	630.0	1.0	34.8	
OSK-W-20-2354-W4	2725	Caribou 2233	783.0	452738	5434475	336	-60	649.0	651.0	2.0	6.43	
OSK-W-20-2354-W4	2725	Caribou 2208	783.0	452738	5434475	336	-60	673.0	676.0	3.0	16.7	
OSK-W-20-2354-W4	2725	Caribou 2220	783.0	452738	5434475	336	-60	708.0	711.0	3.0	4.97	
OSK-W-20-2354-W4	2725	Caribou	783.0	452738	5434475	336	-60	730.4	733.0	2.6	4.65	
OSK-W-20-2359	2675	Caribou	726.0	452695	5434440	335	-61	360.8	363.0	2.2	5.96	
OSK-W-20-2359	2675	Caribou 2214	726.0	452695	5434440	335	-61	631.7	633.7	2.0	21.1	
OSK-W-20-2359	2675	Caribou 2214	726.0	452695	5434440	335	-61	636.1	644.0	7.9	10.2	
		including						642.0	643.0	1.0	30.6	
OSK-W-20-2359	2675	Caribou	726.0	452695	5434440	335	-61	673.0	675.0	2.0	4.87	
OSK-W-20-2359-W1	2675	Caribou	696.0	452695	5434440	335	-61	361.0	363.0	2.0	6.17	
OSK-W-20-2359-W1	2675	Caribou 2208	696.0	452695	5434440	335	-61	662.0	664.9	2.9	4.88	
OSK-W-20-2362	2850	Bobcat 2355	256.0	452713	5434777	350	-45	58.0	60.0	2.0	31.7	25.6
		including						58.5	59.0	0.5	125	100
OSK-W-20-2362	2850	Bobcat	256.0	452713	5434777	350	-45	137.0	139.0	2.0	4.29	
OSK-W-20-2363	3425	Triple Lynx	1031.0	452930	5435548	139	-52	578.0	582.0	4.0	6.39	
		including						581.3	582.0	0.7	24.4	
OSK-W-20-2363	3425	TUX 3178	1031.0	452930	5435548	139	-52	630.0	632.1	2.1	16.7	
		including						630.4	630.9	0.5	62.2	
OSK-W-20-2363	3425	Lynx 365	1031.0	452930	5435548	139	-52	686.0	688.0	2.0	3.82	
OSK-W-20-2363	3425	Triple Lynx	1031.0	452930	5435548	139	-52	794.3	795.6	1.3	8.59	
		including						795.1	795.6	0.5	34.2	
OSK-W-20-2363	3425	TUX 3195	1031.0	452930	5435548	139	-52	946.5	948.9	2.4	22.3	
OSK-W-20-2363	3425	Triple Lynx	1031.0	452930	5435548	139	-52	970.6	972.6	2.0	3.88	
OSK-W-20-2363-W1	3425	Triple Lynx	1059.0	452930	5435548	139	-52	662.0	664.1	2.1	4.43	
OSK-W-20-2363-W1	3425	TUX 3195	1059.0	452930	5435548	139	-52	955.0	957.0	2.0	7.28	
OSK-W-20-2363-W1	3425	TUX 3196	1059.0	452930	5435548	139	-52	666.4	669.7	3.3	6.59	
		including						669.4	669.7	0.3	31.8	
OSK-W-20-2363-W2	3425	TUX 3179	1035.0	452930	5435548	139	-52	751.0	753.5	2.5	5.90	
		including						753.0	753.5	0.5	12.0	
OSK-W-20-2363-W2	3425	Triple Lynx	1035.0	452930	5435548	139	-52	867.6	870.0	2.4	5.18	
		including						867.6	868.0	0.4	27.7	
OSK-W-20-2363-W2	3425	Triple Lynx	1035.0	452930	5435548	139	-52	887.0	889.0	2.0	3.75	
OSK-W-20-2363-W3	3425	TUX 3178	1185.0	452930	5435548	139	-52	659.2	662.0	2.8	3.76	
OSK-W-20-2363-W3	3425	Triple Lynx	1185.0	452930	5435548	139	-52	957.0	961.7	4.7	6.61	
		including						957.0	957.6	0.6	18.4	
OSK-W-20-2363-W3	3425	Triple Lynx	1185.0	452930	5435548	139	-52	999.1	1001.6	2.5	4.52	
OSK-W-21-2363-W4	3425	TUX 3171	1296.0	452930	5435548	139	-52	748.2	750.8	2.6	16.3	
		including						750.0	750.5	0.5	33.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-21-2363-W4	3425	Triple Lynx	1296.0	452930	5435548	139	-52	805.6	809.0	2.4	11.5	
		including						805.6	806.9	0.3	91.9	
OSK-W-21-2363-W4	3425	Triple Lynx	1296.0	452930	5435548	139	-52	812.5	816.0	3.5	15.5	
		including						812.5	813.4	0.9	33.9	
OSK-W-21-2363-W5	3425	TUX 3177	1054.0	452930	5435548	139	-52	700.0	702.0	2.0	1.87	
		including						700.6	701.4	0.8	9.11	
OSK-W-21-2363-W5	3425	TUX 3171	1054.0	452930	5435548	139	-52	760.0	762.0	2.0	5.15	
		including						760.5	761.0	0.5	20.7	
OSK-W-20-2365	2750	Bolocat	312.0	453273	5434766	354	-46	44.0	46.5	2.5	8.36	
OSK-W-20-2366	2750	Caribou	534.0	452682	5434624	323	-55	299.9	300.0	2.1	1.81	
OSK-W-20-2366	2750	Caribou 2210	534.0	452682	5434624	323	-55	459.0	461.0	2.0	4.90	
		including						460.0	461.0	1.0	9.13	
OSK-W-20-2367	2875	Lynx 335	275.0	452742	5434761	349	-46	59.0	62.0	3.0	6.38	
OSK-W-20-2369	3850	Lynx	909.0	453424	5435566	130	-56	584.9	587.8	2.9	24.4	
		including						586.7	587.8	1.1	35.6	
OSK-W-20-2369	3850	LXM 3304	909.0	453424	5435566	130	-56	640.0	642.0	2.0	29.2	26.4
		including						640.4	640.9	0.5	111	100
OSK-W-20-2369	3850	LXM 3341	909.0	453424	5435566	130	-56	654.1	656.3	2.2	7.38	
		including						654.1	654.4	0.3	36.2	
OSK-W-20-2369	3850	LXM 3304	909.0	453424	5435566	130	-56	660.0	662.0	2.0	6.06	
OSK-W-20-2369-W1	3850	LXM 3304	1199.0	453424	5435566	130	-56	654.0	657.0	3.0	31.1	
		including						655.0	655.9	0.9	52.1	
OSK-W-20-2369-W1	3850	LXM 3430	1199.0	453424	5435566	130	-56	993.1	995.2	2.1	8.73	
OSK-W-20-2369-W1	3850	Lynx 4	1199.0	453424	5435566	130	-56	1013.5	1015.0	1.5	22.3	
		including						1012.5	1013.0	0.5	97.9	
OSK-W-21-2369-W2	3850	LXM 3304	788.0	453424	5435566	130	-56	675.0	679.1	4.1	71.2	40.8
		including						675.7	677.0	1.3	196	100
OSK-W-21-2369-W2	3850	LXM 3304	1415.0	453424	5435566	130	-56	672.8	676.3	3.5	369	100
		including						672.8	673.5	0.7	127	100
		and						673.5	674.2	0.7	545	100
		and						674.2	674.6	0.4	192	100
		and						674.6	675.0	0.4	155	100
		and						675.0	675.6	0.6	527	100
		and						675.6	676.3	0.7	500	100
OSK-W-20-2370	2850	Lynx SW	297.0	452721	5434747	351	-46	109.1	111.6	2.5	3.80	
OSK-W-20-2371	3375	Triple Lynx	1203.0	452996	5435363	123	-53	796.5	798.8	2.3	17.2	13.2
		including						796.5	798.8	0.3	131	100
OSK-W-20-2371	3375	Lynx	1203.0	452996	5435363	123	-53	1049.0	1051.0	2.0	7.30	
OSK-W-20-2371-W1	3375	TUX 3184	1032.0	452996	5435363	123	-53	556.2	558.4	2.2	8.73	
OSK-W-20-2371-W1	3375	Triple Lynx	1032.0	452996	5435363	123	-53	645.0	656.3	2.3	17.9	
		including						655.2	655.8	0.6	60.8	
OSK-W-20-2371-W1	3375	Triple Lynx	1032.0	452996	5435363	123	-53	717.0	719.0	2.0	5.97	
OSK-W-20-2371-W1	3375	Triple Lynx	1032.0	452996	5435363	123	-53	847.0	849.0	2.0	7.72	
OSK-W-20-2371-W1	3375	Triple Lynx	1032.0	452996	5435363	123	-53	937.0	939.0	2.0	3.68	
		including						938.1	938.4	0.3	20.4	
OSK-W-20-2371-W1	3375	Triple Lynx	1032.0	452996	5435363	123	-53	977.5	980.9	3.4	10.8	
		including						977.5	977.8	0.3	70.1	
OSK-W-20-2371-W1	3375	Triple Lynx	1032.0	452996	5435363	123	-53	1007.3	1009.7	2.4	123	27.2
		including						1007.3	1007.9	0.6	483	100
OSK-W-20-2371-W2	3375	TUX 3195	1251.0	452996	5435363	123	-53	815.0	817.0	2.0	3.60	
OSK-W-20-2371-W2	3375	Triple Lynx	1251.0	452996	5435363	123	-53	1023.0	1025.2	2.2	4.93	
OSK-W-20-2371-W2	3375	Lynx 4	1251.0	452996	5435363	123	-53	1047.0	1049.0	2.0	4.04	
		including						1047.4	1048.1	0.7	11.4	
OSK-W-20-2373	2550	Caribou 2242	647.0	452595	5434393	335	-46	600.0	602.0	2.0	3.14	
		including						602.6	603.4	0.8	7.07	
OSK-W-20-2374	2850	Bolocat	138.0	452720	5434747	349	-52	102.3	104.4	2.1	8.56	
		including						103.9	104.4	0.5	7.98	
OSK-W-20-2375	4300	LXM 3414	1160.0	453810	5435779	122	-56	887.3	890.0	2.7	9.19	
		including						888.3	889.0	0.7	31.4	
OSK-W-20-2375	4300	LXM 3437	1160.0	453810	5435779	122	-56	915.8	914.1	2.3	4.03	
		including						915.8	912.3	0.4	18.9	
OSK-W-20-2375-W1	4300	LXM 3437	987.0	453810	5435779	122	-56	907.3	909.7	2.4	18.5	
		including						908.4	909.3	0.9	36.8	
OSK-W-20-2375-W2	4300	LXM 3414	986.6	453810	5435779	122	-56	909.0	911.0	2.0	3.58	
OSK-W-20-2375-W2	4300	LXM 3437	986.6	453810	5435779	122	-56	926.8	912.8	6.0	70.0	34.4
		including						926.8	927.4	0.6	626	100
OSK-W-20-2375-W3	4300	Lynx 4	1020.0	453810	5435779	122	-56	918.0	920.0	2.0	3.86	
OSK-W-20-2375-W4	4300	Lynx 4	1008.0	453810	5435779	122	-56	904.0	906.3	2.3	3.53	
		including						905.6	905.9	0.3	19.7	
OSK-W-20-2375-W4	4300	Lynx 4	1008.0	453810	5435779	122	-56	910.0	912.0	2.0	20.0	
		including						911.5	912.0	0.5	76.5	
OSK-W-20-2376	2750	Caribou	510.0	452689	5434637	325	-55	151.6	153.8	2.2	4.01	
OSK-W-20-2376	2750	Caribou	510.0	452689	5434637	325	-55	233.0	235.0	2.0	4.27	
		including						233.0	233.3	0.3	27.6	
OSK-W-20-2376	2750	Caribou 2218	510.0	452689	5434637	325	-55	126.3	127.3	2.0	3.56	
OSK-W-20-2376	2750	Caribou 2235	510.0	452689	5434637	325	-55	435.6	436.0	3.4	5.32	
		including						435.0	436.0	1.0	13.2	
OSK-W-20-2377	3225	F17 6003	1326.0	452703	5435546	132	-49	105.0	108.0	3.0	76.7	22.7
		including						106.0	106.4	0.4	505	100
OSK-W-20-2377	3225	Caribou 2553	1326.0	452703	5435546	132	-49	741.0	743.2	2.2	8.23	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) foot to 100 g/t
OSK-W-20-2377-W1	3225	Caribou extension	including 1314.0	452703	5435546	132	-49	876.5	878.6	2.1	28.9	24.0
								876.5	877.0	0.5	123	100
OSK-W-20-2377-W1	3225	Caribou extension	including 1314.0	452703	5435546	132	-49	882.8	884.8	2.0	16.4	
								882.8	883.9	1.0	32.7	
OSK-W-20-2377-W1	3225	Caribou	including 1314.0	452703	5435546	132	-49	889.5	895.5	6.0	7.36	
								889.5	890.0	0.5	25.5	
OSK-W-20-2381	4125	Lynx 4	including 1230.0	453620	5435790	134	-53	1116.4	1118.7	2.3	4.02	
OSK-W-20-2381	4125	LMA 3449	including 1230.0	453620	5435790	134	-53	1182.5	1185.0	2.5	12.5	
								1182.7	1185.0	0.8	32.0	
OSK-W-20-2381-W1	4125	LMA 3449	including 1512.0	453620	5435790	134	-53	1228.0	1230.0	2.0	8.54	
								1228.0	1228.7	0.7	24.3	
OSK-W-20-2381-W1	4125	Lynx 4	including 1512.0	453620	5435790	134	-53	1332.0	1335.0	3.0	177	38.2
								1332.0	1333.0	1.0	515	100
OSK-W-20-2381-W1	4125	Lynx 4	including 1512.0	453620	5435790	134	-53	1364.5	1366.5	2.0	66.6	26.6
								1366.1	1366.5	0.4	300	100
OSK-W-20-2384	3825	Lynx	including 1248.0	453397	5435557	127	-52	547.0	549.0	2.0	9.31	
								548.0	549.0	1.0	18.2	
OSK-W-20-2384	3825	Lynx 341	including 1248.0	453397	5435557	127	-52	644.5	646.9	2.4	26.2	
								645.3	645.9	0.6	96.5	
OSK-W-20-2384	3825	LMA 3430	including 1248.0	453397	5435557	127	-52	991.0	993.0	2.0	7.24	
OSK-W-20-2384	3825	LMA 3430	including 1248.0	453397	5435557	127	-52	1000.5	1003.0	2.5	26.5	22.2
								1001.2	1001.7	0.5	122	100
OSK-W-20-2384	3825	LMA 3430	including 1248.0	453397	5435557	127	-52	1013.0	1015.0	2.0	19.5	
OSK-W-20-2384	3825	LMA 3451	including 1248.0	453397	5435557	127	-52	1125.8	1127.9	2.1	15.7	
								1127.5	1127.9	0.4	81.1	
OSK-W-20-2385	4150	LMA 3426	including 873.0	453689	5435676	125	-54	755.0	757.3	2.3	17.0	
								755.0	756.0	1.0	38.1	
OSK-W-20-2385	4150	LMA 3426	including 873.0	453689	5435676	125	-54	776.0	778.0	2.0	31.2	
								777.0	777.5	0.5	98.0	
OSK-W-20-2385	4150	LMA 3426	including 873.0	453689	5435676	125	-54	785.0	787.0	2.0	45.5	26.0
								786.0	786.6	0.6	178	100
OSK-W-20-2385-W1	4150	LMA 3426	including 937.0	453689	5435676	125	-54	778.7	781.0	2.3	6.32	
								779.2	779.6	0.4	24.3	
OSK-W-20-2385-W1	4150	LMA 3414	including 937.0	453689	5435676	125	-54	819.3	821.4	2.1	39.2	19.6
								819.6	820.0	0.4	205	100
OSK-W-20-2385-W1	4150	LMA 3424	including 918.0	453689	5435676	125	-54	799.0	801.6	2.6	39.4	25.1
								799.5	799.9	0.4	136	100
OSK-W-20-2387	2675	Caribou	including 717.0	452694	5434440	336	-59	575.5	577.5	2.0	4.70	
								576.1	576.6	0.5	15.2	
OSK-W-20-2387	2675	Caribou 2214	including 717.0	452694	5434440	336	-59	639.0	641.0	2.0	6.72	
OSK-W-20-2387	2675	Caribou 2214	including 717.0	452694	5434440	336	-59	647.0	649.4	2.4	4.55	
OSK-W-20-2387	2675	Caribou 2233	including 717.0	452694	5434440	336	-59	661.2	663.2	2.0	8.69	
OSK-W-20-2387-W1	2675	Caribou	including 738.0	452694	5434440	336	-59	496.0	498.1	2.1	4.17	
								496.0	496.4	0.4	12.2	
OSK-W-20-2387-W1	2675	Caribou	including 738.0	452694	5434440	336	-59	521.0	523.0	2.0	18.8	
								521.8	523.0	1.2	29.7	
OSK-W-20-2387-W1	2675	Caribou 2233	including 738.0	452694	5434440	336	-59	652.4	654.7	2.3	16.7	
								653.0	653.6	0.6	55.9	
OSK-W-20-2388	2775	Caribou	including 699.0	452715	5434606	326	-61	317.6	319.7	2.1	10.7	
OSK-W-20-2388	2775	Caribou	including 699.0	452715	5434606	326	-61	317.6	318.6	1.0	22.4	
OSK-W-20-2388	2775	Caribou 2215	including 699.0	452715	5434606	326	-61	537.0	539.7	2.7	4.76	
OSK-W-20-2388	2775	Caribou 2250	including 699.0	452715	5434606	326	-61	568.7	571.1	2.4	4.85	
								570.0	570.5	0.5	18.4	
OSK-W-20-2388	2775	Caribou 2217	including 699.0	452715	5434606	326	-61	610.7	612.4	1.7	13.8	
								610.7	611.0	0.3	87.5	
OSK-W-20-2388	2775	Caribou 2218	including 699.0	452715	5434606	326	-61	639.3	641.8	2.5	4.54	
								640.4	641.1	0.7	11.0	
OSK-W-20-2388	2775	Caribou 2219	including 699.0	452715	5434606	326	-61	645.4	647.5	2.1	3.87	
								646.0	646.5	0.5	16.1	
OSK-W-20-2388	2775	Caribou 2218	including 699.0	452715	5434606	326	-61	663.0	665.0	2.0	11.6	
								663.0	664.0	1.0	23.0	
OSK-W-20-2388	2775	Caribou 2219	including 699.0	452715	5434606	326	-61	666.0	668.1	2.1	4.12	
								667.5	668.1	0.6	13.7	
OSK-W-20-2389	2750	Caribou	including 701.0	452689	5434636	328	-57	589.0	591.0	2.0	5.72	
OSK-W-20-2390	2550	Caribou 2247	including 647.0	452595	5434393	330	-65	579.0	581.2	2.2	27.9	
								580.2	580.7	0.5	93.3	
OSK-W-20-2390	2550	Caribou 2245	including 647.0	452595	5434393	330	-65	594.8	599.0	4.2	65.6	51.2
								596.9	597.2	0.3	147	100
								597.5	598.1	0.6	178	100
OSK-W-20-2390	2550	Caribou	including 647.0	452595	5434393	330	-65	622.6	625.0	2.4	4.91	
								623.8	624.5	0.7	24.7	
OSK-W-20-2391	3900	PS1	including 1629.0	453284	5435891	117	-57	234.6	237.0	2.4	81.4	21.3
								235.4	235.9	0.5	149	100
OSK-W-20-2391	3900	Triple Lynx	including 1629.0	453284	5435891	117	-57	1183.3	1185.4	2.1	57.2	26.2
								1185.1	1185.4	0.3	317	100
OSK-W-20-2391	3900	Triple Lynx	including 1629.0	453284	5435891	117	-57	1283.0	1285.1	2.1	8.73	
								1283.7	1284.0	0.3	58.1	
OSK-W-20-2391	3900	Triple Lynx	including 1629.0	453284	5435891	117	-57	1372.5	1376.0	3.5	8.73	
								1373.3	1373.7	0.4	36.0	
OSK-W-20-2391	3900	Triple Lynx	including 1629.0	453284	5435891	117	-57	1497.0	1503.0	6.0	8.84	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-20-2391	3900	Triple Lynx	1629.0	453284	5435891	117	-57	1526.0	1528.0	2.0	15.7	
OSK-W-20-2391-W2	3900	Triple Lynx	1888.0	453284	5435891	117	-57	1380.0	1382.0	2.0	10.7	
OSK-W-20-2391-W2	3900	Triple Lynx	1888.0	453284	5435891	117	-57	1380.0	1381.2	0.3	65.3	
								1390.3	1394.7	4.4	21.2	
OSK-W-20-2391-W2	3900	Triple Lynx	1888.0	453284	5435891	117	-57	1390.8	1393.1	0.3	65.3	
								1399.9	1394.7	0.8	58.0	
OSK-W-21-2391-W3	3900	Triple Lynx	1566.0	453284	5435891	117	-57	1253.0	1253.1	2.1	3.64	
OSK-W-21-2391-W3	3900	TLX 3172	1566.0	453284	5435891	117	-57	1383.3	1387.0	3.7	12.6	11.9
OSK-W-21-2391-W4	3900	Triple Lynx	1530.0	453284	5435891	117	-57	1406.2	1406.6	0.3	100	
								1406.5	1406.5	2.0	6.39	
OSK-W-21-2391-W4	3900	Triple Lynx	1530.0	453284	5435891	117	-57	1400.0	1412.2	3.2	6.03	
OSK-W-21-2391-W4	3900	Triple Lynx	1530.0	453284	5435891	117	-57	1400.0	1409.9	0.9	18.0	
								1417.0	1419.0	2.0	3.90	
OSK-W-21-2391-W4	3900	Triple Lynx	1530.0	453284	5435891	117	-57	1417.6	1418.1	0.5	12.5	
OSK-W-20-2394	3375	TLX 3184	864.0	452923	5435467	138	-52	652.0	654.0	2.0	5.93	
OSK-W-20-2394-W1	3375	TLX 3171	1065.0	452923	5435467	138	-52	652.4	652.8	0.4	17.7	
								642.8	646.0	2.2	14.5	
OSK-W-20-2394-W1	3375	Triple Lynx	1065.0	452923	5435467	138	-52	643.3	643.7	0.4	53.1	
OSK-W-20-2394-W3	3375	TLX 3171	1020.0	452923	5435467	138	-52	889.0	891.0	2.0	5.04	
OSK-W-20-2394-W3	3375	Triple Lynx	1020.0	452923	5435467	138	-52	659.0	663.0	4.0	4.38	
OSK-W-21-2394-W4	3375	TLX 3171	920.0	452923	5435467	138	-52	1012.6	1015.0	2.4	33.5	
OSK-W-21-2394-W4	3375	TLX 3171	920.0	452923	5435467	138	-52	1012.1	1014.0	0.8	99.3	
								643.2	646.2	3.0	9.31	
OSK-W-21-2394-W4	3375	TLX 3184	920.0	452923	5435467	138	-52	643.2	643.6	0.4	18.8	
OSK-W-21-2394-W4	3375	TLX 3184	920.0	452923	5435467	138	-52	668.7	671.0	2.3	40.9	
OSK-W-21-2394-W4	3375	TLX 3130	920.0	452923	5435467	138	-52	669.1	670.0	0.9	99.7	
OSK-W-21-2394-W4	3375	TLX 3130	920.0	452923	5435467	138	-52	674.8	677.0	2.2	14.3	
								674.8	675.1	0.3	30.0	
OSK-W-21-2394-W4	3375	TLX 3130	920.0	452923	5435467	138	-52	882.0	884.0	2.0	3.11	
OSK-W-21-2394-W4	3375	Triple Lynx	920.0	452923	5435467	138	-52	908.0	910.0	2.0	3.85	
OSK-W-21-2394-W5	3375	Triple Lynx	915.0	452923	5435467	138	-52	600.0	602.0	2.0	6.49	
OSK-W-21-2394-W5	3375	TLX 3171	915.0	452923	5435467	138	-52	652.5	655.4	2.9	3.86	
OSK-W-21-2394-W6	3375	Triple Lynx	978.0	452923	5435467	138	-52	654.5	655.4	0.9	7.79	
								580.0	582.0	2.0	3.58	
OSK-W-21-2394-W6	3375	TLX 3171	978.0	452923	5435467	138	-52	580.0	580.9	0.9	7.90	
OSK-W-21-2394-W6	3375	TLX 3171	978.0	452923	5435467	138	-52	674.6	676.7	2.1	10.7	
OSK-W-21-2394-W6	3375	TLX 3184	978.0	452923	5435467	138	-52	675.1	676.0	0.9	21.7	
OSK-W-21-2394-W6	3375	TLX 3195	978.0	452923	5435467	138	-52	694.0	696.0	2.0	4.57	
OSK-W-20-2397	3900	Lynx	1278.0	453451	5435594	131	-58	914.8	915.2	0.4	27.2	
								603.0	605.1	2.1	9.70	
OSK-W-20-2397	3900	Lynx	1278.0	453451	5435594	131	-58	603.3	604.0	0.7	27.3	
OSK-W-20-2397	3900	Lynx	1278.0	453451	5435594	131	-58	612.0	614.0	2.0	7.36	
OSK-W-20-2397	3900	LXM 3304	1278.0	453451	5435594	131	-58	654.0	656.5	2.5	4.35	
OSK-W-20-2397	3900	LXM 3304	1278.0	453451	5435594	131	-58	655.0	655.4	0.4	12.5	
								660.8	664.4	3.6	11.1	
OSK-W-20-2397	3900	LXM 3304	1278.0	453451	5435594	131	-58	660.8	661.4	0.6	49.3	
OSK-W-20-2397	3900	LXM 3304	1278.0	453451	5435594	131	-58	667.5	669.9	2.4	79.8	41.9
OSK-W-20-2397	3900	LXM 3304	1278.0	453451	5435594	131	-58	668.2	669.1	0.9	201	
								676.9	679.1	2.2	20.5	
OSK-W-20-2397	3900	LXM 3304	1278.0	453451	5435594	131	-58	678.1	678.6	0.5	82.9	
								698.5	700.5	2.0	4.07	
OSK-W-20-2397	3900	Lynx 4	1278.0	453451	5435594	131	-58	700.0	700.5	0.5	11.9	
OSK-W-20-2397	3900	Lynx 4	1278.0	453451	5435594	131	-58	875.0	877.1	2.1	7.12	
OSK-W-20-2397	3900	Lynx 4	1278.0	453451	5435594	131	-58	1033.0	1033.0	2.0	11.0	
OSK-W-20-2397	3900	Lynx 4	1278.0	453451	5435594	131	-58	1032.7	1033.0	0.3	69.9	
OSK-W-20-2397	3900	LXM 3430	1278.0	453451	5435594	131	-58	1039.0	1041.0	2.0	4.75	
								1039.6	1040.3	0.7	12.9	
OSK-W-20-2397	3900	LXM 3430	1278.0	453451	5435594	131	-58	1058.0	1060.2	2.2	26.1	19.6
OSK-W-20-2397-W1	3900	LXM 3304	1200.0	453451	5435594	131	-58	1058.8	1059.2	0.4	138	
								652.0	654.0	2.0	13.4	
OSK-W-20-2397-W1	3900	LXM 3304	1200.0	453451	5435594	131	-58	652.3	653.1	0.8	31.1	
OSK-W-20-2397-W1	3900	Lynx	1200.0	453451	5435594	131	-58	666.5	671.3	4.8	71.3	18.3
								670.4	671.0	0.6	125	100
OSK-W-20-2397	2875	Caribou 2212	864.0	452875	5434553	333	-54	663.0	665.0	2.0	9.93	
OSK-W-20-2399	2875	Caribou 2212	864.0	452875	5434553	333	-54	663.7	664.6	0.9	20.6	
								673.0	675.0	2.0	65.2	20.2
OSK-W-20-2399	2875	Caribou	876.0	452875	5434553	333	-54	674.0	674.4	0.4	275	100
OSK-W-20-2399-W1	2875	Caribou	876.0	452875	5434553	333	-54	451.0	453.6	2.6	4.00	
OSK-W-20-2399-W1	2875	Caribou 2523	876.0	452875	5434553	333	-54	551.0	554.3	3.3	19.2	
OSK-W-20-2399-W1	2875	Caribou	876.0	452875	5434553	333	-54	553.5	554.3	0.8	89.0	
								621.5	624.0	2.5	39.2	
OSK-W-20-2399-W1	2875	Caribou	876.0	452875	5434553	333	-54	650.0	652.4	2.4	36.5	
OSK-W-20-2399-W2	2875	Caribou	876.0	452875	5434553	333	-54	651.0	651.4	0.4	66.7	
OSK-W-20-2399-W2	2875	Caribou	876.0	452875	5434553	333	-54	405.0	407.1	2.1	6.93	
OSK-W-20-2399-W2	2875	Caribou	876.0	452875	5434553	333	-54	580.0	582.4	2.4	1.83	
OSK-W-20-2399-W2	2875	Caribou	876.0	452875	5434553	333	-54	582.1	582.4	0.3	18.5	
OSK-W-20-2399-W2	2875	Caribou	876.0	452875	5434553	333	-54	656.0	658.0	2.0	3.66	
OSK-W-20-2399-W2	2875	Caribou 2212	876.0	452875	5434553	333	-54	690.0	692.0	2.0	44.9	15.4



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
including												
OSK-W-20-2400	2825	Caribou, 2215	1230.0	452878	5434419	336	-53	691.7	692.0	0.3	297	100
including												
OSK-W-20-2400	2825	Caribou	1230.0	452878	5434419	336	-53	750.0	753.0	3.0	39.0	36.0
OSK-W-20-2400	2825	Caribou, 2220	1230.0	452878	5434419	336	-53	752.0	753.0	1.0	109	100
including												
OSK-W-20-2400	2825	Caribou	1230.0	452878	5434419	336	-53	768.0	770.2	2.2	4.20	
including												
OSK-W-20-2400	2825	Caribou	1230.0	452878	5434419	336	-53	797.0	799.0	2.0	6.32	
including												
OSK-W-20-2400	2825	Caribou	1230.0	452878	5434419	336	-53	815.0	817.0	2.0	9.57	
including												
OSK-W-20-2400	2825	Caribou, 2219	1230.0	452878	5434419	336	-53	815.4	816.0	0.6	31.5	
including												
OSK-W-20-2401	2750	Caribou	705.0	452688	5434637	330	-55	858.0	861.7	3.7	6.39	
including												
OSK-W-20-2405	2675	Caribou, 2106	723.0	452695	5434440	332	-58	382.0	383.0	1.0	11.8	
including												
OSK-W-20-2405	2675	Caribou	723.0	452695	5434440	332	-58	262.0	264.0	2.0	60.8	42.4
including												
OSK-W-20-2405	2675	Caribou, 2214	723.0	452695	5434440	332	-58	262.7	263.5	0.8	146	100
including												
OSK-W-20-2405	2675	Caribou	723.0	452695	5434440	332	-58	519.6	521.8	2.2	4.59	
including												
OSK-W-20-2405	2675	Caribou, 2214	723.0	452695	5434440	332	-58	621.5	624.0	2.5	3.88	
including												
OSK-W-20-2405	2675	Caribou, 2214	723.0	452695	5434440	332	-58	622.0	622.6	0.6	11.2	
including												
OSK-W-20-2405-W1	2675	Caribou	716.4	452695	5434440	332	-58	626.5	630.0	3.5	16.8	
including												
OSK-W-20-2405-W1	2675	Caribou	716.4	452695	5434440	332	-58	627.5	628.0	0.5	56.0	
including												
OSK-W-20-2405-W1	2675	Caribou	716.4	452695	5434440	332	-58	489.3	491.5	2.2	3.45	
including												
OSK-W-20-2405-W1	2675	Caribou	716.4	452695	5434440	332	-58	490.9	491.5	0.6	9.86	
including												
OSK-W-20-2405-W1	2675	Caribou	716.4	452695	5434440	332	-58	518.0	520.0	2.0	8.09	
including												
OSK-W-20-2405-W1	2675	Caribou	716.4	452695	5434440	332	-58	620.0	622.0	2.0	6.44	
including												
OSK-W-20-2405-W1	2675	Caribou, 2233	716.4	452695	5434440	332	-58	620.5	621.0	0.5	22.8	
including												
OSK-W-20-2405-W1	2675	Caribou	716.4	452695	5434440	332	-58	655.5	657.0	1.5	44.4	
including												
OSK-W-20-2405-W1	2675	Caribou	716.4	452695	5434440	332	-58	669.0	672.0	3.0	8.57	
including												
OSK-W-20-2405-W2	2675	Caribou, 2214	710.3	452695	5434440	332	-58	613.4	613.4	0.0	7.61	
including												
OSK-W-20-2406	2525	Caribou	692.8	452633	5434281	333	-56	631.9	632.4	0.5	24.9	
including												
OSK-W-20-2406	2525	Caribou	692.8	452633	5434281	333	-56	404.0	406.0	2.0	4.76	
including												
OSK-W-20-2406	2525	Caribou	692.8	452633	5434281	333	-56	489.3	492.0	2.7	3.89	
including												
OSK-W-20-2406	2525	Caribou	692.8	452633	5434281	333	-56	490.2	491.0	0.8	12.8	
including												
OSK-W-20-2406	2525	Caribou	692.8	452633	5434281	333	-56	506.0	508.0	2.0	11.5	
including												
OSK-W-20-2406	2525	Caribou, 2241	692.8	452633	5434281	333	-56	506.4	507.0	0.6	28.2	
including												
OSK-W-20-2406	2525	Caribou, 2241	692.8	452633	5434281	333	-56	635.0	638.7	3.7	10.1	
including												
OSK-W-20-2406	2525	Caribou, 2241	692.8	452633	5434281	333	-56	636.0	637.0	1.0	21.8	
including												
OSK-W-20-2406	2525	Caribou, 2241	692.8	452633	5434281	333	-56	640.0	640.3	0.3	6.38	
including												
OSK-W-20-2407	2325	Underdog, 4101	993.0	452315	5434419	347	-55	647.7	648.3	0.6	17.9	
including												
OSK-W-20-2407	2325	Underdog, 4101	993.0	452315	5434419	347	-55	648.7	649.3	0.6	21.0	
including												
OSK-W-20-2407	2325	Underdog, 4100	993.0	452315	5434419	347	-55	662.0	665.6	3.6	50.4	46.6
including												
OSK-W-20-2407	2325	Underdog, 4100	993.0	452315	5434419	347	-55	661.6	664.4	2.8	184	100
including												
OSK-W-20-2407	2325	Underdog, 4100	993.0	452315	5434419	347	-55	681.0	683.0	2.0	3.77	
including												
OSK-W-20-2407	2325	Underdog, 4102	993.0	452315	5434419	347	-55	690.0	691.0	1.0	85.0	
including												
OSK-W-20-2407	2325	Underdog, 4102	993.0	452315	5434419	347	-55	695.0	696.0	1.0	76.4	
including												
OSK-W-20-2407-W1	2325	Underdog, 4101	1044.0	452315	5434419	347	-55	705.0	707.0	2.0	70.7	21.9
including												
OSK-W-20-2407-W1	2325	Underdog, 4101	1044.0	452315	5434419	347	-55	706.3	706.7	0.4	344	100
including												
OSK-W-20-2407-W1	2325	Underdog	1044.0	452315	5434419	347	-55	649.0	649.8	0.8	44.1	
including												
OSK-W-20-2407-W1	2325	Underdog	1044.0	452315	5434419	347	-55	686.0	688.0	2.0	9.14	
including												
OSK-W-20-2407-W1	2325	Underdog, 4102	1044.0	452315	5434419	347	-55	685.5	687.0	1.5	29.5	
including												
OSK-W-20-2407-W1	2325	Underdog, 4105	1044.0	452315	5434419	347	-55	702.0	702.3	0.3	21.3	45.0
including												
OSK-W-20-2407-W1	2325	Underdog	1044.0	452315	5434419	347	-55	748.3	749.3	1.0	35.1	
including												
OSK-W-20-2410	2650	Caribou, 2214	768.0	452727	5434358	338	-62	812.0	812.8	0.8	38.0	
including												
OSK-W-20-2410	2650	Caribou	750.0	452727	5434358	338	-62	886.0	888.4	2.4	5.61	
including												
OSK-W-20-2410-W2	2650	Caribou	774.0	452727	5434358	338	-62	722.0	723.0	1.0	67.0	
including												
OSK-W-20-2414	2825	Caribou, 2524	882.0	452879	5434418	337	-54	413.6	413.9	0.3	14.6	
including												
OSK-W-20-2414	2825	Caribou, 2252	882.0	452879	5434418	337	-54	629.0	630.0	1.0	23.7	
including												
OSK-W-20-2414	2825	Caribou	882.0	452879	5434418	337	-54	827.6	829.7	2.1	50.2	31.3
including												
OSK-W-20-2414	2825	Caribou, 2219	882.0	452879	5434418	337	-54	831.0	831.1	0.1	3.30	
including												
OSK-W-20-2415	2725	Caribou	755.3	452739	5434475	328	-54	858.0	860.1	2.1	30.6	24.8
including												
OSK-W-20-2415	2725	Caribou, 2211	755.3	452739	5434475	328	-54	858.7	859.2	0.5	12.5	100
including												
OSK-W-20-2415	2725	Caribou	755.3	452739	5434475	328	-54	639.8	643.5	3.7	7.66	
including												
OSK-W-20-2415	2725	Caribou, 2211	755.3	452739	5434475	328	-54	639.8	640.1	0.3	27.9	
including												
OSK-W-20-2415	2725	Caribou, 2217	755.3	452739	5434475	328	-54	640.4	640.7	0.3	33.2	
including												
OSK-W-20-2415	2725	Caribou, 2220	755.3	452739	5434475	328	-54	680.0	682.3	2.3	8.40	
including												
OSK-W-20-2415-W1	2725	Caribou	762.0	452739	5434475	328	-54	681.4	682.3	0.9	14.0	
including												
OSK-W-20-2415-W1	2725	Caribou	762.0	452739	5434475	328	-54	703.4	703.7	0.3	78.4	
including												
OSK-W-20-2415-W1	2725	Caribou, 2233	762.0	452739	5434475	328	-54	453.0	455.0	2.0	24.7	20.2
including												
OSK-W-20-2415-W1	2725	Caribou, 2233	762.0	452739	5434475	328	-54	638.3	643.3	5.0	12.0	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-20-2415-W1	2725	Caribou, 2218	762.0	452739	5434475	328	-54	638.3	639.3	1.0	32.5	
OSK-W-20-2415-W1	2725	Caribou, 2218	762.0	452739	5434475	328	-54	703.0	708.0	5.0	4.45	
OSK-W-20-2415-W1	2725	Caribou, 2218	762.0	452739	5434475	328	-54	714.0	726.0	2.0	0.34	
OSK-W-20-2415-W1	2725	Caribou, 2218	762.0	452739	5434475	328	-54	722.2	727.4	5.2	21.3	
OSK-W-20-2415-W1	2725	Caribou, 2218	762.0	452739	5434475	328	-54	722.2	722.6	0.4	79.8	
OSK-W-20-2415-W1	2725	Caribou, 2218	762.0	452739	5434475	328	-54	729.7	731.8	2.1	5.17	
OSK-W-20-2416	3650	Triple Lynx	1128.0	453369	5435624	123	-54	728.7	730.0	0.3	29.7	
OSK-W-20-2416	3650	TUX, 3161	1128.0	453369	5435624	123	-54	866.7	868.9	2.2	11.1	
OSK-W-20-2416	3650	TUX, 3161	1128.0	453369	5435624	123	-54	911.0	913.0	2.0	3.66	
OSK-W-20-2416	3650	TUX, 3161	1128.0	453369	5435624	123	-54	923.0	925.1	2.1	9.86	
OSK-W-20-2416	3650	Triple Lynx	1128.0	453369	5435624	123	-54	923.3	923.8	0.5	38.9	
OSK-W-20-2416	3650	Triple Lynx	1128.0	453369	5435624	123	-54	946.0	948.0	2.0	7.01	
OSK-W-20-2416	3650	TUX, 3163	1128.0	453369	5435624	123	-54	960.0	962.0	2.0	6.21	
OSK-W-20-2416	3650	Triple Lynx	1128.0	453369	5435624	123	-54	967.0	976.4	9.4	10.0	
OSK-W-20-2416	3650	TUX, 3162	1128.0	453369	5435624	123	-54	971.0	972.0	1.0	29.5	
OSK-W-20-2416	3650	TUX, 3162	1128.0	453369	5435624	123	-54	1002.2	1004.0	2.8	6.38	
OSK-W-20-2416	3650	TUX, 3162	1128.0	453369	5435624	123	-54	1010.0	1013.0	3.0	15.9	
OSK-W-20-2416	3650	TUX, 3162	1128.0	453369	5435624	123	-54	1019.1	1021.1	2.0	7.61	
OSK-W-20-2416	3650	Triple Lynx	1128.0	453369	5435624	123	-54	1019.4	1020.0	0.6	21.6	
OSK-W-20-2416	3650	Triple Lynx	1128.0	453369	5435624	123	-54	1076.4	1079.0	2.6	4.90	
OSK-W-20-2416	3650	Triple Lynx	1083.0	453369	5435624	123	-54	1077.2	1077.5	0.3	39.5	
OSK-W-21-2416-W1	3650	Triple Lynx	1083.0	453369	5435624	123	-54	841.3	844.0	2.7	4.69	
OSK-W-21-2416-W1	3650	TUX, 3161	1083.0	453369	5435624	123	-54	841.3	841.9	0.6	10.8	
OSK-W-21-2416-W1	3650	TUX, 3164	1083.0	453369	5435624	123	-54	910.0	912.0	2.0	5.18	
OSK-W-21-2416-W1	3650	TUX, 3164	1083.0	453369	5435624	123	-54	969.1	971.1	2.0	6.02	
OSK-W-21-2416-W1	3650	TUX, 3164	1083.0	453369	5435624	123	-54	970.7	971.1	0.4	28.9	
OSK-W-21-2416-W1	3650	TUX, 3164	1083.0	453369	5435624	123	-54	974.0	976.0	2.0	63.5	25.5
OSK-W-21-2416-W2	3650	TUX, 3161	1266.0	453369	5435624	123	-54	975.5	976.0	0.5	252	100
OSK-W-21-2416-W2	3650	TUX, 3161	1266.0	453369	5435624	123	-54	927.5	929.7	2.2	7.36	
OSK-W-21-2416-W2	3650	TUX, 3161	1266.0	453369	5435624	123	-54	928.2	928.8	0.6	22.5	
OSK-W-21-2416-W2	3650	TUX, 3161	1266.0	453369	5435624	123	-54	936.9	944.0	7.1	5.35	
OSK-W-21-2416-W2	3650	TUX, 3163	1266.0	453369	5435624	123	-54	937.5	938.2	0.7	15.8	
OSK-W-21-2416-W2	3650	TUX, 3163	1266.0	453369	5435624	123	-54	965.4	967.4	2.0	8.32	
OSK-W-21-2416-W2	3650	TUX, 3163	1266.0	453369	5435624	123	-54	965.4	966.5	1.1	14.7	
OSK-W-21-2416-W2	3650	TUX, 3163	1266.0	453369	5435624	123	-54	976.0	978.0	2.0	6.39	
OSK-W-21-2416-W2	3650	TUX, 3164	1266.0	453369	5435624	123	-54	982.8	985.0	2.2	10.3	
OSK-W-21-2416-W2	3650	TUX, 3164	1266.0	453369	5435624	123	-54	1006.1	1009.2	3.1	10.4	
OSK-W-21-2416-W2	3650	TUX, 3170	1266.0	453369	5435624	123	-54	1008.7	1009.2	0.5	46.9	
OSK-W-21-2416-W2	3650	Triple Lynx	1266.0	453369	5435624	123	-54	1050.0	1053.0	3.0	9.79	
OSK-W-21-2416-W2	3650	Triple Lynx	1266.0	453369	5435624	123	-54	1052.0	1054.0	2.0	17.0	
OSK-W-21-2416-W2	3650	Triple Lynx	1266.0	453369	5435624	123	-54	1125.0	1127.0	2.0	9.52	
OSK-W-21-2416-W3	3650	TUX, 3161	1128.0	453369	5435624	123	-54	1125.8	1126.6	0.8	21.0	
OSK-W-21-2416-W3	3650	TUX, 3161	1128.0	453369	5435624	123	-54	924.5	926.6	2.1	7.06	
OSK-W-21-2416-W3	3650	TUX, 3161	1128.0	453369	5435624	123	-54	944.5	938.4	3.9	8.78	
OSK-W-21-2416-W3	3650	TUX, 3162	1128.0	453369	5435624	123	-54	1024.0	1029.0	5.0	11.2	
OSK-W-21-2416-W3	3650	TUX, 3162	1128.0	453369	5435624	123	-54	1024.0	1024.3	0.3	57.9	
OSK-W-21-2416-W3	3650	TUX, 3170	1128.0	453369	5435624	123	-54	1026.0	1027.0	1.0	28.0	
OSK-W-21-2416-W3	3650	TUX, 3172	1128.0	453369	5435624	123	-54	1047.8	1049.9	2.1	90.4	36.3
OSK-W-21-2416-W3	3650	TUX, 3172	1128.0	453369	5435624	123	-54	1047.8	1048.2	0.4	99.4	100
OSK-W-21-2416-W3	3650	TUX, 3172	1128.0	453369	5435624	123	-54	1069.0	1071.5	2.5	4.82	
OSK-W-21-2416-W3	3650	TUX, 3172	1128.0	453369	5435624	123	-54	1070.8	1071.5	0.7	11.2	
OSK-W-21-2416-W4	3650	TUX, 3171	1125.0	453369	5435624	123	-54	1080.0	1082.0	2.0	36.4	
OSK-W-21-2416-W4	3650	TUX, 3161	1125.0	453369	5435624	123	-54	951.6	954.6	3.0	6.74	
OSK-W-21-2416-W4	3650	TUX, 3161	1125.0	453369	5435624	123	-54	968.9	971.0	2.1	15.5	
OSK-W-21-2416-W4	3650	Triple Lynx	1125.0	453369	5435624	123	-54	968.9	969.6	0.7	41.4	
OSK-W-21-2416-W4	3650	Triple Lynx	1125.0	453369	5435624	123	-54	987.4	989.5	2.1	4.53	
OSK-W-21-2416-W4	3650	TUX, 3164	1125.0	453369	5435624	123	-54	987.4	987.8	0.4	23.6	
OSK-W-21-2416-W4	3650	TUX, 3164	1125.0	453369	5435624	123	-54	992.0	994.0	2.0	12.5	
OSK-W-21-2416-W4	3650	TUX, 3164	1125.0	453369	5435624	123	-54	992.0	992.5	0.5	48.1	
OSK-W-20-2420	3825	Lynx	1185.0	453398	5435556	124	-59	744.0	746.3	2.3	52.6	51.3
OSK-W-20-2420	3825	Triple Lynx	1185.0	453398	5435556	124	-59	744.5	745.5	1.0	103	100
OSK-W-20-2420	3825	Triple Lynx	1185.0	453398	5435556	124	-59	983.0	985.1	2.1	4.06	
OSK-W-20-2421	2525	Caribou	699.0	452633	5434280	332	-59	983.0	985.0	1.0	8.45	
OSK-W-20-2421	2525	Caribou	699.0	452633	5434280	332	-59	530.0	532.1	2.1	6.56	
OSK-W-20-2421	2525	Caribou	699.0	452633	5434280	332	-59	534.0	538.6	4.6	58.7	40.6
OSK-W-20-2421	2525	Caribou	699.0	452633	5434280	332	-59	536.0	537.0	1.0	13.3	
OSK-W-20-2421	2525	Caribou	699.0	452633	5434280	332	-59	537.0	537.4	0.4	251	100
OSK-W-20-2421	2525	Caribou	699.0	452633	5434280	332	-59	685.0	687.2	2.2	6.02	
OSK-W-20-2423	2600	Caribou, 2106	1326.0	452617	5434447	332	-60	276.0	279.0	3.0	18.3	
OSK-W-20-2423	2600	Caribou	1326.0	452617	5434447	332	-60	277.0	277.5	0.5	48.3	
OSK-W-20-2423	2600	Caribou	1326.0	452617	5434447	332	-60	995.0	997.0	2.0	3.58	
OSK-W-20-2423	2600	Underdog, 4121	1326.0	452617	5434447	332	-60	817.7	820.0	2.3	8.64	
OSK-W-20-2423	2600	Underdog, 4116	1326.0	452617	5434447	332	-60	817.7	818.3	0.6	17.8	
OSK-W-20-2423	2600	Underdog, 4116	1326.0	452617	5434447	332	-60	843.0	845.0	2.0	4.92	
OSK-W-20-2423	2600	Underdog, 4302	1326.0	452617	5434447	332	-60	843.5	844.0	0.5	18.8	
OSK-W-20-2423	2600	Underdog, 4302	1326.0	452617	5434447	332	-60	938.0	940.0	2.0	4.71	
OSK-W-20-2423	2600	Underdog, 4302	1326.0	452617	5434447	332	-60	939.5	940.0	0.5	16.6	
OSK-W-20-2423	2600	Underdog, 4302	1326.0	452617	5434447	332	-60	943.0	948.9	5.9	36.7	28.4
OSK-W-20-2423	2600	Underdog, 4511	1326.0	452617	5434447	332	-60	948.2	948.9	0.7	171	100
OSK-W-20-2423	2600	Underdog, 4511	1326.0	452617	5434447	332	-60	1019.0	1021.0	2.0	7.97	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assmt	Au (g/t) cut to 100 g/t
OSK-W-20-2423	2600	Underdog 4501	1326.0	452617	5434447	332	-60	1048.0	1050.0	2.0	26.5	
		including						1049.2	1050.0	0.8	66.2	
OSK-W-20-2423	2600	UDD 4091	1326.0	452617	5434447	332	-60	1084.9	1087.0	2.1	7.25	
		including						1085.6	1086.0	0.4	17.0	
OSK-W-20-2423	2600	Underdog 4514	1326.0	452617	5434447	332	-60	1187.8	1193.0	5.2	13.1	
OSK-W-20-2423	2600	Underdog 4512	1326.0	452617	5434447	332	-60	1200.3	1203.0	2.7	8.75	
OSK-W-20-2424	3375	F11	267.0	452639	5435998	150	-45	109.2	111.5	2.3	4.70	
		including						109.8	110.3	0.5	17.8	
OSK-W-20-2425	2775	Caribou	747.2	452715	5434606	336	-60	181.2	184.1	2.9	3.65	
OSK-W-20-2425	2775	Caribou	747.2	452715	5434606	336	-60	190.1	192.2	2.1	6.18	
OSK-W-20-2425	2775	Caribou	747.2	452715	5434606	336	-60	298.0	301.0	3.0	18.9	
		including						299.0	300.0	1.0	40.4	
OSK-W-20-2425	2775	Caribou 2215	747.2	452715	5434606	336	-60	556.6	558.7	2.1	18.2	
		including						557.1	557.4	0.3	86.2	
OSK-W-20-2425	2775	Caribou 2215	747.2	452715	5434606	336	-60	561.0	563.0	2.0	5.85	
OSK-W-20-2425	2775	Caribou 2220	747.2	452715	5434606	336	-60	621.0	624.1	3.1	19.3	14.2
		including						623.8	624.1	0.3	152	100
OSK-W-20-2425	2775	Caribou 2219	747.2	452715	5434606	336	-60	709.4	711.4	2.0	3.91	
		including						710.0	710.6	0.6	11.5	
OSK-W-20-2426	3400	Tlx 3178	1035.0	453008	5435387	134	-56	346.0	348.0	2.0	5.84	
		including						347.0	347.3	0.3	34.2	
OSK-W-20-2426	3400	Triple Lynx	1035.0	453008	5435387	134	-56	634.0	636.0	2.0	17.6	
		including						635.0	636.0	1.0	32.4	
OSK-W-20-2426	3400	Triple Lynx	1035.0	453008	5435387	134	-56	751.0	753.0	2.0	11.7	
OSK-W-20-2426	3400	Triple Lynx	1035.0	453008	5435387	134	-56	912.0	914.0	2.0	48.2	25.2
		including						912.7	913.2	0.5	194	100
OSK-W-20-2428	3875	Lynx	1257.0	453414	5435631	127	-53	665.0	667.3	2.3	19.3	
		including						665.0	666.3	1.3	34.1	
OSK-W-20-2428	3875	Lynx	1257.0	453414	5435631	127	-53	686.5	690.3	3.8	4.58	
		including						686.5	687.0	0.5	12.2	
OSK-W-20-2428	3875	LXM 3304	1257.0	453414	5435631	127	-53	720.0	722.4	2.4	25.0	
		including						721.1	721.9	0.8	61.0	
OSK-W-20-2430	3375	F11	360.0	452601	5430048	150	-46	70.8	73.0	2.2	5.59	
OSK-W-20-2431	3400	Tlx 3171	849.0	453008	5435387	136	-57	587.9	590.0	2.1	76.3	51.7
		including						588.2	588.6	0.4	220	100
OSK-W-20-2431	3400	Triple Lynx	849.0	453008	5435387	136	-57	759.0	761.0	2.0	5.86	
		including						760.0	760.7	0.7	10.9	
OSK-W-20-2431	3400	Tlx 3195	849.0	453008	5435387	136	-57	806.0	808.1	2.1	6.53	
		including						807.6	808.1	0.5	25.9	
OSK-W-20-2432	2750	Caribou	864.0	452809	5434415	333	-57	405.0	407.0	2.0	3.65	
OSK-W-20-2432	2750	Caribou	864.0	452809	5434415	333	-57	725.0	727.4	2.4	8.40	
		including						726.1	726.4	0.3	12.4	
OSK-W-20-2432	2750	Caribou 2208	864.0	452809	5434415	333	-57	749.6	751.7	2.1	33.0	
		including						750.2	750.9	0.7	28.9	
OSK-W-20-2432	2750	Caribou	864.0	452809	5434415	333	-57	761.0	767.0	6.0	11.7	
		including						763.0	764.0	1.0	40.7	
OSK-W-20-2432	2750	Caribou	864.0	452809	5434415	333	-57	794.6	799.6	5.0	6.98	
		including						794.6	795.5	0.9	20.4	
OSK-W-20-2432	2750	Caribou	864.0	452809	5434415	333	-57	804.3	806.6	2.3	7.92	
		including						804.3	805.1	0.8	20.0	
OSK-W-20-2433	3350	F11	411.0	452559	5436072	148	-47	78.0	80.0	2.0	3.60	
		including						78.8	79.3	0.5	13.9	
OSK-W-20-2433	3350	F11	411.0	452559	5436072	148	-47	116.0	118.2	2.2	5.85	
OSK-W-20-2433	3350	F11	411.0	452559	5436072	148	-47	216.0	218.0	2.0	3.95	
		including						216.0	216.5	0.5	11.7	
OSK-W-21-2436-W1	4125	LMA 3424	744.0	453709	5435618	130	-57	698.2	700.0	1.8	4.28	
		including						698.2	699.0	0.8	11.1	
OSK-W-21-2436-W2	4125	Lynx 4	789.0	453709	5435618	130	-57	614.2	617.0	2.8	7.36	
OSK-W-21-2436-W2	4125	LMA 3434	789.0	453709	5435618	130	-57	714.4	716.5	2.1	17.7	26.1
		including						715.0	715.6	0.6	595	100
OSK-W-21-2436-W3	4125	LMA 3424	879.0	453709	5435618	130	-57	760.0	762.0	2.0	296	55.6
		including						760.4	761.1	0.7	757	100
OSK-W-21-2436-W3	4125	LMA 3437	879.0	453709	5435618	130	-57	805.0	807.0	2.0	21.4	20.4
		including						806.6	807.0	0.4	105	100
OSK-W-21-2436-W3	4125	LMA 3430	879.0	453709	5435618	130	-57	867.0	869.0	2.0	14.6	
		including						868.0	869.0	1.0	29.1	
OSK-W-20-2437	2550	Caribou	630.0	452596	5434392	329	-62	313.0	315.0	2.0	5.89	
OSK-W-20-2437	2550	Caribou 2214	630.0	452596	5434392	329	-62	608.4	610.4	2.0	6.62	
		including						608.4	609.1	0.7	17.6	
OSK-W-20-2438	2650	Caribou 2211	729.0	452695	5434401	331	-60	600.0	603.9	3.9	10.4	
		including						600.0	601.0	1.0	18.6	
OSK-W-20-2439	3275	F11	360.0	452515	5436029	147	-50	35.0	37.0	2.0	40.2	
		including						35.0	36.0	1.0	77.0	
OSK-W-20-2439	3275	F11	360.0	452515	5436029	147	-50	45.3	48.0	2.7	4.05	
OSK-W-20-2439	3275	F11 6001	360.0	452515	5436029	147	-50	196.8	199.0	2.2	5.54	
OSK-W-20-2440	2725	Caribou	807.0	452738	5434475	330	-52	314.0	316.9	2.9	3.67	
OSK-W-20-2440	2725	Caribou 2217	807.0	452738	5434475	330	-52	690.0	692.0	2.0	6.68	
OSK-W-20-2440	2725	Caribou 2226	807.0	452738	5434475	330	-52	702.0	705.0	3.0	10.3	
OSK-W-20-2440	2725	Caribou 2218	807.0	452738	5434475	330	-52	719.0	721.0	2.0	6.26	
		including						719.0	719.8	0.8	15.6	
OSK-W-20-2440	2725	Caribou 2218	807.0	452738	5434475	330	-52	738.0	740.0	2.0	3.29	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-20-2441	2775	Caribou	405.0	452715	5434606	338	-59	181.5	184.4	2.9	5.07	
OSK-W-21-2442	2525	Underdog 4300	1053.0	452315	5434419	347	-53	627.0	629.0	2.0	17.4	
		including						628.0	629.0	1.0	34.5	
OSK-W-21-2442	2525	Underdog 4300	1053.0	452315	5434419	347	-53	632.0	634.0	2.0	14.3	
		including						632.4	633.0	0.6	36.7	
OSK-W-21-2442	2525	Underdog 4300	1053.0	452315	5434419	347	-53	642.0	644.0	2.0	24.7	
		including						643.0	644.0	1.0	48.3	
OSK-W-21-2442	2525	Underdog 4302	1053.0	452315	5434419	347	-53	659.0	661.0	2.0	5.31	
		including						659.0	659.5	0.5	12.9	
OSK-W-21-2442	2525	Underdog 4302	1053.0	452315	5434419	347	-53	667.0	669.0	2.0	72.2	57.5
		including						667.0	668.0	1.0	130	100
OSK-W-21-2442	2525	Underdog 4304	1053.0	452315	5434419	347	-53	686.0	688.0	2.0	17.6	
		including						686.0	687.0	1.0	34.3	
OSK-W-21-2442	2525	Underdog 4307	1053.0	452315	5434419	347	-53	747.0	749.0	2.0	6.78	
OSK-W-21-2442	2525	Underdog 4307	1053.0	452315	5434419	347	-53	754.0	756.0	2.0	6.78	
OSK-W-21-2442	2525	Underdog 4905	1053.0	452315	5434419	347	-53	826.0	828.0	2.0	35.9	30.0
		including						826.8	827.4	0.6	120	100
		including						816.3	818.4	2.1	3.51	
		including						916.6	917.3	0.7	9.39	
OSK-W-21-2442	2525	Underdog	1053.0	452315	5434419	347	-53	934.0	937.3	3.3	7.33	
		including						935.0	935.5	0.5	18.3	
OSK-W-21-2442-W1	2525	227 1203	1011.0	452315	5434419	347	-53	447.0	449.0	2.0	5.81	
		including						448.3	449.0	0.7	16.3	
OSK-W-21-2442-W1	2525	Underdog 4301	1011.0	452315	5434419	347	-53	637.3	640.0	2.7	43.5	31.5
		including						637.3	637.6	0.3	74.5	
		and						639.6	640.0	0.4	181	100
OSK-W-21-2442-W1	2525	Underdog	1011.0	452315	5434419	347	-53	661.2	664.0	2.8	3.57	
OSK-W-21-2442-W1	2525	Underdog	1011.0	452315	5434419	347	-53	666.0	668.0	2.0	3.39	
OSK-W-21-2442-W1	2525	Underdog 4304	1011.0	452315	5434419	347	-53	696.0	698.0	2.0	3.48	
		including						696.7	697.1	0.4	11.2	
OSK-W-21-2442-W1	2525	Underdog 4306	1011.0	452315	5434419	347	-53	747.6	750.0	2.4	90.5	42.7
		including						748.0	750.0	1.0	125	100
OSK-W-21-2442-W1	2525	Underdog	1011.0	452315	5434419	347	-53	762.6	764.8	2.2	5.02	
		including						762.6	762.9	0.3	34.8	
OSK-W-21-2442-W1	2525	Underdog 4905	1011.0	452315	5434419	347	-53	854.6	857.0	2.4	5.30	
OSK-W-21-2442-W1	2525	Underdog	1011.0	452315	5434419	347	-53	945.0	947.1	2.1	8.49	
OSK-W-21-2442-W1	2525	Underdog	1011.0	452315	5434419	347	-53	948.0	950.0	2.0	3.52	
OSK-W-21-2442-W1	2525	Underdog 4910	1011.0	452315	5434419	347	-53	960.1	962.8	2.7	38.5	34.7
		including						962.5	962.8	0.3	134	100
OSK-W-21-2443	3775	Triple Lynx	1364.0	453304	5436319	127	-56	1062.9	1065.0	2.1	6.31	
		including						1064.3	1065.0	0.7	16.6	
OSK-W-21-2444	2775	Caribou	636.0	452715	5434606	337	-59	140.7	143.3	2.6	12.9	
OSK-W-21-2444	2775	Caribou	636.0	452715	5434606	337	-59	183.8	186.4	2.6	18.4	13.9
		including						184.7	185.0	0.3	139	100
OSK-W-21-2444	2775	Caribou 2236	636.0	452715	5434606	337	-59	451.2	453.4	2.2	4.06	
OSK-W-21-2444	2775	Caribou 2215	636.0	452715	5434606	337	-59	558.1	562.1	4.0	17.5	
		including						561.1	562.1	1.0	38.1	
OSK-W-21-2444	2775	Caribou 2250	636.0	452715	5434606	337	-59	572.0	574.0	2.0	4.30	
		including						572.9	573.2	0.3	19.8	
OSK-W-21-2445	3325	Triple Lynx	945.0	452906	5435433	141	-50	445.0	447.0	2.0	10.3	
		including						446.7	447.0	0.3	61.6	
OSK-W-21-2445	3325	Triple Lynx	945.0	452906	5435433	141	-50	590.4	593.0	2.6	3.28	
		including						590.4	590.8	0.4	19.7	
OSK-W-21-2445	3325	Triple Lynx	945.0	452906	5435433	141	-50	852.0	854.1	2.1	3.56	
OSK-W-21-2445	3325	Triple Lynx	945.0	452906	5435433	141	-50	932.0	934.0	2.0	14.9	
		including						932.0	933.0	1.0	26.2	
OSK-W-21-2445-W1	3325	Triple Lynx	909.0	452906	5435433	141	-50	596.2	598.5	2.3	4.04	
OSK-W-21-2445-W1	3325	Triple Lynx	909.0	452906	5435433	141	-50	618.0	620.0	2.0	3.69	
		including						618.0	619.0	1.0	7.22	
OSK-W-21-2445-W1	3325	Triple Lynx	909.0	452906	5435433	141	-50	878.0	880.0	2.0	4.68	
OSK-W-21-2445-W1	3325	Triple Lynx	822.0	452906	5435433	141	-50	618.2	620.6	2.4	4.22	
OSK-W-21-2445-W1	3325	TLX 3171	753.0	452906	5435433	141	-50	601.6	605.1	3.5	3.68	
OSK-W-21-2445-W1	3325	Triple Lynx	753.0	452906	5435433	141	-50	612.2	614.2	2.0	9.96	
		including						612.6	613.1	0.5	31.0	
OSK-W-21-2445-W1	3325	Triple Lynx	753.0	452906	5435433	141	-50	694.8	697.0	2.2	5.72	
OSK-W-21-2445-W1	3325	Triple Lynx	944.0	452906	5435433	141	-50	602.0	604.0	2.0	5.09	
		including						602.5	602.9	0.4	25.8	
OSK-W-21-2445-W1	3325	Triple Lynx	944.0	452906	5435433	141	-50	918.5	920.5	2.0	16.9	
		including						918.5	919.5	1.0	32.0	
OSK-W-21-2451	2750	Caribou	803.0	452809	5434415	330	-58	430.8	434.0	3.2	20.4	
		including						431.2	431.6	0.4	94.7	
OSK-W-21-2451	2750	Caribou	803.0	452809	5434415	330	-58	436.0	438.0	2.0	4.32	
		including						436.4	437.0	0.6	14.0	
OSK-W-21-2451	2750	Caribou	803.0	452809	5434415	330	-58	516.8	519.0	2.2	8.78	
		including						517.1	517.7	0.6	30.1	
OSK-W-21-2451	2750	Caribou	803.0	452809	5434415	330	-58	647.4	649.4	2.0	4.90	
		including						648.0	648.4	0.4	15.0	
OSK-W-21-2451	2750	Caribou 2208	803.0	452809	5434415	330	-58	739.0	738.6	0.4	8.35	
		including						734.0	734.6	0.6	34.0	
OSK-W-21-2451	2750	Caribou 2208	803.0	452809	5434415	330	-58	739.5	742.3	2.8	20.7	
OSK-W-21-2451	2750	Caribou	803.0	452809	5434415	330	-58	748.0	750.5	2.5	19.1	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-21-2452	3400	TUX 3198	891.0	453008	5435387	137	-56	714.0	716.6	2.6	13.5	
OSK-W-21-2452	3600	TUX 3199	891.0	453008	5435387	137	-56	747.0	749.2	2.2	4.46	
OSK-W-21-2452	3600	TUX 3195	891.0	453008	5435387	137	-56	747.0	747.7	0.7	10.2	
								826.7	831.9	2.2	60.9	30.6
OSK-W-21-2455	2725	Caribou	780.0	452738	5434476	328	-53	440.0	442.0	2.0	3.66	
								479.9	480.2	0.3	146	100
OSK-W-21-2455	2725	Caribou 2116	780.0	452738	5434476	328	-53	479.9	480.2	0.3	146	100
OSK-W-21-2455	2725	Caribou 2211	780.0	452738	5434476	328	-53	479.9	480.2	0.3	146	100
OSK-W-21-2455	2725	Caribou 2208	780.0	452738	5434476	328	-53	666.7	668.8	2.1	3.55	
OSK-W-21-2455	2725	Caribou 2220	780.0	452738	5434476	328	-53	697.0	699.0	2.0	20.4	
OSK-W-21-2455-W1	2725	Caribou 2232	798.0	452738	5434476	328	-53	686.6	687.0	2.1	4.72	
OSK-W-21-2455-W1	2725	Caribou 2208	798.0	452738	5434476	328	-53	661.6	663.6	2.0	5.50	
OSK-W-21-2455-W1	2725	Caribou 2208	798.0	452738	5434476	328	-53	663.0	663.6	0.6	17.0	
OSK-W-21-2455-W1	2725	Caribou 2208	798.0	452738	5434476	328	-53	666.5	668.8	2.3	4.86	
OSK-W-21-2455-W1	2725	Caribou	798.0	452738	5434476	328	-53	770.6	773.0	2.4	40.3	37.6
OSK-W-21-2457	4225	LMA 3437	957.0	454135	5435058	15	-77	773.7	776.0	2.3	33.4	18.6
								774.8	775.2	0.4	185	100
OSK-W-21-2459	3500	Triple Lynx	1227.0	452997	5435607	132	-52	705.6	707.9	2.3	4.49	
OSK-W-21-2459	3500	Triple Lynx	1227.0	452997	5435607	132	-52	883.4	885.6	2.2	5.68	
OSK-W-21-2459	3500	Triple Lynx	1227.0	452997	5435607	132	-52	1088.3	1090.4	2.1	5.25	
								1088.3	1088.6	0.3	36.4	
OSK-W-21-2460	2750	Caribou 2116	789.0	452732	5434536	332	-55	438.9	441.7	2.8	0.51	
								441.4	441.7	0.3	26.0	
OSK-W-21-2460	2750	Caribou	789.0	452732	5434536	332	-55	535.8	538.0	2.2	18.8	
OSK-W-21-2460	2750	Caribou 2220	789.0	452732	5434536	332	-55	652.0	654.0	2.0	16.1	
OSK-W-21-2460	2750	Caribou 2219	789.0	452732	5434536	332	-55	653.1	654.0	0.9	35.5	
								708.6	711.4	2.8	4.06	
OSK-W-21-2460	2750	Caribou	789.0	452732	5434536	332	-55	724.6	726.7	2.1	3.85	
OSK-W-21-2460-W1	2750	Caribou 2236	795.0	452732	5434536	332	-55	530.1	531.0	0.9	19.6	
OSK-W-21-2460-W1	2750	Caribou 2210	795.0	452732	5434536	332	-55	559.0	563.2	4.2	3.34	
OSK-W-21-2460-W1	2750	Caribou 2220	795.0	452732	5434536	332	-55	667.0	669.3	2.3	67.3	42.8
OSK-W-21-2460-W1	2750	Caribou 2218	795.0	452732	5434536	332	-55	668.5	669.0	0.5	20.0	100
								709.0	711.4	2.4	5.11	
OSK-W-21-2460-W1	2750	227	795.0	452732	5434536	332	-55	759.0	761.0	2.0	4.39	
OSK-W-21-2462	2875	Caribou	888.0	452875	5434553	338	-57	480.0	482.0	2.0	36.2	25.7
OSK-W-21-2462	2875	Caribou 2523	888.0	452875	5434553	338	-57	480.0	481.4	0.5	142	100
								589.0	591.4	0.5	142	100
OSK-W-21-2462	2875	Caribou	888.0	452875	5434553	338	-57	678.0	680.4	2.4	5.78	
OSK-W-21-2462	2875	Caribou 2212	888.0	452875	5434553	338	-57	710.6	712.9	2.3	3.09	
OSK-W-21-2462	2875	Caribou 2549	888.0	452875	5434553	338	-57	840.5	845.0	4.5	8.34	
OSK-W-21-2462-W1	2875	Caribou 2536	888.0	452875	5434553	338	-57	844.0	844.4	0.4	17.9	
								480.9	483.0	2.1	20.4	
OSK-W-21-2462-W1	2875	Caribou	888.0	452875	5434553	338	-57	480.9	481.9	1.0	42.3	
OSK-W-21-2462-W1	2875	Caribou 2523	888.0	452875	5434553	338	-57	594.8	597.0	2.2	4.77	
OSK-W-21-2462-W1	2875	Caribou	888.0	452875	5434553	338	-57	595.6	596.2	0.6	13.7	
OSK-W-21-2462-W1	2875	Caribou	888.0	452875	5434553	338	-57	655.0	657.0	2.0	6.97	
OSK-W-21-2462-W1	2875	Caribou	888.0	452875	5434553	338	-57	682.0	684.0	2.0	4.37	
OSK-W-21-2463	2600	Caribou	1335.0	452617	5434447	339	-65	323.0	325.0	2.0	5.35	
OSK-W-21-2463	2600	Caribou 2241	1335.0	452617	5434447	339	-65	324.0	324.4	0.4	10.2	
								324.0	324.4	0.4	10.2	
OSK-W-21-2463	2600	Caribou 2206	1335.0	452617	5434447	339	-65	629.0	631.0	2.0	7.21	
OSK-W-21-2463	2600	Underdog 4111	1335.0	452617	5434447	339	-65	843.0	845.0	2.0	44.4	22.6
OSK-W-21-2463	2600	Underdog 4111	1335.0	452617	5434447	339	-65	843.3	843.7	0.4	200	100
								962.0	964.1	2.1	5.85	
OSK-W-21-2463	2600	Underdog	1335.0	452617	5434447	339	-65	963.1	964.1	1.0	12.2	
OSK-W-21-2463	2600	Underdog	1335.0	452617	5434447	339	-65	1126.9	1129.0	2.1	7.07	
OSK-W-21-2463-W2	2600	Underdog	1325.0	452617	5434447	339	-65	1126.9	1127.3	0.4	28.3	
OSK-W-21-2463-W2	2600	Underdog 4110	1325.0	452617	5434447	339	-65	797.0	799.2	2.2	3.79	
OSK-W-21-2463-W2	2600	Underdog 4101	1325.0	452617	5434447	339	-65	840.6	843.0	2.4	3.75	
OSK-W-21-2463-W2	2600	Underdog 4101	1325.0	452617	5434447	339	-65	840.6	840.9	0.3	15.9	
OSK-W-21-2463-W2	2600	Underdog	1325.0	452617	5434447	339	-65	927.0	929.0	2.0	17.3	
								927.4	928.1	0.7	41.2	
OSK-W-21-2463-W2	2600	Underdog	1325.0	452617	5434447	339	-65	940.0	942.0	2.0	4.23	
OSK-W-21-2463-W2	2600	Underdog 4300	1325.0	452617	5434447	339	-65	959.0	961.0	2.0	4.27	
OSK-W-21-2463-W2	2600	Underdog 4302	1325.0	452617	5434447	339	-65	960.0	960.5	0.5	14.3	
								972.0	974.0	2.0	4.77	
OSK-W-21-2463-W2	2600	Underdog	1325.0	452617	5434447	339	-65	972.0	972.5	0.5	18.1	
OSK-W-21-2463-W2	2600	Underdog	1325.0	452617	5434447	339	-65	1046.9	1049.0	2.1	6.01	
OSK-W-21-2463-W2	2600	Underdog	1325.0	452617	5434447	339	-65	1053.0	1053.0	2.0	4.17	
OSK-W-21-2463-W2	2600	Underdog 4511	1325.0	452617	5434447	339	-65	1086.0	1084.0	2.0	5.38	2.0
OSK-W-21-2463-W2	2600	Underdog 4511	1325.0	452617	5434447	339	-65	1082.6	1083.0	0.4	26.5	
OSK-W-21-2463-W3	2600	UDO 4102	1299.0	452617	5434447	339	-65	839.6	841.7	2.1	15.0	
								840.2	840.5	0.3	85.0	
OSK-W-21-2463-W3	2600	UDO 4102	1299.0	452617	5434447	339	-65	961.4	965.2	3.8	48.0	
OSK-W-21-2463-W3	2600	UDO 4102	1299.0	452617	5434447	339	-65	1270.0	1270.0	0.0	100	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-21-2463-W3	2600	Underdog	1299.0	452617	5434447	339	-65	1011.8	1051.1	2.3	3.60	
		including						1011.3	1051.8	0.5	0.75	
OSK-W-21-2463-W3	2600	Underdog	1299.0	452617	5434447	339	-65	1079.0	1080.2	2.2	11.0	
		including						1079.6	1080.2	0.6	35.4	
OSK-W-21-2463-W3	2600	UDD 4911	1299.0	452617	5434447	339	-65	1118.0	1118.0	2.0	7.52	
		including						1116.4	1117.4	0.7	20.7	
OSK-W-21-2463-W3	2600	UDD 4513	1299.0	452617	5434447	339	-65	1140.0	1144.3	4.3	13.0	
		including						1140.3	1143.0	0.7	26.7	
OSK-W-21-2463-W3	2600	UDD 4514	1299.0	452617	5434447	339	-65	1159.0	1159.0	2.0	4.46	
		including						1159.7	1159.1	0.4	20.6	
OSK-W-21-2464	3875	LMM 3304	1031.0	453415	5435632	120	-53	720.8	731.5	10.7	7.23	
		including						725.8	726.8	1.0	17.2	
OSK-W-21-2465	3825	Lynx 4	1252.7	453398	5435556	123	-61	901.0	905.0	2.0	19.9	
		including						903.9	904.7	0.8	49.0	
OSK-W-21-2465	3825	Lynx 4	1252.7	453398	5435556	123	-61	919.0	921.0	2.0	8.88	
OSK-W-21-2465	3825	Lynx 4	1252.7	453398	5435556	123	-61	951.4	955.0	3.6	34.6	
		including						952.0	954.0	2.0	54.3	
OSK-W-21-2465	3825	Lynx 4	1252.7	453398	5435556	123	-61	962.5	964.6	2.1	12.4	
OSK-W-21-2465-W2	3825	Triple Lynx	831.0	453398	5435556	123	-61	763.7	766.2	2.5	41.0	39.1
		including						765.0	765.3	0.3	111	100
		and						765.6	766.2	0.6	99.6	97.1
OSK-W-21-2466	2550	Caribou	639.0	452596	5434392	330	-66	539.0	541.0	2.0	0.78	
OSK-W-21-2467	2675	CAJ 2232	717.0	452685	5434474	331	-54	564.0	566.0	2.0	7.48	
OSK-W-21-2467	2675	CAJ 2232	717.0	452685	5434474	331	-54	568.0	570.2	2.2	51.2	47.9
		including						568.5	569.2	0.7	111	100
OSK-W-21-2467-W1	2675	Caribou	708.0	452685	5434474	331	-54	421.0	423.0	2.0	3.65	
OSK-W-21-2467-W1	2675	Caribou	708.0	452685	5434474	331	-54	602.0	604.0	2.0	21.9	
		including						603.0	604.0	1.0	49.6	
OSK-W-21-2467-W1	2675	Caribou	708.0	452685	5434474	331	-54	636.1	639.7	3.6	21.2	
		including						636.1	636.6	0.5	80.3	
OSK-W-21-2467-W1	2675	Caribou	708.0	452685	5434474	331	-54	687.0	689.0	2.0	14.0	
		including						687.0	688.0	1.0	24.0	
OSK-W-21-2470	3775	Tlx 3163	1230.0	453304	5435639	132	-59	976.0	978.0	2.0	4.62	
OSK-W-21-2470	3775	Tlx 3164	1230.0	453304	5435639	132	-59	993.0	996.3	3.3	46.8	34.3
		including						993.4	993.8	0.4	203	100
OSK-W-21-2470	3775	Triple Lynx	1230.0	453304	5435639	132	-59	1020.9	1023.0	2.1	6.37	
		including						1021.8	1022.1	0.3	98.1	
OSK-W-21-2470	3775	Triple Lynx	1230.0	453304	5435639	132	-59	1178.0	1180.1	2.1	5.63	
		including						1179.2	1180.1	0.9	12.9	
OSK-W-21-2470-W1	3775	Triple Lynx	1227.2	453304	5435639	132	-59	963.0	968.0	5.0	10.8	
		including						963.0	966.0	3.0	41.4	
OSK-W-21-2470-W1	3775	Triple Lynx	1227.2	453304	5435639	132	-59	987.0	989.0	2.0	27.7	27.6
		including						987.3	987.7	0.4	103	100
OSK-W-21-2470-W1	3775	Triple Lynx	1227.2	453304	5435639	132	-59	1115.0	1117.0	2.0	5.67	
OSK-W-21-2470-W1	3775	Triple Lynx	1227.2	453304	5435639	132	-59	1160.0	1162.0	2.0	17.2	16.5
		including						1160.8	1161.1	0.3	105	100
OSK-W-21-2470-W2	3775	Tlx 3163	1197.0	453304	5435639	132	-59	886.0	889.0	3.0	23.4	
		including						886.9	887.4	0.5	90.4	
OSK-W-21-2470-W2	3775	Triple Lynx	1197.0	453304	5435639	132	-59	913.0	915.0	2.0	5.14	
OSK-W-21-2470-W2	3775	Triple Lynx	1197.0	453304	5435639	132	-59	921.0	923.0	2.0	4.27	
OSK-W-21-2470-W2	3775	Triple Lynx	1197.0	453304	5435639	132	-59	925.4	928.6	3.2	6.05	
		including						925.4	925.9	0.5	18.5	
OSK-W-21-2470-W2	3775	Triple Lynx	1197.0	453304	5435639	132	-59	991.7	995.0	3.3	4.20	
		including						991.7	992.1	0.4	39.1	
OSK-W-21-2470-W2	3775	Triple Lynx	1197.0	453304	5435639	132	-59	1125.0	1127.0	2.0	7.82	
		including						1125.3	1125.6	0.3	29.8	
OSK-W-21-2470-W3	3775	Triple Lynx	1200.0	453304	5435639	132	-59	956.8	958.8	2.0	45.7	30.6
		including						957.3	957.9	0.6	151	100
OSK-W-21-2470-W3	3775	Triple Lynx	1200.0	453304	5435639	132	-59	975.7	977.7	2.0	6.24	
OSK-W-21-2470-W3	3775	Triple Lynx	1200.0	453304	5435639	132	-59	989.8	991.8	2.0	16.2	
		including						991.2	991.5	0.3	80.1	
OSK-W-21-2470-W3	3775	Triple Lynx	1200.0	453304	5435639	132	-59	1153.0	1153.3	2.3	195	15.9
		including						1153.4	1153.7	0.3	347.0	100
OSK-W-21-2470-W4	3775	Tlx 3163	1155.0	453304	5435639	132	-59	956.0	958.0	2.0	8.85	
OSK-W-21-2470-W4	3775	Tlx 3163	1155.0	453304	5435639	132	-59	961.6	964.0	2.4	86.9	35.3
		including						962.0	962.8	0.8	255	100
OSK-W-21-2470-W4	3775	Tlx 3163	1155.0	453304	5435639	132	-59	967.0	969.0	2.0	15.5	
OSK-W-21-2470-W4	3775	Tlx 3164	1155.0	453304	5435639	132	-59	967.8	969.0	1.2	75.4	45.6
		including						967.8	968.5	0.7	236	100
OSK-W-21-2470-W5	3775	Triple Lynx	1202.6	453304	5435639	132	-59	1168.0	1168.2	2.2	7.34	
		including						1166.5	1167.6	1.1	14.6	
OSK-W-21-2470-W5	3775	Tlx 3173	1119.0	453304	5435639	132	-59	812.5	814.7	2.2	4.27	
OSK-W-21-2470-W5	3775	Tlx 3173	1119.0	453304	5435639	132	-59	827.0	828.7	2.2	4.48	
OSK-W-21-2470-W5	3775	Tlx 3163	1119.0	453304	5435639	132	-59	958.0	960.1	2.1	350	36.0
		including						959.8	960.1	0.3	2300	100
OSK-W-21-2470-W6	3775	Tlx 3163	1119.0	453304	5435639	132	-59	967.0	969.5	2.5	10.1	
OSK-W-21-2470-W6	3775	Tlx 3162	1119.0	453304	5435639	132	-59	1037.0	1039.0	2.0	5.73	
OSK-W-21-2470-W6	3775	Tlx 3170	1119.0	453304	5435639	132	-59	1046.0	1046.2	2.2	10.3	
		including						1045.6	1045.9	0.3	50.1	
OSK-W-21-2470-W6	3775	Tlx 3170	1119.0	453304	5435639	132	-59	1057.0	1059.5	2.5	16.4	
		including						1058.0	1058.4	0.4	42.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-21-2470-W0	3775	TUX 3172	including 1119.0	453304	5435639	132	-59	1081.0	1083.0	2.0	5.45	
								1082.3	1082.6	0.3	23.1	
OSK-W-21-2472	4225	LMA 3437	including 900.0	454135	5435059	12	-72	731.8	734.2	2.4	31.5	
								733.4	734.2	0.8	76.3	
OSK-W-21-2472	4225	Lynx 4	including 900.0	454135	5435059	12	-72	781.1	783.0	1.8	11.2	
								783.1	783.9	0.8	31.8	
OSK-W-21-2473	3875	Lynx	including 1272.0	453424	5435567	123	-56	625.6	630.0	4.4	10.0	
								625.6	626.2	0.6	40.1	
OSK-W-21-2473	3875	Lynx	including 1272.0	453424	5435567	123	-56	679.5	682.0	2.5	44.4	23.8
								680.3	681.1	0.8	133	100
OSK-W-21-2473	3875	Triple Lynx	including 1272.0	453424	5435567	123	-56	842.0	844.0	2.0	6.88	
OSK-W-21-2473	3875	Triple Lynx	including 1272.0	453424	5435567	123	-56	992.4	994.4	2.0	6.94	
								993.7	994.4	0.7	19.5	
OSK-W-21-2473	3875	Triple Lynx	including 1272.0	453424	5435567	123	-56	997.0	999.0	2.0	5.30	
								998.4	999.0	0.6	17.2	
OSK-W-21-2476	2850	Caribou 2536	including 879.0	452840	5434568	337	-58	506.4	508.6	2.2	6.94	
								508.2	508.6	0.4	28.4	
OSK-W-21-2476	2850	Caribou	including 879.0	452840	5434568	337	-58	522.6	524.8	2.2	10.7	
OSK-W-21-2476	2850	Caribou 2212	including 879.0	452840	5434568	337	-58	671.6	674.0	2.4	11.0	
								671.6	672.4	0.8	24.8	
OSK-W-21-2478	3500	TUX 3184	including 1257.0	452997	5435607	128	-54	887.0	889.2	2.2	8.94	
								887.8	888.7	0.9	44.7	
OSK-W-21-2478	3500	Triple Lynx	including 1257.0	452997	5435607	128	-54	1117.0	1119.0	2.0	7.22	
OSK-W-21-2478-W1	3500	TUX 3178	including 764.4	452997	5435607	128	-54	583.0	588.0	5.0	4.30	
								587.0	588.0	1.0	13.1	
OSK-W-21-2478-W3	3500	Triple Lynx	including 1080.0	452997	5435607	128	-54	553.4	555.6	2.2	9.58	
OSK-W-21-2478-W3	3500	TUX 3171	including 1080.0	452997	5435607	128	-54	862.5	864.7	2.2	148	76.9
								863.4	864.1	0.7	252	100
OSK-W-21-2478-W3	3500	TUX 3184	including 1080.0	452997	5435607	128	-54	875.1	877.2	2.1	14.4	
								875.1	875.4	0.3	91.2	
OSK-W-21-2478-W3	3500	TUX 3184	including 1080.0	452997	5435607	128	-54	878.2	880.6	2.4	8.64	
								879.0	879.6	0.6	31.6	
OSK-W-21-2478-W3	3500	TUX 3161	including 1080.0	452997	5435607	128	-54	891.1	893.4	2.3	5.76	
								892.7	893.4	0.7	14.2	
OSK-W-21-2478-W3	3500	TUX 3161	including 1080.0	452997	5435607	128	-54	901.0	903.0	2.0	9.94	
								902.0	903.0	1.0	19.8	
OSK-W-21-2478-W3	3500	Triple Lynx	including 1080.0	452997	5435607	128	-54	1055.0	1057.0	2.0	16.4	
								1056.5	1057.0	0.5	64.1	
OSK-W-21-2478-W4	3500	TUX 3171	including 942.0	452997	5435607	128	-54	842.8	846.5	3.7	7.00	
OSK-W-21-2478-W4	3500	TUX 3184	including 942.0	452997	5435607	128	-54	861.9	866.0	4.1	4.13	
OSK-W-21-2478-W4	3500	TUX 3184	including 942.0	452997	5435607	128	-54	874.3	876.9	2.6	26.2	
								874.3	874.7	0.4	90.3	
OSK-W-21-2478-W4	3500	TUX 3161	including 942.0	452997	5435607	128	-54	877.7	880.2	2.5	5.65	
								878.7	880.2	0.5	20.0	
OSK-W-21-2478-W5	3500	TUX 3184	including 1166.0	452997	5435607	128	-54	860.0	862.1	2.1	16.7	
								860.7	861.7	1.0	34.1	
OSK-W-21-2478-W5	3500	TUX 3184	including 1166.0	452997	5435607	128	-54	880.8	883.5	2.7	6.94	
								880.8	881.1	0.3	38.8	
OSK-W-21-2478-W5	3500	TUX 3193	including 1166.0	452997	5435607	128	-54	984.0	986.0	2.0	11.3	
								985.0	985.3	0.3	71.4	
OSK-W-21-2478-W6	3500	TUX 3171	including 948.0	452997	5435607	128	-54	857.7	860.1	2.4	17.0	
								859.4	860.1	0.7	54.8	
OSK-W-21-2479	2325	227	including 993.0	452315	5434419	344	-55	482.0	484.0	2.0	78.5	16.8
								482.3	482.6	0.3	511	100
OSK-W-21-2479	2325	227	including 993.0	452315	5434419	344	-55	485.4	489.0	3.6	10.4	
OSK-W-21-2479	2325	Underdog	including 993.0	452315	5434419	344	-55	612.0	618.3	6.3	11.3	
								617.0	617.3	0.3	84.3	
OSK-W-21-2479	2325	Underdog	including 993.0	452315	5434419	344	-55	625.1	627.1	2.0	27.8	
								626.3	627.1	0.8	69.0	
OSK-W-21-2479	2325	Underdog	including 993.0	452315	5434419	344	-55	630.0	632.0	2.0	4.97	
								630.6	631.0	0.4	22.6	
OSK-W-21-2479	2325	Underdog 4300	including 993.0	452315	5434419	344	-55	638.0	640.0	2.0	40.0	37.2
								639.0	639.7	0.7	108	100
OSK-W-21-2479	2325	Underdog 4300	including 993.0	452315	5434419	344	-55	642.6	645.5	2.9	8.05	
								645.3	646.1	0.8	22.0	
								649.0	649.5	0.5	22.8	
OSK-W-21-2479	2325	Underdog	including 993.0	452315	5434419	344	-55	899.9	900.9	1.0	58.3	37.3
								900.2	900.9	0.7	160	100
OSK-W-21-2479	2325	Underdog	including 993.0	452315	5434419	344	-55	913.7	916.8	3.1	25.0	17.7
								916.5	916.8	0.3	176	100
OSK-W-21-2479-W1	2325	Underdog	including 972.0	452315	5434419	344	-55	618.8	621.0	2.2	15.3	
								618.8	619.2	0.4	67.7	
OSK-W-21-2479-W1	2325	UDD 4300	including 972.0	452315	5434419	344	-55	627.0	629.2	2.2	10.5	
								627.0	627.5	0.5	32.4	
OSK-W-21-2479-W1	2325	Underdog	including 972.0	452315	5434419	344	-55	854.7	856.8	2.1	4.37	
OSK-W-21-2479-W1	2325	Underdog	including 972.0	452315	5434419	344	-55	896.0	898.0	2.0	8.35	
								896.8	897.6	0.7	22.7	
OSK-W-21-2479-W1	2325	UDD 4910	including 972.0	452315	5434419	344	-55	907.9	910.0	2.1	12.8	
								907.9	908.7	0.8	27.4	
OSK-W-21-2479-W2	2325	Underdog	including 990.0	452315	5434419	344	-55	624.6	627.1	2.5	8.39	
								625.3	625.9	0.6	32.4	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-21-2479-W2	2325	Underdog	990.0	452315	5434419	344	-55	950.9	953.0	2.1	4.20	
		including						950.9	951.4	0.5	16.6	
OSK-W-21-2479-W2	2325	Underdog	990.0	452315	5434419	344	-55	974.0	976.0	2.0	16.3	
OSK-W-21-2479-W3	2325	227	1014.0	452315	5434419	344	-55	465.0	467.0	2.0	4.34	
OSK-W-21-2479-W3	2325	227 1204	1014.0	452315	5434419	344	-55	483.1	485.7	2.6	11.3	
		including						485.0	485.7	0.7	30.0	
OSK-W-21-2479-W3	2325	Underdog	1014.0	452315	5434419	344	-55	624.7	627.0	2.3	11.6	
		including						625.1	625.5	0.4	61.4	
OSK-W-21-2479-W3	2325	UDD 4100	1014.0	452315	5434419	344	-55	669.7	672.3	2.6	12.4	
OSK-W-21-2479-W3	2325	UDD 4102	1014.0	452315	5434419	344	-55	671.3	672.3	1.0	29.4	
		including						683.0	685.1	2.1	17.1	
OSK-W-21-2479-W3	2325	UDD 4104	1014.0	452315	5434419	344	-55	684.5	685.1	0.6	54.0	
		including						693.6	698.0	4.4	14.3	
OSK-W-21-2479-W3	2325	UDD 4104	1014.0	452315	5434419	344	-55	694.6	695.0	0.4	33.6	
OSK-W-21-2479-W3	2325	UDD 4104	1014.0	452315	5434419	344	-55	703.0	705.4	2.4	8.44	
		including						704.9	705.4	0.5	23.8	
OSK-W-21-2479-W3	2325	UDD 4501	1014.0	452315	5434419	344	-55	801.0	801.4	2.4	8.36	
		including						802.0	802.7	0.7	23.6	
OSK-W-21-2479-W3	2325	UDD 4513	1014.0	452315	5434419	344	-55	921.0	923.0	2.0	9.81	
OSK-W-21-2479-W3	2325	UDD 4910	1014.0	452315	5434419	344	-55	949.2	951.6	2.4	6.45	
OSK-W-21-2479-W3	2325	UDD 4910	1014.0	452315	5434419	344	-55	965.0	962.0	2.0	5.30	
		including						965.5	960.9	0.4	25.7	
OSK-W-21-2479-W3	2325	UDD 4514	1014.0	452315	5434419	344	-55	967.7	971.6	3.9	8.29	
		including						971.0	971.6	0.6	34.6	
OSK-W-21-2479-W4	2325	227	761.0	452315	5434419	344	-55	426.0	428.0	2.0	19.2	
		including						427.3	428.0	0.7	49.9	
OSK-W-21-2479-W4	2325	227	761.0	452315	5434419	344	-55	473.0	475.0	2.0	8.35	
		including						473.4	474.0	0.6	24.7	
OSK-W-21-2479-W4	2325	UDD 4100	761.0	452315	5434419	344	-55	651.3	653.3	2.0	41.5	40.3
		including						653.0	653.3	0.3	108	100
OSK-W-21-2479-W4	2325	UDD 4102	761.0	452315	5434419	344	-55	662.9	665.0	2.1	9.62	
		including						664.0	664.6	0.6	24.1	
OSK-W-21-2479-W4	2325	UDD 4102	761.0	452315	5434419	344	-55	678.0	680.0	2.0	19.5	
		including						678.0	679.6	0.6	46.6	
OSK-W-21-2479-W4	2325	UDD 4107	761.0	452315	5434419	344	-55	755.0	757.0	2.0	6.38	
OSK-W-21-2479-W5	2325	227	978.0	452315	5434419	344	-55	475.0	477.0	2.0	3.79	
OSK-W-21-2479-W5	2325	UDD	978.0	452315	5434419	344	-55	728.0	731.7	3.7	11.3	39.3
		including						731.0	731.7	0.7	488	100
OSK-W-21-2479-W5	2325	Underdog	978.0	452315	5434419	344	-55	754.5	757.4	2.9	35.7	23.0
		including						754.5	755.1	0.6	162	100
OSK-W-21-2479-W5	2325	Underdog	978.0	452315	5434419	344	-55	842.0	844.0	2.0	8.61	
		including						842.5	843.3	0.8	21.4	
OSK-W-21-2479-W5	2325	UDD 4910	978.0	452315	5434419	344	-55	956.2	958.5	2.3	14.2	
		including						956.2	956.5	0.3	38.4	
OSK-W-21-2479-W5	2325	UDD 4514	978.0	452315	5434419	344	-55	964.1	966.3	2.2	5.89	
		including						965.7	966.3	0.6	20.2	
OSK-W-21-2479-W6	2325	UDD 4107	1014.0	452315	5434419	344	-55	775.4	777.5	2.1	5.34	
OSK-W-21-2480	3875	LXM 3304	1230.0	453415	5435631	121	-55	741.4	744.5	3.1	7.84	31.5
		including						742.8	743.5	0.7	508	100
OSK-W-21-2480	3875	Lynx 4	1230.0	453415	5435631	121	-55	997.8	1000.2	2.4	32.2	25.1
		including						998.9	999.5	0.6	129	100
OSK-W-21-2480	3875	LXM 3430	1230.0	453415	5435631	121	-55	1111.0	1113.2	2.2	23.6	
		including						1112.0	1112.6	0.6	40.5	
OSK-W-21-2480	3875	LXM 3430	1230.0	453415	5435631	121	-55	1119.5	1124.2	4.7	25.4	
		including						1119.5	1120.4	0.9	65.3	
OSK-W-21-2480-W1	3875	Lynx	888.0	453415	5435631	121	-55	697.3	699.6	2.3	6.34	
		including						699.2	699.6	0.4	16.2	
OSK-W-21-2480-W1	3875	LXM 3304	888.0	453415	5435631	121	-55	748.0	750.2	2.2	24.4	
		including						748.5	749.2	0.7	76.4	
OSK-W-21-2480-W2	3875	Lynx	789.0	453415	5435631	121	-55	678.8	682.0	3.2	7.86	
OSK-W-21-2480-W2	3875	Lynx	789.0	453415	5435631	121	-55	689.2	691.6	2.4	4.68	
		including						690.0	690.6	0.6	10.9	
OSK-W-21-2480-W2	3875	LXM 3304	789.0	453415	5435631	121	-55	731.5	733.5	2.0	13.5	
		including						731.8	732.5	0.7	38.4	
OSK-W-21-2480-W3	3875	Lynx	810.0	453415	5435631	121	-55	731.5	733.5	2.0	26.4	
		including						732.5	733.5	1.0	51.8	
OSK-W-21-2480-W3	3875	LXM 3304	810.0	453415	5435631	121	-55	757.4	759.5	2.1	184	78.2
		including						758.4	759.2	0.8	350	100
OSK-W-21-2480-W4	3875	LXM 3304	894.0	453415	5435631	121	-55	734.6	737.2	2.6	8.59	
		including						734.6	735.2	0.6	23.3	
OSK-W-21-2482	3400	TUX 3171	939.0	453009	5435387	131	-57	625.3	627.6	2.3	10.4	
		including						626.4	627.0	0.6	23.2	
OSK-W-21-2482	3400	TUX 3171	939.0	453009	5435387	131	-57	636.0	638.6	2.6	3.98	
OSK-W-21-2482	3400	Triple Lynx	939.0	453009	5435387	131	-57	642.5	644.6	2.1	3.64	
OSK-W-21-2482	3400	TUX 3184	939.0	453009	5435387	131	-57	664.9	667.0	2.1	4.11	
		including						665.7	666.0	0.3	26.7	
OSK-W-21-2482	3400	Triple Lynx	939.0	453009	5435387	131	-57	782.0	784.0	2.0	11.7	
		including						782.0	782.9	0.9	26.0	
OSK-W-21-2482	3400	Triple Lynx	939.0	453009	5435387	131	-57	825.7	827.7	2.0	25.8	
OSK-W-21-2483	2800	Caribou	756.0	452731	5434634	328	-58	282.2	284.5	2.3	7.55	
OSK-W-21-2483	2800	Caribou	756.0	452731	5434634	328	-58	282.0	284.0	2.0	6.33	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-21-2483	2800	Caribou 2210	756.0	452731	5434634	328	-58	521.0	526.5	5.5	3.94	
		including						521.0	522.0	1.0	11.2	
OSK-W-21-2483	2800	Caribou 2215	756.0	452731	5434634	328	-58	547.0	549.3	2.3	11.2	
		including						548.4	549.0	0.6	29.4	
OSK-W-21-2486	2550	Caribou 2232	1167.0	452596	5434392	334	-57	533.0	535.3	2.3	4.80	
		including						534.6	535.3	0.7	10.2	
OSK-W-21-2486	2550	UDD 4121	1167.0	452596	5434392	334	-57	814.5	816.8	2.3	9.02	
		including and						815.7	816.0	0.3	20.1	
								816.5	816.8	0.3	39.6	
OSK-W-21-2486	2550	UDD 4515	1167.0	452596	5434392	334	-57	1030.0	1032.0	2.0	4.19	
		including						1030.4	1031.0	0.6	10.8	
OSK-W-21-2486	2550	UDD 4510	1167.0	452596	5434392	334	-57	1106.0	1108.2	2.2	3.96	
		including						1107.5	1107.9	0.4	15.9	
OSK-W-21-2487	4225	Lynx 4	897.0	454135	5435059	359	-73	691.2	693.3	2.1	5.28	
		including						691.7	692.5	0.8	12.2	
OSK-W-21-2487-W2	4225	Lynx 4	777.0	454135	5435059	359	-73	655.0	657.0	2.0	5.34	
OSK-W-21-2487-W2	4225	LMA 3424	777.0	454135	5435059	359	-73	667.0	669.0	2.0	11.0	
		including						667.6	667.9	0.3	70.6	
OSK-W-21-2487-W3	4225	LMA 3434	762.0	454135	5435059	359	-73	674.3	676.3	2.0	19.8	
OSK-W-21-2487-W4	4225	LMA 3434	768.0	454135	5435059	359	-73	672.0	674.4	2.4	20.8	
		including						672.6	673.2	0.6	56.2	
OSK-W-21-2487-W4	4225	LMA 3434	768.0	454135	5435059	359	-73	686.0	688.0	2.0	94.1	27.2
		including						686.7	687.0	0.3	546	100
OSK-W-21-2487-W5	4225	Lynx 4	771.0	454135	5435059	359	-73	691.5	693.5	2.0	14.8	
OSK-W-21-2487-W5	4225	LMA 3434	771.0	454135	5435059	359	-73	700.9	702.9	2.4	12.4	
		including						702.3	702.9	0.6	49.4	
OSK-W-21-2489	3550	Fragile Lynx	1140.0	453121	5435599	133	-54	1005.0	1007.0	2.0	286	
OSK-W-21-2490	2725	Caribou	786.0	452756	5434466	338	-61	369.0	371.0	2.0	6.0	
OSK-W-21-2490	2725	Caribou	786.0	452756	5434466	338	-61	436.9	439.0	2.1	5.06	
		including						437.9	438.2	0.3	35.0	
OSK-W-21-2490	2725	Caribou	786.0	452756	5434466	338	-61	560.1	562.1	2.0	4.32	
		including						561.3	561.6	0.3	30.7	
OSK-W-21-2490	2725	Caribou	786.0	452756	5434466	338	-61	712.0	714.0	2.0	4.35	
OSK-W-21-2490	2725	Caribou	786.0	452756	5434466	338	-61	732.0	734.3	2.3	8.52	
		including						732.7	733.5	0.8	18.0	
OSK-W-21-2492	4125	LMA 3424	870.0	453687	5435676	122	-53	775.0	777.5	2.5	17.2	
		including						776.9	777.5	0.6	42.9	
OSK-W-21-2492	4125	LMA 3434	870.0	453687	5435676	122	-53	783.9	786.2	2.3	22.4	20.9
		including						784.8	785.2	0.4	109	100
OSK-W-21-2492-W1	4125	LMA 3424	843.0	453687	5435676	122	-53	765.2	769.0	3.8	26.3	
		including						768.5	769.0	0.5	64.3	
OSK-W-21-2492-W1	4125	LMA 3434	843.0	453687	5435676	122	-53	771.0	773.2	2.2	164	
		including						771.8	772.2	0.4	902	18.4
OSK-W-21-2492-W2	4125	LMA 3424	879.0	453687	5435676	122	-53	759.0	762.0	3.0	4.22	
		including						761.2	762.0	0.8	14.7	
OSK-W-21-2492-W2	4125	LMA 3434	879.0	453687	5435676	122	-53	783.6	785.7	2.1	385	67.9
		including						784.3	784.7	0.4	1730	100
OSK-W-21-2492-W2	4125	LMA 3434	879.0	453687	5435676	122	-53	794.0	796.0	2.0	4.40	
OSK-W-21-2492-W3	4125	LMA 3434	954.0	453687	5435676	122	-53	803.4	805.5	2.1	8.39	
		including						804.0	804.5	0.5	18.4	
OSK-W-21-2492-W3	4125	LMA 3437	954.0	453687	5435676	122	-53	804.0	806.0	2.0	10.1	
OSK-W-21-2492-W4	4125	LMA 3437	948.0	453687	5435676	122	-53	886.0	888.0	2.0	4.55	
OSK-W-21-2492-W5	4125	LMA 3424	888.0	453687	5435676	122	-53	788.7	790.8	2.1	94.2	55.2
		including						789.5	789.9	0.4	239	100
OSK-W-21-2493	3400	TLX 3184	1080.0	453006	5435385	134	-54	559.2	561.5	2.3	19.8	
		including						560.8	561.1	0.3	72.8	
OSK-W-21-2493	3400	Lynx 4	1080.0	453006	5435385	134	-54	1064.0	1066.1	2.1	17.3	
		including						1064.8	1065.4	0.6	49.5	
OSK-W-21-2495	3850	LMA 3304	1257.0	453425	5435567	123	-54	633.3	635.8	2.5	3.99	
		including						633.3	633.8	0.5	18.2	
OSK-W-21-2495	3850	LMA 3304	1257.0	453425	5435567	123	-54	659.0	661.0	2.0	8.65	
		including						659.4	659.7	0.3	20.9	
OSK-W-21-2495	3850	Lynx 4	1257.0	453425	5435567	123	-54	986.0	988.0	2.0	4.46	
OSK-W-21-2495	3850	LMA 3430	1257.0	453425	5435567	123	-54	1023.0	1025.0	2.0	4.80	
		including						1023.0	1023.3	0.3	18.0	
OSK-W-21-2495	3850	LMA 3430	1257.0	453425	5435567	123	-54	1027.0	1029.2	2.2	180	30.7
		including						1027.5	1028.1	0.6	646	100
OSK-W-21-2495-W1	3850	Lynx	1301.0	453425	5435567	123	-54	804.0	806.1	2.1	4.38	
		including						805.3	805.7	0.4	15.4	
OSK-W-21-2495-W1	3850	LMA 3304	1301.0	453425	5435567	123	-54	652.2	654.5	2.3	4.20	
		including						652.2	652.7	0.5	12.3	
OSK-W-21-2495-W1	3850	LMA 3304	1301.0	453425	5435567	123	-54	668.0	670.0	2.0	28.0	
		including						669.6	670.0	0.4	60.5	
OSK-W-21-2495-W1	3850	LMA 3304	1301.0	453425	5435567	123	-54	675.3	678.0	2.7	34.4	
		including						675.3	676.2	0.9	89.7	
OSK-W-21-2495-W1	3850	LMA 3430	1301.0	453425	5435567	123	-54	1038.0	1041.1	3.1	34.1	33.5
		including						1040.0	1041.0	1.0	105	100
OSK-W-21-2495-W1	3850	Lynx 4	1301.0	453425	5435567	123	-54	1157.9	1160.0	2.1	5.79	
		including						1158.5	1159.8	1.3	12.6	
OSK-W-21-2495-W1	3850	Lynx 4	1301.0	453425	5435567	123	-54	1190.7	1193.0	2.3	4.83	
		including						1191.8	1192.2	0.4	26.8	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-21-2496	4100	F51_6008	279.0	453483	5435967	158	-50	208.0	214.1	6.1	18.3	
		including						209.0	210.0	1.0	45.3	
OSK-W-21-2498	3400	TUX_3199	999.0	453007	5435385	129	-57	779.9	782.0	2.1	10.2	
		including						780.3	781.0	0.7	26.3	
OSK-W-21-2498	3400	TUX_3195	999.0	453007	5435385	129	-57	825.7	827.7	2.0	69.3	35.1
		including						826.2	826.8	0.6	234	100
OSK-W-21-2498	3400	Triple Lynx	999.0	453007	5435385	129	-57	835.0	837.0	2.0	4.40	
OSK-W-21-2498	3400	Triple Lynx	999.0	453007	5435385	129	-57	899.0	901.2	2.2	7.73	
		including						899.0	899.3	0.3	24.2	
OSK-W-21-2498	3400	Triple Lynx	999.0	453007	5435385	129	-57	986.0	988.0	2.0	3.83	
		including						986.7	987.0	0.3	13.4	
OSK-W-21-2499	4100	F51_6008	240.0	453483	5435967	158	-45	201.9	204.0	2.1	4.65	
OSK-W-21-2501	3800	TUX_3163	1142.1	453333	5435641	126	-58	1008.0	1010.0	2.0	6.59	
OSK-W-21-2501	3800	TUX_3162	1142.1	453333	5435641	126	-58	1069.0	1071.0	2.0	3.65	
OSK-W-21-2501	3800	TUX_3162	1142.1	453333	5435641	126	-58	1080.0	1082.1	2.1	39.3	
		including						1080.3	1081.1	0.8	96.5	
OSK-W-21-2501	3800	TUX_3162	1142.1	453333	5435641	126	-58	1087.0	1089.0	2.0	3.51	
		including						1088.3	1088.6	0.3	12.6	
OSK-W-21-2501	3800	TUX_3172	1142.1	453333	5435641	126	-58	1113.0	1117.0	4.0	36.0	22.4
		including						1115.1	1115.8	0.7	178	100
OSK-W-21-2501	3800	TUX_3172	1142.1	453333	5435641	126	-58	1120.0	1122.1	2.1	11.5	
		including						1120.3	1120.6	0.3	97.8	
OSK-W-21-2501-W1	3800	TUX_3163	1161.0	453333	5435641	126	-58	978.0	982.0	4.0	49.9	46.2
		including						978.4	979.1	0.7	127	100
OSK-W-21-2501-W1	3800	TUX_3164	1161.0	453333	5435641	126	-58	1002.9	1005.0	2.1	5.90	
		including						1004.6	1005.0	0.4	26.8	
OSK-W-21-2501-W1	3800	TUX_3164	1161.0	453333	5435641	126	-58	1022.8	1024.8	2.0	8.25	
		including						1024.2	1024.8	0.6	25.6	
OSK-W-21-2501-W2	3800	Triple Lynx	1198.7	453333	5435641	126	-58	981.0	983.1	2.1	4.27	
OSK-W-21-2501-W2	3800	TUX_3163	1198.7	453333	5435641	126	-58	995.0	997.0	2.0	5.99	
OSK-W-21-2501-W2	3800	TUX_3164	1198.7	453333	5435641	126	-58	1025.8	1028.0	2.2	9.54	
OSK-W-21-2501-W2	3800	Triple Lynx	1198.7	453333	5435641	126	-58	1040.0	1042.0	2.0	3.82	
OSK-W-21-2501-W2	3800	TUX_3162	1198.7	453333	5435641	126	-58	1080.0	1082.0	2.0	37.1	18.1
		including						1080.7	1081.0	0.3	227	100
OSK-W-21-2501-W2	3800	TUX_3162	1198.7	453333	5435641	126	-58	1084.4	1088.0	3.6	5.14	
		including						1084.4	1084.8	0.4	21.5	
OSK-W-21-2501-W2	3800	TUX_3172	1198.7	453333	5435641	126	-58	1121.0	1123.0	2.0	238	37.3
		including						1121.7	1122.4	0.7	617	100
OSK-W-21-2501-W2	3800	TUX	1198.7	453333	5435641	126	-58	1142.5	1144.6	2.1	85.7	15.4
		including						1144.8	1144.9	0.1	588	100
OSK-W-21-2504	4125	F51_6008	186.0	453553	5435947	161	-47	183.0	184.4	1.4	6.89	
		including						183.5	184.5	1.0	13.3	
OSK-W-21-2505	4100	F51_6008	243.0	453482	5435966	172	-42	198.2	202.0	3.8	26.0	24.6
		including						201.0	201.5	0.5	111	100
OSK-W-21-2505	4100	F51_6008	243.0	453482	5435966	172	-42	206.0	208.5	2.5	45.8	
		including						208.0	208.5	0.5	97.3	
OSK-W-21-2509	3225	Triple Lynx	661.0	452827	5435338	132	-36	619.1	621.7	2.6	89.0	44.3
		including						620.3	621.0	0.7	266	100
OSK-W-21-2512	2475	Caribou	1041.0	452448	5434465	331	-54	430.2	432.3	2.1	4.71	
OSK-W-21-2512	2475	UDO_4304	1041.0	452448	5434465	331	-54	735.8	738.0	2.2	51.9	26.4
		including						736.2	736.7	0.5	212	100
OSK-W-21-2512	2475	UDO_4306	1041.0	452448	5434465	331	-54	759.6	761.7	2.1	20.9	
		including						759.6	760.5	0.9	47.3	
OSK-W-21-2512	2475	UDO_4308	1041.0	452448	5434465	331	-54	781.0	783.0	2.0	22.2	
		including						781.8	782.4	0.6	72.1	
OSK-W-21-2512	2475	UDO_4005	1041.0	452448	5434465	331	-54	862.0	864.3	2.3	6.75	
		including						864.0	864.3	0.3	23.8	
OSK-W-21-2512	2475	UDO_4514	1041.0	452448	5434465	331	-54	994.5	997.6	3.1	13.5	
		including and						994.5	995.0	0.5	69.7	
								997.0	997.6	0.6	16.1	
OSK-W-21-2512-W1	2475	Caribou_2211	1089.0	452448	5434465	331	-54	430.0	432.0	2.0	7.95	
OSK-W-21-2512-W1	2475	UDO_4316	1089.0	452448	5434465	331	-54	667.0	671.7	4.7	12.1	
		including						668.2	668.5	0.3	64.3	
OSK-W-21-2512-W1	2475	UDO_4316	1089.0	452448	5434465	331	-54	673.0	675.0	2.0	4.59	
		including						674.6	675.0	0.4	18.0	
OSK-W-21-2512-W1	2475	UDO_4300	1089.0	452448	5434465	331	-54	697.0	699.0	2.0	3.85	
OSK-W-21-2512-W1	2475	UDO_4302	1089.0	452448	5434465	331	-54	731.0	733.0	2.0	5.00	
		including						731.7	732.8	1.1	69.7	
OSK-W-21-2512-W1	2475	UDO_4304	1089.0	452448	5434465	331	-54	755.0	757.0	2.0	97.4	50.1
		including						756.0	757.0	1.0	195	100
OSK-W-21-2512-W1	2475	UDO_4304	1089.0	452448	5434465	331	-54	772.0	778.0	6.0	13.8	
		including						772.0	773.5	1.5	38.2	
OSK-W-21-2512-W1	2475	UDO_4010	1089.0	452448	5434465	331	-54	901.8	904.8	3.0	12.2	
		including						901.9	904.8	0.9	25.7	
OSK-W-21-2512-W1	2475	Underdog	1089.0	452448	5434465	331	-54	1009.0	1011.0	2.0	43.0	24.6
		including						1009.6	1010.0	0.4	192	100
OSK-W-21-2514	3150	Caribou_2526	618.0	452769	5435311	134	-55	548.8	551.0	2.2	22.2	
		including						548.8	549.7	0.9	52.3	
OSK-W-21-2518	4150	F51_6008	282.0	453518	5436030	163	-46	265.0	267.1	2.1	4.33	
		including						265.0	265.4	0.4	22.1	
OSK-W-21-2520	2550	Caribou_2232	1140.0	452596	5434389	337	-56	535.0	538.0	2.2	52.3	24.8



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
including												
OSK-W-21-2520	2550	Caribou 2232	1140.0	452596	5434389	337	-56	537.5	538.0	0.5	221	100
including												
OSK-W-21-2520	2550	Caribou 2211	1140.0	452596	5434389	337	-56	542.5	543.0	0.5	19.0	
including												
OSK-W-21-2520	2550	Caribou 2233	1140.0	452596	5434389	337	-56	551.0	553.0	2.0	18.1	
including												
OSK-W-21-2520	2550	Caribou 2206	1140.0	452596	5434389	337	-56	611.0	613.0	2.0	12.9	
including												
OSK-W-21-2520	2550	Caribou 2206	1140.0	452596	5434389	337	-56	611.6	612.2	0.6	39.3	
including												
OSK-W-21-2520	2550	Caribou 2206	1140.0	452596	5434389	337	-56	639.0	643.2	4.2	9.87	
including												
OSK-W-21-2520	2550	Caribou 2206	1140.0	452596	5434389	337	-56	639.0	639.3	0.3	64.6	
and												
OSK-W-21-2520	2550	Caribou 2206	1140.0	452596	5434389	337	-56	642.5	643.2	0.7	26.3	
including												
OSK-W-21-2520	2550	Caribou 2206	1140.0	452596	5434389	337	-56	653.0	655.0	2.0	25.0	
including												
OSK-W-21-2520	2550	Caribou 2206	1140.0	452596	5434389	337	-56	654.0	655.0	1.0	40.9	
including												
OSK-W-21-2520	2550	Caribou 2206	1140.0	452596	5434389	337	-56	813.7	816.0	2.3	6.19	
including												
OSK-W-21-2520	2550	Caribou 2206	1140.0	452596	5434389	337	-56	814.4	814.9	0.5	27.6	
including												
OSK-W-21-2520	2550	Caribou 2206	1140.0	452596	5434389	337	-56	818.6	823.0	4.4	41.5	30.8
including												
OSK-W-21-2520	2550	Caribou 2206	1140.0	452596	5434389	337	-56	818.6	818.9	0.3	257	100
including												
OSK-W-21-2520	2550	Caribou 2206	1140.0	452596	5434389	337	-56	821.0	821.8	0.8	96.7	
including												
OSK-W-21-2520	2550	Caribou 2206	1140.0	452596	5434389	337	-56	878.9	879.4	0.5	15.3	
including												
OSK-W-21-2520	2550	Caribou 2206	1140.0	452596	5434389	337	-56	935.7	943.3	7.6	13.1	12.4
including												
OSK-W-21-2520	2550	Caribou 2206	1140.0	452596	5434389	337	-56	938.6	939.0	0.4	114	100
including												
OSK-W-21-2520	2550	Caribou 2206	1140.0	452596	5434389	337	-56	1089.0	1091.4	2.4	11.0	
including												
OSK-W-21-2522	3900	LXM 3304	1221.0	453451	5435594	128	-54	1089.9	1090.7	0.8	32.2	
including												
OSK-W-21-2522	3900	LXM 3345	1221.0	453451	5435594	128	-54	654.0	656.0	2.0	3.88	
including												
OSK-W-21-2522	3900	LXM 3345	1221.0	453451	5435594	128	-54	735.0	737.0	2.0	4.54	
including												
OSK-W-21-2522	3900	LXM 3345	1221.0	453451	5435594	128	-54	746.6	748.0	1.4	107.5	100
including												
OSK-W-21-2522	3900	LXM 3345	1221.0	453451	5435594	128	-54	944.3	946.7	2.4	3.90	
including												
OSK-W-21-2522	3900	LXM 3345	1221.0	453451	5435594	128	-54	946.2	946.7	0.5	11.1	
including												
OSK-W-21-2522	3900	LXM 3345	1221.0	453451	5435594	128	-54	1005.5	1005.9	0.4	60.9	99.8
including												
OSK-W-21-2522-W1	3900	LXM 3304	1116.0	453451	5435594	128	-54	655.2	657.3	2.1	10.0	
including												
OSK-W-21-2522-W1	3900	LXM 3345	1116.0	453451	5435594	128	-54	656.2	656.6	0.4	41.6	
including												
OSK-W-21-2522-W1	3900	LXM 3345	1116.0	453451	5435594	128	-54	747.1	749.4	2.3	4.58	
including												
OSK-W-21-2522-W1	3900	LXM 3345	1116.0	453451	5435594	128	-54	747.8	748.4	0.6	17.4	
including												
OSK-W-21-2523	2475	Caribou	1107.0	452480	5434428	340	-58	409.5	412.0	2.5	7.42	
including												
OSK-W-21-2523	2475	Caribou 2247	1107.0	452480	5434428	340	-58	409.5	410.3	0.8	16.2	
including												
OSK-W-21-2523	2475	Caribou 2247	1107.0	452480	5434428	340	-58	503.5	507.7	4.2	4.27	
including												
OSK-W-21-2523	2475	Caribou 2241	1107.0	452480	5434428	340	-58	510.0	513.1	3.1	3.61	
including												
OSK-W-21-2523	2475	Caribou 2233	1107.0	452480	5434428	340	-58	522.7	529.0	6.3	8.53	
including												
OSK-W-21-2523	2475	Caribou 2233	1107.0	452480	5434428	340	-58	528.4	529.0	0.6	39.7	
including												
OSK-W-21-2523	2475	Underdog	1107.0	452480	5434428	340	-58	733.6	736.1	2.5	4.79	
including												
OSK-W-21-2523	2475	Underdog	1107.0	452480	5434428	340	-58	880.0	883.0	3.0	15.1	
including												
OSK-W-21-2523	2475	Underdog	1107.0	452480	5434428	340	-58	882.0	883.0	1.0	33.8	
including												
OSK-W-21-2523	2475	Underdog	1107.0	452480	5434428	340	-58	958.0	960.0	2.0	3.80	
including												
OSK-W-21-2523	2475	Underdog	1107.0	452480	5434428	340	-58	992.0	994.0	2.0	11.7	
including												
OSK-W-21-2523	2475	Underdog	1107.0	452480	5434428	340	-58	993.0	994.0	1.0	23.3	
including												
OSK-W-21-2523	2475	Underdog	1107.0	452480	5434428	340	-58	1057.0	1059.0	2.0	7.28	
including												
OSK-W-21-2523	2475	Underdog	1107.0	452480	5434428	340	-58	1060.0	1071.0	11.0	6.76	
including												
OSK-W-21-2526	4150	F51 6008	287.0	453517	5436031	159	-44	248.3	253.3	5.0	34.2	
including												
OSK-W-21-2526	4150	F51 6008	287.0	453517	5436031	159	-44	248.3	249.2	0.9	63.5	
including												
OSK-W-21-2526	2600	Caribou 2100	738.0	452469	5434682	333	-54	254.8	257.2	2.4	7.24	
including												
OSK-W-21-2526	2600	Caribou	738.0	452469	5434682	333	-54	256.8	257.2	0.4	32.5	
including												
OSK-W-21-2526	2600	Caribou 2100	738.0	452469	5434682	333	-54	224.8	227.2	2.4	4.90	
including												
OSK-W-21-2526	2600	Caribou	738.0	452469	5434682	333	-54	283.0	285.0	2.0	4.97	
including												
OSK-W-21-2526	2600	Caribou	738.0	452469	5434682	333	-54	284.3	285.0	0.7	13.4	
including												
OSK-W-21-2526	2600	Caribou 2100	738.0	452469	5434682	333	-54	526.0	528.0	2.0	3.85	
including												
OSK-W-21-2528-W1	2600	Caribou 4914	720.0	452469	5434682	333	-54	625.2	627.9	2.7	4.35	
including												
OSK-W-21-2531	2550	Caribou 2233	1188.0	452566	5434415	344	-62	619.7	621.9	2.2	4.64	
including												
OSK-W-21-2531	2550	Caribou	1188.0	452566	5434415	344	-62	621.5	621.9	0.4	22.1	
including												
OSK-W-21-2531	2550	Caribou	1188.0	452566	5434415	344	-62	1015.0	1027.0	12.0	4.11	
including												
OSK-W-21-2531	2550	Caribou	1188.0	452566	5434415	344	-62	1035.7	1036.1	0.4	17.2	
including												
OSK-W-21-2531	2550	Caribou	1188.0	452566	5434415	344	-62	1071.0	1076.0	5.0	5.83	
including												
OSK-W-21-2531	2550	Caribou	1188.0	452566	5434415	344	-62	1086.5	1092.0	5.5	13.7	
including												
OSK-W-21-2531	2550	Caribou	1188.0	452566	5434415	344	-62	1173.0	1176.6	3.6	5.86	
including												
OSK-W-21-2531	2550	Caribou	1188.0	452566	5434415	344	-62	1179.0	1174.0	1.0	15.9	
including												
OSK-W-21-2532	2475	Caribou 2232	1107.0	452480	5434428	341	-60	452.0	454.0	2.0	24.7	
including												
OSK-W-21-2532	2475	Caribou 2241	1107.0	452480	5434428	341	-60	453.0	454.0	1.0	49.0	
including												
OSK-W-21-2532	2475	Caribou 2241	1107.0	452480	5434428	341	-60	512.0	512.4	0.4	40.5	
including												
OSK-W-21-2532	2475	Caribou 2241	1107.0	452480	5434428	341	-60	764.0	767.7	3.7	7.35	
including												
OSK-W-21-2532	2475	Caribou 2241	1107.0	452480	5434428	341	-60	767.0	767.7	0.7	19.9	
including												
OSK-W-21-2532	2475	Caribou 2241	1107.0	452480	5434428	341	-60	809.0	815.2	6.2	9.91	
including												
OSK-W-21-2532	2475	Caribou 2241	1107.0	452480	5434428	341	-60	809.0	809.5	0.5	40.4	
and												
OSK-W-21-2532	2475	Caribou 2241	1107.0	452480	5434428	341	-60	812.5	813.1	0.6	35.4	
including												
OSK-W-21-2532	2475	Caribou 2241	1107.0	452480	5434428	341	-60	935.0	937.5	2.5	8.95	
including												
OSK-W-21-2532	2475	Caribou 2241	1107.0	452480	5434428	341	-60	936.5	936.9	0.4	41.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-21-2532	2475	UDD	1107.0	452480	5434428	341	-60	1012.8	1015.0	2.2	25.3	
		including						1012.8	1013.3	0.5	97.6	
OSK-W-21-2532	2475	UDD 4502	1107.0	452480	5434428	341	-60	1023.0	1027.0	4.0	9.34	
		including						1024.1	1024.5	0.4	48.6	
OSK-W-21-2532	2475	UDD 4513	1107.0	452480	5434428	341	-60	1032.0	1034.0	2.0	4.06	
		including						1032.9	1033.3	0.4	17.0	
OSK-W-21-2533	4125	F51	321.0	453478	5436035	159	-45	252.0	254.0	2.0	5.39	
OSK-W-21-2534	2500	Caribou 2211	1203.0	452549	5434363	343	-59	538.3	540.4	2.1	17.5	
		including						538.3	538.7	0.4	53.0	
OSK-W-21-2534	2500	Caribou 2211	1203.0	452549	5434363	343	-59	543.0	545.4	2.4	25.9	21.6
		including						543.0	543.5	0.5	121	100
OSK-W-21-2534	2500	Caribou 2247	1203.0	452549	5434363	343	-59	558.4	560.6	2.2	0.81	
OSK-W-21-2534	2500	Underdog	1203.0	452549	5434363	343	-59	887.4	889.6	2.2	3.90	
OSK-W-21-2534	2500	UDD 4506	1203.0	452549	5434363	343	-59	984.0	986.1	2.1	7.81	
		including						985.2	985.5	0.3	49.8	
OSK-W-21-2534	2500	UDD 4515	1203.0	452549	5434363	343	-59	1018.4	1020.4	2.0	16.1	
		including						1018.8	1020.1	0.3	75.7	
OSK-W-21-2537	3450	TLX 3178	1242.5	452981	5435549	114	-54	581.9	585.9	2.0	1.86	
OSK-W-21-2537	3450	TLX 3163	1242.5	452981	5435549	114	-54	985.5	988.1	2.6	18.1	
		including						987.5	988.1	0.6	51.9	
OSK-W-21-2537	3450	TLX 3170	1242.5	452981	5435549	114	-54	1057.7	1059.8	2.1	13.8	
		including						1058.0	1059.3	0.4	68.1	
OSK-W-21-2540	3925	Lynx	1025.0	453465	5435640	117	-60	824.5	826.5	2.0	4.94	
		including						825.9	826.5	0.6	15.8	
OSK-W-21-2540-W1	3925	TLX 3163	1200.0	453465	5435640	117	-60	966.0	968.3	2.3	5.06	
OSK-W-21-2540-W1	3925	TLX 3163	1200.0	453465	5435640	117	-60	969.9	976.3	6.4	18.1	
		including						969.9	976.5	0.6	57.8	
		and						974.5	975.1	0.6	67.3	
OSK-W-21-2540-W2	3925	TLX 3163	1314.0	453465	5435640	117	-60	927.0	929.4	2.4	14.1	
		including						927.0	927.5	0.5	55.0	
OSK-W-21-2541	4175	F51 6030	285.0	453541	5436007	149	-47	196.0	198.0	2.0	11.5	
		including						196.9	197.5	0.6	37.9	
OSK-W-21-2541	4175	F51 6008	285.0	453541	5436007	149	-47	210.0	212.5	2.5	7.45	
OSK-W-21-2544	3425	TLX 3171	1161.0	452960	5435539	128	-50	795.0	798.0	3.0	61.5	36.9
		including						795.0	795.8	0.8	192	100
OSK-W-21-2544	3425	TLX 3184	1161.0	452960	5435539	128	-50	818.0	820.0	2.0	25.0	
		including						818.0	819.0	1.0	20.3	
OSK-W-21-2544	3425	TLX 3198	1161.0	452960	5435539	128	-50	859.9	862.0	2.1	11.2	
		including						861.0	861.4	0.4	34.4	
OSK-W-21-2549	2675	Caribou	723.0	452703	5434455	332	-58	626.4	628.4	2.0	5.73	
OSK-W-21-2554	4000	F51 6008	189.0	453426	5435858	131	-57	156.9	159.2	2.3	4.75	
OSK-W-21-3359	2850	Caribou	825.0	453629	5434550	327	-51	586.0	588.0	2.0	6.70	
		including						586.0	587.0	1.0	13.2	
WST-18-0004	2675	Zone 27	195.7	452383	5435015	112	-56	160.7	163.0	2.3	13.0	
		including						160.7	161.2	0.5	58.8	
WST-18-0006	2675	Zone 27	114.3	452383	5435013	136	-44	77.0	79.0	2.0	8.80	
		including						78.1	78.5	0.4	26.7	
WST-20-0011	3325	Lynx 311	450.8	453105	5435065	157	-53	74.3	76.4	2.1	4.68	
WST-20-0011	3325	Lynx 304	450.8	453105	5435065	157	-53	278.8	280.8	2.0	15.5	
WST-20-0011	3325	Lynx 356	450.8	453105	5435065	157	-53	295.4	297.6	2.2	3.66	
		including						296.4	297.0	0.6	11.4	
WST-20-0013	3925	Lynx 304	166.6	453357	5435208	171	-42	140.0	142.8	2.8	40.1	31.5
		including						140.7	141.5	0.8	130	100
WST-18-0017	2575	Zone 27	177.1	452279	5434973	192	-6	76.6	79.0	2.4	12.8	
		including						76.6	77.2	0.6	45.1	
WST-19-0265B	3500	Lynx	108.6	453298	5435066	166	1	2.0	4.3	2.3	5.02	
WST-19-0265B	3500	Lynx	108.6	453298	5435066	166	1	39.0	41.0	2.0	5.42	
		including						40.0	40.3	0.3	37.0	
WST-19-0127b	3475	Lynx 311	54.5	453252	5435110	154	-5	41.3	44.4	3.1	21.9	13.8
		including						41.9	42.2	0.3	185	100
WST-19-0330B	3475	Lynx 311	72.4	452322	5435110	145	-14	44.0	46.1	2.1	27.7	
WST-19-0142A	3500	Lynx 311	123.4	453268	5435108	136	-30	45.6	48.0	2.4	11.5	
		including						46.6	47.1	0.5	53.6	
WST-19-0161A	3400	Caribou 202	132.4	452234	5434710	311	-38	49.0	52.0	3.0	5.70	
WST-19-0150B	3475	Lynx 311	72.4	453252	5435110	145	-14	49.8	51.9	2.1	33.5	26.7
		including						49.8	50.2	0.4	136	100
WST-19-0265B	3500	Lynx 304	108.6	453298	5435066	166	1	51.0	51.4	0.4	9.84	
		including						51.0	51.4	0.4	21.3	
		including						54.0	54.4	0.4	32.5	
WST-19-0143A	3500	Lynx 308	123.4	453258	5435108	136	-30	54.5	58.0	3.5	9.86	
WST-19-0165A	3525	Lynx 310	126.7	453290	5435116	130	-15	57.0	59.0	2.0	9.81	
		including						58.0	59.0	1.0	18.1	
WST-19-0161A	2400	227 113	132.4	452234	5434710	311	-38	61.0	65.0	4.0	87.1	
		including						61.0	62.0	1.0	19.8	
WST-19-0165A	3525	Lynx 310	126.7	453290	5435116	130	-15	63.0	65.0	2.0	10.6	
WST-19-0065A	2175	Zone 27	132.9	451958	5434734	197	-12	64.8	68.3	3.5	4.09	
WST-19-0054A	2175	227	155.5	451959	5434734	157	46	66.0	68.7	2.7	9.37	
		including						67.7	68.7	1.0	23.3	
WST-19-0065A	2175	Zone 27	132.9	451958	5434734	197	-12	77.3	79.3	2.0	13.1	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-19-0160A	2400	227 113	225.4	452234	5434710	324	-49	83.9	87.5	3.6	8.04	
WST-19-0165A	3525	Lynx 304	126.7	453290	5435116	130	-15	84.0	86.0	2.0	4.56	
WST-19-0265B	3500	Lynx 306	108.6	453298	5435066	166	1	85.0	87.0	2.0	27.3	
WST-19-0265A	2175	227	132.9	453058	5434734	187	-12	86.4	88.9	3.5	12.0	
WST-19-0273a	3525	Lynx 304	114.4	453290	5435116	138	11	91.0	93.1	2.1	77.7	34.7
WST-19-0381A	2400	227 115	132.4	452234	5434710	311	-38	101.0	103.0	8.0	18.5	
WST-19-0142A	3500	Lynx 305	123.4	453268	5435108	136	-30	103.0	105.0	2.0	5.92	
WST-19-0273a	3525	Lynx 306	114.4	453290	5435116	138	11	107.0	109.2	2.2	19.4	18.6
WST-19-0142A	3500	Lynx 304	123.4	453268	5435108	136	-30	107.5	109.9	0.4	105	100
WST-19-0160A	2400	227 102	225.4	452234	5434710	324	-49	110.0	112.7	2.7	81.0	40.9
WST-19-0222A	2475	Caribou 206	321.9	452208	5434898	145	5	110.8	111.9	1.1	199	100.0
WST-19-0222A	2475	Caribou 206	321.9	452208	5434898	145	5	121.4	123.8	2.4	7.55	
WST-19-0222A	2475	Caribou 206	321.9	452208	5434898	145	5	228.0	230.0	2.0	4.52	
WST-19-0222A	2475	Caribou 206	321.9	452208	5434898	145	5	236.0	238.0	2.0	6.66	
WST-19-0222A	2475	Caribou 217	321.9	452208	5434898	145	5	236.0	237.0	1.0	13.1	
WST-19-0222A	2475	Caribou 217	321.9	452208	5434898	145	5	292.0	294.4	2.4	3.07	
WST-20-0566A	2475	Mallard 5211	368.3	452208	5434898	132	-16	302.2	304.6	0.4	439	100
WST-20-0479B	2575	Mallard 5208	402.4	452281	5434975	138	-59	13.7	17.3	3.5	17.7	
WST-20-0542A	3550	Lynx 303	138.4	453315	5435165	155	-31	14.6	15.3	0.7	98.3	
WST-20-0505A	3475	LXM 3339	330.5	453227	5435125	183	-46	46.9	47.6	0.7	94.0	
WST-20-0480B	2575	Mallard 5211	383.6	452281	5434975	143	-51	49.0	53.5	2.5	9.42	
WST-20-0542A	3550	Lynx 323	138.4	453315	5435165	155	-31	50.2	50.6	0.6	36.8	
WST-20-0433A	3725	Lynx 311	156.8	453450	5435264	155	-32	60.0	62.0	2.0	12.3	
WST-20-0523A	3325	Lynx 311	387.4	453304	5435065	165	-46	65.2	66.3	1.1	63.3	
WST-20-0548A	3475	LXM 3339	369.6	453228	5435116	166	-60	65.5	68.9	3.4	4.49	
WST-20-0523A	3325	Lynx 311	387.4	453304	5435065	165	-46	67.2	69.4	2.2	14.8	
WST-20-0523A	3325	Lynx 311	387.4	453304	5435065	165	-46	67.6	70.3	2.7	36.0	
WST-20-0523A	3325	Lynx 311	387.4	453304	5435065	165	-46	67.6	68.3	0.7	94.9	
WST-20-0523A	3325	Lynx 311	387.4	453304	5435065	165	-46	67.7	68.4	0.7	44.8	
WST-20-0523A	3325	Lynx 311	387.4	453304	5435065	165	-46	68.1	68.4	0.3	16.0	
WST-20-0577A	3575	LXM 3303	195.6	453316	5435167	116	-55	72.0	74.3	2.3	42.4	
WST-20-0012D	3475	Lynx 311	465.1	453226	5435126	174	-63	73.5	74.3	0.8	90.4	
WST-20-0505A	3475	Lynx 307	330.5	453227	5435125	183	-46	75.0	77.5	2.5	12.9	
WST-20-0391A	3625	Lynx 304	174.4	453359	5435209	134	8	75.8	76.7	0.9	35.6	
WST-20-0566A	2475	227	368.3	452208	5434898	132	-16	81.0	83.0	2.0	3.14	
WST-20-0391A	3625	Lynx 304	174.4	453359	5435209	134	8	82.5	83.0	0.5	8.68	
WST-20-0014A	3625	Lynx 304	123.5	453359	5435209	137	1	84.5	87.0	2.5	9.07	
WST-20-0367A	3725	Lynx 323	165.5	453450	5435264	163	-34	84.5	84.8	0.3	72.4	
WST-20-0433A	3725	Lynx 304	156.8	453450	5435264	155	-32	91.6	94.1	2.5	6.21	
WST-20-0367A	3725	Lynx 359	165.5	453450	5435264	163	-34	93.4	94.1	0.7	17.6	
WST-20-0558A	3375	Belcar	144.8	453955	5435003	143	3	93.9	96.3	2.4	3.57	
WST-20-0385A	3775	Lynx 304	164.0	453493	5435286	166	-36	95.0	95.6	0.6	12.0	
WST-20-0433A	3725	Lynx 359	156.8	453450	5435264	155	-32	98.3	100.5	2.3	8.47	
WST-20-0367A	3725	Lynx 359	165.5	453450	5435264	163	-34	100.2	102.2	2.0	5.40	
WST-20-0385A	3775	Lynx 304	164.0	453493	5435286	166	-36	110.0	112.0	2.0	4.31	
WST-20-0385A	3775	Lynx 304	164.0	453493	5435286	166	-36	110.0	110.6	0.6	14.3	
WST-20-0385A	3775	Lynx 304	164.0	453493	5435286	166	-36	117.0	119.1	2.1	7.84	
WST-20-0385A	3775	Lynx 304	164.0	453493	5435286	166	-36	117.6	117.9	0.3	96.1	
WST-20-0385A	3775	Lynx 304	164.0	453493	5435286	166	-36	118.0	120.3	2.3	8.68	
WST-20-0385A	3775	Lynx 304	164.0	453493	5435286	166	-36	120.1	120.5	0.4	39.6	
WST-20-0385A	3775	Lynx 304	164.0	453493	5435286	166	-36	122.0	124.0	2.0	10.9	
WST-20-0385A	3775	Lynx 304	164.0	453493	5435286	166	-36	122.9	124.7	0.5	29.1	
WST-20-0385A	3775	Lynx 304	164.0	453493	5435286	166	-36	126.7	128.8	2.1	4.97	
WST-20-0385A	3775	Lynx 304	164.0	453493	5435286	166	-36	127.6	128.4	0.8	12.9	
WST-20-0385A	3775	Lynx 304	164.0	453493	5435286	166	-36	128.0	130.0	2.0	19.3	
WST-20-0379A	3775	Lynx 304	132.0	453493	5435287	143	-41	128.7	129.2	0.5	75.8	
WST-20-0480B	2575	227	381.6	452281	5434975	143	-51	132.0	134.4	2.4	4.54	
WST-20-0479B	2575	227 1115	402.4	452281	5434975	138	-59	133.5	133.9	0.4	18.3	
WST-20-0479B	2575	227	402.4	452281	5434975	138	-59	138.1	140.8	2.7	25.3	
WST-20-0389A	3725	Lynx 304	616.0	453452	5435266	115	-46	139.0	140.0	1.0	53.5	
WST-20-0389A	3725	Lynx 304	616.0	453452	5435266	115	-46	147.1	149.1	2.0	7.97	
WST-20-0389A	3725	Lynx 304	616.0	453452	5435266	115	-46	157.5	159.8	2.3	5.68	
WST-20-0389A	3725	Lynx 304	616.0	453452	5435266	115	-46	162.3	164.3	2.0	94.4	50.9
WST-20-0389A	3725	Lynx 304	616.0	453452	5435266	115	-46	163.0	164.0	1.0	187	100
WST-20-0389A	3725	Lynx 304	616.0	453452	5435266	115	-46	169.3	171.5	2.2	23.5	14.9
WST-20-0342A	3725	Lynx 304	678.6	453452	5435266	116	-47	169.6	169.9	0.3	163	100
WST-20-0342A	3725	Lynx 304	678.6	453452	5435266	116	-47	172.6	175.0	2.4	5.18	
WST-20-0342A	3725	Lynx 304	678.6	453452	5435266	116	-47	174.6	175.0	0.4	18.0	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
WST-20-0389A	3725	Lynx 341	616.0	453452	5435266	115	-46	192.0	194.3	2.3	9.23	
		including						192.0	192.6	0.6	23.5	
WST-20-0505A	3475	Lynx SW	330.5	453227	5435125	183	-46	233.5	236.0	2.5	3.00	
WST-20-0546A	3475	Lynx SW	483.9	453228	5435126	176	-52	234.0	238.0	4.0	4.30	
WST-20-0546A	3475	Lynx SW	483.9	453228	5435126	176	-52	234.0	238.0	4.0	4.30	
		including						237.7	238.0	0.3	17.6	
		including						237.7	238.0	0.3	17.6	
WST-20-0606A	3325	Lynx SW	530.7	453105	5435065	141	-56	248.5	250.5	2.0	5.41	
WST-20-0566A	2475	Caribou 2100	368.3	452208	5434898	132	-16	255.5	259.3	3.8	13.4	
		including						255.8	256.1	0.3	37.6	
WST-20-0605A	3325	Lynx SW	531.5	453105	5435065	148	-81	258.0	260.0	2.0	3.58	
		including						258.0	259.0	1.0	7.12	
		and						259.0	259.3	0.3	83.6	
WST-20-0605A	3325	LKSW 3500	531.5	453105	5435065	148	-61	265.0	267.3	2.3	28.6	
		including						266.4	267.0	0.6	86.9	
WST-20-0630B	3325	Lynx SW	351.4	453105	5435065	147	-54	269.0	271.3	2.3	21.9	
WST-20-0470B	2575	227 1123	402.4	452281	5434975	138	-59	269.0	271.0	2.0	9.08	
		including						269.0	270.0	1.0	18.0	
		including						269.5	270.4	0.9	41.7	
WST-20-0548A	3475	Trigle Lynx	309.6	453228	5435126	166	-60	271.4	273.6	2.2	8.60	
WST-20-0572A	3375	LKSW 3556	462.5	452955	5435003	136	-52	272.0	274.0	2.0	11.0	
		including						272.1	272.8	0.7	10.9	
WST-20-0600A	3325	Lynx SW	530.7	453105	5435065	141	-56	273.2	275.2	2.0	15.3	
		including						273.7	274.0	0.3	37.3	
WST-20-0505A	3475	Lynx SW	330.5	453227	5435125	183	-46	280.0	282.0	2.0	3.39	
WST-20-0572A	3375	LKSW 3556	462.5	452955	5435003	136	-51	285.0	287.0	2.0	6.39	
		including						286.0	287.0	1.0	12.6	
WST-20-0523A	3325	Lynx SW	387.4	453104	5435065	165	-46	297.0	299.0	2.0	3.83	
WST-20-0630B	3325	LKSW 3556	351.4	453105	5435065	147	-54	298.0	300.0	2.0	3.62	
		including						298.4	298.8	0.4	11.1	
WST-20-0012D	3475	Lynx SW	465.1	453226	5435126	174	-63	305.6	308.0	2.4	4.47	
WST-20-0342A	3475	Lynx 4	492.5	453228	5435126	163	-42	306.1	308.2	2.1	86.0	19.9
		including						306.1	306.5	0.4	447	100
WST-20-0566A	3475	Caribou 2521	368.3	452208	5434898	132	-16	306.4	311.7	5.3	9.25	
		including						307.3	308.3	1.0	36.2	
WST-20-0523A	3325	Lynx SW	387.4	453104	5435065	165	-46	310.0	312.0	2.0	7.57	
WST-20-0012D	3475	Lynx SW	465.1	453226	5435126	174	-63	317.0	319.0	2.0	10.0	
		including						317.6	318.3	0.7	48.7	
WST-20-0389A	3725	Lynx 321	616.0	453452	5435266	115	-46	322.0	324.3	2.3	4.44	
		including						323.2	323.9	0.7	14.4	
WST-20-0606A	3325	Lynx SW	530.7	453105	5435065	141	-56	329.0	331.0	2.0	4.41	
WST-20-0342A	3475	Lynx 4	492.5	453228	5435126	163	-42	346.1	348.1	2.0	10.6	
		including						347.3	347.7	0.4	90.2	
WST-20-0480B	2575	Caribou	381.6	452281	5434975	143	-51	376.0	378.0	2.0	9.80	
WST-20-0012D	3475	Lynx SW	465.1	453226	5435126	174	-63	394.5	396.5	2.0	6.59	
		including						395.3	395.9	0.6	21.4	
WST-20-0605A	3325	LKSW 3502	531.5	453105	5435065	148	-61	461.0	463.0	2.0	9.11	
WST-20-0342A	3725	Lynx 313	678.6	453452	5435266	116	-47	461.7	463.3	0.6	30.2	
		including						553.1	553.6	0.5	17.9	
WST-20-0389A	3725	Lynx 340	616.0	453452	5435266	115	-46	553.9	555.9	2.0	3.44	
		including						553.9	554.3	0.4	15.7	
WST-20-0342A	3725	Lynx 340	678.6	453452	5435266	116	-47	565.3	568.0	2.7	8.77	
		including						565.3	565.6	0.3	20.1	
WST-21-0648B	3475	LXM 3339	345.3	453228	5435126	166	-59	59.0	61.4	2.4	4.28	
WST-21-0814A	2175	227 1115	96.7	453960	5434734	154	5	67.3	69.7	2.4	27.2	22.4
		including						68.1	68.6	0.5	123	100
WST-21-0814A	2175	227 1102	96.7	453960	5434734	154	5	75.1	77.5	2.4	8.13	
		including						76.3	76.6	0.3	46.4	
WST-21-0819A	2175	227 1115	98.7	453958	5434734	173	-2	79.0	81.0	2.0	3.89	
WST-21-0640A	3325	LXM 3361	456.2	453104	5435064	165	-51	79.6	82.0	2.4	3.52	
		including						79.6	80.3	0.7	9.29	
WST-21-0682A	3325	LXM 3339	138.9	453106	5435066	133	-66	80.3	80.6	0.3	8.45	
		including						80.8	80.0	0.8	19.8	
WST-21-0682B	3325	LXM 3311	472.0	453106	5435066	129	-64	90.1	92.0	0.9	4.77	
		including						105.5	107.6	2.1	6.82	
WST-21-0682B	3325	LXM 3311	472.0	453106	5435066	129	-64	106.9	107.3	0.4	25.7	
WST-21-0797A	3600	LXM 3334	750.6	453321	5435235	138	-46	116.0	118.0	2.0	6.21	
		including						125.6	127.6	2.0	46.5	23.9
		including						126.3	126.7	0.4	208	100
WST-21-0793A	3775	LXM 3304	321.6	453463	5435327	127	-16	167.0	169.0	2.0	7.65	
		including						167.3	167.7	0.4	28.5	
WST-21-0763A	3800	LXM 3304	567.1	453507	5435332	120	-39	169.5	172.0	2.5	187	69.3
		including						170.2	171.1	0.9	377	100
WST-21-0671A	3800	LXM 3304	372.3	453507	5435327	142	-51	171.0	173.0	2.0	25.0	
		including						171.0	172.0	1.0	43.6	
WST-21-0797A	3600	Lynx	750.6	453321	5435235	138	-46	182.9	185.5	2.6	4.04	
WST-21-0734A	3175	Lynx SW	360.1	452956	5435003	129	-56	192.0	194.0	2.0	4.76	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-21-0811A	3675	TUX 3161	708.0	453375	5435296	125	-44	209.0	211.0	2.0	73.4	55.0
		including						210.0	210.5	0.5	158	100
WST-21-0619A	3800	TUX 3161	249.2	453507	5435327	174	-61	214.0	216.0	2.0	20.0	
		including						214.0	214.4	0.4	86.4	
WST-21-0793A	3775	Lynx HW	321.6	453463	5435327	127	-16	235.5	237.6	2.1	87.1	
		including						236.4	237.3	0.9	77.1	
WST-21-0793A	3775	LHW 3221	321.6	453463	5435327	127	-16	240.6	242.6	2.0	4.99	
		including						241.5	242.3	0.8	11.4	
WST-21-0705A	3525	LXSW 3500	351.3	453304	5435065	161	-57	241.3	245.3	2.0	4.56	
		including						244.6	245.3	0.7	13.0	
WST-21-0789B	3525	Lynx SW	380.6	453106	5435066	125	-55	248.0	250.0	2.0	37.4	35.1
		including						248.0	248.7	0.7	107	100
WST-21-0734A	3175	Lynx SW	360.1	452956	5435003	120	-56	259.1	267.3	8.2	16.0	12.3
WST-21-0727A	3800	TUX 3161	360.8	453507	5435327	146	-69	260.1	262.7	2.6	46.8	22.0
		including						261.2	261.7	0.5	229	100
		including						266.0	266.5	0.5	161	100
WST-21-0620A	3800	TUX 3164	300.3	453507	5435327	174	-57	274.0	276.0	2.0	4.97	
WST-21-0789B	3525	Lynx SW	380.6	453106	5435066	125	-55	301.1	305.4	4.3	28.8	
		including						301.1	302.1	1.0	78.4	
WST-21-0640A	3525	Lynx SW	456.2	453304	5435064	165	-53	308.7	311.0	2.3	4.90	
WST-21-0811A	3675	TUX 3162	708.0	453375	5435296	125	-44	310.0	313.2	3.2	82.1	34.2
		including						312.5	313.2	0.7	304	100
WST-21-0648B	3475	TUX 3166	345.3	453228	5435126	166	-59	313.5	315.8	2.3	120	43.7
		including						314.8	315.8	1.0	276	100
WST-21-0689A	3650	TUX 3169	396.5	453356	5435272	161	-64	316.7	318.7	2.0	11.1	29.3
		and						317.6	317.9	0.3	89.0	
		including						318.4	318.7	0.3	113	100
WST-21-0734A	3175	LXSW 3556	360.1	452956	5435003	120	-56	323.7	325.9	2.2	6.99	
		including						325.2	325.9	0.7	21.1	
WST-21-0789B	3525	TUX 3166	380.6	453106	5435066	125	-55	325.6	327.9	2.3	8.20	
		including						325.9	326.8	0.9	17.0	
WST-21-0727A	3800	TUX 3163	328.0	453507	5435327	146	-69	328.4	330.1	1.7	18.6	17.5
		including						328.4	328.7	0.3	108	100
WST-21-0789B	3525	TUX 3166	380.6	453106	5435066	125	-55	331.0	333.2	2.2	20.9	15.9
		including						331.0	331.3	0.3	127	100
WST-21-0727A	3800	TUX 3163	360.8	453507	5435327	146	-69	334.1	336.1	2.0	15.0	
		including						334.1	334.7	0.6	44.7	
WST-21-0797A	3600	TUX 3131	750.6	453321	5435235	138	-46	335.3	341.4	6.1	15.5	
		including						339.3	340.3	1.0	85.5	
WST-21-0640A	3525	Lynx SW	456.2	453304	5435064	165	-53	342.0	344.0	2.0	4.85	
		including						342.5	343.1	0.6	16.0	
WST-21-0682B	3525	TUX 3166	472.0	453106	5435066	129	-64	349.0	352.0	3.0	32.7	29.9
		including						349.0	349.3	0.3	128	100
WST-21-0797A	3600	TUX 3167	750.6	453321	5435235	138	-46	350.6	354.7	4.1	28.7	25.2
		including						351.8	354.2	0.4	136	100
WST-21-0797A	3600	TUX 3167	750.6	453321	5435235	138	-46	357.0	359.0	2.0	4.51	
WST-21-0682B	3525	TUX 3166	472.0	453106	5435066	129	-64	357.6	361.5	3.9	30.7	
		including						358.0	358.6	0.6	68.0	
WST-21-0727A	3800	Triple Lynx	360.8	453507	5435327	146	-69	358.1	360.8	2.7	6.84	
		including						358.1	359.0	0.9	16.2	
		and						360.8	361.5	0.7	78.0	
WST-21-0653A	3525	LXSW 3556	426.7	453304	5435065	155	-65	362.0	364.2	2.2	12.8	
		including						362.4	363.2	0.8	33.3	
WST-21-0682B	3525	TUX 3166	472.0	453106	5435066	129	-64	363.5	365.7	2.2	5.78	
WST-21-0653A	3525	LXSW 3556	426.7	453304	5435065	155	-65	368.8	371.3	2.5	24.9	
WST-21-0789B	3525	Triple Lynx	380.6	453106	5435066	125	-55	371.0	373.0	2.0	4.42	
		including						372.6	373.0	0.4	19.3	
WST-21-0682B	3525	Lynx SW	472.0	453106	5435066	129	-64	375.0	377.0	2.0	4.08	
WST-21-0653A	3525	LXSW 3556	426.7	453304	5435065	155	-65	376.0	378.0	2.0	11.4	
		including						376.0	377.0	1.0	22.8	
WST-21-0797A	3600	Triple Lynx	750.6	453321	5435235	138	-46	380.3	382.4	2.1	8.9	24.2
		including						382.1	382.4	0.3	186	100
WST-21-0682B	3525	Lynx SW	472.0	453106	5435066	129	-64	384.0	386.1	2.1	5.90	
		including						385.6	386.1	0.5	24.2	
WST-21-0689A	3650	Triple Lynx	396.5	453356	5435272	161	-64	389.0	391.2	2.2	8.67	
WST-21-0802A	3175	LXSW 3556	448.0	452953	5435003	149	-65	390.0	392.0	2.0	8.60	
		including						390.0	390.4	0.4	59.9	
WST-21-0802A	3175	LXSW 3556	448.0	452953	5435003	149	-65	394.0	396.0	2.0	6.37	
WST-21-0682B	3525	Lynx SW	472.0	453106	5435066	129	-64	400.0	403.8	3.8	11.9	
WST-21-0795A	3525	Lynx 4	414.9	453257	5435209	153	-41	403.9	406.0	2.1	3.98	
		including						403.9	404.6	0.6	13.0	
WST-21-0802A	3175	LXSW 3556	448.0	452953	5435003	149	-65	408.0	410.0	2.0	31.8	
		including						408.8	409.6	0.8	77.8	
WST-21-0682B	3525	TUX 3130	472.0	453106	5435066	129	-64	456.0	458.0	2.0	24.5	
		including						456.0	456.6	0.6	74.6	
WST-21-0811A	3675	LXW	708.0	453375	5435296	125	-44	471.8	474.5	2.7	8.60	
WST-21-0797A	3600	LXW 3450	750.6	453321	5435235	138	-46	486.0	489.9	3.9	4.92	
WST-21-0763A	3800	LXW 3434	567.1	453507	5435332	120	-39	503.0	505.0	2.0	5.08	
WST-21-0763A	3800	LXW 3434	567.1	453507	5435332	120	-39	507.0	509.0	2.0	3.73	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
WST-21-0797A	3600	LMA	750.6	453321	5435235	138	-46	694.0	696.4	2.4	24.1	
			including					694.6	695.0	0.4	96.8	
WST-21-0797A	3600	LMA 3415	750.6	453321	5435235	138	-46	716.9	720.6	3.7	6.35	
WST-21-0797A	3600	LMA 3415	750.6	453321	5435235	138	-46	724.0	726.0	2.0	39.5	32.1
			including					725.7	726.0	0.3	149	100
WST-18-0023	2575	227	102.3	452280	5434973	179	-36	44.4	47.0	2.6	3.58	
			including					44.4	44.7	0.3	25.5	
WST-18-0024	2575	Malard	180.6	452280	5434973	170	-39	25.7	28.1	2.4	26.5	
WST-18-0025	2575	227	102.4	452280	5434974	159	12	33.0	35.0	2.0	7.96	
			including					33.4	36.3	0.9	17.7	
WST-18-0025	2575	227	102.4	452280	5434974	159	12	65.0	67.0	2.0	2223	42.8
			including					66.2	67.0	0.8	5550	100
WST-18-0026	2575	227	145.0	452280	5434974	159	-31	49.4	51.6	2.2	5.80	
			including					49.4	49.7	0.3	25.5	
WST-18-0026	2575	227	145.0	452280	5434974	159	-31	107.4	110.0	2.6	4.31	
WST-18-0027	2575	227	105.6	452280	5434974	159	-44	91.0	93.0	2.0	11.1	
WST-19-0029	2575	227	150.7	452281	5434974	148	-27	16.0	18.0	2.0	6.38	
			including					16.6	17.1	0.5	21.6	
WST-19-0029	2575	227	150.7	452281	5434974	148	-27	44.0	46.0	2.0	8.65	
WST-19-0030	2575	227 103	116.7	452282	5434974	128	40	61.0	63.0	2.0	7.91	
WST-19-0030	2575	227 104	116.7	452282	5434974	128	40	61.0	63.0	2.0	7.91	
WST-19-0032	2575	227 103	159.2	452281	5434975	117	-48	62.6	64.2	1.6	2.24	100
			including					64.0	66.5	2.5	6.24	
WST-19-0033	2575	227 103	117.5	452282	5434975	108	-1	65.1	65.9	0.8	19.0	
WST-18-0035	2200	227	126.5	452057	5434604	316	-2	56.0	58.0	2.0	14.9	
			including					56.0	57.0	1.0	29.5	
WST-18-0035	2200	227	126.5	452057	5434604	316	-2	60.9	65.0	4.1	5.98	
			including					63.9	66.2	0.7	44.2	
WST-18-0036	2200	227	135.5	452057	5434604	308	-2	63.5	67.1	3.6	4.77	
			including					66.3	67.1	0.8	12.6	
WST-18-0039	2250	227	147.6	452024	5434760	166	-34	98.0	100.0	2.0	3.82	
			including					98.9	99.4	0.5	21.0	
WST-18-0039	2250	Caribou	147.6	452024	5434760	166	-34	140.0	146.4	6.4	8.86	
WST-18-0048	2250	227	142.0	452025	5434760	164	-39	73.0	75.0	2.0	4.87	
			including					73.5	74.0	0.5	17.1	
WST-19-0055	2175	227	114.4	451960	5434734	157	31	66.7	68.7	2.0	4.87	
			including					68.3	69.7	0.5	17.4	
WST-19-0056	2175	227	144.2	451959	5434734	165	35	65.0	69.8	4.8	5.57	
WST-19-0057	2175	227	165.0	451959	5434734	171	42	67.3	72.0	4.7	4.99	
WST-19-0057	2175	227	165.0	451959	5434734	171	42	75.8	78.0	2.2	4.47	
WST-19-0058	2175	227	117.7	451959	5434734	171	31	61.8	66.5	4.7	3.08	
			including					65.5	66.5	1.0	9.55	
WST-19-0058	2175	Zone 27	117.7	451959	5434734	171	31	83.0	85.0	2.0	139	15.2
			including					83.0	83.3	0.3	927	100
WST-19-0059	2175	227	152.0	451959	5434734	176	55	81.0	85.7	2.7	5.36	
WST-19-0059	2175	227	152.0	451959	5434734	176	55	96.7	100.6	3.9	4.40	
WST-19-0059	2175	227 114	152.0	451959	5434734	176	55	103.0	105.2	2.2	14.8	
			including					103.5	103.9	0.4	61.9	
WST-19-0059	2175	227	152.0	451959	5434734	176	55	113.8	116.1	2.3	4.08	
WST-19-0060	2175	227	165.1	451959	5434734	176	40	69.9	73.0	3.1	4.72	
WST-19-0060	2175	227	165.1	451959	5434734	176	40	80.0	82.6	2.6	99.9	27.6
			including					81.9	82.6	0.7	220	100
WST-19-0062	2175	Zone 27	150.4	451959	5434734	187	37	75.0	77.2	2.2	18.2	
WST-19-0062	2175	Zone 27	150.4	451959	5434734	187	37	120.0	122.0	2.0	21.1	
			including					121.1	122.0	0.9	46.0	
WST-19-0063	2175	227	120.6	451959	5434734	187	25	91.0	95.0	2.0	15.0	
			including					93.0	94.0	1.0	29.3	
WST-19-0064	2175	Zone 27	150.0	451958	5434734	196	33	131.0	136.2	5.2	17.8	
			including					131.0	132.1	1.1	49.1	
WST-19-0066	2175	Zone 27	147.2	451958	5434735	207	25	98.8	100.8	2.0	13.1	
			including					98.8	99.5	0.7	35.7	
WST-19-0066	2175	Ven	147.2	451958	5434735	207	25	109.5	112.0	2.5	130	36.3
			including					110.3	111.2	0.9	361	100
WST-19-0068	2175	Zone 27	152.4	451957	5434735	218	58	83.0	85.4	2.4	7.19	
WST-19-0068	2175	Zone 27	152.4	451957	5434735	218	58	98.0	100.0	2.0	5.59	
WST-19-0068	2175	Zone 27	152.4	451957	5434735	218	58	134.4	140.0	5.6	7.8	26.7
WST-19-0068	2175	Zone 27	156.0	451957	5434735	218	50	120.4	122.9	2.5	4.68	
WST-19-0069	2175	Zone 27	156.0	451957	5434735	218	50	127.9	130.0	2.1	15.0	
WST-19-0072	2400	227 108	138.3	452158	5434858	120	22	96.5	98.5	2.0	5.07	
WST-19-0075	2475	227	114.3	452208	5434899	113	33	7.0	8.0	2.0	4.93	
WST-19-0076	2475	227 corridor	158.6	452208	5434898	133	43	115.3	117.6	2.3	3.22	
WST-20-0078	3475	Triple Lynx	525.3	453227	5435125	155	-62	263.9	270.0	6.1	26.7	
WST-20-0078	3475	Triple Lynx	525.3	453227	5435125	155	-62	310.6	312.9	2.3	4.83	
WST-20-0078	3475	Lynx SW	525.3	453227	5435125	155	-62	417.0	419.1	2.1	3.46	
WST-19-0080	2300	Zone 27	177.5	452147	5434645	336	-55	127.0	129.0	2.0	3.78	
			including					127.5	127.9	0.4	16.2	
WST-19-0080	2300	Zone 27	135.5	452147	5434644	322	-42	93.1	96.7	2.6	32.9	
			including					93.1	96.0	0.9	89.4	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
WST-19-0085	2300	Caribou	162.4	452147	5434644	322	-58	6.4	8.5	2.1	5.73	
WST-19-0085	2300	Zone 27	162.4	452147	5434644	322	-58	122.7	124.7	2.0	29.0	
WST-19-0085	2300	Zone 27	162.4	452147	5434644	322	-58	133.0	135.3	2.3	3.62	
								235.0	135.3	0.3	13.6	
WST-19-0088	2300	Caribou	135.6	452147	5434645	307	35	11.8	14.4	2.6	4.37	
WST-19-0088	2300	Caribou 201	135.6	452147	5434645	307	35	58.9	61.0	2.1	4.67	
WST-19-0088	2300	Zone 27	135.6	452147	5434645	307	35	83.2	86.0	2.8	6.28	
WST-19-0089	3450	Lynx 311	99.5	453219	5435116	131	-14	75.4	77.6	2.2	4.05	
								75.4	76.0	0.6	10.9	
WST-19-0090	3450	Lynx 311	89.4	453219	5435116	127	-30	85.0	87.4	2.4	5.23	
								85.7	86.5	0.8	15.3	
WST-19-0091	3450	Lynx 311	99.5	453219	5435116	123	-36	85.5	89.8	4.3	21.5	17.5
								85.5	86.1	0.6	129	100
WST-19-0092	3450	Lynx 311	107.7	453219	5435116	123	-22	87.0	89.0	2.0	4.33	
								88.1	88.4	0.3	17.5	
WST-19-0093	3450	Lynx 311	120.6	453219	5435116	123	-13	72.6	74.7	2.1	24.6	
								73.2	73.7	0.5	100	100
WST-19-0093	3450	Lynx 308	120.6	453219	5435116	123	-13	86.3	89.3	3.0	42.1	
WST-19-0094	3450	Lynx 311	98.6	453219	5435116	136	-14	62.7	65.1	2.4	2.83	
WST-19-0097	3450	Lynx 311	96.5	453218	5435115	152	-14	65.9	68.0	2.1	14.2	
								65.9	66.5	0.6	46.3	
WST-19-0098	3450	Lynx 311	84.7	453218	5435115	157	-14	66.0	68.7	2.7	38.7	25.6
								66.6	67.2	0.6	159	100
WST-19-0099	3450	Lynx 311	99.5	453219	5435116	131	-28	76.5	78.5	2.0	28.5	15.7
								77.9	79.2	0.3	185	100
WST-19-0100	3450	Lynx 311	90.6	453219	5435116	137	-30	89.4	92.5	3.1	94.1	18.6
								72.2	72.5	0.3	260	100
WST-19-0101	3450	Lynx 311	90.4	453219	5435116	137	-25	73.0	75.0	2.0	7.66	
								74.0	74.3	0.3	4.9	
WST-19-0102	3450	Lynx 311	84.6	453218	5435115	162	-12	65.6	68.1	2.5	6.12	
								66.2	66.5	0.3	48.7	
WST-19-0106	3450	Lynx 311	135.6	453218	5435115	152	-18	65.0	68.0	3.0	10.2	
								65.8	67.3	0.5	36.9	
WST-19-0106	3450	Lynx 310	135.6	453218	5435115	152	-18	108.7	111.0	2.3	1.64	
								109.8	110.1	0.3	33.0	
WST-19-0106	3450	Lynx 304	135.6	453218	5435115	152	-18	126.6	130.7	4.1	64.2	11.6
								126.6	127.0	0.4	639	100
WST-19-0107	3450	Lynx 311	135.6	453218	5435115	152	-22	66.0	68.6	2.6	9.84	
								67.8	68.6	0.8	25.6	
WST-19-0108	3450	Lynx 311	135.6	453219	5435115	147	-19	67.1	69.4	2.3	22.5	
								67.6	68.5	0.9	54.7	
WST-19-0111	3450	Lynx 311	132.0	453219	5435116	141	-23	70.4	72.5	2.1	13.3	
								71.8	72.5	0.7	37.8	
WST-19-0112	3450	Lynx 311	138.7	453219	5435116	141	-28	70.9	73.1	2.3	17.2	
WST-19-0113	3450	Lynx 311	138.5	453219	5435116	137	-29	75.4	77.7	2.3	82.9	20.7
								75.4	75.8	0.4	458	100
WST-19-0114	3450	Lynx 311	135.6	453219	5435116	147	-33	71.0	73.3	2.3	5.89	
								71.7	72.4	0.7	38.3	
WST-19-0115	3450	Lynx 311	141.4	453219	5435116	141	-32	72.4	74.8	2.4	17.1	
								73.0	73.6	0.6	68.1	
WST-19-0116	3450	Lynx	144.5	453219	5435116	137	-33	87.6	91.1	3.5	26.9	12.6
								89.0	89.3	0.3	267	100
WST-19-0116	3450	Lynx 310	144.5	453219	5435116	137	-33	99.0	104.2	5.2	3.91	
								103.6	104.2	0.6	19.6	
WST-19-0117	3450	Lynx 308	162.5	453220	5435116	121	-1	84.5	89.5	5.0	132	34.2
								84.5	86.0	1.5	418	91.1
								85.5	86.0	0.5	922	100
WST-19-0118	3475	Lynx 311	108.8	453252	5435110	161	-14	44.0	47.0	3.0	58.0	
								46.4	47.0	0.6	81.9	
WST-19-0119	3475	Lynx 311	156.7	453252	5435110	144	-35	55.7	57.9	2.2	3.94	
								56.4	56.9	0.5	16.6	
WST-19-0119	3475	Lynx 310	156.7	453252	5435110	144	-35	87.0	89.0	2.0	106	25.2
								88.5	89.0	0.5	426	100
WST-19-0119	3475	Lynx	156.7	453252	5435110	144	-35	97.6	99.7	2.1	4.09	
WST-19-0119	3475	Lynx 305	156.7	453252	5435110	144	-35	108.0	110.0	2.0	3.07	
WST-19-0120	3475	Lynx 311	135.7	453253	5435110	134	-33	59.2	63.2	4.0	7.34	
								59.2	59.9	0.7	29.7	
WST-19-0120	3475	Lynx 304	135.7	453253	5435110	134	-33	128.3	130.7	2.4	10.5	
WST-19-0121	3475	Lynx 308	131.5	453253	5435110	134	3	54.4	58.0	3.6	8.86	
WST-19-0121	3475	Lynx 305	131.5	453253	5435110	134	3	108.4	110.4	2.0	9.53	
								109.4	109.8	0.4	46.0	
WST-19-0122	3475	Lynx 311	138.4	453253	5435110	137	-7	44.0	46.0	2.0	37.9	15.3
								44.9	45.1	0.3	217	100
WST-19-0122	3475	Lynx 308	138.4	453253	5435110	137	-7	55.0	57.0	2.0	50.8	26.2
								55.8	56.3	0.5	199	100
WST-19-0123	3475	Lynx 308	135.4	453253	5435110	132	-17	58.5	61.2	2.7	3.51	
								60.1	61.2	0.6	9.03	
WST-19-0123	3475	Lynx 304	135.4	453253	5435110	132	-17	113.6	116.0	2.4	6.77	
WST-19-0124	3475	Lynx 311	81.2	453253	5435110	128	-30	60.9	65.6	4.7	37.2	16.5
								60.9	65.6	0.7	239	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
WST-19-0125	3475	Lynx 311	64.1	453252	5435110	150	-17	47.0	48.0	2.0	85.3	31.1
		including						47.5	48.0	0.5	317	100
WST-19-0125	3475	Lynx 308	64.1	453252	5435110	150	-17	60.0	62.0	2.0	7.86	
WST-19-0126	3475	Lynx	69.6	453252	5435110	143	-7	42.0	44.0	2.0	6.80	
		including						42.9	43.5	0.6	21.2	
WST-19-0126	3475	Lynx 311	68.6	453252	5435110	143	-7	50.0	52.5	2.5	11.7	
		including						50.4	50.8	0.4	72.2	
WST-19-0128	3475	Lynx 311	136.6	453252	5435110	137	-28	51.4	54.4	3.0	10.7	
		including						54.1	54.4	0.3	80.2	
WST-19-0129	3475	Lynx 311	68.6	453252	5435109	151	-27	60.5	62.6	2.1	4.50	
		including						62.3	62.6	0.3	30.7	
WST-19-0130	3475	Lynx 311	141.5	453252	5435110	154	-33	50.8	54.3	3.5	37.0	24.3
		including						53.6	54.3	0.7	164	100
WST-19-0131	3475	Lynx 311	128.8	453252	5435110	143	24	50.0	52.4	2.4	13.8	
		including						50.0	50.3	0.3	75.2	
WST-19-0131	3475	Lynx 308	128.8	453252	5435110	143	24	56.6	59.1	2.5	92.1	28.6
		including						58.0	58.3	0.3	393	100
WST-19-0131	3475	Lynx 305	128.8	453252	5435110	143	24	58.7	59.1	0.4	277	
WST-19-0132	3475	Lynx 308	129.4	453252	5435110	143	16	82.5	84.6	2.1	12.9	
		including						53.5	54.0	0.5	167	100
WST-19-0132	3475	Lynx 330	129.4	453252	5435110	143	16	72.1	74.1	2.0	27.3	
		including						72.1	73.1	1.0	54.2	
WST-19-0132	3475	Lynx	129.4	453252	5435110	143	16	78.5	80.7	2.2	3.03	
WST-19-0132	3475	Lynx 304	129.4	453252	5435110	143	16	104.6	107.3	2.7	6.68	
		including						106.0	106.5	0.5	19.8	
WST-19-0132	3475	Lynx	129.4	453252	5435110	143	16	122.0	124.0	2.0	4.17	
		including						123.5	124.0	0.5	14.2	
WST-19-0133	3475	Lynx	126.4	453252	5435110	154	27	45.0	47.4	2.4	16.2	
		including						45.0	45.4	0.4	86.0	
WST-19-0133	3475	Lynx 311	129.4	453252	5435110	154	27	52.9	59.1	6.2	12.9	12.4
		including						52.9	53.3	0.3	75.4	
		including						57.0	57.3	0.3	42.7	
WST-19-0133	3475	Lynx	129.4	453252	5435110	154	27	58.3	58.6	0.3	109	100
		including						67.2	69.3	2.1	4.63	
WST-19-0133	3475	Lynx 306	129.4	453252	5435110	154	27	68.2	68.5	0.3	30.7	
		including						110.1	113.1	3.0	26.2	15.8
WST-19-0134	3475	Lynx 308	126.5	453251	5435110	154	14	110.1	113.1	3.0	26.2	15.8
		including						51.9	54.0	2.1	10.8	
WST-19-0134	3475	Lynx 308	126.5	453251	5435110	154	14	51.9	52.2	0.3	68.4	
		including						58.1	60.1	2.0	16.6	
WST-19-0134	3475	Lynx 320	126.5	453251	5435110	154	14	58.8	59.7	0.9	35.6	
		including						71.5	73.7	2.2	10.5	
WST-19-0134	3475	Lynx 304	126.5	453251	5435110	154	14	72.2	72.8	0.6	38.2	
		including						110.8	113.0	2.2	149	27.3
WST-20-0135	3475	Lynx 311	444.4	453226	5435125	188	-57	110.8	111.1	0.3	599	100
		including						72.0	74.3	2.3	4.20	
WST-20-0135	3475	Lynx SW	444.4	453226	5435125	188	-57	73.9	74.3	0.4	14.6	
		including						293.0	295.1	2.1	35.1	19.2
WST-20-0135	3475	Lynx SW	444.4	453226	5435125	188	-57	293.7	294.1	0.4	194	
		including						351.8	354.7	2.9	3.15	
		and						351.8	352.3	0.5	8.55	
WST-20-0135	3475	Lynx SW	444.4	453226	5435125	188	-57	354.1	354.7	0.6	7.76	
		including						360.4	362.6	2.2	13.4	
WST-20-0135	3475	Lynx SW	444.4	453226	5435125	188	-57	360.4	361.4	1.0	28.9	
		including						397.3	399.4	2.1	23.6	14.5
		and						397.8	398.1	0.3	164	100
WST-19-0136	3500	Lynx 308	107.5	453266	5435107	149	12	41.1	45.1	4.0	8.51	
WST-19-0136	3500	Lynx 308	107.5	453266	5435107	149	12	46.0	48.0	2.0	4.21	
WST-19-0136	3500	Lynx 320	107.5	453266	5435107	149	12	67.7	69.8	2.1	15.9	
WST-19-0136	3500	Lynx 304	107.5	453266	5435107	149	12	94.8	102.2	7.4	5.98	
		including						95.5	96.8	0.3	34.6	
WST-19-0137	3500	Lynx 308	129.4	453268	5435108	136	13	50.4	56.3	5.9	17.5	15.9
		including						52.4	53.0	0.6	51.8	
WST-19-0137	3500	Lynx 305	129.4	453268	5435108	136	13	55.9	56.3	0.4	124	100
WST-19-0137	3500	Lynx 304	129.4	453268	5435108	136	13	96.0	98.0	2.0	10.4	
WST-19-0138	3500	Lynx 311	120.4	453268	5435108	136	3	107.0	109.1	2.1	63.6	50.1
		including						38.0	40.0	2.0	13.5	
WST-19-0138	3500	Lynx 308	120.4	453268	5435108	136	3	38.9	39.6	0.7	38.0	
		including						50.0	52.0	2.0	45.9	18.0
WST-19-0138	3500	Lynx	120.4	453268	5435108	136	3	50.4	50.7	0.3	286	100
		including						68.0	70.4	2.4	5.52	
WST-19-0138	3500	Lynx 304	120.4	453268	5435108	136	3	68.5	69.4	0.9	14.5	
		including						96.5	98.0	1.5	3.04	
WST-19-0138	3500	Lynx 304	120.4	453268	5435108	136	3	96.5	97.1	0.6	9.91	
		including						100.6	103.3	2.7	63.2	39.3
WST-19-0139	3500	Lynx 308	120.5	453266	5435107	134	-8	102.6	103.5	0.9	262	100
WST-19-0139	3500	Lynx 304	120.5	453266	5435107	134	-8	52.2	54.6	2.4	4.08	
		including						103.0	105.0	2.0	119	46.6
WST-19-0140	3500	Lynx	120.4	453266	5435107	134	-16	103.0	103.9	0.9	262	100
		including						42.0	44.0	2.0	7.58	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-19-0140	3500	Lynx 308	including 120.4	453266	5435107	134	-16	43.1	43.4	0.3	48.2	
								53.4	57.7	4.3	8.00	
WST-19-0140	3500	Lynx 304	including 120.4	453266	5435107	134	-16	53.4	53.8	0.4	76.0	
WST-19-0141	3500	Lynx 308	including 120.4	453266	5435107	134	-22	102.8	105.4	2.6	10.3	
								53.0	55.4	2.4	3.91	
WST-19-0141	3500	Lynx 308	including 120.4	453266	5435107	134	-22	53.7	54.4	0.7	11.8	
								59.0	61.1	2.1	10.9	
WST-19-0141	3500	Lynx 305	including 120.4	453266	5435107	134	-22	59.0	59.3	0.3	73.7	
WST-19-0141	3500	Lynx 304	including 120.4	453266	5435107	134	-22	88.4	90.5	2.1	18.4	
								103.2	105.4	2.2	5.80	
WST-19-0143	3500	Lynx 311	including 135.3	453266	5435107	134	-38	105.1	105.4	0.3	42.7	
								53.0	55.1	2.1	115	40.5
								53.8	54.3	0.5	342	100
WST-19-0143	3500	Lynx 308	including 135.3	453266	5435107	134	-38	54.8	55.1	0.3	221	100
								69.7	71.8	2.1	16.1	
WST-19-0143	3500	Lynx	including 135.3	453266	5435107	134	-38	69.7	70.4	0.7	48.2	
								81.0	83.0	2.0	4.85	
WST-19-0143	3500	Lynx 304	including 135.3	453266	5435107	134	-38	81.7	82.1	0.4	23.3	
WST-19-0144	3500	Lynx 304	including 123.4	453266	5435109	123	2	117.5	119.7	2.2	3.27	
WST-19-0144	3500	Lynx 304	including 123.4	453266	5435109	123	2	57.1	60.0	2.9	5.61	
WST-19-0144	3500	Lynx 310	including 123.4	453266	5435109	123	2	57.1	57.5	0.4	22.1	
								68.6	70.8	2.2	9.42	
WST-19-0144	3500	Lynx 304	including 123.4	453266	5435109	123	2	70.5	70.8	0.3	28.4	
								101.6	104.0	2.4	47.2	
WST-19-0145	3525	Lynx 310	including 141.5	453290	5435116	142	-45	102.8	104.0	1.2	80.5	
								68.8	71.5	2.7	86.9	15.2
WST-19-0145	3525	Lynx 305	including 141.5	453290	5435116	142	-45	68.8	69.1	0.3	746	100
								103.3	105.9	2.6	33.2	
WST-19-0145	3525	Lynx 304	including 141.5	453290	5435116	142	-45	103.3	103.6	0.3	98.9	
WST-19-0146	3525	Lynx 304	including 159.6	453289	5435116	175	-44	108.5	112.6	4.1	12.7	
WST-19-0146	3525	Lynx 310	including 159.6	453289	5435116	175	-44	63.0	65.0	2.0	4.84	
WST-19-0146	3525	Lynx 310	including 159.6	453289	5435116	175	-44	63.8	64.1	0.3	31.8	
WST-19-0146	3525	Lynx 320	including 159.6	453289	5435116	175	-44	77.0	79.0	2.0	3.51	
WST-19-0146	3525	Lynx 310	including 159.6	453289	5435116	175	-44	88.0	90.0	2.0	63.7	50.2
WST-19-0146	3525	Lynx 305	including 159.6	453289	5435116	175	-44	89.0	90.0	1.0	127	100
WST-19-0146	3525	Lynx 305	including 159.6	453289	5435116	175	-44	105.4	109.4	4.0	5.60	
WST-19-0148	3500	Lynx 311	including 144.6	453268	5435108	128	-39	55.5	57.6	2.1	10.5	
								56.8	57.2	0.4	51.7	
WST-19-0148	3500	Lynx	including 144.6	453268	5435108	128	-39	77.8	80.1	2.3	11.6	
								79.7	80.1	0.4	35.4	
WST-19-0148	3500	Lynx 305	including 144.6	453268	5435108	128	-39	112.0	114.2	2.2	59.3	41.8
								112.0	112.7	0.7	155	100
WST-19-0148	3500	Lynx 304	including 144.6	453268	5435108	128	-39	118.8	121.2	2.4	6.31	
								120.5	121.2	0.7	38.6	
WST-19-0149	3475	Lynx 311	including 90.4	453252	5435110	159	-28	49.0	51.3	2.2	106	68.4
								49.0	49.4	0.4	199	100
								50.7	51.2	0.5	188	100
WST-19-0149	3475	Lynx 310	including 90.4	453252	5435110	159	-28	76.0	78.4	2.4	4.03	
WST-19-0151	3525	Lynx 311	including 72.6	453290	5435116	152	-16	34.0	36.0	2.0	30.4	20.9
WST-19-0151	3525	Lynx 308	including 72.6	453290	5435116	152	-16	35.2	35.6	0.4	148	100
WST-19-0151	3525	Lynx 308	including 72.6	453290	5435116	152	-16	51.0	53.1	2.1	32.0	30.0
WST-19-0152	3525	Lynx 308	including 120.6	453290	5435116	154	-27	51.8	52.4	0.6	107	100
								52.3	52.7	0.4	45.1	
WST-19-0153	3525	Lynx 308	including 114.6	453289	5435116	162	25	45.9	50.4	4.5	15.9	
								45.9	47.0	1.1	51.0	
WST-19-0154	3525	Lynx 308	including 123.6	453288	5435116	175	26	47.0	49.1	2.1	6.85	
								48.0	48.6	0.6	18.8	
WST-19-0154	3525	Lynx	including 123.6	453288	5435116	175	26	55.0	57.0	2.0	8.65	
								56.0	56.5	0.5	33.5	
WST-19-0154	3525	Lynx 320	including 123.6	453288	5435116	175	26	73.0	75.2	2.2	95.5	27.9
								74.0	74.6	0.6	348	100
WST-19-0154	3525	Lynx	including 123.6	453288	5435116	175	26	78.0	80.3	2.3	4.93	
								79.3	79.8	0.5	21.3	
WST-19-0154	3525	Lynx 304	including 123.6	453288	5435116	175	26	102.1	104.2	2.1	7.04	
WST-19-0154	3525	Lynx 304	including 123.6	453288	5435116	175	26	102.6	102.9	0.3	47.5	
								106.2	109.0	2.8	12.6	
WST-19-0155	3500	Lynx 311	including 136.8	453268	5435108	124	-32	106.2	108.9	2.7	46.0	
WST-19-0155	3500	Lynx	including 136.8	453268	5435108	124	-32	51.0	53.3	2.3	5.60	
								67.0	69.0	2.0	13.8	
WST-19-0155	3500	Lynx	including 136.8	453268	5435108	124	-32	68.0	69.0	1.0	27.3	
WST-19-0155	3500	Lynx	including 136.8	453268	5435108	124	-32	96.7	100.0	3.3	4.67	
WST-19-0155	3500	Lynx	including 136.8	453268	5435108	124	-32	104.5	107.0	2.5	5.79	
WST-19-0155	3500	Lynx	including 136.8	453268	5435108	124	-32	112.0	114.0	2.0	3.04	
WST-19-0156	3525	Lynx 311	including 141.6	453289	5435116	161	-39	46.0	48.9	2.9	10.4	
								47.8	48.6	0.8	30.2	
WST-19-0156	3525	Lynx 305	including 141.6	453289	5435116	161	-39	98.5	101.0	2.5	21.3	16.5
								99.6	101.0	0.4	130	100
WST-19-0157	3525	Lynx 311	including 102.6	453289	5435116	164	-47	48.2	50.8	2.6	9.84	
								49.6	50.3	0.7	33.1	
WST-19-0157	3525	Lynx 308	including 102.6	453289	5435116	164	-47	70.0	72.0	2.0	3.86	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
WST-19-0158	3525	Lynx 305	150.5	453290	5435116	150	-50	119.0	121.3	2.0	10.3	
WST-19-0158	3525	Lynx 304	150.5	453290	5435116	150	-50	132.0	134.0	2.0	3.39	
WST-19-0159	2400	227 101	182.8	452234	5434710	296	-59	145.0	147.9	2.9	9.86	
WST-19-0159	2400	227 115	182.8	452234	5434710	296	-59	147.0	147.9	0.9	22.7	
WST-19-0159	2400	227 corridor	255.2	452236	5434711	946	-54	66.9	70.9	4.0	5.85	
WST-19-0162	3525	Lynx 308	129.6	453290	5435116	138	-7	68.7	69.2	0.5	18.4	
WST-19-0164	3525	Lynx 320	129.6	453290	5435116	138	-7	50.6	52.0	2.0	6.85	
WST-19-0164	3525	Lynx 320	129.6	453290	5435116	138	-7	50.6	50.9	0.3	45.1	
WST-19-0164	3525	Lynx 320	129.6	453290	5435116	138	-7	67.0	69.0	2.0	3.54	
WST-19-0164	3525	Lynx 320	129.6	453290	5435116	138	-7	72.0	74.0	2.0	14.0	
WST-19-0164	3525	Lynx 320	129.6	453290	5435116	138	-7	72.3	72.9	0.6	43.3	
WST-19-0164	3525	Lynx 320	129.6	453290	5435116	138	-7	79.6	82.0	2.4	8.98	
WST-19-0164	3525	Lynx 304	129.6	453290	5435116	138	-7	79.6	80.5	0.9	22.3	
WST-19-0164	3525	Lynx 304	129.6	453290	5435116	138	-7	88.0	90.0	2.0	30.3	
WST-19-0166	3525	Lynx 305	120.6	453290	5435116	130	-5	88.6	89.2	0.6	59.7	
WST-19-0166	3525	Lynx 305	120.6	453290	5435116	130	-5	73.0	75.0	2.0	4.66	
WST-19-0167	3525	Lynx 308	123.6	453290	5435116	138	-15	73.4	73.9	0.5	17.7	
WST-19-0167	3525	Lynx 308	123.6	453290	5435116	138	-15	51.0	53.0	2.0	15.1	
WST-19-0167	3525	Lynx 320	123.6	453290	5435116	138	-15	51.4	53.9	0.5	57.2	
WST-19-0167	3525	Lynx 320	123.6	453290	5435116	138	-15	57.0	59.0	2.0	8.55	
WST-19-0167	3525	Lynx 320	123.6	453290	5435116	138	-15	64.9	69.2	4.3	20.7	
WST-19-0167	3525	Lynx 304	123.6	453290	5435116	138	-15	66.6	67.0	0.4	64.1	
WST-19-0167	3525	Lynx 304	123.6	453290	5435116	138	-15	87.1	90.0	2.9	89.2	57.0
WST-19-0168	3525	Lynx 308	111.6	453291	5435116	126	-26	87.4	88.2	0.8	217	100
WST-19-0168	3525	Lynx 310	111.6	453291	5435116	126	-26	44.6	46.8	2.2	6.94	
WST-19-0168	3525	Lynx 310	111.6	453291	5435116	126	-26	45.4	45.8	0.4	28.5	
WST-19-0168	3525	Lynx 310	111.6	453291	5435116	126	-26	63.5	65.5	2.0	14.8	
WST-19-0168	3525	Lynx 310	111.6	453291	5435116	126	-26	64.2	64.7	0.5	58.4	
WST-19-0168	3525	Lynx 304	111.6	453291	5435116	126	-26	73.0	75.0	2.0	5.66	
WST-19-0168	3525	Lynx 304	111.6	453291	5435116	126	-26	87.9	90.0	2.1	153	76.9
WST-19-0168	3525	Lynx 304	111.6	453291	5435116	126	-26	87.9	88.6	0.7	198	100
WST-19-0168	3525	Lynx 304	111.6	453291	5435116	126	-26	88.6	89.5	0.9	197	100
WST-19-0169	3525	Lynx 308	138.7	453291	5435116	122	-6	42.9	45.0	2.1	6.30	
WST-19-0169	3525	Lynx 308	138.7	453291	5435116	122	-6	42.9	43.3	0.4	31.1	
WST-19-0169	3525	Lynx 304	138.7	453291	5435116	122	-6	53.0	55.0	2.0	12.0	
WST-19-0169	3525	Lynx 304	138.7	453291	5435116	122	-6	54.0	54.5	0.5	47.6	
WST-19-0169	3525	Lynx 304	138.7	453291	5435116	122	-6	98.0	100.8	2.8	16.7	
WST-19-0170	3525	Lynx 308	138.6	453291	5435116	117	-16	99.5	100.0	0.5	80.5	
WST-19-0170	3525	Lynx 308	138.6	453291	5435116	117	-16	47.0	50.0	3.0	2.23	
WST-19-0170	3525	Lynx 310	138.6	453291	5435116	117	-16	65.0	67.6	2.6	8.34	
WST-19-0170	3525	Lynx 310	138.6	453291	5435116	117	-16	67.1	67.6	0.5	50.5	
WST-19-0170	3525	Lynx 305	138.6	453291	5435116	117	-16	79.5	81.5	2.0	5.46	
WST-19-0170	3525	Lynx 305	138.6	453291	5435116	117	-16	81.0	81.5	0.5	21.0	
WST-19-0170	3525	Lynx 305	138.6	453291	5435116	117	-16	127.0	129.8	2.8	5.50	
WST-19-0170	3525	Lynx 310	147.6	453291	5435116	117	-29	128.5	129.8	1.3	11.8	
WST-19-0172	3525	Lynx 310	147.6	453291	5435116	117	-29	71.0	73.5	2.5	50.9	22.3
WST-19-0172	3525	Lynx 305	147.6	453291	5435116	117	-29	71.4	71.9	0.5	243	100
WST-19-0172	3525	Lynx 305	147.6	453291	5435116	117	-29	76.6	78.9	2.3	32.4	
WST-19-0172	3525	Lynx 304	147.6	453291	5435116	117	-29	77.0	77.4	0.4	85.5	
WST-19-0172	3525	Lynx 304	147.6	453291	5435116	117	-29	78.5	78.9	0.4	96.3	
WST-19-0172	3525	Lynx 304	147.6	453291	5435116	117	-29	86.6	89.3	2.7	22.7	
WST-19-0172	3525	Lynx 304	147.6	453291	5435116	117	-29	87.6	88.5	0.9	43.5	
WST-19-0172	3525	Lynx 304	147.6	453291	5435116	117	-29	90.9	93.0	2.1	4.09	
WST-19-0177	3525	Lynx 305	111.5	453291	5435116	119	5	92.5	93.0	0.5	12.1	
WST-19-0177	3525	Lynx 305	111.5	453291	5435116	119	5	91.0	93.1	2.1	9.33	
WST-19-0177	3525	Lynx 305	111.5	453291	5435116	119	5	92.0	92.4	0.4	43.9	
WST-19-0177	3525	Lynx 305	111.5	453291	5435116	119	5	100.3	104.0	3.7	6.31	
WST-19-0177	3525	Lynx 316	111.5	453291	5435116	125	12	106.0	120.0	4.0	4.67	
WST-19-0178	3525	Lynx 316	117.5	453291	5435116	125	12	87.8	90.0	2.2	9.82	
WST-19-0179	3500	Lynx 311	102.2	453272	5435107	182	-21	88.4	89.1	0.7	26.9	
WST-19-0179	3500	Lynx 311	102.2	453272	5435107	182	-21	34.0	36.0	2.0	36.2	
WST-19-0179	3500	Lynx 311	102.2	453272	5435107	182	-21	34.8	35.6	0.8	89.6	
WST-19-0179	3500	Lynx 305	102.2	453272	5435107	182	-21	39.0	40.0	2.0	3.01	
WST-19-0179	3500	Lynx 305	102.2	453272	5435107	182	-21	57.0	59.0	2.0	3.43	
WST-19-0179	3500	Lynx 305	102.2	453272	5435107	182	-21	81.3	83.9	2.6	10.9	
WST-19-0180	3500	Lynx 305	102.2	453272	5435107	186	-13	83.4	83.9	0.5	35.0	
WST-19-0181	3500	Lynx 311	129.6	453273	5435108	158	-23	89.4	92.6	2.2	3.62	
WST-19-0181	3500	Lynx 311	129.6	453273	5435108	158	-23	85.9	86.0	0.1	181	
WST-19-0181	3500	Lynx 311	129.6	453273	5435108	158	-23	36.3	36.8	0.5	16.0	
WST-19-0181	3500	Lynx 311	129.6	453273	5435108	158	-23	118.8	121.0	2.2	14.1	
WST-19-0182	3500	Lynx 311	114.2	453271	5435107	194	-21	119.1	119.6	0.5	54.8	
WST-19-0182	3500	Lynx 311	114.2	453271	5435107	194	-21	38.0	40.0	2.0	31.3	
WST-19-0183	2575	227 103	106.1	452281	5434974	148	4	39.2	40.0	0.8	84.1	
WST-19-0184	2575	227 104	105.7	452281	5434975	128	-5	37.0	39.0	2.0	3.92	
WST-19-0184	2575	227 104	105.7	452281	5434975	128	-5	37.8	38.2	0.4	19.1	
WST-19-0185	2575	227	100.7	452283	5434975	138	-23	79.1	81.1	2.0	4.41	
WST-19-0185	2575	227	100.7	452283	5434975	138	-23	80.0	80.8	0.8	10.5	
WST-19-0186	2575	227 103	105.9	452283	5434974	155	21	1.8	1.8	0.0	6.20	
WST-19-0186	2575	227 103	105.9	452283	5434974	155	21	35.0	37.0	2.0	4.17	



**Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) ass'd	Au (g/t) cut to 100 g/t
WST-19-0187	2250	227 115	including 136.6	452118	5434606	320	6	108.4	110.5	2.1	6.02	
WST-19-0187	2250	227	including 136.6	452118	5434606	320	6	109.7	110.0	0.3	40.4	
WST-19-0187	2250	227	including 136.6	452118	5434606	320	6	124.2	126.4	2.2	3.83	
WST-19-0188	2250	Caribou	including 144.5	452118	5434606	320	-37	82.0	87.0	5.0	2.46	
WST-19-0188	2250	227 101	including 144.5	452118	5434606	320	-37	63.5	64.1	0.6	12.4	
WST-19-0188	2250	227 115	including 144.5	452118	5434606	320	-37	98.0	100.0	2.0	4.93	
WST-19-0188	2250	227 115	including 144.5	452118	5434606	320	-37	106.9	109.0	2.1	76.6	39.1
WST-19-0189	2250	227 101	including 138.5	452119	5434606	325	16	106.0	107.7	1.7	8.22	100
WST-19-0189	2250	227 115	including 138.5	452119	5434606	325	16	103.7	104.6	0.9	16.6	
WST-19-0189	2250	227 115	including 138.5	452119	5434606	325	16	107.9	110.0	2.1	3.08	
WST-19-0190	2250	227 115	including 138.5	452119	5434606	325	-31	115.4	117.4	2.0	3.45	
WST-19-0191	2250	227 101	including 121.6	452119	5434606	338	0	85.4	87.6	2.2	9.13	
WST-19-0192	2250	Caribou 201	including 120.5	452119	5434606	336	-21	87.0	87.6	0.6	30.9	
WST-19-0192	2250	227 115	including 120.5	452119	5434606	336	-21	73.0	73.3	0.3	12.0	
WST-19-0192	2250	227 115	including 120.5	452119	5434606	336	-21	96.7	99.0	2.4	9.05	
WST-19-0192	2250	227 115	including 120.5	452119	5434606	336	-21	103.2	105.5	2.3	7.08	
WST-19-0193	2325	Caribou corridor	including 150.3	452193	5434661	317	-42	114.9	114.4	2.5	5.30	
WST-19-0193	2325	Caribou 203	including 150.5	452193	5434661	317	-42	56.0	58.0	2.0	3.34	
WST-19-0193	2325	227 115	including 150.3	452193	5434661	317	-42	120.5	123.0	2.5	9.25	
WST-19-0194	2350	227 115	including 142.6	452204	5434662	340	-47	136.5	138.6	2.1	6.42	
WST-19-0195	3425	Lynx 307	including 167.6	453176	5453125	186	13	137.0	137.8	0.8	14.2	
WST-19-0198	3425	Lynx 311	including 132.5	453176	5453125	177	3	69.2	72.4	3.2	51.0	31.9
WST-19-0201	3425	Lynx 307	including 129.6	453177	5453125	162	-8	67.6	72.4	0.6	20.9	100
WST-19-0201	3425	Lynx 319	including 129.6	453177	5453125	162	-8	67.6	70.0	2.4	15.0	
WST-19-0202	3425	Lynx 307	including 135.5	453178	5453126	156	1	64.8	68.5	0.3	66.7	
WST-19-0202	3425	Lynx 319	including 135.5	453178	5453126	156	1	73.4	76.8	3.4	8.44	
WST-19-0202	3425	Lynx 307	including 126.6	453178	5453126	156	-16	74.0	74.3	0.3	94.4	
WST-19-0202	3425	Lynx 319	including 135.5	453178	5453126	156	1	81.0	83.0	2.0	453	35.0
WST-19-0203	3425	Lynx 307	including 126.6	453178	5453126	156	-16	66.3	69.8	3.5	6.66	
WST-19-0205	3425	Lynx 309	including 168.6	453178	5453126	147	5	65.1	68.0	0.6	16.5	
WST-19-0205	3425	Lynx 311	including 168.6	453178	5453126	147	5	84.0	86.0	2.0	3.11	
WST-19-0205	3425	Lynx 304	including 168.6	453178	5453126	147	5	157.0	159.0	2.0	71.8	15.1
WST-19-0206	3425	Lynx 319	including 171.7	453178	5453126	147	-3	157.7	158.0	0.3	478	100
WST-19-0206	3425	Lynx 305	including 171.7	453178	5453126	147	-3	78.0	78.0	0.0	44.5	20.1
WST-19-0207	3425	Lynx 307	including 136.6	453178	5453126	147	-12	76.8	77.2	0.4	222	100
WST-19-0207	3425	Lynx 309	including 136.6	453178	5453126	147	-12	73.7	74.0	0.3	36.4	
WST-19-0207	3425	Lynx 319	including 136.6	453178	5453126	147	-12	75.4	76.0	0.6	16.6	
WST-19-0207	3425	Lynx 310	including 136.6	453178	5453126	147	-12	76.8	77.1	0.3	76.8	
WST-19-0208	3425	Lynx 310	including 136.6	453178	5453126	147	-12	117.0	119.0	2.0	3.46	
WST-19-0208	3425	Lynx 307	including 143.6	453178	5453126	147	-21	118.2	118.5	0.3	17.6	
WST-19-0209	3425	Lynx 307	including 143.6	453178	5453126	147	-21	75.5	77.5	2.0	11.8	
WST-19-0209	3425	Lynx 307	including 129.6	453178	5453126	147	-30	72.4	75.1	2.7	36.7	65.5
WST-19-0209	3425	Lynx 307	including 129.6	453178	5453126	147	-30	74.0	74.5	0.5	966	100
WST-19-0209	3425	Lynx 307	including 129.6	453178	5453126	147	-30	81.9	84.1	2.2	3.66	
WST-19-0210	3425	Lynx 319	including 156.6	453176	5453125	187	22	91.2	95.7	4.5	10.3	
WST-19-0210	3425	Lynx	including 156.6	453176	5453125	187	22	91.2	92.7	1.0	24.7	
WST-19-0210	3425	Lynx	including 156.6	453176	5453125	187	22	135.0	132.0	2.0	7.30	
WST-19-0210	3425	Lynx	including 156.6	453176	5453125	187	22	130.0	131.0	1.0	14.5	
WST-19-0211	3425	Lynx 307	including 150.6	453177	5453125	172	14	77.6	81.0	4.0	5.21	
WST-19-0212	3425	Lynx 311	including 165.6	453178	5453126	131	-13	86.2	88.3	2.1	23.5	19.4
WST-19-0213	3425	Lynx 311	including 192.6	453178	5453126	131	-21	87.4	87.8	0.4	122	100
WST-19-0213	3425	Lynx 311	including 192.6	453178	5453126	131	-21	81.4	87.6	6.2	15.6	
WST-19-0213	3425	Lynx 311	including 192.6	453178	5453126	131	-21	85.4	86.1	0.7	44.1	
WST-19-0214	2575	Caribou 201	including 291.6	452281	5434975	135	-32	89.0	91.4	2.4	4.85	
WST-19-0215	2575	Caribou 201	including 183.5	452118	5453127	144	30	90.1	90.4	0.3	35.3	
WST-19-0217	3425	Lynx 309	including 120.7	453178	5453126	156	17	162.1	216.7	2.3	6.72	
WST-19-0219	2400	Caribou corridor	including 300.6	452157	5434857	142	17	162.1	164.6	2.4	53.9	22.4
WST-19-0220	2400	227 116	including 251.7	452157	5434857	142	6	74.9	77.0	2.1	8.46	
WST-19-0220	2400	Caribou 201	including 251.7	452157	5434857	142	6	74.9	75.1	0.4	40.4	
WST-19-0220	2400	Caribou 238	including 251.7	452157	5434857	142	6	135.0	137.1	2.1	4.01	
WST-19-0221	2400	Caribou 207	including 252.6	452157	5434857	147	-3	136.6	137.1	0.5	16.3	
WST-19-0221	2400	Caribou 207	including 252.6	452157	5434857	147	-3	235.0	237.0	2.0	5.24	
WST-19-0221	2400	Caribou 207	including 252.6	452157	5434857	147	-3	235.0	235.9	0.9	21.0	
WST-19-0221	2400	Caribou 207	including 252.6	452157	5434857	147	-3	119.0	121.0	2.0	14.5	



Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/ton)	Au (g/t) cut to 100 g
including												
WST-10-0223	2475	Caribou 225	390.5	452208	5454898	145	-13	119.8	120.1	0.3	96.3	
WST-10-0224	2475	Caribou 231	315.7	452208	5454899	132	6	204.4	205.5	5.1	12.6	
including												
WST-10-0225	2475	Z27 corridor	329.4	452208	5454899	132	-9	12.7	12.8	2.1	44.2	
WST-10-0225	2475	Caribou corridor	329.4	452208	5454899	132	-9	199.1	201.4	2.3	4.64	
WST-10-0225	2475	Caribou corridor	329.4	452208	5454899	132	-9	325.0	327.0	2.0	5.17	
WST-10-0226	2575	Z27 101	315.0	452281	5454974	141	-15	109.0	111.4	2.4	46.4	43.1
including												
WST-10-0227	2575	Caribou 218	339.5	452281	5454974	134	-17	109.0	110.0	1.0	108.0	100
including												
WST-10-0227	2575	Caribou 201	339.5	452281	5454974	124	-17	218.7	220.7	2.0	26.9	
WST-10-0228	3450	Lynx 308	150.6	453216	5455115	128	14	81.0	83.0	2.0	25.1	20.4
including												
WST-10-0229	3450	Lynx 308	111.6	453216	5455114	140	11	82.1	82.5	0.4	124	100
including												
WST-10-0229	3450	Lynx 311	111.6	453216	5455114	140	11	76.6	78.6	2.0	5.34	
including												
WST-10-0230	3450	Lynx	150.6	453215	5455114	161	20	50.0	52.0	2.0	8.98	
including												
WST-10-0230	3450	Lynx 308	150.6	453215	5455114	161	20	70.0	72.0	2.0	13.7	
including												
WST-10-0230	3450	Lynx 306	150.6	453215	5455114	161	20	129.9	132.0	2.1	4.91	
including												
WST-10-0230	3450	Lynx 323	150.6	453215	5455114	161	20	130.8	131.2	0.4	25.3	
WST-10-0231	3450	Lynx 308	153.6	453215	5455114	161	30	146.0	148.5	2.5	3.57	
including												
WST-10-0231	3450	Lynx 308	153.6	453215	5455114	161	30	89.0	71.6	2.6	5.17	
including												
WST-10-0232	3450	Lynx 308	147.6	453215	5455114	161	-1	66.0	68.0	2.0	10.5	
WST-10-0233	3450	Lynx	88.7	453215	5455114	183	12	88.0	90.0	2.0	4.16	
WST-10-0234	3450	Lynx 311	156.6	453216	5455114	150	17	69.2	72.6	3.4	15.3	17.8
including												
WST-10-0234	3450	Lynx 304	156.6	453216	5455114	150	17	119.0	121.0	2.0	10.8	100
including												
WST-10-0235	3450	Lynx 308	158.6	453216	5455114	150	9	69.6	71.6	2.0	25.4	23.5
including												
WST-10-0235	3450	Lynx 320	158.6	453216	5455114	150	9	101.0	103.6	2.6	6.58	
including												
WST-10-0235	3450	Lynx 304	158.6	453216	5455114	150	9	118.8	121.1	2.3	7.89	
including												
WST-10-0236	3450	Lynx 304	168.6	453216	5455114	150	9	118.6	121.1	0.5	36.3	
WST-10-0237	3450	Lynx 308	96.6	453216	5455114	173	22	72.0	74.9	2.9	4.88	
including												
WST-10-0238	3450	Lynx	96.6	453216	5455114	173	12	89.1	91.1	2.0	4.32	
WST-10-0239	3450	Lynx 311	90.6	453215	5455114	173	1	66.6	69.1	2.5	9.88	
including												
WST-10-0240	3450	Lynx 308	177.6	453217	5455115	135	-3	68.5	69.1	0.6	37.9	
including												
WST-10-0242	3500	Lynx 310	71.7	453307	5455063	119	31	74.4	77.6	2.6	9.62	
including												
WST-10-0242	3500	Lynx	71.7	453307	5455063	119	31	4.0	5.0	1.0	10.1	
including												
WST-10-0242	3500	Lynx 310	71.7	453307	5455063	119	31	10.0	12.0	2.0	8.15	
including												
WST-10-0243	3500	Lynx 310	67.3	453307	5455063	119	31	18.0	18.8	2.8	20.2	14.7
including												
WST-10-0243	3500	Lynx 310	67.3	453307	5455063	119	31	17.4	17.8	0.4	139	100
including												
WST-10-0243	3500	Lynx 304	67.3	453306	5455063	124	42	15.0	17.3	2.3	5.08	
including												
WST-10-0243	3500	Lynx 304	67.3	453306	5455063	124	42	16.5	16.8	0.3	33.9	
including												
WST-10-0244	3500	Lynx 310	72.7	453306	5455063	124	23	48.1	48.1	2.0	10.1	
including												
WST-10-0244	3500	Lynx 305	72.7	453306	5455063	124	23	12.0	15.3	3.3	8.22	
including												
WST-10-0244	3500	Lynx 304	72.7	453306	5455063	124	23	15.0	15.3	0.3	43.1	
including												
WST-10-0245	3500	Lynx 310	69.0	453305	5455063	138	49	37.0	39.0	2.0	19.1	16.3
including												
WST-10-0245	3500	Lynx 310	69.0	453305	5455063	138	49	37.8	38.1	0.3	132	100
including												
WST-10-0246	3500	Lynx 310	77.6	453305	5455063	143	40	40.6	44.0	3.4	26.9	
including												
WST-10-0246	3500	Lynx 310	77.6	453305	5455063	143	40	17.1	17.1	0.3	32.4	
including												
WST-10-0246	3500	Lynx 310	77.6	453305	5455063	143	40	19.9	20.0	0.1	5.00	
including												
WST-10-0246	3500	Lynx 305	77.6	453305	5455063	143	40	12.5	15.0	2.5	5.06	
including												
WST-10-0246	3500	Lynx 305	77.6	453305	5455063	143	40	14.7	15.0	0.3	33.9	
including												
WST-10-0246	3500	Lynx 305	77.6	453305	5455063	143	40	31.0	35.0	2.0	3.47	
including												
WST-10-0246	3500	Lynx 306	72.6	453305	5455063	143	40	34.7	35.0	0.3	21.8	
including												
WST-10-0247	3500	Lynx 305	72.5	453305	5455063	155	33	59.3	60.1	0.8	9.15	
including												
WST-10-0247	3500	Lynx 304	72.5	453305	5455063	155	33	5.0	9.8	4.8	8.65	
including												
WST-10-0247	3500	Lynx 304	72.5	453305	5455063	155	33	9.5	9.8	0.3	22.1	
including												
WST-10-0247	3500	Lynx 304	72.5	453305	5455063	155	33	40.6	42.6	2.0	29.8	
including												
WST-10-0248	3500	Lynx 304	72.8	453305	5455063	155	30	40.6	43.4	0.8	73.5	
including												
WST-10-0249	3450	Lynx 308	114.5	453217	5455115	134	20	35.8	38.1	2.5	5.76	
including												
WST-10-0249	3450	Lynx 308	114.5	453217	5455115	134	20	83.0	85.0	2.0	17.4	
including												
WST-10-0249	3450	Lynx 310	114.5	453217	5455115	134	30	20.0	20.5	0.4	40.6	
including												
WST-10-0249	3450	Lynx 310	114.5	453217	5455115	134	30	88.0	90.0	2.5	3.73	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
including												
WST-19-0249	3450	Lynx 305	114.5	453217	5435115	134	20	88.6	88.9	0.3	30.2	
including												
WST-19-0250	3450	Lynx 308	162.5	453217	5435115	139	8	110.0	112.0	2.0	54.4	32.8
including												
WST-19-0250	3450	Lynx 308	162.5	453217	5435115	139	8	110.4	111.0	0.6	37.2	100
including												
WST-19-0250	3450	Lynx 308	162.5	453217	5435115	139	8	70.0	72.0	2.0	4.03	
including												
WST-19-0250	3450	Lynx 308	162.5	453217	5435115	139	8	70.6	70.9	0.3	26.1	
including												
WST-19-0250	3450	Lynx 308	162.5	453217	5435115	139	8	77.4	80.0	2.6	30.2	19.9
including												
WST-19-0250	3450	Lynx 310	162.5	453217	5435115	139	8	97.5	99.8	2.3	3.05	
including												
WST-19-0250	3450	Lynx 304	162.5	453217	5435115	139	8	98.3	98.7	0.4	16.3	
including												
WST-19-0251	3450	Lynx 308	155.1	453217	5435115	143	17	125.0	127.0	2.0	8.30	
including												
WST-19-0251	3450	Lynx 308	155.1	453217	5435115	143	17	125.0	125.3	0.3	55.3	
including												
WST-19-0251	3450	Lynx 308	155.1	453217	5435115	143	17	69.8	72.3	2.5	135	32.1
including												
WST-19-0251	3450	Lynx 308	155.1	453217	5435115	143	17	69.8	70.6	0.8	422	100
including												
WST-19-0251	3450	Lynx 308	155.1	453217	5435115	143	17	75.6	78.0	2.4	6.11	
including												
WST-19-0252	3450	Lynx 308	156.6	453217	5435115	143	12	76.3	76.8	0.5	25.2	
including												
WST-19-0252	3450	Lynx 308	156.6	453217	5435115	143	12	68.5	70.6	2.1	7.31	
including												
WST-19-0252	3450	Lynx 308	156.6	453217	5435115	143	12	70.3	70.6	0.3	39.4	
including												
WST-19-0252	3450	Lynx 308	156.6	453217	5435115	143	12	75.7	77.9	2.2	8.28	
including												
WST-19-0252	3450	Lynx 310	156.6	453217	5435115	143	12	77.6	77.9	0.3	37.1	
including												
WST-19-0253	3450	Lynx 308	156.5	453217	5435115	143	6	90.9	99.0	2.1	6.29	
including												
WST-19-0253	3450	Lynx 308	156.5	453217	5435115	143	6	92.0	92.6	0.6	21.9	
including												
WST-19-0253	3450	Lynx 304	156.5	453217	5435115	143	6	70.4	72.7	2.3	38.4	
including												
WST-19-0253	3450	Lynx 304	156.5	453217	5435115	143	6	71.9	72.7	0.8	72.9	
including												
WST-19-0253	3450	Lynx 304	156.5	453217	5435115	143	6	121.0	123.1	2.1	6.82	
including												
WST-19-0253	3450	Lynx 323	156.5	453217	5435115	143	6	122.7	123.1	0.4	34.0	
including												
WST-19-0254	3450	Lynx 311	168.0	453217	5435115	143	1	149.9	152.3	2.4	74.9	
including												
WST-19-0254	3450	Lynx 311	168.0	453217	5435115	143	1	150.5	151.0	0.5	36.3	
including												
WST-19-0254	3450	Lynx 308	168.0	453217	5435115	143	1	59.3	61.7	2.4	17.1	13.6
including												
WST-19-0254	3450	Lynx 308	168.0	453217	5435115	143	1	61.4	61.7	0.3	129	100
including												
WST-19-0255	3450	Lynx 311	93.0	453216	5435115	145	24	69.0	71.6	2.6	5.84	
including												
WST-19-0255	3450	Lynx 308	93.0	453216	5435115	145	24	76.0	78.0	2.0	6.97	
including												
WST-19-0259	3450	Lynx 311	96.5	453216	5435114	164	26	70.6	76.8	6.2	9.96	9.92
including												
WST-19-0260	3500	Lynx 310	87.4	453298	5435067	169	34	70.6	76.8	6.2	9.96	100
including												
WST-19-0260	3500	Lynx 304	87.4	453298	5435067	169	34	8.8	10.9	2.1	10.1	
including												
WST-19-0261	3500	Lynx 304	72.5	453298	5435066	169	25	8.8	9.4	0.6	26.9	
including												
WST-19-0261	3500	Lynx 304	72.5	453298	5435066	169	25	51.0	53.0	2.0	6.29	
including												
WST-19-0261	3500	Lynx 305	105.5	453298	5435066	161	8	55.0	57.0	2.0	8.28	
including												
WST-19-0263	3500	Lynx 304	105.5	453298	5435066	161	8	18.0	20.3	2.3	4.26	
including												
WST-19-0263	3500	Lynx 304	105.5	453298	5435066	161	8	19.3	19.7	0.4	24.2	
including												
WST-19-0266	3500	Lynx 320	120.6	453298	5435066	165	-11	49.9	52.4	2.5	8.46	
including												
WST-19-0266	3500	Lynx 320	120.6	453298	5435066	165	-11	51.2	51.8	0.6	22.1	
including												
WST-19-0266	3500	Lynx 304	120.6	453298	5435066	165	-11	8.5	10.0	2.0	8.95	
including												
WST-19-0266	3500	Lynx 306	120.6	453298	5435066	165	-11	53.4	55.4	2.0	113	33.7
including												
WST-19-0266	3500	Lynx 306	120.6	453298	5435066	165	-11	54.5	55.1	0.6	363	100
including												
WST-19-0267	3500	Lynx 319	108.6	453298	5435066	173	5	92.8	95.0	2.2	58.5	
including												
WST-19-0267	3500	Lynx 319	108.6	453298	5435066	173	5	93.0	95.0	2.0	6.29	
including												
WST-19-0267	3500	Lynx 306	108.6	453298	5435066	173	5	31.6	34.1	0.5	25.0	
including												
WST-19-0267	3500	Lynx 306	108.6	453298	5435066	173	5	84.7	87.0	2.3	13.0	
including												
WST-19-0269	3500	Lynx 304	111.6	453298	5435066	178	4	84.7	85.0	0.3	33.1	
including												
WST-19-0270	3500	Lynx 306	114.7	453298	5435066	179	6	44.2	46.5	2.3	6.80	
including												
WST-19-0272	3525	Lynx 304	111.6	453290	5435116	138	25	81.0	83.4	2.4	9.29	
including												
WST-19-0274	3525	Lynx 306	119.4	453290	5435116	120	50	77.8	80.0	2.2	13.2	
including												
WST-19-0276	3525	Lynx 316	111.3	453291	5435116	126	20	85.9	88.3	2.4	17.8	17.1
including												
WST-19-0276	3525	Lynx 306	111.3	453291	5435116	126	20	86.6	87.0	0.4	105	100
including												
WST-19-0277	3525	Lynx 341	117.2	453291	5435117	111	27	97.8	99.1	2.3	42.3	
including												
WST-19-0277	3525	Lynx 341	117.2	453291	5435117	111	27	95.0	97.3	2.3	4.91	
including												
WST-19-0278	3525	Lynx 316	141.4	453291	5435116	111	6	96.9	93.9	2.0	7.27	
including												
WST-19-0282	3475	Lynx 311	81.5	453228	5435126	173	-16	48.0	50.0	2.0	7.53	
including												
WST-19-0283	3475	Lynx 311	213.8	453227	5435126	165	25	65.6	68.0	2.4	0.75	
including												
WST-19-0284	3475	Lynx 311	81.5	453228	5435126	162	-21	50.0	52.0	2.0	5.37	
including												
WST-19-0284	3475	Lynx 311	81.5	453228	5435126	162	-21	65.7	67.8	2.1	3.64	
including												
WST-19-0285	3475	Lynx 320	210.5	453227	5435126	161	-25	113.9	116.0	2.1	3.93	
including												
WST-19-0285	3475	Lynx 319	210.5	453227	5435126	161	-25	114.8	115.3	0.5	15.3	
including												
WST-19-0285	3475	Lynx 319	210.5	453227	5435126	161	-25	118.0	120.0	2.0	3.35	
including												
WST-19-0286	3475	Lynx 311	84.6	453228	5435126	153	16	118.6	119.2	0.6	10.9	
including												
WST-19-0286	3475	Lynx 308	86.6	453228	5435126	153	16	54.3	56.3	2.0	99.2	55.1
including												
WST-19-0286	3475	Lynx 308	86.6	453228	5435126	153	16	55.7	56.3	0.6	247	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acumuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
			including					80.0	85.0	1.0	12.8	
WST-20-0287	3475	Lynx 311	220.4	453228	5435126	153	5	51.9	54.2	2.3	31.4	28.3
			including					52.3	52.9	0.6	112	100
WST-20-0287	3475	Lynx 311	220.4	453228	5435126	153	5	85.6	88.0	2.4	13.4	12.8
			including					87.7	88.0	0.3	105	100
WST-20-0287	3475	Lynx 319	220.4	453228	5435126	153	5	105.4	112.0	6.6	19.1	18.3
			including					105.4	106.7	0.3	117	100
			and					111.0	112.0	1.0	85.0	
WST-20-0287	3475	Lynx 304	220.4	453228	5435126	153	5	140.0	142.0	2.0	13.2	
			including					140.8	141.2	0.4	62.5	
WST-20-0288	3475	Lynx 311	228.7	453228	5435127	152	-7	52.2	54.2	2.0	6.62	
WST-20-0290	3475	Lynx 311	222.6	453229	5435127	140	2	55.0	57.3	2.3	20.3	
			including					56.7	57.3	0.6	76.9	
WST-20-0290	3475	Lynx 320	222.6	453229	5435127	140	2	103.0	105.1	2.1	7.89	
			including					103.0	103.8	0.8	19.9	
WST-20-0290	3475	Lynx 319	222.6	453229	5435127	140	2	115.4	117.6	2.2	4.19	
WST-20-0290	3475	Lynx 304	222.6	453229	5435127	140	2	135.6	139.3	3.7	10.7	
WST-20-0291	3475	Lynx 311	159.7	453229	5435127	140	-8	55.5	57.5	2.0	5.11	
WST-20-0291	3475	Lynx 311	282.0	453229	5435127	141	-22	51.5	53.7	2.2	9.31	
			including					51.5	52.5	1.0	18.8	
WST-20-0291	3475	Lynx 311	282.0	453229	5435127	141	-22	124.8	127.0	2.2	28.5	
			including					125.3	126.0	0.7	80.7	
WST-20-0294	3475	Lynx 311	96.3	453228	5435126	131	13	67.9	70.0	2.1	19.7	
			including					67.9	68.8	0.9	45.5	
WST-20-0295	3475	Lynx 311	165.6	453229	5435127	131	-7	63.6	65.6	2.0	27.0	21.0
			including					64.9	65.3	0.4	130	100
WST-20-0295	3475	Lynx 304	165.6	453229	5435127	131	-7	134.0	136.0	2.0	243	20.6
			including					134.5	134.9	0.4	1240	100
WST-20-0295	3475	Lynx 304	165.6	453229	5435127	131	-7	142.0	144.0	2.0	337	17.9
			including					142.4	142.7	0.3	2230	100
WST-20-0298	3475	Lynx 311	183.7	453229	5435127	129	-36	63.2	65.4	2.2	3.94	
			including					65.0	65.4	0.4	21.8	
WST-20-0298	3475	Lynx 320	183.7	453229	5435127	129	-36	135.7	137.8	2.1	28.0	
			including					136.7	137.5	0.8	56.9	
WST-20-0302	3475	Lynx 311	120.4	453229	5435126	112	-30	74.0	76.2	2.2	5.09	
			including					75.6	76.2	0.6	17.7	
WST-19-0305	3450	Lynx 308	132.5	453217	5435115	133	27	69.2	71.3	2.1	44.2	38.5
			including					90.5	91.3	0.8	115	100
WST-19-0305	3450	Lynx 320	132.5	453217	5435115	133	27	94.0	96.1	2.1	3.14	
WST-19-0305	3450	Lynx 304	132.5	453217	5435115	133	27	115.0	117.0	2.0	27.6	19.1
			including					115.7	116.0	0.3	157	100
WST-19-0306	3450	Lynx 311	150.5	453217	5435115	149	31	82.0	85.0	3.0	5.49	
			including					94.0	96.3	0.3	35.4	
WST-19-0306	3450	Lynx 304	150.5	453217	5435115	149	31	121.8	123.8	2.0	25.9	15.6
			including					122.7	123.0	0.3	169	100
WST-19-0306	3450	Lynx 306	150.5	453217	5435115	149	31	136.5	138.6	2.1	6.53	
			including					136.5	137.3	0.8	16.8	
WST-19-0307	3450	Lynx 311	153.5	453217	5435115	159	32	76.0	78.5	2.5	3.68	
WST-19-0307	3450	Lynx 311	153.5	453217	5435115	159	32	128.2	130.2	2.0	10.8	
WST-19-0307	3450	Lynx 306	153.5	453217	5435115	159	32	133.2	135.2	2.0	47.2	38.2
			including					133.9	134.5	0.6	130	100
WST-20-0308	3525	Lynx 311	159.7	453292	5435139	172	-13	52.6	54.7	2.1	4.56	
			including					53.6	54.1	0.5	16.9	
WST-20-0308	3525	Lynx 320	159.7	453292	5435139	172	-13	81.1	83.4	2.3	3.48	
WST-20-0308	3525	Lynx 319	159.7	453292	5435139	172	-13	95.0	98.3	3.3	4.09	
WST-20-0308	3525	Lynx 311	159.7	453292	5435139	172	-13	148.5	150.7	2.2	5.98	
			including					150.1	150.7	0.6	21.5	
WST-20-0309	3525	Lynx 311	165.5	453292	5435139	172	-23	58.0	60.5	2.5	14.0	
			including					58.5	59.5	1.0	34.8	
WST-20-0310	3525	Lynx 311	96.5	453292	5435139	169	-34	63.7	65.7	2.0	376	34.4
			including					63.7	64.2	0.5	1465	100
WST-20-0311	3525	Lynx 311	96.6	453292	5435140	153	-15	54.0	56.1	2.1	5.75	
WST-20-0311	3525	Lynx 311	96.6	453292	5435140	153	-15	57.9	60.3	2.4	9.84	
			including					59.8	60.3	0.5	35.8	
WST-20-0312	3525	Lynx 311	123.6	453292	5435139	147	13	59.0	61.6	2.6	63.1	44.6
			including					59.7	60.8	1.1	144	100.0
WST-20-0312	3525	Lynx 308	123.6	453292	5435139	147	13	75.0	77.0	2.0	18.4	
			including					76.0	77.0	1.0	30.3	
WST-20-0312	3525	Lynx 310	123.6	453292	5435139	147	13	79.0	81.6	2.6	32.5	28.3
			including					80.4	80.9	0.5	122	100
WST-20-0312	3525	Lynx 320	123.6	453292	5435139	147	13	85.0	87.0	2.0	23.9	
WST-20-0312	3525	Lynx 304	123.6	453292	5435139	147	13	105.0	110.0	5.0	199	41.0
			including					107.2	108.0	0.8	1085	100
WST-20-0313	3525	Lynx 311	132.6	453292	5435139	148	-28	57.0	59.0	2.0	6.86	
WST-20-0313	3525	Lynx 311	132.6	453292	5435139	148	-28	62.0	64.0	2.0	5.48	
			including					62.0	62.7	0.7	17.0	
WST-20-0313	3525	Lynx 304	132.6	453292	5435139	148	-28	99.9	102.6	2.7	103	41.3
			including					99.9	100.7	0.8	308	100
WST-20-0315	3525	Lynx 311	120.5	453292	5435139	142	-13	54.0	56.0	2.0	4.13	
WST-20-0315	3525	Lynx 323	120.5	453292	5435139	142	-13	60.5	62.7	2.2	31.6	31.2



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
			including					61.3	63.9	0.6	102	100
WST-20-0316	3525	Lynx 311	123.6	453293	5435140	133	-19	58.7	64.1	2.4	19.7	
WST-20-0317	3525	Lynx 311	126.8	453292	5435140	131	-24	57.8	60.0	2.2	3.47	
			including					58.7	59.2	0.5	14.2	
WST-20-0317	3525	Lynx 323	126.8	453292	5435140	131	-24	64.4	66.4	2.0	13.7	
			including					65.4	66.4	1.0	26.8	
WST-20-0318	3475	Lynx 311	502.0	453227	5435125	149	-53	65.0	66.5	3.5	36.2	
			including					66.0	66.7	0.7	91.0	
WST-20-0318	3475	LHM 3311	502.0	453227	5435125	149	-53	70.6	73.0	2.4	46.6	
			including					71.6	72.6	1.0	100	100
WST-20-0318	3475	Lynx 4	502.0	453227	5435125	149	-53	258.0	260.5	2.5	6.53	
			including					260.0	260.5	0.5	22.9	
WST-20-0318	3475	Lynx SW	502.0	453227	5435125	149	-53	377.4	379.6	2.2	8.06	
WST-20-0318	3675	Lynx 4	502.0	453227	5435125	149	-53	463.3	466.0	2.7	9.06	
WST-20-0319	3525	Lynx 323	117.8	453293	5435140	134	-3	58.7	62.3	3.6	23.6	21.1
			including					60.5	60.9	0.4	122	100
			and					61.9	62.3	0.4	80.5	
WST-20-0319	3525	Lynx 323	117.8	453293	5435140	134	-3	65.8	69.8	3.0	24.3	18.8
			including					69.4	69.8	0.4	141	100
WST-20-0319	3525	Lynx 308	117.8	453293	5435140	134	-3	77.6	80.0	2.4	3.95	
WST-20-0319	3525	Lynx 320	117.8	453293	5435140	134	-3	86.0	88.0	2.0	8.09	
			including					86.0	86.5	0.5	31.4	
WST-20-0319	3525	Lynx 304	117.8	453293	5435140	134	-3	94.5	97.1	2.6	22.6	
			including					94.5	94.9	0.4	94.4	
WST-20-0320	3525	Lynx 323	123.6	453293	5435140	128	-16	73.0	75.6	2.6	15.5	
			including					74.9	75.6	0.7	44.5	
WST-20-0321	3525	Lynx 303	132.7	453293	5435140	127	-22	50.2	53.0	2.8	4.32	
			including					50.2	53.0	0.8	15.1	
WST-20-0321	3525	Lynx 323	132.7	453293	5435140	127	-22	65.4	67.8	2.4	3.55	
WST-20-0322	3525	Lynx 323	132.7	453293	5435140	125	6	68.8	71.0	2.2	24.6	13.8
			including					68.8	69.1	0.3	179	100
WST-20-0322	3525	Lynx	153.5	453293	5435140	125	6	129.5	131.5	2.0	12.3	
			including					130.6	131.5	0.9	26.0	
WST-20-0323	3525	Lynx 323	150.5	453293	5435140	115	6	68.5	70.5	2.0	104	35.9
			including					69.1	69.8	0.7	296	100
WST-19-0324	3450	Lynx 311	120.4	453216	5435115	168	38	87.5	90.0	2.5	3.36	
			including					88.5	89.0	0.5	15.6	
WST-19-0325	3450	Lynx 304	144.3	453217	5435115	121	27	123.0	125.0	2.0	9.52	
			including					123.0	123.8	0.8	23.7	
WST-19-0327	3450	Lynx 311	147.2	453218	5435115	129	34	94.3	96.5	2.2	13.9	
			including					94.3	95.1	0.8	37.7	
WST-19-0328	3450	Lynx 304	141.4	453217	5435115	139	39	118.0	120.0	2.0	25.9	
			including					118.5	119.0	0.5	99.1	
WST-20-0329	3450	Lynx	144.4	453217	5435115	147	37	137.6	140.0	2.4	4.25	
			including					137.9	138.2	0.3	32.8	
WST-20-0330	3475	Lynx SW	422.3	453226	5435125	183	-34	383.8	386.1	2.3	5.00	
			including					385.2	385.6	0.4	28.6	
WST-20-0331	3675	Lynx 304	132.7	453411	5435230	137	-1	85.0	87.8	2.8	8.41	
			including					87.0	87.8	0.8	24.8	
WST-20-0332	3675	Lynx 304	219.1	453411	5435230	139	-16	92.0	94.6	2.6	14.3	
			including					92.0	92.3	0.3	51.3	
WST-20-0333	3675	Lynx 304	135.5	453411	5435230	140	-24	94.0	96.1	2.1	4.33	
			including					95.6	96.1	0.5	17.9	
WST-20-0334	3675	Lynx 325	141.4	453411	5435230	140	-36	60.0	62.0	2.0	4.53	
WST-20-0334	3675	Lynx 304	141.4	453411	5435230	140	-36	94.7	97.3	2.6	56.9	53.6
			including					96.0	97.3	1.3	107	100
WST-20-0335	3675	Lynx	141.7	453411	5435230	141	-43	82.0	84.3	2.3	4.53	
WST-20-0335	3675	Lynx 303	141.7	453411	5435230	141	-43	51.0	53.5	2.5	4.47	
WST-20-0335	3675	Lynx 359	141.7	453411	5435230	141	-43	117.3	119.5	2.2	5.36	
			including					118.0	118.7	0.7	16.0	
WST-20-0336	3675	Lynx 311	147.5	453411	5435230	134	-44	50.4	52.4	5.6	3.97	
			and					50.4	51.4	1.0	8.12	
			including					55.0	56.0	1.0	11.0	
WST-20-0336	3675	Lynx 323	147.5	453411	5435230	134	-44	103.0	105.0	2.0	50.2	43.6
			including					103.4	104.4	1.0	98.7	85.4
WST-20-0336	3675	Lynx 304	147.5	453411	5435230	134	-44	121.9	124.0	2.1	25.7	
			including					122.4	122.9	0.5	74.2	
WST-20-0337	3675	Lynx 323	203.2	453411	5435230	145	-6	68.0	70.1	2.1	6.21	
			including					69.4	70.1	0.7	12.6	
WST-20-0337	3675	Lynx 304	203.2	453411	5435230	145	-6	90.0	92.5	2.5	6.30	
			including					90.0	90.3	0.3	38.7	
WST-20-0337	3675	Lynx	203.2	453411	5435230	145	-6	102.5	104.6	2.1	4.69	
			including					104.3	104.6	0.3	27.7	
WST-20-0338	3675	Lynx	111.7	453410	5435229	146	-12	74.5	76.7	2.2	4.23	
			including					74.5	75.3	0.8	9.89	
WST-20-0338	3675	Lynx 304	111.7	453410	5435229	146	-12	85.5	87.9	2.4	3.40	
WST-20-0339	3675	Lynx	294.7	453410	5435229	146	-18	55.0	57.5	2.5	5.43	
WST-20-0339	3675	Lynx	294.7	453410	5435229	146	-18	93.0	95.4	2.4	37.3	32.3
			including					93.5	94.1	0.6	120	100
WST-20-0339	3675	Lynx HW	294.7	453410	5435229	146	-18	182.0	184.7	2.7	4.49	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-20-0339	3675	Lynx HW	294.7	453410	5435229	146	-18	191.2	194.3	3.1	5.35	
WST-20-0339	3675	Lynx HW	294.7	453410	5435229	146	-18	199.1	202.2	3.1	4.57	
WST-20-0340	3675	Lynx	135.4	453410	5435229	147	-26	62.0	64.5	2.5	6.79	
WST-20-0340	3675	including	135.4	453410	5435229	147	-26	64.0	64.5	0.5	31.5	
WST-20-0340	3675	Lynx	135.4	453410	5435229	147	-26	78.5	80.6	2.1	8.07	
WST-20-0340	3675	including	135.4	453410	5435229	147	-26	78.5	79.2	0.7	23.9	
WST-20-0340	3675	Lynx 304	135.4	453410	5435229	147	-26	87.7	89.7	2.0	69.2	62.2
WST-20-0340	3675	including	135.4	453410	5435229	147	-26	88.9	89.1	0.8	118	100
WST-20-0340	3675	Lynx 359	135.4	453410	5435229	147	-26	111.0	113.0	2.0	4.40	
WST-20-0343	3675	Lynx 311	177.3	453410	5435229	157	7	60.9	63.2	2.3	11.0	
WST-20-0343	3675	including	177.3	453410	5435229	157	7	60.9	64.3	0.4	60.0	
WST-20-0343	3675	Lynx 304	177.3	453410	5435229	157	7	86.9	88.9	2.0	3.90	
WST-20-0345	2575	Mallard	401.1	452282	5434975	136	-21	1.0	2.5	1.5	11.4	
WST-20-0345	2575	including	401.1	452282	5434975	136	-21	1.0	2.5	1.5	20.9	
WST-20-0345	2575	Caribou corridor	401.1	452282	5434975	136	-21	361.7	363.9	2.2	3.75	
WST-20-0345	2575	including	401.1	452282	5434975	136	-21	362.3	363.1	0.8	9.43	
WST-20-0346	2575	Mallard 5212	390.5	452282	5434975	136	-17	29.0	31.0	2.0	4.57	
WST-20-0346	2575	Caribou 2133	390.5	452282	5434975	136	-17	118.3	120.4	2.2	16.1	
WST-20-0346	2575	including	390.5	452282	5434975	136	-17	118.2	118.7	0.5	69.8	
WST-20-0346	2575	Caribou corridor	390.5	452282	5434975	136	-17	148.0	152.7	4.7	15.9	
WST-20-0347	2575	Caribou 2572	368.6	452282	5434975	134	-14	270.0	272.9	2.9	3.31	
WST-20-0348	2575	including	368.6	452282	5434975	134	-14	272.1	272.9	0.8	11.4	
WST-20-0348	2575	Caribou 2573	310.6	452282	5434976	126	-15	237.6	239.7	2.1	749	
WST-20-0348	2575	Caribou 2572	310.6	452282	5434976	126	-15	271.5	271.5	2.0	4.68	
WST-20-0349	2575	including	310.6	452282	5434976	126	-15	272.5	272.9	0.4	22.6	
WST-20-0349	2575	Caribou 2572	377.5	452282	5434975	140	-18	293.2	296.0	2.8	3.64	
WST-20-0350	3625	Lynx 325	174.5	453359	5435209	142	-32	294.0	296.0	1.0	9.56	
WST-20-0350	3625	including	174.5	453359	5435209	142	-32	41.6	42.4	0.8	9.38	
WST-20-0350	3625	Lynx 304	174.5	453359	5435209	142	-32	113.5	114.0	2.5	17.3	
WST-20-0350	3625	including	174.5	453359	5435209	142	-32	114.0	114.9	0.9	45.7	
WST-20-0351	3625	Lynx 359	174.5	453359	5435209	142	-32	126.5	131.0	2.5	55.5	
WST-20-0351	3625	including	174.5	453359	5435209	142	-32	125.2	129.9	0.7	98.8	
WST-20-0351	3625	Lynx 304	180.5	453359	5435209	142	-20	96.0	98.0	2.0	4.25	
WST-20-0351	3625	including	180.5	453359	5435209	142	-20	96.9	97.6	0.7	10.9	
WST-20-0352	3625	Lynx 325	177.4	453359	5435209	140	-10	32.3	36.0	3.7	16.2	
WST-20-0352	3625	including	177.4	453359	5435209	140	-10	35.6	36.0	1.0	66.8	
WST-20-0352	3625	Lynx 304	177.4	453359	5435209	140	-10	97.0	99.0	2.0	5.95	
WST-20-0355	3725	Lynx 304	246.7	453451	5435264	145	-24	110.6	113.7	2.1	4.58	
WST-20-0355	3725	including	246.7	453451	5435264	145	-24	110.6	111.2	0.6	12.8	
WST-20-0356	3725	Lynx 304	141.7	453451	5435264	147	-14	111.5	113.7	2.2	5.08	
WST-20-0357	3725	Lynx 323	162.6	453451	5435265	143	-40	114.6	117.7	2.6	5.28	
WST-20-0358	3725	including	162.6	453451	5435265	143	-40	114.6	115.1	0.5	10.9	
WST-20-0358	3725	Lynx 323	168.0	453451	5435265	146	-43	118.5	120.7	2.2	8.85	
WST-20-0358	3725	including	168.0	453451	5435265	146	-43	118.5	119.5	1.0	16.8	
WST-20-0359	3725	Lynx 304	168.0	453451	5435265	146	-43	127.5	130.0	2.5	38.2	17.4
WST-20-0359	3725	including	168.0	453451	5435265	146	-43	128.7	129.3	0.4	230	100
WST-20-0359	3725	Lynx 304	244.6	453450	5435264	151	-17	107.0	109.3	2.3	3.04	
WST-20-0360	3725	Lynx 304	254.0	453450	5435264	151	-23	108.0	110.0	2.0	18.7	
WST-20-0360	3725	including	254.0	453450	5435264	151	-23	108.6	108.9	0.3	86.6	
WST-20-0360	3725	Lynx 359	254.0	453450	5435264	151	-23	126.2	128.4	2.2	10.9	
WST-20-0360	3725	including	254.0	453450	5435264	151	-23	126.5	126.9	0.3	51.5	
WST-20-0361	3725	Lynx 304	294.6	453450	5435264	152	-28	129.6	131.7	2.1	5.11	
WST-20-0361	3725	including	294.6	453450	5435264	152	-28	113.0	115.2	2.2	4.02	
WST-20-0361	3725	Lynx 359	294.6	453450	5435264	152	-28	125.4	127.8	2.4	25.5	12.5
WST-20-0362	3725	including	294.6	453450	5435264	152	-28	125.4	125.7	0.3	20.4	100
WST-20-0362	3725	Lynx 359	147.6	453450	5435264	156	-14	119.0	121.0	2.0	846	
WST-20-0363	3725	Lynx 311	153.8	453450	5435264	157	-30	68.9	71.0	2.1	4.49	
WST-20-0363	3725	including	153.8	453450	5435264	157	-30	115.5	118.0	2.5	3.16	
WST-20-0363	3725	Lynx 304	153.8	453450	5435264	157	-30	116.3	116.7	0.4	17.9	
WST-20-0363	3725	including	153.8	453450	5435264	157	-30	122.0	124.5	2.5	36.1	
WST-20-0364	3725	Lynx 359	153.8	453450	5435264	157	-30	123.0	123.8	0.8	90.7	
WST-20-0364	3725	including	153.8	453450	5435264	157	-30	110.0	112.0	2.0	7.37	
WST-20-0365	3725	Lynx	141.6	453450	5435264	158	-8	111.3	111.6	0.3	17.9	
WST-20-0365	3725	including	141.6	453450	5435264	158	-8	90.4	93.0	2.6	9.78	
WST-20-0365	3725	Lynx 359	141.6	453450	5435264	158	-8	92.2	92.6	0.4	50.8	
WST-20-0371	3775	Lynx 304	162.7	453493	5435287	145	-47	120.7	123.0	2.3	3.44	
WST-20-0371	3775	including	162.7	453493	5435287	145	-47	127.7	123.0	0.3	14.6	
WST-20-0372	3775	Lynx 304	450.7	453493	5435287	148	-42	136.8	138.9	2.1	13.7	
WST-20-0372	3775	including	450.7	453493	5435287	148	-42	138.3	138.9	0.6	43.9	
WST-20-0372	3775	Lynx HW	450.7	453493	5435287	148	-42	126.5	128.6	2.0	5.67	
WST-20-0372	3775	including	450.7	453493	5435287	148	-42	127.7	128.0	0.3	31.4	
WST-20-0372	3775	Lynx 322	450.7	453493	5435287	148	-42	130.0	132.7	2.7	23.2	17.5
WST-20-0372	3775	including	450.7	453493	5435287	148	-42	132.3	132.7	0.4	139	100
WST-20-0372	3775	Lynx 304	450.7	453493	5435287	148	-42	189.2	191.5	2.3	7.73	
WST-20-0372	3775	including	450.7	453493	5435287	148	-42	190.9	191.5	0.6	26.1	
WST-20-0372	3775	Lynx 322	450.7	453493	5435287	148	-42	205.6	207.8	2.2	108	31.7
WST-20-0372	3775	including	450.7	453493	5435287	148	-42	206.6	207.2	0.6	378	100
WST-20-0372	3775	Lynx 4	450.7	453493	5435287	148	-42	431.7	434.0	2.3	21.6	
WST-20-0372	3775	including	450.7	453493	5435287	148	-42	433.2	434.0	0.8	61.4	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
WST-20-0373	3775	Lynx 304	168.4	453493	5435287	155	-41	131.1	133.2	2.1	11.7	
			including					132.8	133.2	0.4	40.2	
WST-20-0374	3775	Lynx 304	174.6	453493	5435287	152	-45	135.3	139.4	4.1	17.5	
			including					135.3	136.0	0.7	71.3	
			and					135.5	138.8	0.3	52.9	
WST-20-0375	3775	Lynx 304	180.4	453493	5435287	156	-40	144.4	147.2	2.8	25.9	
			including					145.7	146.4	0.7	81.8	
WST-20-0376	3775	Lynx 359	165.7	453493	5435286	160	-38	129.9	132.0	2.1	37.3	
			including					129.9	130.2	0.3	91.8	
WST-20-0377	3775	Lynx 304	174.7	453493	5435286	161	-42	125.1	127.2	2.1	4.58	
WST-20-0377	3775	Lynx 359	174.7	453493	5435286	161	-42	137.5	141.0	3.5	28.7	21.6
			including					138.0	138.3	0.3	79.1	
			and					138.6	139.0	0.4	163	100
WST-20-0378	3775	Lynx 304	252.7	453493	5435287	144	-50	146.0	149.8	3.8	20.6	
			including					147.0	147.7	0.7	45.9	
WST-20-0378	3775	Lynx	252.7	453493	5435287	144	-50	200.0	202.2	2.2	18.6	
			including					200.5	200.9	0.4	95.3	
WST-20-0380	3475	Lynx	84.5	453228	5435126	159	11	14.0	16.0	2.0	90.2	50.2
			including					15.0	16.0	1.0	180	100
WST-20-0380	3475	Lynx 311	84.5	453228	5435126	159	11	52.9	57.2	4.3	35.2	30.4
			including					56.2	57.2	1.0	123	100
WST-20-0381	3475	Lynx 311	81.6	453228	5435126	145	9	54.1	56.4	2.3	38.1	35.2
			including					54.1	54.9	0.8	100	100
WST-20-0382	3475	Lynx 309	157.7	453228	5435126	147	-3	52.1	54.4	2.3	6.08	
WST-20-0383	3475	Lynx 309	91.9	453227	5435125	155	-17	50.0	52.0	2.0	3.08	
			including					50.4	51.3	0.9	6.69	
WST-20-0384	3775	Lynx 304	156.7	453493	5435286	160	-35	125.0	127.0	2.0	25.5	
			including					125.0	125.4	0.4	61.8	
			and					126.5	127.0	0.5	50.0	
WST-20-0386	3775	Lynx 304	177.7	453493	5435286	163	-47	134.1	138.3	4.2	41.2	20.6
			including					138.0	138.3	0.3	363	100
WST-20-0387	3775	Lynx 304	207.6	453493	5435287	152	-52	151.8	153.8	2.0	6.27	
			including					151.8	152.0	0.4	90.9	
WST-20-0388	3475	Lynx 4	516.0	453227	5435125	169	-56	284.6	287.5	2.9	38.8	23.2
			including					286.9	287.5	0.6	176	100
WST-20-0390	3725	Lynx	174.6	453450	5435264	158	-35	111.0	113.8	2.8	22.9	18.2
			including					112.1	112.6	0.5	127	100
WST-20-0392	3625	Lynx 323	180.5	453359	5435209	127	2	82.8	84.8	2.0	6.82	
			including					83.4	83.8	0.4	26.3	
WST-20-0392	3625	Lynx 323	180.5	453359	5435209	127	2	88.0	90.2	2.2	5.49	
WST-20-0392	3625	Lynx 304	180.5	453359	5435209	127	2	107.0	109.7	2.7	11.2	
			including					108.4	108.8	0.4	70.9	
WST-20-0393	3625	Lynx 325	174.5	453358	5435208	154	-38	48.9	51.5	2.6	4.68	
			including					50.0	50.7	0.7	10.2	
WST-20-0393	3625	Lynx 304	174.5	453358	5435208	154	-38	113.2	115.9	2.7	5.34	
			including					114.3	114.8	0.5	18.8	
WST-20-0394	3625	Lynx 325	171.6	453358	5435208	152	-26	85.1	87.3	2.2	11.7	
WST-20-0394	3625	Lynx 311	171.6	453358	5435208	152	-26	70.9	72.8	2.0	4.15	
WST-20-0394	3625	Lynx 304	171.6	453358	5435208	152	-26	107.0	109.3	2.3	24.2	23.2
			including					107.0	107.7	0.7	78.9	75.7
WST-20-0395	3625	Lynx 303	168.5	453358	5435208	153	-15	50.0	52.0	2.0	6.45	
WST-20-0396	3775	Lynx HW	165.4	453493	5435287	158	20	158.5	141.1	2.6	3.54	
			including					140.3	140.6	0.3	20.2	
WST-20-0397	3775	Lynx 301	162.4	453493	5435287	140	26	136.6	138.6	2.0	10.7	
			including					137.7	138.1	0.4	52.1	
WST-20-0400	3775	Lynx 301	171.8	453493	5435287	166	15	158.0	160.2	2.2	11.2	
			including					159.0	160.2	1.2	39.7	
WST-20-0403	3775	Lynx 301	162.2	453493	5435287	158	20	141.0	143.0	2.0	4.33	
WST-20-0402	3775	Lynx 301	162.4	453493	5435287	147	32	142.1	144.4	2.3	25.8	14.3
			including					142.1	142.4	0.3	189	100
WST-20-0404	3775	Lynx 304	162.4	453493	5435286	163	-5	109.1	111.1	2.0	5.90	
			including					110.4	111.1	0.7	16.0	
WST-20-0404	3775	Lynx 321	192.4	453493	5435286	163	-5	137.5	139.6	2.1	6.37	
WST-20-0406	3775	Lynx 325	201.5	453494	5435287	137	-8	130.2	132.4	2.2	3.26	
WST-20-0407	3775	Lynx 321	201.5	453495	5435288	107	11	178.4	180.5	2.1	4.24	
WST-20-0409	3775	Lynx 323	168.6	453450	5435264	157	30	85.4	87.4	2.0	3.37	
WST-20-0411	3725	Lynx HW	171.4	453450	5435264	156	37	148.2	150.4	2.2	38.1	36.1
			including					149.2	149.9	0.7	107	100
WST-20-0412	3725	Lynx 323	165.4	453450	5435264	164	34	87.6	89.9	2.3	9.21	
			including					99.6	99.9	0.3	48.5	
WST-20-0412	3725	Lynx 328	165.4	453450	5435264	164	34	155.0	157.2	2.2	3.06	
			including					156.9	157.2	0.3	11.2	
WST-20-0413	3525	Lynx 323	138.7	453293	5435140	119	-21	77.0	79.0	2.0	3.44	
WST-20-0413	3525	Lynx 308	138.7	453293	5435140	119	-21	85.8	88.0	2.2	24.3	
			including					85.8	86.9	1.1	48.3	
WST-20-0413	3525	Lynx 304	138.7	453293	5435140	119	-21	99.5	101.7	2.2	18.9	
			including					101.2	101.7	0.5	69.9	
WST-20-0424	3525	Lynx 323	120.6	453293	5435140	136	-14	59.7	61.0	2.3	4.43	
			including					61.1	61.4	0.3	24.9	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
WST-20-0425	3525	Lyne 308	130.6	453293	5435141	117	-5	80.0	82.0	2.0	9.34	
		including						80.0	81.0	1.0	14.0	
WST-20-0425	3525	Lyne 308	130.6	453293	5435141	117	-5	85.0	87.0	2.0	3.83	
WST-20-0426	3475	Lyne	801.4	453228	5435126	139	-52	326.4	329.6	3.2	27.6	
WST-20-0426	3475	Lyne	801.4	453228	5435126	139	-52	335.0	338.1	3.1	4.13	
WST-20-0426	3475	Lyne 327	801.4	453228	5435126	139	-52	695.2	697.2	2.0	9.85	
		including						695.8	696.3	0.5	18.7	
		and						696.3	696.6	0.3	27.4	
WST-20-0426	3475	Lyne 327	801.4	453228	5435126	139	-52	710.1	712.5	2.4	4.01	
		including						710.1	710.7	0.6	16.0	
WST-20-0427	3475	Lyne 339	759.2	453226	5435126	137	-51	65.0	67.5	2.5	4.81	
WST-20-0427	3475	Lyne 307	759.2	453226	5435126	137	-51	84.0	86.2	2.2	13.1	
		including						85.0	85.7	0.7	38.6	
WST-20-0427	3475	Lyne	759.2	453228	5435126	137	-51	190.6	192.6	2.0	22.4	
		including						190.6	191.2	0.6	41.5	
WST-20-0427	3475	Lyne	759.2	453228	5435126	137	-51	316.0	318.2	2.2	17.6	
WST-20-0427	3475	Lyne	759.2	453228	5435126	137	-51	368.0	370.0	2.0	3.21	
WST-20-0427	3475	Lyne 4	759.2	453228	5435126	137	-51	428.2	430.2	2.0	4.06	
WST-20-0427	3475	Lyne 350	759.2	453228	5435126	137	-51	480.8	483.2	2.4	49.0	44.0
		including						481.3	482.2	0.9	114	100
WST-20-0427	3475	Lyne 350	759.2	453228	5435126	137	-51	487.0	490.0	2.2	4.34	
WST-20-0427	3475	Lyne 312	759.2	453228	5435126	137	-51	687.0	689.1	2.1	3.20	
		including						687.3	687.8	0.5	11.7	
WST-20-0428	3475	Lyne	744.4	453228	5435126	140	-48	271.1	273.1	2.0	23.8	
WST-20-0428	3475	Lyne	744.4	453228	5435126	140	-48	440.9	443.2	2.3	6.59	
WST-20-0420	3725	Lyne 323	165.5	453450	5435264	155	9	79.4	81.7	2.3	4.11	
		including						81.4	81.7	0.3	29.1	
WST-20-0420	3725	Lyne 323	165.5	453450	5435264	155	9	150.0	152.1	2.1	19.0	
		including						151.2	152.1	0.9	43.5	
WST-20-0421	3725	Lyne 323	168.4	453450	5435264	163	16	87.6	90.0	2.4	3.87	
		including						88.2	88.5	0.3	26.8	
WST-20-0421	3725	Lyne 321	168.4	453450	5435264	163	16	151.0	153.2	2.2	4.96	
		including						152.3	153.2	0.9	11.2	
WST-20-0422	3725	Lyne 328	176.6	453449	5435264	171	26	160.0	162.0	2.0	5.90	
WST-20-0423	3625	Lyne 304	141.5	453359	5435209	133	-17	101.0	103.7	2.7	5.56	
WST-20-0423	3625	Lyne 359	141.5	453359	5435209	133	-17	109.0	112.0	3.0	9.95	
WST-20-0423	3625	Lyne	141.5	453359	5435209	133	-17	125.0	127.0	2.0	5.23	
		including						125.0	125.7	0.7	14.9	
WST-20-0424	3625	Lyne 359	177.6	453358	5435208	160	4	115.0	117.0	2.0	8.30	
		including						116.0	117.0	1.0	15.4	
WST-20-0425	3625	Lyne	165.6	453358	5435208	163	18	59.8	61.7	2.7	3.78	
WST-20-0425	3625	Lyne 311	165.6	453358	5435208	163	18	66.6	70.5	3.9	7.09	
		including						66.6	67.6	1.0	16.5	
WST-20-0425	3625	Lyne 304	165.6	453358	5435208	163	18	109.0	111.3	2.3	3.55	
WST-20-0426	3775	Lyne 304	171.7	453493	5435287	142	-47	141.0	143.4	2.4	0.12	
		including						142.2	142.8	0.6	28.8	
WST-20-0428	3775	Lyne 304	231.5	453493	5435287	144	-38	126.5	132.8	2.3	3.40	
		including						131.5	132.2	0.7	9.97	
WST-20-0430	3775	Lyne 359	147.5	453493	5435286	160	-28	124.7	127.0	2.3	15.7	
		including						125.1	125.5	0.4	88.8	
WST-20-0431	3775	Lyne 304	243.7	453493	5435286	132	-44	149.8	152.0	2.2	5.30	
		including						150.5	151.1	0.6	11.2	
WST-20-0432	3725	Lyne 359	156.6	453450	5435264	148	-32	126.0	128.0	2.0	9.25	
		including						126.0	126.4	0.4	43.7	
WST-20-0434	3725	Lyne 304	153.7	453450	5435264	156	-28	114.0	116.6	2.6	8.28	
		including						114.0	114.6	0.6	32.1	
WST-20-0434	3725	Lyne 359	153.7	453450	5435264	156	-28	125.0	127.5	2.5	5.34	
		including						126.5	128.8	0.3	28.5	
WST-20-0435	3725	Lyne 359	276.7	453450	5435264	146	-26	124.5	126.8	2.3	11.9	
		including						125.7	126.0	0.3	24.4	
WST-20-0436	3725	Lyne 304	159.7	453450	5435264	144	-31	117.1	119.8	2.7	7.89	
		including						117.5	117.8	0.3	33.5	
WST-20-0436	3725	Lyne 359	159.7	453450	5435264	144	-31	122.5	125.3	2.8	12.9	
		including						124.9	125.3	0.4	36.0	
WST-20-0437	3725	Lyne 304	141.9	453450	5435264	152	-12	113.0	115.3	2.3	3.51	
		including						113.0	113.8	0.8	14.6	
WST-20-0438	3725	Lyne 311	144.8	453449	5435264	162	-17	70.9	73.0	2.1	3.27	
		including						72.6	73.0	0.4	17.0	
WST-20-0438	3725	Lyne 359	144.8	453449	5435264	162	-17	132.2	134.5	2.3	3.98	
WST-20-0438	3725	Lyne	144.8	453449	5435264	162	-17	137.0	139.0	2.0	29.6	15.2
		including						137.6	137.9	0.3	197	100
WST-20-0439	3725	Lyne 323	216.7	453450	5435264	142	-15	92.2	94.2	2.0	16.2	
		including						92.2	93.1	0.9	35.8	
WST-20-0439	3725	Lyne 304	216.7	453450	5435264	142	-15	113.4	115.5	2.1	20.4	
		including						113.4	113.8	0.4	98.5	
WST-20-0442	3775	Lyne 304	264.7	453494	5435287	134	-32	132.0	134.0	2.0	4.19	
WST-20-0442	3775	Lyne 301	264.7	453494	5435287	134	-32	234.1	236.5	2.4	3.88	
		including						234.1	234.5	0.4	15.7	
WST-20-0442	3775	Lyne	264.7	453494	5435287	134	-32	239.0	241.0	2.0	3.09	
WST-20-0443	3775	Lyne 304	216.6	453494	5435287	136	-19	107.0	109.0	2.0	7.56	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-20-0445	37/25	Lynx 325	242.2	453493	5435287	143	-26	216.1	218.1	2.0	7.63	
WST-20-0446	37/25	Lynx 304	612.5	453452	5435265	114	-50	167.9	170.0	2.1	34.2	29.9
		including						167.9	168.5	0.6	115	100
WST-20-0446	37/25	Lynx 341	612.5	453452	5435265	114	-50	209.0	211.5	2.5	10.00	
		including						211.1	211.5	0.4	38.3	
WST-20-0446	37/25	Lynx HW	612.5	453452	5435265	114	-50	349.0	352.0	3.0	9.32	
WST-20-0447	36/75	Lynx 311	657.3	453411	5435230	128	-47	53.6	55.6	2.0	3.63	
WST-20-0447	36/75	Lynx 311	657.3	453411	5435230	128	-47	66.8	68.8	2.0	8.47	
		including						68.0	68.5	0.5	48.9	
WST-20-0447	36/75	Lynx 323	657.3	453411	5435230	128	-47	113.2	115.4	2.2	52.7	48.5
		including						114.2	114.5	0.3	131	100
WST-20-0447	36/75	Lynx 304	657.3	453411	5435230	128	-47	129.4	133.0	3.6	11.2	
		including						129.4	130.0	0.6	40.9	
		and						132.7	133.0	0.3	48.7	
WST-20-0447	36/75	Lynx 313	657.3	453411	5435230	128	-47	407.4	409.5	2.1	13.4	
		including						408.8	409.5	0.7	38.9	
WST-20-0447	36/75	Lynx	657.3	453411	5435230	128	-47	528.0	530.4	2.4	4.82	
WST-20-0453	37/25	Lynx 305	171.6	453494	5435287	138	12	134.9	136.9	2.0	13.0	
		including						136.6	136.9	0.3	76.2	
WST-20-0453	37/25	Lynx 315	171.6	453494	5435287	138	12	151.3	153.5	2.2	13.8	
		including						152.4	153.0	0.6	40.9	
WST-20-0454	37/25	Lynx 301	180.6	453493	5435287	134	10	137.0	138.5	2.5	4.31	
		including						138.0	138.6	0.6	16.7	
WST-20-0455	37/25	Lynx 301	193.0	453493	5435287	138	27	140.9	143.6	2.7	5.79	
WST-20-0456	37/25	Lynx 301	193.0	453494	5435287	130	34	145.0	147.0	2.0	7.75	
		including						145.8	146.6	0.8	19.2	
WST-20-0458	37/25	Lynx 301	204.3	453495	5435287	113	14	166.3	169.0	2.7	14.9	
		including						167.0	167.6	0.6	47.7	
WST-20-0459	36/75	Lynx 339	578.5	453227	5435126	153	-48	53.7	56.1	2.4	43.1	37.9
		including						53.7	54.6	0.9	114	100
WST-20-0459	36/75	Lynx 307	578.5	453227	5435126	153	-48	83.3	86.8	3.5	10.8	
		including						83.3	84.1	0.8	29.8	
WST-20-0459	36/75	Lynx SW	578.5	453227	5435126	153	-48	204.3	206.4	2.1	20.5	
		including						205.9	206.4	0.5	76.2	
WST-20-0459	36/75	Lynx 315	578.5	453227	5435126	153	-48	327.2	330.0	2.8	23.2	
WST-20-0460	37/25	Lynx 321	294.6	453494	5435287	126	-34	217.0	219.0	2.0	13.2	
WST-20-0460	37/25	Lynx 301	294.6	453494	5435287	126	-34	234.6	238.0	3.4	12.9	
		including						235.6	236.0	0.4	72.9	
WST-20-0461	37/25	Lynx 304	621.6	453452	5435265	114	-45	163.6	166.0	2.4	30.0	
		including						164.6	165.4	0.8	89.1	
WST-20-0461	37/25	Lynx 304	621.6	453452	5435265	114	-45	171.3	174.0	2.7	5.60	
		including						171.3	171.9	0.6	18.8	
WST-20-0461	37/25	Lynx 341	621.6	453452	5435265	114	-45	102.8	105.0	2.2	3.96	
WST-20-0462	36/75	Lynx	680.2	453227	5435125	152	-54	171.0	173.0	2.0	40.4	
		including						171.5	172.5	1.0	79.1	
WST-20-0462	36/75	Lynx	680.2	453227	5435125	152	-54	263.8	266.0	2.2	7.77	
WST-20-0462	36/75	Lynx 336	680.2	453227	5435125	152	-54	454.0	456.0	2.0	3.90	
		including						454.0	454.8	0.8	8.19	
WST-20-0462	36/75	Lynx	680.2	453227	5435125	152	-54	638.9	643.2	4.3	3.82	
		including						638.9	639.6	0.7	12.6	
WST-20-0463	36/75	Lynx 311	552.3	453411	5435230	137	-43	52.7	55.6	2.3	4.80	
		including						52.7	53.0	0.3	10.1	
		and						54.0	54.3	0.3	20.8	
WST-20-0463	36/75	Lynx 323	552.3	453411	5435230	137	-43	100.0	102.5	2.5	171	40.2
		including						100.0	101.0	1.0	427	100
WST-20-0463	36/75	Lynx 304	552.3	453411	5435230	137	-43	119.8	121.8	2.0	9.08	
		including						119.8	120.6	0.8	22.5	
WST-20-0463	36/75	Lynx 347	552.3	453411	5435230	137	-43	436.3	438.3	2.0	24.5	15.5
		including						437.4	437.7	0.3	160	100
WST-20-0463	36/75	Lynx 313	552.3	453411	5435230	137	-43	468.9	473.8	3.9	9.07	
		including						468.9	470.8	0.9	19.0	
		and						472.4	472.9	0.5	23.1	
WST-20-0464	37/25	Lynx 321	171.1	453494	5435287	138	3	133.0	135.2	2.2	5.33	
		including						133.0	133.3	0.3	31.1	
WST-20-0465	37/25	Lynx 301	183.5	453494	5435287	147	7	135.0	137.0	2.0	8.56	
		including						136.6	137.0	0.4	44.5	
WST-20-0466	37/25	Lynx 301	183.4	453494	5435287	131	9	138.7	141.0	2.3	5.17	
WST-20-0467	37/25	Lynx 315	192.5	453494	5435287	147	-2	160.0	162.0	2.0	11.0	
		including						161.0	162.0	1.0	21.8	
WST-20-0468	37/25	Lynx 321	192.5	453494	5435287	130	2	143.8	146.7	2.9	3.28	
		including						143.8	144.7	0.9	6.34	
WST-20-0469	37/25	Lynx 301	183.5	453493	5435287	140	15	136.0	138.4	2.4	13.4	
WST-20-0470	37/25	Lynx	183.5	453493	5435287	157	9	86.2	88.2	2.0	73.8	15.0
		including						87.5	87.8	0.3	492	100
WST-20-0471	37/25	Lynx 321	180.5	453493	5435287	155	1	126.0	128.5	2.5	47.4	32.0
		including						127.7	128.5	0.8	148	100
WST-20-0471	37/25	Lynx 315	180.5	453493	5435287	155	1	154.9	157.0	2.1	12.4	
		including						155.8	156.5	0.7	36.0	
WST-20-0472	37/25	LXM 3304	223.3	453493	5435287	140	-23	108.0	110.0	2.0	39.4	
		including						108.0	108.7	0.7	100	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
WST-20-0473	3775	Lynx 304	201.5	453493	5435287	148	-17	101.0	103.0	2.0	12.3	
		including						102.5	103.0	0.5	48.6	
WST-20-0475	3775	Lynx 301	174.2	453494	5435287	135	43	155.0	157.6	2.6	16.6	
		including						155.7	156.9	0.6	69.6	
WST-20-0476	2575	Caribou 2551	402.6	453282	5434975	132	-31	154.9	157.1	2.2	4.85	
		including						154.9	155.6	0.7	11.9	
WST-20-0476	2575	Caribou 2551	402.6	453282	5434975	132	-31	172.9	175.5	2.6	3.33	
WST-20-0476	2575	Caribou corridor	402.6	453282	5434975	132	-31	260.9	263.1	2.2	5.92	
WST-20-0476	2575	Caribou corridor	402.6	453282	5434975	132	-31	374.8	376.8	2.0	12.7	
		including						376.3	376.8	0.5	45.8	
WST-20-0477	2575	Musland	393.6	453282	5434976	132	-29	52.4	55.0	2.6	9.78	
WST-20-0477	2575	Caribou 2551	393.6	453282	5434976	132	-29	151.5	154.0	2.5	5.96	
WST-20-0477	2575	Caribou 2100	393.6	453282	5434976	132	-29	228.0	230.4	2.4	4.35	
WST-20-0478	2575	Caribou 2151	390.6	453282	5434976	122	-30	167.6	170.0	6.4	13.3	12.8
		including						172.4	173.0	0.6	106	100
WST-20-0478	2575	Caribou	390.6	453282	5434976	122	-30	354.0	356.0	2.0	4.72	
		including						354.0	354.5	0.5	18.4	
WST-20-0481	3725	LXM 3304	178.8	453450	5435264	154	1	111.5	113.5	2.0	12.3	
		including						113.0	113.5	0.5	45.1	
WST-20-0481	3725	LXM 3304	178.8	453450	5435264	154	1	115.0	117.0	2.0	5.29	
		including						116.6	117.0	0.4	10.8	
WST-20-0482	3725	Lynx	180.5	453449	5435264	165	8	38.0	40.4	2.4	4.25	
WST-20-0482	3725	Lynx 323	180.5	453449	5435264	165	8	87.9	90.0	2.1	6.00	
WST-20-0483	3725	Lynx 304	192.6	453449	5435264	170	1	98.0	100.0	2.0	4.93	
		including						98.4	98.7	0.3	24.1	
WST-20-0484	3625	Lynx	159.6	453359	5435209	138	-26	43.1	45.5	2.4	4.80	
		including						43.7	44.0	0.3	33.1	
WST-20-0484	3625	Lynx 304	159.6	453359	5435209	138	-26	94.2	95.3	2.1	13.5	
		including						94.8	95.2	0.4	31.0	
WST-20-0485	3625	Lynx 325	180.6	453359	5435209	148	-44	44.2	46.4	2.2	3.97	
WST-20-0485	3625	Lynx 323	180.6	453359	5435209	148	-44	106.3	108.3	2.0	5.55	
		including						107.9	108.3	0.4	27.2	
WST-20-0485	3625	Lynx 304	180.6	453359	5435209	148	-44	139.3	142.0	2.7	12.6	
		including						139.3	139.7	0.4	60.5	
WST-20-0485	3625	Lynx 359	180.6	453359	5435209	148	-44	143.2	145.3	2.1	16.3	
		including						144.3	145.0	0.7	48.4	
WST-20-0486	3625	Lynx 325	162.0	453359	5435209	131	-38	44.0	46.6	2.4	6.87	
		including						46.8	47.3	0.5	34.8	
WST-20-0486	3625	Lynx 303	162.0	453359	5435209	131	-38	51.5	54.5	3.0	14.9	
WST-20-0486	3625	Lynx 303	162.0	453359	5435209	131	-38	57.5	60.7	6.2	15.1	
		including						58.5	59.0	0.5	47.1	
		and						59.7	60.1	0.4	46.1	
WST-20-0486	3625	Lynx 323	162.0	453359	5435209	131	-38	93.0	95.0	2.0	5.03	
WST-20-0486	3625	Lynx 304	162.0	453359	5435209	131	-38	114.0	116.0	2.0	10.5	
		including						115.4	116.0	0.6	27.6	
WST-20-0487	3625	Lynx 304	177.3	453358	5435208	139	-5	89.0	91.5	2.5	6.89	
		including						91.1	92.5	0.4	36.4	
WST-20-0487	3625	Lynx 359	177.3	453358	5435208	139	-5	103.7	106.0	2.3	25.2	
		including						104.4	105.0	0.6	53.2	
WST-20-0489	3525	Triple Lynx	414.6	453256	5435209	173	-31	277.0	279.0	2.0	6.36	
WST-20-0490	3525	Lynx 339	429.6	453256	5435209	160	-31	114.0	116.0	2.1	28.1	27.7
		including						115.4	115.8	0.4	105	100
WST-20-0490	3525	Triple Lynx	429.6	453256	5435209	160	-31	294.3	296.4	2.1	5.57	
		including						295.7	296.1	0.4	21.7	
WST-20-0492	3525	LXM 3303	141.5	453256	5435209	157	-7	116.9	119.2	2.3	22.3	17.6
		including						116.9	117.3	0.4	127	100
WST-20-0494	3775	Lynx 301	189.2	453495	5435288	122	0	164.4	166.4	2.0	10.8	
		including						165.2	165.5	0.3	64.8	
WST-20-0495	3775	Lynx 304	183.6	453495	5435288	164	2	119.0	121.0	2.0	6.89	
		including						120.6	121.0	0.4	20.8	
WST-20-0495	3775	Lynx 321	183.6	453495	5435288	164	2	131.2	133.5	2.3	3.67	
		including						133.1	133.5	0.4	16.9	
WST-20-0496	3475	Lynx 304	537.2	453227	5435125	172	-61	302.0	304.2	2.2	4.34	
		including						303.4	303.7	0.3	30.7	
WST-20-0496	3475	Lynx 309	537.2	453227	5435125	172	-61	513.6	516.2	2.6	20.9	
		including						513.6	513.8	0.3	81.3	
WST-20-0498	3475	Lynx 320	168.5	453228	5435126	132	-11	108.0	110.0	2.0	3.23	
		including						108.5	109.0	0.5	12.9	
WST-20-0498	3475	Lynx 304	168.5	453228	5435126	132	-11	123.5	125.7	2.2	3.84	
WST-20-0498	3475	Lynx 304	168.5	453228	5435126	132	-11	132.5	134.5	2.0	60.0	41.3
		including						133.8	134.5	0.7	154	100
WST-20-0498	3475	Lynx	168.5	453228	5435126	132	-11	142.0	144.0	2.0	3.38	
WST-20-0499	3475	Lynx 311	162.7	453228	5435126	131	-21	56.0	58.2	2.2	16.5	
		including						57.0	57.4	0.4	83.5	
WST-20-0500	3475	Lynx 311	165.5	453228	5435126	139	-30	56.1	58.4	2.3	10.2	
		including						57.0	57.4	0.4	43.0	
WST-20-0500	3475	Lynx 304	165.5	453228	5435126	139	-30	132.0	134.5	2.5	10.1	
		including						132.9	133.6	0.7	35.9	
WST-20-0502	3325	Lynx 311	114.7	453105	5435065	144	-41	73.4	76.0	2.6	4.73	
WST-20-0503	3325	Lynx 311	99.4	453105	5435065	148	6	54.0	56.0	2.0	3.76	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-20-0503	3325	Lynx 311	99.4	453305	5435055	148	6	57.9	59.9	2.0	18.6	
		including						57.9	58.7	0.8	46.1	
WST-20-0506	3625	Lynx 311	141.3	453357	5435208	175	19	82.7	85.1	2.4	6.21	
WST-20-0506	3625	Lynx 304	141.3	453357	5435208	175	19	123.2	125.5	2.3	7.83	
		including						123.9	126.7	0.8	22.4	
WST-20-0508	3575	Lynx 311	138.4	453316	5435165	136	-13	51.4	53.5	2.1	6.03	
		including						52.8	53.1	0.3	37.7	
WST-20-0508	3575	Lynx 323	138.4	453316	5435165	136	-13	70.5	72.8	2.3	9.05	
WST-20-0508	3575	Lynx 308	138.4	453316	5435165	136	-13	77.4	80.0	2.6	4.45	
		including						77.7	78.1	0.4	21.9	
WST-20-0508	3575	Lynx 304	138.4	453316	5435165	136	-13	93.9	96.0	2.1	94.9	22.0
		including						93.9	94.3	0.4	483	100
WST-20-0508	3575	Lynx 359	138.4	453316	5435165	136	-13	109.0	111.2	2.2	19.2	
		including						110.7	111.2	0.5	71.7	
WST-20-0509	3575	Lynx 304	147.5	453316	5435166	127	-21	94.4	96.5	2.1	4.24	
		including						94.4	94.7	0.3	13.9	
WST-20-0511	3575	Lynx 308	162.3	453316	5435165	137	6	82.5	88.4	5.9	15.6	
		including						83.4	84.0	0.6	79.7	
WST-20-0511	3575	Lynx 304	162.3	453316	5435165	137	6	92.0	94.0	2.0	9.36	
		including						93.6	94.0	0.4	45.0	
WST-20-0512	3550	Lynx 303	138.7	453315	5435164	159	-10	48.2	50.2	2.0	8.84	
		including						49.3	49.9	0.6	29.1	
WST-20-0512	3550	Lynx 311	138.7	453315	5435164	159	-10	54.0	56.0	2.0	21.1	
		including						54.9	55.4	0.5	83.8	
WST-20-0513	3725	Lynx 323	183.7	453418	5435305	147	-25	138.0	140.8	2.8	52.9	44.5
		including						139.0	139.9	0.9	126	100
WST-20-0513	3725	Lynx 304	183.7	453418	5435305	147	-25	151.8	154.0	2.2	3.87	
WST-20-0514	3725	Lynx 323	180.6	453418	5435305	153	-27	141.0	143.0	2.0	20.9	
		including						141.0	142.0	1.0	32.5	
WST-20-0515	3725	Lynx 323	186.4	453418	5435305	157	-34	156.0	158.0	2.0	24.4	20.4
		including						157.0	157.4	0.4	120	100
WST-20-0515	3725	Lynx 304	186.4	453418	5435305	157	-34	169.0	171.0	2.0	25.0	21.0
		including						169.0	169.4	0.4	120	100
WST-20-0516	3725	Lynx	195.4	453418	5435305	168	-34	106.0	108.0	2.0	5.56	
WST-20-0516	3725	Lynx 359	195.4	453418	5435305	168	-34	168.0	170.0	2.0	23.8	
		including						168.5	169.3	0.8	43.0	
WST-20-0517	2575	Malard 5211	399.7	452281	5434975	140	-55	77.4	79.5	2.1	18.9	
		including						77.4	78.0	0.6	47.1	
WST-20-0518	2575	227 1102	440.8	452282	5434975	136	-52	168.0	170.0	2.0	4.53	
WST-20-0519	2575	Lynx 3208	162.4	452282	5434976	136	-45	61.0	63.0	2.0	6.07	
WST-20-0519	2575	227	162.4	452282	5434976	136	-45	148.0	150.0	2.0	6.76	
WST-20-0520	2575	Malard 5211	387.5	452281	5434975	135	-46	63.5	66.0	2.5	5.53	
WST-20-0520	2575	Malard 5211	387.5	452281	5434975	135	-46	81.5	84.0	2.5	12.3	
		including						82.4	82.7	0.3	94.8	
WST-20-0520	2575	227 1102	387.5	452281	5434975	135	-46	157.0	159.3	2.3	45.3	
WST-20-0520	2575	227 1123	387.5	452281	5434975	135	-46	176.2	178.3	2.1	6.20	
		including						176.2	176.7	0.5	20.5	
WST-20-0520	2575	Caribou 2253	387.5	452281	5434975	135	-46	352.4	354.4	2.0	11.8	
		including						352.8	353.9	1.1	21.2	
WST-20-0521	2575	227 1102	384.5	452281	5434975	153	-57	191.3	193.7	2.4	4.40	
WST-20-0521	2575	227 1102	384.5	452281	5434975	153	-57	195.2	197.2	2.0	4.76	
WST-20-0521	2575	227 1123	384.5	452281	5434975	153	-57	231.9	234.3	2.4	7.99	
		including						233.9	234.3	0.4	31.7	
WST-20-0521	2575	Caribou	384.5	452281	5434975	153	-57	367.0	369.1	2.1	12.1	
		including						367.6	368.6	1.0	24.4	
WST-20-0522	3325	Lynx SW	456.7	453304	5435064	177	-52	243.0	245.1	2.1	8.79	
WST-20-0522	3325	LXSW 3556	456.7	453304	5435064	177	-52	207.0	300.0	3.0	4.42	
WST-20-0522	3325	LXSW 3556	456.7	453304	5435064	177	-52	305.4	307.5	2.1	24.4	19.9
		including						306.0	306.3	0.3	132	100
WST-20-0522	3325	LXSW 3556	456.7	453304	5435064	177	-52	312.7	315.0	2.3	8.70	
		including						312.7	313.3	0.6	9.20	
WST-20-0522	3325	Lynx SW	456.7	453304	5435064	177	-52	374.0	376.0	2.0	6.98	
		including						374.8	375.5	0.7	10.7	
WST-20-0524	3325	LXM 3311	243.1	453303	5435064	182	-44	81.9	86.2	4.3	3.58	
WST-20-0524	3325	Lynx SW	243.1	453303	5435064	182	-44	225.8	229.3	3.5	141	
		including						228.4	229.3	0.9	35.6	100
WST-20-0524	3325	Lynx SW	243.1	453303	5435064	182	-44	238.7	241.0	2.3	3.60	
		including						239.6	240.0	0.4	16.9	
WST-20-0525	3725	Lynx 323	186.6	453418	5435305	164	-21	142.0	144.0	2.0	13.3	
		including						142.0	143.0	1.0	26.4	
WST-20-0525	3725	Lynx 359	186.6	453418	5435305	164	-21	159.7	161.8	2.1	10.8	
		including						160.3	160.6	0.3	52.7	
WST-20-0529	3725	Lynx	426.4	453414	5435310	305	-43	214.8	217.4	2.6	8.53	
		including						215.5	215.8	0.3	19.0	
WST-20-0529	3725	Lynx	426.4	453414	5435310	305	-43	227.9	230.1	2.2	8.48	
		including						228.4	228.4	0.5	28.0	
WST-20-0533	3575	Lynx 304	132.6	453315	5435165	143	-27	96.0	98.1	2.1	7.13	
		including						97.2	98.1	0.9	16.6	
WST-20-0534	3575	Lynx 323	135.4	453315	5435165	143	-32	69.0	71.0	2.0	21.4	
		including						70.2	71.0	0.8	53.5	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-20-0534	3575	LXM 3359	including 135.4	453315	5435165	143	-32	122.0	124.2	2.2	10.4	
								123.2	124.2	1.0	22.9	
WST-20-0535	3575	Lynx 303	including 138.4	453315	5435165	143	-37	46.9	40.1	2.2	5.83	
								46.9	47.5	0.6	18.1	
WST-20-0536	3575	Lynx	including 135.4	453316	5435166	132	-27	83.0	85.0	2.0	17.9	
								83.4	85.8	0.4	84.1	
WST-20-0536	3575	Lynx 304	including 135.4	453316	5435166	132	-27	91.0	93.0	2.0	14.2	
								91.7	92.1	0.4	66.9	
WST-20-0536	3575	Lynx 304	including 135.4	453316	5435166	132	-27	98.0	100.0	2.0	13.5	
								98.6	98.9	0.3	83.8	
WST-20-0536	3575	Lynx 359	including 135.4	453316	5435166	132	-27	111.0	113.0	2.0	8.90	
								111.8	112.6	0.8	22.2	
WST-20-0536	3575	Lynx 309	including 135.4	453316	5435166	132	-27	117.0	118.0	2.0	3.26	
WST-20-0537	3575	Lynx	including 138.5	453316	5435166	132	-32	84.9	87.1	2.2	6.49	
								86.4	87.1	0.7	16.1	
WST-20-0537	3575	Lynx 304	including 138.5	453316	5435166	132	-32	99.8	101.9	2.1	5.28	
WST-20-0538	3575	Lynx 304	including 141.5	453316	5435166	131	-37	105.0	107.2	2.2	15.0	
								105.3	105.9	0.5	64.4	
WST-20-0538	3575	Lynx	including 141.5	453316	5435166	131	-37	117.0	120.0	3.0	4.15	
WST-20-0539	3575	Lynx 303	including 138.5	453316	5435166	122	-29	45.9	48.2	2.3	6.89	
WST-20-0539	3575	Lynx 304	including 138.5	453316	5435166	122	-29	96.6	98.6	2.0	20.6	
								97.0	97.5	0.5	80.2	
WST-20-0540	3575	Lynx 303	including 147.4	453316	5435166	129	-42	51.3	53.5	2.2	8.12	
WST-20-0540	3575	Lynx 304	including 147.4	453316	5435166	129	-42	111.0	113.2	2.2	7.86	
								111.0	111.3	0.3	47.2	
WST-20-0541	3575	Lynx 303	including 138.4	453315	5435165	149	-28	45.8	48.1	2.3	10.0	
								46.4	47.2	0.8	25.6	
WST-20-0541	3575	Lynx	including 138.4	453315	5435165	149	-28	60.1	62.3	2.2	13.8	
								60.9	61.7	0.8	34.3	
WST-20-0541	3575	Lynx 304	including 138.4	453315	5435165	149	-28	98.0	100.0	2.0	15.7	
								99.0	99.5	0.5	36.3	
WST-20-0541	3575	Lynx 359	including 138.4	453315	5435165	149	-28	116.1	118.3	2.1	8.87	
								116.1	116.7	0.6	30.4	
WST-20-0543	3575	LXM 3303	including 144.4	453315	5435165	150	-41	52.0	54.0	2.0	10.3	
								52.0	52.3	0.3	52.4	
WST-20-0543	3575	LXM 3303	including 144.4	453315	5435165	150	-41	58.0	60.4	2.4	6.48	
								58.0	58.7	0.7	20.4	
WST-20-0543	3575	Lynx 323	including 144.4	453315	5435165	150	-41	74.3	74.6	0.3	90700	100
WST-20-0544	3575	Lynx 303	including 144.4	453315	5435165	144	-44	52.7	55.5	2.8	72.0	55.8
								52.7	54.1	1.4	132	100
WST-20-0545	3575	Lynx 304	including 147.6	453316	5435166	112	-24	95.7	96.0	2.3	18.1	
WST-20-0545	3575	Lynx 359	including 147.6	453316	5435166	112	-24	124.0	127.1	3.1	10.6	
								126.2	127.1	0.9	46.2	
WST-20-0547	3475	LXSW 3502	including 486.9	453228	5435126	167	-54	421.6	423.9	2.3	74.9	43.4
								423.0	423.9	0.9	185	100
WST-20-0549	2475	Mallard 5211	including 396.3	453208	5434898	141	-12	11.0	13.0	2.0	12.3	
WST-20-0549	2475	Caribou 2518	including 396.3	453208	5434898	141	-12	263.0	265.0	2.0	5.39	
WST-20-0549	2475	Caribou 2518	including 396.3	453208	5434898	141	-12	269.5	271.5	2.0	3.94	
WST-20-0549	2475	Caribou 2521	including 396.3	453208	5434898	141	-12	306.0	308.0	2.0	3.26	
								307.2	308.0	0.8	7.40	
WST-20-0549	2475	Caribou 2542	including 396.3	453208	5434898	141	-12	373.9	377.0	3.1	4.60	
WST-20-0552	3525	LXM 3339	including 516.5	453257	5435209	166	-39	127.0	129.0	2.0	11.1	
								127.6	128.3	0.7	29.9	
WST-20-0552	3525	LXSW 3506	including 516.5	453257	5435209	166	-39	235.7	238.0	2.3	22.7	
								246.4	247.4	1.0	51.8	
WST-20-0553	3525	LXM 3303	including 234.4	453256	5435209	148	-28	131.7	134.1	2.4	8.67	
								132.3	132.8	0.5	33.0	
WST-20-0554	3525	TLX 3131	including 561.5	453257	5435209	148	-44	295.2	297.2	2.0	7.89	
WST-20-0554	3525	TLX 3166	including 561.5	453257	5435209	148	-44	353.9	356.0	2.1	12.2	
								354.4	354.9	0.5	41.2	
WST-20-0554	3525	Triple Lynx	including 561.5	453257	5435209	148	-44	357.4	359.4	2.0	6.43	
WST-20-0554	3525	Triple Lynx	including 561.5	453257	5435209	148	-44	424.0	426.2	2.2	3.77	
WST-20-0554	3525	LXM 3450	including 561.5	453257	5435209	148	-44	490.8	495.1	4.3	19.4	
								490.8	492.0	1.2	49.0	
WST-20-0555	3575	Bobcat 2350	including 139.5	453955	5439303	145	-25	118.8	121.6	2.8	10.8	
								119.5	119.9	0.4	24.6	
								121.0	121.6	0.6	23.2	
WST-20-0556	3175	Bobcat	including 162.5	453955	5435003	155	-27	96.3	96.4	2.1	4.66	
								97.8	96.4	0.6	13.5	
WST-20-0558	3575	Bobcat	including 168.6	453955	5439303	155	-32	98.0	100.0	2.0	4.57	
								98.4	99.1	0.7	12.8	
WST-20-0558	3575	Bobcat	including 168.6	453955	5439303	155	-32	166.0	168.0	2.0	7.15	
								167.7	168.0	0.3	47.5	
WST-20-0563	3525	Lynx 365	including 248.3	453255	5435214	134	-40	129.4	131.5	2.1	4.72	
								129.4	130.0	0.6	15.1	
WST-20-0565	2475	Mallard 5211	including 354.4	453208	5434898	134	-12	11.0	13.2	2.2	11.6	
								11.6	12.4	0.8	20.4	
WST-20-0566	2475	Mallard 5211	including 20.0	453208	5434898	132	-16	13.0	15.3	2.3	5.64	
								14.0	14.5	0.5	25.7	
WST-20-0567	2475	227	including 379.2	453208	5434898	139	-20	58.0	60.0	2.0	4.55	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-20-0567	3475	Caribou corridor	379.2	452208	5434898	130	-30	58.0	59.0	1.0	9.01	
WST-20-0568	3525	Lynx SW	492.6	453304	5435065	157	-58	296.0	298.0	2.0	5.01	
WST-20-0568	3525	Lynx SW	492.6	453304	5435065	157	-58	275.9	276.2	2.6	70.0	13.6
WST-20-0568	3525	Lynx SW	492.6	453304	5435065	157	-58	295.9	298.0	2.1	5.60	100
WST-20-0568	3525	Lynx SW	492.6	453304	5435065	157	-58	296.6	297.4	0.8	15.7	
WST-20-0568	3525	Lynx SW	492.6	453304	5435065	157	-58	317.0	319.0	2.0	3.94	
WST-20-0568	3525	Lynx SW	525.5	453304	5435065	164	-59	317.7	318.1	0.4	49.5	
WST-20-0568	3525	Lynx SW	525.5	453304	5435065	164	-59	243.0	244.2	0.4	67.3	
WST-20-0568	3525	Lynx SW	525.5	453304	5435065	164	-59	259.9	262.0	2.1	14.6	
WST-20-0568	3525	Lynx SW	525.5	453304	5435065	164	-59	261.5	262.0	0.5	26.7	
WST-20-0568	3525	Lynx SW	525.5	453304	5435065	164	-59	316.5	317.7	2.2	32.7	28.2
WST-20-0568	3525	Lynx SW	525.5	453304	5435065	164	-59	316.5	311.1	0.6	119.5	100
WST-20-0568	3525	Lynx SW	525.5	453304	5435065	164	-59	412.0	414.0	2.0	4.31	
WST-20-0568	3525	Lynx SW	525.5	453304	5435065	164	-59	412.4	412.7	0.3	27.6	
WST-20-0570	3525	Lynx SW	453.8	453304	5435065	159	-51	70.7	72.7	2.0	8.74	
WST-20-0570	3525	Lynx SW	453.8	453304	5435065	159	-51	70.7	71.7	1.0	16.9	
WST-20-0570	3525	Lynx SW	453.8	453304	5435065	159	-51	206.2	209.1	2.9	25.9	
WST-20-0570	3525	Lynx SW	453.8	453304	5435065	159	-51	207.8	208.4	0.6	55.0	
WST-20-0570	3525	Lynx SW	453.8	453304	5435065	159	-51	274.1	276.1	2.0	6.79	
WST-20-0570	3525	Lynx SW	453.8	453304	5435065	159	-51	274.1	275.0	0.9	31.0	
WST-20-0570	3525	Lynx SW	453.8	453304	5435065	159	-51	290.7	292.9	2.2	3.46	
WST-20-0570	3525	Lynx SW	453.8	453304	5435065	159	-51	291.1	291.9	0.8	9.09	
WST-20-0570	3525	Lynx SW	453.8	453304	5435065	159	-51	323.0	325.0	2.0	3.85	
WST-20-0571	3525	Lynx SW	465.3	453304	5435065	167	-56	394.4	396.5	2.1	10.3	
WST-20-0571	3525	Lynx SW	465.3	453304	5435065	167	-56	395.8	396.1	0.3	60.1	
WST-20-0571	3525	Lynx SW	465.3	453304	5435065	167	-56	413.0	415.0	2.0	6.65	
WST-20-0571	3525	Lynx SW	465.3	453304	5435065	167	-56	413.0	414.0	1.0	13.3	
WST-20-0573	3175	Lynx SW	435.7	452955	5435003	148	-50	336.1	338.3	2.2	4.76	
WST-20-0574	3175	Lynx SW	522.9	452955	5435003	139	-63	346.1	346.8	0.7	12.3	
WST-20-0574	3175	Lynx SW	522.9	452955	5435003	139	-63	363.6	365.8	2.3	13.7	
WST-20-0574	3175	Lynx SW	522.9	452955	5435003	139	-63	302.9	305.7	2.8	9.11	
WST-20-0574	3175	Lynx SW	522.9	452955	5435003	139	-63	308.0	310.0	2.0	4.07	
WST-20-0574	3175	Lynx SW	522.9	452955	5435003	139	-63	342.0	344.0	2.0	30.2	
WST-20-0574	3175	Lynx SW	522.9	452955	5435003	139	-63	343.0	345.7	0.7	85.4	
WST-20-0574	3175	Lynx SW	522.9	452955	5435003	139	-63	365.0	367.3	2.3	3.35	
WST-20-0574	3175	Lynx SW	522.9	452955	5435003	139	-63	366.5	366.9	0.4	14.7	
WST-20-0574	3175	Lynx SW	522.9	452955	5435003	139	-63	394.5	396.9	2.4	5.64	
WST-20-0574	3175	Lynx SW	522.9	452955	5435003	139	-63	415.7	418.7	3.0	8.63	
WST-20-0574	3175	Lynx SW	522.9	452955	5435003	139	-63	418.4	418.7	0.3	78.9	
WST-20-0574	3175	Lynx SW	522.9	452955	5435003	139	-63	510.8	513.5	2.7	3.75	
WST-20-0574	3175	Lynx SW	522.9	452955	5435003	139	-63	511.7	512.2	0.5	20.0	
WST-20-0575	3725	Triple Lynx	280.3	453413	5435309	280	-33	159.0	161.0	2.0	3.54	
WST-20-0578	3725	Lynx	801.5	453418	5435305	154	-47	151.5	153.7	2.2	76.4	34.4
WST-20-0578	3725	Lynx	801.5	453418	5435305	154	-47	152.4	152.7	0.3	55.5	100
WST-20-0578	3725	Lynx	801.5	453418	5435305	154	-47	170.0	172.0	2.0	24.3	
WST-20-0578	3725	Lynx	801.5	453418	5435305	154	-47	170.8	171.2	0.4	76.8	
WST-20-0578	3725	Lynx	801.5	453418	5435305	154	-47	785.0	792.0	7.0	9.09	
WST-20-0579	3550	Lynx SW	444.2	453315	5435163	162	-39	789.5	790.4	0.9	24.3	
WST-20-0581	3425	Lynx SW	473.8	453177	5435126	181	-60	58.0	60.5	2.5	5.62	
WST-20-0581	3425	Lynx SW	473.8	453177	5435126	181	-60	268.4	274.0	5.6	4.56	
WST-20-0581	3425	Lynx SW	473.8	453177	5435126	181	-60	283.0	285.0	2.0	206	45.4
WST-20-0581	3425	Lynx SW	473.8	453177	5435126	181	-60	283.0	283.9	0.9	458	100
WST-20-0581	3425	Lynx SW	473.8	453177	5435126	181	-60	408.9	409.8	0.9	34.4	
WST-20-0582	3425	Lynx SW	144.1	453177	5435125	176	-57	103.1	106.0	2.9	7.01	
WST-20-0582	3425	Lynx SW	144.1	453177	5435125	176	-57	129.5	131.5	2.0	9.97	
WST-20-0582	3425	Lynx SW	144.1	453177	5435125	176	-57	136.0	131.0	1.0	19.9	
WST-20-0583	3425	Lynx SW	138.9	453177	5435125	176	-51	117.0	119.0	2.0	8.80	
WST-20-0583	3425	Lynx SW	138.9	453177	5435125	176	-51	118.5	119.0	0.5	8.03	
WST-20-0584	3725	Lynx SW	204.5	453417	5435304	174	-39	127.0	124.0	2.0	11.4	
WST-20-0585	3725	Lynx SW	189.4	453418	5435305	161	-25	152.0	159.7	2.0	27.2	
WST-20-0586	3725	Lynx SW	192.5	453418	5435305	167	-14	158.2	159.0	0.8	61.4	
WST-20-0586	3725	Lynx SW	192.5	453418	5435305	167	-14	159.5	161.5	2.0	6.81	
WST-20-0586	3725	Lynx SW	192.5	453418	5435305	167	-14	141.0	143.1	2.1	20.0	
WST-20-0586	3725	Lynx SW	192.5	453418	5435305	167	-14	142.2	142.7	0.5	79.3	
WST-20-0586	3725	Lynx SW	192.5	453418	5435305	167	-14	160.0	162.5	2.5	14.4	
WST-20-0587	3725	Lynx SW	204.7	453418	5435305	145	-43	161.3	161.8	0.5	54.1	
WST-20-0587	3725	Lynx SW	204.7	453418	5435305	145	-43	165.0	167.2	2.2	3.33	
WST-20-0587	3725	Lynx SW	204.7	453418	5435305	145	-43	166.6	167.2	0.6	10.9	
WST-20-0589	2575	Mallard 5211	375.5	452281	5434975	147	-55	63.5	65.6	2.1	8.09	
WST-20-0589	2575	Mallard 5211	375.5	452281	5434975	147	-55	330.4	332.4	2.0	6.21	
WST-20-0589	2575	Mallard 5211	375.5	452281	5434975	147	-55	351.0	353.1	2.1	29.2	
WST-20-0591	3525	Lynx SW	220.2	453257	5435209	136	-35	144.0	146.2	2.2	23.7	
WST-20-0591	3525	Lynx SW	220.2	453257	5435209	136	-35	145.5	146.2	0.7	43.2	
WST-20-0591	3525	Lynx SW	220.2	453257	5435209	136	-35	167.1	169.3	2.2	4.98	
WST-20-0592	3525	Lynx SW	204.5	453257	5435209	137	-26	129.8	130.6	0.8	4.61	
WST-20-0592	3525	Lynx SW	204.5	453257	5435209	137	-26	130.3	131.0	0.7	13.1	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-20-0502	3525	LXM 3308	204.5	453257	5435209	137	-26	137.5	139.5	2.0	4.67	
			including					137.5	139.0	0.5	17.2	
WST-20-0503	3525	LXM 3303	201.5	453257	5435209	149	-16	118.9	121.4	2.5	4.63	
			including					118.9	119.9	1.0	11.5	
WST-20-0505	3025	Bobcat 2350	150.3	452818	5434944	111	-23	82.7	85.8	3.1	10.3	
			including					83.1	85.7	0.6	28.2	
WST-21-0507	3025	Bobcat	132.3	452817	5434943	151	-2	17.7	19.9	2.2	6.48	
WST-21-0508	3025	Bobcat	144.2	452817	5434944	135	5	53.0	55.3	2.3	3.18	
WST-21-0508	3025	Bobcat 2335	144.2	452817	5434944	135	5	104.6	106.6	2.0	4.34	
WST-21-0508	3025	Bobcat	144.2	452817	5434944	135	5	120.0	122.0	2.0	3.57	
			including					120.7	121.0	0.3	20.6	
WST-21-0600	3025	Bobcat 2350	171.6	452819	5434944	97	-30	160.0	162.3	2.3	53.3	
			including					160.0	161.0	1.0	86.3	
WST-20-0602	3475	Lynx SW	651.3	453227	5435126	160	-62	397.1	400.4	3.3	5.53	
			including					397.6	398.0	0.4	28.7	
WST-20-0602	3475	Lynx SW	651.3	453227	5435126	160	-62	572.0	577.3	5.3	43.4	50.1
			including					572.0	573.0	1.0	172	100
WST-20-0603	3475	Lynx SW	525.2	453227	5435125	161	-59	250.5	253.7	3.2	56.4	34.3
WST-20-0603	3475	Lynx SW	525.2	453227	5435125	161	-59	257.8	260.0	2.2	5.07	100
WST-20-0603	3475	Triple Lynx	525.2	453227	5435125	161	-59	278.0	280.0	2.0	28.0	
			including					278.7	279.2	0.5	95.2	
WST-20-0603	3475	TLX 3166	525.2	453227	5435125	161	-59	297.0	299.0	2.0	47.1	
			including					298.1	298.5	0.4	22.8	
WST-20-0603	3475	Lynx SW	525.2	453227	5435125	161	-59	476.0	478.0	2.0	7.78	
			including					476.8	477.6	0.8	19.1	
WST-20-0604	2575	Caribou 2253	372.5	452281	5434975	153	-58	332.2	334.5	2.3	3.91	
			including					332.5	333.3	0.8	11.9	
WST-20-0604	2575	Caribou 2253	372.5	452281	5434975	153	-58	336.3	338.5	2.2	6.00	
			including					336.3	336.6	0.3	36.8	
WST-20-0608	3725	LXM 3438	760.0	453418	5435305	152	-44	704.0	706.1	2.1	6.11	
			including					704.0	704.9	0.9	13.7	
WST-20-0608	3425	Lynx SW	460.7	453177	5435126	188	-56	299.0	301.4	2.4	12.9	
			including					300.9	301.4	0.5	57.0	
WST-20-0609	3425	Triple Lynx	460.7	453177	5435126	188	-56	326.7	329.0	2.3	4.77	
			including					326.7	327.4	0.7	11.1	
WST-20-0609	3425	Lynx SW	460.7	453177	5435126	188	-56	346.7	349.0	2.3	3.80	
			including					346.7	347.2	0.5	17.4	
WST-20-0611	3650	TLX 3161	377.6	453358	5435273	118	-63	262.7	265.2	2.5	26.8	
			including					262.7	263.6	0.9	66.9	
WST-20-0611	3650	Triple Lynx	377.6	453358	5435273	118	-63	289.0	292.4	3.4	52.1	27.0
			including					291.8	292.4	0.6	242	100
WST-20-0612	3650	TLX 3161	431.5	453357	5435273	128	-62	247.1	252.6	5.5	6.36	
			including					250.8	251.1	0.3	20.2	
WST-20-0612	3650	TLX 3163	431.5	453357	5435273	128	-62	295.5	297.6	2.1	9.58	
WST-20-0612	3650	TLX 3164	431.5	453357	5435273	128	-62	311.0	313.2	2.2	19.1	
			including					311.6	312.2	0.6	66.5	
WST-20-0613	3650	TLX 3161	441.5	453358	5435273	123	-55	237.8	240.3	2.5	696	43.4
			including					238.4	239.0	0.6	2840	100
WST-20-0613	3650	TLX 3163	441.5	453358	5435273	123	-55	284.0	286.0	2.0	4.18	
WST-20-0613	3650	TLX 3182	441.5	453358	5435273	123	-55	345.0	347.1	2.1	3.56	
WST-20-0613	3650	TLX 3182	441.5	453358	5435273	123	-55	357.8	360.5	2.7	3.94	
WST-20-0613	3650	Triple Lynx	441.5	453358	5435273	123	-55	376.0	385.0	9.0	7.47	
			including					380.4	380.8	0.4	16.5	
			and					381.1	382.0	0.9	27.6	
			over					383.4	384.0	0.6	15.5	
WST-20-0613	3650	Triple Lynx	441.5	453358	5435273	123	-55	396.0	398.0	2.0	5.05	
WST-20-0613	3650	TLX 3188	441.5	453358	5435273	123	-55	399.0	401.3	2.3	49.1	44.4
			including					400.0	400.5	0.5	122	100
WST-21-0614	3650	TLX 3161	426.5	453357	5435273	131	-59	233.1	236.8	3.7	39.5	29.6
			including					235.4	235.9	0.5	173	100
WST-21-0614	3650	TLX 3163	426.5	453357	5435273	131	-59	277.9	280.2	2.3	13.7	
			including					278.8	279.2	0.4	65.6	
WST-21-0614	3650	Triple Lynx	426.5	453357	5435273	131	-59	308.0	310.0	2.0	3.74	
WST-21-0614	3650	TLX 3168	426.5	453357	5435273	131	-59	313.0	315.3	2.3	8.89	
			including					314.9	315.3	0.4	17.8	
WST-20-0615	3475	Lynx SW	519.2	453227	5435125	177	-58	258.1	260.5	2.4	12.0	
WST-20-0615	3475	TLX 3166	519.2	453227	5435125	177	-58	278.8	280.8	2.0	26.2	15.9
			including					279.5	279.8	0.3	160	100
WST-20-0616	3475	Lynx SW	459.2	453228	5435126	179	-61	242.8	244.0	1.2	4.37	
WST-20-0616	3475	Lynx SW	459.2	453228	5435126	179	-61	377.9	380.0	2.1	8.67	
			including					377.9	378.4	0.5	36.2	
WST-20-0617	3525	TLX 3167	365.5	453257	5435210	134	-41	351.7	358.0	6.3	74.4	
			including					352.1	352.4	0.3	81.1	
WST-20-0618	3800	TLX 3161	264.2	453506	5435327	181	-63	221.5	223.6	2.1	73.5	48.5
			including					221.9	222.9	1.0	151	100
WST-21-0622	3800	TLX 3161	269.9	453506	5435326	193	-59	232.7	236.4	3.7	133	74.3
WST-20-0624	3525	LXM 3303	147.5	453256	5435209	165	-12	118.0	120.0	2.0	9.50	
			including					118.0	118.8	0.8	21.9	
WST-20-0626	3425	LXM 3307	470.8	453176	5435125	194	-59	334.4	336.8	2.4	4.39	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-20-0626	3425	LXM 3307	470.8	453176	5435125	194	-59	134.4	135.0	0.6	9.74	
								138.3	140.2	2.2	19.4	
								138.8	139.8	1.0	41.4	
WST-20-0626	3425	Lynx SW	470.8	453176	5435125	194	-59	452.7	453.8	2.1	4.53	
WST-20-0627	2475	Mallard 5211	84.4	452209	5434899	130	-19	14.0	35.9	2.9	8.32	
WST-20-0628	3600	LXM 3334	163.6	453321	5435235	150	-31	112.1	114.5	2.4	6.47	
								113.0	113.5	0.5	18.0	
WST-20-0629	3600	LXM 3334	174.6	453321	5435235	146	-21	102.0	104.0	2.0	7.39	
								102.5	103.1	0.6	24.5	
WST-20-0630	3600	LXM 3334	165.5	453321	5435235	142	-13	96.0	98.0	2.0	3.85	
								96.0	96.5	0.5	14.2	
WST-20-0630	3600	LXM 3304	165.5	453321	5435235	142	-13	129.6	134.2	4.6	5.18	
								129.6	130.0	0.4	26.7	
WST-20-0631	3600	Lynx	165.5	453322	5435235	136	-3	14.8	17.0	2.2	7.22	
								14.8	15.6	0.8	19.7	
WST-20-0631	3600	LXM 3304	165.5	453322	5435235	136	-3	128.0	130.0	2.0	25.8	
								128.0	128.7	0.7	71.5	
WST-20-0631	3600	LXM 3359	165.5	453322	5435235	136	-3	144.5	146.5	2.0	4.51	
								144.5	145.1	0.6	14.6	
WST-20-0632	3600	LXM 3334	171.9	453321	5435235	160	-41	123.8	125.9	2.1	507	36.0
								124.9	125.5	0.6	1790	100
WST-20-0633	3600	Lynx	170.7	453321	5435235	161	-32	152.8	155.1	2.3	12.2	
								152.8	153.3	0.5	26.3	
WST-20-0636	3600	LXM 3334	177.9	453322	5435235	133	-36	114.0	116.0	2.0	4.40	
WST-20-0637	3600	Triple Lynx	549.6	453321	5435235	151	-47	172.0	174.0	2.0	5.30	
								172.0	172.5	0.5	18.1	
WST-20-0637	3600	TLX 3167	549.6	453321	5435235	151	-47	323.0	327.0	4.0	7.64	
								326.0	327.0	1.0	16.8	
WST-20-0637	3600	Lynx 4	549.6	453321	5435235	151	-47	475.5	478.0	2.5	3.47	
WST-20-0637	3600	LXM 3450	549.6	453321	5435235	151	-47	507.0	509.0	2.0	9.77	
								507.3	507.6	0.3	60.5	
WST-20-0642	3175	Bobcat 2350	171.6	452955	5435003	149	-38	140.9	143.2	2.3	5.43	
								142.8	143.3	0.4	16.3	
WST-20-0642	3175	Bobcat	171.6	452955	5435003	149	-38	150.0	152.0	2.0	4.13	
								150.6	151.0	0.4	16.8	
WST-20-0643	3175	Bobcat	219.6	452955	5435003	129	-41	163.0	165.0	2.0	42.8	
								163.0	164.0	1.0	89.4	
WST-20-0644	3175	Bobcat	120.4	452955	5435003	130	-4	86.4	88.6	2.2	6.80	
								86.4	87.2	0.8	17.2	
WST-20-0645	3175	Bobcat 2350	153.4	452954	5435002	173	5	92.0	94.0	2.0	3.90	
								92.0	92.6	0.6	12.3	
WST-20-0647	3475	TLX 3131	345.2	453228	5435126	150	-59	271.0	273.0	2.0	5.55	
WST-20-0647	3475	TLX 3166	345.2	453228	5435126	150	-59	311.0	313.0	2.0	5.83	
								312.3	313.0	0.7	14.9	
WST-20-0650	3175	LXSW 3507	465.5	452954	5435003	139	-60	232.5	236.1	3.6	9.91	
								232.5	233.0	0.5	51.3	
WST-20-0651	3175	Bobcat	399.6	452954	5435003	153	-52	88.0	90.2	2.2	3.83	
								88.3	89.0	0.7	8.60	
WST-20-0651	3175	LXSW 3556	399.6	452954	5435003	153	-52	323.7	325.7	2.0	31.5	
								324.3	325.1	0.8	77.9	
WST-20-0651	3175	LXSW 3502	399.6	452954	5435003	153	-52	335.0	337.0	2.0	15.7	
								335.7	336.4	0.7	44.8	
WST-20-0652	3175	Lynx SW	480.6	452955	5435003	128	-60	216.0	218.0	2.0	4.35	
WST-20-0652	3175	LXSW 3556	480.6	452955	5435003	128	-60	336.0	338.1	2.1	41.9	22.1
								337.7	338.1	0.4	204	100
WST-20-0652	3175	Lynx SW	480.6	452955	5435003	128	-60	448.0	450.0	2.0	4.35	
								448.7	449.2	0.5	15.6	
WST-20-0655	3325	Lynx SW	402.2	453104	5435065	162	-83	299.0	301.9	2.9	56.5	32.1
								301.0	301.9	0.9	179	100
WST-20-0656	3650	TLX 3161	321.5	453357	5435272	139	-61	233.0	237.0	4.0	56.4	32.2
								234.5	235.1	0.6	263	100
WST-20-0656	3650	TLX 3164	321.5	453357	5435272	139	-61	274.0	276.0	2.0	5.97	
WST-20-0656	3650	TLX 3164	321.5	453357	5435272	139	-61	279.0	281.0	2.0	14.5	
								279.6	280.2	0.6	46.4	
WST-20-0656	3650	TLX 3164	321.5	453357	5435272	139	-61	284.0	286.2	2.2	3.38	
WST-20-0657	3650	TLX 3161	447.5	453357	5435272	141	-56	219.5	222.0	2.5	144	58.3
								220.8	221.3	0.5	543	100
WST-20-0657	3650	Triple Lynx	447.5	453357	5435272	141	-56	402.0	404.2	2.2	24.6	
								402.0	402.5	0.5	94.0	
WST-20-0657	3650	Triple Lynx	447.5	453357	5435272	141	-56	442.3	444.3	2.0	4.26	
WST-20-0658	3650	TLX 3161	354.9	453357	5435272	137	-49	185.0	187.1	2.1	16.7	
								185.0	185.6	0.6	51.3	
WST-20-0659	3650	TLX 3131	396.5	453357	5435272	126	-45	360.9	364.0	3.1	6.83	
WST-20-0661	3175	Lynx SW	252.6	452954	5435003	163	-34	171.0	173.0	2.0	5.37	
								171.9	172.4	0.5	21.4	
WST-20-0662	3175	Lynx SW	219.6	452955	5435003	149	-50	212.0	214.0	2.0	12.7	
								212.5	213.0	0.5	34.3	
WST-20-0663	3175	Bobcat	213.6	452954	5435003	164	-40	74.7	77.8	3.1	20.5	
								77.3	77.8	0.5	94.9	
WST-20-0663	3175	Lynx SW	213.6	452954	5435003	164	-40	191.0	193.0	2.0	5.65	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
including												
WST-21-0664	3475	LXM 3307	759.5	453229	5435127	140	-51	191.0	191.4	0.4	27.4	
including												
WST-21-0664	3475	LXM 3450	759.5	453229	5435127	140	-51	85.2	85.9	0.7	138	100
including												
WST-21-0665	3475	TLX 3166	552.4	453229	5435127	141	-52	328.4	331.0	2.6	4.59	
including												
WST-21-0665	3475	TLX 3165	552.4	453229	5435127	141	-52	330.4	331.0	0.6	11.4	
including												
WST-21-0668	3025	Bobcat 2350	147.5	452817	5434943	142	-20	396.4	397.0	0.6	28.5	
including												
WST-21-0668	3025	Bobcat	147.5	452817	5434943	142	-20	36.5	36.9	0.4	4820	100
including												
WST-21-0669	3025	Bobcat	141.5	452817	5434943	140	-4	95.8	96.2	0.4	425	100
including												
WST-21-0669	3025	Bobcat 2354	141.5	452817	5434943	140	-4	64.9	66.9	2.0	4.26	
including												
WST-21-0670	3525	TLX 3166	471.3	453257	5435209	142	-43	364.3	367.3	3.0	155	64.8
including												
WST-21-0670	3525	TLX 3166	471.3	453257	5435209	142	-43	364.3	365.3	1.0	369	100
including												
WST-21-0670	3525	TLX 3165	471.3	453257	5435209	142	-43	369.3	371.4	2.1	46.7	24.1
including												
WST-21-0670	3525	TLX 3166	471.3	453257	5435209	142	-43	369.9	370.4	0.5	195	100
including												
WST-21-0674	3800	LXM 3304	261.4	453508	5435327	134	-46	409.5	412.0	2.5	6.63	
including												
WST-21-0675	3800	LXM 3304	335.7	453508	5435327	133	-40	410.0	410.4	0.4	30.6	
including												
WST-21-0675	3800	Lynx HW	335.7	453508	5435327	133	-40	158.7	159.9	1.2	14.2	
including												
WST-21-0675	3800	Lynx HW	335.7	453508	5435327	133	-40	159.2	159.9	0.7	39.4	
including												
WST-21-0676	3800	Lynx	318.3	453508	5435327	129	-32	271.5	276.0	4.5	54.2	25.8
including												
WST-21-0676	3800	Lynx	318.3	453508	5435327	129	-32	274.0	275.0	1.0	228	100
including												
WST-21-0676	3800	LXM 3304	318.3	453508	5435327	129	-32	121.0	125.3	4.3	4.73	
including												
WST-21-0676	3800	Lynx	318.3	453508	5435327	129	-32	124.5	125.3	0.8	10.2	
including												
WST-21-0677	3525	Lynx	651.5	453257	5435209	144	-42	152.7	153.3	0.6	10.4	
including												
WST-21-0677	3525	TLX 3165	651.5	453257	5435209	144	-42	217.0	218.0	2.0	5.22	
including												
WST-21-0677	3525	TLX 3165	651.5	453257	5435209	144	-42	309.0	401.0	9.0	8.50	
including												
WST-21-0677	3525	TLX 3165	651.5	453257	5435209	144	-42	409.5	411.5	2.0	11.4	
including												
WST-21-0677	3525	Lynx 3450	651.5	453257	5435209	144	-42	410.5	411.0	0.5	28.8	
including												
WST-21-0677	3525	Lynx	651.5	453257	5435209	144	-42	490.4	492.4	2.0	11.1	
including												
WST-21-0678	3600	Lynx	573.8	453321	5435235	153	-50	491.8	492.4	0.6	39.9	
including												
WST-21-0678	3600	Lynx	573.8	453321	5435235	153	-50	48.0	48.5	0.5	11.7	
including												
WST-21-0678	3600	Triple Lynx	573.8	453321	5435235	153	-50	495.8	497.9	2.1	11.8	
including												
WST-21-0679	3525	TLX 3131	440.7	453257	5435209	145	-46	496.6	497.6	1.0	24.2	
including												
WST-21-0680	3600	Lynx	559.1	453321	5435235	161	-47	314.7	317.0	2.3	4.79	
including												
WST-21-0680	3600	Lynx	559.1	453321	5435235	161	-47	51.5	54.0	2.5	4.11	
including												
WST-21-0680	3600	Lynx 4	559.1	453321	5435235	161	-47	474.0	476.1	2.1	4.68	
including												
WST-21-0680	3600	Lynx 4	559.1	453321	5435235	161	-47	476.9	479.0	2.1	7.35	
including												
WST-21-0681	3600	TLX 3131	720.9	453321	5435235	160	-43	478.2	478.5	0.3	48.1	
including												
WST-21-0681	3600	TLX 3167	720.9	453321	5435235	160	-43	290.0	292.0	2.0	4.71	
including												
WST-21-0681	3600	TLX 3167	720.9	453321	5435235	160	-43	291.4	292.0	0.6	15.0	
including												
WST-21-0681	3600	Triple Lynx	720.9	453321	5435235	160	-43	321.0	323.0	2.0	6.38	
including												
WST-21-0681	3600	Triple Lynx	720.9	453321	5435235	160	-43	321.4	321.8	0.4	31.5	
including												
WST-21-0681	3600	Triple Lynx	720.9	453321	5435235	160	-43	419.0	421.9	2.9	10.4	
including												
WST-21-0681	3600	TLX 3166	720.9	453321	5435235	160	-43	444.0	446.0	2.0	8.90	
including												
WST-21-0681	3600	LXM 3450	720.9	453321	5435235	160	-43	445.0	446.0	1.0	17.4	
including												
WST-21-0681	3525	TLX 3166	636.2	453257	5435209	146	-40	482.0	484.2	2.2	10.8	
including												
WST-21-0681	3525	TLX 3166	636.2	453257	5435209	146	-40	342.8	344.8	2.0	3.83	
including												
WST-21-0681	3525	TLX 3165	636.2	453257	5435209	146	-40	355.0	358.0	3.0	7.62	
including												
WST-21-0681	3525	TLX 3165	636.2	453257	5435209	146	-40	355.0	356.0	1.0	17.2	
including												
WST-21-0681	3525	Lynx 4	636.2	453257	5435209	146	-40	371.0	374.8	3.8	8.72	
including												
WST-21-0681	3525	Lynx 4	636.2	453257	5435209	146	-40	375.9	374.8	0.9	27.1	
including												
WST-21-0681	3525	Lynx 4	636.2	453257	5435209	146	-40	544.0	546.0	2.0	5.55	
including												
WST-21-0684	3175	LSKW 3556	300.5	452955	5433003	150	-44	267.9	269.9	2.0	6.55	
including												
WST-21-0690	3630	TLX 3161	306.6	453356	5435272	150	-63	268.6	269.0	0.4	32.0	
including												
WST-21-0690	3630	Triple Lynx	306.6	453356	5435272	150	-63	231.5	232.2	0.6	86.7	
including												
WST-21-0690	3630	Triple Lynx	306.6	453356	5435272	150	-63	234.4	235.0	0.6	72.1	
including												
WST-21-0690	3630	Triple Lynx	306.6	453356	5435272	150	-63	242.5	244.6	2.1	13.0	
including												
WST-21-0690	3630	Triple Lynx	306.6	453356	5435272	150	-63	243.3	243.6	0.3	49.2	
including												
WST-21-0690	3630	Triple Lynx	306.6	453356	5435272	150	-63	248.1	251.6	3.5	23.3	
including												
WST-21-0690	3630	TLX 3164	306.6	453356	5435272	150	-63	252.6	254.7	2.1	4.67	
including												
WST-21-0691	3630	TLX 3161	384.6	453356	5435272	152	-58	254.3	254.7	0.4	10.1	
including												
WST-21-0691	3630	TLX 3164	384.6	453356	5435272	152	-58	250.0	250.4	0.4	6.29	
including												
WST-21-0691	3630	TLX 3164	384.6	453356	5435272	152	-58	257.2	259.6	2.4	13.8	
including												
WST-21-0692	3630	TLX 3131	540.6	453356	5435272	156	-54	334.2	336.4	2.2	5.34	
including												
WST-21-0692	3630	TLX 3131	540.6	453356	5435272	156	-54	532.3	534.9	2.6	12.2	
including												
WST-21-0694	3325	Lynx SW	384.2	453303	5435065	162	-61	53.6	53.6	0.1	71.8	
including												
WST-21-0694	3325	Lynx SW	384.2	453303	5435065	162	-61	303.0	305.0	2.0	4.83	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assort	Au (g/t) cut to 100 g/t
including												
WST-21-0696	3475	LXM 3339	492.2	453229	5435127	137	-49	304.3	304.6	0.3	28.7	
WST-21-0696	3475	TUX 3166	492.2	453229	5435127	137	-49	48.2	50.8	2.6	3.82	
including												
WST-21-0696	3475	Triple Lynx	492.2	453229	5435127	137	-49	276.6	279.2	2.6	3.66	
including												
WST-21-0696	3475	LXM 3450	492.2	453229	5435127	137	-49	277.4	278.2	0.8	10.8	
WST-21-0697	3525	TUX 3166	541.5	453257	5435209	136	-45	379.4	381.7	2.3	4.55	
WST-21-0697	3525	TUX 3165	541.5	453257	5435209	136	-45	426.0	428.0	2.0	11.4	
including												
WST-21-0698	3650	LXM 3334	159.6	453356	5435272	167	-40	426.5	427.4	0.9	23.5	
WST-21-0701	3650	LXM 3304	172.1	453356	5435272	148	-22	138.3	140.3	2.0	10.3	
including												
WST-21-0701	3650	LXM 3309	172.1	453356	5435272	148	-22	126.5	127.3	0.8	69.8	
including												
WST-21-0702	3650	LXM 3304	165.6	453356	5435272	151	-34	143.5	144.5	1.0	39.5	
WST-21-0703	3325	Lynx SW	489.1	453304	5435065	146	-60	121.9	124.2	2.3	24.7	
including												
WST-21-0703	3325	LXSW 3506	489.1	453304	5435065	146	-60	43.2	45.2	2.0	78.7	37.1
including												
WST-21-0703	3325	Lynx SW	489.1	453304	5435065	146	-60	43.5	44.2	0.7	239	100
including												
WST-21-0703	3325	Lynx SW	489.1	453304	5435065	146	-60	252.0	256.2	4.2	11.6	
WST-21-0703	3325	LXSW 3502	489.1	453304	5435065	146	-60	255.1	255.5	0.4	66.5	
including												
WST-21-0706	3325	Lynx SW	417.3	453304	5435065	165	-54	403.7	405.9	2.2	39.3	28.1
including												
WST-21-0706	3325	LXSW 3556	417.3	453304	5435065	165	-54	464.7	465.3	0.6	344	100
including												
WST-21-0706	3325	Lynx SW	417.3	453304	5435065	165	-54	215.0	217.5	2.5	7.45	
including												
WST-21-0706	3325	Lynx SW	417.3	453304	5435065	165	-54	215.9	216.5	0.6	24.6	
including												
WST-21-0706	3325	LXSW 3556	417.3	453304	5435065	165	-54	250.7	253.0	2.3	5.17	
including												
WST-21-0706	3325	Lynx SW	417.3	453304	5435065	165	-54	269.8	270.3	0.5	23.7	
including												
WST-21-0706	3325	Lynx SW	417.3	453304	5435065	165	-54	314.5	316.9	2.4	14.1	
including												
WST-21-0708	3625	LXM 3303	93.7	453360	5435194	155	-7	315.3	315.9	0.6	54.1	
including												
WST-21-0710	3625	LXM 3303	93.7	453360	5435195	154	-8	27.0	30.0	2.0	5.34	
including												
WST-21-0710	3625	LXM 3304	93.7	453360	5435195	154	-9	79.0	81.0	2.0	18.5	
including												
WST-21-0712	3625	LXM 3304	90.7	453359	5435194	156	-3	79.6	80.3	0.7	52.5	
including												
WST-21-0712	3625	LXM 3304	90.7	453359	5435194	156	-3	78.0	80.0	2.0	24.0	25.3
including												
WST-21-0715	3625	LXM 3304	93.7	453359	5435194	158	-9	78.8	79.3	0.5	1120	100
including												
WST-21-0715	3625	LXM 3304	93.7	453359	5435194	158	-9	79.0	81.0	2.0	8.56	
including												
WST-21-0716	3625	LXM 3303	96.7	453359	5435194	160	-3	80.1	81.0	0.9	19.0	
including												
WST-21-0716	3625	LXM 3304	96.7	453359	5435194	160	-3	26.5	28.5	2.0	22.1	
including												
WST-21-0716	3625	LXM 3304	96.7	453359	5435194	160	-3	27.1	28.0	0.9	47.4	
including												
WST-21-0716	3625	LXM 3304	96.7	453359	5435194	160	-3	81.0	83.0	2.0	105	33.1
including												
WST-21-0716	3625	LXM 3304	96.7	453359	5435194	160	-3	81.4	82.0	0.6	339	100
including												
WST-21-0718	3625	LXM 3303	99.7	453359	5435194	162	0	87.0	89.0	2.0	17.7	
including												
WST-21-0718	3625	LXM 3303	99.7	453359	5435194	162	0	87.8	87.7	0.7	50.4	
including												
WST-21-0718	3625	LXM 3304	99.7	453359	5435194	162	0	25.9	28.0	2.1	15.0	
including												
WST-21-0718	3625	LXM 3304	99.7	453359	5435194	162	0	26.7	27.3	0.6	47.4	
including												
WST-21-0719	3625	LXM 3304	99.7	453359	5435194	163	-4	88.7	90.7	2.0	26.7	
including												
WST-21-0719	3625	LXM 3304	99.7	453359	5435194	163	-4	88.7	89.4	0.7	69.0	
including												
WST-21-0720	3625	LXM 3336	102.7	453359	5435194	162	2	89.3	90.0	0.7	48.2	
including												
WST-21-0720	3625	LXM 3304	102.7	453359	5435194	162	2	80.2	82.5	2.3	8.25	
including												
WST-21-0721	3625	LXM 3304	102.7	453359	5435194	166	-1	92.3	94.7	2.4	8.99	
including												
WST-21-0721	3625	LXM 3304	102.7	453359	5435194	166	-1	92.0	94.0	2.0	60.6	60.2
including												
WST-21-0722	3625	LXM 3303	105.7	453359	5435194	166	1	92.4	93.6	1.2	105	100
including												
WST-21-0722	3625	LXM 3303	105.7	453359	5435194	166	1	25.3	27.6	2.3	105	25.2
including												
WST-21-0724	3800	Triple Lynx	294.7	453508	5435327	131	-64	264.6	266.7	2.1	3.98	
including												
WST-21-0725	3800	TUX 3161	390.8	453506	5435327	160	-67	264.6	266.7	0.5	16.6	
including												
WST-21-0725	3800	TUX 3165	390.8	453506	5435327	160	-67	240.8	243.9	2.2	36.8	56.9
including												
WST-21-0725	3800	TUX 3163	390.8	453506	5435327	160	-67	239.0	239.8	0.8	400	100
including												
WST-21-0725	3800	Triple Lynx	390.8	453506	5435327	160	-67	262.4	264.5	2.1	7.65	
including												
WST-21-0725	3800	Triple Lynx	390.8	453506	5435327	160	-67	292.0	294.2	2.2	8.13	
including												
WST-21-0725	3800	Triple Lynx	390.8	453506	5435327	160	-67	293.6	296.2	0.6	26.8	
including												
WST-21-0725	3800	Triple Lynx	390.8	453506	5435327	160	-67	313.5	315.5	2.0	24.1	
including												
WST-21-0725	3800	Triple Lynx	390.8	453506	5435327	160	-67	313.5	314.5	1.0	47.8	
including												
WST-21-0725	3800	Triple Lynx	390.8	453506	5435327	160	-67	326.0	328.0	2.0	11.6	
including												
WST-21-0726	3800	TUX 3161	451.7	453507	5435327	149	-64	327.0	328.0	1.0	22.8	
including												
WST-21-0726	3800	TUX 3162	451.7	453507	5435327	149	-64	325.7	327.8	2.1	32.9	
including												
WST-21-0726	3800	TUX 3131	451.7	453507	5435327	149	-64	337.3	339.4	2.1	24.4	17.6
including												
WST-21-0726	3800	TUX 3131	451.7	453507	5435327	149	-64	338.3	338.6	0.3	148	100
including												
WST-21-0726	3800	Triple Lynx	451.7	453507	5435327	149	-64	348.1	349.9	0.8	49.1	
including												
WST-21-0726	3800	Triple Lynx	451.7	453507	5435327	149	-64	431.5	433.7	2.2	3.97	
including												
WST-21-0729	3475	Lynx	510.2	453229	5435127	132	-49	174.3	177.6	3.3	8.95	
including												
WST-21-0729	3475	TUX 3166	510.2	453229	5435127	132	-49	304.7	307.6	2.7	134	21.5
including												
WST-21-0729	3475	TUX 3166	510.2	453229	5435127	132	-49	305.9	309.4	0.4	780	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-21-0729	3475	TUX 3165	510.2	453229	5435127	132	-49	398.0	403.0	5.0	3.69	
		including						402.6	403.0	0.4	14.7	
WST-21-0729	3475	Lynx 4	510.2	453229	5435127	132	-49	421.3	425.3	4.0	5.72	
		including						421.3	421.8	0.5	26.9	
WST-21-0735	3175	Lynx SW	474.6	452956	5435003	132	-58	338.0	340.1	2.1	5.06	
		including						338.8	339.1	0.3	34.5	
WST-21-0736	3175	LKSW 3507	447.5	452955	5435003	146	-53	202.0	204.0	2.0	14.0	
		including						202.0	202.7	0.7	35.1	
WST-21-0736	3175	Lynx SW	447.5	452955	5435003	146	-53	247.0	249.0	2.0	11.6	
WST-21-0736	3175	LKSW 3556	447.5	452955	5435003	146	-53	207.0	209.6	2.6	13.4	
		including						207.0	207.9	0.9	31.6	
WST-21-0736	3175	LKSW 3502	447.5	452955	5435003	146	-53	354.0	356.2	2.2	12.7	
		including						355.3	355.6	0.3	33.9	
WST-21-0739	3800	LXM 3304	195.4	453507	5435326	164	-37	128.2	130.2	2.0	23.5	
		including						129.0	129.7	0.7	63.8	
WST-21-0740	3800	LXM 3304	150.4	453507	5435326	168	-25	122.0	124.8	2.8	3.58	
		including						123.0	123.4	0.4	18.7	
WST-21-0744	3800	Lynx	186.2	453508	5435327	136	-27	115.2	117.2	2.0	63.7	20.1
		including						115.8	116.2	0.4	338	100
WST-21-0744	3800	Lynx	186.2	453508	5435327	136	-27	121.2	121.4	2.3	11.2	
WST-21-0745	3800	LXM 3304	246.1	453508	5435327	130	-51	184.5	187.0	2.5	31.1	
		including						185.7	186.1	0.4	85.6	
WST-21-0746	3800	LXM 3304	240.1	453508	5435327	117	-44	190.5	192.9	2.4	108	66.8
		including						190.5	191.0	0.5	109	100
		and						191.0	191.5	0.5	152	100
		and						191.5	192.1	0.6	207	100
WST-21-0748	3800	LXM 3304	267.2	453508	5435327	125	-54	200.0	202.4	2.4	37.4	
		including						201.6	202.4	0.8	93.5	
WST-21-0749	3650	LXM 3338	195.5	453357	5435272	136	-30	128.5	130.4	1.9	9.29	
		including						129.0	129.7	0.7	22.2	
WST-21-0749	3650	Lynx	195.5	453357	5435272	136	-30	144.9	146.9	2.0	37.1	
WST-21-0750	3650	TUX 3161	279.6	453357	5435273	124	-54	232.6	234.8	2.2	248	55.6
		including						233.8	234.3	0.5	740	100
WST-21-0751	3650	TUX 3161	330.5	453357	5435272	133	-56	222.7	225.7	3.0	7.04	
WST-21-0751	3650	TUX 3161	330.5	453357	5435272	133	-56	232.5	234.9	2.4	94.4	
		including						233.5	233.9	0.4	50.6	
WST-21-0751	3650	Triple Lynx	330.5	453357	5435272	133	-56	268.1	270.1	2.0	220	15.2
		including						269.5	269.8	0.3	135	100
WST-21-0752	3650	TUX 3161	561.7	453357	5435272	148	-53	207.0	209.2	2.2	14.5	
WST-21-0752	3650	TUX 3131	357.6	453356	5435272	158	-48	318.0	320.0	2.0	4.92	
		including						319.2	320.0	0.7	12.0	
WST-21-0756	3650	Lynx	411.4	453357	5435272	131	-43	158.7	161.0	2.3	39.3	28.0
		including						159.2	159.8	0.6	144	100
WST-21-0756	3650	Triple Lynx	411.4	453357	5435272	131	-43	352.2	354.7	2.5	6.91	
WST-21-0757	3475	LKSW 3506	705.7	453228	5435126	145	-50	200.5	202.7	2.2	21.9	
		including						201.0	201.3	0.3	75.2	
WST-21-0757	3475	TUX 3131	705.7	453228	5435126	145	-50	255.0	257.0	2.0	11.3	
		including						256.3	257.0	0.7	31.8	
WST-21-0757	3475	TUX 3166	705.7	453228	5435126	145	-50	272.6	275.0	2.4	4.69	
WST-21-0757	3475	TUX 3165	705.7	453228	5435126	145	-50	357.0	359.5	2.5	34.8	19.4
		including						358.3	358.7	0.4	197	100
WST-21-0757	3475	Lynx 4	705.7	453228	5435126	145	-50	630.9	633.0	2.1	6.90	
		including						630.9	631.7	0.8	18.3	
WST-21-0759	3600	LXM	680.2	453321	5435235	141	-43	29.7	32.0	2.3	6.83	
WST-21-0759	3600	LXM 3334	680.2	453321	5435235	141	-43	127.9	130.0	2.1	10.5	
WST-21-0759	3600	TUX 3131	680.2	453321	5435235	141	-43	125.1	127.2	2.1	3.98	
WST-21-0759	3600	TUX 3167	680.2	453321	5435235	141	-43	337.0	341.6	4.6	6.32	
		including						340.7	341.2	0.5	13.5	
WST-21-0759	3600	LXM 3427	680.2	453321	5435235	141	-43	588.0	590.1	2.1	25.6	
WST-21-0759	3600	LXM 3438	680.2	453321	5435235	141	-43	663.5	665.5	2.0	34.9	25.7
		including						665.0	665.5	0.5	137	100
WST-21-0760	3525	Lynx	575.1	453257	5435209	145	-37	192.5	194.5	2.0	16.7	
		including						193.3	193.8	0.5	72.9	
WST-21-0760	3525	Triple Lynx	575.1	453257	5435209	145	-37	314.7	317.5	2.8	3.67	
		including						314.7	315.0	0.3	13.6	
WST-21-0760	3525	TUX 3165	575.1	453257	5435209	145	-37	356.4	359.4	3.0	9.13	
		including						359.0	359.4	0.4	44.8	
WST-21-0761	3525	Triple Lynx	485.0	453258	5435209	149	-34	305.8	308.0	2.2	3.77	
WST-21-0761	3525	Triple Lynx	485.0	453258	5435209	149	-34	363.0	365.0	2.0	3.74	
		including						363.0	363.7	0.7	10.1	
WST-21-0762	3325	LXM 3311	381.4	453305	5435065	136	-60	98.3	100.4	2.1	4.54	
		including						98.7	99.4	0.7	11.6	
WST-21-0767	3325	Lynx SW	354.2	453304	5435065	175	-55	268.0	270.2	2.2	4.67	
		including						268.6	269.3	0.7	12.1	
WST-21-0768	3325	Lynx SW	452.9	453304	5435065	169	-53	261.0	263.2	2.2	18.7	14.3
		including						264.1	264.4	0.3	129	100
WST-21-0768	3325	LKSW 3556	452.9	453304	5435065	169	-53	281.0	283.0	2.0	12.8	
		including						281.3	281.6	0.3	77.7	
WST-21-0768	3325	Lynx SW	452.9	453304	5435065	169	-53	312.0	314.0	2.0	13.5	
		including						313.0	313.5	0.5	83.5	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-21-0768	3325	LXSW 3502	including 452.9	453104	5435065	169	-53	365.0	367.0	2.0	17.0	
								366.1	366.7	0.6	56.2	
WST-21-0769	3325	LXM 3511	including 396.3	453103	5435064	171	-49	79.1	85.3	2.2	10.3	
								79.1	79.9	0.8	27.0	
WST-21-0769	3325	LSW 3556	including 396.3	453103	5435064	171	-49	268.0	270.0	2.0	8.36	
								268.7	269.6	0.9	17.9	
WST-21-0769	3325	Lynx SW	including 396.3	453103	5435064	171	-49	320.0	322.0	2.0	4.38	
								320.4	321.2	0.8	10.9	
WST-21-0769	3325	LSW 3502	including 396.3	453103	5435064	171	-49	329.3	331.3	2.0	17.1	
								329.3	329.6	0.3	110	100
WST-21-0770	3675	LXM 3430	including 835.2	453374	5435296	129	-43	529.4	531.4	2.0	7.80	
WST-21-0770	3675	Lynx 4	including 835.2	453374	5435296	129	-43	545.4	547.5	2.1	6.94	
								546.4	546.9	0.5	18.5	
WST-21-0774	3675	TUX 3161	723.5	453374	5435296	148	-40	375.0	377.3	2.3	25.1	
WST-21-0774	3675	Triple Lynx	723.5	453374	5435296	148	-40	332.0	334.0	2.0	3.64	
WST-21-0774	3675	LXM 3450	723.5	453374	5435296	148	-40	479.6	482.0	2.4	12.1	
								480.3	481.1	0.8	35.5	
WST-21-0774	3675	Lynx 4	including 723.5	453374	5435296	148	-40	677.5	680.0	2.5	16.4	11.0
								677.5	677.8	0.3	198	100
WST-21-0775	3525	Triple Lynx	469.4	453257	5435209	153	-44	211.0	213.0	2.0	14.1	
WST-21-0775	3525	TUX 3165	469.4	453257	5435209	153	-44	429.5	431.5	2.0	4.21	
WST-21-0775	3525	Triple Lynx	375.6	453257	5435209	160	-44	229.6	231.6	2.0	10.0	
								230.9	231.6	0.7	28.2	
WST-21-0777	3175	LSW	351.7	452954	5435003	144	-40	311.0	313.0	2.0	3.59	
WST-21-0778	3675	TUX 3131	534.4	453374	5435296	145	-31	313.4	315.7	2.3	5.23	
								314.4	315.0	0.6	18.0	
WST-21-0778	3675	Triple Lynx	534.4	453374	5435296	145	-31	323.0	325.0	2.0	10.7	
								323.3	323.6	0.3	69.0	
WST-21-0778	3675	LXM 3429	534.4	453374	5435296	145	-31	511.0	513.0	2.0	28.3	
								512.0	513.0	1.0	51.5	
WST-21-0781	3800	Triple Lynx	282.8	453508	5435327	129	-50	227.8	229.8	2.0	23.5	
								229.2	229.6	0.4	28.6	
WST-21-0782	3800	Lynx	207.1	453508	5435327	123	-36	151.0	153.0	2.0	4.26	
								151.3	151.6	0.3	27.2	
WST-21-0782	3800	LXM 3304	207.1	453508	5435327	123	-36	169.3	172.0	2.7	20.6	
								169.3	170.2	0.9	49.1	
WST-21-0783	3800	Lynx	202.1	453508	5435327	119	-28	170.5	172.5	2.0	12.4	
								170.5	170.8	0.3	68.0	
WST-21-0786	3600	Lynx	168.6	453320	5435235	150	-40	30.6	32.6	2.0	5.04	
WST-21-0786	3600	LXM 3334	168.6	453320	5435235	150	-40	124.3	127.2	2.9	7.21	
WST-21-0787	3600	LXM 3334	516.5	453320	5435235	143	-46	129.4	133.0	3.6	5.66	
WST-21-0787	3600	LXM 3450	516.5	453320	5435235	143	-46	409.0	401.1	2.1	10.3	
								409.3	400.7	0.4	53.4	
WST-21-0790	3325	LXM 3339	405.7	453103	5435064	171	-65	95.0	97.3	2.3	5.00	
								96.0	96.7	0.7	12.3	
WST-21-0790	3325	LXM 3339	405.7	453103	5435064	171	-65	105.0	107.0	2.0	10.7	
								105.4	106.0	0.6	24.3	
WST-21-0790	3325	LSW 3500	405.7	453103	5435064	171	-65	283.0	285.1	2.1	12.9	
								283.4	283.7	0.3	87.1	
WST-21-0790	3325	Lynx SW	405.7	453103	5435064	171	-65	327.0	329.3	2.3	7.41	
								327.9	328.2	0.3	45.3	
WST-21-0791	3775	LXM 3313	354.5	453463	5435327	129	-21	163.0	165.0	2.0	13.3	
WST-21-0791	3775	LXM 3304	354.5	453463	5435327	129	-21	163.0	163.9	0.9	29.2	
WST-21-0791	3775	Lynx HW	354.5	453463	5435327	129	-21	167.5	169.8	2.3	24.8	
								169.3	169.8	0.5	42.0	
WST-21-0791	3775	Lynx HW	354.5	453463	5435327	129	-21	237.9	240.0	2.1	67.0	23.9
WST-21-0791	3775	LHW 3215	354.5	453463	5435327	129	-21	237.9	238.4	0.5	28.5	100
								298.8	301.2	2.4	4.80	
								299.6	300.7	1.1	16.0	
WST-21-0792	3775	LXM 3304	345.6	453463	5435327	126	-20	169.5	172.0	2.5	5.68	
								169.5	170.3	0.8	11.8	
WST-21-0792	3775	LHW 3215	345.6	453463	5435327	126	-20	296.1	298.3	2.2	23.2	
								296.1	297.1	1.0	48.8	
WST-21-0794	3775	LHW 3215	315.1	453463	5435327	121	-11	266.3	268.3	2.0	23.7	
WST-21-0794	3775	LHW 3215	315.1	453463	5435327	121	-11	282.0	284.0	2.0	6.73	
								291.3	291.7	0.4	19.9	
WST-21-0797	3600	LXM 3334	135.5	453321	5435235	136	-47	127.0	129.1	2.1	88.2	32.1
								127.9	128.4	0.5	126	100
WST-21-0800	3175	Bobcat	345.6	452954	5435003	135	-55	100.2	102.2	2.0	8.71	
								100.2	101.3	1.1	15.8	
WST-21-0800	3175	LSW 3556	345.6	452954	5435003	135	-55	277.6	279.6	2.0	41.0	
								277.6	278.5	0.9	68.5	
WST-21-0800	3175	LSW 3556	345.6	452954	5435003	135	-55	309.5	311.6	2.1	3.80	
								310.4	310.8	0.4	11.4	
WST-21-0801	3175	Lynx SW	417.5	452954	5435003	139	-54	287.3	289.9	2.6	21.3	
WST-21-0801	3175	LSW 3556	417.5	452954	5435003	139	-54	306.5	308.6	2.1	11.5	
								307.0	307.7	0.7	33.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2021

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-21-0803	3650	Triple Lynx	363.6	453536	5435272	162	-44	157.0	159.4	2.4	23.1	
WST-21-0806	3800	LXM 3304	306.4	453509	5435327	111	-33	178.3	181.0	2.7	32.1	
		including						179.9	181.0	1.1	74.8	
WST-21-0808	3800	Lynx	306.4	453509	5435327	111	-33	202.1	205.9	3.8	10.5	
WST-21-0807	3600		507.6	453321	5435235	144	-42	525.4	527.8	2.4	3.78	
WST-21-0807	3600	LMA 3450	507.6	453321	5435235	144	-42	480.8	483.0	2.2	25.1	
		including						481.8	482.5	0.7	72.1	
WST-21-0810	3525	TLX 3131	765.2	453257	5435209	138	-47	344.0	346.0	2.0	4.77	
WST-21-0810	3525	TLX 3167	765.2	453257	5435209	138	-47	375.0	376.0	3.0	5.08	
WST-21-0810	3525	TLX 3165	765.2	453257	5435209	138	-47	450.2	453.0	2.8	25.2	
		including						452.5	453.0	0.5	96.7	
WST-21-0810	3525	LMA 3450	765.2	453257	5435209	138	-47	531.0	533.0	2.0	33.8	25.2
		including						532.1	532.6	0.5	135	100
WST-21-0810	3525	LMA 3412	765.2	453257	5435209	138	-47	736.8	738.9	2.1	22.2	
		including						737.6	737.9	0.3	78.9	
WST-21-0812	3175	LSW 3507	369.6	453954	5435003	149	-51	188.8	190.9	2.1	13.5	
		including						190.1	190.9	0.8	35.0	
WST-21-0814	2175	227 1102	96.3	453190	5434734	154	-6	83.1	87.5	4.4	291	17.1
		including						83.1	83.5	0.4	3140	100
WST-21-0815	2175	227 1102	99.4	453190	5434734	159	0	81.0	83.0	2.0	4.09	
WST-21-0816	2175	227 1115	108.7	453190	5434734	164	-4	69.0	71.4	2.4	4.88	
WST-21-0817	2175	227 1115	111.1	453190	5434734	169	-10	74.0	76.0	2.0	4.64	
WST-21-0818	2175	227 1115	105.7	453190	5434734	167	1	67.7	69.9	2.2	5.79	
WST-21-0820	2175	227 1102	114.7	453197	5434735	179	18	92.5	95.0	2.5	3.56	
WST-21-0822	2175	227 1102	125.7	453191	5434734	129	29	62.4	64.4	2.0	6.39	
WST-21-0822	2175	227	125.7	453191	5434734	129	29	117.6	119.8	2.2	16.2	14.2
		including						118.5	118.8	0.3	114	100
WST-21-0823	3800	LXM 3304	544.5	453507	5435332	120	-35	165.2	167.4	2.2	388	47.4
		including						165.2	165.5	0.3	2600	100
WST-21-0823	3800	LMA	544.5	453507	5435332	120	-35	445.0	447.0	2.0	5.20	
WST-21-0823	3800	LMA 3430	544.5	453507	5435332	120	-35	451.7	454.0	2.3	4.57	
WST-21-0824	3800	TLX 3161	342.8	453506	5435327	156	-70	261.6	263.8	2.2	96.7	27.1
		including						262.3	262.8	0.5	406	100
WST-21-0824	3800	TLX 3161	342.8	453506	5435327	156	-70	275.0	279.0	5.2	29.3	
		including						275.0	276.0	1.0	89.0	
WST-21-0824	3800	TLX 3161	342.8	453506	5435327	156	-70	283.5	285.5	2.0	3.59	
WST-21-0824	3800	TLX 3185	342.8	453506	5435327	156	-70	304.9	307.5	2.6	11.4	
WST-21-0824	3800	TLX 3183	342.8	453506	5435327	156	-70	314.4	318.0	3.6	4.79	
WST-21-0826	3525	TLX 3166	403.0	453106	5435066	129	-59	347.9	350.0	2.1	13.8	
		including						348.4	348.7	0.3	57.3	
WST-21-0827	3800	TLX 3161	312.7	453507	5435327	145	-66	247.7	250.0	2.3	13.4	
WST-21-0828	3800	LMA 3430	645.1	453507	5435331	123	-42	489.1	494.3	5.2	24.3	23.3
		including						493.4	494.3	0.9	106	100
WST-21-0828	3800	LMA 3440	645.1	453507	5435331	123	-42	520.0	526.3	6.3	135	48.5
		and						521.6	522.9	1.3	303	100
		including						525.0	526.0	1.0	380	100
WST-21-0829	3525	LXM 3334	576.4	453258	5435209	131	-49	149.0	152.1	3.1	5.66	
WST-21-0829	3525	Triple Lynx	576.4	453258	5435209	131	-49	359.6	363.0	3.4	6.81	
		including						362.0	363.0	1.0	15.5	
WST-21-0829	3525	LMA 3450	576.4	453258	5435209	131	-49	556.0	558.0	2.0	28.0	
		including						556.4	557.0	0.6	92.5	
WST-21-0838	3525	LSW 3506	366.0	453106	5435066	131	-56	267.0	269.0	2.0	13.0	
		including						267.5	268.0	0.5	50.8	
WST-21-0838	3525	LSW 3556	366.0	453106	5435066	131	-56	344.0	346.0	2.0	4.30	
WST-21-0841	3525	LSW	437.6	453106	5435066	125	-65	286.0	288.0	2.0	12.1	
		including						287.0	288.0	1.0	23.7	
WST-21-0841	3525	TLX 3166	437.6	453106	5435066	125	-65	349.9	352.0	2.1	19.1	
		including						350.5	351.6	1.0	39.6	
WST-21-0842	3800	TLX	444.8	453506	5435327	156	-69	325.3	325.7	2.4	14.7	12.8
		including						323.3	323.6	0.3	118	100
WST-21-0842	3800	TLX	444.8	453506	5435327	156	-69	333.8	337.3	3.5	5.28	
		including						335.4	336.0	0.6	21.8	
WST-21-0842	3800	Triple Lynx	444.8	453506	5435327	156	-69	344.7	347.0	2.3	6.76	
		including						346.2	347.0	0.8	15.4	