



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
EAG-11-254-EXT	309.5	FW3U	753.0	452369	5434676	329	-57	684.1	690.9	6.8	24.7	
EAG-11-269	403.3	FW3U	567.2	452471	5434647	330	-56	686.5	688.7	2.2	39.7	
EAG-11-269	403.3	FW4	567.2	452471	5434647	330	-56	737.1	748.0	6.9	7.21	
EAG-11-494	398.83	FW3 HW	706.5	452731	5434537	330	-60	1013.0	1016.0	3.0	5.70	
EAG-11-494	398.83	FW3	706.5	452731	5434537	330	-60	1055.1	1057.1	2.0	8.38	
EAG-11-525	400.31		539.5	452643	5434638	331	-60	1050.1	1055.6	0.5	32.1	
		Quartz vein in Red Dog									No sign/cut results	
OSK-W-16-309-W1	399.02	FW3	1223.5	452548	5434514	326	-63	612.2	615.0	2.8	9.11	
OSK-W-16-309-W1	399.02	FW3	1223.5	452548	5434514	326	-63	614.0	615.0	1.0	24.5	
OSK-W-16-309-W1	399.02	New	1223.5	452548	5434514	326	-63	965.0	967.0	2.0	1.59	
OSK-W-16-309-W1	399.02	New	1223.5	452548	5434514	326	-63	1115.0	1117.0	2.0	5.60	
OSK-W-16-309-W1	399.02	Caribou North 1	1209.5	452548	5434514	326	-63	520.8	522.7	1.9	0.84	
OSK-W-16-309-W2	399.02	FW3	1209.5	452548	5434514	326	-63	924.0	926.0	2.0	0.23	
OSK-W-16-309-W2	399.02	New - Underdog corridor	1209.5	452548	5434514	326	-63	972.0	975.0	3.0	5.58	
OSK-W-16-309-W2	399.02	New - under Red Dog	1209.5	452548	5434514	326	-63	988.0	992.0	4.0	3.72	
OSK-W-16-309-W3	399.02	New Zone - Caribou	1172.5	452548	5434514	326	-63	474.0	476.2	2.2	7.63	
OSK-W-16-309-W3	399.02	New Zone - Caribou	1172.5	452548	5434514	326	-63	480.4	482.5	2.1	6.32	
OSK-W-16-309-W3	399.02	New Zone - Caribou	1172.5	452548	5434514	326	-63	481.3	482.0	0.7	17.3	
OSK-W-16-309-W3	399.02	New Zone - Caribou	1172.5	452548	5434514	326	-63	539.2	543.8	4.6	11.6	
OSK-W-16-309-W3	399.02	New Zone - Caribou	1172.5	452548	5434514	326	-63	542.0	543.0	1.0	47.9	
OSK-W-16-309-W3	399.02	New Zone - Caribou	1172.5	452548	5434514	326	-63	883.7	886.5	2.8	0.42	
OSK-W-16-311-W1	399.4	FW3	1153.5	452311	5434424	330	-62	755.5	756.2	2.5	0.48	
OSK-W-16-311-W1	399.4	FW3 hanging wall	1153.5	452311	5434424	330	-62	927.5	930.5	3.0	9.40	
OSK-W-16-311-W1	399.4	FW3	1153.5	452311	5434424	330	-62	927.5	929.4	1.9	14.6	
OSK-W-16-311-W1	399.4	FW3	1153.5	452311	5434424	330	-62	991.0	993.0	2.0	15.7	
OSK-W-16-311-W1	399.4	FW4	1153.5	452311	5434424	330	-62	1118.0	1120.0	2.0	8.32	
OSK-W-16-311-W1	399.4	FW4	1153.5	452311	5434424	330	-62	1131.0	1132.9	1.9	15.7	
OSK-W-16-311-W2	399.4	FW1	1179.5	452311	5434424	330	-62	734.9	737.8	3.5	0.80	
OSK-W-16-311-W2	399.4	FW3 hanging wall	1179.5	452311	5434424	330	-62	918.8	921.2	2.2	13.0	
OSK-W-16-311-W2	399.4	FW3 hanging wall	1179.5	452311	5434424	330	-62	919.3	919.6	0.3	88.3	
OSK-W-16-311-W2	399.4	FW3 hanging wall	1179.5	452311	5434424	330	-62	970.0	972.0	2.0	6.44	
OSK-W-16-311-W2	399.4	FW3	1179.5	452311	5434424	330	-62	992.5	994.9	2.4	5.45	
OSK-W-16-311-W2	399.4	FW3	1179.5	452311	5434424	330	-62	993.3	993.9	0.6	24.7	
OSK-W-16-311-W2	399.4	FW3 footwall	1179.5	452311	5434424	330	-62	1056.7	1059.4	2.7	7.87	
OSK-W-16-311-W2	399.4	FW4	1179.5	452311	5434424	330	-62	1052.4	1053.4	1.0	20.9	
OSK-W-16-311-W2	399.4	FW4	1179.5	452311	5434424	330	-62	1148.3	1151.0	2.7	5.24	
OSK-W-16-311-W2	399.4	FW4	1179.5	452311	5434424	330	-62	1150.3	1151.0	0.7	19.3	
OSK-EAG-12-314	402.98	Underdog	1062.0	452534	5434589	330	-59	836.7	838.8	2.1	4.60	
OSK-EAG-12-313	402.21	FW3	982.6	452459	5434565	333	-58	787.0	789.0	2.0	5.38	
OSK-EAG-12-313	402.21	FW3	982.6	452459	5434565	333	-58	787.8	788.1	0.3	34.7	
OSK-EAG-12-313	402.21	FW3	982.6	452459	5434565	333	-58	818.2	823.0	4.8	3.09	
OSK-EAG-12-313	402.21	FW3	982.6	452459	5434565	333	-58	827.7	823.0	0.3	23.1	
OSK-EAG-12-313	402.21	FW3	982.6	452459	5434565	333	-58	848.1	850.2	2.1	118	59.4
OSK-EAG-12-313	402.21	FW3U	982.6	452459	5434565	333	-58	849.2	850.2	1.0	219	100
OSK-EAG-12-313	402.21	FW3U	982.6	452459	5434565	333	-58	934.0	936.3	2.3	198	21.8
OSK-EAG-12-399	403.31	FW3U	795.0	452584	5434701	328	-56	765.5	768.0	2.5	5.57	
OSK-EAG-12-399	403.31	FW3U	795.0	452584	5434701	328	-56	773.9	776.0	2.1	5.21	
OSK-EAG-12-424	403.08	FW3	1002.5	452598	5434580	330	-55	802.9	805.3	2.4	7.85	
OSK-EAG-12-424	403.08	FW3	1002.5	452598	5434580	330	-55	804.7	805.3	0.6	26.5	
OSK-EAG-12-424	403.08	FW3	1002.5	452598	5434580	330	-55	825.5	828.0	2.5	10.0	
OSK-EAG-12-424	403.08	FW3	1002.5	452598	5434580	330	-55	816.0	817.0	1.0	20.9	
OSK-EAG-12-424	403.08	FW3	1002.5	452598	5434580	330	-55	832.6	835.1	2.5	6.72	
OSK-EAG-12-427	401.08	FW3 HW	1215.0	452701	5434438	330	-51	918.0	920.0	2.0	13.6	
OSK-EAG-12-427	401.08	FW3	1215.0	452701	5434438	330	-51	918.9	920.0	1.1	24.6	
OSK-EAG-12-427	401.08	VNCR	1215.0	452701	5434438	330	-51	1110.0	1112.2	2.2	4.29	
OSK-W-17-466-W1	403.28	FW3 Upper	861.0	452484	5434643	330	-52	718.8	724.0	5.2	8.52	
OSK-W-17-466-W1	403.28	FW3 Upper	861.0	452484	5434643	330	-52	718.8	719.0	1.0	35.7	
OSK-W-17-466-W1	403.28	FW3 Upper FW	861.0	452484	5434643	330	-52	736.0	738.4	2.4	8.38	
OSK-W-17-466-W2	403.28	FW3 Upper	900.0	452484	5434643	330	-52	721.5	724.4	0.9	26.3	
OSK-EAG-13-477	397.93	Underdog	1134.0	452401	5434431	330	-61	805.9	808.0	2.1	9.59	
OSK-EAG-13-477	397.93	Underdog	1134.0	452401	5434431	330	-61	806.0	807.0	1.0	39.1	
OSK-EAG-13-477	397.93	Underdog	1134.0	452401	5434431	330	-61	1058.0	1060.0	2.0	6.48	
OSK-EAG-13-477	397.93	Underdog	1134.0	452401	5434431	330	-61	1060.0	1060.7	0.7	34.3	
OSK-EAG-13-477	397.93	Underdog	1134.0	452401	5434431	330	-61	1065.0	1066.0	1.0	27.1	
OSK-EAG-13-480	398.38	Vein	990.6	452400	5434486	331	-57	522.3	524.3	2.0	37.1	20.6
OSK-EAG-13-480	398.38	FW1	990.6	452400	5434486	331	-57	524.0	524.3	0.3	210	100
OSK-EAG-13-480	398.38	FW1	990.6	452400	5434486	331	-57	643.2	646.8	3.6	26.1	
OSK-EAG-13-480	398.38	FW1 FW	990.6	452400	5434486	331	-57	645.2	646.8	1.6	63.0	
OSK-EAG-13-480	398.38	FW1 FW	990.6	452400	5434486	331	-57	681.0	684.0	3.0	4.67	
OSK-EAG-13-480	398.38	FW1 FW	990.6	452400	5434486	331	-57	683.0	684.0	1.0	11.8	
OSK-EAG-13-480	398.38	FW2	990.6	452400	5434486	331	-57	692.0	694.0	2.0	6.48	
OSK-EAG-13-480	398.38	FW2	990.6	452400	5434486	331	-57	692.0	693.0	1.0	12.4	
OSK-EAG-13-480	398.38	FW2	990.6	452400	5434486	331	-57	722.7	725.5	2.8	4.09	
OSK-EAG-13-480	398.38	FW2	990.6	452400	5434486	331	-57	728.0	730.0	2.0	19.5	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Ag (g/t)	Au (g/t) cut to 100 g/t
OSK-EAG-13-480	398.38	FW2	inc/including	990.6	452400	5434486	331	-57	729.3 749.5	729.7 751.6	0.4 2.1		82.6 59.5
OSK-EAG-13-480	398.38	FW3	inc/including and	990.6	452400	5434486	331	-57	750.7 807.5 814.1	751.0 810.4 814.4	0.3 2.9 2.0		44.0 25.5 25.0
OSK-EAG-13-480	398.38	FW3	inc/including	990.6	452400	5434486	331	-57	820.0 821.4 835.0	822.6 821.7 837.0	2.6 0.3 2.0		6.44 31.5 3.55
OSK-EAG-13-480	398.38	FW3U	inc/including	990.6	452400	5434486	331	-57	911.8 923.0	914.0 925.0	2.2 2.0		7.04 5.90
OSK-EAG-13-480	398.38	FW3U	inc/including	990.6	452400	5434486	331	-57	934.4	940.8	6.4		5.98
OSK-EAG-13-480-W1	398.38	Underdog	inc/including	651.0	452400	5434486	331	-57	636.4 644.1	636.7 646.3	0.3 2.2		56.6 34.5
OSK-EAG-13-480-W1	398.38	Underdog	inc/including	651.0	452400	5434486	331	-57	644.7 656.0	645.7 660.1	1.0 4.1		56.2 88.0
OSK-EAG-13-480-W2	398.38	Underdog	inc/including	770.2	452400	5434486	331	-57	659.8 664.9	660.1 667.6	0.3 2.7		114.5 3.83
OSK-EAG-13-480-W2	398.38	Underdog	inc/including	770.2	452400	5434486	331	-57	694.9 698.9	697.6 695.6	2.7 0.7		3.83 11.2
OSK-EAG-13-480-W2	398.38	Wolf	inc/including	1197.0	452731	5434537	330	-60	734.5 740.0	740.6 740.6	2.1 0.6		6.59 19.6
OSK-EAG-13-480-W2	398.38	Wolf	inc/including	1197.0	452731	5434537	330	-60	749.0 768.5	750.0 690.5	2.0 2.0		4.46 28.0
OSK-EAG-13-480-W2	398.38	FW3U	inc/including	802.0	452506	5434496	330	-57	688.5	698.2	0.3		66.3
OSK-EAG-13-502	402.92	FW3 Upper	inc/including and	802.0	452506	5434496	330	-57	695.5 695.8 695.8	698.2 696.1 696.1	2.7 0.3 0.3		37.9 31.6 66.3
OSK-EAG-13-502	402.92	FW3 Upper	inc/including	802.0	452506	5434496	330	-57	695.5 695.8	698.2 696.1	2.7 0.3		37.9 66.3
OSK-EAG-13-502	402.92	FW3 Upper	inc/including	802.0	452506	5434496	330	-57	695.5 696.1	698.2 696.1	2.7 0.3		37.9 66.3
OSK-EAG-13-501	401.57	Underdog	inc/including	918.0	451969	5434525	330	-56	942.5 943.5	944.9 949.4	2.4 1.4		8.96 13.3
OSK-EAG-13-504	396.81	Wolf	inc/including	810.0	452769	5434575	331	-62	746.9 751.0	749.9 755.1	3.0 2.1		15.9 4.22
OSK-EAG-13-504	396.81	Wolf	inc/including	810.0	452769	5434575	331	-62	751.0 751.0	755.1 755.1	2.1 2.1		4.22 8.37
OSK-EAG-13-504	396.81	Wolf	inc/including	810.0	452769	5434575	331	-62	751.0 751.0	755.1 755.1	2.1 2.1		4.22 8.37
OSK-EAG-13-505	403.59	FW1	inc/including	852.3	451930	5434493	330	-51	329.0 332.0	333.8 332.8	4.8 0.8		8.37 28.8
OSK-EAG-13-508	403.05	Z27	inc/including	627.0	452585	5434498	330	-60	611.0 612.5	613.4 613.4	2.4 0.9		11.6 30.4
OSK-EAG-13-809	403.31	Zone 37	inc/including	578.0	452523	5434658	330	-57	536.8	539.2	4.4		43.3
OSK-EAG-13-513	402.81	FW4	inc/including	1133.0	452629	5434514	330	-55	1050.0 1050.0	1054.0 1051.0	4.0 2.0		10.6 18.0
OSK-EAG-13-520	401.54	FW3U	inc/including	872.0	452568	5434633	330	-55	839.3 839.3	841.6 841.6	2.3 3.0		3.00 3.00
OBM-15-552	397.86	Caribou S1	inc/including	1246.7	452390	5434436	329	-60	449.0 707.0	452.0 711.0	3.0 4.0		5.70 2.28
OBM-15-552	397.86	FW3	inc/including	1246.7	452390	5434436	329	-60	743.0 743.0	757.0 757.0	14.0 0.43		2.42 0.43
OBM-15-552	397.86	-	inc/including	1246.7	452390	5434436	329	-60	881.0 881.0	882.0 881.5	1.0 0.5		20.2 57.3
OBM-15-552	397.86	-	inc/including	1246.7	452390	5434436	329	-60	901.0 929.0	901.8 931.0	0.8 2.0		55.6 3.29
OBM-15-552	397.86	-	inc/including	1246.7	452390	5434436	329	-60	929.8 937.0	930.3 942.8	0.5 5.8		8.83 1.98
OBM-15-552	397.86	-	inc/including	1246.7	452390	5434436	329	-60	937.7 951.5	942.8 951.8	0.5 0.3		17.5 11.80
OBM-15-552	397.86	Footwall of FW3	inc/including	1246.7	452390	5434436	329	-60	951.5 1163.5	951.8 1164.5	0.3 1.0		11.80 8.09
OBM-15-553	398.8	FW4	inc/including	47.2	452173	5434313	328	-60					No significant results
OBM-15-554	398.8	Caribou W2	inc/including	1135.0	452173	5434313	336	-61	335.1 922.0	339.0 924.0	3.9 2.0		0.41 1.85
OBM-15-554	398.8	FW3	inc/including	1135.0	452173	5434313	336	-61	922.0 1082.8	924.0 1085.0	2.0 2.2		1.85 3.50
OBM-15-554	398.8	FW4	inc/including	1135.0	452173	5434313	336	-61	1082.8 1096.0	1085.0 1097.2	2.2 3.2		3.50 6.43
OBM-15-554	398.8	Footwall of FW4	inc/including	1135.0	452173	5434313	336	-61	1106.0 1107.0	1097.2 1103.0	3.2 3.0		6.43 18.2
OBM-15-555	398	FW3	inc/including	281.5	452420	5434393	332	-61	202.8 205.1	284.2 202.8	1.4 0.7		34.9 9.94
OBM-15-556	401.08	FW1	inc/including	1112.3	451899	5434189	330	-60	877.0 882.8	877.8 881.0	0.3 8.2		65.4 0.07
OBM-15-556	401.08	FW3	inc/including	1112.3	451899	5434189	330	-60	877.0 882.8	877.8 881.0	0.3 8.2		65.4 0.07
OBM-15-556	401.08	FW4	inc/including	1112.3	451899	5434189	330	-60	1035.1 1052.1	1062.1 1062.1	5.0 5.0		0.41 0.41
OBM-15-557	398.25	-	inc/including	1281.0	452420	5434393	332	-61	200.1 205.1	200.2 201.2	1.0 0.7		4.12 9.94
OBM-15-557	398.25	-	inc/including	1281.0	452420	5434393	332	-61	205.1 479.5	201.2 485.3	0.5 5.8		9.94 0.79
OBM-15-557	398.25	Caribou S1	inc/including	1281.0	452420	5434393	332	-61	479.5 852.7	485.3 855.0	5.8 2.3		0.79 4.29
OBM-15-557	398.25	FW1	inc/including	1281.0	452420	5434393	332	-61	852.7 854.4	855.0 854.3	2.3 0.9		4.29 7.64
OBM-15-557	398.25	-	inc/including	1281.0	452420	5434393	332	-61	854.4 894.5	854.3 894.8	0.8 0.3		7.64 2590
OBM-15-557	398.25	FW3	inc/including and	1281.0	452420	5434393	332	-61	894.5 971.0	894.8 981.3	0.3 10.3		2590 3.80
OBM-15-557	398.25	FW3	inc/including	1281.0	452420	5434393	332	-61	971.0 975.9	981.3 980.6	10.3 4.7		3.80 7.46
OBM-15-557	398.25	-	inc/including	1281.0	452420	5434393	332	-61	975.9 1136.7	980.6 1137.5	4.7 0.8		7.46 20.6
OBM-15-557	398.25	-	inc/including	1281.0	452420	5434393	332	-61	1136.7 1136.7	1137.5 1137.5	0.8 0.8		20.6 20.6
OBM-15-558	397.73	-	inc/including	117.0	452748	5434559	330	-60					No significant results
OBM-15-559	397.75	-	inc/including	1319.5	452748	5434559	333	-60	545.8	272.5	1.0		6.06
OBM-15-559	397.75	Caribou S3 footwall	inc/including	1319.5	452748	5434559	333	-60	545.8 548.9	547.0 547.0	1.2 6.7		6.26 6.76
OBM-15-559	397.75	Potential new veins	inc/including	1319.5	452748	5434559	333	-60	548.9	631.7	2.8		5.24



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t	
OBM-15-559	397.75	Potential new lens	1319.5	452748	5434559	333	-60	646.5	666.9	20.4	7.04		
			inclu						646.5	650.5	4.0	12.9	
			and						646.5	647.5	1.0	39.0	
								654.0	657.4	3.4	12.9		
								662.5	666.9	4.4	8.90		
OBM-15-559	397.75	Potential new lens	1319.5	452748	5434559	333	-60	681.0	684.7	3.7	10.0		
OBM-15-559	397.75	Potential new lens	1319.5	452748	5434559	333	-60	751.0	761.0	10.0	7.00		
OBM-15-559	397.75		1319.5	452748	5434559	333	-60	976.1	979.0	2.9	5.74		
								977.3	978.0	0.7	23.0		
OBM-15-560	399.78	Caribou S1	1508.0	452670	5434252	333	-57	709.0	708.0	6.1	11.0		
			inclu						702.3	703.4	1.1	45.7	
			and						705.1	707.0	2.0	8.38	
OBM-15-560	399.78	Vain in Red Dog	1508.0	452670	5434252	333	-57	737.8	738.3	0.5	69.6		
OBM-15-560	399.78	FW0	1508.0	452670	5434252	333	-57	957.0	959.0	2.0	12.5		
								958.0	959.0	1.0	18.6		
OBM-15-560	399.78	FW1	1508.0	452670	5434252	333	-57	1123.0	1136.0	13.0	5.71		
								1138.5	1137.4	0.9	42.0		
								1132.4	1133.0	0.6	21.3		
OBM-15-560	399.78	Splay FW3	1508.0	452670	5434252	333	-57	1196.8	1203.0	6.2	11.1		
								1199.4	1199.9	0.5	48.1		
OBM-15-561	398.02	shallow mineralization	60.5	452184	5434597	330	-52	21.0	22.0	1.0	123	100	
OBM-15-562	398.72	Zone 27	125.4	452094	5434775	331	-64	77.0	89.0	12.0	0.98		
OBM-15-563	399.04		213.0	452237	5434683	330	-50				No sign/cut off results		
OBM-15-564	402.54	Potential new lens	1527.0	452759	5434367	330	-60	436.6	439.9	3.3	22.3		
								439.5	439.0	0.4	173	100	
OBM-15-564	402.54	Caribou S1	1527.0	452759	5434367	330	-60	666.7	674.1	7.4	5.50		
								666.7	668.8	2.1	17.9		
OBM-15-564	402.54		1527.0	452759	5434367	330	-60	865.4	867.8	2.4	8.20		
OBM-15-564	402.54	New potential lens	1527.0	452759	5434367	330	-60	947.0	954.0	7.0	7.40		
								948.8	949.3	0.5	85.4		
OBM-15-564	402.54	FW1	1527.0	452759	5434367	330	-60	1102.9	1105.0	2.1	7.09		
OBM-15-564	402.54	Hanging wall of FW3	1527.0	452759	5434367	330	-60	1268.9	1271.0	2.1	4.00		
OBM-15-564	402.54	Hanging wall of FW3	1527.0	452759	5434367	330	-60	1286.9	1288.0	2.0	5.30		
								1286.9	1287.4	0.5	18.5		
OBM-15-564	402.54	FW3	1527.0	452759	5434367	330	-60	1295.0	1297.1	2.1	5.32		
OBM-15-568	399.88	Caribou	285.0	452263	5434628	330	-50	30.0	39.0	9.0	3.59		
								30.5	31.0	0.5	19.3		
								37.5	39.0	1.5	6.58		
OBM-15-565	399.88	Zone 27	285.0	452263	5434628	330	-50	234.4	241.0	6.6	2.78		
								234.4	237.0	2.6	4.94		
								234.4	235.9	1.5	8.28		
OSK-OBM-15-565	399.88	No name	669.0	452263	5434628	330	-50	393.0	395.0	2.0	48.6		
								394.0	396.0	1.0	96.9		
OBM-15-566	399.44	Zone 27	195.0	452096	5434745	331	-72	68.5	73.0	4.5	2.37		
								71.1	72.1	1.0	4.84		
OBM-15-567	398.4	Zone 27	68.0	452071	5434692	330	-63	85.8	89.0	3.2	3.45		
OBM-15-568	398.82	Upper Zone 27	214.4	452259	5434698	330	-50	72.5	92.5	20.0	1.04		
								82.5	87.0	4.5	2.34		
OBM-15-568	398.82	Extension Upper Zone 27	214.4	452259	5434698	330	-50	98.0	101.0	3.0	4.52		
OBM-15-568	398.82	Zone 27	214.4	452259	5434698	330	-50	179.5	182.0	2.5	1.63		
OBM-15-569	398.95	Zone 27	231.0	452271	5434688	331	-54	79.5	90.5	20.0	0.62		
OBM-15-569	398.95	New splay of zone 27	231.0	452271	5434688	331	-54	125.3	127.5	2.2	18.2		
								126.5	127.0	0.5	56.3		
OBM-15-569	398.95	Zone 27	231.0	452271	5434688	331	-54	218.3	220.5	2.2	10.6		
								218.3	219.9	0.6	26.8		
OBM-15-570	399.12	Caribou W2	200.5	452122	5434403	331	-50	107.0	109.6	2.6	31.1		
								107.9	108.6	0.7	131	100	
OBM-15-571	401.62		263.5	452148	5434364	331	-50	28.4	31.0	2.6	4.20		
								28.4	29.2	0.8	13.6		
OBM-15-571	401.62		263.5	452148	5434364	331	-50	162.0	164.0	2.0	32.3		
								162.0	162.4	0.4	163	100	
OBM-15-571	401.62	Caribou	263.5	452148	5434364	331	-50	165.5	172.7	7.2	1.20		
								168.5	169.5	1.0	4.50		
OBM-15-572	399.13	Upper Zone 27	261.0	452262	5434662	331	-50	101.5	103.5	2.0	97.3		
								101.5	103.5	1.0	194		
OBM-15-572	399.13	Hanging wall Zone 27	261.0	452262	5434662	331	-50	199.0	203.0	4.0	2.17	100	
								200.0	200.6	0.6	10.1		
OBM-15-572	399.13	Zone 27	261.0	452262	5434662	331	-50	226.0	232.0	6.0	1.81		
								229.1	230.0	0.7	5.83		
								231.0	232.0	1.0	3.52		
OBM-15-573	399.25		651.0	452639	5434672	332	-51	107.0	109.0	2.0	3.77		
OBM-15-573	399.25		651.0	452639	5434672	332	-51	302.0	304.0	2.0	5.43		
								302.0	303.0	1.0	10.6		
OBM-15-573	399.25		651.0	452639	5434672	332	-51	313.0	315.0	2.0	32.9		
								313.5	314.6	1.1	99.7		
OBM-15-573	399.25		651.0	452639	5434672	332	-51	443.4	446.1	2.7	4.86		
								444.4	444.8	0.4	17.3		
OBM-15-573	399.25	Zone 27-3	651.0	452639	5434672	332	-51	569.3	571.8	2.5	15.3		
								569.3	569.8	0.5	48.8		
OBM-15-574	400.51	Caribou W2	228.0	452182	5434997	331	-50	159.0	168.0	9.0	0.7		
								165.5	165.8	0.3	44.6		



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OBM-16-575	402.56	Caribou W2	231.0	452118	5434354	331	-50	182.4	193.1	10.7	0.68	
			inclining					187.0	193.1	6.1	1.06	
OBM-16-576	401.41		201.0	452068	5434363	331	-50				No significant results	
OBM-16-577	397		343.0	452020	5434777	330	-62	226.0	133.0	4.0	4.33	
			inclining					132.0	133.0	1.0	11.1	
OBM-16-578	401.79	Caribou W1	201.0	452040	5434347	331	-50	164.0	179.5	15.5	0.39	
			inclining					171.9	172.5	0.6	3.19	
OBM-16-579	398.24		249.0	452184	5434611	331	-48	36.6	39.0	2.4	19.7	
			inclining					36.6	37.5	0.9	51.8	
OBM-16-579	398.24	Zone 27	249.0	452184	5434611	331	-48	196.5	199.8	3.3	1.28	
OBM-16-580	396.86		1271.0	452818	5434773	332	-63	441.4	446.8	5.4	4.30	
OBM-16-580	396.86	Zone 27	1271.0	452818	5434773	332	-63	672.4	675.8	3.4	9.49	
OBM-16-580	396.86	FW4	1271.0	452818	5434773	332	-63	1162.2	1168.2	6.0	19.6	
			inclining					1162.2	1167.8	0.6	150	
			and					1167.9	1168.2	0.3	97.7	100
OBM-16-581	401.5	Caribou W	201.0	451955	5434301	331	-50	153.6	166.4	13.8	0.78	
			inclining					153.6	155.1	1.5	3.32	
OBM-16-582	397.37		509.5	452690	5434696	334	-52	236.0	238.8	2.8	15.9	
OBM-16-583	402.9		803.0	451766	5434111	334	-55	774.0	777.0	4.0	19.0	
			inclining					776.0	777.0	1.0	55.0	
OBM-16-584	407.17		83.5	452722	5434870	327	-65	36.0	38.0	2.0	5.67	
			inclining					36.5	37.1	0.6	16.9	
OBM-16-584	407.17	Vain	83.5	452722	5434870	327	-65	57.0	59.0	2.0	287	100
			inclining					57.0	58.0	1.0	566	100
OBM-16-584	407.17		83.5	452722	5434870	327	-65	70.9	74.5	3.6	6.39	
			inclining					73.7	74.5	0.8	26.4	
OBM-16-585	404.99		83.5	452768	5434887	330	-67				No significant results	
OBM-16-586	399.33		152.5	452835	5434860	330	-65	8.6	10.7	2.1	6.62	
OBM-16-586	399.33		152.5	452835	5434860	330	-65	18.0	21.0	3.0	17.6	
OBM-16-587	404.9		83.5	452806	5434914	331	-66	12.9	16.3	3.4	3.08	
OBM-16-588	402.4		101.5	452873	5434899	329	-67	65.0	69.0	2.0	5.45	
			inclining					67.0	67.5	0.5	19.3	
OBM-16-589	405.29		83.5	452856	5434930	331	-70				No significant results	
OBM-16-590	402.54		747.0	451726	5434183	330	-55				No significant results	
OBM-16-591	405.21		119.5	452967	5434848	327	-59				No significant results	
OBM-16-592	404.18		50.5	452559	5434841	330	-78				No significant results	
OBM-16-593	404.61	Crustiform vein	77.5	452606	5434862	330	-72	46.4	48.6	2.2	5.17	
OBM-16-593	404.61	Crustiform vein	77.5	452606	5434862	330	-72	53.0	57.6	4.6	8.43	
			inclining					55.3	55.6	0.3	230	100
OBM-16-594	405.59	C-south-2	149.5	452624	5434932	330	-80	84.8	100.0	11.2	1.33	
OBM-16-594	405.59	C-south-2	149.5	452624	5434932	330	-80	136.9	139.3	2.4	2.56	
OBM-16-595	406.44	New zone	74.5	452679	5435033	330	-80	63.0	65.5	2.5	4.08	
OBM-16-596	397.13		36.5	452855	5434568	328	-69				No significant results	
OBM-16-597	399.82		276.0	452005	5434512	331	-53				No significant results	
OBM-16-598	397.26	Caribou S1	1382.0	452855	5434568	333	-61	504.7	508.0	3.3	9.44	
			inclining					507.0	508.0	1.0	29.1	
OBM-16-598	397.26	C-south-3	1382.0	452855	5434568	333	-61	942.1	958.8	16.7	1.62	
OBM-16-598	397.26	FW3	1382.0	452855	5434568	333	-61	1115.0	1122.4	7.4	5.56	
			inclining					1119.0	1119.0	1.0	9.33	
			and					1121.9	1122.4	0.5	56.8	
OBM-16-599	399.53	Zone 27	270.0	451986	5434517	332	-50	103.0	156.6	5.6	2.21	
OBM-16-600	398.15	Zone 27 hanging wall	252.0	452030	5434563	331	-48	166.6	170.8	4.2	12.9	
			and					166.6	167.7	1.1	18.9	
OBM-16-600	398.15	Zone 27	252.0	452030	5434563	331	-48	169.7	170.8	1.1	21.5	
			and					178.5	182.0	3.5	5.36	
OBM-16-601	401.23	Caribou	594.0	452476	5434677	332	-51	231.1	233.5	2.4	5.43	
OBM-16-601	401.23	Zone 27	594.0	452476	5434677	332	-51	425.0	427.3	2.3	0.90	
OSK-OBM-16-601	401.23	FW3	801.0	452476	5434677	332	-51	657.6	659.6	2.0	16.2	
OSK-OBM-16-601	401.23	FW4	801.0	452476	5434677	332	-51	795.0	797.8	2.8	5.26	
			inclining					797.1	797.8	0.7	20.7	
OBM-16-602	403.65		759.0	451679	5434254	330	-57	335.5	336.5	3.0	14.1	
			inclining					194.5	195.1	0.6	68.2	
OBM-16-602	403.65	FW1	759.0	451679	5434254	330	-57	407.6	409.0	2.0	7.84	
			inclining					407.6	408.1	0.5	25.7	
OBM-16-602	403.65	FW3	759.0	451679	5434254	330	-57	498.5	495.5	2.0	8.35	
OBM-16-602	403.65	FW4	759.0	451679	5434254	330	-57	748.0	751.0	2.0	2.86	
OBM-16-603	397.93	Zone 27	249.0	452042	5434548	331	-50	189.0	207.9	19.9	11.4	
			inclining					188.0	189.4	1.4	54.1	
			and					205.4	207.9	7.5	20.9	
			and					206.0	207.9	1.9	71.6	
			and					207.0	207.0	0.3	142	100
OBM-16-603	397.93	Footwall Zone 27	249.0	452042	5434548	331	-50	233.0	235.5	2.5	4.31	
OBM-16-604	397.88	Zone 27	279.0	452046	5434533	330	-53	234.0	237.0	3.0	4.20	
OBM-16-605	399.96	New zone	443.0	452445	5434706	332	-51	320.0	322.0	2.0	8.64	
OBM-16-605	399.96	Zone 27	443.0	452445	5434706	332	-51	345.0	347.8	2.8	0.80	
OBM-16-606	397.92	Zone 27	278.6	452072	5434559	331	-50	192.1	197.1	5.0	13.8	
			inclining					196.0	196.8	0.8	76.9	
OBM-16-607	404.39		624.0	451641	5434330	332	-55				FW1 - No significant results	
OBM-16-607	404.39		624.0	451641	5434330	332	-55				FW3 - No significant results	



Windfall Lake Gold Project
 Quebec, Canada
 Assay Results
 Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t	
OBM-16-629	406.41		81.0	451582	5434975	332	-68			Crustiform vein - No significant results			
OBM-16-630	399.17	Zone 27	279.0	452252	5434613	329	-51	244.3	248.6	4.3	1.13		
OSK-OBM-16-630	399.17	FW3U HW	699.0	452252	5434613	329	-51	518.2	521.0	2.8	4.82		
OBM-16-631	406.55		120.0	451501	5434780	331	-56			Crustiform vein - No significant results			
OBM-16-632	408.4		105.0	451462	5434740	330	-51			Crustiform vein - No significant results			
OBM-16-633	399.52	Zone 27	271.7	452222	5434637	332	-51	203.6	205.5	2.2	7.81		
		including							204.3	0.3	51.5		
OBM-16-634	407.11		165.0	451547	5434850	332	-57			Crustiform vein - No significant results			
OBM-16-635	401.19		99.0	452260	5434862	333	-78			Caribou - No significant results			
OBM-16-636	399.73	Caribou	300.0	452240	5434584	331	-50	43.6	51.2	7.6	0.51		
OBM-16-636	399.73	Zone 27	300.0	452240	5434584	331	-50	253.1	256.0	2.9	0.56		
OBM-16-636	399.73		300.0	452240	5434584	331	-50			E-west 4 - No significant results			
OBM-16-637	394		165.0	450413	5439271	360	-89			No significant results			
OBM-16-638	400	Shear Zone	249.0	450298	5439131	1	47			20.0	0.0		
OBM-16-639	397.33	Shear Zone	266.0	452710	5434725	330	-61	18.0	20.0	2.0	2.96		
OBM-16-640	398.9		399.0	452214	5434604	330	-50			No significant results			
OBM-16-641	400	Exploration	378.0	450980	5439413	182	-45	249.8	253.3	2.5	1.12		
OBM-16-641	400	Exploration	378.0	450980	5439413	182	-45	256.0	259.0	3.0	1.09		
OBM-16-642	397.25	New zone	1089.8	452719	5434726	334	-61	318.4	321.0	2.6	10.0		
OBM-16-642	397.25	Caribou North 2	1089.8	452719	5434726	334	-61	510.0	521.0	11.0	3.46		
OBM-16-642	397.25	Closing of Zone 27-3	1089.8	452719	5434726	334	-61	610.0	620.6	10.6	1.11		
OBM-16-642	397.25	FW3	1089.8	452719	5434726	334	-61	816.4	827.8	1.4	0.28		
OBM-16-642	397.25	New underground corridor	1089.8	452719	5434726	334	-61	934.0	937.9	3.9	17.2		
		including							934.0	0.3	264	100	
OBM-16-643	398.21	Caribou	300.0	452217	5434580	330	-50	35.0	38.0	3.0	4.95		
OBM-16-643	398.21	New zone	300.0	452217	5434580	330	-50	172.0	172.4	5.4	2.48		
		including							174.0	179.0	1.0	6.98	
OBM-16-643	398.21	Zone 27	300.0	452217	5434580	330	-50	245.6	247.9	2.3	25.2		
		including							245.6	246.1	0.5	254	100
OBM-16-643	398.21	Zone 27 Footwall	300.0	452217	5434580	330	-50	261.7	264.0	2.3	5.03		
OBM-16-644	400		396.0	450980	5439140	182	-45			No significant results			
OBM-16-645	398.18	Pyrite vein	306.0	452201	5434629	330	-50	155.0	155.4	0.4	46.4		
OBM-16-645	398.18	Zone 27 (pyrite vein)	306.0	452201	5434629	330	-50	184.3	187.0	2.7	2.31		
		including							184.3	184.6	0.3	6.88	
OBM-16-645	398.18	Zone 27 Footwall	306.0	452201	5434629	330	-50	219.9	222.0	2.1	5.67		
OBM-16-646	397		399.0	452268	5434636	330	-89			No significant results			
OBM-16-647	399.9	Caribou	120.0	452382	5434658	332	-44	100.8	109.0	2.2	5.00		
OBM-16-648	399.78		87.0	452327	5434648	329	-85			No significant results			
OBM-16-649	398.81	Caribou	126.0	452368	5434647	331	-78	37.0	39.1	2.1	4.37		
OBM-16-649	398.81	Caribou	126.0	452368	5434647	331	-78	48.6	51.0	2.4	9.55		
OBM-16-649	398.81	Caribou	126.0	452368	5434647	331	-78	81.0	83.5	2.5	3.33		
OBM-16-649	398.81	Caribou	126.0	452368	5434647	331	-78	95.5	98.0	2.5	3.83		
OBM-16-650	401.06		138.0	452749	5434816	331	-45			No significant results			
OBM-16-651	398.43	Zone 27 Footwall	186.0	452213	5434676	322	-46	73.1	79.1	6.0	0.73		
OBM-16-651	398.43	including	186.0	452213	5434676	322	-46	158.5	163.8	5.3	8.94		
								163.3	163.8	0.5	30.5		
OBM-16-652	400	Crustiform vein	234.0	448889	5434175	167	-44	208.7	210.3	1.5	12.7		
OBM-16-653	408.54		111.4	452727	5434960	330	-53			No significant results			
OBM-16-654	398.15	Zone 27	267.0	452334	5434591	330	-52	171.9	183.0	11.1	0.96		
OBM-16-655	398.43	New zone	954.0	452439	5434353	333	-61	207.0	209.5	2.5	3.82		
		including							208.0	209.5	1.5	6.82	
OBM-16-655	398.43	Tourmaline vein	954.0	452439	5434353	333	-61	410.0	412.0	2.0	10.8		
		including							410.0	411.0	1.0	21.6	
OBM-16-655	398.43	Quartz vein in I2F	954.0	452439	5434353	333	-61	539.0	538.8	0.4	6.06		
OBM-16-655	398.43	Quartz-carbonate-chlorite vein in I2F	954.0	452439	5434353	333	-61	550.0	550.3	0.3	75.5		
OBM-16-655	398.43	New zone	954.0	452439	5434353	333	-61	917.5	928.5	11.0	5.30		
		including							924.0	928.5	4.5	10.2	
OBM-16-656	399.34	Caribou	336.0	452359	5434680	329	-48	60.4	62.5	2.1	6.48		
OBM-16-656	399.34	Caribou footwall	336.0	452359	5434680	329	-48	67.7	73.4	5.7	6.39		
		including							72.5	73.4	0.9	24.4	
OBM-16-656	399.34	New zone	336.0	452359	5434680	329	-48	195.5	198.3	2.8	3.39		
		including							197.8	198.3	0.5	9.20	
OBM-16-656	399.34	Hanging wall of Zone 27	336.0	452359	5434680	329	-48	255.2	261.0	5.8	9.04		
		including							260.0	260.5	0.5	73.8	
OBM-16-656	399.34	Zone 27	336.0	452359	5434680	329	-48	273.3	276.4	3.1	30.6		
		including							274.2	275.3	2.1	70.8	
OBM-16-656	399.34	Zone 27	336.0	452359	5434680	329	-48	296.0	299.0	3.0	8.30		
		including							296.0	297.0	1.0	22.2	
OBM-16-657	395		261.0	448718	5433925	360	-55			No significant results			
OBM-16-658	401.65	Caribou South 1	924.0	452611	5434621	333	-60	380.0	382.0	2.0	45.8		
		including							380.0	381.0	1.0	90.0	
OBM-16-658	401.65	Caribou South 3	924.0	452611	5434621	333	-60	450.0	454.0	4.0	1.66		
OBM-16-658	401.65	New zone	924.0	452611	5434621	333	-60	519.0	527.0	8.0	8.90		
		including							521.0	521.8	0.8	18.8	
		and							522.4	523.4	1.0	37.1	
OBM-16-658	401.65	Caribou North 2	924.0	452611	5434621	333	-60	562.4	564.5	2.1	3.96		
OBM-16-658	401.65	Zone 27-3	924.0	452611	5434621	333	-60	675.0	676.8	1.8	3.98		
		including							676.0	676.8	0.8	8.80	
OBM-16-658	401.65	FW3	924.0	452611	5434621	333	-60	851.0	854.0	3.0	0.39		



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OBM-16-659	399		240.0	448629	5433901	356	-46				No significant results	
OBM-16-660	399.42	Caribou	426.0	452376	5434669	329	-52	93.0	96.7	5.7	2.36	
OBM-16-660	399.42		426.0	452376	5434669	329	-52	125.1	132.0	6.9	7.25	
								129.6	130.7	1.1	24.3	
								301.7	305.4	3.7	2.34	
OBM-16-660	399.42	Zone 27	426.0	452376	5434669	329	-52					
OSK-OBM-16-660	399.42	FW3U	651.0	452376	5434669	329	-52	573.9	576.8	2.9	15.0	
								573.9	575.0	1.1	17.9	
								576.0	576.8	0.8	22.8	
OBM-16-661	400		555.0	448773	5433866	330	-59				No significant results	
OBM-16-662	400.76	Hanging wall of Caribou	210.0	452423	5434665	330	-53	125.3	131.4	2.1	3.08	
OBM-16-662	400.76	Caribou	210.0	452423	5434665	330	-53	137.7	179.7	6.0	0.95	
OSK-OBM-16-662	400.76	Z27	435.0	452423	5434665	330	-53	395.0	400.0	5.0	4.25	
OBM-16-663	400.22	New zone	450.0	452402	5434658	330	-53	233.7	236.1	2.4	30.2	
								233.7	234.4	0.7	369	100
OBM-16-663	400.22	Zone 27 hanging wall	450.0	452402	5434658	330	-53	366.8	371.0	4.2	2.82	
								366.8	367.2	0.4	11.4	
								370.0	371.0	1.0	5.11	
OBM-16-663	400.22	Zone 27	450.0	452402	5434658	330	-53	383.5	395.2	11.7	5.38	
								384.3	388.5	4.2	10.9	
OSK-W-17-663-W1	400.22	FW3U	822.2	452402	5434658	330	-53	648.0	650.0	2.0	4.64	
OBM-16-664	402.32	Caribou	498.0	452396	5434618	329	-55	172.9	179.9	3.0	7.34	
								173.7	174.6	0.9	17.8	
OBM-16-664	402.32	Zone 27	498.0	452396	5434618	329	-55	439.3	449.5	10.2	4.64	
								439.3	440.0	0.7	29.7	
								448.0	449.5	0.5	19.1	
OBM-16-664	402.32	Crustiform vein	498.0	452396	5434618	329	-55	453.0	453.3	0.3	1.78	100
OSK-OBM-16-664	402.32	FW3U NW	810.0	452396	5434618	329	-55	649.0	652.0	3.0	12.8	
OSK-OBM-16-664	402.32	FW3U	810.0	452396	5434618	329	-55	725.7	728.4	2.7	1.01	
OSK-W-17-664-W1	402.32	FW3U NW	996.0	452396	5434618	329	-55	633.0	649.0	7.0	0.53	
OSK-W-17-664-W1	402.32	FW3U	996.0	452396	5434618	329	-55	754.0	756.4	2.4	4.89	
								754.9	755.6	0.9	12.8	
OBM-16-665	400	New zone	20.5	449316	5434379	335	-48				No significant results	
OBM-16-666	400	New zone	420.0	449316	5434385	335	-48	151.5	152.5	1.0	44.1	
OBM-16-666	400	Sheared vein	420.0	449316	5434385	335	-48	384.0	384.3	0.3	184	100
OBM-16-667	399.65	Quartz-tourmaline vein	525.0	452410	5434597	330	-55	111.6	114.0	2.4	3.70	
								111.6	112.6	1.0	8.86	
OBM-16-667	399.65	Zone 27	525.0	452410	5434597	330	-55	482.5	485.5	3.0	0.81	
OSK-OBM-16-667	399.65	FW3	852.0	452410	5434597	330	-55	665.0	669.0	8.5	12.5	
								663.0	665.0	2.0	37.4	
								663.0	664.2	1.2	50.1	
OBM-16-667	399.65		525.0	452410	5434597	330	-55				Caribou - No significant results	
OBM-16-668	402.83	Caribou hanging wall	438.0	452450	5434674	330	-45	129.1	131.5	2.4	4.67	
								130.0	130.6	0.6	17.6	
OBM-16-668	402.83	New Zone	438.0	452450	5434674	330	-45	197.0	199.0	2.0	6.35	
								198.0	199.0	1.0	12.7	
OBM-16-668	402.83	New Zone	438.0	452450	5434674	330	-45	220.5	223.0	2.5	29.3	
								220.1	223.0	0.9	76.1	
OBM-16-668	402.83	Zone 27	438.0	452450	5434674	330	-45	351.6	355.6	4.0	75.4	
OBM-16-668	402.83		438.0	452450	5434674	330	-45				Caribou - No significant results	
OBM-16-669	402.89	Caribou South 2	402.0	452503	5434712	330	-45	141.0	143.0	2.0	0.66	
OBM-16-669	402.89	Caribou	402.0	452503	5434712	330	-45	175.8	177.8	2.0	2.98	
OBM-16-669	402.89	Caribou footwall	402.0	452503	5434712	330	-45	189.0	192.0	3.0	3.02	
								189.0	189.8	0.8	6.35	
OBM-16-669	402.89	New zone	402.0	452503	5434712	330	-45	307.0	309.0	2.0	5.00	
OBM-16-669	402.89	Zone 27	402.0	452503	5434712	330	-45	330.0	332.3	2.3	0.84	
OBM-16-669	402.89	Zone 27 footwall	402.0	452503	5434712	330	-45	384.7	387.2	2.5	3.92	
OBM-16-670	410		420.0	448298	5432887	333	-45				No significant results	
OBM-16-671	401.23	New zone	489.0	452374	5434591	330	-57	89.5	93.0	3.5	3.62	
								92.0	93.0	1.0	0.04	
OBM-16-671	401.23	Crustiform vein	489.0	452374	5434591	330	-57	339.4	342.0	2.6	15.9	
								339.4	339.8	0.4	152	100
OBM-16-671	401.23	New zone	489.0	452374	5434591	330	-57	361.4	365.9	4.5	5.98	
OBM-16-671	401.23	Tourmaline vein	489.0	452374	5434591	330	-57	377.1	379.2	2.1	7.37	
								378.6	379.2	0.6	19.5	
OBM-16-671	401.23	Zone 27	489.0	452374	5434591	330	-57	466.5	470.8	4.3	0.49	
OBM-16-671	401.23		489.0	452374	5434591	330	-57				Caribou - No significant results	
OBM-16-671	400.54	Caribou West 3	351.0	452106	5434431	333	-47	82.5	82.0	4.5	1.69	
OBM-16-672	400.54		351.0	452106	5434431	333	-47				Zone 27 - No significant results	
OBM-16-673	403.51	Caribou veining	495.0	452518	5434736	330	-57	117.0	119.6	2.6	3.19	
								118.8	119.6	0.8	7.61	
OBM-16-673	403.51	Caribou South 2	495.0	452518	5434736	330	-57	132.0	134.3	2.3	2.27	
OBM-16-673	403.51	Caribou	495.0	452518	5434736	330	-57	226.5	236.7	10.2	0.88	
OBM-16-673	403.51	Zone 27 hanging wall	495.0	452518	5434736	330	-57	450.0	453.3	3.3	0.84	
OBM-16-674	400.55	New zone	171.0	451921	5434715	150	-60	17.0	19.0	2.0	7.71	
								17.7	18.0	0.3	50.1	
OBM-16-674	400.55	Zone 27 footwall	171.0	451921	5434715	150	-60	61.0	64.0	3.0	2.88	
								63.0	64.0	1.0	7.39	
OBM-16-674	400.55	Zone 27 footwall	171.0	451921	5434715	150	-60	72.0	74.0	2.0	6.62	
								72.7	74.0	1.3	9.77	
OBM-16-674	400.55	Zone 27 footwall	171.0	451921	5434715	150	-60	76.2	78.8	2.6	4.30	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-OBM-16-693	401.39	FWSU	861.0	452443	5434600	331	-54	805.0	807.0	2.0	7.36	
			including					806.0	807.0	1.0	14.2	
OBM-16-694	405.31	Crustiform vein	90.0	452367	5434996	150	-56	19.6	21.6	2.0	7.52	
			including					19.8	20.3	0.7	20.8	
OBM-16-695	398.12		147.0	452702	5434784	332	-61			Abandoned		
OBM-16-696	401.87	Caribou	510.0	452710	5434810	333	-61	348.2	351.5	3.3	5.50	
			including					350.0	351.5	1.5	7.82	
OBM-16-697	403.25	Quartz tourmaline vein	420.0	452501	5434610	330	-54	228.7	230.7	2.0	16.0	
			including					228.7	229.2	0.5	63.5	
OBM-16-697	403.25		420.0	452501	5434610	330	-54			Caribou hanging wall -		
OBM-16-697	403.25	Caribou	420.0	452501	5434610	330	-54	202.0	302.3	10.3	0.61	
OBM-16-697	403.25	Caribou South 1	420.0	452501	5434610	330	-54	316.0	319.3	4.3	1.17	
OBM-16-697	403.25	Caribou North 1	420.0	452501	5434610	330	-54	398.0	340.0	2.0	1.23	
OBM-16-697	403.25	Caribou North 2	420.0	452501	5434610	330	-54	386.0	388.5	2.5	0.46	
OSK-OBM-16-697	403.25	FWSU	885.0	452501	5434610	330	-54	800.3	801.1	0.8	40.1	
			including					804.1	806.7	2.6	29.1	
OSK-OBM-16-697	403.25	FWSU	885.0	452501	5434610	330	-54	804.1	806.7	2.6	29.1	
			including					804.1	806.7	0.6	90.3	
OBM-16-698	397.08	New zone, shear	684.0	452738	5434749	332	-60	79.5	82.5	3.0	2.07	
OBM-16-698	397.08	New zone	684.0	452738	5434749	332	-60	156.5	159.0	2.5	8.96	
			including					156.5	157.5	1.0	19.0	
OBM-16-698	397.08	low hanging wall - Quartz tourmaline vein	684.0	452738	5434749	332	-60	443.1	446.0	2.9	3.62	
OBM-16-698	397.08	Caribou North 2	684.0	452738	5434749	332	-60	492.3	495.8	3.4	4.40	
			including					495.1	495.8	0.6	19.3	
OBM-16-699	407.72	FW3	351.0	451486	5434418	330	-60	118.5	121.0	2.5	0.02	
OBM-16-699	407.72	New zone	351.0	451486	5434418	330	-60	270.0	272.5	2.5	6.63	
OBM-16-700	402.75	New zone	126.0	452460	5434608	331	-53			Abandoned		
OBM-16-701	398.19		699.0	452818	5434799	328	-63	262.0	264.0	2.0	1.30	
			including					262.5	263.0	0.5	11.9	
OBM-16-701	398.19	Tourmaline veins	699.0	452818	5434799	328	-63	310.7	313.0	2.3	3.69	
			including					310.7	311.0	0.3	12.1	
OBM-16-701	398.19	Quartz vein	699.0	452818	5434799	328	-63	374.7	377.0	2.3	3.28	
			including					376.7	377.0	0.3	14.4	
OBM-16-701	398.19	New zone	699.0	452818	5434799	328	-63	414.7	420.8	6.1	5.34	
OBM-16-701	398.19	Caribou hanging wall	699.0	452818	5434799	328	-63	463.0	470.0	7.0	4.82	
			including					463.0	464.0	1.0	22.4	
OBM-16-701	398.19	Crustiform vein	699.0	452818	5434799	328	-63	409.0	412.2	3.2	4.51	
OBM-16-701	398.19	Extension of Caribou North 2	699.0	452818	5434799	328	-63	551.1	559.0	6.9	8.86	
			including					557.0	558.0	1.0	47.7	
OBM-16-701	398.19	Eastern extension of Zone 27	699.0	452818	5434799	328	-63	620.2	622.3	2.1	6.68	
			including					621.3	622.3	1.0	31.3	
OBM-16-702	400.76	Caribou	108.0	452311	5434627	329	-55	52.9	55.7	2.8	2.66	
			including					52.9	53.6	0.7	9.80	
OBM-16-703	402.32	New zone	678.0	451622	5434235	329	-56	250.5	252.8	2.3	7.81	
			including					250.5	251.3	0.8	22.0	
OBM-16-703	402.32	Quartz-carbonate veins	678.0	451622	5434235	329	-56	256.1	250.0	2.9	3.34	
OBM-16-703	402.32	FW1	678.0	451622	5434235	329	-56	305.7	305.0	2.3	18.4	
			including					301.4	302.5	1.1	98.2	
OBM-16-703	402.32	New zone	678.0	451622	5434235	329	-56	336.5	338.5	2.0	3.17	
			including					336.5	337.7	1.2	5.09	
OBM-16-703	402.32	FW3	678.0	451622	5434235	329	-56	469.5	472.5	3.0	0.60	
OBM-16-704	400.63	Caribou	408.0	452311	5434627	329	-57	96.0	98.0	2.0	0.79	
OBM-16-704	400.63	Zone 27	408.0	452311	5434627	329	-57	146.0	150.2	4.2	3.55	
OBM-16-704	400.63	FW3	408.0	452311	5434627	329	-57	594.9	599.2	4.3	0.72	
OSK-W-16-704-W1	400.63	FW3 hanging wall	852.0	452311	5434627	329	-57	641.8	644.5	2.8	6.59	
			including					643.1	643.5	0.4	39.1	
OSK-W-16-704-W1	400.63	FW3	852.0	452311	5434627	329	-57	649.6	652.5	2.9	15.5	
			including					649.6	650.3	0.7	63.6	
OSK-W-16-704-W1	400.63	New - Underlay corridor	852.0	452311	5434627	329	-57	671.2	677.5	6.3	6.30	
			including					671.2	671.7	0.5	98.5	
OSK-W-16-704-W1	400.63	FW4	852.0	452311	5434627	329	-57	797.0	799.0	2.0	26.1	
			including					797.5	798.1	0.6	50.5	
OSK-W-16-705	403.08	Caribou South 1	636.0	452599	5434581	333	-60	403.5	406.8	2.3	1.31	
OSK-W-16-705	403.08	Caribou South 3	636.0	452599	5434581	333	-60	482.7	485.0	2.3	0.54	
OSK-W-16-705	403.08	Wall	636.0	452599	5434581	333	-60	565.0	562.0	2.0	4.04	
			including					565.7	566.4	0.7	10.7	
OSK-W-16-705	403.08	New Zone	636.0	452599	5434581	333	-60	594.0	596.2	2.2	3.64	
OSK-W-16-705	403.08	FW3	636.0	452599	5434581	333	-60	899.0	901.9	2.9	3.54	
			including					901.1	901.9	0.8	12.8	
OSK-W-16-706	401.59	Caribou South 1	1335.0	452611	5434418	327	-57	949.6	954.6	5.0	0.72	
OSK-W-16-706	401.59	FW0	1335.0	452611	5434418	327	-57	829.5	831.6	2.1	1.44	
OSK-W-16-706	401.59	FW1	1335.0	452611	5434418	327	-57	950.3	952.6	2.3	12.3	
			including					950.3	951.3	1.0	29.4	
OSK-W-16-706	401.59	FW3	1335.0	452611	5434418	327	-57	1139.0	1138.8	2.2	0.72	
OSK-W-16-706-W1	401.59	Caribou South 1	1275.0	452611	5434418	327	-57	546.5	553.0	16.5	5.75	
OSK-W-16-706-W1	401.59	Caribou South 1 - cut to 100 g/t Au	1275.0	452611	5434418	327	-57	546.5	563.0	16.5	3.53	
			including					549.2	549.0	0.3	222	100
OSK-W-16-706-W1	401.59	Caribou South 1 footwall	1275.0	452611	5434418	327	-57	558.3	563.0	4.7	3.41	
			including					558.3	558.7	0.4	14.5	
OSK-W-16-706-W1	401.59	FW0	1275.0	452611	5434418	327	-57	818.8	821.3	2.5	28.1	
			including					819.4	820.0	0.6	127	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-16-706-W1	401.59	FW1 hanging wall	1275.0	452611	5434418	327	-57	886.2	888.2	2.0	4.93	
		including						886.2	887.2	1.0	9.72	
OSK-W-16-706-W1	401.59	FW1	1275.0	452611	5434418	327	-57	902.5	908.5	2.0	2.85	
OSK-W-16-706-W1	401.59	FW2	1275.0	452611	5434418	327	-57	981.1	992.0	10.9	10.6	
		including						981.9	983.7	1.8	24.0	
		including						988.5	992.0	3.5	19.4	
OSK-W-16-706-W1	401.59	FW2	1275.0	452611	5434418	327	-57	1007.0	1022.0	5.0	7.50	
		including						1008.0	1010.0	2.0	13.8	
OSK-W-16-706-W1	401.59	FW2	1275.0	452611	5434418	327	-57	1022.0	1024.3	2.3	18.6	
		including						1022.9	1023.7	0.8	49.9	
OSK-W-16-706-W1	401.59	FW3	1275.0	452611	5434418	327	-57	1033.0	1041.9	8.9	16.6	15.9
		including						1035.5	1034.3	0.8	91.6	
		including						1041.0	1041.4	0.4	137	100
OSK-W-16-706-W1	401.59	FW4	1275.0	452611	5434418	327	-57	1073.1	1077.0	3.9	8.74	
OSK-W-16-706-W1	401.59	New - under Red Dog	1275.0	452611	5434418	327	-57	1248.4	1250.9	2.5	3.95	
OSK-W-16-706-W2	401.59	Caribou South 1	1296.0	452611	5434418	327	-57	552.0	556.3	4.3	1.87	
OSK-W-16-706-W2	401.59	FW0	1296.0	452611	5434418	327	-57	827.0	829.0	2.0	2.43	
OSK-W-16-706-W2	401.59	FW2	1296.0	452611	5434418	327	-57	901.0	905.0	2.0	3.12	
OSK-W-16-706-W2	401.59	FW3 (AQ zone)	1296.0	452611	5434418	327	-57	945.1	951.4	6.3	9.17	
OSK-W-16-706-W2	401.59	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1018.0	1020.4	2.4	5.67	
OSK-W-16-706-W2	401.59	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1093.8	1098.3	4.5	3.06	
		including						1093.8	1094.4	0.6	12.7	
		and						1097.4	1098.3	0.9	6.44	
OSK-W-16-706-W2	401.59	FW3	1296.0	452611	5434418	327	-57	1146.0	1149.5	3.5	4.95	
		including						1147.8	1148.2	0.4	35.3	
OSK-W-16-706-W2	401.59	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1176.5	1179.0	2.5	3.20	
		including						1177.5	1178.0	0.5	15.7	
OSK-W-16-706-W2	401.59	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1202.2	1205.2	2.0	7.33	
		including						1204.2	1204.6	0.4	33.6	
OSK-W-16-706-W3	401.59	FW1	1061.0	452611	5434418	327	-57	944.8	952.5	7.7	7.57	
		including						944.8	945.9	1.1	9.25	
		and						948.0	950.1	1.1	30.0	
OSK-W-16-706-W3	401.59	FW2	1061.0	452611	5434418	327	-57	1027.0	1029.2	2.2	7.88	
		including						1028.0	1028.7	0.7	20.3	
OSK-W-16-707	403.1	Caribou South 2	600.0	452572	5434688	331	-52	247.3	249.5	2.2	11.8	
		including						248.3	248.7	0.4	58.6	
OSK-W-16-707	403.1	Caribou	600.0	452572	5434688	331	-52	319.5	328.0	8.5	0.7	
OSK-W-16-707	403.25	Shear and quartz veins	1257.0	452818	5434423	331	-54	354.0	356.2	2.2	3.65	
		including						354.8	355.1	0.3	24.0	
OSK-W-16-708	403.25	Caribou South 3	1257.0	452818	5434423	331	-54	626.5	628.0	2.5	1.90	
OSK-W-16-708	403.25	New	1257.0	452818	5434423	331	-54	755.6	758.0	2.4	3.36	
OSK-W-16-708	403.25	Wolf hanging wall	1257.0	452818	5434423	331	-54	796.0	798.0	2.0	17.1	
OSK-W-16-708	403.25	New	1257.0	452818	5434423	331	-54	889.5	891.8	2.3	5.55	
		including						891.2	891.8	0.6	39.0	
OSK-W-16-708	403.25	FW1	1257.0	452818	5434423	331	-54	1021.7	1024.5	2.8	3.94	
		including						1022.5	1023.0	0.5	16.1	
OSK-W-16-708	403.25	FW3	1257.0	452818	5434423	331	-54	1206.5	1209.7	2.2	0.09	
OSK-W-16-708-W1	403.25	Caribou South 3 footwall	1272.0	452818	5434423	331	-54	633.3	635.9	2.6	1.28	
OSK-W-16-708-W1	403.25	New	1272.0	452818	5434423	331	-54	706.3	708.7	2.4	3.25	
OSK-W-16-708-W1	403.25	New	1272.0	452818	5434423	331	-54	729.3	733.0	3.7	3.80	
OSK-W-16-708-W1	403.25	New	1272.0	452818	5434423	331	-54	738.1	740.7	2.6	4.01	
		including						739.0	739.7	0.7	12.0	
OSK-W-16-708-W1	403.25	Wolf hanging wall	1272.0	452818	5434423	331	-54	765.7	769.5	4.0	12.2	
OSK-W-16-708-W1	403.25	Wolf	1272.0	452818	5434423	331	-54	836.5	840.3	3.8	12.5	
OSK-W-16-708-W1	403.25	Wolf footwall	1272.0	452818	5434423	331	-54	834.0	836.4	2.4	4.79	
		including						835.6	836.4	0.8	13.9	
OSK-W-16-708-W1	403.25	New	1272.0	452818	5434423	331	-54	838.1	844.5	6.4	15.4	
		including						840.5	841.4	2.9	31.3	
OSK-W-16-708-W1	403.25	New	1272.0	452818	5434423	331	-54	1069.0	1071.0	2.0	8.27	
		including						1069.9	1070.2	0.3	41.7	
OSK-W-16-708-W1	403.25	FW3	1272.0	452818	5434423	331	-54	1088.0	1091.0	3.0	3.74	
OSK-W-16-708-W1	403.25	New	1272.0	452818	5434423	331	-54	1163.0	1165.1	2.1	6.74	
		including						1163.0	1164.0	1.0	11.0	
OSK-W-16-708-W2	403.25	Caribou South 3	1407.0	452818	5434423	330	-54	633.0	636.6	2.6	3.20	
OSK-W-16-708-W2	403.25	Shear - Caribou Corridor	1407.0	452818	5434423	330	-54	668.8	671.2	2.2	7.43	
		including						668.8	670.2	1.4	11.4	
OSK-W-16-708-W2	403.25	Caribou - Caribou Corridor	1407.0	452818	5434423	330	-54	795.0	798.0	3.0	7.66	
OSK-W-16-708-W2	403.25	Wolf - Caribou Corridor	1407.0	452818	5434423	330	-54	841.9	846.7	2.8	4.47	
		including						844.3	844.7	0.4	30.3	
OSK-W-16-708-W2	403.25	New zone - Underdog	1407.0	452818	5434423	330	-54	1135.5	1142.1	6.6	13.8	
		including						1136.1	1138.5	2.4	36.1	
OSK-W-16-708-W2	403.25	FW3	1407.0	452818	5434423	330	-54	1278.3	1276.8	2.0	0.63	
OSK-W-16-709	401.77	New zone - Shear	590.0	452647	5434573	330	-59	186.0	188.0	2.0	3.01	
		including						186.0	187.0	1.0	5.61	
OSK-W-16-709	401.77	New zone	590.0	452647	5434573	330	-59	349.5	351.5	2.0	3.22	
OSK-W-16-709	401.77	Caribou South 1	590.0	452647	5434573	330	-59	418.2	421.9	3.7	4.90	
OSK-W-16-709	401.77	Caribou South 3	590.0	452647	5434573	330	-59	499.5	500.0	2.8	0.76	
OSK-W-16-710	400.23	Tourmaline breccia	704.0	452649	5434613	331	-60	68.0	70.0	2.0	3.25	
		including						68.3	70.0	0.7	8.93	
OSK-W-16-710	400.23	New zone	704.0	452649	5434613	331	-60	157.0	159.0	2.0	3.13	
		including						157.0	158.3	1.3	4.72	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assmt	Au (g/t) cut to 100 g/t
OSK-W-16-710	400.23	New zone	704.0	452649	5434613	331	-60	222.0	225.0	3.0	3.48	
								222.0	223.5	1.5	6.94	
OSK-W-16-710	400.23	Caribou South 1	704.0	452649	5434613	331	-60	402.8	403.5	0.7	3.94	
OSK-W-16-710	400.23	Quartz-tourmaline veins	704.0	452649	5434613	331	-60	498.0	Caribou South 1 cross-cut by late felsic dike	500.5	2.5	10.8
								498.0	499.5	1.5	17.8	
OSK-W-16-710	400.23	New zone	704.0	452649	5434613	331	-60	531.0	534.0	3.0	8.32	
								532.5	534.0	1.5	15.5	
OSK-W-16-710	400.23	Wolf	704.0	452649	5434613	331	-60	562.0	568.7	6.7	11.8	
								565.9	566.6	0.7	212	100
OSK-W-16-710	400.23	New zone	704.0	452649	5434613	331	-60	586.0	588.3	2.3	16.2	
								586.0	587.9	1.9	39.6	
OSK-W-16-710	400.23	Caribou North 2	704.0	452649	5434613	331	-60	620.0	623.5	3.5	1.12	
OSK-W-16-711	400.2		393.0	449352	5434556	329	-47				No signifi/cant results	
											Abandonned	
OSK-W-16-713	397.25		39.0	452678	5434681	330	-55					
OSK-W-16-713	397.29	Caribou	523.0	452678	5434680	331	-56	421.0	423.0	2.0	0.80	
OSK-W-16-713	397.29	Caribou North 2 footwall	523.0	452678	5434680	331	-56	472.0	474.0	2.0	1.43	
OSK-W-16-714	397.8		510.0	449299	5433722	330	-49				No signifi/cant results	
OSK-W-16-715	397.54	Eastern extension Caribou South 1	804.0	452786	5434527	334	-61	543.5	545.5	2.0	4.85	
OSK-W-16-715	397.54	Nze	804.0	452786	5434527	334	-61	647.5	649.0	3.0	22.6	
OSK-W-16-715	397.54	Caribou South 3	804.0	452786	5434527	334	-61	647.5	649.0	1.5	41.0	
								668.5	671.5	3.0	6.84	
OSK-W-16-715	397.54	New	804.0	452786	5434527	334	-61	668.5	670.0	1.5	13.1	
OSK-W-16-715	397.54	New	804.0	452786	5434527	334	-61	727.0	729.8	2.8	4.38	
OSK-W-16-715	397.54	Quartz vein in Red Dog	804.0	452786	5434527	334	-61	800.8	801.3	0.5	18.0	
OSK-W-16-716	397.54		602.0	448989	5433348	332	-45				No signifi/cant results	
OSK-W-16-717	399.66	New	525.0	448758	5433642	331	-45	51.5	53.6	2.1	3.34	
OSK-W-16-717	399.66	New discovery - Fox	525.0	448758	5433642	331	-45	243.9	255.5	11.6	3.22	
OSK-W-16-718	397.58		798.0	452742	5434571	332	-61	431.9	434.9	3.0	23.2	
								432.9	434.2	1.3	44.5	
OSK-W-16-718	397.58	Caribou South 3	798.0	452742	5434571	332	-61	515.5	518.0	2.5	3.88	
OSK-W-16-718	397.58		798.0	452742	5434571	332	-61	527.5	530.7	3.2	3.07	
OSK-W-16-718	397.58	Wolf 2	798.0	452742	5434571	332	-61	579.5	575.2	4.7	8.50	
OSK-W-16-718	397.58	Quartz-carbonate vein	798.0	452742	5434571	332	-61	670.0	681.2	2.2	10.4	
								680.7	681.2	0.5	44.4	
OSK-W-16-718	397.58	Wolf	798.0	452742	5434571	332	-61	735.3	737.9	2.6	4.38	
OSK-W-16-719	398		583.0	448757	5434606	329	-46				No signifi/cant results	
OSK-W-16-720	397.75	Caribou	643.0	452665	5434716	332	-56	205.0	205.7	0.7	34.4	20.9
								262.0	262.5	0.5	45.9	
								263.1	263.6	0.5	105	100
OSK-W-16-720	397.75	Caribou	643.0	452665	5434716	332	-56	394.0	398.4	4.4	5.56	100
								394.0	394.5	0.5	18.7	
OSK-W-16-720	397.75	Caribou North 2 extension	643.0	452665	5434716	332	-56	436.5	439.0	2.5	3.07	
								437.0	438.0	1.0	7.25	
OSK-W-16-721	402		485.1	448443	5430342	327	-45				No signifi/cant results	
OSK-W-16-722	400.53	New	773.3	452795	5434812	330	-60	53.0	55.0	2.0	6.08	
								53.0	54.0	1.0	12.0	
OSK-W-16-723	400.2		765.0	447874	5436916	332	-44				No signifi/cant results	
OSK-W-16-724	397.84	New	822.0	452910	5434850	329	-65	157.0	159.0	2.0	3.18	
OSK-W-16-724	397.84	New - Caribou Corridor	822.0	452910	5434850	329	-65	385.0	387.5	2.5	3.34	
								385.0	386.0	1.0	8.11	
OSK-W-16-724	397.84	New - Caribou Corridor	822.0	452910	5434850	329	-65	478.6	480.7	2.1	3.64	
OSK-W-16-724	397.84	Caribou North 2 Zone Extension	822.0	452910	5434850	329	-65	576.7	580.0	3.3	5.06	
OSK-W-16-725	395.1	Quartz-carbonate veinlets	882.0	447947	5434206	330	-50	579.7	583.0	3.3	26.7	
OSK-W-16-726	401.04	FWS	996.0	451895	5434186	328	-59	346.7	347.7	2.0	3.19	
OSK-W-16-726	401.04	New zone under Red Dog	996.0	451895	5434186	328	-59	837.0	839.9	2.9	0.60	
								936.6	938.8	2.2	4.49	
								938.5	938.8	0.3	18.5	
OSK-W-16-726-w1	401.04	FWS	1306.0	451895	5434186	328	-59	962.9	966.3	3.4	0.27	
OSK-W-16-726-w2	401.04	FWS	564.0	451895	5434186	328	-59				No signifi/cant results	
OSK-W-16-727	404.55	FWS Underdog	381.0	451664	5434446	330	-53	274.4	276.0	1.6	9.46	
								274.9	276.0	1.1	17.2	
OSK-W-16-728	397.33	Crustiform vein	1419.0	453055	5434890	334	-66	363.4	365.4	2.4	4.2	17.2
								363.6	364.0	0.4	29.0	100
OSK-W-16-728	397.33	Crustiform vein	1419.0	453055	5434890	334	-66	404.0	405.5	1.5	9.8	
OSK-W-16-728	397.33	Caribou Zone extension	1419.0	453055	5434890	334	-66	478.1	481.2	3.1	39.1	100
OSK-W-16-728	397.33	Caribou Zone extension Cut to 100 g/t Au	1419.0	453055	5434890	334	-66	478.1	481.2	3.1	14.7	
								478.1	479.5	1.4	30.0	100
OSK-W-16-728	397.33	New zone - Caribou corridor	1419.0	453055	5434890	334	-66	581.6	584.0	2.4	3.19	
OSK-W-16-728	397.33	Zone 27 - Crustiform vein	1419.0	453055	5434890	334	-66	752.2	754.9	2.7	4.69	
								753.1	753.9	0.8	15.6	
OSK-U-16-729	403.9		482.0	450304	5433288	330	-43				No signifi/cant results	
OSK-U-16-730	402.25		501.0	449901	5433572	330	-45				No signifi/cant results	
OSK-U-16-731	403.5	New zone	498.0	449764	5433853	330	-43	358.5	360.5	2.0	6.78	
								358.5	359.4	0.9	11.1	
OSK-U-16-732	399.67	Fox	420.0	448758	5435641	331	-56	65.5	68.5	3.0	8.04	
								67.0	68.5	1.5	16.1	



Windfall Lake Gold Project
 Quebec, Canada
 Assay Results
 Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) (spot)	Au (g/t) cut to 100 g/t
OSK-U-16-733	399.66	Shear veins	in/including	501.0	448758	5435642	339	-54	47.3	48.0	1.8	3.40
											0.5	9.99
OSK-U-16-734	399.67	Fox	in/including	559.0	448758	5435641	302	-46	407.0	409.1	2.1	39.2
									407.0	407.7	0.7	96.2
									408.8	409.1	0.3	48.0
OSK-W-16-735	400.95	Shear vein	in/including	1110.0	452285	5434580	332	-64	58.3	60.5	2.2	13.8
									58.3	58.9	0.6	48.7
OSK-W-16-735	400.95	Caribou	in/including	1110.0	452285	5434580	332	-64	101.8	137.2	35.4	17.0
OSK-W-16-735	400.95	Caribou Cut to 100g/t Au	in/including and	1110.0	452285	5434580	332	-64	101.8	137.2	35.4	6.30
									103.0	103.5	0.5	10.1
									112.0	113.7	1.7	338
									112.0	113.0	1.0	488
									113.0	113.7	0.7	79.2
OSK-W-16-735	400.95	Zone 27	in/including	1110.0	452285	5434580	332	-64	322.8	325.0	2.2	14.6
									322.8	323.4	0.6	53.0
OSK-W-16-735	400.95	FW1	in/including	1110.0	452285	5434580	332	-64	532.4	534.5	2.1	34.1
									532.4	533.1	0.7	32.8
									534.2	534.5	0.3	19.6
OSK-W-16-735	400.95	FW1 Footwall	in/including	1110.0	452285	5434580	332	-64	554.4	557.8	3.4	10.8
									554.4	554.8	0.4	76.9
OSK-W-16-735	400.95	FW3	in/including	1110.0	452285	5434580	332	-64	676.5	681.1	4.6	0.71
OSK-W-16-735	400.95	FW4 Hangingwall	in/including	1110.0	452285	5434580	332	-64	797.8	800.0	2.2	6.75
									798.8	799.1	0.3	48.4
OSK-W-16-735	400.95	FW4 Hangingwall	in/including	1110.0	452285	5434580	332	-64	812.0	814.9	2.9	8.57
									814.4	814.9	0.5	43.0
									824.2	824.4	0.2	24.4
OSK-W-16-735	400.95	FW4	in/including and	1110.0	452285	5434580	332	-64	824.2	824.5	0.3	228
									826.8	828.4	1.6	36.8
OSK-W-16-735-W1	400.95	Z27-2	in/including	1071.0	452285	5434580	332	-64	345.8	348.0	2.2	4.50
OSK-W-16-735-W1	400.95	Zone 27	in/including	1071.0	452285	5434580	332	-64	404.1	406.0	1.9	11.8
OSK-W-16-735-W1	400.95	Quartz vein in Red Dog	in/including	1071.0	452285	5434580	332	-64	427.5	428.0	0.5	5.13
OSK-W-16-735-W1	400.95	FW3	in/including	1071.0	452285	5434580	332	-64	477.8	478.1	0.3	11.8
OSK-W-16-735-W1	400.95	FW3	in/including	1071.0	452285	5434580	332	-64	520.5	527.3	6.8	11.6
									521.5	522.0	0.5	140
OSK-W-16-735-W2	400.95	FW1	in/including	1071.0	452285	5434580	332	-64	743.3	749.0	5.7	1.08
OSK-W-16-735-W2	400.95	FW1	in/including	1089.5	452285	5434580	332	-64	537.2	536.7	3.5	12.2
OSK-W-16-735-W2	400.95	FW1	in/including	1089.5	452285	5434580	332	-64	545.8	548.6	2.8	6.80
OSK-W-16-735-W2	400.95	FW3	in/including	1089.5	452285	5434580	332	-64	808.5	818.3	9.8	7.92
OSK-W-16-735-W2	400.95	FW3	in/including	1089.5	452285	5434580	332	-64	822.7	828.0	5.3	16.7
									825.0	825.5	0.5	54.3
OSK-U-16-736	399.69	Fox	in/including	589.0	448758	5435640	302	-60	260.6	262.7	2.1	5.34
OSK-U-16-736	399.69	Fox	in/including	589.0	448758	5435640	302	-60	313.0	315.6	2.6	4.32
OSK-W-16-737	397.5			72.0	453236	5434928	332	-66			Abandoned	
OSK-U-16-738	399.57	Fox	in/including	546.0	448758	5435640	276	-48	217.8	221.7	3.9	2.58
OSK-U-16-738	399.57	Fox	in/including	546.0	448758	5435640	276	-48	272.7	274.4	1.7	2.86
OSK-W-16-739	397.5			42.0	453236	5434928	332	-65			Abandoned	
OSK-W-16-740	397.31	Vein	in/including	1464.0	453238	5434925	340	-66	137.4	140.0	2.6	7.21
									138.7	139.2	0.5	23.6
OSK-W-16-740	397.31	Lynx	in/including	1464.0	453238	5434925	340	-66	159.0	161.0	2.0	4.49
OSK-W-16-740	397.31	Lynx FW	in/including	1464.0	453238	5434925	340	-66	248.5	256.7	8.2	4.72
									249.5	250.1	0.6	13.0
									255.7	256.7	1.0	19.3
OSK-W-16-740	397.31	Crustiform Vein	in/including	1464.0	453238	5434925	340	-66	305.4	310.0	4.6	5.69
									305.4	308.1	0.7	11.8
									309.0	310.0	1.0	16.3
OSK-W-16-740	397.31	CN2	in/including	1464.0	453238	5434925	340	-66	720.5	722.8	2.3	9.66
									720.5	721.5	1.0	19.5
OSK-W-16-740	397.31	New UnderDog	in/including	1464.0	453238	5434925	340	-66	1389.0	1391.4	2.4	8.71
									1390.2	1390.5	0.3	67.9
OSK-W-16-741	399.61			246.0	452652	5434236	329	-65			No significant results	
OSK-W-16-742	399.7			30.0	452652	5434236	330	-64			Abandoned	
OSK-W-16-743	399.48	New zone	in/including	1560.0	452652	5434236	334	-64	672.2	674.7	2.5	6.44
OSK-W-16-743	399.48	New zone	in/including	1560.0	452652	5434236	334	-64	701.1	703.8	2.7	4.91
									703.1	703.8	0.7	15.1
OSK-W-16-743	399.48	CS1	in/including	1560.0	452652	5434236	334	-64	776.4	777.3	0.9	1.91
OSK-W-16-743	399.48	New zone	in/including	1560.0	452652	5434236	334	-64	790.4	792.8	2.4	4.71
									790.4	790.7	0.3	37.1
OSK-W-16-743	399.48	FW0	in/including	1560.0	452652	5434236	334	-64	1007.0	1009.7	2.7	2.32
OSK-W-16-743	399.48	FW1	in/including	1560.0	452652	5434236	334	-64	1173.6	1183.3	9.7	3.37
									1179.2	1179.8	0.6	13.3
OSK-W-16-743	399.48	FW2	in/including	1560.0	452652	5434236	334	-64	1233.7	1236.3	2.6	303
									1233.7	1235.8	2.1	375
OSK-W-16-743	399.48	FW3	in/including	1560.0	452652	5434236	334	-64	1366.0	1368.2	2.2	5.95
OSK-W-16-743-W1	399.48	CS1	in/including	1488.0	452652	5434236	334	-64	774.0	776.0	2.0	1.30
									774.6	775.0	0.4	5.06
OSK-W-16-743-W1	399.48	FW0	in/including	1488.0	452652	5434236	334	-64	1000.5	1003.7	3.2	5.77
									1001.3	1001.7	2.7	14.0
OSK-W-16-743-W1	399.48	FW0 FW	in/including	1488.0	452652	5434236	334	-64	1060.0	1063.0	3.0	3.62
									1060.0	1060.5	0.5	7.97
OSK-W-16-743-W1	399.48	FW2 HW	in/including	1488.0	452652	5434236	334	-64	1243.5	1245.6	2.1	6.77



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) <u>assay</u>	Au (g/t) cut to <u>100 g/t</u>
OSK-W-16-743-W1	399.48	FW2	1488.0	452652	5434236	334	-64	1251.8	1254.4	2.6	8.13	
								1252.1	1252.9	0.8	24.0	
OSK-W-16-743-W1	399.48	FW3	1488.0	452652	5434236	334	-64	1394.0	1396.0	2.0	6.29	
								1394.0	1394.8	0.8	12.9	
OSK-W-16-743-W2	399.48	CS1	1625.2	452652	5434236	334	-64	748.0	751.0	3.0	10.3	
								749.6	751.0	1.4	21.5	
OSK-W-16-743-W2	399.48	FW0	1625.2	452652	5434236	334	-64	1160.0	1162.9	2.9	3.52	
OSK-W-16-743-W2	399.48	FW1	1625.2	452652	5434236	334	-64	1279.0	1281.0	2.0	1.90	
OSK-W-16-743-W2	399.48	FW2	1625.2	452652	5434236	334	-64	1379.7	1376.3	2.6	9.80	
								1374.5	1375.3	0.8	27.5	
OSK-W-16-743-W2	399.48	FW3	1625.2	452652	5434236	334	-64	1465.5	1469.0	3.5	0.64	
OSK-W-17-743-W3	399.48	CS1	1473.0	452652	5434236	334	-64	816.9	821.6	4.7	1.28	
OSK-W-17-743-W3	399.48	Wm - FW0 corridor	1473.0	452652	5434236	334	-64	1078.0	1080.0	2.0	7.44	
OSK-W-17-743-W3	399.48	FW0	1473.0	452652	5434236	334	-64	1066.8	1069.5	2.7	1.43	
OSK-W-17-743-W3	399.48	FW3	1473.0	452652	5434236	334	-64	1424.0	1426.0	12.0	0.38	
OSK-W-17-743-W4	399.48	CS1	1476.0	452652	5434236	334	-64	796.2	799.0	2.8	585	11.5
								796.2	796.5	0.3	5450	100
OSK-W-17-743-W4	399.48	FW0	1476.0	452652	5434236	334	-64	997.0	1004.5	7.5	0.28	
OSK-W-17-743-W4	399.48	QTV	1476.0	452652	5434236	334	-64	1075.2	1078.0	2.8	3.80	
OSK-W-17-743-W4	399.48	FW1 HW	1476.0	452652	5434236	334	-64	1100.0	1103.0	3.0	6.86	
								1100.8	1102.2	0.4	42.6	
OSK-W-17-743-W4	399.48	FW1 HW	1476.0	452652	5434236	334	-64	1113.6	1116.1	2.5	3.63	
OSK-W-17-743-W4	399.48	FW2 HW	1476.0	452652	5434236	334	-64	1139.0	1142.0	3.0	3.21	
OSK-W-17-743-W4	399.48	FW2 HW	1476.0	452652	5434236	334	-64	1194.6	1197.0	2.4	16.6	
								1195.6	1196.0	0.4	95.1	
OSK-W-17-743-W4	399.48	FW2	1476.0	452652	5434236	334	-64	1211.6	1213.1	1.5	4.23	
OSK-W-17-743-W4	399.48	FW2 FW	1476.0	452652	5434236	334	-64	1262.4	1264.4	2.0	5.42	
								1262.4	1263.3	0.9	11.4	
OSK-W-17-743-W4	399.48	FW3	1476.0	452652	5434236	334	-64	1381.7	1384.5	2.8	0.57	
OSK-W-17-743-W4	399.48	FW3 FW	1476.0	452652	5434236	334	-64	1416.0	1418.6	2.6	1.49	
OSK-W-17-743-W5	399.48	Underdog	1554.0	452652	5434236	331	-64	946.5	951.2	4.7	2.88	
OSK-W-17-743-W5	399.48	FW0 HW	1554.0	452652	5434236	331	-64	964.5	967.0	2.5	5.36	
OSK-W-17-743-W5	399.48	FW1	1554.0	452652	5434236	331	-64	1187.1	1189.1	2.0	4.27	
OSK-W-17-743-W5	399.48	FW2	1554.0	452652	5434236	331	-64	1272.7	1275.3	2.6	55.4	19.4
								1275.7	1274.2	0.5	287	100
OSK-W-17-743-W5	399.48	FW2 FW	1554.0	452652	5434236	331	-64	1289.3	1291.9	2.6	5.94	
								1290.3	1290.8	0.5	12.4	
OSK-W-16-744	398.06	New zone	689.4	452665	5434732	331	-56	268.0	270.5	2.5	5.24	
								269.0	270.5	1.5	8.35	
OSK-W-16-744	398.06	Caribou	689.4	452665	5434732	331	-56	365.0	374.0	9.0	5.00	
								372.0	373.0	1.0	31.2	
OSK-W-16-744	398.06	Caribou North 2	689.4	452665	5434732	331	-56	417.4	419.9	2.5	4.44	
								419.5	419.9	0.4	20.0	
OSK-W-16-744	398.06	Zone 2	689.4	452665	5434732	331	-56	574.0	584.0	10.0	4.32	
								578.0	580.0	4.0	15.3	
OSK-W-16-746	402.49	Caribou	873.0	452551	5434670	331	-57	348.8	348.2	5.2	5.50	
								344.8	345.2	0.4	47.2	
OSK-W-16-746	402.49	Caribou North 2	873.0	452551	5434670	331	-57	378.2	378.9	0.7	0.36	
OSK-W-16-746	402.49	New zone	873.0	452551	5434670	331	-57	455.4	457.7	2.3	3.87	
								456.9	457.7	0.8	9.29	
OSK-W-16-746	402.49	Vein	873.0	452551	5434670	331	-57	603.0	606.7	3.7	16.5	
OSK-W-16-747	400.26	Quartz-tourmaline vein	1050.0	452449	5434488	331	-57	153.0	155.0	2.0	3.66	
								154.0	154.3	0.3	23.6	
OSK-W-16-747	400.26	Caribou	1050.0	452449	5434488	331	-57	298.3	300.7	2.4	13.7	
								298.3	299.3	1.0	31.1	
OSK-W-16-747	400.26	Caribou South 1	1050.0	452449	5434488	331	-57	417.0	419.0	2.0	11.4	
								417.8	418.3	0.5	45.3	
OSK-W-16-747	400.26	Caribou North 1	1050.0	452449	5434488	331	-57	467.1	468.9	1.8	21.7	
OSK-W-16-747	400.26	Zone 2	1050.0	452449	5434488	331	-57	677.6	681.0	3.4	6.96	
OSK-W-16-747	400.26	FW1	1050.0	452449	5434488	331	-57	813.6	810.0	2.4	3.89	
OSK-W-16-747	400.26	FW2	1050.0	452449	5434488	331	-57	877.3	816.0	2.7	6.95	
								813.3	813.7	0.4	26.3	
								815.4	815.7	0.3	26.2	
OSK-W-16-747	400.26	FW2	1050.0	452449	5434488	331	-57	850.3	856.0	5.7	4.95	
								853.0	854.8	1.8	8.53	
OSK-W-16-747	400.26	FW3	1050.0	452449	5434488	331	-57	911.7	914.0	2.3	3.92	
OSK-W-16-747	400.26	FW3	1050.0	452449	5434488	331	-57	936.0	930.3	2.4	6.96	
								938.1	938.6	0.5	32.5	
OSK-W-18-747-W1	400.26	Underdog	1032.0	452449	5434488	331	-57	668.2	669.8	3.6	4.7	
OSK-W-18-747-W1	400.26	Underdog	1032.0	452449	5434488	331	-57	683.0	685.0	2.0	12.2	
OSK-W-18-747-W1	400.26	Underdog	1032.0	452449	5434488	331	-57	683.0	683.6	0.6	24.2	
OSK-W-18-747-W1	400.26	Underdog	1032.0	452449	5434488	331	-57	714.0	715.3	2.3	7.64	
OSK-W-18-747-W1	400.26	Underdog	1032.0	452449	5434488	331	-57	721.3	730.0	8.7	20.0	19.7
								725.9	728.0	2.1	64.4	63.1
								726.5	727.1	0.6	10.5	100
OSK-W-18-747-W1	400.26	Underdog	1032.0	452449	5434488	331	-57	819.0	821.0	2.0	11.9	
								819.0	820.0	1.0	23.8	
OSK-W-18-747-W1	400.26	Underdog	1032.0	452449	5434488	331	-57	932.0	936.6	4.6	22.5	20.6
								932.0	931.2	1.2	78.9	71.7
OSK-W-18-747-W2	400.26	Underdog	798.0	452449	5434488	331	-57	681.0	683.5	2.5	8.58	
OSK-W-18-747-W2	400.26	Underdog	798.0	452449	5434488	331	-57	712.8	715.3	2.5	7.50	



Windfall Lake Gold Project
 Quebec, Canada
 Assay Results
 Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-16-747-W2	400.26	Underdog	798.0	452448	5434488	331	-57	784.0	786.0	2.0	4.86	
OSK-W-16-749	400.49	CS1	551.5	452486	5434389	332	-58	504.6	510.0	5.4	12.7	
		including						504.6	505.3	0.7	35.2	
OSK-W-16-749	400.49	CS1 FW	551.5	452486	5434389	332	-58	506.0	510.0	4.0	10.7	
OSK-W-16-750	395.76	Lynx 1	1658.6	453440	5434933	339	-69	146.0	147.0	1.0	0.65	
OSK-W-16-750	395.76	Crustiform vein	1658.6	453440	5434933	339	-69	418.2	420.5	2.3	17.0	
OSK-W-16-750	395.76	Caribou	1658.6	453440	5434933	339	-69	709.0	711.0	2.0	41.8	
OSK-W-16-750	395.76	Underdog	1658.6	453440	5434933	339	-69	983.5	985.9	2.3	14.8	
		including						984.6	985.2	0.6	56.0	
OSK-W-16-750	395.76	Underdog	1658.6	453440	5434933	339	-69	1430.0	1432.0	2.0	4.65	
OSK-W-16-751	398.21	Caribou - Shear Zone	942.0	453032	5434930	337	-64	403.0	407.7	4.7	3.09	
OSK-W-16-751	398.21	Caribou - Shear Zone	942.0	453032	5434930	337	-64	465.9	469.0	3.1	5.21	
		including						455.9	457.8	0.9	11.5	
OSK-W-16-751	398.21	Caribou	942.0	453032	5434930	337	-64	506.6	507.0	2.4	3.17	
OSK-W-16-751	398.21	Ch2	942.0	453032	5434930	337	-64	519.2	521.5	2.3	6.57	
OSK-W-16-751	398.21	Zone 27	942.0	453032	5434930	337	-64	795.6	796.9	1.3	0.07	
OSK-W-16-753	400.29	Caribou South 3	755.0	452756	5434463	332	-58	666.5	674.0	7.5	7.89	
		including						666.5	670.1	3.6	14.1	
OSK-W-16-753	400.29	Caribou	755.0	452756	5434463	332	-58	688.0	690.7	2.7	4.09	
OSK-W-16-754	401.73	CS1	1563.0	452767	5434303	332	-59	724.4	726.5	2.1	7.55	
		including						724.9	725.5	0.6	24.6	
OSK-W-16-754	401.73	FW0	1563.0	452767	5434303	332	-59	1108.0	1111.0	3.0	4.98	
		including						1110.0	1111.0	1.0	11.9	
OSK-W-16-754	401.73	FW0 FW	1563.0	452767	5434303	332	-59	1128.4	1131.0	2.6	3.69	
		including						1129.2	1129.5	0.3	22.0	
OSK-W-16-754	401.73	FW1	1563.0	452767	5434303	332	-59	1257.6	1259.9	2.3	2.61	
OSK-W-16-754	401.73	FW3	1563.0	452767	5434303	332	-59	1422.7	1430.0	7.3	0.76	
		including						1424.0	1425.6	1.6	34.6	
OSK-W-16-755	398.41	Lynx	1077.0	453213	5434971	336	-65	63.0	69.0	6.0	11.8	
		including						64.0	64.9	0.9	67.1	
OSK-W-16-755	398.41	Lynx Footwall	1077.0	453213	5434971	336	-65	147.0	149.0	2.0	8.12	
		including						147.4	147.9	0.5	30.4	
OSK-W-16-755	398.41	Caribou Hangingwall	1077.0	453213	5434971	336	-65	188.5	191.0	2.5	3.30	
		including						189.5	190.2	0.7	10.6	
OSK-W-16-755	398.41	Caribou	1077.0	453213	5434971	336	-65	668.0	672.9	4.9	2.81	
		including						569.7	570.0	0.3	11.6	
OSK-W-16-755	398.41	Ch2	1077.0	453213	5434971	336	-65	617.0	621.8	4.8	2.06	
OSK-W-16-755	398.41	Vein	1077.0	453213	5434971	336	-65	668.0	670.0	2.0	5.60	
OSK-W-16-755-W1	398.41	Ch2	684.0	453213	5434971	336	-65	670.7	674.5	3.8	0.61	
OSK-W-16-756	402.8	CS1	801.5	452809	5434350	331	-58	371.8	374.4	2.6	7.89	
		including						673.8	674.6	0.8	9.66	
OSK-W-16-756	402.8	Vein	801.5	452809	5434350	331	-58	756.6	759.1	2.5	3.0	
		including						758.8	759.1	0.3	26.4	
OSK-W-16-759	403.84	Caribou HW	890.0	452988	5434975	330	-65	189.1	193.5	4.4	4.20	
OSK-W-16-759	403.84	Ch2	890.0	452988	5434975	330	-65	377.4	381.9	4.5	1.53	
OSK-W-16-759	403.84	Zone 27	890.0	452988	5434975	330	-65	505.2	542.4	3.7	0.46	
OSK-W-16-760	396.15	Lynx HW	1560.0	453403	5434971	331	-65	148.0	211.0	6.0	14.1	
		including						208.5	211.0	2.5	16.7	
OSK-W-16-760	396.15	Lynx	1560.0	453403	5434971	331	-65	221.0	232.0	9.0	39.3	42.7
OSK-W-16-760	396.15	CS1	1560.0	453403	5434971	331	-65	223.0	232.0	9.0	42.7	
		including						226.3	232.0	5.7	148	65.0
OSK-W-16-760	396.15	Crustiform vein	1560.0	453403	5434971	331	-65	250.5	250.5	4.5	7.79	
OSK-W-16-760	396.15	Crustiform vein	1560.0	453403	5434971	331	-65	354.3	357.0	2.7	5.50	
OSK-W-16-761	398.39	Lynx FW	1386.0	453182	5434993	330	-63	54.5	56.5	2.0	19.4	
OSK-W-16-761	398.39	CS3	1386.0	453182	5434993	330	-63	64.7	67.0	2.3	71.3	64.3
OSK-W-16-762	403.6	CS1 HW	1311.0	452730	5434409	332	-56	554.0	556.8	2.8	3.29	
		including						555.0	556.8	1.8	4.96	
OSK-W-16-762	403.6	Vein	1311.0	452730	5434409	332	-56	589.0	591.7	2.7	3.12	
OSK-W-16-762	403.6	CS1 FW	1311.0	452730	5434409	332	-56	621.0	624.0	3.0	8.80	
		including						623.0	624.0	1.0	17.7	
OSK-W-16-762	403.6	CS3	1311.0	452730	5434409	332	-56	666.0	673.0	7.0	7.61	
OSK-W-16-762	403.6	CS3 FW	1311.0	452730	5434409	332	-56	680.0	684.1	4.1	4.70	
		including						682.0	684.1	2.1	8.96	
OSK-W-16-762	403.6	Caribou	1311.0	452730	5434409	332	-56	693.0	695.0	3.0	4.47	
		including						694.0	695.0	1.0	7.34	
OSK-W-16-762	403.6	FW3	1311.0	452730	5434409	332	-56	1158.0	1160.5	2.5	6.59	
		including						1158.0	1158.8	0.8	37.8	
OSK-W-16-762-W1	403.6	Underdog	1299.0	452730	5434409	332	-56	801.0	804.5	3.5	8.20	
		including						1200.0	1202.5	0.5	19.9	
OSK-W-16-762-W1	403.6	FW4	1299.0	452730	5434409	332	-56	924.0	924.5	0.5	11.1	
		including						1220.0	1222.0	2.0	11.9	
OSK-W-16-764	398.58	Caribou extension	1334.8	453147	5435026	329	-60	369.7	374.5	4.8	0.78	
OSK-W-16-764	398.58	Ch2 extension	1334.8	453147	5435026	329	-60	416.5	420.0	3.5	0.24	
OSK-W-16-765	406.93	New zone	900.0	452955	5435002	329	-63	41.3	52.9	11.6	1.11	
OSK-W-16-765	406.93	New zone	900.0	452955	5435002	329	-63	82.6	84.0	1.4	4.52	
		including						82.6	82.9	0.3	20.3	
OSK-W-16-765	406.93	Caribou extension	900.0	452955	5435002	329	-63	137.0	139.0	2.0	2.37	
		including						137.0	137.5	0.5	8.82	
OSK-W-16-765	406.93	Caribou extension	900.0	452955	5435002	329	-63	141.9	144.1	2.2	2.54	
OSK-W-16-765	406.93	Ch2 extension	900.0	452955	5435002	329	-63	341.1	344.0	2.9	0.98	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 ft		
OSK-W-16-765	406.93	CN2 extension	900.0	452955	5435002	329	-63	364.3	371.0	6.7	0.21			
OSK-W-16-765	406.93	227 extension	900.0	452955	5435002	329	-63	576.1	577.1	1.0	0.13			
OSK-W-16-766	402	Vein - Caribou corridor	707.9	452690	5434340	333	-57	341.9	345.0	3.1	5.17			
										343.0	345.6	0.6	16.2	
OSK-W-16-766	402	CS1	707.9	452690	5434340	333	-57	651.1	653.9	2.8	3.69			
OSK-W-17-766-W1	402	CS1 FW	741.0	452690	5434340	338	-55	674.8	680.8	5.8	11.6			
										676.5	679.5	3.0	27.6	
OSK-W-16-767	401.17	Vein - Shear	1605.0	452887	5434330	331	-60	431.7	433.1	1.4	1.70			
										432.8	433.1	0.3	6.72	
OSK-W-16-767	401.17	Vein in late dyke	1605.0	452887	5434330	331	-60	865.9	870.0	4.1	3.68			
OSK-W-16-767	401.17	FW0	1605.0	452887	5434330	331	-60	1123.0	1123.0	2.0	4.14			
										1123.0	1123.0	1.0	7.57	
OSK-W-16-767	401.17	FW1	1605.0	452887	5434330	331	-60	1359.7	1365.5	5.8	2.06			
										1359.7	1360.1	0.4	22.9	
OSK-W-16-767	401.17	FW3	1605.0	452887	5434330	331	-60	1535.5	1548.0	12.5	0.40			
OSK-W-16-769	413.64	Vein	921.0	452932	5435051	331	-64	235.6	238.7	3.1	3.52			
										235.6	237.7	0.6	13.4	
OSK-W-16-769	413.64	CN2	921.0	452932	5435051	331	-64	298.0	300.1	2.1	32.8	24.1		
OSK-W-16-770	404.01		28.5	453090	5435084	327	-63			Abandoned				
OSK-W-17-772	404.03	Caribou extension	1218.0	453095	5435085	333	-61	233.5	237.1	3.6	1.06			
OSK-W-17-772	404.03	227 extension	1218.0	453095	5435085	333	-61	466.5	468.6	2.1	0.21			
OSK-W-17-773	397.59	Lynx	1444.5	453361	5435006	332	-63	147.5	150.0	2.5	2.50			
										148.7	149.3	0.6	8.95	
OSK-W-17-773	397.59	FW4	1444.5	453361	5435006	332	-63	1348.0	1350.2	2.2	1.06			
OSK-W-17-774	396.84	CS1	1175.0	452731	5434636	333	-57	339.3	343.1	3.8	0.06			
OSK-W-17-774	396.84	Woolf	1175.0	452731	5434636	333	-57	565.5	572.6	7.1	1.49			
										572.0	572.6	0.6	0.42	
OSK-W-17-774	396.84	CN2	1175.0	452731	5434636	333	-57	604.1	608.8	4.4	0.72			
OSK-W-17-774	396.84	FW3	1175.0	452731	5434636	333	-57	932.1	934.1	2.0	0.74			
OSK-W-17-774	396.84	FW3	1175.0	452731	5434636	333	-57	1028.3	1031.0	2.7	0.76			
OSK-W-17-776	402.29	New Caribou corridor	857.0	452851	5434432	330	-57	584.5	586.6	2.1	5.00			
OSK-W-17-776	402.29	CS1	857.0	452851	5434432	330	-57	628.3	630.5	2.2	0.36			
OSK-W-17-776	402.29	CS2	857.0	452851	5434432	330	-57	707.3	711.6	4.3	1.09			
OSK-W-17-776	402.29	Caribou corridor	857.0	452851	5434432	330	-57	775.5	775.5	2.0	11.2			
OSK-W-17-776	402.29	Caribou	857.0	452851	5434432	330	-57	793.0	809.0	6.0	6.42			
										797.7	803.3	2.6	10.1	
OSK-W-17-776	402.29	Vein in late dyke	857.0	452851	5434432	330	-57	854.4	857.0	2.6	5.65			
										854.4	854.7	0.3	42.0	
OSK-W-17-777	403.11	Croftiform vein	712.8	452678	5434500	339	-58	380.4	383.4	3.0	5.79			
OSK-W-17-777	403.11	CS1	712.8	452678	5434500	339	-58	492.4	492.7	0.3	0.20			
OSK-W-17-777	403.11	CS1	712.8	452678	5434500	339	-58	617.0	621.0	4.0	9.01			
										618.0	620.0	1.0	18.5	
OSK-W-17-778	401.5	Croftiform vein	1362.0	452689	5434339	331	-58	545.0	547.7	2.7	13.5			
										546.6	547.0	0.4	90.2	
OSK-W-17-778	401.5	CS1	1362.0	452689	5434339	331	-58	642.7	646.2	3.5	15.0			
										643.5	645.5	1.0	48.7	
OSK-W-17-778	401.5	FW0	1362.0	452689	5434339	331	-58	917.0	919.2	2.2	11.6			
OSK-W-17-778	401.5	FW1	1362.0	452689	5434339	331	-58	1099.4	1098.4	3.0	10.6			
OSK-W-17-778	401.5	FW1	1362.0	452689	5434339	331	-58	1114.6	1117.1	2.5	9.24			
OSK-W-17-778	401.5	FW2	1362.0	452689	5434339	331	-58	1132.0	1134.1	2.1	27.7	10.1		
										1132.0	1132.4	0.4	145	
OSK-W-17-778	401.5	FW2	1362.0	452689	5434339	331	-58	1158.0	1160.0	2.0	4.49			
OSK-W-17-778	401.5	Underdog	1362.0	452689	5434339	331	-58	1223.0	1223.8	2.8	4.52			
OSK-W-17-778	401.5	Underdog	1362.0	452689	5434339	331	-58	1232.0	1234.5	2.5	11.3			
										1234.0	1234.5	0.5	55.2	
OSK-W-17-778	401.5	Underdog	1362.0	452689	5434339	331	-58	1310.0	1314.3	3.3	9.61			
										1320.0	1313.6	0.6	94.1	
OSK-W-17-779	397.99	Lynx FW	795.0	453302	5434977	327	-67	111.0	115.8	4.8	0.29			
OSK-W-17-779	397.99	Lynx	795.0	453302	5434977	327	-67	129.5	132.0	2.5	5.00			
OSK-W-17-779	397.99	Quartz-juvenile vein - Lynx Corridors	795.0	453302	5434977	327	-67	183.0	183.6	0.6	4.65			
OSK-W-17-779	397.99	Croftiform vein - Lynx FW	795.0	453302	5434977	327	-67	257.0	259.0	2.0	4.59			
										258.0	259.0	1.0	7.17	
OSK-W-17-779	397.99	Croftiform vein - Lynx FW	795.0	453302	5434977	327	-67	268.0	275.9	7.9	21.6	16.9		
										268.0	269.0	1.0	8.86	
										270.0	271.0	1.0	21.5	
										271.7	272.0	0.3	24.2	
										274.3	275.9	1.6	78.9	55.3
OSK-W-17-779	397.99	Croftiform vein - Lynx FW	795.0	453302	5434977	327	-67	274.3	275.0	0.7	154	100		
										282.0	284.5	2.3	18.1	
										282.6	284.5	1.9	23.3	
OSK-W-17-779	397.99	Croftiform vein - Lynx FW	795.0	453302	5434977	327	-67	298.0	300.7	2.7	15.6			
										298.9	300.0	1.1	31.2	
OSK-W-17-779	397.99	Caribou extension	795.0	453302	5434977	327	-67	571.0	573.9	2.9	3.51			
										572.9	573.6	0.6	8.54	
OSK-W-17-779	397.99	Caribou extension	795.0	453302	5434977	327	-67	605.0	607.5	2.0	4.45			
OSK-W-17-779	397.99	Vein	795.0	453302	5434977	327	-67	621.0	622.5	1.5	2.62			
										622.1	622.5	0.4	6.99	
OSK-W-17-779	397.99	CN2	795.0	453302	5434977	327	-67	626.4	628.7	2.3	1.56			
OSK-W-17-779	397.99	Croftiform vein	795.0	453302	5434977	327	-67	725.0	728.2	3.2	4.17			
										726.9	727.5	0.6	16.3	
OSK-W-17-780	399.73	New - Before Caribou	1551.0	452929	5434374	332	-59	435.9	439.3	3.4	4.46			



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
								435.9	436.3	0.4	10.7	
								438.8	439.3	0.5	18.8	
OSK-W-17-780	399.73	CS1	1551.0	452929	5434374	332	-59	859.0	862.0	3.0	0.23	
OSK-W-17-780	399.73	Fw0 HW	1551.0	452929	5434374	332	-59	1036.5	1046.9	10.4	7.41	6.21
								1036.5	1057.0	0.5	125	100
OSK-W-17-780	399.73	Fw0	1551.0	452929	5434374	332	-59	1076.3	1074.3	4.0	3.30	
								1072.1	1073.0	0.9	8.61	
OSK-W-17-780	399.73	Fw0 FW	1551.0	452929	5434374	332	-59	1079.0	1087.0	3.0	3.09	
								1079.0	1080.0	1.0	8.23	
OSK-W-17-780	399.73	Underdog	1551.0	452929	5434374	332	-59	1119.0	1121.0	2.0	5.02	
OSK-W-17-780	399.73	Fw1 HW	1551.0	452929	5434374	332	-59	1240.0	1250.0	2.0	3.02	
OSK-W-17-780	399.73	Fw1	1551.0	452929	5434374	332	-59	1271.6	1278.4	6.8	10.6	
								1276.0	1278.4	2.4	28.9	
OSK-W-17-780	399.73	Fw3	1551.0	452929	5434374	332	-59	1366.0	1370.0	4.0	34.1	
								1368.5	1370.0	1.5	90.5	
OSK-W-17-780	399.73	Fw3 FW	1551.0	452929	5434374	332	-59	1400.0	1404.0	4.0	9.38	
								1400.0	1403.5	1.5	24.4	
OSK-W-17-780-w1	399.73	Fw0	1533.0	452929	5434374	331	-60	1074.0	1081.0	17.0	5.97	
								1079.0	1082.8	3.8	19.7	
OSK-W-17-780-w1	399.73	Fw3 HW	1533.0	452929	5434374	331	-60	1343.8	1347.2	3.4	83.5	29.4
								1346.6	1347.2	0.6	407	100
OSK-W-17-780-w1	399.73	Fw3 HW	1533.0	452929	5434374	331	-60	1358.5	1360.8	2.3	6.56	
								1358.5	1359.0	0.5	19.1	
OSK-W-17-780-w1	399.73	Fw3	1533.0	452929	5434374	331	-60	1396.5	1398.5	2.0	4.76	
								1425.5	1425.5	2.0	15.3	
OSK-W-17-781	402.8	Crustiform vein	1625.5	452845	5434218	331	-60	518.5	520.5	2.0	15.3	
								518.5	521.5	1.0	24.4	
OSK-W-17-781	402.8	CS1	1625.5	452845	5434218	331	-60	778.0	780.5	2.5	3.05	
OSK-W-17-781	402.8	Fw0 HW	1625.5	452845	5434218	331	-60	1445.0	1447.7	2.7	1.49	
OSK-W-17-781	402.8	Fw0	1625.5	452845	5434218	331	-60	1205.0	1204.0	1.0	0.18	
OSK-W-17-781	402.8	Fw1	1625.5	452845	5434218	331	-60	1405.8	1405.0	3.3	1.18	
OSK-W-17-781	402.8	Fw2	1625.5	452845	5434218	331	-60	1466.0	1469.4	3.4	0.87	
OSK-W-17-781	402.8	Fw3	1625.5	452845	5434218	331	-60	1551.0	1553.0	2.0	2.97	
OSK-W-17-781	396.54	Crustiform vein - Lynx FW	1326.0	453535	5435181	329	-72	996.0	101.5	1.9	4.57	
OSK-W-17-781	396.54	Caribou extension	1326.0	453535	5435181	329	-72	458.0	460.7	2.0	0.21	
OSK-W-17-784	401.91	CS1	894.0	452861	5434488	330	-54	576.5	592.7	14.2	0.96	
OSK-W-17-784	401.91	CS2	894.0	452861	5434488	330	-54	660.9	663.3	2.4	0.98	
OSK-W-17-784	401.91	Wolf HW	894.0	452861	5434488	330	-54	767.0	770.0	3.0	4.89	
								769.5	770.0	0.5	15.1	
OSK-W-17-784	401.91	Wolf HW	894.0	452861	5434488	330	-54	780.4	786.1	5.7	3.21	
								785.1	786.1	1.0	13.6	
OSK-W-17-784	401.91	Wolf	894.0	452861	5434488	330	-54	823.0	827.0	4.0	0.62	
								823.0	827.0	4.0	0.62	
OSK-W-17-785	401		49.5	452673	5434414	329	-56				Abandoned	
OSK-W-17-786	400.56	CS1	717.0	452674	5434411	337	-55	573.0	572.4	2.1	0.26	
OSK-W-17-786	400.56	CS2 HW	717.0	452674	5434411	337	-55	652.3	660.1	7.8	5.17	
								652.3	656.0	3.7	9.85	
OSK-W-17-786	400.56	CS3	717.0	452674	5434411	337	-55	664.0	668.9	4.9	6.64	
								667.9	668.9	1.0	20.5	
OSK-W-17-787	398.09	Lynx FW	1205.8	453324	5435038	333	-63	118.7	121.1	2.4	0.96	
OSK-W-17-787	398.09	Caribou extension	1205.8	453324	5435038	333	-63	507.9	514.4	6.5	7.21	
								512.6	513.6	1.0	24.1	
OSK-W-17-787	398.09	CN2 extension	1205.8	453324	5435038	333	-63	517.0	521.8	4.8	3.48	
								521.2	521.8	0.6	13.1	
OSK-W-17-788	396.81	Lynx HW	375.0	453329	5434931	332	-66	164.5	166.5	2.0	3.09	
OSK-W-17-788	396.81	Lynx	375.0	453329	5434931	332	-66	233.0	250.3	17.3	17.0	12.8
								236.4	236.9	0.5	153	100
								239.0	240.0	1.0	128	100
OSK-W-17-788	396.81	Lynx FW	375.0	453329	5434931	332	-66	295.0	297.0	2.0	6.21	
								296.6	297.0	0.4	25.7	
OSK-W-17-788	396.81	Lynx FW	375.0	453329	5434931	332	-66	301.0	309.0	2.0	3.26	
OSK-W-17-789	402.42	CS1	1278.0	452546	5434388	333	-59	526.1	533.5	7.4	5.12	
								527.9	530.0	2.1	16.4	
OSK-W-17-789	402.42	CS1 FW	1278.0	452546	5434388	333	-59	538.9	544.1	5.2	7.31	6.39
								543.8	544.1	0.3	136	100
OSK-W-17-789	402.42	CS1 FW	1278.0	452546	5434388	333	-59	583.2	585.7	2.5	3.30	
								584.4	585.0	0.6	13.3	
OSK-W-17-789	402.42	Fw0	1278.0	452546	5434388	333	-59	796.8	799.9	3.1	3.01	
OSK-W-17-789	402.42	Fw1	1278.0	452546	5434388	333	-59	853.0	860.9	7.9	19.4	16.4
								853.0	857.6	4.5	29.7	
OSK-W-17-789	402.42	Fw2	1278.0	452546	5434388	333	-59	883.9	885.9	2.0	9.35	
								884.9	885.6	0.7	24.1	
OSK-W-17-789	402.42	Fw3	1278.0	452546	5434388	333	-59	964.0	966.3	2.3	8.20	
								965.0	966.3	0.3	61.9	
OSK-W-17-789-w1	402.42	Fw0	1197.0	452546	5434388	333	-59	795.5	804.4	8.9	5.63	
								801.9	802.5	0.6	20.4	
OSK-W-17-789-w1	402.42	Fw1	1197.0	452546	5434388	333	-59	877.1	880.6	3.5	11.0	
OSK-W-17-789-w1	402.42	Fw2	1197.0	452546	5434388	333	-59	995.4	997.5	2.1	3.50	
								995.4	995.0	0.6	19.3	
OSK-W-17-789-w1	402.42	Fw3	1197.0	452546	5434388	333	-59	1004.1	1006.7	2.6	14.6	
								1005.2	1006.0	0.8	34.3	
OSK-W-17-789-w1	402.42	Fw3 / Z14-2	1197.0	452546	5434388	333	-59	1119.8	1122.0	2.2	16.4	
								1120.4	1121.2	0.8	44.3	



**Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-789-W2	402.42	New / FWD	1134.0	452546	5434388	333	-59	801.0	803.0	2.0	13.2	
OSK-W-17-789-W2	402.42	FW3	1134.0	452546	5434388	333	-59	882.0	884.3	2.3	5.00	
OSK-W-17-789-W2	402.42	FW1 FW	1134.0	452546	5434388	333	-59	906.5	909.2	2.7	4.79	
OSK-W-17-789-W2	402.42	FW2	1134.0	452546	5434388	333	-59	1014.0	1017.0	3.0	8.02	
OSK-W-17-789-W2	402.42	FW3 / Z24-2	1134.0	452546	5434388	333	-59	1152.1	1155.2	3.1	25.6	
		including						1152.1	1152.7	0.6	44.0	
								1154.5	1155.2	0.7	67.9	
OSK-W-17-789-W2	402.42	FW3 / Z24-2	1134.0	452546	5434388	333	-59	1163.0	1165.7	2.7	5.63	
OSK-W-17-790	395.64	Lynx FW	450.0	453457	5434995	332	-66	261.6	265.2	3.6	11.3	
		including						261.6	262.3	0.7	28.7	
		and						264.7	265.2	0.5	39.9	
OSK-W-17-790	395.64	Lynx FW	450.0	453457	5434995	332	-66	269.5	272.5	3.0	4.32	
		including						269.5	270.6	1.1	10.1	
OSK-W-17-790	395.64	Lynx 2	450.0	453457	5434995	332	-66	293.0	295.0	2.0	8.61	
OSK-W-17-790	395.64	Lynx 2	450.0	453457	5434995	332	-66	303.8	308.8	5.0	6.00	
OSK-W-17-790	395.64	Lynx 2	450.0	453457	5434995	332	-66	316.9	325.5	8.6	10.5	10.3
		including						324.8	325.5	0.7	102	100
OSK-W-17-790	395.64	VNCR	450.0	453457	5434995	332	-66	392.5	394.7	2.2	10.0	10.0
OSK-W-17-792	395.67	Lynx	438.0	453446	5434959	335	-64	309.5	318.7	9.2	42.1	25.2
		including						313.3	314.2	0.9	56.0	
		and						315.6	317.6	2.0	162	100
OSK-W-17-792	395.67	Crustiform vein	438.0	453446	5434959	335	-64	389.8	384.5	5.3	2.51	
OSK-W-17-795	402.6	FW1	1423.0	452646	5434421	333	-65	1110.3	1113.7	3.4	5.33	
		including						1110.3	1110.9	0.6	23.1	
OSK-W-17-799	395.55	Lynx HW	450.0	453481	5435035	332	-74	309.3	311.2	1.9	10.6	
OSK-W-17-799	395.55	Lynx	450.0	453481	5435035	332	-74	319.8	324.4	4.6	50.0	40.7
		including						319.8	320.7	0.9	108	100
		and						323.1	324.4	1.3	82.7	
OSK-W-17-799	395.55	Lynx FW	450.0	453481	5435035	332	-74	339.8	344.2	4.4	63.8	41.4
		including						341.5	342.3	0.8	223	100
OSK-W-17-799	395.55	Crustiform vein	450.0	453481	5435035	332	-74	402.0	403.6	1.6	13.0	
OSK-W-17-800	395.55	Lynx vein	414.0	453367	5434941	330	-58	193.6	196.0	2.4	16.5	
		including						194.1	195.0	0.9	40.4	25.4
OSK-W-17-800	395.55	VNCR	414.0	453367	5434941	330	-58	305.0	308.8	3.8	35.2	34.0
		including						306.5	307.2	0.7	139	100
OSK-W-17-801	396.94	Caribou extension	840.0	453192	5434907	333	-69	588.1	601.0	2.9	7.99	
OSK-W-17-801	396.94	Caribou extension	840.0	453192	5434907	333	-69	597.0	609.4	2.4	3.70	
OSK-W-17-801	396.94	Caribou extension	840.0	453192	5434907	333	-69	758.5	778.4	11.9	5.53	
		including						758.5	762.0	3.5	10.6	
OSK-W-17-801	396.94	Caribou extension	840.0	453192	5434907	333	-69	777.0	781.4	4.4	3.82	
OSK-W-17-802	396.11	Lynx 2	399.0	453375	5434908	330	-54	294.1	298.0	4.9	10.44	
		including						297.0	298.0	1.0	37.5	
OSK-W-17-802	396.11	Crustiform vein - Lynx corridor	399.0	453375	5434908	330	-54	363.0	366.1	3.1	24.9	
		including						365.3	366.1	0.8	73.2	
								378.7	381.3	2.6	3.99	
								379.3	380.5	1.2	6.77	
OSK-W-17-803	397.66	Lynx HW	411.0	453305	5434943	331	-64	137.0	139.3	2.3	5.23	
		including						137.0	138.5	1.5	2.74	
OSK-W-17-803	397.66	Lynx	411.0	453305	5434943	331	-64	169.0	171.9	2.9	19.1	
OSK-W-17-803	397.66	Crustiform vein - Lynx corridor	411.0	453305	5434943	331	-64	372.0	374.3	2.3	6.38	
		including						372.0	373.2	1.2	11.3	
OSK-W-17-804	398.14	Z27 HW	200.5	451941	5434625	342	-42	69.5	71.5	2.0	3.59	
		including						69.5	69.8	0.3	19.1	
OSK-W-17-804	398.14	Z27	200.5	451941	5434625	342	-42	83.9	86.6	2.7	3.66	
		including						86.3	86.6	0.3	27.4	
OSK-W-17-804	398.14	Z27-1	200.5	451941	5434625	342	-42	97.4	99.5	2.1	1.46	
OSK-W-17-805	397.03	Lynx 2	321.0	453200	5434910	332	-56	225.5	230.5	5.0	12.4	
		including						227.4	230.5	3.1	17.7	
								230.0	230.6	0.6	64.8	
OSK-W-17-806	397.69	Lynx 2	387.0	453261	5434950	331	-60	214.6	217.5	2.9	3.13	
		including						214.6	215.5	0.9	8.24	
OSK-W-17-807	399.41	FW0	1170.0	452311	5434423	330	-65	623.5	626.5	3.0	3.89	
OSK-W-17-807	399.41	FW3	1170.0	452311	5434423	330	-65	715.5	717.5	2.0	19.2	
		including						715.5	716.0	0.5	51.6	
OSK-W-17-807	399.41	FW3 HW	1170.0	452311	5434423	330	-65	745.0	749.0	4.0	2.66	
OSK-W-17-807	399.41	FW4	1170.0	452311	5434423	330	-65	1023.0	1028.6	5.6	0.54	
OSK-W-17-807-W1	399.41	FW1	1134.0	452311	5434423	330	-65	730.2	734.6	4.4	8.20	
		including						734.0	734.6	0.6	56.3	
OSK-W-17-807-W1	399.41	FW3 HW	1134.0	452311	5434423	330	-65	807.0	815.4	8.4	8.01	
		including						813.3	815.7	2.4	20.7	
OSK-W-17-807-W1	399.41	FW3 FW	1134.0	452311	5434423	330	-65	1035.9	1034.0	2.1	8.64	
		including						1035.9	1032.5	3.4	67.8	
OSK-W-17-807-W1	399.41	FW6	1134.0	452311	5434423	330	-65	1122.8	1127.0	4.2	0.38	
OSK-W-17-807-W2	399.41	FW1	1155.0	452311	5434423	330	-65	737.0	738.0	1.0	53.5	35.2
		including						737.0	738.0	1.0	155	100
OSK-W-17-807-W2	399.41	Underdog	1155.0	452311	5434423	330	-65	868.5	870.5	2.0	3.65	
OSK-W-17-807-W2	399.41	FW3	1155.0	452311	5434423	330	-65	911.0	913.0	2.0	32.9	
		including						911.0	912.0	1.0	64.4	
OSK-W-17-807-W2	399.41	Underdog	1155.0	452311	5434423	330	-65	1070.5	1072.5	2.0	4.29	
		including						1070.5	1071.5	1.0	8.20	
OSK-W-17-810	398.14	Z27 HW	224.5	451949	5434615	331	-60	93.1	98.0	4.9	7.25	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-830	398.14	Z27	including	234.5	451949	5434615	331	-60	93.8	95.7	1.9	16.4
			108.7						111.0	2.3	6.54	
OSK-W-17-831	397.77	Lynx 1	including	432.0	453470	5435213	330	-76	52.8	156.0	3.8	3.08
			377.7						453460	5435033	330	-65
OSK-W-17-832	395.85	Lynx 2	including	377.7	453460	5435033	330	-65	298.5	301.0	2.5	26.0
			299.7						300.0	0.3	200	
OSK-W-17-832	395.85	Lynx 2	including	377.7	453460	5435033	330	-65	304.8	308.9	4.1	18.6
			304.8						305.1	0.3	59.7	
OSK-W-17-831	402.79	CS3	including	660.0	452612	5434456	332	-63	522.8	525.0	2.2	4.36
			660.0						452612	5434456	332	-63
OSK-W-17-811-W1	402.79	CS3	including	660.0	452612	5434456	332	-63	626.2	629.1	2.9	0.67
			626.2						627.0	0.8	30.8	
OSK-W-17-834	398.14	Z27-1	including	205.5	451027	5434612	329	-82	118.5	120.5	2.0	189
			120.0						120.5	0.5	756	
OSK-W-17-836	397.75	Lynx 1	including	1050.0	453470	5435213	147	-69	192.5	194.5	2.0	9.46
			192.5						193.5	1.0	38.7	
OSK-W-17-836	397.75	Lynx 1	including	1050.0	453470	5435213	147	-69	620.0	627.8	2.8	5.24
			672.4						672.8	0.4	14.7	
OSK-W-17-836	397.75	Lynx 4	including	1050.0	453470	5435213	147	-69	797.1	804.8	7.7	11.7
			799.3						800.0	0.8	68.3	
OSK-W-17-817	398.4	Lynx 2	including	820.3	453332	5435229	145	-60	804.5	804.8	0.3	85.0
			273.3						275.3	2.0	4.40	
OSK-W-17-817	398.4	Lynx 1	including	820.3	453332	5435229	145	-60	289.5	292.0	2.5	3.46
			291.0						292.0	1.0	8.33	
OSK-W-17-817	398.4	New - Lynx corridor	including	820.3	453332	5435229	145	-60	584.0	596.0	2.0	13.3
			595.3						596.0	0.7	34.2	
OSK-W-17-818	395.8	Z27-1	including	164.5	451868	5434630	329	-61	80.0	82.0	2.0	5.04
			99.0						101.0	2.0	5.86	
OSK-W-17-818	395.8	Vein	including	164.5	451868	5434630	329	-61	100.0	100.4	0.4	29.0
			558.5						564.5	6.0	31.44	
OSK-W-17-820	402.44	CS2	including	1104.0	452670	5434484	332	-66	561.0	563.0	2.0	83.0
			616.5						619.0	2.5	936	
OSK-W-17-820	402.44	CS1 FW	including	1104.0	452670	5434484	332	-66	616.5	617.5	1.0	29.3
			616.5						618.0	0.5	40.0	
OSK-W-17-820	402.44	Vein in late dyke	including	1104.0	452670	5434484	332	-66	690.0	692.8	2.8	8.05
			690.0						691.5	1.5	14.1	
OSK-W-17-820	402.44	FW0 HW	including	1104.0	452670	5434484	332	-66	821.7	825.3	3.3	3.35
			840.5						843.6	3.1	3.85	
OSK-W-17-820	402.44	FW0 HW	including	1104.0	452670	5434484	332	-66	842.7	843.6	0.9	11.4
			864.2						867.0	2.8	3.51	
OSK-W-17-820	402.44	FW0	including	1104.0	452670	5434484	332	-66	864.2	865.0	0.8	11.9
			946.0						948.0	2.0	3.85	
OSK-W-17-820	402.44	FW0 FW	including	1104.0	452670	5434484	332	-66	976.3	982.6	6.3	5.79
			982.1						982.6	0.5	28.7	
OSK-W-17-820-W1	402.44	FW0	including	1356.0	452670	5434484	332	-66	876.1	881.3	5.2	3.25
			943.0						945.0	2.0	5.78	
OSK-W-17-820-W1	402.44	FW0 FW	including	1356.0	452670	5434484	332	-66	944.0	946.0	1.0	11.3
			949.0						951.0	2.0	3.02	
OSK-W-17-820-W1	402.44	FW0 FW	including	1356.0	452670	5434484	332	-66	981.8	985.0	3.2	21.6
			981.8						983.4	1.6	40.4	
OSK-W-17-820-W1	402.44	FW1 FW	including	1356.0	452670	5434484	332	-66	1044.0	1046.0	2.0	4.26
			1046.0						1045.0	1.0	7.80	
OSK-W-17-820-W1	402.44	FW3 HW	including	1356.0	452670	5434484	332	-66	1109.2	1111.4	2.2	31.7
			1110.8						1111.4	0.6	115	
OSK-W-17-820-W1	402.44	FW3	including	1356.0	452670	5434484	332	-66	1146.7	1149.0	2.3	47.0
			1147.1						1147.6	0.5	760	
OSK-W-17-821	400.8	FW0 FW	including	1258.6	452739	5434474	332	-65	975.1	977.3	2.2	5.25
			976.1						976.7	0.6	15.4	
OSK-W-17-821	400.8	FW1	including	1258.6	452739	5434474	332	-65	1041.5	1044.0	2.5	1.48
			1174.5						1177.8	3.3	9.27	
OSK-W-17-821	400.8	FW3	including	1258.6	452739	5434474	332	-65	1178.6	1177.8	0.8	21.46
			670.0						672.0	2.0	0.80	
OSK-W-17-821-W1	400.8	CS3	including	1416.0	452739	5434474	332	-65	875.0	887.0	2.0	7.31
			865.7						866.0	0.3	44.3	
OSK-W-17-821-W1	400.8	FW0 HW	including	1416.0	452739	5434474	332	-65	905.0	907.0	2.0	7.89
			905.0						906.0	1.0	12.3	
OSK-W-17-821-W1	400.8	FW0	including	1416.0	452739	5434474	332	-65	937.0	941.0	4.0	96.7
			938.0						939.0	1.0	105	
OSK-W-17-821-W1	400.8	FW0 FW	including	1416.0	452739	5434474	332	-65	952.0	954.0	2.0	36.5
			951.0						954.0	3.0	32.6	
OSK-W-17-821-W1	400.8	FW1 HW	including	1416.0	452739	5434474	332	-65	1079.0	1084.0	5.0	4.63
			1082.0						1083.0	1.0	11.3	
OSK-W-17-821-W1	400.8	FW1	including	1416.0	452739	5434474	332	-65	1110.0	1141.0	31.0	24.9
			1144.0						1150.0	6.0	10.0	
OSK-W-17-821-W1	400.8	FW1	including	1416.0	452739	5434474	332	-65	1158.0	1160.0	2.0	5.33
			1175.6						1176.3	0.7	29.3	
OSK-W-17-821-W1	400.8	FW1	including	1416.0	452739	5434474	332	-65	1178.0	1179.0	1.0	19.6
			1192.0						1194.0	2.0	3.35	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-821-W1	400.8	FW1 FW	1416.0	452739	5434474	332	-65	1202.8	1207.0	4.2	5.65	
			including					1202.8	1203.1	0.3	48.0	
OSK-W-17-821-W1	400.8	New UnderDog	1416.0	452739	5434474	332	-65	1219.4	1223.0	3.5	35.4	
			including					1222.2	1223.0	0.8	40.9	
OSK-W-17-821-W1	400.8	New UnderDog	1416.0	452739	5434474	332	-65	1278.0	1285.0	7.0	3.84	
			including					1278.0	1279.0	1.0	9.58	
OSK-W-17-821-W1	400.8	FW3	1416.0	452739	5434474	332	-65	1284.0	1285.0	1.0	0.62	
			including					1330.3	1333.0	2.7	5.04	
								1330.9	1331.2	0.3	30.1	
OSK-W-17-823	402.36	CS1 HW	620.3	452565	5434415	330	-57	486.9	494.0	7.1	13.5	
			including					490.0	492.0	2.0	37.7	
OSK-W-17-823	402.36	CS1	620.3	452565	5434415	330	-57	526.4	533.5	7.1	0.41	
OSK-W-17-823	402.36	CS1 FW	620.3	452565	5434415	330	-57	552.2	554.3	2.1	5.43	
OSK-W-17-823	402.36	Caribou corridor	620.3	452565	5434415	330	-57	574.6	577.2	2.6	4.70	
			including					575.3	576.4	1.1	10.8	
OSK-W-17-823-W1	402.36	CS1 HW	618.0	452565	5434415	330	-57	503.0	508.4	5.4	8.05	
			including					507.1	508.4	1.3	21.8	
OSK-W-17-823-W1	402.36	CS1	618.0	452565	5434415	330	-57	535.0	537.4	2.4	18.6	
			including					535.0	536.0	1.0	43.9	
OSK-W-18-823-W1	402.36	C5	918.0	452565	5434415	330	-56	510.6	519.5	8.9	9.53	
			including					510.6	513.5	2.9	18.0	
OSK-W-18-823-W2	402.36	CS1	918.0	452565	5434415	330	-56	526.0	528.0	2.0	5.20	
			including					843.7	846.0	2.3	11.7	
								845.0	846.3	0.3	80.5	
OSK-W-18-823-W2	402.36	FW1	918.0	452565	5434415	330	-56	858.4	862.5	4.1	40.8	29.3
			including					860.8	861.7	0.9	134	100
OSK-W-17-824	398.14	227	209.5	451956	5434609	330	-67	28.4	31.0	2.6	196	16.7
			including					29.6	30.0	0.4	1260	100
OSK-W-17-824	398.14	227-1	209.5	451956	5434609	330	-67	150.9	152.0	2.0	3.28	
OSK-W-17-825	399.73	Lynx 2	579.0	453252	5435182	145	-54	226.1	228.1	2.0	4.06	
OSK-W-17-825	399.73	Lynx 2	579.0	453252	5435182	145	-54	237.1	239.1	2.0	3.38	
OSK-W-17-825	399.73	Lynx 1	579.0	453252	5435182	145	-54	265.2	266.9	1.7	3.58	
			including					265.2	265.3	0.3	14.0	
OSK-W-17-825	399.73	Lynx 1	579.0	453252	5435182	145	-54	267.9	270.7	2.8	6.71	
			including					268.9	269.6	0.7	21.6	
OSK-W-17-825	399.73	Lynx 1	579.0	453252	5435182	145	-54	274.0	275.2	2.2	6.88	
			including					274.8	275.2	0.4	21.6	
OSK-W-17-825	399.73	Lynx 1	579.0	453252	5435182	145	-54	280.5	283.9	3.4	23.8	
			including					280.5	281.3	0.8	92.1	
OSK-W-17-825	399.73	Lynx 1	579.0	453252	5435182	145	-54	289.8	292.5	2.7	5.03	
OSK-W-17-826	397.42	CS1	1335.0	452800	5434549	331	-66	643.5	644.3	0.8	1.67	
OSK-W-17-826	397.42	CS3	1335.0	452800	5434549	331	-66	658.1	661.9	3.8	1.14	
OSK-W-17-826	397.42	Caribou Corridor	1335.0	452800	5434549	331	-66	720.3	723.7	3.4	4.49	
OSK-W-17-826	397.42	FW0	1335.0	452800	5434549	331	-66	837.0	839.0	2.0	3.79	
OSK-W-17-826	397.42	FW1 HW	1335.0	452800	5434549	331	-66	1031.0	1033.0	2.0	6.53	
			including					1033.0	1032.0	1.0	11.3	
OSK-W-17-826	397.42	FW1 HW	1335.0	452800	5434549	331	-66	1053.0	1053.0	2.0	6.37	
			including					1052.0	1053.0	1.0	11.9	
OSK-W-17-826	397.42	FW3/214-H	1335.0	452800	5434549	331	-66	1206.0	1205.2	2.2	9.28	
			including					1205.6	1206.2	0.6	24.7	
OSK-W-17-826	397.42	FW3/214-H	1335.0	452800	5434549	331	-66	1246.8	1250.0	3.2	4.61	
OSK-W-17-826	397.42	FW3/214	1335.0	452800	5434549	331	-66	1296.0	1302.2	2.2	4.67	
OSK-W-17-826	397.42	FW1/214-H	1335.0	452800	5434549	331	-66	1308.3	1310.6	2.3	3.37	
			including					1309.0	1309.6	0.6	12.4	
OSK-W-17-826	397.42	FW3 FW	1335.0	452800	5434549	331	-66	1318.6	1319.0	2.4	16.0	
			including					1317.2	1319.0	1.8	21.3	
OSK-W-17-826-W1	397.42	Caribou corridor	759.0	452800	5434549	331	-66	648.0	650.8	2.8	3.48	
OSK-W-17-827	401.03	Lynx 3	957.0	453172	5435125	145	-63	358.0	362.1	4.1	32.1	
			including					360.0	361.5	1.5	30.0	
OSK-W-17-827	401.03	Lynx 2	957.0	453172	5435125	145	-63	396.0	398.5	2.5	2.66	
OSK-W-17-827	401.03	Lynx 1 FW	957.0	453172	5435125	145	-63	255.0	258.0	3.0	14.6	
OSK-W-17-827	401.03	Lynx 1 HW	957.0	453172	5435125	145	-63	354.0	356.5	2.5	7.51	
			including					354.0	355.5	1.5	12.4	
OSK-W-17-827	401.03	VNCR - Lynx corridor	957.0	453172	5435125	145	-63	381.0	383.0	2.0	5.84	
			including					381.5	382.3	0.8	12.5	
OSK-W-17-827	401.03	Lynx corridor	957.0	453172	5435125	145	-63	469.0	472.0	3.0	3.63	
OSK-W-17-827	401.03	Lynx 4	957.0	453172	5435125	145	-63	684.3	687.0	2.7	50.7	50.1
			including					666.0	667.0	1.0	139	100
OSK-W-17-827	401.03	Lynx 5	957.0	453172	5435125	145	-63	779.0	781.0	2.0	12.7	
			including					780.0	781.0	1.0	25.0	
OSK-W-17-830	403.31	CS1	819.0	452487	5434622	329	-55	292.0	296.2	4.2	1.03	
OSK-W-17-830	403.31	Caribou	819.0	452487	5434622	329	-55	343.0	348.0	1.0	7.80	
OSK-W-17-830	403.31	Wolf	819.0	452487	5434622	329	-55	419.4	420.8	1.4	1.92	
OSK-W-17-830	403.31	227	819.0	452487	5434622	329	-55	522.1	524.6	2.5	0.69	
OSK-W-17-830	403.31	FW3/H	819.0	452487	5434622	329	-55	670.5	673.5	3.0	3.59	
OSK-W-17-830	403.31	FW1/H	819.0	452487	5434622	329	-55	762.0	764.0	2.0	7.26	
OSK-W-17-831	397.68	Lynx 3	563.0	453349	5435229	146	-55	421.7	420.0	2.3	4.43	
OSK-W-17-832	398.44	Lynx 3	573.0	453332	5435229	146	-55	85.0	87.3	2.3	14.1	
			including					85.8	86.6	0.8	38.9	
OSK-W-17-833	400.88	CS1	1149.0	452597	5434933	331	-57	540.0	546.3	6.3	5.91	
			including					544.0	546.3	2.3	13.2	



Windfall Lake Gold Project
 Quebec, Canada
 Assay Results
 Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-833	400.88	CN1	1149.0	452597	5434993	331	-57	608.5	614.8	6.3	3.11	
		including						612.9	614.8	1.9	5.93	
OSK-W-17-833	400.88	FW0	1149.0	452597	5434993	331	-57	826.2	831.4	5.2	3.48	
OSK-W-17-833	400.88	FW2	1149.0	452597	5434993	331	-57	915.3	918.0	2.7	0.84	
OSK-W-17-833	400.88	FW2 FW	1149.0	452597	5434993	331	-57	954.0	957.0	3.0	3.40	
OSK-W-17-833	400.88	FW3/Z14	1149.0	452597	5434993	331	-57	1086.0	1088.5	2.5	8.94	
		including						1086.0	1087.0	1.0	15.0	
OSK-W-17-833	400.88	FW3/Z14-2	1149.0	452597	5434993	331	-57	1125.0	1127.4	2.4	6.97	
		including						1125.0	1125.1	2.4	17.1	
OSK-W-17-833-W1	400.88	CS1	1173.0	452597	5434993	331	-57	534.0	536.0	2.0	8.27	
OSK-W-17-833-W1	400.88	FW0	1173.0	452597	5434993	331	-57	815.5	818.0	2.5	5.60	
		including						815.5	816.0	0.5	21.6	
OSK-W-17-833-W1	400.88	FW0 FW	1173.0	452597	5434993	331	-57	842.0	844.0	2.0	5.66	
		including						842.6	843.1	0.7	15.6	
OSK-W-17-833-W1	400.88	FW1 HW	1173.0	452597	5434993	331	-57	853.7	857.7	4.0	11.8	
OSK-W-17-833-W1	400.88	New UnderDog	1173.0	452597	5434993	331	-57	862.0	864.0	2.0	5.79	
OSK-W-17-833-W1	400.88	FW3	1173.0	452597	5434993	331	-57	1089.0	1091.9	2.9	8.24	
		including						1093.9	1091.9	0.1	76.2	
OSK-W-17-833-W1	400.88	FW3	1173.0	452597	5434993	331	-57	1100.0	1102.0	2.0	6.36	
OSK-W-17-833-W1	400.88	CS1	1244.2	452597	5434993	331	-57	534.0	544.0	10.0	8.93	
		including						534.0	544.0	2.0	39.0	
OSK-W-17-833-W2	400.88	CS1 FW	1244.2	452597	5434993	331	-57	544.0	536.0	2.0	3.87	
OSK-W-17-833-W2	400.88	FW1	1244.2	452597	5434993	331	-57	886.0	893.5	7.5	0.21	
OSK-W-17-833-W2	400.88	FW2	1244.2	452597	5434993	331	-57	1014.0	1017.0	3.0	43.9	41.6
		including						1014.7	1016.4	1.7	72.8	68.7
								1014.7	1015.0	0.3	2.3	100
OSK-W-17-833-W2	400.88	FW3	1244.2	452597	5434993	331	-57	1072.0	1074.6	2.6	2.34	
		including						1184.0	1186.0	2.0	3.43	
OSK-W-17-834	399.64	Lyme 2	402.0	453248	5435187	144	-59	277.6	280.0	2.4	16.6	
OSK-W-17-834	399.64	Lyme 1	402.0	453248	5435187	144	-59	286.1	288.4	2.3	3.52	
		including						286.1	285.5	0.4	16.1	
OSK-W-17-834	399.64	Lyme 1	402.0	453248	5435187	144	-59	292.0	295.7	3.7	42.1	27.8
		including						293.1	293.6	0.4	374.0	100
OSK-W-17-836	397.62	Lyme HW	1045.4	453549	5435279	145	-68	210.0	214.5	4.5	4.56	
OSK-W-17-836	397.62	Lyme HW	1045.4	453549	5435279	145	-68	219.9	222.0	2.1	54.0	
OSK-W-17-836	397.62	Crustiform vein - Lyme corridor	1045.4	453549	5435279	145	-68	269.3	272.0	2.7	4.86	
		including						269.3	270.0	0.7	18.7	
OSK-W-17-836	397.62	New - Lyme Corridor	1045.4	453549	5435279	145	-68	307.2	309.7	2.5	18.5	
		including						307.2	307.7	0.5	26.2	
OSK-W-17-836	397.62	New - Lyme corridor	1045.4	453549	5435279	145	-68	302.4	305.7	3.3	80.7	14.8
		including						382.4	387.7	0.3	146	100
OSK-W-17-836	397.62	New - Lyme Corridor	1045.4	453549	5435279	145	-68	412.2	425.5	2.3	3.30	
OSK-W-17-836	397.62	New - Lyme Corridor	1045.4	453549	5435279	145	-68	517.0	520.1	3.1	3.82	
OSK-W-17-836	397.62	Lyme 3	1045.4	453549	5435279	145	-68	898.0	870.4	2.4	136	46.4
		including						869.3	870.4	1.1	253	100
OSK-W-17-836	397.62	New - Lyme corridor	1045.4	453549	5435279	145	-68	891.1	892.7	2.6	16.3	
		including						890.1	890.6	0.5	75.9	
OSK-W-17-837	395.85	Lyme 1 HW	465.0	453485	5435060	332	-75	207.0	210.4	3.4	43.9	35.5
		including						210.0	210.4	0.4	172	100
OSK-W-17-837	395.85	Lyme 1	465.0	453485	5435060	332	-75	285.8	291.2	5.4	16.8	
		including						285.8	287.2	1.4	45.7	
OSK-W-17-837	395.85	Lyme 2	465.0	453485	5435060	332	-75	320.0	328.4	8.4	97.4	33.7
		including						320.7	322.8	2.1	65.0	
		and						324.7	325.4	0.7	665	100
OSK-W-17-837	395.85	VNCR - Lyme corridor	465.0	453485	5435060	332	-75	335.9	339.0	3.1	5.77	
OSK-W-17-837	395.85	VNCR	465.0	453485	5435060	332	-75	343.7	346.6	2.9	15.6	
OSK-W-17-837	395.85	Vein - Lyme corridor	465.0	453485	5435060	332	-75	407.6	408.7	1.1	33.9	
OSK-W-17-838	397.75	Caribou Corridor	528.0	453144	5434900	329	-65	488.7	490.7	3.0	12.4	
		including						497.0	500.0	3.0	4.55	
OSK-W-17-838	397.75	Caribou Corridor	528.0	453144	5434900	329	-65	498.0	499.0	1.0	10.8	
		including						510.0	512.1	2.1	30.5	
OSK-W-17-839	395.95	Lyme 1 HW	448.2	453431	5434889	331	-56	310.8	312.1	1.3	16.7	
		including						319.7	328.0	8.3	6.58	
OSK-W-17-839	395.95	Lyme 1	448.2	453431	5434889	331	-56	325.2	325.7	0.5	30.4	
		including						326.4	327.1	0.7	24.9	
OSK-W-17-842	402.46	CS1 HW	1302.0	452509	5434930	331	-59	505.5	508.0	2.5	5.29	
		including						505.5	505.9	0.4	18.1	
OSK-W-17-842	402.46	CS1	1302.0	452509	5434930	331	-59	540.0	545.5	5.5	14.5	8.55
		including						540.0	540.4	0.4	182	100
OSK-W-17-842	402.46	FW0	1302.0	452509	5434930	331	-59	799.5	806.5	7.0	0.41	
OSK-W-17-842	402.46	FW1	1302.0	452509	5434930	331	-59	923.7	925.8	2.1	4.01	
OSK-W-17-842	402.46	QTV	1302.0	452509	5434930	331	-59	1030.0	1032.0	2.0	4.01	
OSK-W-17-843	396.12	Lyme 1	462.0	453427	5434866	330	-50	371.1	371.4	4.3	1.83	
OSK-W-17-843	396.12	VNCR	462.0	453427	5434866	330	-50	450.4	452.8	2.4	5.93	
		including						450.4	451.1	0.7	39.0	
OSK-W-17-844	398.89	CS1	1092.0	452728	5434545	333	-57	414.3	425.1	1.8	0.89	
OSK-W-17-844	398.89	CS3	1092.0	452728	5434545	333	-57	520.8	525.6	2.8	11.6	
		including						521.7	522.6	0.9	33.7	
OSK-W-17-844	398.89	Wolf 2	1092.0	452728	5434545	333	-57	568.7	571.2	2.5	8.34	
		including						569.7	570.1	0.4	28.2	



**Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-844	398.89	Wolf 2 FW	1092.0	452728	5434545	333	-57	595.4	598.0	2.6	5.30	
			including					586.4	597.0	0.6	20.3	
OSK-W-17-844	398.89	Wolf	1092.0	452728	5434545	333	-57	665.1	668.6	3.5	18.7	
			including					668.0	668.6	0.6	69.4	
OSK-W-17-844	398.89	FW3	1092.0	452728	5434545	333	-57	954.8	957.6	2.8	56.9	35.5
			including					957.1	957.6	0.5	220	100
OSK-W-17-844	398.89	Underdog	1092.0	452728	5434545	333	-57	1058.5	1060.5	2.0	4.87	
			including					1116.2	1118.2	2.0	10.7	
OSK-W-17-845	395.84	Lynx 1	375.0	453452	5434917	328	-58	316.2	317.5	1.3	26.3	
			including					316.7	317.5	0.8		
OSK-W-17-846	398.78	Lynx 1	248.0	453142	5434934	331	-64	95.0	97.0	2.0	113	75.1
			including					95.5	97.0	1.5	151	100
OSK-W-17-846	398.78	Lynx 2	240.0	453142	5434934	331	-64	174.6	176.5	1.9	3.25	
			including					601.0	603.0	2.0	29.8	
OSK-W-17-847	402.51	CS1	1347.0	452645	5434429	334	-69	831.0	833.0	2.0	6.87	
			including					864.9	871.8	6.9	3.57	
OSK-W-17-847	402.51	FW0 HW	1347.0	452645	5434429	334	-69	1085.1	1089.0	3.9	8.85	
			including					1162.0	1174.0	12.0	8.44	
OSK-W-17-847	402.51	FW2	1347.0	452645	5434429	334	-69	1169.0	1170.0	1.0	32.9	
			including					1208.0	1211.0	3.0	20.4	
OSK-W-17-847	402.51	FW4	1347.0	452645	5434429	334	-69	1206.9	1304.1	7.2	0.34	
			including					584.0	586.0	2.0	5.82	
OSK-W-17-847-W1	402.51	CS1 HW	1133.6	452645	5434429	334	-69	606.0	609.0	3.0	10.7	
			including					608.0	609.0	1.0	81.9	
OSK-W-17-847-W2	402.51	CS2	1133.6	452645	5434429	334	-69	621.0	626.0	5.0	6.75	
			including					622.0	624.0	2.0	24.7	
OSK-W-17-847-W1	402.51	CS1 FW	1133.6	452645	5434429	334	-69	643.0	645.0	2.0	4.08	
			including					644.5	645.0	0.5	13.4	
OSK-W-17-847-W1	402.51	FW0	1133.6	452645	5434429	334	-69	907.0	910.0	3.0	13.1	
			including					908.0	909.0	1.0	36.0	
OSK-W-17-847-W1	402.51	FW0 FW	1133.6	452645	5434429	334	-69	965.0	967.0	2.0	3.1	
			including					1124.0	1126.0	2.0	3.70	
OSK-W-17-847-W2	402.51	QTV	1275.0	452645	5434429	334	-69	1075.1	1077.2	2.1	10.7	
			including					1075.1	1075.5	0.4	51.1	
OSK-W-17-847-W2	402.51	FW1	1275.0	452645	5434429	334	-69	1148.0	1152.5	3.5	19.3	
			including					1148.0	1150.0	1.0	35.5	
			including					1151.8	1153.5	0.7	44.9	
OSK-W-17-847-W2	402.51	FW1 FW	1275.0	452645	5434429	334	-69	1171.0	1173.0	2.0	4.07	
			including					348.0	350.6	2.6	8.43	
OSK-W-17-848	401.24	Lynx 2	669.0	453311	5435357	135	-45	348.0	348.9	0.9	21.3	
			including					363.0	365.5	2.5	7.85	
OSK-W-17-848	401.24	Lynx 1	669.0	453311	5435357	135	-45	364.5	365.5	1.0	13.9	
			including					485.5	488.5	2.0	3.11	
OSK-W-17-848	401.24	New - Lynx corridor	669.0	453311	5435357	135	-45	490.5	492.8	2.3	6.21	
			including					491.3	492.7	0.9	15.0	
OSK-W-17-848	401.24	Lynx HW	669.0	453311	5435357	135	-45	518.5	520.6	2.1	15.1	
			including					518.5	519.5	1.0	26.2	
OSK-W-17-848	401.24	Lynx 4	669.0	453311	5435357	135	-45	578.0	586.4	8.4	0.55	
			including					300.0	302.0	2.0	7.20	
OSK-W-17-849	397.1	Lynx 2	315.0	453220	5434911	333	-48	190.0	192.0	2.0	7.20	
			including					249.0	251.0	2.0	3.04	
OSK-W-17-851	395.66	Lynx HW	375.0	453452	5434918	330	-50	340.0	343.0	3.0	8.02	
			including					348.0	350.0	2.0	133	100
OSK-W-17-851	395.66	Crustiform vein - Lynx corridor	375.0	453452	5434918	330	-50	712.0	714.0	2.0	10.0	
			including					712.5	712.8	0.3	42.4	
OSK-W-17-852-W1	397.79	Wolf	897.0	453874	5434552	330	-55	706.0	708.0	2.0	12.1	
			including					706.0	706.6	0.6	38.8	
OSK-W-17-854	403	Caribou	846.0	452485	5434592	331	-53	280.0	282.0	2.0	12.5	
			including					280.8	282.0	1.2	19.8	
OSK-W-17-854	403	CN2	846.0	452485	5434592	331	-53	369.5	371.9	2.9	8.07	
			including					370.5	371.0	0.5	33.0	
OSK-W-17-854	403	FW3U	846.0	452485	5434592	331	-53	767.0	769.0	2.0	7.48	
			including					767.0	768.0	1.0	14.9	
OSK-W-17-854-W1	403	Wolf FW	843.8	452485	5434592	331	-53	489.6	490.0	2.4	7.97	
			including					491.3	492.0	0.7	15.1	
OSK-W-17-854-W1	403	Wolf FW	843.8	452485	5434592	331	-53	498.0	501.0	3.0	5.38	
			including					701.5	701.5	2.5	5.00	
OSK-W-17-854-W1	403	FW3U HW	843.8	452485	5434592	331	-53	702.0	702.5	0.5	24.7	
			including					802.5	803.3	2.8	4.65	
OSK-W-17-854-W2	403	FW3U	873.0	452485	5434592	331	-53	791.7	793.3	3.5	18.6	
			including					198.1	198.6	0.5	80.3	
OSK-W-17-855	399.44	Vein	717.0	452309	5434384	334	-64	269.0	271.5	2.5	24.4	
			including					270.5	272.5	1.0	46.6	
OSK-W-17-855	399.44	Caribou corridor	717.0	452309	5434384	334	-64	654.0	658.0	4.0	0.43	
			including					752.0	754.0	2.0	21.0	
OSK-W-17-855-W1	399.44	FW0	1197.0	452309	5434384	334	-64	752.0	753.0	1.0	41.2	
			including					843.0	845.2	2.2	31.8	
OSK-W-17-855-W1	399.44	FW2	1197.0	452309	5434384	334	-64	844.0	845.5	0.5	12.5	
			including					916.3	919.5	3.2	3.79	
OSK-W-17-855-W1	399.44	FW3	1197.0	452309	5434384	334	-64	919.0	919.5	0.5	15.8	
			including					968.0	971.0	3.0	13.5	
OSK-W-17-855-W1	399.44	FW3 FW	1197.0	452309	5434384	334	-64					



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assort	Au (g/t) cut to 100 g/t
								869.0	971.0	2.0	18.2	
OSK-W-17-855-W1	399.44	FW3	1197.0	452309	5434384	334	-64	885.0	987.0	2.0	4.85	
OSK-W-17-855-W1	399.44	QTV	1197.0	452309	5434384	334	-64	1012.0	1014.0	2.0	8.31	
								1013.0	1014.0	1.0	16.5	
OSK-W-17-855-W1	399.44	FW4	1197.0	452309	5434384	334	-64	1158.0	1166.0	8.0	1.34	
OSK-W-17-855-W1	399.44	FW1	1197.0	452309	5434384	334	-64	759.9	761.0	2.1	11.1	
								759.9	761.0	1.1	20.8	
OSK-W-17-855-W2	399.44	FW2	1197.0	452309	5434384	334	-64	891.0	893.0	2.0	1.88	
								892.0	893.0	1.0	17.4	
OSK-W-17-855-W2	399.44	FW3	1197.0	452309	5434384	334	-64	924.8	928.3	3.5	26.1	
								924.8	925.5	0.7	33.5	
								925.5	925.9	0.4	66.2	
								927.0	928.3	1.3	31.5	
OSK-W-17-855-W2	399.44	FW3	1197.0	452309	5434384	334	-64	973.0	975.0	2.0	4.21	
								973.0	973.7	0.7	11.2	
OSK-W-17-855-W2	399.44	FW3	1197.0	452309	5434384	334	-64	1095.8	1098.0	2.2	0.20	
								1097.0	1098.0	1.0	18.8	
OSK-W-17-855-W3	399.44	FW3	1203.0	452320	5434384	334	-64	945.0	947.0	2.0	5.28	
OSK-W-17-856	396.49	lyne 1	291.0	453292	5434909	331	-52	167.4	166.0	3.6	0.25	
OSK-W-17-856	396.49	lyne 2	291.0	453292	5434909	331	-52	270.4	276.0	5.6	5.08	
								270.4	271.0	0.6	13.1	
								274.0	275.0	1.0	21.2	
OSK-W-17-857	396.03	lyne HW	436.5	453414	5434889	330	-52	248.0	250.0	2.0	4.25	
OSK-W-17-857	396.03	lyne HW	436.5	453414	5434889	330	-52	252.0	254.0	2.0	27.4	
								253.1	253.6	0.5	95.0	
OSK-W-17-857	396.03	Vein - Lyne corridor	436.5	453414	5434889	330	-52	348.0	350.9	2.9	30.0	
								349.2	350.9	1.7	50.8	
OSK-W-17-857	396.03	VNCR	436.5	453414	5434889	330	-52	361.5	364.2	2.7	159	17.0
								363.8	364.2	0.4	1060	100
OSK-W-17-858	403.26	SHR	840.0	452524	5434616	331	-53	46.8	49.0	2.2	3.50	
								46.8	47.7	0.9	9.58	
OSK-W-17-858-W1	403.26	FW3U	935.0	452524	5434616	331	-53	781.0	784.0	3.0	11.1	
								781.0	782.5	1.5	18.3	
OSK-W-17-858-W2	403.26	Wolf FW	909.0	452524	5434616	331	-53	486.3	488.6	2.3	8.51	
OSK-W-17-858-W2	403.26	Z27	909.0	452524	5434616	331	-53	586.3	588.3	2.0	1.07	
OSK-W-17-858-W2	403.26	Vein	909.0	452524	5434616	331	-53	630.1	632.5	2.4	32.6	
								631.6	632.5	0.9	76.6	
OSK-W-17-858-W2	403.26	VNCR	909.0	452524	5434616	331	-53	805.0	810.0	4.0	0.06	
OSK-W-17-858-W2	403.26	VNCR	909.0	452524	5434616	331	-53	810.7	812.7	2.0	9.59	
								810.7	811.2	0.5	34.5	
OSK-W-17-859	395.93	lyne 1	414.0	453433	5434905	337	-55	307.0	309.0	2.0	1.66	
OSK-W-17-859	395.93	lyne 2	414.0	453433	5434905	337	-55	326.0	328.0	2.0	2.26	
OSK-W-17-859	395.93	Crustiform vein - Lyne corridor	414.0	453433	5434905	337	-55	381.4	382.0	0.6	263	100
								390.6	391.4	2.8	10.3	
								392.6	393.5	0.9	27.3	
OSK-W-17-861	401.68	lyne 2	726.0	453386	5434555	330	-46	388.5	390.5	2.0	9.41	
								388.5	389.5	1.0	18.7	
OSK-W-17-861	401.68	lyne HW	726.0	453386	5434555	330	-46	506.7	509.0	2.3	4.06	
								508.6	509.0	0.4	12.5	
OSK-W-17-862	399.93	Caribou corridor	993.0	452683	5434577	332	-55	369.3	372.2	2.9	17.4	
								369.3	370.8	1.5	30.8	
OSK-W-17-862	399.93	CS3	993.0	452683	5434577	332	-55	513.0	514.9	1.9	1.27	
OSK-W-17-862	399.93	Wolf	993.0	452683	5434577	332	-55	570.7	572.5	1.8	0.20	
OSK-W-17-862-W2	399.93	CS3	759.0	452683	5434577	332	-55	465.7	468.9	2.6	4.85	
OSK-W-17-862-W2	399.93	CS3	759.0	452683	5434577	332	-55	473.0	477.7	4.7	17.8	
								475.0	477.0	2.0	31.3	
OSK-W-17-862-W2	399.93	Wolf HW	759.0	452683	5434577	332	-55	551.8	554.0	2.2	6.12	
								552.3	552.8	0.5	26.3	
OSK-W-17-862-W2	399.93	Wolf	759.0	452683	5434577	332	-55	568.0	570.0	2.0	1.48	
OSK-W-17-862-W2	399.93	Wolf FW	759.0	452683	5434577	332	-55	640.0	643.0	3.0	13.4	
								642.0	643.0	1.0	38.9	
OSK-W-17-862-W2	399.93	Vein	759.0	452683	5434577	332	-55	712.7	714.8	2.1	297	14.5
								713.8	714.4	0.6	2060	100
OSK-W-17-864	402.56	CS2	813.4	452467	5434581	330	-53	257.0	260.0	23.0	0.00	
OSK-W-17-864	402.56	Caribou corridor	813.4	452467	5434581	330	-53	305.0	308.0	3.0	4.17	
OSK-W-17-864	402.56	CS2	813.4	452467	5434581	330	-53	338.5	348.0	9.5	0.56	
OSK-W-17-864	402.56	Z27	813.4	452467	5434581	330	-53	516.0	524.0	8.0	7.80	
OSK-W-17-864	402.56	Z27	813.4	452467	5434581	330	-53	518.0	524.0	6.0	8.22	
								518.0	519.0	1.0	22.7	
								522.3	524.0	1.7	14.9	
OSK-W-17-864	402.56	FW3U	813.4	452467	5434581	330	-53	768.4	770.7	2.3	4.35	
								769.3	769.6	0.3	15.1	
OSK-W-17-864	402.56	FW3U	813.4	452467	5434581	330	-53	790.3	793.0	2.7	14.0	
								792.0	793.0	1.0	28.6	
OSK-W-17-864-W2	402.56	FW3U	834.0	452467	5434581	330	-53	800.5	803.0	2.5	3.21	
OSK-W-17-866	399.23	New - Caribou corridor	1299.0	452633	5434280	332	-57	347.8	350.4	2.6	3.49	
OSK-W-17-866	399.23	Underlay	1299.0	452633	5434280	332	-57	769.7	772.2	2.5	19.2	
								771.6	772.2	0.6	40.0	
OSK-W-17-866	399.23	FW1	1299.0	452633	5434280	332	-57	1033.0	1033.4	2.4	1.20	
OSK-W-17-866	399.23	FW2	1299.0	452633	5434280	332	-57	1105.0	1107.0	2.0	19.4	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
			including									
OSK-W-17-866	399.23	FW3	1299.0	452633	5434280	332	-57	1105.6	1106.1	0.5	73.2	
OSK-W-17-866	399.23	FW3 FW	1299.0	452633	5434280	332	-57	1138.0	1140.0	2.0	13.9	
			including									
OSK-W-17-866	399.23	FW3 FW	1299.0	452633	5434280	332	-57	1168.4	1172.9	4.5	4.50	
			including									
OSK-W-17-866	399.23	FW3	1299.0	452633	5434280	332	-57	1226.2	1231.5	5.3	14.0	
			including									
OSK-W-17-866	399.23	FW3	1299.0	452633	5434280	332	-57	1272.4	1274.5	2.1	6.29	
			including									
OSK-W-17-866-W1	399.23	Caribou	1359.0	452633	5434280	332	-57	1273.1	1273.9	0.8	36.3	
OSK-W-17-866-W1	399.23	FW1	1359.0	452633	5434280	332	-57	1034.5	1040.0	5.5	3.76	
			including									
OSK-W-17-866-W1	399.23	FW3	1359.0	452633	5434280	332	-57	1034.5	1035.5	1.0	9.41	
			including									
OSK-W-17-866-W2	399.23	FWO	1332.0	452633	5434280	332	-57	933.3	935.9	2.2	4.83	
			including									
OSK-W-17-866-W2	399.23	FWO	1332.0	452633	5434280	332	-57	943.5	946.5	3.0	11.6	
			including									
OSK-W-17-866-W2	399.23	FWO	1332.0	452633	5434280	332	-57	961.2	962.5	1.3	1.64	
			including									
OSK-W-17-866-W2	399.23	FWO FW	1332.0	452633	5434280	332	-57	964.0	966.4	2.4	12.9	
			including									
OSK-W-17-866-W2	399.23	FW1	1332.0	452633	5434280	332	-57	1056.0	1062.0	6.0	4.21	
			including									
OSK-W-17-866-W2	399.23	FW1	1332.0	452633	5434280	332	-57	1060.5	1062.0	1.5	12.6	
			including									
OSK-W-17-866-W2	399.23	FW3	1332.0	452633	5434280	332	-57	1128.1	1128.5	2.4	87.0	37.4
			including									
OSK-W-17-866-W2	399.23	FW1	1332.0	452633	5434280	332	-57	1126.1	1126.9	0.8	249	100
			including									
OSK-W-17-866-W2	399.23	FW3	1332.0	452633	5434280	332	-57	1146.7	1149.0	2.3	9.48	
			including									
OSK-W-17-866-W2	399.23	FW3	1332.0	452633	5434280	332	-57	1221.0	1223.0	2.0	7.98	
			including									
OSK-W-17-867	397.5	Caribou	1029.0	452800	5434550	315	-50	595.0	598.9	3.9	5.94	
OSK-W-17-867	397.5	Wolf	1029.0	452800	5434550	315	-50	637.2	638.5	1.3	1.67	
OSK-W-17-867	397.5	Wolf FW	1029.0	452800	5434550	315	-50	714.1	717.5	3.4	36.6	29.9
			including									
OSK-W-17-867	397.5	Caribou	1029.0	452800	5434550	315	-50	715.0	716.0	1.0	123	
			including									
OSK-W-17-867	397.5	Caribou	1029.0	452800	5434550	315	-50	735.0	737.6	2.6	5.6	
			including									
OSK-W-17-867	397.5	Z27	1029.0	452800	5434550	315	-50	735.9	736.9	1.0	12.6	
			including									
OSK-W-17-868	396.19	Lynx HW	435.0	453427	5434976	332	-64	267.4	268.2	0.8	0.97	
			including									
OSK-W-17-868	396.19	Lynx HW	435.0	453427	5434976	332	-64	221.0	223.0	2.0	26.7	
OSK-W-17-868	396.19	Lynx 1	435.0	453427	5434976	332	-64	267.0	268.0	2.0	8.22	
			including									
OSK-W-17-868	396.19	Lynx 1	435.0	453427	5434976	332	-64	272.0	277.4	5.4	5.54	
			including									
OSK-W-17-868	396.19	Lynx 2	435.0	453427	5434976	332	-64	301.0	303.5	2.5	12.3	
			including									
OSK-W-17-868	396.19	VNCB	435.0	453427	5434976	332	-64	381.0	383.2	2.2	4.49	
			including									
OSK-W-17-869	395.94	VNCB	864.0	453223	5435372	332	-68	388.1	397.2	9.1	4.67	
			including									
OSK-W-17-870	396.19	Lynx HW	411.0	453419	5434937	332	-50	210.4	211.1	2.7	25.7	
			including									
OSK-W-17-870	396.19	Lynx 1	411.0	453419	5434937	332	-50	230.9	233.7	2.8	18.9	
			including									
OSK-W-17-870	396.19	Lynx 3	411.0	453419	5434937	332	-50	230.9	231.6	0.7	69.0	
			including									
OSK-W-17-871	402.09	TBD	532.6	452402	5434623	328	-54	151.0	156.0	5.0	8.46	
			including									
OSK-W-17-871	402.09	Caribou	532.6	452402	5434623	328	-54	24.1	25.0	0.9	15.2	
			including									
OSK-W-17-871	402.09	Caribou	532.6	452402	5434623	328	-54	155.5	156.0	0.5	148	100
			including									
OSK-W-17-871	402.09	Caribou	532.6	452402	5434623	328	-54	173.3	179.9	2.6	3.47	
			including									
OSK-W-17-871	402.09	Caribou	532.6	452402	5434623	328	-54	269.0	271.4	2.4	6.21	
			including									
OSK-W-17-871	402.09	Z27	532.6	452402	5434623	328	-54	429.3	432.0	2.7	3.38	
			including									
OSK-W-17-871	402.09	Z27 FW	532.6	452402	5434623	328	-54	480.0	482.0	2.0	3.35	
			including									
OSK-W-17-871-W1	402.09	QTV	840.0	452402	5434623	328	-54	610.1	612.4	2.3	8.38	
			including									
OSK-W-17-871-W1	402.09	FW3U	840.0	452402	5434623	328	-54	610.1	610.8	0.7	27.4	
			including									
OSK-W-17-872	396.0	Crustiform vein - Lynx caribou	307.3	453265	5434814	334	-47	753.2	754.1	0.9	62.7	100
			including									
OSK-W-17-872	396.0	Lynx 2	307.3	453265	5434914	334	-47	210.5	212.4	1.9	0.83	
			including									
OSK-W-17-873	396.18	Lynx HW	393.0	453427	5434976	326	-61	210.0	212.0	2.0	3.51	
			including									
OSK-W-17-873	396.18	Lynx 1	393.0	453427	5434976	326	-61	242.0	246.9	4.9	10.7	
			including									
OSK-W-17-873	396.18	Lynx 1 FW	393.0	453427	5434976	326	-61	264.0	256.0	2.0	3.66	
			including									
OSK-W-17-873	396.18	Lynx 2	393.0	453427	5434976	326	-61	265.0	271.6	6.6	10.0	
			including									
OSK-W-17-873	396.18	Lynx 2	393.0	453427	5434976	326	-61	270.6	271.6	1.0	18.4	
			including									
OSK-W-17-873	396.18	Lynx 2	393.0	453427	5434976	326	-61	300.0	302.0	2.0	9.30	
			including									
OSK-W-17-873	396.18	Lynx 2	393.0	453427	5434976	326	-61	305.5	306.8	1.3	59.9	
			including									
OSK-W-17-873	396.18	Lynx 2	393.0	453427	5434976	326	-61	306.2	308.5	2.3	138	31.8
			including									
OSK-W-17-873	396.18	VNCB	393.0	453427	5434976	326	-61	307.8	308.5	0.7	375	100
			including									
OSK-W-17-873	396.18	VNCB	393.0	453427	5434976	326	-61	320.9	323.3	2.4	10.7	
			including									
OSK-W-17-873	396.18	Crustiform vein	393.0	453427	5434976	326	-61	320.9	321.7	0.8	28.7	
			including									
OSK-W-17-874	396.61	Lynx HW	372.0	453313	5434908	332	-50	154.6	156.4	1.6	12.4	
			including									
OSK-W-17-874	396.61	Lynx 1	372.0	453313	5434908	332	-50	168.0	170.0	2.0	7.03	
			including									
OSK-W-17-874	396.61	Lynx 1	372.0	453313	5434908	332	-50	169.1	170.0	0.9	34.9	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assmt	Au (g/t) cut to 100 g/t
OSK-W-17-834	396.61	Lynx 2	372.0	453313	5434908	332	-50	258.0	261.0	3.0	1.33	
OSK-W-17-835	401.81	Lynx 3	924.0	453374	5435443	144	-51	359.0	359.3	0.3	0.11	
OSK-W-17-835	401.81	Lynx 1	924.0	453374	5435443	144	-51	451.5	454.5	3.0	1.52	
OSK-W-17-835	401.81	Vein - Lynx stamador	924.0	453374	5435443	144	-51	851.0	853.0	2.0	13.7	
		including						852.0	853.0	1.0	27.3	
OSK-W-17-836	397.19	Lynx HW	393.0	453256	5434939	335	-48	91.8	87.0	5.2	1.65	
OSK-W-17-836	397.19	Lynx 2	393.0	453256	5434939	335	-48	158.6	161.6	3.0	2.83	
OSK-W-17-836	397.19	Lynx 3	393.0	453256	5434939	335	-48	210.0	212.0	2.0	25.9	15.3
		including						220.6	220.9	0.3	172	100
OSK-W-17-877	396.29	Lynx HW	360.0	453296	5434888	330	-50	177.0	181.0	3.3	5.02	
		including						179.1	179.6	0.5	30.0	
OSK-W-17-877	396.29	Lynx 1	360.0	453296	5434888	330	-50	196.2	198.2	2.0	1.49	
OSK-W-17-877	396.29	Crustiform vein	360.0	453296	5434888	330	-50	308.0	313.3	2.3	57.8	
OSK-W-17-878	395.85	Lynx HW	417.0	453455	5434983	329	-62	230.7	233.0	2.3	0.74	
OSK-W-17-878	395.85	Crustiform vein	417.0	453455	5434983	329	-62	234.2	236.4	2.2	14.6	
		including						235.8	236.4	0.6	51.5	
OSK-W-17-878	395.85	Lynx 1	417.0	453455	5434983	329	-62	250.0	252.0	2.0	1.81	
OSK-W-17-878	395.85	Lynx 2	417.0	453455	5434983	329	-62	287.0	292.7	13.7	5.32	
		including						292.7	293.0	0.3	100	100
		including						298.2	298.6	0.4	66.1	
OSK-W-17-878	395.85	Crustiform vein	417.0	453455	5434983	329	-62	364.0	366.0	2.0	16.8	
		including						364.3	365.3	1.0	32.2	
OSK-W-17-879	398.3	Lynx 1	369.0	453241	5434965	335	-46	76.3	77.8	1.5	1.98	
OSK-W-17-879	398.3	Lynx HW	369.0	453241	5434965	335	-46	84.2	86.2	2.0	1.93	
OSK-W-17-879	398.3	Lynx 2	369.0	453241	5434965	335	-46	108.1	110.4	2.3	5.28	
		including						108.6	109.4	0.8	96.2	
OSK-W-17-879	398.3	Lynx 2	369.0	453241	5434965	335	-46	115.8	117.8	2.0	14.5	
		including						115.8	116.8	1.0	28.3	
OSK-W-17-880	399.86	Caribou HW	813.0	452425	5434565	327	-50	146.2	149.4	3.2	3.32	
OSK-W-17-880	399.86	Z27 HW	813.0	452425	5434565	327	-50	415.5	418.0	2.5	7.92	
		including						415.5	417.0	1.5	13.2	
OSK-W-17-880	399.86	Z27	813.0	452425	5434565	327	-50	461.4	463.9	2.5	5.86	
OSK-W-17-880	399.86	FW3U	813.0	452425	5434565	327	-50	713.0	719.0	6.0	0.45	
OSK-W-17-880-W1	399.86	Z27 HW	801.0	452425	5434565	327	-50	373.0	376.0	3.0	16.5	
		including						373.0	374.5	1.5	31.0	
OSK-W-17-880-W1	399.86	Z27	801.0	452425	5434565	327	-50	464.0	466.5	2.5	4.57	
		including						465.0	466.5	0.5	12.1	
OSK-W-17-880-W2	399.86	Z27	846.0	452425	5434565	327	-50	475.6	478.0	2.4	2.32	
OSK-W-17-880-W2	399.86	FW3U	846.0	452425	5434565	327	-50	699.8	706.9	6.9	0.39	
OSK-W-17-880-W2	399.86	FW3U	846.0	452425	5434565	327	-50	776.8	779.5	2.7	8.41	
		including						771.5	778.0	0.5	26.1	
OSK-W-17-881	407.37	Lynx 2 FW	867.0	453217	5435342	136	-48	365.5	367.4	4.2	6.54	
		including						362.0	363.4	1.4	15.0	
OSK-W-17-881	407.37	Lynx 2 FW	867.0	453217	5435342	136	-48	384.0	386.0	2.0	29.8	
		including						385.0	386.0	1.0	59.4	
OSK-W-17-881	407.37	Lynx 2	867.0	453217	5435342	136	-48	412.0	414.0	2.0	379	30.7
		including						412.7	413.3	0.6	1260	100
OSK-W-17-881	407.37	Lynx 1	867.0	453217	5435342	136	-48	445.8	448.2	2.4	2.97	
OSK-W-17-881	407.37	Crustiform vein	867.0	453217	5435342	136	-48	732.7	734.8	2.1	4.20	
		including						731.3	731.9	0.6	14.3	
OSK-W-17-882	396.06	Lynx HW	473.0	453369	5434846	331	-53	240.2	244.0	3.8	1.62	
OSK-W-17-882	396.06	VNCR	473.0	453369	5434846	331	-53	417.0	420.0	3.0	3.39	
		including						418.0	418.5	0.5	18.8	
OSK-W-17-882	396.06	VNCR	473.0	453369	5434846	331	-53	426.6	428.0	2.0	2.62	
OSK-W-17-882	396.06	VNCR	473.0	453369	5434846	331	-53	426.6	427.4	0.5	9.82	
OSK-W-17-883	395.83	Lynx 1 + Lynx 2	396.0	453455	5434983	326	-60	254.0	256.0	2.0	12.4	
		including						254.9	255.4	0.5	36.8	
OSK-W-17-883	395.83	Lynx 1 + Lynx 2	396.0	453455	5434983	326	-60	259.0	261.0	2.0	7.52	
		including						259.7	260.0	0.3	44.4	
OSK-W-17-883	395.83	Lynx 2	396.0	453455	5434983	326	-60	274.5	276.5	2.0	18.6	
		including						275.5	276.5	1.0	32.5	
OSK-W-17-883	395.83	Lynx 2	396.0	453455	5434983	326	-60	288.5	290.5	2.0	3.89	
OSK-W-17-883	395.83	VNCR	396.0	453455	5434983	326	-60	351.0	355.2	2.2	3.07	
OSK-W-17-884	398.36	Lynx 1	373.0	453213	5434983	333	-53	49.5	52.0	2.5	1.48	
OSK-W-17-884	398.36	Lynx 2	373.0	453213	5434983	333	-53	77.0	80.0	3.0	6.88	
		including						77.5	77.5	0.5	26.0	
OSK-W-17-884	398.36	Lynx 3	373.0	453213	5434983	333	-53	120.0	126.1	6.1	0.10	
OSK-W-17-885	401.67	Vein	1458.0	452961	5434494	335	-67	472.0	474.0	2.0	21.4	18.8
		including						471.9	473.2	0.3	112	100
OSK-W-17-885	401.67	C53	1458.0	452961	5434494	335	-67	812.3	817.4	5.1	4.75	
		including						812.3	813.0	0.7	11.1	
OSK-W-17-885	401.67	FWO HW	1458.0	452961	5434494	335	-67	1018.0	1020.0	2.0	6.44	
OSK-W-17-885	401.67	FWO	1458.0	452961	5434494	335	-67	1015.0	1015.0	2.0	7.81	
		including						1015.0	1015.0	1.0	15.5	
OSK-W-17-885	401.67	FWO FW	1458.0	452961	5434494	335	-67	1092.0	1100.0	8.0	6.69	
		including						1092.0	1093.0	1.0	22.3	
OSK-W-17-885	401.67	FWO	1458.0	452961	5434494	335	-67	1119.0	1121.0	2.0	3.37	
OSK-W-17-885	401.67	FWO	1458.0	452961	5434494	335	-67	1303.0	1305.0	2.0	1.62	
OSK-W-17-885	401.67	FWO	1458.0	452961	5434494	335	-67	1366.0	1368.8	2.6	6.55	
		including						1367.0	1367.8	0.8	18.2	
OSK-W-17-885-W1	401.67	FWO HW	1383.0	452961	5434494	335	-67	1054.4	1061.0	4.6	5.24	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) <small>assort</small>	Au (g/t) cut to <small>100 g/t</small>
OSK-W-17-885-W1	401.67	FWO	1383.0	452861	5434494	335	-67	1060.0	1061.0	1.0	14.3	
OSK-W-17-885-W1	401.67	FW1 HW	1383.0	452861	5434494	335	-67	1065.0	1070.0	5.0	3.18	
OSK-W-17-885-W1	401.67	FW1 HW	1383.0	452861	5434494	335	-67	1188.0	1190.0	2.0	8.12	
OSK-W-17-885-W1	401.67	FW1 HW	1383.0	452861	5434494	335	-67	1188.3	1189.3	1.0	15.3	
OSK-W-17-885-W1	401.67	FW1 HW	1383.0	452861	5434494	335	-67	1237.0	1239.0	2.0	5.95	
OSK-W-17-885-W1	401.67	FW1 HW	1383.0	452861	5434494	335	-67	1237.7	1238.5	0.8	11.2	
OSK-W-17-885-W1	401.67	FW1 HW	1383.0	452861	5434494	335	-67	1340.0	1345.8	5.8	5.19	
								1340.0	1341.0	1.0	15.6	
								1345.4	1345.8	0.4	17.8	
OSK-W-17-885-W2	401.67	FWO	1229.0	452861	5434494	334	-69	1102.0	1108.0	6.0	0.36	
OSK-W-17-885-W2	401.67	FWO FW	1229.0	452861	5434494	334	-69	1199.0	1201.0	2.0	10.8	
OSK-W-17-887	401.89	Lynx 2	593.5	453374	5435444	333	-54	457.8	461.6	3.8	0.35	
OSK-W-17-887	401.89	Crustiform vein	593.5	453374	5435444	333	-54	492.0	494.6	2.6	24.3	
OSK-W-17-887	401.89	Lynx 1	593.5	453374	5435444	333	-54	492.0	494.6	2.6	24.3	
								492.9	493.5	0.6	91.6	
								492.9	493.5	0.6	91.6	
OSK-W-17-888	396.57	Lynx 2	402.0	453367	5434941	333	-52	235.2	240.0	4.8	22.6	21.8
								236.0	237.2	1.2	52.3	48.9
								236.3	236.8	0.5	109	100
OSK-W-17-888	396.57	Lynx 2	402.0	453367	5434941	333	-52	238.3	240.0	1.7	23.7	
								238.3	238.8	0.5	65.3	
OSK-W-17-888	396.57	Lynx 2	402.0	453367	5434941	333	-52	248.0	250.0	2.0	17.8	
								248.5	249.1	0.6	58.1	
OSK-W-17-888	396.57	Lynx 2	402.0	453367	5434941	333	-52	257.3	259.4	2.1	4.06	
								257.3	257.8	0.5	16.2	
OSK-W-17-889	399.63	Caribou	786.0	452695	5434564	333	-57	386.5	388.5	2.0	16.2	
								388.0	388.5	0.5	58.0	
OSK-W-17-889	399.63	Wolf 2	786.0	452695	5434564	333	-57	540.5	544.3	3.8	4.35	
OSK-W-17-889	399.63	Wolf HW	786.0	452695	5434564	333	-57	606.0	608.5	2.5	6.79	
								606.0	607.0	1.0	15.9	
OSK-W-17-889	399.63	Wolf HW	786.0	452695	5434564	333	-57	631.5	634.0	2.5	19.2	
								631.5	632.2	0.7	65.0	
OSK-W-17-889	399.63	Wolf 1	786.0	452695	5434564	333	-57	662.0	664.0	2.0	9.68	
OSK-W-17-889	399.63	Wolf 1	786.0	452695	5434564	333	-57	684.0	686.0	2.0	11.4	
								684.0	685.5	1.5	35.2	
OSK-W-17-889	399.63	Vein	786.0	452695	5434564	333	-57	729.1	731.4	2.3	4.53	
OSK-W-17-895	396.57	Lynx HW	444.0	453349	5434937	332	-50	179.1	181.0	2.0	54.3	
OSK-W-17-895	396.57	Lynx 1	444.0	453349	5434937	332	-50	179.1	181.3	2.2	24.0	
								179.1	180.0	1.0	34.7	
OSK-W-17-895	396.57	Lynx 2	444.0	453349	5434937	332	-50	209.0	211.0	2.0	17.5	
								209.0	210.0	1.0	34.4	
OSK-W-17-895	396.57	Lynx 2	444.0	453349	5434937	332	-50	221.0	227.5	6.5	8.98	
								221.0	225.0	4.0	9.81	
								221.0	222.0	1.0	34.7	
								225.0	227.5	2.5	7.65	
								227.0	227.5	0.5	37.4	
OSK-W-17-898	402.6	Lynx 3	555.0	453330	5435403	333	-51	375.5	380.7	5.2	3.75	
								375.5	376.2	0.7	10.8	
								380.2	380.7	0.5	16.4	
OSK-W-17-898	402.6	Lynx 2	555.0	453330	5435403	333	-51	411.0	413.5	2.5	12.2	
OSK-W-17-898	402.6	Lynx 2	555.0	453330	5435403	333	-51	429.9	432.9	3.0	23.5	
								431.2	432.0	0.8	85.2	
OSK-W-17-898	402.6	Lynx 1	555.0	453330	5435403	333	-51	449.7	452.0	2.3	17.3	
OSK-W-17-899	397.14	Lynx 1	303.0	453219	5434913	334	-57	142.9	145.3	2.4	1.12	
OSK-W-17-899	397.14	Lynx 2	303.0	453219	5434913	334	-57	243.0	245.0	2.0	4.46	
OSK-W-17-901	401.44	Caribou	810.0	452391	5434638	328	-55	122.5	124.6	2.1	16.2	
OSK-W-17-901	401.44	Caribou corridor	810.0	452391	5434638	328	-55	122.1	122.9	0.8	34.7	
OSK-W-17-901	401.44	Caribou corridor	810.0	452391	5434638	328	-55	127.0	130.0	3.0	13.8	
								209.0	211.0	2.0	7.12	
								210.0	211.0	1.0	13.3	
OSK-W-17-901	401.44	Z27	810.0	452391	5434638	328	-55	403.0	400.0	6.0	0.77	
OSK-W-17-901	401.44	FW3U	810.0	452391	5434638	328	-55	675.5	678.0	2.5	8.27	
								676.6	676.9	0.3	65.9	
OSK-W-17-902	396.04	Lynx HW	468.0	453390	5434852	331	-50	233.5	236.0	2.5	3.95	
OSK-W-17-902	396.04	Lynx 1	468.0	453390	5434852	331	-50	281.1	281.1	0.0	4.56	
								281.1	282.1	1.0	9.07	
OSK-W-17-902	396.04	QTV	468.0	453390	5434852	331	-50	398.0	400.0	2.0	3.67	
								398.8	399.2	0.4	16.8	
OSK-W-17-902	396.04	VNCR	468.0	453390	5434852	331	-50	431.0	431.1	0.1	11.7	
								431.0	432.1	1.1	22.0	
OSK-W-17-903	403.31	Caribou	801.0	452539	5434692	329	-56	228.0	230.5	2.5	5.95	
								225.2	229.6	4.4	31.3	
OSK-W-17-903	403.31	CN2 FW	801.0	452539	5434692	329	-56	412.5	420.0	7.5	4.97	
								412.5	414.0	1.5	18.4	
OSK-W-17-903	403.31	Z27	801.0	452539	5434692	329	-56	539.0	543.0	4.0	36.1	34.2
								539.0	540.0	1.0	198	100
OSK-W-17-903	403.31	Z27	801.0	452539	5434692	329	-56	554.0	556.0	2.0	69.6	35.6
								554.9	555.6	0.7	197	100
OSK-W-17-903	403.31	Z27	801.0	452539	5434692	329	-56	559.0	561.0	2.0	10.7	
								559.8	560.3	0.5	37.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 ft
OSK-W-17-903	403.31	Vein	801.0	452530	5434692	329	-56	668.5	670.5	2.0	251	50.1
			including						668.5	669.5	1.0	503
OSK-W-17-903	403.31	FW3U	801.0	452530	5434692	329	-56	776.0	780.0	2.0	71.6	40.2
			including						776.2	780.0	0.8	184
OSK-W-17-903-W1	403.31	OZ7 FW	657.0	452530	5434692	329	-56	408.9	410.9	2.0	9.30	
			including						408.9	410.0	1.1	16.7
OSK-W-17-903-W1	403.31	Z27 FW	657.0	452530	5434692	329	-56	577.6	580.2	2.6	25.7	
			including						577.6	578.5	0.9	21.7
OSK-W-17-903-W2	403.31	Z27	795.0	452530	5434692	329	-56	556.0	560.9	4.9	3.72	
			including						556.0	557.1	1.1	8.88
OSK-W-17-903-W2	403.31	Z27 FW	795.0	452530	5434692	329	-56	593.0	595.0	2.0	8.52	
			including						593.0	594.0	1.0	16.7
OSK-W-17-903-W2	403.31	FW3U	795.0	452530	5434692	329	-56	688.4	690.9	2.5	3.22	
			including						688.8	690.4	0.6	9.47
OSK-W-17-906	396.52	Lynx HW	442.0	453340	5434937	331	-56	169.3	172.0	2.7	27.0	
			including						169.3	170.2	0.9	76.9
OSK-W-17-906	396.52	Lynx HW	442.0	453340	5434937	331	-56	174.0	175.5	2.5	4.26	
			including						174.6	175.0	0.4	21.9
OSK-W-17-906	396.52	Lynx 1	442.0	453340	5434937	331	-56	182.4	184.0	2.0	23.9	
			including						182.4	183.0	0.6	79.6
OSK-W-17-906	396.52	Lynx 1 + Lynx 2	442.0	453340	5434937	331	-56	213.0	215.0	2.0	4.46	
			including						213.0	214.0	1.0	8.55
OSK-W-17-906	396.52	Lynx 2 FW	442.0	453340	5434937	331	-56	276.0	280.0	4.0	5.05	
			including						279.0	280.0	1.0	8.37
OSK-W-17-907	407.31	Lynx 3	1317.0	453210	5435340	134	-51	324.0	331.4	9.4	0.39	
			including						326.7	325.5	2.0	4.46
OSK-W-17-907	407.31	Lynx 3	1317.0	453210	5435340	134	-51	406.7	440.6	4.9	7.86	
			including						400.0	440.7	0.7	31.3
OSK-W-17-907	407.31	Lynx 4	1317.0	453210	5435340	134	-51	85.3	85.7	2.4	35.6	
			including						85.7	85.7	1.0	81.1
OSK-W-17-907	407.31	Lynx 4	1317.0	453210	5435340	134	-51	861.0	861.0	2.0	6.59	
			including						861.0	862.1	1.1	10.3
OSK-W-17-907	407.31	Lynx 4	1317.0	453210	5435340	134	-51	893.0	895.0	2.0	5.71	
			including						894.0	895.0	1.0	10.3
OSK-W-17-907	407.31	T80	1317.0	453210	5435340	134	-51	952.0	954.0	2.0	80.2	
			including						952.4	953.1	0.7	86.2
OSK-W-17-907	407.31	Lynx T80	1317.0	453210	5435340	134	-51	961.9	964.0	2.1	25.9	
			including						962.3	963.0	0.7	59.5
OSK-W-17-908	399.39	Lynx corridor extension	824.0	453871	5435782	135	-54	738.4	742.6	4.2	10.6	
			including						741.0	742.6	1.6	26.6
OSK-W-17-908	399.39	Lynx corridor extension	824.0	453871	5435782	135	-54	756.0	760.1	4.1	7.38	
			including						756.0	756.4	0.4	15.6
OSK-W-17-908	399.39	Lynx corridor extension	824.0	453871	5435782	135	-54	764.0	765.5	2.5	12.6	
			including						759.0	760.1	1.1	19.3
OSK-W-17-908	401.19	VNCR - Lynx corridor	1119.0	453683	5435677	131	-55	765.5	765.5	1.0	26.7	
			including						872.0	872.7	0.7	18.6
OSK-W-17-909	401.19	Lynx 1	1119.0	453683	5435677	131	-55	908.0	910.0	2.0	11.8	
			including						908.5	909.0	0.5	37.0
OSK-W-17-909	401.19	Lynx 1	1119.0	453683	5435677	131	-55	912.0	913.0	6.2	305	53.7
			including						913.0	913.6	0.6	162
OSK-W-17-909	401.19	Lynx 1	1119.0	453683	5435677	131	-55	913.6	914.9	1.3	123.0	100
			including						914.9	916.0	1.1	125
OSK-W-17-909	401.19	Lynx 1	1119.0	453683	5435677	131	-55	922.0	928.0	6.0	10.7	
			including						923.0	924.2	1.2	37.2
OSK-W-17-909	401.19	Lynx 1	1119.0	453683	5435677	131	-55	933.0	935.0	2.0	4.97	
			including						959.0	961.0	2.0	3.26
OSK-W-17-909	401.19	Lynx 1	1119.0	453683	5435677	131	-55	982.9	986.0	3.1	4.46	
			including						980.0	980.0	0.0	15.5
OSK-W-19-909-W11	401.19	Lynx	990.0	453683	5435677	131	-55	857.5	859.0	2.2	15.5	
			including						858.5	859.0	0.5	67.2
OSK-W-19-909-W12	401.19	Lynx	984.0	453683	5435677	131	-55	878.0	880.3	2.3	57.9	
			including						912.2	924.0	11.8	84.6
OSK-W-19-909-W11	401.19	Lynx 317	990.0	453683	5435677	131	-55	915.8	922.6	6.8	148	98.2
			including						915.8	917.4	1.6	149
OSK-W-19-909-W12	401.19	Lynx	984.0	453683	5435677	131	-55	920.1	922.6	2.5	26.6	97.2
			including						944.7	949.2	4.5	14.2
OSK-W-19-909-W12	401.19	Lynx	984.0	453683	5435677	131	-55	944.7	945.5	0.8	63.2	
			including						950.0	950.6	2.6	6.40
OSK-W-19-909-W10	401.19	Lynx	1049.0	453683	5435677	131	-55	795.8	797.9	2.1	19.2	
			including						797.4	797.9	0.5	61.6
OSK-W-17-909-W1	401.19	Lynx 1	1066.0	453683	5435677	131	-55	824.0	826.0	2.0	5.93	
			including						824.7	825.0	0.3	39.0
OSK-W-17-909-W3	401.19	Lynx 1	1066.0	453683	5435677	131	-55	836.2	838.0	2.1	5.96	
			including						950.0	952.5	2.5	8.96
OSK-W-17-909-W4	401.19	Lynx 4	1134.0	453683	5435677	131	-55	950.5	951.0	0.5	37.3	
			including						1049.6	1052.0	2.4	46.3
OSK-W-17-909-W4	401.19	Lynx 4	1134.0	453683	5435677	131	-55	1049.6	1052.0	2.4	37.3	
			including						887.0	889.1	2.1	7.94
OSK-W-18-909-W5	401.19	VNCR	1057.3	453683	5435677	131	-55	897.0	898.0	0.8	26.7	
			including						956.1	959.0	2.7	79.1
OSK-W-18-909-W5	401.19	Lynx	1057.3	453683	5435677	131	-55	956.9	957.3	0.4	182	100
			including						957.6	958.1	0.5	178



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-909-W5	401.19	Lynx	1093.7	453683	5435677	131	-55	937.5	939.5	2.0	6.00	
OSK-W-19-909-W5	401.19	Lynx	1093.7	453683	5435677	131	-55	1061.3	1063.9	2.6	14.5	
			including					1062.3	1062.9	0.6	59.1	
OSK-W-19-909-W7	401.19	Lynx 313	1080.0	453683	5435677	131	-55	976.7	980.0	3.3	51.0	18.0
			including					982.0	982.6	0.6	447	100
OSK-W-19-909-W7	401.19	Lynx 313	1080.0	453683	5435677	131	-55	985.0	987.1	2.1	14.3	
OSK-W-19-909-W8	401.19	Lynx	1053.0	453683	5435677	131	-55	960.0	962.0	2.0	128	39.6
			including					961.4	962.0	0.6	396	100
OSK-W-19-909-W8	401.19	Lynx	1053.0	453683	5435677	131	-55	969.0	971.0	2.0	8.29	
OSK-W-19-909-W9	401.19	Lynx	1143.0	453683	5435677	131	-55	957.0	959.0	2.0	4.86	
OSK-W-19-909-W9	401.19	Lynx	1143.0	453683	5435677	131	-55	965.3	970.9	5.6	18.2	
			including					965.3	967.2	1.9	47.0	
OSK-W-17-911	397.12	Lynx 2	255.0	453178	5454908	331	-54	210.8	213.0	2.2	31.1	
			including					210.8	211.1	0.3	65.6	
OSK-W-17-912	402.63	Lynx 3	509.8	453330	5435402	147	-48	295.7	300.4	4.7	0.3	
OSK-W-17-912	402.63	Lynx 2	569.8	453330	5435402	147	-48	373.1	375.3	2.2	14.8	
OSK-W-17-912	402.63	Lynx 1	569.8	453330	5435402	147	-48	408.0	410.0	2.0	19.8	
			including					408.4	409.1	0.7	55.2	
OSK-W-17-912	402.63	Lynx 1	569.8	453330	5435402	147	-48	415.0	417.8	2.8	6.65	
			including					416.5	418.8	2.3	59.2	
OSK-W-17-913	401.36	Caribou corridor	954.0	452878	5434419	334	-52	533.8	536.5	2.7	5.09	
			including					533.8	535.0	1.2	11.1	
OSK-W-17-913	401.36	Caribou corridor	954.0	452878	5434419	334	-52	554.0	556.3	2.3	3.45	
OSK-W-17-913	401.36	CS2	954.0	452878	5434419	334	-52	631.8	634.0	2.2	1.92	
OSK-W-17-913	401.36	Vein	954.0	452878	5434419	334	-52	642.0	644.0	2.0	5.86	
			including					642.0	643.0	1.0	11.7	
OSK-W-17-913	401.36	CS3	954.0	452878	5434419	334	-52	699.1	702.0	3.8	2.06	
OSK-W-17-913	401.36	Wolf 2	954.0	452878	5434419	334	-52	719.0	721.0	2.0	621	15.4
			including					719.8	720.1	0.3	4070	100
OSK-W-17-913	401.36	Wolf HW	954.0	452878	5434419	334	-52	783.0	785.0	2.0	3.37	
OSK-W-17-913	401.36	Wolf HW	954.0	452878	5434419	334	-52	791.0	793.0	2.0	13.5	
			including					791.0	792.0	1.0	26.2	
OSK-W-17-913	401.36	Wolf FW	954.0	452878	5434419	334	-52	857.0	859.0	2.0	13.6	
			including					857.0	858.0	1.0	26.5	
OSK-W-17-914	396	Lynx HW	447.0	453390	5434852	332	-53	239.3	241.6	2.3	27.2	26.6
			including					240.7	241.0	0.3	105	100
OSK-W-17-916	397.79	Lynx HW	936.0	451172	5434024	311	-54	108.0	111.5	3.5	14.3	
			including					108.0	108.0	0.5	75.1	
OSK-W-17-918	396.35	Lynx HW	744.0	453387	5434953	335	-57	179.0	180.0	1.0	0.40	
OSK-W-17-918	396.35	Lynx 1	744.0	453387	5434953	335	-57	185.5	187.9	2.4	13.3	13.3
OSK-W-17-918	396.35	Lynx 1	744.0	453387	5434953	335	-57	185.5	187.9	2.4	41.4	13.3
			including					186.4	186.7	0.3	100.0	100
			including					186.4	186.7	0.3	325	100
OSK-W-17-918	396.35	Lynx 1	744.0	453387	5434953	335	-57	225.0	232.0	7.0	6.84	
			including					229.0	230.0	1.0	31.1	
OSK-W-17-918	396.35	Lynx 2	744.0	453387	5434953	335	-57	238.0	240.0	2.0	23.4	
			including					238.7	239.3	0.6	61.3	
OSK-W-17-918	396.35	Lynx 2	744.0	453387	5434953	335	-57	258.0	261.0	3.0	12.4	
			including					258.0	259.5	1.5	24.1	
OSK-W-17-919	406.82	Mallard	495.0	451943	5434836	329	-54	91.5	94.4	2.9	4.32	
			including					91.5	92.1	0.6	11.0	
OSK-W-17-921	395.99	Lynx HW	834.0	453428	5434865	331	-57	328.6	330.6	2.0	3.06	
OSK-W-17-921	395.99	Lynx 1	834.0	453428	5434865	331	-57	328.6	330.6	2.0	20.6	
			including					329.3	329.7	0.4	10.00	
			including					329.3	329.7	0.4	97.6	
OSK-W-17-921	395.99	Lynx 1	834.0	453428	5434865	331	-57	336.0	343.9	7.9	0.59	
OSK-W-17-921	395.99	Lynx 2	834.0	453428	5434865	331	-57	360.0	362.4	2.4	0.78	
OSK-W-17-922	401.91	New - Lynx corridor	591.0	453360	5435437	144	-52	346.0	366.2	2.2	3.89	
OSK-W-17-922	401.91	Lynx 2	591.0	453360	5435437	144	-52	456.1	459.6	3.5	27.1	20.6
			including					457.5	457.8	0.3	126	100
OSK-W-17-922	401.91	Lynx 1	591.0	453360	5435437	144	-52	492.4	495.0	2.6	1.46	100
OSK-W-17-923	404.7	Caribou	1062.0	453607	5435603	137	-56	809.0	811.0	2.0	6.23	
OSK-W-17-923	404.7	Lynx 4	1062.0	453607	5435603	137	-56	891.1	893.5	2.4	21.0	44.3
			including					890.8	891.8	1.0	498	100
			including					890.8	891.1	0.3	838	100
OSK-W-17-923	404.7	Lynx 4 corridor	1062.0	453607	5435603	137	-56	928.2	931.2	3.0	4.33	
OSK-W-18-923-W1	404.7	Lynx 4	961.7	453607	5435603	137	-56	876.2	878.2	2.0	3.39	
OSK-W-18-923-W2	404.7	Lynx 4	1164.0	453607	5435603	137	-56	895.0	897.2	2.2	5.32	
			including					895.4	896.1	0.7	36.5	
OSK-W-18-923-W2	404.7	Lynx 4	1164.0	453607	5435603	137	-56	911.1	917.0	5.9	10.1	
			including					916.2	917.0	0.8	60.8	
OSK-W-18-923-W2	404.7	Lynx	1164.0	453607	5435603	137	-56	1134.3	1136.5	2.2	6.80	
			including					1135.0	1136.0	1.0	17.3	
OSK-W-18-923-W2	404.7	Lynx 4	1164.0	453607	5435603	137	-56	1160.0	1162.0	2.0	3.34	
OSK-W-18-923-W4	404.7	Lynx	1035.0	453607	5435603	137	-56	796.9	798.9	2.0	3.63	
OSK-W-18-923-W4	404.7	Lynx 317	1035.0	453607	5435603	137	-56	865.6	867.7	2.1	20.1	
			including					866.6	867.7	1.1	38.4	
OSK-W-18-923-W4	404.7	Lynx 330	1035.0	453607	5435603	137	-56	892.3	894.3	2.0	31.7	
			including					893.1	894.3	1.0	63.0	
OSK-W-18-923-W4	404.7	Lynx 312	1035.0	453607	5435603	137	-56	942.0	944.1	2.1	23.7	
			including					943.1	944.1	1.0	49.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-934	396.32	Lynx HW	375.0	453414	5434927	334	-54	220.9	227.0	6.1	9.18	
			inclu					220.9	222.0	1.1	29.5	
OSK-W-17-934	396.32	Lynx 1	375.0	453414	5434927	334	-54	233.0	235.0	2.0	0.12	
			inclu					233.0	234.0	1.0	15.4	
OSK-W-17-934	396.32	Lynx 2	375.0	453414	5434927	334	-54	278.4	280.7	2.3	12.5	
			inclu					280.0	280.7	0.7	35.0	
OSK-W-17-934	396.32	Lynx 2 FW	375.0	453414	5434927	334	-54	308.0	312.0	4.0	25.5	
OSK-W-17-936	407.57	Maland	215.6	453385	5434828	329	-54	122.8	126.3	3.5	5.18	
OSK-W-17-938	395.95	Lynx HW	464.6	453433	5434905	333	-64	247.0	249.0	2.0	68.9	98.0
			inclu					247.0	248.0	1.0	138	100
OSK-W-17-938	395.95	Lynx 1	464.6	453433	5434905	333	-64	341.7	344.3	2.6	79.4	14.2
			inclu					341.7	342.0	0.3	665	100
OSK-W-17-938	395.95	Lynx 2	464.6	453433	5434905	333	-64	376.2	378.3	2.1	5.30	
			inclu					376.7	377.6	0.9	20.0	
OSK-W-17-939	399.38	Lynx 1	1218.0	453871	5435782	130	-58	901.5	903.7	2.2	6.58	
			inclu					902.1	903.0	0.9	14.7	
OSK-W-17-939	399.38	Lynx 1	1218.0	453871	5435782	130	-58	936.5	938.5	2.0	18.9	
			inclu					937.2	937.6	0.4	62.6	
OSK-W-17-930	396.09	Lynx HW	372.0	453404	5434873	334	-53	257.0	259.1	2.1	12.7	
			inclu					257.0	257.9	0.9	27.0	
OSK-W-17-930	396.09	Lynx 2	372.0	453404	5434873	334	-53	324.0	326.4	2.4	18.0	
OSK-W-17-931	401.93	Lynx 4	936.0	453360	5435437	134	-50	683.0	685.0	2.0	42.1	22.4
OSK-W-17-934	400.86	Lynx 1	967.5	453407	5435463	144	-55	476.2	479.0	2.8	20.8	
			inclu					476.2	477.2	3.0	57.0	
OSK-W-17-934	400.86	Lynx 1	967.5	453407	5435463	144	-55	867.3	869.8	2.5	94.7	24.3
			inclu					869.3	869.8	0.5	452	100
OSK-W-17-934	400.86	Lynx 1	967.5	453407	5435463	144	-55	885.0	887.0	2.0	42.7	
			inclu					885.0	886.0	1.0	93.6	
OSK-W-19-934-W1	400.86	Lynx 1	1164.0	453407	5435463	144	-55	918.0	921.7	3.7	489	23.2
			inclu					918.0	918.3	0.3	2640	100
			and					919.1	919.5	0.4	2500	100
OSK-W-19-934-W2	400.86	Lynx 4	1167.0	453407	5435463	144	-55	831.0	834.0	3.0	32.9	
			inclu					831.0	832.0	1.0	79.3	
OSK-W-19-934-W2	400.86	Lynx 4	1167.0	453407	5435463	144	-55	855.9	857.9	2.0	16.9	
			inclu					856.9	857.9	1.0	33.4	
OSK-W-19-934-W2	400.86	Lynx 313	1167.0	453407	5435463	144	-55	901.8	904.0	2.2	429	50.2
			inclu					901.8	902.4	0.6	1730	100
			inclu					903.5	904.0	0.5	365	100
OSK-W-19-934-W2	400.86	Lynx 1	1167.0	453407	5435463	144	-55	955.1	959.8	4.7	9.75	
			inclu					955.1	955.5	0.4	72.9	
			and					956.9	959.8	0.9	17.6	
OSK-W-19-934-W2	400.86	Lynx 1	1167.0	453407	5435463	144	-55	1030.0	1032.0	2.0	6.79	
OSK-W-19-934-W2	400.86	Lynx 1	1167.0	453407	5435463	144	-55	1079.3	1081.8	2.5	72.2	53.0
			inclu					1079.3	1080.3	1.0	148	100
OSK-W-19-934-W3	400.86	Lynx 1	1074.0	453407	5435463	144	-55	978.0	980.3	2.3	10.4	
			inclu					978.0	978.3	0.3	31.3	
OSK-W-19-934-W4	400.86	Lynx 4	1155.0	453407	5435463	144	-55	840.0	842.6	2.6	4.60	
			inclu					840.8	841.6	0.8	14.3	
OSK-W-19-934-W4	400.86	Lynx 1	1155.0	453407	5435463	144	-55	1031.4	1039.2	7.8	37.6	15.6
			inclu					1031.9	1032.2	0.3	588	100
			and					1037.4	1037.9	0.5	180	100
OSK-W-19-934-W4	400.86	Lynx 1	1155.0	453407	5435463	144	-55	1042.0	1044.0	2.0	7.24	
OSK-W-19-934-W4	400.86	Lynx 1	1155.0	453407	5435463	144	-55	1046.0	1048.0	2.0	20.6	
			inclu					1047.0	1048.0	1.0	39.4	
OSK-W-17-935	408.73	Maland HW	474.0	452025	5434827	327	-51	86.0	82.8	3.2	3.34	
OSK-W-17-935	408.73	Maland	474.0	452025	5434827	327	-51	151.0	153.0	2.0	2.24	
OSK-W-17-936	397.53	C53	822.0	452773	5434547	332	-56	518.0	523.5	5.5	34.3	
			inclu					523.0	523.5	0.5	19.6	
OSK-W-17-936	397.53	Caribou corridor	822.0	452773	5434547	332	-56	616.6	619.6	3.0	16.3	
			inclu					616.6	617.6	1.0	98.7	
OSK-W-17-936	397.53	Wolf	822.0	452773	5434547	332	-56	666.0	668.0	2.0	6.17	
OSK-W-17-936	397.53	Wolf HW	822.0	452773	5434547	332	-56	729.0	732.0	3.0	3.79	
OSK-W-17-936-W1	397.53	Wolf FW	808.0	452773	5434547	332	-56	617.3	619.3	2.0	12.8	
			inclu					617.3	618.3	1.0	21.3	
OSK-W-17-936-W1	397.53	Wolf	808.0	452773	5434547	332	-56	640.9	643.0	2.1	14.2	
			inclu					642.4	643.0	0.6	49.2	
OSK-W-17-936-W1	397.53	Wolf	808.0	452773	5434547	332	-56	668.5	670.6	2.1	3.55	
			inclu					668.9	669.3	0.4	16.9	
OSK-W-17-936-W1	397.53	Wolf FW	808.0	452773	5434547	332	-56	697.0	699.0	2.0	296	58.5
			inclu					697.0	698.0	1.0	407	100
OSK-W-17-936-W1	397.53	Wolf FW	808.0	452773	5434547	332	-56	704.0	706.0	2.0	14.8	
			inclu					705.0	706.0	1.0	29.0	
OSK-W-17-936-W1	397.53	Z27	808.0	452773	5434547	332	-56	776.0	778.0	2.0	3.65	
			inclu					777.2	778.0	0.8	8.07	
OSK-W-17-936-W1	397.53	Z27	808.0	452773	5434547	332	-56	785.0	787.7	2.7	4.03	
			inclu					787.0	787.7	0.7	7.71	
OSK-W-17-936-W2	397.53	Caribou	819.0	452773	5434547	332	-56	522.4	524.8	2.4	16.7	
			inclu					521.4	521.8	0.4	95.0	
OSK-W-17-936-W2	397.53	Wolf	819.0	452773	5434547	332	-56	574.5	577.9	3.4	3.36	
OSK-W-17-936-W2	397.53	Wolf HW	819.0	452773	5434547	332	-56	671.1	673.3	2.2	11.1	
OSK-W-17-936-W2	397.53	VNCR	819.0	452773	5434547	332	-56	693.9	695.9	2.0	27.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) _{assay}	Au (g/t) cut to 100 g/t	
including													
OSK-W-17-936-W2	397.53	Wolf	819.0	452773	5434547	332	-56	694.9	695.9	1.0	55.4		
OSK-W-17-936-W2	397.53	Wolf FW	819.0	452773	5434547	332	-56	701.6	703.6	2.0	5.80		
including													
									735.0	738.3	3.3	6.41	
									736.0	735.9	0.0	14.6	
									738.0	738.3	0.3	16.3	
OSK-W-17-937	401.01	Vein	935.2	452897	5434430	333	-57	445.0	448.0	3.0	5.58		
including													
									447.0	448.0	1.0	11.8	
OSK-W-17-937	401.01	CS1	935.2	452897	5434430	333	-57	538.0	648.0	10.0	0.66		
OSK-W-17-937	401.01	CS2	935.2	452897	5434430	333	-57	757.8	759.8	2.0	13.9		
OSK-W-17-937	401.01	Wolf 2	935.2	452897	5434430	333	-57	782.0	784.4	2.4	8.00		
including													
									783.0	783.8	0.8	22.4	
OSK-W-17-937	401.01	Wolf HW	935.2	452897	5434430	333	-57	811.0	813.0	2.0	3.94		
OSK-W-17-937-W1	401.01	CS1 HW	945.0	452897	5434430	333	-57	583.0	585.6	2.6	14.6		
including													
									583.8	584.9	1.1	34.1	
OSK-W-17-937-W1	401.01	CS1	945.0	452897	5434430	333	-57	647.2	650.0	2.8	2.75		
OSK-W-17-937-W1	401.01	Wolf 2	945.0	452897	5434430	333	-57	756.2	758.6	2.4	26.6		
including													
									757.0	758.6	1.6	39.0	
OSK-W-17-937-W1	401.01	Wolf HW	945.0	452897	5434430	333	-57	786.4	788.6	2.2	3.21		
OSK-W-17-937-W2	401.01	Wolf 2	933.0	452897	5434430	333	-57	749.0	751.5	2.5	16.8		
OSK-W-17-937-W2	401.01	Wolf HW	933.0	452897	5434430	333	-57	811.0	813.0	2.0	9.01		
including													
									811.3	811.8	0.5	25.2	
OSK-W-17-937-W2	401.01	Wolf HW	933.0	452897	5434430	333	-57	811.4	813.4	2.0	8.36		
OSK-W-17-939	396.18	Lynx HW	414.0	453376	5434898	327	-51	333.7	336.1	2.4	0.90		
OSK-W-17-939	396.18	Lynx 1	414.0	453376	5434898	327	-51	246.0	248.0	2.0	12.1		
including													
									246.0	247.0	1.0	20.6	
OSK-W-17-939	396.18	Lynx 2	414.0	453376	5434898	327	-51	296.0	298.0	2.0	4.71		
including													
									296.7	298.0	1.3	6.86	
OSK-W-17-939	396.18	VNCR	414.0	453376	5434898	327	-51	347.0	349.0	2.0	3.25		
OSK-W-17-941	396.1	Lynx HW	444.0	453434	5434969	330	-49	188.3	190.5	2.2	13.4		
including													
									189.3	189.6	0.3	85.1	
OSK-W-17-941	396.1	Lynx 1	444.0	453434	5434969	330	-49	197.7	200.0	2.3	5.77		
including													
									198.7	199.0	0.3	38.1	
OSK-W-17-941	396.1	Lynx 2	444.0	453434	5434969	330	-49	231.0	233.9	2.9	71.9	25.9	
including													
									231.9	232.2	0.3	54.5	100
OSK-W-17-943	402.63	CS1	744.0	452660	5434494	331	-55	491.0	493.0	2.0	3.00		
including													
									492.0	493.0	1.0	5.57	
OSK-W-17-943	402.63	Wolf FW	744.0	452660	5434494	331	-55	638.0	639.0	5.2	3.25		
OSK-W-17-943	402.63	Wolf HW	744.0	452660	5434494	331	-55	626.0	630.0	2.0	4.96		
including													
									688.0	689.0	1.0	9.54	
OSK-W-17-945	401.71	Lynx 1	556.5	453376	5435444	149	-50	465.6	468.8	2.2	20.6		
OSK-W-17-945	401.71	Lynx 1	556.5	453376	5435444	149	-50	466.6	468.8	2.2	20.6		
including													
									466.6	467.6	1.0	44.5	
									466.6	467.6	1.0	44.5	
OSK-W-17-945	401.71	Lynx 1	556.5	453376	5435444	149	-50	472.8	476.8	4.0	7.86		
including													
									474.8	476.0	1.2	17.1	
OSK-W-17-945	401.71	Lynx 1	556.5	453376	5435444	149	-50	480.1	483.0	2.0	5.38		
OSK-W-17-947	396.24	Lynx HW	444.0	453376	5434896	330	-58	208.0	210.2	2.2	3.62		
OSK-W-17-947	396.24	VNCR	444.0	453376	5434896	330	-58	239.8	242.1	2.3	5.45		
including													
									241.2	242.1	0.9	8.87	
									299.0	304.0	5.0	4.35	
									302.6	304.0	1.4	8.73	
OSK-W-17-948	400.92	Lynx 3	920.0	453407	5435463	144	-52	363.4	366.6	3.2	0.38		
OSK-W-17-948	400.92	Lynx 2	920.0	453407	5435463	144	-52	426.8	429.3	2.5	0.03		
OSK-W-17-948	400.92	Lynx 1	920.0	453407	5435463	144	-52	475.0	477.0	2.0	4.39		
including													
									475.0	475.5	0.5	17.3	
OSK-W-17-948	400.92	Lynx HW	920.0	453407	5435463	144	-52	503.6	506.0	2.4	4.62		
OSK-W-17-949	396.1	Lynx HW	423.0	453434	5434969	333	-55	196.0	200.0	4.0	5.18		
including													
									196.5	196.9	0.4	28.3	
OSK-W-17-949	396.1	Lynx 1	423.0	453434	5434969	333	-55	214.1	216.1	2.0	4.80		
OSK-W-17-949	396.1	Lynx 2	423.0	453434	5434969	333	-55	236.3	238.3	2.0	10.4		
including													
									236.9	237.3	0.4	40.1	
OSK-W-17-949	396.1	Vein	423.0	453434	5434969	333	-55	403.5	406.5	3.0	3.97		
OSK-W-17-950	401.2	Lynx 2	1806.0	453683	5435676	131	-59	889.0	891.6	2.6	1.14		
OSK-W-17-950	401.2	Lynx 1	1806.0	453683	5435676	131	-59	888.1	891.0	2.9	1.18		
OSK-W-17-950	401.2	VNCR	1806.0	453683	5435676	131	-59	1133.0	1133.0	2.0	4.40		
including													
									1132.0	1132.4	0.4	21.7	
OSK-W-17-950	401.2	Lynx 4	1806.0	453683	5435676	131	-59	1211.3	1215.5	4.2	6.52		
OSK-W-17-953	406.75	Lynx 3	762.0	453218	5435353	131	-48	336.6	339.0	2.4	1.95		
OSK-W-17-953	406.75	Lynx 1	762.0	453218	5435353	131	-48	370.0	372.0	2.0	6.00		
including													
									370.8	371.1	0.3	38.1	
OSK-W-17-953	406.75	Lynx 2	762.0	453218	5435353	131	-48	433.0	435.5	2.5	61.8	33.3	
including													
									433.7	434.5	0.8	389	100
									456.6	458.0	1.4	0.34	
OSK-W-17-953	406.75	Lynx 1	762.0	453218	5435353	131	-48	456.6	458.0	1.4	0.34		
OSK-W-17-957	397.55	Lynx 1	228.1	453329	5434973	327	-56	125.3	127.8	2.5	0.42		
OSK-W-17-957	397.55	Lynx 1 + Lynx 2	228.1	453329	5434973	327	-56	169.0	171.0	2.0	3.89		
OSK-W-17-957	397.55	Lynx 2	228.1	453329	5434973	327	-56	193.7	197.9	4.2	6.03		
including													
									197.6	197.9	0.3	84.1	
OSK-W-17-957	397.55	Lynx 2	228.1	453329	5434973	327	-56	205.0	207.0	2.0	8.73		
including													
									205.0	206.0	1.0	17.1	
OSK-W-17-957	397.55	Lynx 2	228.1	453329	5434973	327	-56	212.0	214.0	2.0	21.5		
including													
									212.6	213.2	0.6	70.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-958	402.3	Lynx 2	1212.0	453359	5435437	143	-55	441.8	444.0	2.2	9.18	
OSK-W-17-958	402.3	Lynx	1212.0	453359	5435437	143	-55	488.0	489.0	2.1	36.5	25.9
		including						481.5	482.0	0.5	145	100
OSK-W-17-958	402.3	Lynx 1	1212.0	453359	5435437	143	-55	500.0	500.0	2.0	22.0	
		including						500.0	500.5	0.5	87.0	
OSK-W-17-958	402.3	Lynx 4	1212.0	453359	5435437	143	-55	712.0	717.0	5.0	5.74	
OSK-W-17-958	402.3	Lynx 4	1212.0	453359	5435437	143	-55	828.0	831.0	3.0	3.34	
		including						829.5	831.0	1.5	6.55	
OSK-W-17-958	402.3	Lynx 4	1212.0	453359	5435437	143	-55	996.0	998.0	2.0	4.55	
		including						997.5	998.0	0.5	17.8	
OSK-W-17-958	402.3	Lynx 4	1212.0	453359	5435437	143	-55	1053.0	1058.5	5.5	11.8	
		including						1054.0	1054.3	0.3	88.7	
OSK-W-17-958	402.3	TBD - Lynx corridor	1212.0	453359	5435437	143	-55	1070.0	1072.0	2.0	5.36	
OSK-W-17-958	402.3	Lynx 4	1212.0	453359	5435437	143	-55	1078.0	1078.0	2.0	9.51	
		including						1077.0	1078.0	1.0	18.9	
OSK-W-17-958	402.3	Lynx 5	1212.0	453359	5435437	143	-55	1118.5	1119.0	2.5	0.29	
OSK-W-17-959	398.07	Lynx 1	938.0	453404	5434971	94	-46	1057.9	1058.5	0.6	53.5	
		including						179.1	179.4	0.3	23.0	
OSK-W-17-960	403.79	Lynx 4	1077.0	453283	5435344	138	-54	655.9	658.0	2.1	8.63	
		including						656.6	657.0	0.4	43.6	
OSK-W-17-960	403.79	Lynx	1077.0	453283	5435344	138	-54	1013.9	1013.2	2.2	7.86	
OSK-W-17-960	403.79	Lynx	1077.0	453283	5435344	138	-54	1039.8	1039.8	2.1	13.7	
OSK-W-17-961	401.23	Lynx 4	1185.0	453438	5435479	141	-54	862.8	865.1	2.3	40.9	
		including						863.5	864.3	0.8	83.5	
OSK-W-19-961-W1	401.23	Lynx 333	1182.0	453438	5435479	141	-54	914.0	916.0	2.0	6.54	
OSK-W-19-961-W1	401.23	Lynx 332	1182.0	453438	5435479	141	-54	1079.0	1077.0	2.0	5.11	
OSK-W-17-967	397.1	Lynx 1	720.0	453176	5434910	337	-62	149.0	151.0	2.0	0.82	
OSK-W-17-967	397.1	Lynx 2	720.0	453176	5434910	337	-62	202.2	206.3	4.1	0.81	
OSK-W-17-967	397.1	VNCR	720.0	453176	5434910	337	-62	240.9	243.0	2.1	52.3	47.7
		including						242.0	243.0	1.0	130	100
OSK-W-17-967	397.1	VNCR	720.0	453176	5434910	337	-62	259.0	261.0	2.0	10.9	
		including						259.0	260.0	1.0	21.4	
OSK-W-17-967	397.1	Caribou extension	720.0	453176	5434910	337	-62	603.0	605.0	2.0	23.2	15.3
		including						603.5	603.8	0.3	155	100
OSK-W-17-967	397.1	Caribou extension	720.0	453176	5434910	337	-62	655.8	655.8	4.5	10.8	
		including						658.1	658.5	0.4	45.8	
OSK-W-17-968	405.03	Z27	201.0	451948	5434759	152	-51	102.0	109.4	7.4	4.0	
		including						107.4	109.4	2.0	7.77	
OSK-W-17-968	405.03	Q1V	201.0	451948	5434759	152	-51	118.0	122.3	4.3	11.2	10.5
		including						122.0	122.3	0.3	110	100
OSK-W-17-968	405.03	Z27	201.0	451948	5434759	152	-51	160.0	162.4	2.4	5.77	
OSK-W-17-969	403.7	Drake	324.0	452200	5434867	328	-48	58.2	65.5	7.3	7.39	
		including						58.2	58.6	0.4	28.4	
OSK-W-17-969	403.7	Drake 2	324.0	452200	5434867	328	-48	71.2	75.0	3.8	4.83	
		including						71.6	75.2	0.6	15.0	
OSK-W-17-969	403.7	Malard	324.0	452200	5434867	328	-48	210.6	213.0	2.4	10.1	
		including						210.6	211.0	0.4	53.0	
OSK-W-17-970	400.9	Lynx HW	714.0	453407	5435462	143	-51	544.0	526.0	2.0	7.51	
		including						524.9	525.5	0.6	15.0	
OSK-W-17-972	397.12	Lynx 1	291.0	453176	5434910	333	-60	124.0	146.0	2.0	0.29	
OSK-W-17-972	397.12	Q1V	291.0	453176	5434910	333	-60	224.5	226.5	2.0	5.23	
		including						224.5	225.0	0.5	20.5	
OSK-W-17-973	402.88	Z27	96.0	451969	5434707	150	-46	57.4	59.8	2.4	60.5	51.6
		including						57.9	58.9	1.0	122	100
OSK-W-17-973	402.88	Z27	96.0	451969	5434707	150	-46	64.0	66.1	2.1	5.12	
		including						65.7	66.1	0.4	25.2	
OSK-W-17-974	397.87	Lynx 2	357.0	453302	5434978	330	-50	172.0	174.0	2.0	24.2	
		including						172.8	173.3	0.5	94.2	
OSK-W-17-975	396.94	Caribou extension	804.0	453862	5434814	334	-64	424.0	426.5	2.5	4.05	
		including						424.6	425.0	0.4	23.2	
OSK-W-17-975	396.94	Caribou	804.0	453862	5434814	334	-64	465.0	472.8	7.8	4.31	
		including						465.0	467.0	2.0	8.29	
OSK-W-17-975	396.94	Z27	804.0	453862	5434814	334	-64	472.0	472.8	0.8	19.8	
		including						472.0	472.8	0.8	19.8	
OSK-W-17-975	396.94	Z27	804.0	453862	5434814	334	-64	675.0	677.2	2.2	7.09	
		including						675.7	676.5	0.8	15.7	
OSK-W-17-976	400.51	Z27	306.0	452038	5434840	140	-49	273.0	275.0	2.0	3.89	
OSK-W-17-977	400.22	Z27	540.0	452207	5434816	331	-51	14.3	14.7	0.4	0.43	
OSK-W-17-977	400.22	Malard	540.0	452207	5434816	331	-51	309.5	273.7	2.3	13.0	
		including						270.8	271.7	0.9	25.4	
OSK-W-17-977	400.22	Underdog	540.0	452207	5434816	331	-51	386.2	389.0	2.8	3.39	
		including						386.2	387.0	0.8	93.2	
OSK-W-17-978	396.8	VNCR	804.0	452851	5434803	335	-67	98.0	100.0	2.0	65.5	20.1
		including						99.6	100.0	0.4	327	100
OSK-W-17-978	396.8	New zone	804.0	452851	5434803	335	-67	108.0	110.0	2.0	14.0	
		including						109.1	109.4	0.3	92.2	
OSK-W-17-978	396.8	Caribou extension	804.0	452851	5434803	335	-67	492.2	495.0	2.8	3.04	
OSK-W-17-978	396.8	Smith Vn	804.0	452851	5434803	335	-67	677.0	678.7	1.7	1.80	
		including						677.5	677.8	0.3	21.5	
OSK-W-17-979	396.11	Lynx	471.0	453429	5434951	339	-69	304.0	306.0	2.0	17.0	
		including						305.2	306.0	0.8	38.5	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 ft
OSK-W-17-979	396.11	Lynx	471.0	453429	5434951	339	-69	312.0	334.2	2.2	3.22	
		including						312.0	312.4	0.4	14.8	
OSK-W-17-981	404.63	Lynx 1	1281.0	453606	5435603	133	-62	697.7	704.1	6.4	0.58	
OSK-W-17-981	404.63	Lynx HW	1281.0	453606	5435603	133	-62	828.9	831.0	2.1	6.21	
		including						830.0	831.0	1.0	12.5	
OSK-W-17-981	404.63	Lynx 4	1281.0	453606	5435603	133	-62	890.0	890.0	2.0	5.23	
		including						890.5	890.9	0.4	24.5	
OSK-W-17-981	404.63	TPV	1281.0	453606	5435603	133	-62	1008.0	1020.0	2.0	3.01	
OSK-W-17-984	397.75	Lynx 1	966.0	453301	5434078	325	-68	103.5	107.0	3.5	12.1	
		including						105.5	105.8	0.3	88.1	
		including						106.0	106.5	0.5	26.8	
OSK-W-17-985	405.19	Z27	225.0	452074	5434827	144	-40	145.4	150.0	4.6	9.92	
		including						145.4	145.7	0.3	42.9	
OSK-W-17-986	395.99	Lynx 1	360.0	453447	5435019	328	-66	194.0	196.2	4.2	0.22	
OSK-W-17-986	395.99	Lynx 2	360.0	453447	5435019	328	-66	263.0	265.0	2.0	6.74	
		including						263.0	264.0	1.0	13.1	
OSK-W-17-986	395.99	VNCR - Lynx corridor	360.0	453447	5435019	328	-66	317.0	320.1	3.1	5.69	
		including						317.0	318.0	1.0	15.9	
OSK-W-17-986	395.99	VNCR	360.0	453447	5435019	328	-66	337.7	340.0	2.3	50.3	48.7
		including						338.4	339.5	1.1	104	100
OSK-W-17-987	397.03	Lynx HW	327.0	453224	5434909	339	-60	132.7	135.0	2.3	4.97	
		including						134.0	135.0	1.0	31.4	
OSK-W-17-987	397.03	Lynx 1	327.0	453224	5434909	339	-60	212.3	214.2	2.0	23.2	
OSK-W-17-987	397.03	Lynx 2	327.0	453224	5434909	339	-60	224.0	227.0	3.0	0.39	
OSK-W-17-987	397.03	VNCR - Lynx corridor	327.0	453224	5434909	339	-60	270.2	272.0	2.0	5.77	
		including						270.7	271.9	1.2	9.06	
OSK-W-17-989	402.5	Woolf HW	738.0	452660	5434497	335	-56	633.4	635.5	2.1	4.52	
OSK-W-17-989	402.5	Woolf	738.0	452660	5434497	335	-56	668.0	670.0	3.0	4.39	
OSK-W-17-989-W1	402.5	New zone	751.4	452660	5434497	336	-56	504.0	511.0	7.0	3.59	
OSK-W-17-989-W1	402.5	CSI FW	751.4	452660	5434497	336	-56	514.0	517.0	3.0	7.74	
		including						515.0	516.0	1.0	20.5	
OSK-W-17-989-W2	402.5	CSI	743.0	452660	5434497	335	-56	506.0	509.0	3.0	6.29	
		including						505.0	507.0	1.0	16.0	
OSK-W-17-989-W2	402.5	CSI	743.0	452660	5434497	335	-56	542.0	544.7	2.7	5.38	
		including						542.0	543.0	1.0	13.0	
OSK-W-17-989-W2	402.5	Woolf	743.0	452660	5434497	335	-56	684.6	687.0	2.4	4.36	
OSK-W-17-990	403.86	Z27	432.0	453123	5434816	147	-49	104.8	106.1	3.3	3.35	
OSK-W-17-990	403.86	Z27	327.0	453122	5434815	147	-49	186.3	189.0	2.7	26.4	15.1
		including						187.3	187.7	0.4	176	100
OSK-W-17-991	401.28	Lynx 1	1378.2	453980	5435993	128	-58	1149.0	1151.0	2.0	5.11	
OSK-W-19-991-W10	401.28	Lynx 4	1686.0	453980	5435993	128	-58	1505.5	1509.0	3.5	41.1	34.2
OSK-W-19-991-W2	401.28	Lynx	1140.0	453980	5435993	128	-58	1050.8	1059.5	3.7	33.4	17.3
		including						1050.0	1059.3	0.5	239	100
OSK-W-19-991-W3	401.28	Lynx 4	1701.0	453980	5435993	128	-58	1257.0	1259.0	2.0	5.34	
OSK-W-19-991-W3	401.28	Lynx 4	1701.0	453980	5435993	128	-58	1417.0	1419.6	2.6	8.00	
OSK-W-19-991-W4	401.28	Lynx 4	1523.0	453980	5435993	128	-58	1442.0	1446.8	4.8	29.3	
OSK-W-19-991-W4	401.28	Lynx 4	1523.0	453980	5435993	128	-58	1443.0	1444.0	1.0	51.6	
OSK-W-19-991-W5	401.28	Lynx 4	1530.1	453980	5435993	128	-58	1293.0	1293.0	2.0	8.82	
		including						1293.4	1293.7	0.3	56.7	
OSK-W-19-991-W5	401.28	Lynx 4	1530.1	453980	5435993	128	-58	1464.4	1466.5	2.1	5.77	
OSK-W-19-991-W5	401.28	Lynx 4	1530.1	453980	5435993	128	-58	1475.0	1478.0	3.0	3.42	
OSK-W-19-991-W5	401.28	Lynx 4	1530.1	453980	5435993	128	-58	1483.3	1483.0	4.7	16.8	
		including						1487.1	1488.0	0.9	60.9	
OSK-W-19-991-W6	401.28	Lynx 4	1761.0	453980	5435993	128	-58	1215.9	1218.0	2.1	8.88	
OSK-W-19-991-W8	401.28	Lynx 4	1652.2	453980	5435993	128	-58	1449.0	1462.0	13.0	10.06	48.0
OSK-W-19-991-W9	401.28	Lynx 349	1562.0	453980	5435993	128	-58	1479.9	1483.0	2.0	92.6	56.9
		including						1479.9	1480.8	0.5	24.3	100
OSK-W-17-993	403.8	Lynx 2	1053.4	453283	5435344	133	-51	993.4	998.1	4.1	10.1	10.1
		including						996.9	998.1	1.2	25.3	
OSK-W-17-993	403.8	Lynx	1053.4	453283	5435344	133	-51	992.0	994.3	2.3	5.95	
		including						992.6	992.9	0.3	41.1	
OSK-W-17-993	403.8	Lynx	1053.4	453283	5435344	133	-51	1014.5	1015.6	2.1	5.38	
		including						1015.1	1015.4	0.3	32.7	
OSK-W-17-995	397.01	Lynx 1	363.0	453224	5434910	327	-62	134.6	137.3	2.7	5.84	
OSK-W-17-995	397.01	VNCR	363.0	453224	5434910	327	-62	305.2	307.3	2.1	5.31	
OSK-W-17-995	397.01	Lynx 3	363.0	453224	5434910	327	-62	362.8	365.0	2.0	3.79	
OSK-W-17-996	400.18	Mailford	393.0	452270	5434844	328	-56	308.7	311.2	2.5	2.20	
OSK-W-17-996	400.18	Mailford	393.0	452270	5434844	328	-56	311.2	311.2	2.5	2.20	
OSK-W-17-996	400.18	Mailford FW	393.0	452270	5434844	328	-56	359.0	361.2	2.2	9.62	
		including						359.7	360.4	0.7	24.1	
OSK-W-17-998	396.65	Lynx 1	372.0	453313	5434909	330	-57	211.0	212.7	1.7	0.68	
OSK-W-17-998	396.65	Lynx 1 + Lynx 2	372.0	453313	5434909	330	-57	261.0	263.0	2.0	15.8	
		including						261.0	262.0	1.0	31.5	
OSK-W-17-998	396.65	Lynx 2	372.0	453313	5434909	330	-57	295.0	307.7	12.7	0.53	
OSK-W-17-998	396.65	Lynx 2	372.0	453313	5434909	330	-57	325.0	329.5	4.5	4.78	
OSK-W-17-999	396.98	TBO	516.0	452861	5434813	330	-61	91.5	96.9	2.5	1.38	
		including						91.5	93.0	1.5	8.54	
OSK-W-17-999	396.98	Caribou extension	516.0	452861	5434813	330	-61	400.9	403.9	3.2	3.68	
OSK-W-17-999	396.98	Caribou extension	516.0	452861	5434813	330	-61	432.9	436.4	3.5	5.79	
OSK-W-17-999	396.98	Caribou extension	516.0	452861	5434813	330	-61	499.4	462.0	2.6	5.39	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
			inclu					460.0	461.0	1.0	10.4	
OSK-W-17-1000	400.79	Lynx 301	786.0	453408	5435462	142	-50	573.0	577.3	4.3	8.92	
			inclu					573.0	574.0	1.0	17.1	
OSK-W-17-1002	408.05	Z27	303.0	452013	5434021	142	-48	284.0	288.0	2.0	5.07	
			inclu					284.6	285.0	0.4	16.5	
OSK-W-17-1003	397.12	Lynx 1	366.0	453223	5434910	329	-50	131.1	133.7	2.6	5.38	
			inclu					131.1	131.9	0.8	16.8	
OSK-W-17-1003	397.12	Lynx 2	366.0	453223	5434910	329	-50	213.1	215.1	2.0	19.5	
			inclu					213.1	213.9	0.8	46.3	
OSK-W-17-1009	397.12	Lynx 2	366.0	453223	5434910	329	-50	240.8	243.0	2.2	3.00	
			inclu					241.8	242.1	0.3	11.5	
OSK-W-17-1006	403.8	Lynx 3	762.0	453283	5435344	136	-40	251.3	253.2	2.0	0.28	
			inclu					351.0	353.0	2.0	3.78	
OSK-W-17-1006	403.8	Lynx 2 FW	762.0	453283	5435344	136	-40	351.5	353.0	1.5	4.86	
			inclu					383.3	390.2	6.9	36.0	29.9
			inclu					383.3	384.2	0.9	147	100
			inclu					384.6	385.7	1.1	62.3	
			inclu					399.3	392.2	0.9	41.4	
OSK-W-17-1006	403.8	Lynx 4	762.0	453283	5435344	136	-40	612.9	615.5	2.6	0.54	
			inclu					707.8	710.0	2.2	13.8	
OSK-W-17-1007	395.71	Lynx 1	378.0	453477	5435045	334	-68	238.6	240.6	2.0	6.51	
			inclu					238.6	240.0	1.4	9.31	
OSK-W-17-1007	395.71	VNCR	378.0	453477	5435045	334	-68	340.0	342.2	2.2	10.4	
			inclu					108.0	110.7	2.7	5.73	
OSK-W-17-1009	401.75	Z27	183.0	452407	5434809	147	-40	109.0	110.0	1.0	13.7	
			inclu					127.0	130.0	3.0	10.5	
OSK-W-17-1010	396.62	Lynx HW	369.0	453311	5434908	330	-53	169.9	172.0	2.1	5.84	
			inclu					170.3	171.0	0.7	16.8	
OSK-W-17-1010	396.62	VNCR	369.0	453311	5434908	330	-53	310.5	314.0	3.5	24.3	
			inclu					310.5	311.5	1.0	62.9	
OSK-W-17-1011	398.55	Lynx HW	111.0	453375	5434955	331	-46	26.0	27.2	1.2	0.68	
			inclu					55.0	65.0	10.0	0.13	
OSK-W-17-1011	398.55	Lynx 2	111.0	453375	5434955	331	-46	79.0	83.3	2.3	0.82	
			inclu					9.2	12.0	2.8	4.56	
OSK-W-17-1011	401.84	Z27	24.0	452246	5434866	333	-48	9.2	10.1	0.9	24.9	
			inclu					135.5	135.6	0.1	4.27	
OSK-W-17-1014	404.69	Z27	195.0	452063	5434811	141	-47	176.6	180.0	3.4	6.27	
			inclu					178.4	179.0	0.6	30.0	
OSK-W-17-1015	405.17	Lynx 2	474.0	453232	5435294	137	-51	344.1	346.2	2.1	4.02	
			inclu					344.9	345.5	0.6	13.7	
OSK-W-17-1015	405.17	Lynx 2	474.0	453232	5435294	137	-51	357.9	360.5	2.6	6.26	
			inclu					358.8	359.2	0.4	33.7	
OSK-W-17-1015	405.17	VNCR	474.0	453232	5435294	137	-51	400.0	402.3	2.3	8.38	
			inclu					400.7	401.7	1.0	19.0	
OSK-W-17-1018	401.75	Z27	300.0	452247	5434865	333	-47	102.0	102.0	2.0	3.98	
			inclu					199.7	205.6	5.9	3.56	
OSK-W-17-1018	401.75	Malabar	300.0	452247	5434865	333	-47	200.5	200.8	0.3	30.9	
			inclu					227.0	229.0	2.0	11.3	
OSK-W-17-1019	408.16	Lynx 1	606.0	452660	5434915	140	-52	227.5	228.5	1.0	22.6	
			inclu					328.0	331.2	3.2	3.21	
OSK-W-17-1019	408.16	Lynx 4	606.0	452660	5434915	140	-52	328.5	330.0	1.5	13.5	
			inclu					589.0	591.0	2.0	9.04	
OSK-W-17-1020	397.19	Bobcat	312.0	453217	5434928	337	-54	271.5	273.2	2.0	72.8	
			inclu					272.0	273.5	1.5	96.9	
OSK-W-17-1021	397.54	VNCR - Lynx corridor	621.0	452990	5434889	333	-53	68.0	70.2	2.3	8.72	
			inclu					134.4	138.0	3.6	4.00	
OSK-W-17-1023	406.36	Z27	228.0	452033	5434796	145	-48	134.4	135.2	0.8	13.1	
			inclu					134.0	136.0	2.0	3.97	
OSK-W-17-1024	397.55	Lynx 1	360.0	453295	5434947	330	-53	138.0	140.0	2.0	3.64	
			inclu					343.9	345.9	2.0	4.17	
OSK-W-17-1025	401.29	FW0	990.0	452487	5434435	330	-58	690.0	692.3	2.3	3.13	
			inclu					732.0	734.0	2.0	3.23	
OSK-W-17-1025	401.29	FW1	990.0	452487	5434435	330	-58	806.7	809.2	2.5	8.34	
			inclu					806.7	807.6	0.9	20.2	
OSK-W-18-1025-W1	401.29	Underdog	852.0	452487	5434435	330	-58	793.0	795.0	2.0	13.8	
			inclu					800.0	802.0	2.0	14.0	
OSK-W-18-1025-W1	401.29	Underdog	852.0	452487	5434435	330	-58	800.0	800.5	0.5	4.20	
			inclu					822.4	824.5	2.1	4.67	
OSK-W-18-1025-W1	401.29	Underdog	852.0	452487	5434435	330	-58	822.4	822.8	0.4	21.8	
			inclu					601.3	624.6	2.3	4.57	
OSK-W-17-1026	400.62	Z27	147.0	452119	5434787	129	-45	62.0	62.6	0.6	16.5	
			inclu					83.6	85.9	2.3	4.93	
OSK-W-17-1026	400.62	Z27	147.0	452119	5434787	129	-45	85.0	85.9	0.9	12.4	
			inclu					92.7	95.9	3.2	4.38	
OSK-W-17-1026	400.62	Z27	147.0	452119	5434787	129	-45	94.8	95.9	1.1	11.2	
			inclu					124.6	127.0	2.4	4.24	
OSK-W-17-1026	400.62	Z27	147.0	452119	5434787	129	-45	124.6	127.0	2.4	4.24	
			inclu					604.0	606.0	2.0	3.85	
OSK-W-17-1027	400.57	Lynx 2	825.0	453437	5435479	134	-50	625.0	627.2	2.2	12.2	
			inclu					626.0	627.2	1.2	22.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-1027	400.57	Lyne HW	825.0	453437	5435479	134	-59	779.5	782.0	2.5	3.47	
OSK-W-17-1028	396.94	Lyne 1	807.0	452861	5434811	326	-59	76.0	76.0	2.0	8.38	
								77.0	77.3	0.3	45.4	
OSK-W-17-1028	396.94	Caribou extension	807.0	452861	5434811	326	-59	376.9	374.0	3.1	11.6	
								372.7	374.0	1.3	18.6	
OSK-W-17-1028	396.94	Caribou extension	807.0	452861	5434811	326	-59	383.6	385.9	2.3	10.6	
								385.5	385.9	0.4	51.1	
OSK-W-17-1028	396.94	Caribou extension	807.0	452861	5434811	326	-59	399.0	396.1	3.1	3.12	
OSK-W-17-1028	396.94	Caribou extension	807.0	452861	5434811	326	-59	727.5	729.5	2.0	6.77	
OSK-W-17-1030	397.46	Lyne 1	300.0	453346	5434982	332	-56	144.1	146.7	2.3	9.25	
								145.1	145.7	0.6	34.4	
OSK-W-17-1030	397.46	Lyne 2	300.0	453346	5434982	332	-56	189.3	193.0	3.7	1.14	
OSK-W-17-1031	400.18	Z27	390.0	452296	5434867	336	-62	64.5	63.9	2.3	2.38	
OSK-W-17-1031	400.18	Z27	390.0	452296	5434867	336	-62	182.0	184.0	2.0	3.14	
								182.3	182.6	0.3	18.7	
OSK-W-17-1031	400.18	Maland	390.0	452296	5434867	336	-62	325.6	327.8	2.2	0.58	
OSK-W-17-1034	399.51	VNCR	228.0	452978	5434914	330	-53	202.3	206.0	3.7	6.29	
OSK-W-17-1035	399.46	Z27	305.0	452302	5434747	133	-65	68.4	74.0	2.6	4.27	
								69.1	69.6	0.5	15.2	
OSK-W-17-1036	405.19	VNCR	432.0	453231	5435294	139	-55	345.8	350.6	4.8	3.73	
								349.6	350.6	1.0	15.7	
OSK-W-17-1036	405.19	VNCR	432.0	453231	5435294	139	-55	358.6	361.5	2.9	18.9	
								359.6	360.5	0.9	58.1	
OSK-W-17-1036	405.19	QTV	432.0	453231	5435294	139	-55	414.0	416.0	2.0	3.34	
								415.0	416.0	1.0	6.23	
OSK-W-17-1038	402.47	Z27	120.0	452067	5434773	147	-49	97.4	99.7	2.3	16.4	
OSK-W-17-1039	401.89	Lyne 2	513.0	453361	5435436	147	-49	379.1	381.1	2.0	1.06	
OSK-W-17-1039	401.89	Lyne 1	513.0	453361	5435436	147	-49	436.9	441.3	4.4	1.11	
								436.9	437.9	1.0	34.4	
OSK-W-17-1039	401.89	Lyne	513.0	453361	5435436	147	-49	454.2	456.6	2.4	11.4	
								455.2	455.6	0.4	62.8	
OSK-W-17-1040	397.47	Lyne 2	294.0	452395	5434948	327	-65	162.0	164.0	2.0	35.9	
								162.3	162.7	0.4	68.4	
OSK-W-17-1042	400.51	Z27	156.0	452119	5434786	146	-52	62.8	75.0	12.2	3.39	
								73.0	74.0	1.0	20.2	
OSK-W-17-1042	400.51	Z27	156.0	452119	5434786	146	-52	84.0	86.3	2.3	3.53	
OSK-W-17-1043	402.81	Lyne 1	438.0	452384	5435344	333	-67	374.0	376.0	2.0	3.11	
OSK-W-17-1044	395.71	Lyne 1	381.0	452477	5435046	333	-70	342.0	345.1	3.1	3.03	
OSK-W-17-1044	395.71	Lyne 1 + Lyne 2	381.0	452477	5435046	333	-70	264.6	267.7	3.1	3.59	
OSK-W-17-1047	399.13	VNCR	186.0	452037	5434890	333	-62	84.6	86.6	2.6	3.95	
OSK-W-17-1048	397.03	Lyne 2	303.0	453215	5434914	333	-52	209.1	212.0	2.9	10.4	
								210.3	210.7	0.4	49.2	
OSK-W-17-1048	397.03	Lyne 2	303.0	453215	5434914	333	-52	216.0	219.0	3.0	21.3	
								217.8	219.0	1.2	37.4	
OSK-W-17-1050	402.38	Z27	102.6	452053	5434749	148	-49	39.7	41.7	2.0	11.2	
OSK-W-17-1050	402.38	Z27	102.6	452053	5434749	148	-49	76.5	80.0	3.5	6.55	
OSK-W-17-1051	405.53	VNCR	1248.0	452314	5435321	138	-68	51.0	53.4	2.4	3.94	
OSK-W-17-1051	405.53	T80	1248.0	452314	5435321	138	-68	303.0	305.1	2.1	7.85	
OSK-W-17-1051	405.53	FW3	1248.0	452314	5435321	138	-68	846.0	848.0	2.0	27.8	
								847.0	848.0	1.0	53.8	
OSK-W-17-1051	405.53	FW3	1248.0	452314	5435321	138	-68	1057.1	1059.8	2.7	5.36	
OSK-W-17-1051	405.53	FW3	1248.0	452314	5435321	138	-68	954.0	956.4	2.4	7.60	
OSK-W-17-1051	405.53	FW2	1248.0	452314	5435321	138	-68	1062.0	1069.0	2.0	3.23	
OSK-W-17-1051	405.53	FW1	1248.0	452314	5435321	138	-68	1096.7	1099.0	2.3	5.22	
								1097.5	1098.0	0.5	17.5	
OSK-W-17-1051	405.53	FW1	1248.0	452314	5435321	138	-68	1103.0	1105.4	2.4	7.09	
								1108.0	1104.4	0.4	34.5	
OSK-W-17-1051	405.53	FW1	1248.0	452314	5435321	138	-68	1113.0	1114.5	3.5	6.82	
								1113.9	1114.5	0.6	29.7	
OSK-W-17-1051-W1	405.53	FW3	1279.0	452314	5435321	138	-68	943.0	943.0	2.0	3.96	
OSK-W-17-1051-W2	405.53	FW1	1279.0	452314	5435321	138	-68	1062.0	1064.0	2.0	10.9	
OSK-W-17-1051-W3	405.53	FW1	1206.0	452314	5435321	138	-68	1083.5	1085.5	4.0	11.8	
								1081.5	1082.0	0.5	52.4	
								1085.0	1085.5	0.5	22.4	
OSK-W-17-1051-W2	405.53	FW1 FW	1206.0	452314	5435321	138	-68	1119.1	1121.3	2.2	7.19	
								1189.0	1189.0	3.0	3.33	
OSK-W-17-1052	396.86	Lyne 1	839.5	452999	5434854	328	-67	94.0	95.1	2.1	3.00	
								94.6	95.3	0.7	8.64	
OSK-W-17-1052	396.86	Lyne 1	839.5	452999	5434854	328	-67	115.9	120.0	4.1	7.65	
								118.2	119.4	1.2	20.8	
OSK-W-17-1052	396.86	Caribou extension	839.5	452999	5434854	328	-67	507.0	509.0	2.0	3.26	
OSK-W-17-1052	396.86	Z27	839.5	452999	5434854	328	-67	721.0	723.3	2.3	3.81	
								721.8	722.1	0.3	21.9	
OSK-W-17-1053	401.18	Z27	96.0	452051	5434741	148	-49	74.7	79.8	5.1	5.06	
								79.2	79.8	0.6	26.9	
OSK-W-17-1054	397.87	Lyne 1	363.0	453282	5435009	325	-68	86.0	89.0	3.0	12.9	
								86.4	87.0	0.6	42.6	
OSK-W-17-1055	399.25	Z27	144.0	452091	5434739	148	-49	72.0	74.0	2.0	3.69	
OSK-W-17-1056	404.94	Z27	120.0	452003	5434746	150	-46	35.0	37.0	2.0	35.5	20.4
								35.0	35.4	0.4	176	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-1072-W2	399.07	Lynx 4	1059.0	453612	5435532	144	-57	915.0	917.0	2.0	10.9	
								915.5	916.2	0.7	30.9	
OSK-W-17-1072-W2	399.07	Lynx 4	1059.0	453612	5435532	144	-57	989.7	992.0	2.3	17.1	
								990.1	990.4	0.3	127	
OSK-W-17-1073-W2	399.07	Lynx 4	1059.0	453612	5435532	144	-57	1019.7	1022.0	2.3	4.56	
								1020.2	1020.5	0.3	31.0	
OSK-W-17-1073-W3	399.07	Lynx 4	1110.0	453612	5435532	144	-57	906.6	909.0	2.4	4.02	
OSK-W-17-1073-W3	399.07	Lynx 4	1110.0	453612	5435532	144	-57	1095.0	1097.0	2.0	11.3	
								1095.0	1096.0	1.0	20.6	
OSK-W-20-1073-W4	399.07	Lynx 330	1092.0	453612	5435532	145	-57	868.4	871.9	3.5	9.90	
								868.4	869.0	0.6	37.1	
OSK-W-20-1073-W4	399.07	Lynx 340	1092.0	453612	5435532	145	-57	928.0	930.2	2.2	11.7	
								928.0	928.9	0.9	32.9	
OSK-W-20-1073-W4	399.07	Lynx 4	1092.0	453612	5435532	145	-57	966.6	968.8	2.2	29.3	
OSK-W-20-1073-W4	399.07	Lynx 4	1092.0	453612	5435532	145	-57	1010.0	1012.0	2.0	11.5	
								1011.0	1012.0	1.0	20.6	
OSK-W-20-1073-W5	399.07	Lynx 330	1262.0	453612	5435532	145	-57	867.1	869.1	2.0	54.1	18.0
								868.8	869.1	0.3	341	
OSK-W-20-1073-W5	399.07	Lynx 340	1262.0	453612	5435532	145	-57	884.0	886.0	2.0	30.8	
								884.0	885.0	1.0	56.5	
OSK-W-20-1073-W5	399.07	Lynx 4	1262.0	453612	5435532	145	-57	1079.5	1081.5	2.0	3.17	
								1080.4	1080.3	0.9	314	
OSK-W-17-1073	406.3	Epit4	603.0	452757	5434979	144	-51	97.7	101.4	4.2	31.1	
OSK-W-17-1073	406.3	Lynx 4	603.0	452757	5434979	144	-51	409.0	411.0	2.0	8.65	
OSK-W-17-1073	406.3	Vein	603.0	452757	5434979	144	-51	470.5	473.0	2.5	3.68	
								470.5	471.0	0.7	13.0	
OSK-W-17-1073	406.3	Vein	603.0	452757	5434979	144	-51	475.3	477.9	2.6	4.09	
								475.3	476.0	0.7	12.4	
OSK-W-17-1073	406.3	Vein	603.0	452757	5434979	144	-51	481.0	483.2	2.2	3.78	
								482.5	483.2	0.7	11.3	
OSK-W-17-1077	401.57	Z27	102.9	451987	5434710	148	-54	59.0	65.0	2.0	8.41	
								59.6	60.0	0.6	18.0	
OSK-W-17-1079	402.52	CM1 FW	615.0	452541	5434452	332	-58	597.0	599.3	2.3	108	17.5
								597.6	598.0	0.4	618	100
OSK-W-17-1080	398.3	Lynx 2	84.0	453166	5434979	330	-45	51.0	53.0	2.0	5.47	
								51.1	51.4	0.3	34.0	
OSK-W-17-1081	401.51	Z27	117.0	451987	5434710	145	-65	61.3	62.7	2.4	10.4	
								62.0	62.6	0.6	35.2	
OSK-W-17-1085	395.89	Lynx 1	915.0	453461	5435018	339	-68	230.0	232.5	2.5	4.41	
OSK-W-17-1085	395.89	Lynx 1	915.0	453461	5435018	339	-68	254.8	257.0	2.2	4.83	
OSK-W-17-1085	395.89	Lynx 2	915.0	453461	5435018	339	-68	272.0	276.0	4.0	4.85	
OSK-W-17-1085	395.89	Lynx 2	915.0	453461	5435018	339	-68	328.5	330.7	2.2	20.8	
								329.5	330.7	1.2	54.6	
OSK-W-17-1087	399.96	Drake	381.0	452255	5434828	328	-61	243.0	246.0	2.0	3.28	
OSK-W-17-1087	399.96	Mallard	381.0	452255	5434828	328	-61	354.0	356.6	2.6	195	19.6
								354.0	354.5	0.5	993	100
OSK-W-17-1088	402.63	Z27	129.0	451972	5434733	148	-55	80.2	82.4	2.2	7.73	
								80.2	81.0	0.8	19.5	
OSK-W-17-1090	398.46	Z27	237.0	452219	5434642	334	-45	134.2	136.5	2.3	5.24	
								134.2	134.6	0.4	26.3	
OSK-W-17-1091	398.49	Lynx 1	246.0	453207	5434960	332	-51	60.4	62.7	2.3	11.3	
								61.0	62.0	1.0	25.2	
OSK-W-17-1091	398.49	Lynx 2	246.0	453207	5434960	332	-51	104.0	106.4	2.4	3.64	
								105.6	106.4	0.8	9.30	
OSK-W-17-1095	404	Z27	147.0	451961	5434731	147	-50	88.2	90.7	2.5	58.8	52.9
								88.6	89.7	1.1	114	100
OSK-W-17-1095	404	Z27	147.0	451961	5434731	147	-50	113.0	116.0	3.0	4.09	
OSK-W-17-1096	398.58	Vein	120.0	453207	5434960	320	-46	58.8	61.1	2.3	3.48	
OSK-W-17-1098	403.89	Lynx 3	424.5	453255	5435289	129	-48	249.9	252.3	2.4	13.7	
								250.6	251.4	0.8	39.7	
OSK-W-17-1098	403.89	Lynx 2	424.5	453255	5435289	129	-48	326.2	328.8	2.6	8.51	
								327.9	328.8	0.9	18.1	
OSK-W-17-1098	403.89	Lynx 4	424.5	453255	5435289	129	-48	338.9	340.6	2.3	42.8	25.0
								340.1	340.6	0.5	182	100
OSK-W-17-1099	398.71	Lynx 1	264.0	453144	5434935	335	-56	83.0	85.0	2.0	7.87	
								83.0	83.3	0.3	51.0	
OSK-W-17-1099	398.71	Lynx 2	264.0	453144	5434935	335	-56	108.0	110.1	2.1	3.04	
								109.8	110.1	0.3	14.5	
OSK-W-17-1100	398.74	Lynx 3	426.0	453395	5435250	149	-61	185.5	187.5	2.0	5.98	
								185.5	186.5	1.0	11.8	
OSK-W-17-1102	396.49	Lynx 1	345.0	453275	5434898	330	-50	174.0	176.0	2.0	3.58	
								175.7	176.0	0.3	16.3	
OSK-W-17-1102	396.49	Lynx 1	345.0	453275	5434898	330	-50	220.0	223.0	3.0	1.26	
OSK-W-17-1102	396.49	Lynx 2	345.0	453275	5434898	330	-50	280.9	284.5	3.6	13.0	
								280.9	281.4	0.7	54.4	
OSK-W-17-1103	400.97	Z27	111.0	452016	5434721	148	-49	79.8	82.0	2.2	15.4	
OSK-W-17-1104	401.7	Lynx 1	1059.0	453383	5435455	142	-50	472.0	474.0	2.0	1.77	
OSK-W-17-1104	401.7	Lynx HW	1059.0	453383	5435455	142	-50	560.0	562.0	2.0	4.30	
								560.5	561.3	0.8	10.4	
OSK-W-17-1104	401.7	Lynx HW	1059.0	453383	5435455	142	-50	576.2	581.0	2.8	6.79	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-1104	401.7	Lynx HW	1059.0	453383	5435455	142	-50	578.2	578.6	0.4	46.4	
								591.8	594.0	2.2	4.06	
								591.8	592.3	0.5	17.8	
OSK-W-17-1104	401.7	Vein	1059.0	453383	5435455	142	-50	857.4	860.0	2.6	48.7	27.3
								857.4	858.0	0.6	193	100
OSK-W-17-1104	401.7	Lynx 4	1059.0	453383	5435455	142	-50	883.0	885.0	2.0	3.61	
								884.3	884.7	0.4	17.0	
OSK-W-17-1104	401.7	Lynx 5	1059.0	453383	5435455	142	-50	978.0	980.0	2.0	10.3	
								978.6	979.3	0.7	20.3	
OSK-W-18-1104-W1	401.7	Lynx	600.0	453383	5435455	142	-50	446.0	448.0	2.0	6.52	
								446.3	446.6	0.3	41.8	
OSK-W-19-1104-W2	401.7	Lynx 313	927.0	453383	5435455	142	-50	834.6	836.7	2.1	30.3	
								834.6	835.5	0.9	59.9	
OSK-W-19-1104-W4	401.7	Lynx 359	933.0	453383	5435455	142	-50	470.6	473.0	2.4	3.42	
								471.3	471.6	0.3	25.6	
OSK-W-19-1104-W4	401.7	Lynx 321	933.0	453383	5435455	142	-50	575.0	577.7	2.7	3.72	
								576.5	576.9	0.4	17.6	
OSK-W-19-1104-W4	401.7	Lynx 4	933.0	453383	5435455	142	-50	826.0	828.0	2.0	4.24	
								840.9	846.5	5.6	6.82	
OSK-W-19-1104-W4	401.7	Lynx 313	933.0	453383	5435455	142	-50	840.9	841.6	0.7	29.1	
								856.0	861.0	5.0	36.9	16.3
OSK-W-19-1104-W4	401.7	Lynx 4	933.0	453383	5435455	142	-50	906.5	908.5	2.0	25.7	16.0
								907.5	907.8	0.3	18.5	100
OSK-W-19-1104-W5	401.7	Lynx	920.4	453383	5435455	142	-50	810.0	812.0	2.0	10.7	
								811.6	812.0	0.4	31.0	
OSK-W-19-1104-W6	401.7	Lynx 312	820.4	453383	5435455	142	-50	838.7	840.8	2.1	9.80	
								755.5	757.8	2.3	8.84	
OSK-W-19-1104-W6	401.7	Lynx 313	869.0	453383	5435455	142	-50	822.4	824.6	2.2	9.36	
								867.0	868.0	1.0	7.98	
OSK-W-20-1104-W7	401.7	Lynx 359	867.0	453383	5435455	142	-50	470.7	472.0	1.3	29.4	
								470.7	471.2	0.5	29.4	
OSK-W-20-1104-W7	401.7	Lynx	867.0	453383	5435455	142	-50	502.0	504.3	2.3	34.6	
								503.0	504.0	1.0	79.1	
OSK-W-20-1104-W7	401.7	Lynx 322	867.0	453383	5435455	142	-50	533.0	535.0	2.0	139	21.7
								533.0	533.3	0.3	885	100
OSK-W-20-1104-W7	401.7	Lynx 347	867.0	453383	5435455	142	-50	802.0	804.0	2.0	6.94	
								802.7	803.4	0.7	16.0	
OSK-W-20-1104-W7	401.7	Lynx 340	867.0	453383	5435455	142	-50	808.1	810.1	2.0	3.52	
								808.6	808.9	0.3	16.8	
OSK-W-17-1105	397.32	New zone	858.0	452921	5434844	328	-71	468.0	470.0	2.0	3.42	
								468.0	469.0	1.0	4.71	
OSK-W-17-1105	397.32	Caribou extension	858.0	452921	5434844	328	-71	526.0	528.0	2.0	8.85	
								527.5	528.0	0.5	17.3	
OSK-W-17-1105	397.32	Caribou extension	858.0	452921	5434844	328	-71	534.3	539.0	4.7	4.94	
								534.3	535.0	0.7	34.5	
OSK-W-17-1105	397.32	Caribou extension	858.0	452921	5434844	328	-71	550.0	552.0	2.0	3.78	
								556.2	558.5	2.3	4.21	
OSK-W-17-1105	397.32	Wolf FW	858.0	452921	5434844	328	-71	684.9	696.1	11.2	11.0	7.95
								684.9	689.8	4.9	21.4	34.5
OSK-W-17-1105	397.32		858.0	452921	5434844	328	-71	772.0	774.0	2.0	4.49	
								772.3	772.9	0.6	14.5	
OSK-W-17-1106	398.73		342.0	452153	5434730	330	-50	19.0	21.2	2.2	3.02	
								20.9	21.2	0.3	18.6	
OSK-W-17-1106	398.73	Midland	342.0	452153	5434730	330	-50	314.0	319.9	2.9	0.62	
								314.0	315.0	1.0	2.0	4.55
OSK-W-17-1108	398.20	Lynx 1	570.0	452113	5434054	330	-48	60.0	62.0	2.0	4.39	
								60.0	60.6	0.6	4.7	4.39
OSK-W-17-1110	401.33	C52	570.0	452487	5434434	333	-60	466.6	461.2	0.6	12.4	
								466.6	461.2	0.6	12.4	
OSK-W-17-1111	396.49	Lynx HW	307.0	453274	5434898	335	-50	156.7	158.5	1.8	2.17	
								204.0	206.0	2.0	11.0	
OSK-W-17-1111	396.49	Lynx 1 + Lynx 2	307.0	453274	5434898	335	-50	204.0	206.0	1.0	21.7	
								205.0	201.0	4.0	2.18	
OSK-W-17-1111	396.49	Vein	307.0	453274	5434898	335	-50	268.5	271.0	2.5	1.72	
								278.7	285.5	6.8	19.0	
OSK-W-17-1111	396.49	Lynx 2	307.0	453274	5434898	335	-50	381.0	382.0	1.0	72.1	
								381.0	381.0	0.0	1.0	72.1
OSK-W-17-1112	400.63	Lynx 1	636.0	453436	5435480	136	-54	503.0	505.0	2.0	4.09	
								503.0	505.1	2.1	9.96	
OSK-W-17-1112	400.63	Lynx HW	636.0	453436	5435480	136	-54	604.0	604.7	0.7	24.0	
								604.0	604.7	0.7	24.0	
OSK-W-17-1113	403.82	Vein	480.0	453282	5435346	138	-50	363.4	366.0	2.6	3.33	
								363.6	366.0	0.4	19.5	
OSK-W-17-1113	403.82	Lynx 1	480.0	453282	5435346	138	-50	374.1	376.2	2.1	6.35	
								374.7	375.2	0.5	25.2	
OSK-W-17-1113	403.82	Lynx 1 + Lynx 2	480.0	453282	5435346	138	-50	382.4	387.0	4.6	8.46	
								386.4	387.0	0.6	21.2	
OSK-W-17-1113	403.82	Lynx 2	480.0	453282	5435346	138	-50	389.6	395.0	5.4	4.66	
								389.6	389.9	0.3	20.1	
OSK-W-17-1113	403.82	Lynx 1	480.0	453282	5435346	138	-50	418.4	420.7	2.3	3.11	
								419.5	420.8	0.3	22.9	
OSK-W-17-1115	400.77	New zone	816.0	452798	5435114	153	-48	331.6	336.4	2.8	13.1	
								625.5	628.0	2.5	3.86	
OSK-W-17-1115	400.77	No name	816.0	452798	5435114	153	-48	631.0	636.0	5.0	11.7	
								631.0	636.0	5.0	11.7	
OSK-W-17-1115	400.77	Vein	816.0	452798	5435114	153	-48	693.0	696.0	3.0	9.13	
								693.0	696.0	3.0	9.13	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 ft
OSK-W-17-1117	399.19	Lynx 2	471.0	453120	5434934	334	-46	86.9	89.0	2.1	4.76	
		including						85.9	87.5	0.6	16.0	
OSK-W-17-1119	402.62	CNI	609.0	452540	5434453	331	-55	527.4	529.5	2.1	10.7	
		including						526.3	528.7	0.4	44.4	
OSK-W-17-1119	402.62	CNI	609.0	452540	5434453	331	-55	524.3	540.4	6.1	3.08	
		including						539.2	540.4	1.2	0.48	
OSK-W-17-1119	402.62	Caribou	609.0	452540	5434453	331	-55	548.1	551.0	2.9	5.63	
		including						548.1	549.0	0.9	17.8	
OSK-W-17-1120	399.16	Lynx 2	453.0	453458	5435335	154	-54	216.0	212.0	2.0	4.89	
		including						210.0	211.0	1.0	9.12	
OSK-W-17-1120	399.16	Lynx HW	453.0	453458	5435335	154	-54	329.0	331.2	2.2	3.24	
		including						334.0	336.7	2.7	5.68	
OSK-W-17-1121	395.89	Lynx 1	782.7	453436	5434959	335	-64	303.0	305.0	2.0	4.29	
		including						309.5	313.5	4.0	7.78	
OSK-W-17-1121	395.89	Lynx 1	782.7	453436	5434959	335	-64	309.5	311.2	1.7	14.9	
		including						335.4	337.7	2.3	19.0	
OSK-W-17-1121	395.89	VNCR	782.7	453436	5434959	335	-64	336.2	336.9	0.7	58.8	
		including						421.9	424.0	2.1	3.84	
OSK-W-17-1121	395.89	VNCR	782.7	453436	5434959	335	-64	435.0	437.7	2.7	8.62	
		including						436.0	437.7	1.7	13.7	
OSK-W-17-1121	395.89	Lynx 367	782.7	453436	5434959	335	-64	701.4	708.6	2.2	5.72	
		including						63.0	66.2	2.2	7.08	
OSK-W-17-1122	401.13	Z27	114.0	452063	5434738	150	-47	113.0	116.0	3.0	1.49	
		including						134.0	136.0	2.0	1.49	
OSK-W-17-1123	397.69	Lynx 1	345.0	453313	5434971	336	-46	130.0	132.1	2.1	11.6	
		including						130.9	131.3	0.4	47.5	
OSK-W-17-1123	397.69	Lynx 2	345.0	453313	5434971	336	-46	163.0	167.0	4.0	0.74	
		including						204.6	207.0	2.4	38.3	
OSK-W-17-1124	405.52	Malard	255.0	452015	5434775	331	-51	204.6	205.6	1.0	43.4	
		including						204.6	205.6	1.0	43.4	
OSK-W-17-1125	402.65	Vein	975.0	452563	5434570	331	-58	427.0	429.0	2.0	6.80	
		including						427.0	428.0	1.0	13.5	
OSK-W-17-1125	402.65	Z27 HW	975.0	452563	5434570	331	-58	595.0	597.0	2.0	3.19	
		including						616.0	618.0	2.0	3.89	
OSK-W-17-1125	402.65	SW	975.0	452563	5434570	331	-58	617.2	618.0	0.8	9.35	
		including						753.6	759.0	5.4	10.2	
OSK-W-17-1125	402.65	FW2	975.0	452563	5434570	331	-58	755.9	757.2	1.3	36.3	
		including						769.0	778.0	9.0	11.9	
OSK-W-17-1125	402.65	FW3 HW	975.0	452563	5434570	331	-58	769.0	771.0	2.0	21.1	
		including						776.0	778.0	2.0	18.4	
OSK-W-17-1125	402.65	VNCR	975.0	452563	5434570	331	-58	921.5	923.9	2.4	7.32	
		including						922.1	922.6	0.5	30.1	
OSK-W-17-1125-W1	402.65	CS3	987.0	452563	5434570	331	-58	368.0	370.1	2.1	4.68	
		including						445.0	447.0	2.0	7.57	
OSK-W-17-1125-W1	402.65	Wolf HW	987.0	452563	5434570	331	-58	475.0	481.9	6.9	11.1	
		including						479.0	481.0	2.0	26.5	
OSK-W-17-1125-W1	402.65	Caribou	1086.2	452563	5434570	331	-58	420.0	422.0	2.0	18.1	
		including						421.0	422.0	1.0	36.1	
OSK-W-17-1125-W1	402.65	Caribou	1086.2	452563	5434570	331	-58	486.0	495.1	9.1	10.6	
		including						489.0	489.4	0.4	100	
OSK-W-17-1125-W1	402.65	Wolf	1086.2	452563	5434570	331	-58	501.0	503.0	2.0	10.2	
		including						502.0	503.0	1.0	19.6	
OSK-W-17-1125-W1	402.65	Wolf HW	1086.2	452563	5434570	331	-58	516.8	519.0	2.2	26.0	
		including						517.5	518.2	0.7	80.5	
OSK-W-17-1125-W1	402.65	Wolf FW	1086.2	452563	5434570	331	-58	583.0	585.0	2.0	11.5	
		including						583.8	584.2	0.4	49.6	
OSK-W-17-1125-W1	402.65	Vein	1086.2	452563	5434570	331	-58	900.8	903.0	2.2	3.85	
		including						901.1	901.4	0.3	14.0	
OSK-W-17-1125-W1	402.65	FW4	1086.2	452563	5434570	331	-58	1012.1	1014.2	2.1	3.41	
		including						1013.7	1014.0	0.3	33.6	
OSK-W-17-1128	405.14	Lynx 3	1419.0	453272	5435391	129	-53	923.5	429.0	5.5	3.08	
		including						459.0	461.0	2.0	51.4	
OSK-W-17-1128	405.14	Lynx 2	1419.0	453272	5435391	129	-53	466.2	471.0	4.8	43.7	22.7
		including						470.2	471.0	0.8	226	
OSK-W-17-1128	405.14	Lynx 4	1419.0	453272	5435391	129	-53	486.9	489.0	2.1	36.1	28.6
		including						487.6	488.0	0.4	140	100
OSK-W-17-1128	405.14	Lynx 4	1419.0	453272	5435391	129	-53	916.4	918.6	2.2	27.4	
		including						985.5	988.5	3.0	17.4	
OSK-W-17-1128	405.14	Lynx 6	1419.0	453272	5435391	129	-53	1183.0	1183.0	2.0	9.71	
		including						1205.9	1206.2	2.3	14.0	
OSK-W-17-1128	405.14	Lynx 6	1419.0	453272	5435391	129	-53	1205.0	1205.2	1.2	25.7	
		including						1256.0	1258.0	2.0	4.49	
OSK-W-17-1128	405.14	TBD - Lynx corridor	1419.0	453272	5435391	129	-53	1257.0	1257.7	0.7	12.7	
		including						1286.1	1288.1	2.0	8.25	
OSK-W-17-1129	398.98	Z27	745.0	452211	5434602	325	-40	720.8	720.0	0.6	20.0	
		including						725.6	727.7	2.1	3.24	
OSK-W-17-1129	398.98	Z27	745.0	452211	5434602	325	-40	135.0	137.0	2.0	3.28	
		including						136.4	137.0	0.6	10.8	
OSK-W-17-1131	397.83	Lynx 1	342.0	453329	5435010	337	-60	320.6	320.6	0.0	8.28	
		including						501.0	503.0	2.0	8.28	
OSK-W-17-1132	408.85	VNCR	600.0	453204	5435431	129	-49	501.0	503.0	2.0	8.28	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-1134	404.58	VNCR	438.0	452397	5434987	333	-61	366.8	369.1	2.3	16.0	
OSK-W-17-1135	401.72		227	183.0	452087	5434791	147	-51	113.0	112.4	2.4	3.33
OSK-W-17-1136	398.14	Lynx 2	356.0	453237	5434949	331	-45	56.0	56.0	0.0	2.0	5.48
OSK-W-17-1137	399.53		227	81.0	452136	5434748	132	-81	56.5	58.5	2.0	3.01
OSK-W-17-1138	408.19	Bolocat	402.0	452890	5434987	327	-51	11.0	14.3	3.3	42.4	
OSK-W-17-1138	408.19		227	402.0	452890	5434987	327	-51	13.0	14.3	1.3	98.1
OSK-W-17-1138	408.19	Bolocat	402.0	452890	5434987	327	-51	21.0	24.0	3.0	3.28	
OSK-W-17-1138	408.19	Eqth 1	402.0	452890	5434987	327	-51	142.0	158.0	16.0	6.30	
OSK-W-17-1139	401.29		227	151.0	452890	5434987	327	-51	142.0	148.4	6.4	8.10
OSK-W-17-1139	401.29	SHR	1092.0	452474	5434469	333	-56	77.0	79.0	2.0	4.06	
OSK-W-17-1139	401.29	Vein	1092.0	452474	5434469	333	-56	148.0	152.2	2.2	4.29	
OSK-W-17-1139	401.29	Vein	1092.0	452474	5434469	333	-56	157.5	160.1	2.6	4.33	
OSK-W-17-1139	401.29		227	159.5	452890	5434987	327	-51	159.5	160.1	0.6	9.21
OSK-W-17-1139	401.29	CH1	1092.0	452474	5434469	333	-56	454.7	458.3	3.6	0.47	
OSK-W-17-1139	401.29	CH1 FW	1092.0	452474	5434469	333	-56	520.0	523.4	3.4	4.87	
OSK-W-17-1139	401.29		227	521.8	452890	5434987	327	-51	521.8	521.9	0.3	19.8
OSK-W-17-1139	401.29	FW2	1092.0	452474	5434469	333	-56	785.0	787.2	2.2	11.1	
OSK-W-17-1139	401.29		227	785.3	452890	5434987	327	-51	785.3	785.8	0.5	47.0
OSK-W-17-1139	401.29	FW3	1092.0	452474	5434469	333	-56	888.0	890.0	2.0	6.53	
OSK-W-17-1139	401.29		227	889.1	452890	5434987	327	-51	889.1	889.6	0.5	24.5
OSK-W-17-1139	401.29	FW3	1092.0	452474	5434469	333	-56	953.8	956.0	2.2	4.44	
OSK-W-17-1139	401.29	FW4	1092.0	452474	5434469	333	-56	1007.0	1009.8	2.8	5.43	
OSK-W-18-1139-W1	401.29	Underdog	874.0	452474	5434469	333	-56	1009.2	1009.8	0.6	21.9	
OSK-W-18-1139-W1	401.29		227	696.0	452890	5434987	327	-51	696.0	698.3	2.3	26.4
OSK-W-18-1139-W1	401.29		227	697.0	452890	5434987	327	-51	697.0	697.8	0.8	54.9
OSK-W-18-1139-W1	401.29		227	713.0	452474	5434469	333	-56	713.0	726.7	13.7	38.9
OSK-W-18-1139-W1	401.29		227	719.0	452474	5434469	333	-56	719.0	724.4	5.4	81.7
OSK-W-18-1139-W1	401.29		227	768.7	452474	5434469	333	-56	768.7	771.0	2.3	47.8
OSK-W-18-1139-W1	401.29		227	768.7	452474	5434469	333	-56	768.7	769.7	1.0	108
OSK-W-18-1139-W1	401.29		227	773.0	452474	5434469	333	-56	773.0	775.0	2.0	6.90
OSK-W-18-1139-W1	401.29		227	774.0	452474	5434469	333	-56	774.0	774.3	0.3	41.6
OSK-W-18-1139-W1	401.29		227	790.0	452474	5434469	333	-56	790.0	794.4	4.4	27.7
OSK-W-18-1139-W1	401.29		227	791.2	452474	5434469	333	-56	791.2	792.7	1.5	72.1
OSK-W-18-1139-W1	401.29		227	815.2	452474	5434469	333	-56	815.2	817.5	2.3	5.86
OSK-W-18-1139-W1	401.29		227	815.2	452474	5434469	333	-56	815.2	815.9	0.7	17.6
OSK-W-18-1139-W2	401.29	Underdog	819.0	452474	5434469	333	-56	727.0	729.0	2.0	5.29	
OSK-W-18-1139-W2	401.29	Underdog	819.0	452474	5434469	333	-56	758.8	758.0	2.2	9.92	
OSK-W-18-1139-W2	401.29		227	756.8	452890	5434987	327	-51	756.8	757.4	0.6	36.8
OSK-W-18-1139-W3	401.29	Underdog	918.0	452474	5434469	333	-56	783.4	786.0	2.6	6.46	
OSK-W-18-1139-W3	401.29		227	783.4	452890	5434987	327	-51	783.4	783.7	0.3	33.1
OSK-W-18-1139-W3	401.29	Underdog	918.0	452474	5434469	333	-56	843.0	846.2	2.2	5.26	
OSK-W-18-1139-W3	401.29		227	843.6	452890	5434987	327	-51	843.6	843.9	0.3	41.4
OSK-W-17-1140	398.23	Vein	975.0	453007	5434521	336	-55	326.0	328.4	2.4	8.84	
OSK-W-17-1140	398.23	Caribou extension	975.0	453007	5434521	336	-55	328.1	328.4	0.3	29.7	
OSK-W-17-1140	398.23		227	781.2	452890	5434987	327	-51	781.2	783.3	2.1	7.07
OSK-W-17-1140	398.23		227	783.0	452890	5434987	327	-51	783.0	783.3	0.3	48.8
OSK-W-17-1140	398.23		227	813.3	452890	5434987	327	-51	813.3	842.0	4.7	8.58
OSK-W-17-1141	399.38		227	252.0	452143	5434745	236	-65	59.4	61.8	2.4	8.84
OSK-W-17-1141	399.38		227	252.0	452143	5434745	236	-65	59.4	63.0	1.6	44.7
OSK-W-17-1141	399.38		227	71.7	452143	5434745	236	-65	71.7	74.0	2.3	8.04
OSK-W-17-1141	399.38		227	73.4	452143	5434745	236	-65	73.4	74.0	0.6	28.0
OSK-W-17-1141	399.38		227	87.8	452143	5434745	236	-65	87.8	88.1	0.3	4.00
OSK-W-17-1142	398.64	CW6	679.5	452202	5434628	324	-45	13.3	15.2	2.1	26.5	
OSK-W-17-1142	398.64		227	14.0	452202	5434628	324	-45	14.0	14.6	0.6	84.5
OSK-W-17-1142	398.64	227 HW	679.5	452202	5434628	324	-45	142.0	144.0	2.0	3.07	
OSK-W-17-1142-W1	398.64	Vein	699.0	452202	5434628	324	-45	370.0	372.0	2.0	160	50.0
OSK-W-17-1143	398.02	Lynx 2	159.0	453253	5435003	331	-46	67.5	69.6	2.1	27.9	
OSK-W-17-1143	398.02		227	67.5	453253	5435003	331	-46	67.5	68.2	0.7	83.3
OSK-W-17-1143	398.02	Lynx 2	159.0	453253	5435003	331	-46	73.0	75.0	2.0	10.6	
OSK-W-17-1143	398.02	Lynx 2	159.0	453253	5435003	331	-46	85.0	87.0	2.0	20.4	15.4
OSK-W-17-1143	398.02		227	86.0	453253	5435003	331	-46	86.0	86.3	0.3	134
OSK-W-17-1143	398.02		227	84.3	453253	5435003	331	-46	84.3	87.5	3.2	4.01
OSK-W-17-1145	403.81	227 FW	156.6	452042	5434767	146	-49	65.5	67.5	1.0	10.2	
OSK-W-17-1145	403.81		227	90.9	452042	5434767	146	-49	90.9	93.3	2.4	12.5
OSK-W-17-1145	403.81		227	95.6	452042	5434767	146	-49	95.6	100.4	4.8	9.93
OSK-W-17-1145	403.81		227	120.0	452042	5434767	146	-49	120.0	125.9	5.9	27.9
OSK-W-17-1146	399.33	Lynx 2	156.0	453180	5435003	333	-50	58.6	62.2	3.6	0.56	
OSK-W-17-1146	399.33		227	58.6	453180	5435003	333	-50	58.6	62.2	3.6	0.56
OSK-W-17-1146	399.33		227	63.2	453180	5435003	333	-50	63.2	65.6	2.4	1.15
OSK-W-17-1147	399.93	Lynx 4	817.3	453242	5434380	335	-52	712.8	716.5	3.7	3.29	
OSK-W-17-1147-W1	399.93		227	712.8	453242	5434380	335	-52	712.8	713.1	0.3	24.4
OSK-W-17-1147-W1	399.93	No name	1212.0	453242	5434380	335	-52	798.0	800.4	2.4	3.36	
OSK-W-17-1147-W1	399.93	Caribou extension	1212.0	453242	5434380	335	-52	809.0	811.0	2.0	3.84	
OSK-W-17-1147-W1	399.93	Caribou extension	1212.0	453242	5434380	335	-52	1118.7	1119.0	2.3	4.63	
OSK-W-17-1147-W1	399.93	Caribou extension	1212.0	453242	5434380	335	-52	1129.0	1131.0	2.0	7.52	
OSK-W-17-1147-W1	399.93		227	1131.0	453242	5434380	335	-52	1131.0	1130.5	0.5	29.2
OSK-W-17-1149	399.14	Lynx HW	489.0	453488	5435222	140	-47	146.8	149.0	2.2	11.0	
OSK-W-17-1152	401.8	FW2	885.0	451739	5434290	330	-53	367.0	369.0	2.0	5.67	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-1152	403.8	FW4	885.0	451739	5434290	330	-53	368.0	368.6	0.6	16.6	
OSK-W-17-1153	397.03	Lynx 1	615.0	453375	5434984	341	-45	149.0	151.1	2.1	20.4	
OSK-W-17-1153	397.03	Lynx 2	615.0	453375	5434984	341	-45	150.3	151.1	0.8	25.6	
OSK-W-17-1154	404.79	Z27	174.0	452023	5434758	149	-49	91.0	95.7	4.2	18.8	
OSK-W-17-1155	403.73	VNCR	477.0	452453	5435008	332	-71	327.0	329.7	2.7	3.64	
OSK-W-17-1156	400.64	Lynx HW	663.0	453439	5435482	136	-49	529.8	525.0	4.2	26.1	25.0
OSK-W-17-1158	397	Lynx	696.0	453046	5434870	331	-59	145.0	147.0	2.0	71.4	50.1
OSK-W-17-1158	397	Caribou extension	696.0	453046	5434870	331	-59	146.0	147.0	1.0	343	100
OSK-W-17-1159	396.54	Caribou extension	795.4	452858	5434808	331	-70	536.0	540.0	2.0	4.99	
OSK-W-17-1163	403.53	No name	477.0	452460	5435028	332	-61	336.0	358.0	2.0	9.60	
OSK-W-17-1164	404.73	Z27	336.0	451958	5434750	143	-58	156.0	157.0	1.0	19.1	
OSK-W-17-1164	404.73	Z27	336.0	451958	5434750	143	-58	132.0	139.8	7.8	7.12	
OSK-W-17-1166	405.03	Lynx 4	1182.0	453621	5435638	132	-59	918.5	924.7	6.2	80.8	34.9
OSK-W-17-1166	405.03	Lynx 4	1182.0	453621	5435638	132	-59	973.0	976.1	3.1	72.8	100
OSK-W-17-1166-W1	405.03	TBD - Lynx corridor	1516.1	453621	5435638	132	-59	662.0	665.0	3.0	3.32	
OSK-W-17-1166-W1	405.03	TBD - Lynx corridor	1516.1	453621	5435638	132	-59	676.3	682.0	5.7	3.13	
OSK-W-17-1166-W1	405.03	Lynx 1	1516.1	453621	5435638	132	-59	799.0	801.0	2.0	3.32	
OSK-W-17-1166-W1	405.03	Lynx 4	1516.1	453621	5435638	132	-59	997.7	1005.5	8.0	19.9	12.5
OSK-W-17-1166-W1	405.03	Lynx 4	1516.1	453621	5435638	132	-59	1005.4	1007.7	0.3	32.7	100
OSK-W-17-1166-W1	405.03	Lynx 4	1516.1	453621	5435638	132	-59	1012.0	1014.1	2.1	15.0	
OSK-W-17-1166-W1	405.03	Lynx 4	1516.1	453621	5435638	132	-59	1017.0	1019.9	5.9	415	69.6
								1027.0	1027.8	0.8	98.8	
								1028.4	1029.3	0.9	1870	100
								1028.3	1030.3	0.9	126	100
								1028.3	1032.0	0.7	273	100
								1032.0	1033.9	0.9	433	100
OSK-W-17-1166-W2	405.03	Vain	1197.0	453621	5435638	132	-59	1048.6	1050.8	2.0	1.86	100
OSK-W-17-1166-W2	405.03	Vain	1197.0	453621	5435638	132	-59	1140.0	1142.0	2.0	3.39	
OSK-W-17-1166-W3	405.03	Lynx	1551.0	453621	5435638	132	-59	661.0	664.8	3.8	6.38	
OSK-W-17-1166-W3	405.03	VNCR	1551.0	453621	5435638	132	-59	963.5	964.8	1.3	34.3	
OSK-W-17-1166-W3	405.03	QTV	1551.0	453621	5435638	132	-59	969.4	944.0	2.6	4.23	
OSK-W-17-1166-W3	405.03	Lynx 6	1551.0	453621	5435638	132	-59	969.4	971.5	2.1	6.63	
OSK-W-17-1166-W3	405.03	Lynx 6	1551.0	453621	5435638	132	-59	969.4	970.0	0.6	16.1	
OSK-W-17-1166-W3	405.03	Lynx 6	1551.0	453621	5435638	132	-59	1267.0	1269.1	2.1	6.96	
OSK-W-17-1166-W3	405.03	Lynx 6	1551.0	453621	5435638	132	-59	1267.5	1268.2	0.7	16.6	
OSK-W-17-1166-W3	405.03	Lynx 6	1551.0	453621	5435638	132	-59	1341.0	1343.0	2.0	4.06	
OSK-W-17-1166-W3	405.03	Lynx 6	1551.0	453621	5435638	132	-59	1385.0	1387.0	2.0	6.26	
OSK-W-17-1166-W4	405.03	TBD - Lynx corridor	1551.0	453621	5435638	132	-59	1393.0	1386.3	0.3	41.3	
OSK-W-17-1166-W4	405.03	Lynx 4	1413.0	453621	5435638	132	-59	1477.0	1479.0	2.0	4.05	
OSK-W-17-1166-W4	405.03	Lynx 4	1413.0	453621	5435638	132	-59	1477.0	1477.4	0.4	16.8	
OSK-W-17-1166-W4	405.03	Lynx 4	1413.0	453621	5435638	132	-59	672.0	674.0	2.0	11.1	
OSK-W-17-1166-W4	405.03	Lynx 4	1413.0	453621	5435638	132	-59	1065.0	1063.0	2.0	3.33	
OSK-W-17-1166-W4	405.03	Lynx 4	1413.0	453621	5435638	132	-59	1078.7	1084.9	4.8	37.4	
OSK-W-19-1166-W5	405.03	Lynx	1155.0	453621	5435638	132	-59	670.0	677.0	2.0	6.58	
OSK-W-19-1166-W5	405.03	Lynx	1155.0	453621	5435638	132	-59	679.9	683.0	3.1	10.3	
OSK-W-19-1166-W5	405.03	Lynx 3B0	1137.0	453621	5435638	132	-59	938.2	941.1	2.9	7.35	
OSK-W-19-1166-W5	405.03	Lynx 3B0	1137.0	453621	5435638	132	-59	940.2	940.6	0.4	50.6	
OSK-W-19-1166-W5	405.03	Lynx 3B0	1137.0	453621	5435638	132	-59	965.5	962.9	2.4	49.4	28.9
OSK-W-17-1168	396.75	Lynx 3	717.0	453464	5435089	329	-57	213.0	217.0	4.0	6.05	
OSK-W-17-1168	396.75	VNCR	717.0	453464	5435089	329	-57	216.0	217.0	1.0	14.5	
OSK-W-17-1168	396.75	VNCR	717.0	453464	5435089	329	-57	503.6	506.6	2.4	265	13.3
OSK-W-17-1168	396.75	VNCR	717.0	453464	5435089	329	-57	504.3	505.6	2.2	2180	100
OSK-W-17-1169	405.57	Lynx 2	1437.0	453332	5435467	129	-55	546.0	546.6	0.6	15.4	
OSK-W-17-1169	405.57	Lynx 2	1437.0	453332	5435467	129	-55	573.0	576.5	3.5	4.23	
OSK-W-17-1169	405.57	Lynx 1	1437.0	453332	5435467	129	-55	575.6	576.5	0.9	32.6	
OSK-W-17-1169	405.57	Lynx corridor	1437.0	453332	5435467	129	-55	624.0	627.0	3.0	9.25	
OSK-W-17-1169	405.57	Lynx corridor	1437.0	453332	5435467	129	-55	625.5	627.0	1.5	19.4	
OSK-W-17-1169	405.57	Lynx corridor	1437.0	453332	5435467	129	-55	761.0	763.0	2.0	479	30.3
OSK-W-17-1169	405.57	QTV	1437.0	453332	5435467	129	-55	761.9	762.5	0.6	1595	100
OSK-W-17-1169	405.57	Lynx 4	1437.0	453332	5435467	129	-55	874.0	876.0	2.0	5.13	
OSK-W-17-1169	405.57	Lynx 4	1437.0	453332	5435467	129	-55	874.4	875.0	0.6	17.0	
OSK-W-17-1169	405.57	Lynx 4	1437.0	453332	5435467	129	-55	1037.7	1040.1	2.4	7.14	
OSK-W-17-1169	405.57	Lynx 4	1437.0	453332	5435467	129	-55	1039.7	1040.1	0.4	21.8	
OSK-W-17-1169	405.57	Lynx 4	1437.0	453332	5435467	129	-55	1106.2	1108.5	4.3	21.2	
OSK-W-17-1169	405.57	Lynx 5	1437.0	453332	5435467	129	-55	1107.5	1109.5	1.0	42.4	
OSK-W-17-1169	405.57	Lynx 5	1437.0	453332	5435467	129	-55	1198.1	1201.6	3.5	2.07	
OSK-W-18-1169-W1	405.57	Lynx 2	1301.0	453332	5435467	129	-55	564.0	566.1	2.1	7.84	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 ft
OSK-W-18-1609-W1	405.57	Lynx 4	1301.0	453332	5435467	129	-55	888.0	890.0	2.0	7.69	
		inclu/sing						889.2	889.6	0.4	31.6	
OSK-W-18-1609-W2	405.57	Lynx 4	1155.0	453332	5435467	129	-55	925.1	930.6	2.5	118	49.7
		inclu/sing						908.4	909.0	0.6	386	
OSK-W-18-1609-W3	405.57	Lynx 4	1155.0	453332	5435467	129	-55	908.0	927.0	2.0	4.09	
OSK-W-18-1609-W4	405.57	Lynx 4	1155.0	453332	5435467	129	-55	1082.0	1084.0	2.0	85.1	46.9
		inclu/sing						1082.3	1083.2	0.9	185	100
OSK-W-19-1609-W1	405.57	Lynx 320	1266.0	453332	5435467	129	-55	570.9	573.1	2.2	9.47	
		inclu/sing						570.9	573.1	0.4	32.5	
OSK-W-19-1609-W3	405.57	Lynx HW	1266.0	453332	5435467	129	-55	616.0	618.0	2.0	7.62	
		inclu/sing						616.3	616.9	0.6	25.3	
OSK-W-19-1609-W5	405.57	Lynx 313	1266.0	453332	5435467	129	-55	1024.0	1031.2	7.2	25.3	18.8
		inclu/sing						1029.0	1029.9	0.9	136	100
OSK-W-19-1609-W3	405.57	Lynx 313	1266.0	453332	5435467	129	-55	1048.3	1053.2	4.9	9.02	
		inclu/sing						1052.0	1052.5	0.5	51.1	
OSK-W-17-1170	409.35	VNCR	594.0	452877	5435047	154	-49	63.3	66.0	2.7	4.87	
OSK-W-17-1170	409.35	VNCR	594.0	452877	5435047	154	-49	232.0	234.0	2.0	4.22	
OSK-W-17-1170	409.35	Vein	594.0	452877	5435047	154	-49	417.0	420.0	2.0	3.21	
		inclu/sing						417.0	417.5	0.5	12.3	
OSK-W-17-1172	409.16	Z27	207.0	452022	5434797	144	-49	136.5	141.0	4.5	94.3	27.4
		inclu/sing						136.5	137.0	0.5	44.1	
								140.0	141.0	1.0	131	100
OSK-W-17-1177	396.05	Lynx 1	1422.0	454113	5435088	340	-67	571.0	576.5	5.5	16.0	
		inclu/sing						572.2	579.0	0.8	97.6	
OSK-W-17-1177	396.05	Lynx 1	1422.0	454113	5435088	340	-67	575.0	577.0	2.0	3.21	
OSK-W-17-1177	396.05	TBD - Lynx corridor	1422.0	454113	5435088	340	-67	764.0	766.4	2.4	22.9	
		inclu/sing						765.3	765.0	0.3	76.0	
OSK-W-17-1177	396.05	Caribou extension	1422.0	454113	5435088	340	-67	1353.1	1356.5	3.4	7.86	
		inclu/sing						1354.1	1355.1	1.0	17.1	
OSK-W-17-1178	409.1	Bolbec	411.0	452919	5435012	330	-63	78.0	80.1	2.1	5.89	
		inclu/sing						79.5	80.1	0.6	17.5	
OSK-W-17-1179	405.16	Underdog	777.0	451561	5434975	332	-57	742.8	745.5	2.7	4.56	
		inclu/sing						742.8	743.7	0.9	11.6	
OSK-W-17-1180	398.91	Z27	189.0	452067	5434618	322	-45	71.0	74.0	3.0	5.04	
OSK-W-17-1180	398.91	Z27	189.0	452067	5434618	322	-45	80.0	85.0	5.0	18.0	
		inclu/sing						80.9	85.9	1.0	49.6	
OSK-W-17-1180	398.91	Z27	189.0	452067	5434618	322	-45	142.3	146.0	3.7	3.98	
OSK-W-17-1180	398.91	Z27	189.0	452067	5434618	322	-45	156.5	158.7	2.2	3.47	
OSK-W-17-1181	401.19	Lynx 4	1082.0	453780	5435790	133	-58	933.5	936.0	2.5	4.46	
		inclu/sing						934.3	935.1	0.8	12.7	
OSK-W-17-1181-W1	401.19	Lynx 1	1395.0	453780	5435790	133	-58	929.0	933.3	2.4	27.9	25.6
		inclu/sing						929.5	932.1	0.6	120	100
OSK-W-17-1181-W1	401.19	Lynx 4	1395.0	453780	5435790	133	-58	1030.0	1032.3	2.3	14.4	
		inclu/sing						1031.1	1031.7	0.6	48.2	
OSK-W-17-1181-W1	401.19	Lynx 4	1395.0	453780	5435790	133	-58	1040.5	1042.6	2.1	4.66	
		inclu/sing						1041.0	1041.8	0.8	12.3	
OSK-W-19-1181-W12	401.19	Lynx 4	1371.0	453780	5435790	133	-58	1129.0	1133.2	4.2	5.03	
		inclu/sing						1129.0	1130.0	1.0	10.2	
OSK-W-19-1181-W12	401.19	Lynx 330	1371.0	453780	5435790	133	-58	1137.0	1139.0	2.0	3.55	
OSK-W-19-1181-W12	401.19	Lynx 4	1371.0	453780	5435790	133	-58	1149.0	1153.0	2.0	12.2	
		inclu/sing						1150.0	1150.7	0.7	32.0	
OSK-W-19-1181-W12	401.19	Lynx 317	1371.0	453780	5435790	133	-58	1158.4	1166.0	7.6	16.5	
		inclu/sing						1159.4	1161.9	2.5	37.5	
OSK-W-19-1181-W12	401.19	Lynx 317	1371.0	453780	5435790	133	-58	1171.0	1174.0	3.0	94.6	48.9
		inclu/sing						1171.0	1172.0	1.0	237	100
OSK-W-19-1181-W12	401.19	Lynx 317	1371.0	453780	5435790	133	-58	1185.0	1187.3	2.3	4.27	
OSK-W-19-1181-W12	401.19	Lynx 317	1371.0	453780	5435790	133	-58	1189.2	1192.0	2.8	1.79	100
OSK-W-17-1183-W2	401.19	Lynx 1	1158.0	453780	5435790	133	-58	909.0	915.0	6.0	5.92	
OSK-W-17-1183-W2	401.19	Lynx 4	1158.0	453780	5435790	133	-58	938.0	942.0	4.0	4.60	
OSK-W-17-1183-W2	401.19	Lynx 4	1158.0	453780	5435790	133	-58	949.0	954.0	5.0	10.5	
		inclu/sing						949.5	950.0	0.5	59.5	
OSK-W-17-1183-W3	401.19	Lynx 4	1158.0	453780	5435790	133	-58	961.1	963.2	2.1	41.0	
OSK-W-17-1183-W3	401.19	Lynx 4	1247.0	453780	5435790	133	-58	1097.5	1103.0	3.5	5.31	
OSK-W-17-1183-W3	401.19	Lynx 4	1247.0	453780	5435790	133	-58	1113.7	1116.6	2.9	6.21	
OSK-W-19-1183-W5	401.19	Lynx 317	1115.0	453780	5435790	133	-58	991.7	993.3	2.2	19.6	
		inclu/sing						993.4	993.9	0.5	74.2	
OSK-W-19-1183-W5	401.19	Lynx 4	1115.0	453780	5435790	133	-58	997.2	999.2	2.0	6.50	
		inclu/sing						998.2	999.2	1.0	12.2	
OSK-W-19-1183-W6	401.19	Lynx 330	1115.0	453780	5435790	133	-58	1005.0	1009.7	4.7	13.4	
		inclu/sing						1006.2	1007.0	0.8	47.7	
OSK-W-19-1183-W6	401.19	Lynx 317	1080.0	453780	5435790	133	-58	925.0	927.3	2.3	10.0	
		inclu/sing						925.4	926.1	0.7	30.8	
OSK-W-19-1183-W6	401.19	Lynx 317	1080.0	453780	5435790	133	-58	981.1	983.1	2.0	13.4	
		inclu/sing						981.2	983.1	0.9	21.8	
OSK-W-19-1183-W7	401.19	Lynx 4	1113.0	453780	5435790	133	-58	965.2	967.6	2.4	7.93	
OSK-W-19-1183-W7	401.19	Lynx 4	1113.0	453780	5435790	133	-58	997.0	999.0	2.0	5.52	
		inclu/sing						997.8	998.7	0.9	12.2	
OSK-W-19-1183-W7	401.19	Lynx 317	1113.0	453780	5435790	133	-58	1018.9	1024.0	5.1	75.8	19.6
		inclu/sing						1042.3	1042.9	0.6	478	100
OSK-W-19-1183-W7	401.19	Lynx 317	1113.0	453780	5435790	133	-58	1088.6	1091.0	2.4	61.1	12.6
		inclu/sing						1089.0	1089.3	0.3	488	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) (report)	Au (g/t) cut to 100 g/t
OSK-W-19-1181-WB	401.19	Lynx 324	1035.0	453789	5435790	133	-58	879.8	882.0	2.2	20.5	
			including					879.8	880.4	0.6	54.2	
OSK-W-19-1181-WB	401.19	Lynx 334	1035.0	453789	5435790	133	-58	910.3	912.6	2.3	8.31	
			including					911.0	911.6	0.6	38.3	
OSK-W-19-1181-WB	401.19	Lynx 317	1035.0	453789	5435790	133	-58	933.7	936.0	2.3	13.1	
			including					934.7	935.3	0.6	34.2	
OSK-W-19-1181-WB	401.19	Lynx 324	1057.8	453789	5435790	133	-58	907.9	910.1	2.2	25.4	
			including					907.9	908.7	0.8	68.8	
OSK-W-19-1181-WB	401.19	Lynx 317	1057.8	453789	5435790	133	-58	952.4	955.0	2.6	48.7	28.3
			including					953.4	954.1	0.7	174	100
OSK-W-17-1184	398.77	Z27 HW	210.0	452068	5434617	320	-51	50.0	52.0	2.0	4.21	
			including					50.5	51.0	0.5	16.8	
OSK-W-17-1184	398.77	Z27	210.0	452068	5434617	320	-51	113.8	119.7	5.9	19.0	15.1
			including					115.4	117.0	0.6	139	100
OSK-W-17-1184	398.77	Z27	210.0	452068	5434617	320	-51	164.9	167.5	2.6	4.64	
			including					166.6	167.5	0.9	13.0	
OSK-W-17-1185	409.84	Z27 corridor	342.0	452904	5435022	334	-47	246.7	249.5	2.8	3.61	
			including					248.6	249.5	0.9	10.4	
OSK-W-17-1186	398.75	Caribou	984.0	452417	5434558	331	-54	228.0	237.0	9.0	5.38	
			including					229.1	229.6	0.5	28.4	
			including					236.0	237.0	1.0	23.6	
OSK-W-17-1186	398.75	CN2	984.0	452417	5434558	331	-54	407.5	410.5	3.0	32.3	
			including					407.5	409.0	1.5	34.4	
OSK-W-17-1186	398.75	Z27 HW	984.0	452417	5434558	331	-54	502.0	504.5	2.5	3.49	
			including					502.0	503.0	1.0	8.61	
OSK-W-17-1186	398.75	Z27	984.0	452417	5434558	331	-54	521.5	524.4	2.9	33.1	
			including					523.0	524.0	1.0	87.8	
OSK-W-17-1186	398.75	Underdog	984.0	452417	5434558	331	-54	770.0	772.0	2.0	18.0	15.3
			including					771.0	771.3	0.3	15.8	100
OSK-W-17-1186	398.75	FW3U	984.0	452417	5434558	331	-54	863.0	866.0	3.0	15.7	
			including					863.0	865.6	1.6	27.5	
OSK-W-17-1187	398.1	Lynx 3	477.0	453441	5435025	333	-55	244.0	246.7	2.7	3.43	
			including					95.2	101.8	2.6	16.8	
OSK-W-17-1188	398.77	Z27	201.0	452068	5434616	318	-57	100.2	100.8	0.6	67.9	
			including					147.5	149.9	2.4	3.09	
OSK-W-17-1188	398.77	Z27	201.0	452068	5434616	318	-57	148.9	149.9	1.0	6.97	
			including					167.8	169.8	2.0	3.28	
OSK-W-17-1189	397.21	Caribou	1005.0	452946	5434561	335	-47	717.5	723.7	6.2	5.68	
			including					718.5	719.0	0.5	49.8	
OSK-W-17-1190	411.67	Lynx 1 SW	1179.0	452905	5435152	351	-49	430.0	432.0	2.0	5.91	
			including					430.6	431.6	1.0	11.6	
OSK-W-17-1190	411.67	Lynx 4 Corridor	1179.0	452905	5435152	351	-49	538.6	541.1	2.5	11.0	
			including					548.0	552.0	4.0	16.9	
OSK-W-17-1190	411.67	Lynx 5	1179.0	452905	5435152	351	-49	549.0	549.7	0.7	57.2	
			including					762.3	764.4	2.1	6.03	
OSK-W-17-1190	411.67	Lynx 5	1179.0	452905	5435152	351	-49	798.0	808.0	6.0	4.09	
			including					801.7	804.0	2.3	5.08	
OSK-W-17-1190	411.67	Lynx 6	1179.0	452905	5435152	351	-49	998.0	1000.0	2.0	13.6	
			including					255.0	257.0	2.0	13.9	
OSK-W-17-1191	398.86	Z27	255.0	452068	5434616	315	-69	194.2	197.0	2.8	61.4	
			including					194.2	194.8	0.6	61.4	
OSK-W-17-1191	398.86	Z27	255.0	452068	5434616	315	-69	200.5	202.6	2.1	7.46	
			including					201.5	202.6	1.1	13.9	
OSK-W-17-1191	398.86	Z27 FW	255.0	452068	5434616	315	-69	235.4	237.5	2.1	218	34.6
			including					236.8	237.5	0.7	690	500.0
OSK-W-17-1193	400.47	Lynx 4	1803.0	453807	5435721	141	-59	971.3	979.0	7.7	28.3	24.9
			including					971.3	974.4	3.1	66.5	58.1
OSK-W-17-1193	400.47	Lynx 4	1803.0	453807	5435721	141	-59	979.0	981.8	2.8	4.48	
			including					1659.8	1662.0	2.2	5.86	
OSK-W-17-1193	400.47	Vain	1803.0	453807	5435721	141	-59	1659.8	1660.0	0.2	15.5	
			including					1682.0	1684.0	2.0	11.0	
OSK-W-17-1193	400.47	Vain	1803.0	453807	5435721	141	-59	1682.0	1684.0	0.6	33.6	
			including					1682.5	1683.1	0.6	33.6	
OSK-W-17-1193-W1	400.47	WNCR	1320.0	453807	5435721	141	-59	947.6	952.0	4.4	14.8	
			including					947.6	948.1	0.5	27.7	
			including					969.5	971.6	1.8	46.1	
OSK-W-19-1193-W2	400.47	Lynx 334	1095.0	453807	5435721	141	-59	928.2	930.5	2.3	73.6	30.6
			including					928.6	929.2	0.6	265	100
OSK-W-19-1193-W2	400.47	Lynx 330	1095.0	453807	5435721	141	-59	996.5	999.8	3.3	491	59.9
			including					998.0	998.8	0.8	3625	100
OSK-W-17-1194	403.21	No name	375.0	452265	5434915	332	-53	325.5	321.4	4.9	8.12	
			including					325.5	325.1	0.6	23.8	
OSK-W-17-1196	398.87	Z27	210.0	452067	5434618	310	-59	155.5	158.0	2.5	3.8	
			including					185.0	187.0	2.0	15.7	
OSK-W-17-1196	398.87	Z27 FW	210.0	452067	5434618	310	-59	186.6	187.0	0.4	22.5	
			including					186.9	184.4	2.5	34.7	
OSK-W-17-1198	398.79	Z27	261.0	452067	5434618	306	-63	186.9	188.1	1.2	12.6	
			including					172.1	174.1	2.0	3.68	
OSK-W-17-1199	398.79	Lynx 3	672.0	453418	5435070	333	-53	245.1	248.0	2.9	3.00	
			including					247.1	248.0	0.9	8.24	
OSK-W-17-1200	405.97	New zone	264.0	452147	5434925	332	-46	544.8	537.0	2.2	87.1	
			including					544.8	555.6	0.8	23.2	
OSK-W-17-1202	396.67	Caribou extension	932.0	452975	5434580	328	-52	858.3	855.0	3.3	10.1	
			including					849.3	855.0	5.7	20.2	



Windfall Lake Gold Project
 Quebec, Canada
 Assay Results
 Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g) cut to 100 g/t
OSK-W-17-1203	400.85	Z27	372.0	452276	5434867	333	-53	27.9	30.0	2.1	1.28	42.9
								27.9	28.8	0.9	298	100
OSK-W-17-1203	400.85	Malard	372.0	452276	5434867	333	-53	269.0	272.0	3.0	6.76	
								276.3	230.7	0.5	31.7	
OSK-W-17-1204	397.28	Line 2	615.0	453093	5434875	338	-61	241.5	243.6	2.1	3.36	
OSK-W-17-1204	397.28	Caribou corridor	615.0	453093	5434875	338	-61	472.1	474.3	2.2	3.20	
OSK-W-17-1207	405.91	Drake	267.0	452147	5434924	334	-57	8.0	10.3	2.3	5.94	
								8.0	8.8	0.8	34.3	
OSK-W-17-1207	405.91	Malard	267.0	452147	5434924	334	-57	147.7	149.7	2.0	6.37	
OSK-W-17-1207	405.91	Malard	267.0	452147	5434924	334	-57	182.6	184.9	2.3	3.35	
OSK-W-17-1208	404.12	Vein	518.5	451612	5434443	331	-56	440.0	442.0	2.0	3.21	
								441.0	442.0	1.0	6.43	
OSK-W-17-1209	406.05	FW4	420.0	451455	5434452	331	-60	236.4	237.1	0.7	17.2	
								236.4	237.1	0.7	17.2	
OSK-W-17-1210	407.94	Caribou extension	317.6	453010	5430552	334	-51	209.5	211.6	2.1	4.26	
OSK-W-17-1212	402.44	Malard	324.0	452304	5434915	330	-62	217.0	217.0	2.0	6.87	
								216.0	217.0	1.0	31.7	
OSK-W-17-1215	401.75	New zone	300.0	450983	5434013	339	-58	305.0	307.9	2.0	4.11	
OSK-W-17-1217	399.56	No name	133.0	451885	5434797	331	-50	14.9	17.1	2.2	5.42	
								15.6	16.4	0.8	14.4	
OSK-W-17-1218	404.91	VNCR	405.0	453003	5435008	327	-62	27.0	29.0	2.0	3.99	
OSK-W-17-1218	404.91	Bobcat	405.0	453003	5435008	327	-62	189.0	191.5	2.5	4.46	
OSK-W-17-1218	404.91	Caribou extension	405.0	453003	5435008	327	-62	384.0	385.0	0.8	6.88	
								385.3	385.6	0.3	28.7	
OSK-W-17-1220	406.77	Z27	303.0	452026	5434808	341	-47	179.4	180.0	2.6	12.3	
								180.2	181.1	0.9	29.7	
OSK-W-17-1220	406.77	Z27	303.0	452026	5434808	341	-47	107.7	109.0	4.3	4.68	
OSK-W-17-1221	396.54	Caribou corridor	1079.0	453083	5434541	335	-51	707.4	709.4	2.0	7.38	
								707.4	708.0	0.6	23.7	
OSK-W-17-1221	396.54	Caribou corridor	1079.0	453083	5434541	335	-51	715.8	719.7	3.9	3.45	
OSK-W-17-1221	396.54	Vein	1079.0	453083	5434541	335	-51	771.0	773.0	2.0	4.61	
								771.0	771.8	0.8	15.6	
OSK-W-17-1224	402.35	Malard 2	402.0	452304	5434914	333	-70	70.3	70.1	0.4	3.8	
								72.7	73.1	0.4	44.2	
OSK-W-17-1224	402.35	Malard	402.0	452304	5434914	333	-70	371.0	373.4	2.4	3.12	
OSK-W-17-1225	403.79	New zone	252.0	452041	5434770	335	-48	9.0	12.3	3.3	5.77	
OSK-W-17-1225	403.79	Malard HW	252.0	452041	5434770	335	-48	201.3	205.6	2.3	8.56	
								201.3	200.0	0.7	30.3	
OSK-W-17-1225	403.79	Malard	252.0	452041	5434770	335	-48	245.2	247.5	2.3	20.5	
								245.2	246.4	1.2	39.1	
OSK-W-17-1226	395.95	Caribou extension	934.3	453371	5434727	331	-51	662.0	664.0	2.0	31.5	
								662.6	663.5	0.9	24.4	
OSK-W-17-1226	395.95	Caribou extension	934.3	453371	5434727	331	-51	673.0	675.0	2.0	10.4	
								673.0	674.0	1.0	20.3	
OSK-W-17-1226	395.95	Caribou corridor	934.3	453371	5434727	331	-51	717.0	721.6	4.6	8.29	
								717.8	718.3	0.5	18.1	
								726.0	721.6	3.6	11.2	
OSK-W-17-1226	395.95	Caribou extension	934.3	453371	5434727	331	-51	743.4	746.2	2.8	3.43	
								743.4	744.0	0.6	8.96	
OSK-W-17-1226	395.95	Caribou extension	934.3	453371	5434727	331	-51	765.0	767.0	2.0	3.78	
								765.0	765.6	0.6	11.6	
OSK-W-17-1226	395.95	Caribou extension	934.3	453371	5434727	331	-51	823.8	826.0	2.2	6.57	
								823.8	825.0	1.2	12.0	
OSK-W-17-1226	395.95	CN2	934.3	453371	5434727	331	-51	852.7	855.0	2.3	3.47	
OSK-W-17-1227	396.08	Vein	1164.0	453290	5434533	329	-50	419.9	422.0	2.1	4.37	
								420.4	421.1	0.7	12.9	
OSK-W-17-1227	396.08	T80	1164.0	453290	5434533	329	-50	619.0	621.0	2.0	3.62	
OSK-W-17-1227	396.08	Wolf extension	1164.0	453290	5434533	329	-50	926.0	929.4	3.4	6.56	
								926.0	927.0	1.0	15.8	
OSK-W-17-1227	396.08	Wolf extension	1164.0	453290	5434533	329	-50	862.0	864.0	2.0	10.5	
								869.0	871.0	2.0	4.93	
OSK-W-17-1228	405.22	Vein	657.0	451442	5434482	328	-59	50.7	53.0	2.3	7.59	
OSK-W-17-1228	405.22	FW4	657.0	451442	5434482	328	-59	164.9	168.6	3.7	0.36	
OSK-W-17-1232	408.83	Z27	351.0	452024	5434834	334	-47	149.0	151.5	2.5	5.50	
OSK-W-17-1232	408.83	Z27	351.0	452024	5434834	334	-47	183.0	186.0	3.0	3.90	
OSK-W-17-1232	408.83	Z27	351.0	452024	5434834	334	-47	206.0	208.0	2.0	27.2	
OSK-W-17-1232	408.83	Vein	351.0	452024	5434834	334	-47	331.0	333.0	2.0	4.70	
OSK-W-17-1233	405.5	No name	228.0	452040	5434839	333	-53	39.9	42.7	2.8	3.7	
								40.5	41.6	1.1	81.3	
OSK-W-17-1237	397.19	Caribou extension	903.6	452946	5434560	330	-49	550.0	553.0	2.0	3.38	
OSK-W-17-1237	397.19	Caribou extension	903.6	452946	5434560	330	-49	563.0	565.0	2.0	3.75	
OSK-W-17-1237	397.19	Caribou extension	903.6	452946	5434560	330	-49	583.0	588.0	2.0	3.11	
OSK-W-17-1239	398.67	Caribou	939.0	452417	5434558	326	-53	226.0	228.0	2.0	4.11	
OSK-W-17-1239	398.67	Caribou corridor	939.0	452417	5434558	326	-53	255.2	258.0	2.8	19.4	
OSK-W-17-1239	398.67	Z27	939.0	452417	5434558	326	-53	395.0	399.0	2.0	33.2	29.5
								399.0	390.5	0.5	115	100
OSK-W-17-1239	398.67	FW3U HW	939.0	452417	5434558	326	-53	728.0	730.0	2.0	20.4	
OSK-W-17-1239	398.67	FW3U HW	939.0	452417	5434558	326	-53	759.0	761.0	2.0	5.40	
								759.0	760.0	1.0	10.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) (gross)	Au (g/t) cut to 100 g/t
OSK-W-17-1241	417.25	Caribou corridor	282.0	452948	5435107	130	-45	22.0	25.5	3.5	8.11	
			including					24.6	25.5	0.9	17.9	
OSK-W-17-1242	399.04	Lynx 4	1206.0	453571	5435489	144	-58	820.0	822.5	2.5	3.68	
			including					821.3	822.1	0.8	9.25	
OSK-W-17-1242	399.04	Lynx 4	1206.0	453571	5435489	144	-58	870.0	873.0	2.0	4.38	
			including					871.7	872.2	0.5	15.3	
OSK-W-17-1242	399.04	Lynx 4	1206.0	453571	5435489	144	-58	1032.0	1034.5	2.5	43.8	12.3
			including					1034.2	1034.9	0.7	392	100
OSK-W-17-1243-W1	399.04	Lynx 4	1008.0	453571	5435489	144	-58	943.0	945.0	2.0	2.64	
OSK-W-17-1243-W2	399.04	Lynx HW	1130.0	453571	5435489	144	-58	601.0	603.0	2.0	7.38	
			including					602.1	603.0	0.9	13.2	
OSK-W-17-1243	402.84	Z27	189.0	452062	5434778	146	-49	99.6	101.6	2.0	5.23	
			including					101.0	101.6	0.6	21.6	
OSK-W-17-1246	398.79	Z27 HW	191.0	452083	5434636	324	-50	34.5	39.9	5.4	5.62	
OSK-W-17-1246	398.79	Z27	191.0	452083	5434636	324	-50	175.2	182.0	6.8	2.43	
OSK-W-17-1247	405.39	New zone	687.0	451015	5433924	330	-46	326.0	329.0	3.0	3.00	
OSK-W-17-1251	408.09	Bobcat	372.0	452890	5434987	326	-60	24.0	25.0	1.0	21.0	
			including					55.0	58.0	1.0	12.3	
OSK-W-17-1251	408.09	Bobcat	372.0	452890	5434987	326	-60	192.0	195.0	3.0	4.11	
			including					193.4	193.7	0.3	40.2	
OSK-W-17-1252	406.03	Maillard	231.0	452131	5434945	324	-46	8.8	11.6	2.8	0.34	
OSK-W-17-1252	406.03	Maillard	231.0	452131	5434945	324	-46	18.5	21.0	2.5	3.25	
			including					19.3	20.3	1.0	0.74	
OSK-W-17-1252	406.03	New zone	231.0	452131	5434945	324	-46	168.0	170.0	2.0	8.38	
			including					168.0	169.0	1.0	36.7	
OSK-W-17-1253	398.79	Z27	186.0	452083	5434636	332	-52	42.8	47.9	4.3	4.88	
OSK-W-17-1253	398.79	Z27	186.0	452083	5434636	332	-52	156.0	159.0	3.0	3.68	
OSK-W-17-1255	417.32	Bobcat	276.0	452947	5435107	130	-65	56.0	161.6	5.6	14.1	
			including					156.6	159.5	2.9	21.1	
OSK-W-17-1256	399.84	Maillard	372.0	452254	5434813	334	-50	315.0	317.2	2.2	3.11	
OSK-W-17-1257	398.79	Z27	250.0	452083	5434636	322	-71	155.5	157.6	2.1	7.69	
			including					156.2	156.5	0.3	44.0	
OSK-W-17-1257	398.79	Z27	250.0	452083	5434636	322	-71	161.0	163.3	2.3	3.35	
			including					163.0	163.3	0.3	17.2	
OSK-W-17-1257	398.79	Z27	250.0	452083	5434636	322	-71	172.0	174.0	2.0	15.4	
			including					172.0	173.0	1.0	89.1	
OSK-W-17-1258	415.69	Lynx 539	1128.0	452972	5435211	126	-51	381.2	383.5	2.3	3.54	
OSK-W-17-1258	415.69	Lynx	1128.0	452972	5435211	126	-51	401.0	403.8	2.8	3.02	
			including					403.1	403.8	0.7	12.0	
OSK-W-17-1258	415.69	Lynx	1128.0	452972	5435211	126	-51	603.6	606.0	2.4	35.2	
			including					603.8	604.2	0.4	50.5	
OSK-W-17-1258	415.69	Lynx 4	1128.0	452972	5435211	126	-51	971.7	973.7	2.0	3.33	
			including					971.7	972.7	1.0	6.56	
OSK-W-17-1258	415.69	Lynx 4	1128.0	452972	5435211	126	-51	1034.3	1033.1	8.8	0.72	
			including					1026.3	1031.3	5.0	49.6	
OSK-W-17-1258	415.69	Lynx 4	1128.0	452972	5435211	126	-51	1038.8	1033.1	2.1	5.88	
			including					1033.4	1031.9	0.5	25.8	
OSK-W-17-1259	405.91	FW4	414.0	451523	5434374	332	-54	364.0	366.0	2.0	38.7	
			including					365.0	366.0	1.0	77.1	
OSK-W-17-1260	397	Z27 S	870.0	452865	5434568	329	-49	739.0	741.0	2.0	4.37	
OSK-W-17-1260	397	Z27	870.0	452865	5434568	329	-49	830.0	832.0	2.0	3.36	
OSK-W-17-1264	398.74	Z27 HW	252.0	452084	5434636	332	-73	71.1	74.5	3.4	6.33	
			including					71.4	71.9	0.5	41.4	
OSK-W-17-1264	398.74	Z27	252.0	452084	5434636	332	-73	166.5	169.0	2.5	6.88	
			including					167.4	167.7	0.3	54.0	
OSK-W-17-1265	396.45	Lynx 4	1074.0	453083	5434539	334	-53	415.8	418.5	2.7	3.39	
OSK-W-17-1265	396.45	Caribou extension	1074.0	453083	5434539	334	-53	738.7	741.0	2.3	5.34	
OSK-W-17-1265	396.45	Z27	1074.0	453083	5434539	334	-53	940.8	942.8	2.0	13.0	
			including					941.2	942.0	0.8	26.7	
OSK-W-17-1267	407.14	Caribou	894.0	452839	5435005	332	-60	311.6	316.0	2.4	3.04	
OSK-W-17-1265	405.55	No name	372.0	452272	5435002	160	-58	83.0	85.0	2.0	5.51	
OSK-W-17-1268	405.55	Drake	372.0	452272	5435002	160	-58	161.0	163.0	2.0	9.39	
OSK-W-17-1268	405.55	Z27 FW	372.0	452272	5435002	160	-58	183.0	186.0	3.0	8.37	
			including					183.0	183.0	0.0	21.8	
OSK-W-17-1268	405.55	Z27	372.0	452272	5435002	160	-58	266.3	268.4	2.1	4.84	
			including					265.3	266.8	0.5	15.0	
OSK-W-17-1269	398.8	Z27 HW	201.0	452083	5434637	342	-70	69.5	72.0	2.5	3.30	
OSK-W-17-1269	398.8	Z27 HW	201.0	452083	5434637	342	-70	117.5	122.0	4.5	3.69	
			including					117.5	118.0	0.5	8.01	
OSK-W-17-1269	398.8	Z27	201.0	452083	5434637	342	-70	134.5	137.5	3.0	3.09	
OSK-W-17-1269	398.8	Z27	201.0	452083	5434637	342	-70	146.0	148.4	2.4	3.47	
OSK-W-17-1269	398.8	Z27	201.0	452083	5434637	342	-70	175.3	177.0	2.7	3.33	
			including					176.0	177.0	1.0	7.63	
OSK-W-17-1270	395.9	Caribou extension	1251.0	453371	5434727	328	-58	815.2	826.0	7.8	1.87	
OSK-W-17-1270	395.9	Vain	1251.0	453371	5434727	328	-58	956.0	959.0	2.9	7.34	
OSK-W-17-1272	412.18	Triple Lynx	1409.0	453246	5435535	127	-60	778.2	778.7	2.7	12.1	
			including					778.2	778.7	0.5	49.4	
OSK-W-17-1272	412.18	Triple Lynx	1409.0	453246	5435535	127	-60	843.7	845.7	2.0	3.80	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Ag (g/t)	Au (g/t) cut to 100 g/t
OSK-W-17-1272	412.18	Triple Lynx	1400.0	453246	5435535	127	-60	858.4	870.5	12.1	47.8		35.6
								858.4	865.1	6.7	63.5	54.3	
OSK-W-17-1272	412.18	Triple Lynx	1400.0	453246	5435535	127	-60	898.7	901.6	2.9	12.4		
								900.7	901.6	0.9	38.9		
OSK-W-17-1272	412.18	Triple Lynx	1400.0	453246	5435535	127	-60	970.5	973.7	3.2	3.44		
								1006.4	1010.8	4.4	34.1		
OSK-W-17-1272	412.18	Triple Lynx	1400.0	453246	5435535	127	-60	1008.7	1009.9	1.2	91.6		90.4
								1014.0	1016.0	2.0	38.3		
OSK-W-17-1272	412.18	Triple Lynx	1400.0	453246	5435535	127	-60	1014.0	1014.9	0.9	87.6		
								1311.3	1314.0	2.7	6.84		
OSK-W-17-1272	412.18	Triple Lynx	1400.0	453246	5435535	127	-60	1311.3	1312.0	0.7	21.8		
								762.2	774.9	12.7	72.3	40.1	
OSK-W-19-1272-W1	412.18	Triple Lynx	1101.4	453246	5435535	127	-60	768.2	768.8	0.6	48.8		100
OSK-W-19-1272-W1	412.18	Triple Lynx	1101.4	453246	5435535	127	-60	847.9	850.2	2.3	9.71		
OSK-W-19-1272-W2	412.18	Triple Lynx	1064.0	453246	5435535	127	-60	765.4	771.0	5.6	5.62		
OSK-W-19-1272-W2	412.18	Triple Lynx	1064.0	453246	5435535	127	-60	775.6	788.0	11.4	52.0		28.9
OSK-W-19-1272-W2	412.18	Triple Lynx	1064.0	453246	5435535	127	-60	785.6	788.0	2.5	164		100
OSK-W-19-1272-W2	412.18	Triple Lynx	1164.0	453246	5435535	127	-60	763.0	787.3	25.3	5.24		
OSK-W-19-1272-W3	412.18	Triple Lynx	1164.0	453246	5435535	127	-60	799.0	783.7	2.8	11.8		
								799.0	803.0	4.0	7.92		
OSK-W-19-1272-W4	412.18	Lynx 371	1070.0	453246	5435535	127	-60	763.5	772.0	8.5	8.56		
OSK-W-19-1272-W4	412.18	Lynx 361	1070.0	453246	5435535	127	-60	774.5	792.6	18.1	21.9		15.4
								780.0	780.4	0.4	392	100	
OSK-W-19-1272-W4	412.18	Lynx 361	1070.0	453246	5435535	127	-60	786.1	786.6	0.5	55.6		
								791.2	792.1	0.9	47.9		
OSK-W-19-1272-W4	412.18	Lynx 363	1070.0	453246	5435535	127	-60	839.9	840.6	0.7	36.9		26.4
								841.0	841.8	0.8	227	100	
OSK-W-19-1272-W4	412.18	Lynx 364	1070.0	453246	5435535	127	-60	848.0	849.0	1.0	61.0		
								884.0	886.6	2.6	12.0		
OSK-W-20-1272-W6	412.18	Lynx 371	1035.0	453246	5435535	127	-60	775.0	782.6	7.6	4.53		
								790.1	790.8	0.7	22.2		
OSK-W-20-1272-W6	412.18	Lynx 371	1035.0	453246	5435535	127	-60	797.0	799.1	2.1	7.56		
OSK-W-20-1272-W6	412.18	Lynx 361	1035.0	453246	5435535	127	-60	804.0	805.0	1.0	4.66		
OSK-W-20-1272-W6	412.18	Lynx 361	1035.0	453246	5435535	127	-60	809.6	812.0	2.4	5.94		
OSK-W-20-1272-W6	412.18	Lynx 361	1035.0	453246	5435535	127	-60	818.1	821.0	2.9	4.82		
OSK-W-20-1272-W6	412.18	Lynx 361	1035.0	453246	5435535	127	-60	823.0	825.0	2.0	3.28		
OSK-W-20-1272-W6	412.18	Lynx 361	1035.0	453246	5435535	127	-60	831.9	835.4	3.5	5.94		
OSK-W-20-1272-W6	412.18	Triple Lynx	1035.0	453246	5435535	127	-60	835.0	835.4	0.4	28.0		
								842.0	848.0	6.0	12.7		
OSK-W-20-1272-W6	412.18	Lynx 368	1035.0	453246	5435535	127	-60	853.0	856.0	3.0	4.36		
OSK-W-20-1272-W6	412.18	Lynx 368	1035.0	453246	5435535	127	-60	859.0	861.0	2.0	3.67		
OSK-W-20-1272-W6	412.18	Lynx 364	1035.0	453246	5435535	127	-60	898.0	900.0	2.0	10.2		
OSK-W-20-1272-W6	412.18	Lynx 364	1035.0	453246	5435535	127	-60	901.0	903.0	2.0	18.3		
								902.0	903.0	1.0	34.6		
OSK-W-20-1272-W6	412.18	Lynx 369	1035.0	453246	5435535	127	-60	958.0	960.0	2.0	7.54		
OSK-W-20-1272-W6	412.18	Lynx 370	1035.0	453246	5435535	127	-60	983.0	985.0	2.0	5.88		
OSK-W-20-1272-W6	412.18	Lynx 370	1035.0	453246	5435535	127	-60	990.0	992.0	2.0	4.33		
OSK-W-20-1272-W6	412.18	Triple Lynx	1035.0	453246	5435535	127	-60	997.8	1000.0	2.2	8.60		
OSK-W-17-1273	398.68	227 HW	225.0	452083	5434638	338	-66	543.9	537.0	2.1	4.05		
								155.9	158.0	2.1	6.72		
OSK-W-17-1273	398.68	227	225.0	452083	5434638	338	-66	157.1	158.0	0.9	14.1		
								164.5	167.0	2.5	16.6		
OSK-W-17-1273	398.68	227	225.0	452083	5434638	338	-66	165.7	166.2	0.5	80.9		
								171.0	173.2	2.2	29.2		
OSK-W-17-1273	398.68	227	225.0	452083	5434638	338	-66	171.0	172.0	1.0	63.0		
								205.7	208.3	2.6	12.4		
OSK-W-17-1275	402.92	Caribou	912.0	452500	5434591	331	-55	297.8	298.3	0.5	34.2		
OSK-W-17-1275	402.92	227	912.0	452500	5434591	331	-55	553.1	556.1	3.0	4.49		
								554.1	555.0	0.9	11.5		
OSK-W-17-1275	402.92	FW3U	912.0	452500	5434591	331	-55	844.0	849.0	5.0	76.5		99.9
								845.4	846.0	0.6	148	100	
OSK-W-17-1275	402.92	FW3U	912.0	452500	5434591	331	-55	845.9	847.8	1.9	150		100
								177.9	178.8	0.9	38.6		
OSK-W-17-1276	405.07	Mallard	312.0	452183	5434886	337	-48	195.6	197.6	2.0	13.3		
OSK-W-17-1276	405.07	Mallard	312.0	452183	5434886	337	-48	196.0	196.9	0.9	86.9		
								201.8	208.3	6.5	34.2		
OSK-W-17-1279	398.8	227	201.0	452084	5434636	342	-61	146.7	148.9	2.2	4.56		
OSK-W-17-1280	405.37	Caribou extension	466.7	452857	5434931	335	-57	309.8	377.2	2.9	3.19		
OSK-W-17-1281	400.54	Caribou corridor	936.0	452377	5434590	327	-55	264.0	266.2	2.2	3.24		
OSK-W-17-1281	400.54	227	936.0	452377	5434590	327	-55	264.9	265.4	0.5	13.3		
OSK-W-17-1281	400.54	227	936.0	452377	5434590	327	-55	425.0	426.0	1.0	3.28		
OSK-W-17-1281	400.54	227	936.0	452377	5434590	327	-55	447.9	451.9	4.0	3.37		
OSK-W-17-1282	400.76	227 HW	390.0	452278	5434868	315	-78	95.8	98.9	3.1	8.06		
OSK-W-17-1287	404.36	QTV	742.7	451531	5434332	332	-54	231.9	234.0	2.1	9.63		
								233.1	234.0	0.9	22.4		



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-1288	397.21	Caribou extension	912.0	452947	5434559	331	-56	613.3	615.9	2.6	3.44	
OSK-W-17-1288	397.21	Caribou extension	912.0	452947	5434559	331	-56	749.0	751.0	2.0	4.41	
OSK-W-17-1289	400.68	Z27 FW	375.0	452277	5434868	339	-61	39.6	42.7	2.6	5.76	
OSK-W-17-1289	400.68	Malard	375.0	452277	5434868	339	-61	314.1	315.7	2.6	5.06	
OSK-W-17-1289	400.68	OTV	375.0	452277	5434868	339	-61	315.7	316.4	0.7	13.8	
OSK-W-17-1289	400.68	OTV	375.0	452277	5434868	339	-61	343.0	345.0	2.0	41.9	
OSK-W-17-1289	400.68	Malard	375.0	452277	5434868	339	-61	343.0	344.0	1.0	81.5	
OSK-W-17-1290	416.07	Vein	462.0	451333	5435354	330	-52	368.3	370.8	2.5	3.22	
OSK-W-17-1290	416.07	Vein	462.0	451333	5435354	330	-52	425.0	427.0	2.0	67.5	
OSK-W-17-1291	402.33	Caribou extension	513.0	452842	5434897	329	-60	282.0	284.0	2.0	3.65	
OSK-W-17-1291	402.33	Caribou extension	513.0	452842	5434897	329	-60	307.0	307.0	2.0	11.4	
OSK-W-17-1292	397.42	Wolf	888.0	452902	5434563	327	-51	682.9	686.0	3.1	7.91	
OSK-W-17-1293	397.37	Lyne 1 SW	828.0	452905	5434848	329	-70	41.5	44.0	2.5	14.4	
OSK-W-17-1293	397.37	Caribou extension	828.0	452905	5434848	329	-70	584.7	590.0	5.3	3.59	
OSK-W-17-1293	397.37	Caribou extension	828.0	452905	5434848	329	-70	601.5	608.0	6.5	3.58	
OSK-W-17-1293	397.37	Caribou extension	828.0	452905	5434848	329	-70	645.5	648.0	2.5	3.63	
OSK-W-17-1293	397.37	Vein	828.0	452905	5434848	329	-70	646.4	647.0	0.6	10.0	
OSK-W-17-1293	397.37	Vein	828.0	452905	5434848	329	-70	802.7	805.0	2.3	5.84	
OSK-W-17-1293	397.37	Vein	828.0	452905	5434848	329	-70	803.7	804.0	0.3	49.7	
OSK-W-17-1295	403.79	FW3	801.0	451560	5434288	334	-57	387.0	389.0	2.0	3.86	
OSK-W-17-1295	403.79	Underdog	801.0	451560	5434288	334	-57	696.9	699.2	2.3	8.34	
OSK-W-17-1296	398.84	Z27	180.0	452082	5434661	14	-56	697.7	698.5	0.8	20.9	
OSK-W-17-1296	398.84	Z27	180.0	452082	5434661	14	-56	125.6	126.0	0.4	5.82	
OSK-W-17-1303	402.28	Caribou extension	663.0	452843	5434897	334	-65	215.6	213.3	2.3	3.74	
OSK-W-17-1305	402.97	Vein	888.0	452499	5434593	330	-54	348.0	351.0	3.0	106	50.1
OSK-W-17-1305	402.97	Caribou	888.0	452499	5434593	330	-54	349.5	351.0	1.5	211	100
OSK-W-17-1305	402.97	Caribou	888.0	452499	5434593	330	-54	376.0	378.5	2.5	7.65	
OSK-W-17-1305	402.97	FW3U HW	888.0	452499	5434593	330	-54	722.9	725.2	2.6	14.5	
OSK-W-17-1305	402.97	FW3U HW	888.0	452499	5434593	330	-54	722.9	723.2	0.3	51.6	
OSK-W-17-1305-W1	402.97	VNCR	951.0	452499	5434593	330	-54	456.5	461.0	2.5	14.8	
OSK-W-17-1305-W1	402.97	VNCR	951.0	452499	5434593	330	-54	860.3	861.0	0.7	47.0	
OSK-W-17-1306	396.03	Lyne 4	1210.9	453291	5434533	341	-62	616.0	618.2	2.2	3.60	
OSK-W-17-1306	396.03	Caribou extension	1210.9	453291	5434533	341	-62	963.3	970.2	2.3	3.09	
OSK-W-17-1306	396.03	Caribou extension	1210.9	453291	5434533	341	-62	987.0	989.6	2.6	24.7	
OSK-W-17-1308	397.75	Lyne 4	1148.0	453210	5434466	332	-53	988.2	988.9	0.7	54.3	
OSK-W-17-1308	397.75	Wolf extension	1148.0	453210	5434466	332	-53	884.0	889.4	5.4	11.6	
OSK-W-17-1308-W1	397.75	Wolf	1032.0	453120	5434466	332	-53	997.0	999.0	2.0	2.27	
OSK-W-17-1309	398.77	Z27 FW	237.0	452074	5434609	330	-69	218.1	220.7	2.1	5.64	
OSK-W-17-1310	398.85	Caribou	375.0	452210	5434616	312	-45	54.0	57.0	3.0	3.61	
OSK-W-17-1310	398.85	Vein	375.0	452210	5434616	312	-45	354.0	357.0	3.0	3.37	
OSK-W-17-1312	398.66	Z27 HW	55.5	452073	5434610	325	-66	48.0	46.5	3.5	7.56	
OSK-W-17-1313	401.19	Vein	876.0	452280	5434572	331	-51	18.0	12.0	3.0	3.05	
OSK-W-17-1313	401.19	Caribou	876.0	452280	5434572	331	-51	90.9	99.0	2.1	3.34	
OSK-W-17-1313	401.19	Caribou	876.0	452280	5434572	331	-51	122.0	125.0	3.0	5.29	
OSK-W-17-1313	401.19	Z27 HW	876.0	452280	5434572	331	-51	211.0	213.0	2.0	11.3	
OSK-W-17-1313	401.19	Z27	876.0	452280	5434572	331	-51	351.4	360.3	8.9	25.7	
OSK-W-17-1313	401.19	Z27 FW	876.0	452280	5434572	331	-51	426.1	427.9	2.2	5.46	
OSK-W-17-1313	401.19	Z27 FW	876.0	452280	5434572	331	-51	425.9	426.7	0.8	14.2	
OSK-W-17-1313	401.19	Z27 FW	876.0	452280	5434572	331	-51	443.0	445.5	2.5	3.50	
OSK-W-17-1313	401.19	Vein RD	876.0	452280	5434572	331	-51	456.0	458.0	2.0	25.2	
OSK-W-17-1317	398.77	Z27 HW	276.0	452074	5434610	327	-65	45.0	47.5	2.5	4.31	
OSK-W-17-1317	398.77	Z27 HW	276.0	452074	5434610	327	-65	170.0	172.0	2.0	4.60	
OSK-W-17-1317	398.77	Z27 HW	276.0	452074	5434610	327	-65	182.9	191.0	8.1	10.0	
OSK-W-17-1319	398.89	Z27 HW	291.0	452222	5434607	310	-50	186.9	188.0	1.1	54.3	
OSK-W-17-1319	398.89	Z27 HW	291.0	452222	5434607	310	-50	162.0	165.0	3.0	5.80	
OSK-W-17-1319	398.89	Z27 HW	291.0	452222	5434607	310	-50	162.0	163.5	1.5	11.4	
OSK-W-17-1319	398.89	Z27 HW	291.0	452222	5434607	310	-50	217.0	217.3	2.0	7.42	
OSK-W-17-1320	397.21	Lyne 1	852.0	452906	5434846	328	-76	81.8	84.3	2.5	4.72	
OSK-W-17-1320	397.21	Vein	852.0	452906	5434846	328	-76	90.4	93.0	2.6	43.0	15.6
OSK-W-17-1320	397.21	Lyne 1	852.0	452906	5434846	328	-76	112.0	114.0	2.0	5.46	
OSK-W-17-1320	397.21	Caribou extension	852.0	452906	5434846	328	-76	112.4	112.7	0.3	31.0	
OSK-W-17-1320	397.21	Caribou extension	852.0	452906	5434846	328	-76	463.0	465.0	2.0	11.9	
OSK-W-17-1320	397.21	Caribou extension	852.0	452906	5434846	328	-76	472.1	473.3	5.2	5.36	
OSK-W-17-1320	397.21	Caribou extension	852.0	452906	5434846	328	-76	472.1	473.4	1.3	14.1	
OSK-W-17-1320	397.21	Caribou extension	852.0	452906	5434846	328	-76	507.5	508.8	3.3	3.46	
OSK-W-17-1320	397.21	Caribou extension	852.0	452906	5434846	328	-76	803.0	803.0	2.0	6.04	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
			including					802.0	809.0	1.0	11.8	
OSK-W-17-1323	396.77	Vein	597.0	452855	5434798	340	-74	433.0	435.2	2.2	5.48	
OSK-W-17-1325	403.05	Underdog	688.5	451431	5434333	331	-69	629.2	631.3	2.1	7.57	
OSK-W-17-1326	398.78	Z27	225.0	452075	5434609	328	-61	159.0	161.0	2.0	8.32	
			including					160.0	161.0	1.0	16.0	
OSK-W-17-1326	398.78	Z27	225.0	452075	5434609	328	-61	180.0	183.3	3.3	6.13	
			including					183.0	183.3	0.3	45.1	
OSK-W-17-1322	400.03	No name	798.0	451894	5434769	280	-45	25.0	27.0	2.0	8.27	
			including					26.2	27.0	0.8	18.8	
OSK-W-17-1333	397.18	Caribou extension	852.0	453158	5434897	336	-61	503.0	506.5	3.5	18.4	
			including					504.0	506.0	1.0	53.8	
OSK-W-17-1333	397.18	Caribou extension	852.0	453158	5434897	336	-61	593.6	596.2	2.4	4.85	
			including					593.6	594.3	0.7	13.8	
OSK-W-17-1333	397.18	Caribou extension	852.0	453158	5434897	336	-61	628.0	630.4	2.4	5.89	
			including					628.0	628.8	0.8	15.3	
OSK-W-17-1334	402.16	Bolcat	657.0	452842	5434896	334	-70	88.0	88.0	2.0	4.05	
OSK-W-17-1334	402.16	Caribou extension	657.0	452842	5434896	334	-70	336.2	338.7	0.5	36.4	
			including					459.0	461.5	2.5	74.0	12.2
OSK-W-17-1334	402.16	Caribou extension	657.0	452842	5434896	334	-70	460.5	460.8	0.3	615	100
			including					489.0	491.2	2.2	12.8	
OSK-W-17-1334	402.16	Caribou extension	657.0	452842	5434896	334	-70	490.0	490.7	0.7	31.9	
			including					498.5	502.0	3.5	3.23	
OSK-W-17-1334	402.16	Z27	657.0	452842	5434896	334	-70	557.2	560.1	2.9	29.6	
			including					558.1	559.1	1.0	83.6	
OSK-W-17-1335	406.58	Mallard	201.0	451963	5434739	333	-49	179.0	181.1	2.1	5.68	
			including					179.8	180.3	0.5	20.7	
OSK-W-17-1336	402.77	FW0	1149.0	452617	5434447	335	-61	810.0	813.0	3.0	17.0	
OSK-W-17-1336	402.77	FW0	1149.0	452617	5434447	335	-61	816.0	820.0	4.0	24.0	
			including					817.5	820.0	2.5	35.6	
OSK-W-17-1336	402.77	FW1	1149.0	452617	5434447	335	-61	891.0	893.0	2.0	6.64	
			including					891.0	891.3	0.3	22.8	
OSK-W-17-1336	402.77	FW2	1149.0	452617	5434447	335	-61	972.0	974.0	2.0	4.20	
OSK-W-17-1336	402.77	FW3	1149.0	452617	5434447	335	-61	1082.0	1084.5	2.5	15.0	
			including					1084.0	1084.5	0.5	67.9	
OSK-W-17-1336-W1	402.77	Vein	1335.0	452617	5434447	335	-61	723.0	725.0	2.0	0.44	
			including					723.7	726.0	2.3	62.6	
OSK-W-17-1336-W1	402.77	FW1	1335.0	452617	5434447	335	-61	992.9	995.0	2.1	42.9	28.8
			including					992.9	993.5	0.6	150	100
OSK-W-17-1336-W1	402.77	FW2	1335.0	452617	5434447	335	-61	1054.1	1073.0	8.9	56.1	15.1
			including					1067.0	1070.1	3.1	151	83.7
OSK-W-17-1336-W1	402.77	FW3	1335.0	452617	5434447	335	-61	1153.5	1161.0	7.5	6.32	
			including					1157.0	1158.0	1.0	17.0	
OSK-W-18-1336-W2	402.77	FW0	1193.0	452617	5434447	335	-61	813.9	835.3	3.4	4.62	
OSK-W-18-1336-W2	402.77	FW0	1193.0	452617	5434447	335	-61	849.7	852.3	2.6	3.53	
OSK-W-18-1336-W2	402.77	Underdog	1193.0	452617	5434447	335	-61	920.6	923.0	2.4	4.86	
			including					920.6	921.0	0.4	17.8	
OSK-W-18-1336-W2	402.77	FW1	1193.0	452617	5434447	335	-61	950.0	952.3	2.3	3.82	
OSK-W-18-1336-W2	402.77	FW1	1193.0	452617	5434447	335	-61	964.0	969.7	5.7	13.0	
			including					967.3	967.8	0.5	92.2	
OSK-W-18-1336-W2	402.77	Underdog	1193.0	452617	5434447	335	-61	1132.0	1136.0	4.0	19.6	13.6
			including					1134.7	1135.1	0.4	160	100
OSK-W-18-1336-W2	402.77	Underdog	1193.0	452617	5434447	335	-61	1182.0	1184.0	2.0	4.55	
OSK-W-17-1337	409.52	Mallard	360.0	452055	5434957	140	-57	19.0	21.5	2.5	3.39	
			including					20.0	20.4	0.4	13.7	
OSK-W-17-1337	409.52	Drake	360.0	452055	5434957	140	-57	236.3	238.4	2.1	3.58	
OSK-W-17-1341	399.06	Caribou	732.0	452334	5434661	329	-49	84.0	86.0	2.0	3.43	
OSK-W-17-1341	399.06	Z27 HW	732.0	452334	5434661	329	-49	169.0	171.3	2.3	17.0	
			including					169.6	172.0	2.6	61.1	
OSK-W-17-1341	399.06	Z27	732.0	452334	5434661	329	-49	253.4	256.3	2.9	7.29	
OSK-W-17-1341	399.06	Z27	732.0	452334	5434661	329	-49	272.8	277.9	5.1	4.52	
OSK-W-17-1341	399.06	Z27	732.0	452334	5434661	329	-49	316.6	318.9	2.3	5.23	
OSK-W-17-1342	400.2	Mallard HW	282.0	452086	5434760	333	-50	111.9	214.0	2.1	8.39	
			including					211.9	213.0	1.1	35.4	
OSK-W-17-1342	400.2	Mallard	282.0	452086	5434760	333	-50	261.8	263.8	2.0	3.30	
OSK-W-17-1343	399.04	Lynx HW	685.0	453572	5435489	137	-56	541.0	546.0	5.0	140	30.8
			including					544.7	545.6	0.9	704	100
OSK-W-17-1343-W1	399.04	Lynx HW	870.0	453572	5435489	137	-56	560.8	563.9	3.1	3.32	
OSK-W-17-1343-W1	399.04	Lynx HW	870.0	453572	5435489	137	-56	596.7	601.6	5.1	58.7	30.3
			including					597.7	599.0	1.3	212	290.5
OSK-W-17-1343-W2	399.04	Lynx HW	1323.0	453572	5435489	137	-56	507.3	511.7	4.4	84.1	29.5
			including					507.3	509.1	1.8	77.7	66.6
OSK-W-17-1343-W2	399.04	Lynx HW	1323.0	453572	5435489	137	-56	636.5	639.0	2.5	3.11	
OSK-W-17-1343-W2	399.04	Lynx 4	1323.0	453572	5435489	137	-56	864.8	867.0	2.2	5.79	
OSK-W-17-1343-W2	399.04	Lynx 4	1323.0	453572	5435489	137	-56	879.0	881.0	2.0	14.2	
			including					879.4	879.7	0.3	69.2	
OSK-W-17-1343-W2	399.04	Lynx 4	1323.0	453572	5435489	137	-56	937.0	939.0	2.0	3.59	
OSK-W-17-1343-W2	399.04	Lynx 6	1323.0	453572	5435489	137	-56	1134.0	1137.0	3.0	0.31	
OSK-W-17-1343-W2	399.04	Lynx 6	1323.0	453572	5435489	137	-56	1197.9	1201.0	3.1	7.84	
			including					1197.9	1198.2	0.3	54.3	
OSK-W-19-1343-W3	399.04	Lynx	637.0	453572	5435489	137	-56	584.6	589.5	4.9	13.2	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assmt	Au (g/t) cut to 100 g/t
			including									
OSK-W-17-1344	397.68	Caribou extension	525.0	452935	5434838	332	-74	584.6	585.6	1.0	50.9	
								446.0	448.4	2.4	9.54	
								447.8	448.4	0.6	37.5	
OSK-W-17-1345	397.38	C53	894.0	452902	5434563	329	-52	540.8	543.3	2.5	7.40	
OSK-W-17-1345	397.38	WOLF	894.0	452902	5434563	329	-52	684.0	688.3	4.3	86.7	13.9
			including									
OSK-W-17-1346	396.6	Lynx 1 + Lynx 2	858.0	453467	5435069	334	-64	687.9	688.3	0.4	88.3	100
OSK-W-17-1346	396.6	Lynx 305	858.0	453467	5435069	334	-64	214.0	218.1	4.1	3.26	
OSK-W-17-1347	405.33	Vein	489.0	452260	5435158	151	-61	620.1	626.2	6.1	3.44	
								164.0	166.0	2.0	4.64	
								165.2	166.0	0.8	11.5	
OSK-W-17-1347	405.33	Mallard FW	489.0	452260	5435158	151	-61	249.4	252.2	2.8	11.1	
								250.4	251.3	0.9	27.3	
OSK-W-17-1348	397.23	Caribou extension	573.0	452844	5434806	333	-53	421.0	425.0	2.0	42.5	
								423.4	423.9	0.5	11.6	
OSK-W-17-1350	396.92	Lynx 4	843.0	452993	5434556	328	-55	388.7	388.7	2.0	6.31	
OSK-W-17-1350	396.92	Caribou extension	843.0	452993	5434556	328	-55	538.9	540.9	2.0	9.37	
								539.6	540.3	0.7	22.7	
OSK-W-17-1350	396.92	Caribou extension	843.0	452993	5434556	328	-55	697.0	699.0	2.0	4.46	
OSK-W-17-1350	396.92	Caribou extension	843.0	452993	5434556	328	-55	724.0	726.0	2.0	4.85	
OSK-W-17-1350	396.92	Caribou extension	843.0	452993	5434556	328	-55	776.0	778.0	2.0	6.33	
OSK-W-17-1350	396.92	Caribou extension	843.0	452993	5434556	328	-55	826.3	829.7	3.4	68.0	
								828.7	829.0	0.3	39.7	
OSK-W-17-1351	397.15	Caribou extension	814.8	453301	5434875	335	-66	454.0	452.3	2.2	6.34	
OSK-W-17-1351	397.15	Caribou extension	814.8	453301	5434875	335	-66	725.8	728.0	2.2	3.65	
OSK-W-17-1351	397.15	Caribou extension	814.8	453301	5434875	335	-66	735.4	737.7	2.3	3.64	
OSK-W-17-1352	395.69	Caribou extension	909.0	453378	5434742	327	-50	646.0	648.0	2.0	9.39	
								648.8	647.5	0.7	26.4	
OSK-W-17-1353	404.96	FW3	750.0	453480	5434338	326	-58	331.9	335.8	2.4	4.68	
								234.5	235.0	0.5	20.1	
OSK-W-17-1354	400.81	FW3	432.0	453642	5434469	333	-50	229.2	231.4	2.1	5.08	
								228.6	230.0	0.4	22.9	
OSK-W-17-1356	396.21	Lynx 5	429.0	453442	5435026	334	-67	195.2	197.5	2.3	10.0	
OSK-W-17-1356	396.21	Caribou extension	429.0	453442	5435026	334	-67	228.6	232.0	2.4	4.24	
OSK-W-17-1359	396.87	Caribou extension	807.0	453039	5434873	339	-64	467.4	470.0	2.6	5.06	
								467.4	468.5	1.1	10.8	
OSK-W-17-1359	396.87	Caribou extension	807.0	453039	5434873	339	-64	499.0	501.3	2.3	5.37	
								499.0	499.5	0.5	16.8	
OSK-W-17-1359	396.87	Caribou extension	807.0	453039	5434873	339	-64	604.6	606.7	2.1	3.87	
OSK-W-17-1359	396.87	227 extension	807.0	453039	5434873	339	-64	754.8	757.0	2.2	4.98	
OSK-W-17-1362	400.79	FW4	623.7	453643	5434470	347	-50	337.9	339.0	2.0	4.48	
								339.4	339.9	0.5	15.3	
OSK-W-17-1363	395.94	Lynx HW	900.0	453457	5435025	341	-72	222.0	224.0	2.0	3.28	
OSK-W-17-1363	395.94	Lynx 2	900.0	453457	5435025	341	-72	375.6	382.0	6.4	115	24.0
								377.0	377.7	0.7	1190	100
								379.0	380.0	1.0	97.7	
OSK-W-17-1363	395.94	VNCR	900.0	453457	5435025	341	-72	470.5	472.5	2.0	40.1	
								470.5	471.5	1.0	79.9	
OSK-W-17-1364	430.01	Lynx 1	534.0	453289	5435073	339	-46	301.8	307.1	6.1	15.0	
								301.8	306.1	1.3	95.0	
OSK-W-17-1367-W1	401.61	lynx 4	1361.0	453755	5435873	131	-52	1009.5	1011.6	2.1	52.5	29.2
								1010.3	1010.9	0.6	182	100
OSK-W-17-1367-W2	401.61	lynx 4	1361.0	453755	5435873	131	-52	1018.6	1019.0	2.4	76.4	28.3
								1016.6	1017.1	0.5	331	100
OSK-W-18-1367-W2	401.61	Lynx	1224.0	453755	5435873	131	-52	878.0	882.0	4.0	45.5	
OSK-W-18-1367-W2	401.61	lynx 4	1224.0	453755	5435873	131	-52	1169.6	1171.7	2.1	80.0	22.8
								1171.4	1171.7	0.3	562	
OSK-W-19-1367-W4	401.61	Lynx 4	1386.0	453755	5435873	131	-52	1150.0	1153.9	3.9	46.7	33.4
OSK-W-19-1367-W4	401.61	Caribou extension	1386.0	453755	5435873	131	-52	1153.6	1151.9	0.2	273	100
OSK-W-17-1368	397.61	Caribou extension	762.0	452952	5434873	330	-64	236.0	238.0	2.0	3.77	
OSK-W-17-1368	397.61	Caribou extension	762.0	452952	5434873	330	-64	270.9	273.0	2.1	8.05	
								276.9	271.2	0.3	54.0	
OSK-W-17-1368	397.61	Caribou extension	762.0	452952	5434873	330	-64	413.0	413.0	2.0	87.5	
OSK-W-17-1369	400.77	Caribou	786.0	452434	5434679	330	-49	212.0	218.3	6.3	5.87	
OSK-W-17-1369	400.77	227	786.0	452434	5434679	330	-49	346.0	348.0	2.0	14.8	
OSK-W-17-1371	397.15	Caribou extension	980.5	453301	5434874	334	-69	363.0	365.6	2.6	5.63	
								363.0	363.8	0.8	15.7	
								365.0	365.0	2.0	33.0	
OSK-W-17-1371	397.15	Caribou extension	980.5	453301	5434874	334	-69	565.3	565.7	0.4	14.8	
								565.3	567.0	2.4	3.61	
OSK-W-17-1371	397.15	Caribou extension	980.5	453301	5434874	334	-69	604.6	607.0	2.4	3.61	
OSK-W-17-1371	397.15	Vein	980.5	453301	5434874	334	-69	722.1	724.6	2.5	3.96	
								724.0	724.6	0.6	15.6	
OSK-W-17-1374	401.02	227 HW	873.0	452273	5434579	317	-59	312.6	315.0	2.4	4.27	
OSK-W-17-1374	401.02	227 HW	873.0	452273	5434579	317	-59	324.5	328.3	3.8	26.2	
OSK-W-17-1374	401.02	Vein RD	873.0	452273	5434579	317	-59	424.7	427.0	2.3	4.11	
OSK-W-17-1374	401.02	FW3	873.0	452273	5434579	317	-59	504.0	509.0	4.0	4.84	
OSK-W-17-1374	401.02	FW3	873.0	452273	5434579	317	-59	526.1	530.0	3.9	3.04	
OSK-W-17-1374	401.02	FW3	873.0	452273	5434579	317	-59	721.0	723.7	2.7	3.09	
								723.0	723.7	0.7	10.5	
OSK-W-17-1376	397.94	Vein	1125.0	452425	5434880	330	-50	198.7	201.0	2.3	10.2	
								198.7	199.0	0.3	72.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 ft
OSK-W-17-1376	397.94	FW2	1125.0	452425	5434830	330	-50	816.5	818.6	2.1	33.6	
			inclining					816.5	817.3	0.8	73.3	
OSK-W-17-1378	397.26	Caribou	741.0	452689	5434636	331	-56	229.9	232.0	2.1	4.41	
OSK-W-17-1378	397.26	Caribou	741.0	452689	5434636	331	-56	336.9	339.4	2.5	5.36	
OSK-W-17-1378	397.26	Caribou corridor	741.0	452689	5434636	331	-56	384.0	386.0	2.0	4.22	
OSK-W-17-1378	397.26	Wolf	741.0	452689	5434636	331	-56	477.2	479.3	2.1	5.49	
OSK-W-17-1378	397.26	Vein	741.0	452689	5434636	331	-56	695.0	697.0	2.0	4.03	
			inclining					696.0	696.4	0.4	35.8	
OSK-W-17-1378	397.26	Vein	741.0	452689	5434636	331	-56	720.2	722.5	2.3	6.26	
			inclining					721.3	721.7	0.4	52.8	
OSK-W-17-1379	397.32	lynx 1	540.0	452780	5434771	332	-66	136.4	138.5	2.1	5.62	
			inclining					136.4	137.0	0.6	18.9	
OSK-W-17-1379	397.32	Caribou extension	540.0	452780	5434771	332	-66	405.0	407.9	2.3	3.08	
OSK-W-17-1380	403.81	Underdog	624.0	453895	5434874	335	-45	361.1	363.2	2.1	25.5	25.3
			inclining					361.9	362.4	0.5	10.5	
OSK-W-17-1381	398.73	Bobcat	723.0	453017	5434936	329	-63	111.5	113.8	2.3	16.7	
			inclining					112.5	112.9	0.4	94.6	
OSK-W-17-1381	398.73	Caribou extension	723.0	453017	5434936	329	-63	299.3	302.5	3.2	7.60	
OSK-W-17-1381	398.73	Vein	723.0	453017	5434936	329	-63	653.0	655.3	2.3	52.8	13.2
			inclining					654.2	654.5	0.3	40.8	100
OSK-W-17-1383	403.76	Bobcat	597.0	452767	5434865	331	-63	38.1	40.4	2.3	17.8	18.2
			inclining					39.0	39.4	0.4	99.0	100
OSK-W-17-1383	403.76	Bobcat	597.0	452767	5434865	331	-63	83.0	87.0	4.0	4.01	
OSK-W-17-1383	403.76	Bobcat	597.0	452767	5434865	331	-63	94.9	97.0	2.1	5.01	
OSK-W-17-1383	403.76	Bobcat	597.0	452767	5434865	331	-63	102.0	104.1	2.1	5.33	
			inclining					103.1	104.1	1.0	30.5	
OSK-W-17-1385	395.54	Caribou extension	906.0	453379	5434741	319	-49	748.7	751.7	3.0	8.40	
			inclining					755.9	756.6	0.7	28.6	
OSK-W-17-1385	395.54	Caribou extension	906.0	453379	5434741	319	-49	741.6	745.3	3.7	5.04	
			inclining					744.3	745.3	1.0	13.0	
OSK-W-17-1385	395.54	Caribou extension	906.0	453379	5434741	319	-49	820.5	824.0	3.5	6.64	
			inclining					826.5	828.1	1.6	26.7	
OSK-W-17-1386	400.7	lynx 1	998.0	453802	5435746	336	-54	747.5	750.0	2.5	18.1	
			inclining					747.5	748.4	0.9	49.3	
OSK-W-17-1386	400.7	lynx 1	998.0	453802	5435746	336	-54	771.3	775.8	4.5	25.1	15.1
			inclining					771.3	772.0	0.7	106	58.8
OSK-W-18-1386-W2	400.7	lynx	818.0	453802	5435746	336	-54	812.0	814.5	2.5	11.4	
			inclining					812.9	813.9	1.0	26.8	
OSK-W-18-1386-W4	400.7	lynx	1059.0	453802	5435746	336	-54	820.4	822.8	2.4	12.1	
OSK-W-18-1386-W4	400.7	lynx	1059.0	453802	5435746	336	-54	877.1	881.1	4.0	11.7	
			inclining					878.0	878.5	0.5	36.7	
OSK-W-18-1386-W4	400.7	lynx	1059.0	453802	5435746	336	-54	944.0	943.0	2.0	9.43	
OSK-W-18-1386-W4	400.7	lynx	1059.0	453802	5435746	336	-54	952.0	954.0	2.0	8.29	
OSK-W-18-1386-W5	400.7	lynx	1099.5	453802	5435746	336	-54	831.6	834.7	3.1	54.4	21.4
			inclining					832.3	832.5	0.3	441	100
OSK-W-19-1386-W7	400.7	lynx 326	870.0	453802	5435746	336	-54	757.5	760.0	2.5	19.3	
			inclining					758.1	758.8	0.7	64.4	
OSK-W-19-1386-W7	400.7	lynx 334	870.0	453802	5435746	336	-54	801.6	804.7	3.1	26.9	
			inclining					801.6	802.5	0.9	84.7	
OSK-W-19-1386-W8	400.7	lynx 334	905.0	453802	5435746	336	-54	815.3	817.9	2.6	25.6	
			inclining					815.3	816.0	0.7	66.1	
OSK-W-19-1386-W9	400.7	lynx 324	972.0	453802	5435746	336	-54	806.5	808.8	2.3	35.5	29.8
			inclining					807.0	807.4	0.4	133	100
OSK-W-17-1388	397.03	CS1	762.0	452715	5434606	332	-57	366.6	371.0	2.4	11.9	
OSK-W-17-1388	397.03	Wolf Hill	762.0	452715	5434606	332	-57	697.0	699.2	2.2	4.59	
OSK-W-17-1390	403.41	FW3	657.0	451911	5434436	329	-47	505.0	507.2	2.2	34.4	
OSK-W-17-1391	397.94	Bobcat	663.0	452981	5434900	327	-62	299.4	299.9	0.5	12.2	
			inclining					299.4	299.9	0.5	65.4	
OSK-W-17-1391	397.94	Caribou extension	663.0	452981	5434900	327	-62	453.0	455.0	2.0	42.7	31.0
			inclining					454.0	454.6	0.6	131	100
OSK-W-17-1391	397.94	Vein	663.0	452981	5434900	327	-62	501.0	503.0	2.0	82.5	95.6
			inclining					501.0	501.7	0.7	234	100
OSK-W-17-1393	406.71	Bobcat	578.0	452726	5434864	332	-62	157.0	159.0	2.0	3.91	
			inclining					158.1	158.7	0.4	36.7	
OSK-W-17-1394	396.95	Caribou extension	1165.4	453146	5434510	335	-49	780.5	782.6	2.1	4.25	
			inclining					781.0	781.6	0.6	14.7	
OSK-W-17-1394	396.95	Caribou extension	1165.4	453146	5434510	335	-49	902.7	904.8	2.1	13.0	
			inclining					904.0	906.8	0.8	33.0	
OSK-W-17-1396	400.47	lynx 4	955.5	453436	5435484	334	-52	707.0	709.5	2.5	5.80	
OSK-W-17-1396	400.47	lynx 4	955.5	453436	5435484	334	-52	873.0	875.0	2.0	67.0	15.3
			inclining					873.8	874.1	0.3	445	100
OSK-W-17-1396	400.47	lynx 4	955.5	453436	5435484	334	-52	897.0	899.8	2.8	6.33	
OSK-W-17-1397	397.71	lynx HW	732.0	453301	5434963	333	-61	113.6	116.0	2.4	3.35	
			inclining					114.7	115.1	0.4	16.8	
OSK-W-17-1397	397.71	lynx 1	732.0	453301	5434963	333	-61	128.6	131.6	3.0	28.0	21.2
			inclining					128.6	128.9	0.3	98.7	
			and					130.9	131.2	0.3	168	100
OSK-W-17-1397	397.71	lynx 2	732.0	453301	5434963	333	-61	173.0	175.0	2.0	5.38	
			inclining					174.0	174.0	1.0	10.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 ft
OSK-W-17-1397	397.71	Lynx 2	732.0	453301	5434963	333	-61	213.0	215.0	2.0	23.4	21.6
			including						214.1	214.4	0.3	112
OSK-W-17-1397	397.71	VNCR	732.0	453305	5434963	333	-61	639.0	641.0	2.0	3.53	
OSK-W-17-1397	397.71	Vein	732.0	453305	5434963	333	-61	721.0	723.2	2.2	3.60	
OSK-W-17-1399	395.59	VNCR	1053.0	453412	5434868	332	-81	353.9	359.0	5.2	6.11	
			including						353.8	354.4	0.6	17.0
			including					358.0	359.0	1.0	20.2	
OSK-W-17-1399	395.59	Caribou extension	1053.0	453412	5434868	332	-61	574.0	576.0	2.0	3.52	
OSK-W-17-1399	395.59	Caribou extension	1053.0	453412	5434868	332	-61	658.5	661.0	2.5	4.45	
OSK-W-17-1400	399.31	Caribou corridor	768.8	452310	5434407	332	-52	325.6	328.0	2.4	4.06	
OSK-W-17-1402	402.76	Caribou corridor	1122.0	452617	5434447	330	-59	462.2	464.5	2.3	3.39	
OSK-W-17-1402	402.76	FW1	1122.0	452617	5434447	330	-59	820.1	822.3	2.2	4.77	18.4
OSK-W-17-1402	402.76	FW1 FW	including					822.0	822.3	0.3	325	100
				1122.0	452617	5434447	330	-59	863.6	865.6	2.0	3.48
			including					864.1	864.9	0.8	7.60	
OSK-W-17-1402	402.76	FW1 FW	1122.0	452617	5434447	330	-59	873.5	876.3	2.8	3.35	
OSK-W-17-1402	402.76	FW2	1122.0	452617	5434447	330	-59	938.2	940.2	2.0	4.27	
OSK-W-17-1402	402.76	FW3	1122.0	452617	5434447	330	-59	1054.2	1059.2	5.0	5.38	
OSK-W-17-1402	402.76	FW3	1122.0	452617	5434447	330	-59	1085.0	1087.0	2.0	4.09	
OSK-W-17-1402	402.76	FW3	1122.0	452617	5434447	330	-59	1099.0	1103.0	2.0	4.99	
OSK-W-18-1402-W1	402.76	Vein	including					883.5	886.0	2.5	3.97	
				1224.0	452617	5434447	330	-59	684.5	685.0	0.5	17.6
OSK-W-18-1402-W1	402.76	FWD	including					804.2	806.5	2.3	5.79	
				1224.0	452617	5434447	330	-59	805.0	805.5	0.5	23.5
OSK-W-18-1402-W1	402.76	FW1	1224.0	452617	5434447	330	-59	826.5	833.1	6.6	4.07	
OSK-W-18-1402-W1	402.76	FW1	1224.0	452617	5434447	330	-59	853.0	855.0	2.0	3.52	
OSK-W-18-1402-W1	402.76	FW1	1224.0	452617	5434447	330	-59	859.1	862.0	2.9	53.9	
OSK-W-18-1402-W1	402.76	FW3	1224.0	452617	5434447	330	-59	1088.9	1093.5	2.6	6.63	
OSK-W-18-1402-W1	402.76	FW4	including					1090.3	1090.8	0.5	26.9	
				1224.0	452617	5434447	330	-59	1156.6	1157.0	2.4	4.47
OSK-W-18-1402-W1	402.76	FW4	including					1156.6	1157.1	0.5	12.8	
				1182.0	452617	5434447	330	-59	778.0	780.3	2.3	8.11
			including					779.2	779.7	0.5	25.5	
OSK-W-18-1402-W1	402.76	FW1	1182.0	452617	5434447	330	-59	821.1	824.6	3.5	6.21	
OSK-W-18-1402-W1	402.76	FW1 FW	1182.0	452617	5434447	330	-59	880.0	882.0	2.0	4.88	
OSK-W-18-1402-W1	402.76	FW1 FW	including					881.0	881.7	0.7	12.3	
				1182.0	452617	5434447	330	-59	888.5	890.0	3.5	41.7
			including					888.5	890.0	1.5	65.9	
OSK-W-18-1402-W1	402.76	Underdog	1182.0	452617	5434447	330	-59	920.1	929.3	9.2	9.01	
OSK-W-18-1402-W1	402.76	Underdog	1182.0	452617	5434447	330	-59	954.0	956.0	2.0	4.05	
OSK-W-18-1402-W1	402.76	FW1	including					1104.7	1109.4	4.7	9.36	
				1182.0	452617	5434447	330	-59	1104.7	1105.1	0.4	35.4
			and					1109.3	1109.9	0.6	96.1	
OSK-W-18-1402-W1	402.76	Underdog	including					1144.0	1146.0	2.0	6.57	
				1182.0	452617	5434447	330	-59	1145.2	1145.8	0.4	30.6
OSK-W-17-1404	397.24	Bobcat	635.3	452854	5434824	335	-67	141.4	144.0	2.6	4.28	
OSK-W-17-1404	397.24	Bobcat	including					142.0	143.0	1.0	11.0	
				635.3	452854	5434824	335	-67	166.0	171.0	3.0	4.54
OSK-W-17-1404	397.24	Caribou extension	635.3	452854	5434824	335	-67	358.8	359.5	2.7	10.4	
OSK-W-17-1404	397.24	Caribou extension	including					358.6	359.0	0.4	53.2	
				635.3	452854	5434824	335	-67	535.0	537.0	2.0	3.96
OSK-W-17-1404	397.24	Caribou extension	635.3	452854	5434824	335	-67	539.7	540.0	3.3	4.33	
OSK-W-17-1406	400.12	VNCR	579.0	452912	5434878	334	-60	79.3	81.8	2.5	6.97	
OSK-W-17-1406	400.12	Vein	including					79.7	80.0	0.3	47.7	
				579.0	452912	5434878	334	-60	117.0	119.0	2.0	7.28
OSK-W-17-1406	400.12	QTV	including					117.0	118.0	1.0	13.8	
				579.0	452912	5434878	334	-60	129.0	131.0	2.0	6.83
OSK-W-17-1406	400.12	Bobcat	579.0	452912	5434878	334	-60	249.4	150.3	0.9	15.2	
OSK-W-17-1406	400.12	Bobcat	579.0	452912	5434878	334	-60	128.5	250.9	2.4	3.47	
OSK-W-17-1406	400.12	Bobcat	579.0	452912	5434878	334	-60	322.0	326.5	2.5	5.71	
OSK-W-17-1409	406.09	Bobcat	including					133.3	135.7	2.4	24.0	13.8
				402.0	452747	5434882	331	-53	135.4	135.7	0.3	194
OSK-W-17-1409	406.09	Bobcat	including					205.0	207.0	2.0	6.11	
				402.0	452747	5434882	331	-53	205.4	206.0	0.6	19.5
OSK-W-17-1409	406.09	Caribou extension	including					350.0	352.4	2.4	7.17	
				402.0	452747	5434882	331	-53	351.0	351.5	0.5	94.1
OSK-W-18-1412-W1	401.11	Lynx 1	including					720.0	722.7	2.7	405	50.9
				825.0	453684	5435676	133	-51	721.7	722.7	1.0	1050
OSK-W-18-1412-W1	401.11	Lynx 1	including					731.0	733.0	2.0	10.4	
				825.0	453684	5435676	133	-51	731.8	733.0	1.2	27.9
OSK-W-18-1412-W1	401.11	Lynx 326	including					733.0	735.0	2.0	50.0	
				800.0	453684	5435676	133	-51	734.3	735.0	0.7	98.9
OSK-W-17-1413	405.19	Lynx 2	including					296.0	298.3	2.3	40.6	39.4
				996.0	453355	5435214	137	-53	297.4	298.3	0.9	105
OSK-W-17-1413	405.19	Lynx 4	996.0	453355	5435214	137	-53	534.6	537.0	2.4	5.79	
OSK-W-17-1413	405.19	Lynx 4	996.0	453355	5435214	137	-53	742.0	744.0	2.0	3.83	
OSK-W-17-1413	405.19	Lynx 6	including					967.8	970.2	2.4	8.35	
				996.0	453355	5435214	137	-53	967.8	968.7	0.9	15.9
OSK-W-17-1413	405.19	Lynx 6	996.0	453355	5435214	137	-53	980.5	983.0	2.5	3.30	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
including												
OSK-W-18-1414-W1	402.96	Lynx 1	1197.8	453656	5435645	133	-57	881.6	882.1	0.5	14.6	
and												
including												
OSK-W-18-1414-W1	402.96	Lynx 1	1197.8	453656	5435645	133	-57	842.4	846.0	3.6	8.20	
and												
including												
OSK-W-18-1414-W1	402.96	Lynx 4	1095.0	453656	5435645	133	-58	934.5	936.7	2.2	15.1	81.5
and												
including												
OSK-W-18-1414-W2	402.96	Lynx 4	1095.0	453656	5435645	133	-58	934.5	936.7	0.9	11.7	100
and												
including												
OSK-W-18-1414-W2	402.96	Lynx 4	1095.0	453656	5435645	133	-58	1039.0	1041.0	2.0	5.38	
and												
including												
OSK-W-18-1414-W4	402.96	Lynx	1107.0	453656	5435645	133	-57	981.0	983.5	2.5	3.34	
and												
including												
OSK-W-18-1414-W5	402.96	Lynx	1107.0	453656	5435645	133	-57	1020.1	1024.5	2.4	9.43	
and												
including												
OSK-W-18-1414-W5	402.96	Lynx	1107.0	453656	5435645	133	-57	1008.3	1011.8	3.5	4.20	
and												
including												
OSK-W-18-1414-W6	402.96	Lynx	1202.0	453656	5435645	133	-57	923.4	925.5	2.1	20.0	20.6
and												
including												
OSK-W-18-1414-W7	402.96	Lynx 313	1002.0	453656	5435645	133	-57	923.4	923.4	0.4	10.40	100
and												
including												
OSK-W-18-1414-W8	402.96	Lynx	1092.0	453656	5435645	133	-57	950.3	952.1	1.8	37.8	
and												
including												
OSK-W-18-1414-W8	402.96	Lynx	1092.0	453656	5435645	133	-57	924.4	925.1	7.9	26.0	18.8
and												
including												
OSK-W-18-1415	398.88	Lynx HW	560.8	453481	5435451	139	-49	457.0	463.5	6.5	10.1	
and												
including												
OSK-W-18-1418	396.1	Lynx 4	1077.0	453288	5434531	334	-45	544.0	546.3	2.3	8.09	
and												
including												
OSK-W-18-1418	396.1	Lynx 4	1077.0	453288	5434531	334	-45	545.2	545.5	0.3	61.0	
and												
including												
OSK-W-18-1418	396.1	Caribou extension	1077.0	453288	5434531	334	-45	660.0	665.0	5.0	4.78	
and												
including												
OSK-W-18-1418	396.1	Caribou extension	1077.0	453288	5434531	334	-45	710.0	712.0	1.0	5.95	
and												
including												
OSK-W-18-1418	396.1	QTV	1077.0	453288	5434531	334	-45	710.7	712.6	1.8	11.9	
and												
including												
OSK-W-18-1418	396.1	Caribou extension	1077.0	453288	5434531	334	-45	893.0	895.5	6.5	39.0	
and												
including												
OSK-W-18-1418-W1	408.24	Lynx 321	906.0	453453	5435560	137	-49	642.0	646.0	6.0	8.63	
and												
including												
OSK-W-18-1418-W1	408.24	Lynx 303	906.0	453453	5435560	137	-49	668.0	671.9	3.9	91.3	
and												
including												
OSK-W-18-1418-W1	408.24	Lynx 333	906.0	453453	5435560	137	-49	670.0	671.0	1.0	24.5	
and												
including												
OSK-W-18-1418-W1	408.24	Lynx 333	906.0	453453	5435560	137	-49	809.0	812.2	4.3	14.0	
and												
including												
OSK-W-18-1421	398.66	EW2	918.0	453216	5434357	340	-47	231.0	233.9	2.0	17.7	
and												
including												
OSK-W-18-1421	398.66	FW4	918.0	453216	5434357	340	-47	873.6	876.8	3.2	36.1	
and												
including												
OSK-W-18-1422	398.72	Lynx HW	476.0	453496	5435446	140	-45	384.5	388.0	2.0	48.0	21.8
and												
including												
OSK-W-18-1423	396.92	Lynx 1 SW	792.0	453025	5434853	327	-61	386.7	387.1	0.4	231	100
and												
including												
OSK-W-18-1423	396.92	VNCR	792.0	453025	5434853	327	-61	212.2	223.7	2.5	4.65	
and												
including												
OSK-W-18-1423	396.92	Bolcat	792.0	453025	5434853	327	-61	268.4	271.0	2.6	3.07	
and												
including												
OSK-W-18-1423	396.92	Caribou extension	792.0	453025	5434853	327	-61	509.8	512.0	2.2	5.63	
and												
including												
OSK-W-18-1423	396.92	Caribou extension	792.0	453025	5434853	327	-61	521.2	523.5	2.3	6.04	
and												
including												
OSK-W-18-1423	396.92	Caribou extension	792.0	453025	5434853	327	-61	556.0	559.0	3.0	3.97	
and												
including												
OSK-W-18-1424	400.16	No name	930.0	453357	5434364	357	-57	663.3	668.5	2.2	7.58	
and												
including												
OSK-W-18-1424	400.16	Lynx 4	930.0	453357	5434364	357	-57	878.2	881.7	2.5	4.24	
and												
including												
OSK-W-18-1424-W1	400.16	Lynx	1485.0	453357	5434364	357	-57	878.1	879.8	0.8	12.2	
and												
including												
OSK-W-18-1426	408.28	Lynx	804.0	453453	5435560	136	-47	640.0	642.0	2.0	12.1	
and												
including												
OSK-W-18-1426	408.28	Lynx	804.0	453453	5435560	136	-47	640.0	641.6	0.6	40.2	
and												
including												
OSK-W-18-1426	408.28	Lynx	804.0	453453	5435560	136	-47	644.6	646.9	2.3	5.64	
and												
including												
OSK-W-18-1426-W1	408.28	Lynx	687.0	453453	5435560	136	-47	584.4	586.5	2.1	4.23	
and												
including												
OSK-W-18-1426-W1	408.28	Lynx	687.0	453453	5435560	136	-47	600.1	600.5	2.4	6.48	
and												
including												
OSK-W-18-1426-W1	408.28	Lynx	687.0	453453	5435560	136	-47	600.1	600.5	0.4	35.4	
and												
including												
OSK-W-18-1426-W1	408.28	Lynx	687.0	453453	5435560	136	-47	622.8	625.8	3.0	45.0	33.4
and												
including												
OSK-W-18-1426-W2	408.28	Lynx	687.0	453453	5435560	136	-47	624.4	624.4	0.4	187	100
and												
including												
OSK-W-18-1426-W2	408.28	Lynx	687.0	453453	5435560	136	-47	625.4	625.4	0.4	99.8	
and												
including												
OSK-W-18-1426-W3	408.28	Lynx	755.5	453453	5435560	136	-47	696.0	697.4	11.0	21.3	13.9
and												
including												
OSK-W-18-1426-W3	408.28	Lynx	755.5	453453	5435560	136	-47	668.0	670.8	11.0	15.1	100
and												
including												
OSK-W-18-1429	407.93	Lynx HW	839.0	453532	5435607	138	-49	673.9	674.5	0.6	20.1	100
and												
including												
OSK-W-18-1430	399.11	FW1	984.0	452318	5434378	339	-60	696.0	696.7	0.7	16.5	
and												
including												
OSK-W-18-1430-W1	399.11	FW2	1125.0	452318	5434378	339	-60	696.0	696.7	0.1	61.9	
and												
including												
OSK-W-18-1430-W1	399.11	Underberg	1125.0	452318	5434378	339	-60	696.1	696.5	0.4	35.4	20.4
and												
including												
OSK-W-18-1431	401.4	FW2	1128.0	452288	5434336	337	-62	1104.0	1104.4	0.8	128	100
and												
including												
OSK-W-18-1431	401.4	FW3	1128.0	452288	5434336	337	-62	894.0	896.0	2.0	3.57	
and												
including												
OSK-W-18-1431	401.4	FW3	1128.0	452288	5434336	337	-62	894.8	896.2	0.4	17.6	
and												
including												
OSK-W-18-1431	401.4	FW3	1128.0	452288	5434336	337	-62	922.3	925.1	2.8	13.5	
and												
including												
OSK-W-18-1431	401.4	FW3	1128.0	452288	5434336	337	-62	923.2	924.3	1.1	32.1	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1431	401.4	PW4	1128.0	452288	5434336	337	-62	1070.0	1072.0	2.0	5.73	
OSK-W-18-1431-W1	401.4	PW1	1092.0	452288	5434336	337	-62	758.0	760.3	2.3	3.06	
OSK-W-18-1431-W1	401.4	PW3	1092.0	452288	5434336	337	-62	922.1	924.6	2.5	4.25	
OSK-W-18-1431-W1	401.4	PW3 PW	1092.0	452288	5434336	337	-62	967.8	969.9	2.1	13.5	
								969.2	969.9	0.7	26.0	
OSK-W-18-1431-W2	401.4	PW1	1140.0	452288	5434336	337	-62	765.0	767.0	2.0	3.55	
OSK-W-18-1431-W2	401.4	Underdog	1140.0	452288	5434336	337	-62	854.4	856.5	2.1	11.3	
								854.9	855.5	0.6	37.8	
								945.0	947.0	2.0	8.84	
OSK-W-18-1432	400.25	Lynx	1203.0	453811	5435779	132	-55	946.0	947.0	1.0	17.4	
OSK-W-18-1432-W1	400.25	Lynx 4	1149.0	453811	5435779	132	-55	944.0	946.5	2.5	8.89	
OSK-W-18-1434	400.8	Underdog	1026.0	452453	5434496	335	-55	752.0	754.0	2.0	4.76	
								752.7	753.3	0.6	15.1	
OSK-W-18-1434	400.8	PW3	1026.0	452453	5434496	335	-55	859.5	862.2	2.7	11.6	
								859.5	860.0	0.5	63.4	
								863.8	864.2	0.4	45.5	
OSK-W-18-1434	400.8	PW3U	1026.0	452453	5434496	335	-55	960.0	962.4	2.4	16.0	
								962.0	962.4	0.4	68.7	
OSK-W-18-1435	396.78	Bobcat	801.0	453025	5434852	331	-65	301.5	303.8	2.3	32.8	31.1
								302.1	302.8	0.7	106	100
OSK-W-18-1435	396.78	Caribou extension	801.0	453025	5434852	331	-65	532.0	534.6	2.6	34.3	24.7
								533.3	533.9	0.6	142	100
OSK-W-18-1435	396.78	Caribou extension	801.0	453025	5434852	331	-65	539.0	541.0	2.0	4.38	
								540.2	540.5	0.3	29.0	
OSK-W-18-1435	396.78	Caribou extension	801.0	453025	5434852	331	-65	555.5	558.0	2.5	16.7	
								555.5	556.5	1.0	40.7	
OSK-W-18-1436	407.28	Lynx 2	1128.0	453374	5435505	139	-52	546.0	548.0	2.0	36.3	
								547.0	547.6	0.6	91.0	
OSK-W-18-1436	407.28	Lynx 4	1128.0	453374	5435505	139	-52	902.5	904.5	2.0	8.40	
								903.3	903.6	0.3	49.8	
OSK-W-18-1436	407.28	Lynx	1128.0	453374	5435505	139	-52	1026.7	1029.2	2.5	10.1	
OSK-W-18-1436	407.28	Lynx 4	1128.0	453374	5435505	139	-52	1063.3	1064.3	1.0	48.0	26.2
								1063.8	1064.3	0.5	191	
OSK-W-18-1436	407.28	Lynx 4	1128.0	453374	5435505	139	-52	1069.2	1074.2	5.0	33.8	
								1069.2	1069.8	0.6	97.6	
OSK-W-18-1440	398.47	Vein	870.0	452420	5434447	329	-57	344.1	346.5	2.4	6.61	
								345.6	346.5	0.9	17.8	
OSK-W-18-1440	398.47	PW1	870.0	452420	5434447	329	-57	729.3	732.0	2.7	31.4	26.7
								730.3	731.0	0.7	118	100
OSK-W-18-1441	402.63	Bobcat	441.0	452989	5434909	328	-60	181.0	187.6	6.6	8.06	
OSK-W-18-1441	402.63	Bobcat	441.0	452989	5434909	328	-60	304.0	306.8	2.8	34.1	
OSK-W-18-1441	400.33	Lynx HW	792.0	453443	5435477	136	-50	584.0	586.0	2.0	4.25	
								584.4	585.0	0.6	13.7	
OSK-W-18-1443	400.33	Lynx 4	792.0	453443	5435477	136	-50	668.0	670.9	2.9	68.5	45.1
								668.9	669.9	1.0	168	100
OSK-W-18-1445	398.45	Caribou extension	660.0	452895	5434864	337	-60	523.9	526.4	2.5	5.29	
OSK-W-18-1446	401.97	PW3	987.0	452527	5434331	335	-48	679.0	682.2	3.2	10.8	
								680.2	680.8	0.6	32.6	
OSK-W-18-1446	401.97	PW2	987.0	452527	5434331	335	-48	761.0	763.0	2.0	4.27	
								761.7	762.4	0.7	12.1	
OSK-W-18-1446	401.97	PW3	987.0	452527	5434331	335	-48	794.6	796.8	2.2	4.06	
								795.2	796.0	0.8	11.0	
OSK-W-18-1448	402	Caribou	483.0	452687	5434809	333	-52	263.0	265.0	2.0	6.89	
OSK-W-18-1448	402	Caribou	483.0	452687	5434809	333	-52	324.0	326.0	2.0	6.89	
OSK-W-18-1449	411.81	Bobcat	603.0	452905	5435120	145	-48	484	51.2	2.8	3.71	
OSK-W-18-1450	408.91	Lynx	660.0	453386	5435517	135	-53	535.0	537.0	2.0	13.4	
								535.5	537.0	0.5	31.6	
OSK-W-18-1450	400.91	Lynx 2	660.0	453386	5435517	135	-53	565.1	567.3	2.2	56.7	
OSK-W-18-1453-W2	399.6	Lynx 324	879.0	453787	5435664	142	-56	736.8	739.0	2.2	12.2	
								738.0	739.0	1.0	26.2	
OSK-W-18-1454	401.7	Lynx	1089.0	453376	5435452	145	-53	486.8	491.8	3.3	45.6	
								488.8	487.6	0.8	97.1	
								489.6	490.1	0.5	79.4	
OSK-W-18-1454	401.7	Lynx 4	1089.0	453376	5435452	145	-53	896.1	898.7	2.6	17.0	16.4
								896.1	896.5	0.4	104	100
OSK-W-18-1455	398.89	Lynx HW	552.0	453567	5435492	140	-49	441.0	443.0	2.0	4.33	
								441.3	442.0	0.7	10.5	
OSK-W-18-1457	413.43	Bobcat	318.0	452981	5435148	137	-57	52.7	55.0	2.3	10.5	
								54.0	54.3	0.3	66.0	
OSK-W-18-1459	408.77	VNCR	621.0	452862	5435185	132	-50	180.0	182.0	2.0	8.26	
								181.2	182.0	0.8	26.1	
OSK-W-18-1459	408.77	Bobcat	621.0	452862	5435185	132	-50	256.0	258.0	2.0	9.52	
								257.5	258.0	0.5	36.4	
OSK-W-18-1460	398.34	Lynx HW	432.3	453469	5435345	143	-51	296.0	298.0	2.0	3.67	
OSK-W-18-1460	398.34	Lynx HW	432.3	453469	5435345	143	-51	311.3	312.0	0.7	12.1	
OSK-W-18-1460	398.34	Lynx HW	432.3	453469	5435345	143	-51	332.0	337.4	5.4	4.50	
								332.0	332.5	0.5	20.3	
								337.0	337.4	0.4	28.5	
OSK-W-18-1461	409.6	Lynx	849.0	453307	5435500	133	-52	782.0	784.3	2.3	16.9	
								783.5	784.3	0.8	58.1	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1462	397.5	Lyna	225.0	453324	5434950	331	-47	141.3	144.0	2.7	3.7	3.7
								142.2	142.6	0.4	19.3	
OSK-W-18-1463	401.54	227	135.0	451930	5434743	161	-46	81.0	85.0	2.0	14.6	
								81.6	82.6	1.0	26.4	
OSK-W-18-1463	401.54	227	135.0	451930	5434743	161	-46	101.8	112.2	10.4	3.24	
								101.8	102.5	0.7	17.3	
OSK-W-18-1464	395.76	Lyna	432.0	453466	5435043	334	-72	208.8	211.0	2.2	4.76	
OSK-W-18-1464	395.76	Lyna	432.0	453466	5435043	334	-72	265.0	262.9	2.9	3.84	
OSK-W-18-1464	395.76	Lyna	432.0	453466	5435043	334	-72	273.0	275.7	2.7	8.07	
								273.8	274.3	0.5	35.7	
OSK-W-18-1464	395.76	Lyna	432.0	453466	5435043	334	-72	277.0	279.7	2.7	4.52	
								278.9	279.3	0.4	22.9	
OSK-W-18-1464	395.76	VNCR	432.0	453466	5435043	334	-72	396.1	399.7	3.6	42.3	15.9
								397.5	398.0	0.5	290	100
OSK-W-18-1464	395.76	VNCR	432.0	453466	5435043	334	-72	406.8	409.7	2.9	3.80	
OSK-W-18-1465	402.56	Bolbecat	166.3	452363	5434807	330	-50	152.0	154.3	2.3	3.24	
								152.0	152.6	0.6	27.0	
OSK-W-18-1466	400.28	227	300.0	451979	5434532	345	-47	129.2	131.2	2.0	4.26	
								130.7	131.2	0.5	14.3	
OSK-W-18-1466	400.28	227	300.0	451979	5434532	345	-47	177.0	179.0	2.0	3.81	
								178.1	178.5	0.4	17.8	
OSK-W-18-1468	399.86	Caribou	66.0	452252	5434590	328	-55	46.7	50.0	3.3	10.3	
								47.2	47.5	0.3	32.3	
OSK-W-18-1470	397.42	Lyna	324.0	453325	5434948	331	-57	149.2	152.3	3.1	14.5	
								150.4	151.2	0.8	44.9	
OSK-W-18-1470	397.42	Lyna	324.0	453325	5434948	331	-57	184.0	186.0	2.0	28.4	
								184.0	185.0	1.0	56.0	
OSK-W-18-1470	397.42	Lyna	324.0	453325	5434948	331	-57	203.9	206.0	2.1	6.43	
								203.9	204.2	0.3	33.5	
OSK-W-18-1470	397.42	Lyna	324.0	453325	5434948	331	-57	235.6	238.6	3.0	64.2	37.4
								236.0	236.7	0.7	215	100
OSK-W-18-1471	402.04	1	147.0	451897	5434362	146	-46	144.0	146.0	2.0	34.9	
OSK-W-18-1472	405.96	Bolbecat	300.0	452628	5434899	346	-47	45.0	51.4	11.1	14.4	
								50.4	53.0	2.6	38.4	
OSK-W-18-1473	399.84	Caribou	387.0	452253	5434589	329	-55	46.7	49.6	2.9	11.9	
OSK-W-18-1473	399.84	Caribou	387.0	452253	5434589	329	-55	162.5	164.0	2.0	43.1	
								162.5	163.0	0.5	31.3	
OSK-W-18-1473	399.84	227	387.0	452253	5434589	329	-55	373.0	375.3	2.3	3.87	
OSK-W-18-1475	395.53	Lyna	357.0	453362	5434892	327	-56	258.8	261.0	2.2	8.09	
								258.8	259.1	0.3	36.1	
OSK-W-18-1476	399.68	227	294.0	452016	5434498	334	-46	230.7	233.0	2.3	3.05	
								230.7	231.0	0.3	12.6	
OSK-W-18-1476	399.68	227	294.0	452016	5434498	334	-46	251.0	253.0	2.0	6.38	
								252.0	252.4	0.4	30.1	
OSK-W-18-1477	407.5	Lyna	1200.0	453257	5435474	135	-50	549.1	552.8	3.7	20.1	
								550.1	551.0	0.9	63.9	
OSK-W-18-1477	407.5	Lyna	1200.0	453257	5435474	135	-50	749.8	752.8	3.0	3.89	
OSK-W-18-1477	407.5	Lyna	1200.0	453257	5435474	135	-50	783.3	787.0	3.7	86.9	15.9
OSK-W-18-1477	407.5	Lyna	1200.0	453257	5435474	135	-50	783.3	783.8	0.5	625	100
OSK-W-18-1477	407.5	Lyna	1200.0	453257	5435474	135	-50	793.8	796.0	2.2	105	42.1
OSK-W-18-1477	407.5	Lyna	1200.0	453257	5435474	135	-50	794.8	795.4	0.6	330	100
OSK-W-18-1477	407.5	Lyna	1200.0	453257	5435474	135	-50	846.0	848.0	2.0	3.82	
OSK-W-18-1477	407.5	Lyna	1200.0	453257	5435474	135	-50	865.0	897.0	2.0	15.9	
								896.0	897.0	1.0	31.8	
OSK-W-18-1477	407.5	Lyna	1200.0	453257	5435474	135	-50	912.1	914.9	2.8	7.01	
								912.1	912.4	0.3	53.8	
OSK-W-18-1477	407.5	Lyna	1200.0	453257	5435474	135	-50	1099.0	1101.0	2.0	8.83	
								1099.0	1100.0	1.0	17.5	
OSK-W-18-1477	407.5	Lyna	1200.0	453257	5435474	135	-50	1106.0	1117.8	11.8	4.83	
								1109.9	1112.7	2.8	14.4	
OSK-W-18-1477	407.5	Lyna	1200.0	453257	5435474	135	-50	1167.0	1169.2	2.2	20.3	
								1167.8	1168.2	0.4	58.0	
OSK-W-18-1481	412.29	Bolbecat	108.0	452706	5434971	322	-46	89.0	91.0	2.0	12.7	
								89.4	90.5	1.1	22.9	
OSK-W-18-1483	404.42	Lyna	177.0	452778	5434886	143	-54	100.0	102.0	2.0	3.31	
								101.2	101.5	0.3	21.7	
OSK-W-18-1486	395.93	Lyna	366.0	453283	5434874	331	-53	301.6	304.0	2.4	3.60	
								301.6	302.5	0.9	9.34	
OSK-W-18-1489	399.24	Caribou	57.0	452342	5434638	322	-46	44.5	50.0	5.5	3.62	
OSK-W-18-1488	402.57	Caribou	149.0	452311	5434629	328	-53	83.9	86.6	2.7	5.17	
OSK-W-18-1490	404.26	Bolbecat	129.0	452749	5434854	334	-55	34.7	37.3	2.6	7.34	
								35.7	36.3	0.6	19.2	
OSK-W-18-1492	395.76	Lyna	420.0	453438	5434905	333	-58	311.6	314.7	3.1	18.9	
OSK-W-18-1492	395.76	VNCR	420.0	453438	5434905	333	-58	337.3	339.5	2.2	10.1	
								338.7	339.5	0.8	26.3	
OSK-W-18-1492	395.76	VNCR	420.0	453438	5434905	333	-58	402.6	405.0	2.4	3.82	
OSK-W-18-1494	401.86	Bolbecat	231.0	452836	5434894	332	-50	110.4	112.4	2.0	14.8	
								110.9	111.6	0.7	36.5	
OSK-W-18-1494	401.86	Bolbecat	231.0	452836	5434894	332	-50	190.7	192.9	2.2	57.1	
								191.4	192.5	1.1	11.0	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-18-1495	395.82	Lyna	381.0	453454	5434963	336	-67	365.0	367.0	2.0	7.54	
OSK-W-18-1496	401.14	Lyna	456.4	453318	5435368	143	-51	390.1	394.8	4.7	14.5	
OSK-W-18-1496	401.14	Lyna	456.4	453318	5435368	143	-51	422.8	425.0	2.2	10.3	
OSK-W-18-1497	399.39	Caribou	363.0	452349	5434662	331	-52	72.2	74.4	2.2	5.46	
OSK-W-18-1497	399.39	Caribou	363.0	452349	5434662	331	-52	72.2	72.8	0.6	14.1	
OSK-W-18-1497	399.39	227	363.0	452349	5434662	331	-52	288.0	295.0	7.0	10.00	
OSK-W-18-1497	399.39	227	363.0	452349	5434662	331	-52	292.0	292.8	0.8	46.9	
OSK-W-18-1498	398.42	227	384.0	452235	5434594	323	-61	372.0	376.0	4.0	8.53	
OSK-W-18-1498	398.42	227	384.0	452235	5434594	323	-61	351.0	353.0	2.0	3.58	
OSK-W-18-1499	400.54	Caribou	378.0	452313	5434628	326	-52	38.5	41.0	2.5	10.8	
OSK-W-18-1499	400.54	227	378.0	452313	5434628	326	-52	38.5	39.0	0.5	39.8	
OSK-W-18-1499	400.54	227	378.0	452313	5434628	326	-52	336.5	338.6	2.1	3.02	
OSK-W-18-1501	409.76	Bobcat	291.0	452918	5435022	140	-51	112.8	114.7	1.9	37.4	26.3
OSK-W-18-1501	409.76	Lyna	291.0	452918	5435022	140	-51	113.9	114.4	0.5	14.2	100
OSK-W-18-1503	399.03	Lyna	543.0	453420	5435419	132	-46	445.8	448.4	2.6	62.1	36.2
OSK-W-18-1503	399.03	Lyna	543.0	453420	5435419	132	-46	446.8	447.8	1.0	190	93.0
OSK-W-18-1503-W1	399.03	Lyna	468.0	453429	5435419	145	-45	408.8	409.1	2.3	5.09	
OSK-W-18-1503-W1	399.03	Lyna	468.0	453429	5435419	145	-45	407.5	408.3	0.8	11.3	
OSK-W-18-1503-W1	399.03	Lyna	468.0	453429	5435419	145	-45	420.0	422.0	2.0	59.3	36.4
OSK-W-18-1503-W1	399.03	Lyna	468.0	453429	5435419	145	-45	426.7	427.4	0.7	166	100
OSK-W-18-1504	396.05	Lyna	257.0	453413	5434904	330	-48	431.2	431.5	0.3	195	100
OSK-W-18-1505	399.35	Caribou	342.0	452349	5434662	328	-45	228.8	229.1	0.3	1029	100
OSK-W-18-1505	399.35	Caribou	342.0	452349	5434662	328	-45	46.0	46.0	0.0	3.07	
OSK-W-18-1505	399.35	Caribou	342.0	452349	5434662	328	-45	55.0	57.0	2.0	4.30	
OSK-W-18-1505	399.35	Caribou	342.0	452349	5434662	328	-45	78.9	81.0	2.1	17.0	
OSK-W-18-1505	399.35	Caribou	342.0	452349	5434662	328	-45	79.5	80.5	1.0	34.7	
OSK-W-18-1505	399.35	227	342.0	452349	5434662	328	-45	88.0	90.4	2.4	45.0	
OSK-W-18-1506	400.47	Caribou	417.0	452367	5434645	329	-53	208.0	198.0	1.0	3.07	
OSK-W-18-1506	400.47	227	417.0	452367	5434645	329	-53	353.0	355.3	2.3	6.66	
OSK-W-18-1508	397.25	Lyna	282.0	453346	5434954	331	-57	214.0	217.0	3.0	18.3	
OSK-W-18-1508	397.25	Lyna	282.0	453346	5434954	331	-57	214.0	214.7	0.7	74.4	
OSK-W-18-1509	408.39	Bobcat	228.0	452907	5434997	329	-51	14.8	17.0	2.2	6.23	
OSK-W-18-1509	408.39	Bobcat	228.0	452907	5434997	329	-51	15.5	15.8	0.3	38.7	
OSK-W-18-1509	408.39	Bobcat	228.0	452907	5434997	329	-51	47.7	53.3	5.6	42.7	
OSK-W-18-1509	408.39	Bobcat	228.0	452907	5434997	329	-51	51.5	51.9	0.4	28.6	
OSK-W-18-1510	401.07	227 HW	405.0	452279	5434571	325	-58	213.3	215.5	2.2	5.09	
OSK-W-18-1510	401.07	227	405.0	452279	5434571	325	-58	360.2	362.4	2.2	4.81	
OSK-W-18-1511	397.22	Lyna	357.0	453346	5434953	335	-58	246.5	249.8	3.3	97.6	48.3
OSK-W-18-1511	397.22	Lyna	357.0	453346	5434953	335	-58	247.9	248.6	0.7	34.5	100
OSK-W-18-1512	396.01	Lyna	450.0	453412	5434904	332	-55	223.0	225.0	2.0	3.38	
OSK-W-18-1512	396.01	Lyna	450.0	453412	5434904	332	-55	223.0	223.6	0.6	10.8	
OSK-W-18-1512	396.01	Lyna	450.0	453412	5434904	332	-55	268.0	270.4	2.4	10.2	
OSK-W-18-1512	396.01	Lyna	450.0	453412	5434904	332	-55	286.0	288.0	2.0	8.86	
OSK-W-18-1512	396.01	VNCR	450.0	453412	5434904	332	-55	287.0	287.4	0.4	41.4	
OSK-W-18-1516	398.48	Lyna	302.0	453224	5435011	331	-48	43.7	45.8	2.1	126	10.7
OSK-W-18-1516	398.48	Lyna	302.0	453224	5435011	331	-48	43.7	44.0	0.3	126	100
OSK-W-18-1517	399.54	Caribou	348.0	452389	5434668	330	-49	81.7	88.0	6.3	4.24	
OSK-W-18-1517	399.54	Caribou	348.0	452389	5434668	330	-49	131.0	133.4	2.4	3.60	
OSK-W-18-1517	399.54	227	348.0	452389	5434668	330	-49	268.0	265.6	2.4	4.94	
OSK-W-18-1517	399.54	227	348.0	452389	5434668	330	-49	290.0	292.0	2.0	5.72	
OSK-W-18-1518	400.93	Vain	393.0	452266	5434568	330	-54	71.6	74.0	2.4	5.39	
OSK-W-18-1518	400.93	Caribou	393.0	452266	5434568	330	-54	112.0	114.6	2.6	3.57	
OSK-W-18-1518	400.93	Caribou	393.0	452266	5434568	330	-54	117.0	121.0	4.0	6.95	
OSK-W-18-1518	400.93	Caribou	393.0	452266	5434568	330	-54	118.7	120.0	1.3	11.4	
OSK-W-18-1518	400.93	Caribou	393.0	452266	5434568	330	-54	218.0	221.0	3.0	3.74	
OSK-W-18-1518	400.93	Caribou	393.0	452266	5434568	330	-54	284.4	291.0	2.6	20.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1518	400.93	227	393.0	452266	5434568	330	-54	288.4	289.0	0.6	86.1	
OSK-W-18-1521	398.45	Lynx	69.0	453199	5435012	333	-45	31.5	34.8	2.3	5.19	
OSK-W-18-1521	398.45	Lynx	69.0	453199	5435012	333	-45	31.5	34.8	0.3	39.5	
OSK-W-18-1521	398.45	Lynx	69.0	453199	5435012	333	-45	45.0	47.0	2.0	10.0	
OSK-W-18-1522	396.08	Lynx	360.0	453413	5434904	331	-58	271.2	275.8	4.6	11.5	
OSK-W-18-1522	396.08	Lynx	360.0	453413	5434904	331	-58	271.2	271.8	0.6	58.1	
OSK-W-18-1522	396.08	Lynx	360.0	453413	5434904	331	-58	304.8	308.0	3.2	17.6	
OSK-W-18-1523	397.79	Lynx	156.0	453243	5434951	328	-45	80.7	86.5	5.8	8.24	
OSK-W-18-1526	401.22	227	369.0	452298	5434597	330	-51	329.0	331.0	2.0	7.32	
OSK-W-18-1526	401.22	227	369.0	452298	5434597	330	-51	335.0	337.0	2.0	3.55	
OSK-W-18-1527	397.7	Lynx	159.0	453261	5434952	334	-46	93.0	95.0	2.0	4.29	
OSK-W-18-1527	397.7	Lynx	159.0	453261	5434952	334	-46	133.5	138.0	4.5	12.5	10.5
OSK-W-18-1529	396.03	Lynx	444.0	453458	5435016	334	-69	284.3	287.0	2.7	4.27	
OSK-W-18-1529	396.03	VNCR	444.0	453458	5435016	334	-69	395.8	399.3	3.5	7.85	
OSK-W-18-1530	397.93	Lynx	141.0	453258	5434989	329	-46	90.0	92.0	2.0	11.4	
OSK-W-18-1531	401.41	Lynx	498.0	453381	5435435	148	-50	398.0	401.8	3.8	10.27	
OSK-W-18-1531	401.41	Lynx	498.0	453381	5435435	148	-50	430.7	430.9	0.6	53.7	
OSK-W-18-1531	401.41	Lynx	498.0	453381	5435435	148	-50	449.0	453.3	4.3	4.34	
OSK-W-18-1531	401.41	Lynx	498.0	453381	5435435	148	-50	452.6	453.3	0.7	12.7	
OSK-W-18-1532	400.81	Caribou	426.0	452270	5434609	328	-61	85.0	87.0	2.0	15.7	
OSK-W-18-1532	400.81	Caribou	426.0	452270	5434609	328	-61	86.3	87.0	0.7	44.6	
OSK-W-18-1532	400.81	Caribou	426.0	452270	5434609	328	-61	177.3	179.7	2.4	19.7	13.0
OSK-W-18-1532	400.81	Caribou	426.0	452270	5434609	328	-61	177.3	177.6	0.3	154	100
OSK-W-18-1532	400.81	227	426.0	452270	5434609	328	-61	271.0	273.1	2.1	3.39	
OSK-W-18-1532	400.81	227	426.0	452270	5434609	328	-61	357.7	363.6	5.9	19.9	11.0
OSK-W-18-1533	398.16	Lynx	126.0	453269	5435024	329	-47	358.2	358.7	0.5	198	100
OSK-W-18-1534	402.83	227	396.0	452463	5434678	332	-46	57.6	60.0	2.4	8.60	
OSK-W-18-1536	396.14	Lynx	408.0	453428	5434975	337	-65	338.8	340.5	2.0	4.38	
OSK-W-18-1536	396.14	Lynx	408.0	453428	5434975	337	-65	338.8	339.2	0.4	38.5	
OSK-W-18-1536	396.14	Lynx	408.0	453428	5434975	337	-65	222.7	228.8	2.1	3.48	
OSK-W-18-1536	396.14	Lynx	408.0	453428	5434975	337	-65	228.8	231.4	2.6	74.3	24.5
OSK-W-18-1536	396.14	Lynx	408.0	453428	5434975	337	-65	229.6	230.2	0.6	336	100
OSK-W-18-1536	396.14	Lynx	408.0	453428	5434975	337	-65	269.0	271.2	2.2	5.07	
OSK-W-18-1536	396.14	Lynx	408.0	453428	5434975	337	-65	270.0	270.3	0.3	31.8	
OSK-W-18-1536	396.14	Lynx	408.0	453428	5434975	337	-65	279.2	281.7	2.5	3.89	
OSK-W-18-1536	396.14	Lynx	408.0	453428	5434975	337	-65	291.9	294.9	3.0	6.51	
OSK-W-18-1536	396.14	Lynx	408.0	453428	5434975	337	-65	301.9	303.9	2.0	3.43	
OSK-W-18-1536	396.14	Lynx	408.0	453428	5434975	337	-65	309.4	312.2	2.8	3.59	
OSK-W-18-1536	396.14	Lynx	408.0	453428	5434975	337	-65	365.6	367.7	2.1	3.25	
OSK-W-18-1536-W1	396.14	Lynx	417.0	453428	5434975	337	-65	278.8	281.3	2.5	23.7	21.7
OSK-W-18-1536-W1	396.14	Lynx	417.0	453428	5434975	337	-65	279.0	280.3	0.5	110	100
OSK-W-18-1536-W1	396.14	Lynx	417.0	453428	5434975	337	-65	288.0	290.0	2.0	34.1	32.0
OSK-W-18-1536-W1	396.14	Lynx	417.0	453428	5434975	337	-65	289.4	290.0	0.6	107	100
OSK-W-18-1536-W1	396.14	Lynx	417.0	453428	5434975	337	-65	316.7	318.7	2.0	5.86	
OSK-W-18-1538	399.24	227	351.0	452253	5434615	330	-55	341.7	343.8	2.1	57.7	53.1
OSK-W-18-1538	399.24	227	351.0	452253	5434615	330	-55	279.0	281.0	2.0	5.69	
OSK-W-18-1538	399.24	227	351.0	452253	5434615	330	-55	280.0	280.4	0.4	24.9	
OSK-W-18-1538	399.24	227	351.0	452253	5434615	330	-55	303.0	304.1	1.1	11.4	
OSK-W-18-1539	401.78	Lynx	1119.0	453374	5435448	145	-52	460.0	462.0	2.0	3.75	
OSK-W-18-1539	401.78	Lynx	1119.0	453374	5435448	145	-52	465.4	466.8	0.4	17.0	
OSK-W-18-1539	401.78	Lynx	1119.0	453374	5435448	145	-52	463.7	465.8	2.5	11.4	
OSK-W-18-1539	401.78	Lynx	1119.0	453374	5435448	145	-52	465.6	465.2	0.5	46.8	
OSK-W-18-1539	401.78	Lynx	1119.0	453374	5435448	145	-52	910.7	917.0	6.3	23.4	
OSK-W-18-1539	401.78	Lynx	1119.0	453374	5435448	145	-52	910.7	911.2	0.5	71.5	
OSK-W-18-1539	401.78	Lynx	1119.0	453374	5435448	145	-52	914.2	915.2	1.0	88.9	
OSK-W-18-1539	401.78	Lynx	1119.0	453374	5435448	145	-52	1021.8	1024.0	2.2	6.40	
OSK-W-18-1539	401.78	Lynx	1119.0	453374	5435448	145	-52	1071.8	1072.5	0.7	13.2	
OSK-W-18-1539-W1	401.78	Lynx 320	1184.0	453374	5435448	145	-52	468.2	471.8	3.6	104	22.8
OSK-W-18-1539-W1	401.78	Lynx 4	1184.0	453374	5435448	145	-52	471.3	471.8	0.5	68.7	100
OSK-W-18-1540	396.14	VNCR	441.0	453350	5434893	334	-57	375.0	377.5	2.0	7.07	
OSK-W-18-1540	396.14	VNCR	441.0	453350	5434893	334	-57	388.5	401.3	3.3	6.43	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
including												
OSK-W-18-1541	398.59	Caribou	258.0	452252	5434639	332	-48	399.9	401.0	1.1	18.1	
								62.0	64.0	2.0	14.4	
								62.5	63.4	0.9	31.7	
OSK-W-18-1543	398.57	227	294.0	452252	5434639	327	-52	207.0	209.3	2.3	8.28	
								206.5	209.3	0.8	19.0	
OSK-W-18-1543	398.57	227	294.0	452252	5434639	327	-52	219.4	222.6	3.2	4.97	
								222.3	222.6	0.3	45.0	
OSK-W-18-1543	398.57	Zone 27	294.0	452252	5434639	327	-52	269.0	271.1	2.1	3.41	
OSK-W-18-1545	403.19	Caribou	522.0	452452	5434665	332	-49	399.6	398.9	6.7	3.31	
OSK-W-18-1545	403.19	Caribou	522.0	452452	5434665	332	-49	240.0	242.5	2.5	5.33	
OSK-W-18-1545	403.19	Zone 27	522.0	452452	5434665	332	-49	383.0	385.9	2.9	11.2	
OSK-W-18-1545	403.19	Zone 27	522.0	452452	5434665	332	-49	454.8	457.0	2.2	13.4	
OSK-W-18-1546	395.81	Lynx	411.0	453421	5434924	331	-55	232.6	235.3	2.7	4.13	
OSK-W-18-1546	395.81	Lynx	411.0	453421	5434924	331	-55	254.1	256.9	2.8	29.9	
		including						254.1	255.0	0.9	45.3	
			411.0	453421	5434924	331	-55	264.4	266.8	2.4	10.4	
		including						266.3	266.8	0.5	44.7	
OSK-W-18-1546	395.81	Lynx	411.0	453421	5434924	331	-55	273.1	275.2	2.1	37.9	
		including						273.7	274.5	0.8	9.80	
			411.0	453421	5434924	331	-55	307.5	312.0	4.5	19.0	
		including						309.5	310.2	0.7	96.8	
OSK-W-18-1546	395.81	Lynx	411.0	453421	5434924	331	-55	327.1	329.1	2.0	108	50.3
		including						327.7	328.7	1.0	238	100
			411.0	453421	5434924	331	-55	347.7	349.9	2.2	273	41.1
		including						348.0	348.9	0.9	668	100
OSK-W-18-1546	395.81	Lynx	411.0	453421	5434924	331	-55	352.6	355.2	2.6	8.66	
		including						351.3	354.2	0.9	24.9	
OSK-W-18-1547	400.15	Caribou	440.7	452301	5434638	330	-62	108.6	112.2	4.6	3.60	
OSK-W-18-1547	400.15	Caribou	440.7	452301	5434638	330	-62	286.4	288.8	2.4	3.67	
OSK-W-18-1547	400.15	Caribou	440.7	452301	5434638	330	-62	294.6	296.8	2.2	3.60	
OSK-W-18-1547	400.15	227	440.7	452301	5434638	330	-62	338.0	346.7	10.7	12.6	
		including						342.0	349.0	7.0	93.7	
OSK-W-18-1547	400.15	227	440.7	452301	5434638	330	-62	371.0	375.2	4.2	2.27	
OSK-W-18-1547	400.15	227	440.7	452301	5434638	330	-62	379.5	382.0	2.5	22.5	
OSK-W-18-1550	404.13	Lynx	1035.0	453373	5435483	140	-52	510.7	514.3	3.6	36.6	30.2
		including						509.7	513.9	4.2	196	86.8
			1035.0	453373	5435483	140	-52	583.4	585.4	2.0	10.3	
OSK-W-18-1550	404.13	Lynx	1035.0	453373	5435483	140	-52	584.5	585.0	0.5	30.1	
		including						889.3	889.5	3.2	284	57.9
			1035.0	453373	5435483	140	-52	886.3	886.8	0.5	409	100
OSK-W-18-1551	395.8	Lynx	291.8	453422	5434924	335	-53	234.4	236.8	2.4	34.0	
		including						236.3	236.8	0.5	98.7	
OSK-W-18-1551	395.8	Lynx	291.8	453422	5434924	335	-53	249.7	256.3	6.6	40.1	33.8
		including						253.8	255.6	1.8	154	97.5
OSK-W-18-1552	400.3	Caribou	366.0	452309	5434639	332	-52	101.2	103.5	2.3	5.88	
		including						101.6	102.4	0.8	15.1	
OSK-W-18-1552	400.3	227	366.0	452309	5434639	332	-52	260.0	262.0	2.0	7.31	
		including						260.0	261.0	1.0	14.1	
OSK-W-18-1552	400.3	227	366.0	452309	5434639	332	-52	281.0	287.5	6.5	6.29	
		including						283.0	284.0	1.0	14.7	
OSK-W-18-1552	400.3	227	366.0	452309	5434639	332	-52	316.0	318.0	2.0	3.70	
		including						316.0	316.3	0.3	19.9	
OSK-W-18-1555	396.23	VNCR	423.0	453318	5434897	331	-60	400.6	402.6	2.0	51.0	
		including						250.0	252.0	2.0	3.72	
OSK-W-18-1557	395.77	Lynx	374.0	453422	5434925	335	-52	230.0	230.6	0.6	10.3	
		including						279.0	284.6	5.6	39.9	
OSK-W-18-1557	395.77	Lynx	374.0	453422	5434925	335	-52	283.5	284.6	1.1	187	100.0
		including						286.0	286.0	0.0	14.4	
OSK-W-18-1558	403.23	Caribou	459.0	452464	5434663	336	-47	356.0	358.0	2.0	3.30	
OSK-W-18-1558	403.23	Caribou	459.0	452464	5434663	336	-47	275.8	276.2	0.4	3.30	
OSK-W-18-1558	403.23	227 101	459.0	452464	5434663	336	-47	305.7	372.8	7.1	6.98	
		including						352.0	352.0	0.0	4.30	
OSK-W-18-1558-W1	403.23	227 115	459.0	452464	5434663	336	-47	373.0	375.0	2.0	4.30	
OSK-W-18-1558-W1	403.23	227 115	459.0	452464	5434663	336	-47	379.0	383.0	4.0	3.06	
OSK-W-18-1558-W1	403.23	227 115	459.0	452464	5434663	336	-47	385.8	389.5	3.7	4.79	
OSK-W-18-1559	399.41	227	330.0	452303	5434666	331	-53	256.0	258.0	2.0	3.43	
OSK-W-18-1559	399.41	227	330.0	452303	5434666	331	-53	303.0	305.0	2.0	4.47	
OSK-W-18-1560	404.04	Lynx	564.0	453373	5435483	145	-53	513.7	516.0	2.3	11.9	
		including						513.7	514.5	0.8	32.8	
			564.0	453373	5435483	145	-53	521.6	524.0	2.4	26.1	
		including						521.6	522.3	0.7	89.1	
OSK-W-18-1560-W1	404.04	Lynx	576.0	453373	5435483	159	-53	464.7	467.0	2.3	5.35	
OSK-W-18-1560-W1	404.04	Lynx	576.0	453373	5435483	159	-53	534.7	537.0	2.3	9.89	
		including						535.4	535.9	0.5	36.7	
OSK-W-18-1560-W1	404.04	Lynx	576.0	453373	5435483	159	-53	538.7	542.6	3.9	6.88	
		including						538.7	539.0	0.3	24.1	
								541.6	542.6	1.0	18.9	
OSK-W-18-1560-W2	404.04	Lynx	876.0	453373	5435483	145	-53	473.5	476.8	3.3	52.8	
		including						474.8	475.3	0.5	14.9	
OSK-W-18-1560-W2	404.04	Lynx	876.0	453373	5435483	145	-53	542.3	545.6	3.3	48.7	34.5
OSK-W-18-1560-W2	404.04	Lynx 331	876.0	453373	5435483	145	-53	754.5	765.6	11.1	43.1	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 ft
OSK-W-18-1561	396.4	Lyna	302.0	453404	5434957	334	-52	195.0	197.2	2.2	7.38	
			inclining					195.0	196.0	1.0	15.7	
OSK-W-18-1563	399.71	Caribou	330.0	452297	5434657	334	-46	64.0	66.8	2.8	4.72	
OSK-W-18-1563	399.71	Caribou	330.0	452297	5434657	334	-46	158.0	160.0	2.0	4.52	
OSK-W-18-1563	399.71	227	330.0	452297	5434657	334	-46	283.0	285.9	2.9	5.20	
OSK-W-18-1564	400.55	Caribou	366.0	452430	5434680	324	-47	160.0	162.0	2.0	4.49	
OSK-W-18-1564	400.55	Caribou	366.0	452430	5434680	324	-47	279.0	281.0	2.0	4.71	
OSK-W-18-1565	396.24	Lyna	426.0	453387	5434919	330	-57	220.6	223.2	2.6	16.4	
			inclining					220.6	221.2	0.6	68.5	
OSK-W-18-1565	396.24	Lyna	426.0	453387	5434919	330	-57	285.5	291.7	6.2	6.49	
			inclining					285.5	286.5	1.0	15.7	
OSK-W-18-1565	396.24	Lyna	426.0	453387	5434919	330	-57	291.2	291.7	0.5	31.6	
			inclining					370.0	372.8	2.8	9.63	
OSK-W-18-1567	396.94	227	213.0	452238	5434683	328	-48	172.0	174.0	2.0	3.34	
OSK-W-18-1567	396.94	227	213.0	452238	5434683	328	-48	187.2	191.0	3.8	8.56	
			inclining					190.5	191.0	0.5	46.5	
OSK-W-18-1569	401.73	Lyna	522.0	453325	5435397	142	-46	390.7	393.1	2.4	10.3	
			inclining					391.3	392.1	0.8	30.5	
OSK-W-18-1569-W1	401.73	Lyna	525.0	453325	5435397	142	-46	428.0	430.4	2.4	20.9	18.8
			inclining					429.4	429.8	0.4	113	100
OSK-W-18-1570	396.44	Lyna	402.0	453365	5434932	331	-55	201.0	193.3	2.3	24.4	20.3
			inclining					192.9	193.3	0.4	124	100
OSK-W-18-1570	396.44	Lyna	402.0	453365	5434932	331	-55	305.0	307.0	2.0	10.7	
			inclining					305.5	306.2	0.7	30.3	
OSK-W-18-1571	404.4	227	201.0	452385	5434857	334	-57	180.0	182.0	2.0	3.34	
OSK-W-18-1572	401.42	Caribou	558.0	452469	5434627	333	-50	206.4	208.6	2.2	3.49	
OSK-W-18-1572	401.42	227	558.0	452469	5434627	333	-50	532.0	534.0	2.0	6.61	
			inclining					532.0	532.6	0.6	21.4	
OSK-W-18-1575	397.6	Lyna	216.0	453358	5435008	330	-59	133.0	135.4	2.4	36.1	
			inclining					133.7	134.5	0.8	64.1	
OSK-W-18-1575	397.6	Lyna	216.0	453358	5435008	330	-59	135.0	135.4	0.4	16.4	
			inclining					142.0	144.0	2.0	7.35	
OSK-W-18-1577	401.13	227	153.0	452235	5434844	325	-45	88.8	91.2	2.4	8.83	
			inclining					89.5	90.2	0.7	30.1	
OSK-W-18-1578	396.14	Lyna	351.0	453451	5435008	331	-60	259.3	264.8	5.5	8.46	
			inclining					264.0	264.3	0.3	59.9	
OSK-W-18-1578	396.14	Lyna	351.0	453451	5435008	331	-60	279.5	282.1	2.6	3.59	
OSK-W-18-1578	396.14	Lyna	351.0	453451	5435008	331	-60	294.4	296.6	2.2	3.39	
OSK-W-18-1579	397.99	Lyna	171.0	453315	5435013	331	-57	115.0	117.0	2.0	4.09	
OSK-W-18-1579	397.99	Lyna	171.0	453315	5435013	331	-57	129.2	122.5	3.3	4.09	
			inclining					122.2	122.5	0.3	20.5	
OSK-W-18-1580	400.55	227	60.0	452564	5434854	327	-46	15.0	17.0	2.0	6.47	
			inclining					15.0	15.7	0.7	38.1	
OSK-W-18-1582	409.92	VNCR	1248.0	453279	5435516	143	-50	530.5	532.5	2.0	3.48	
OSK-W-18-1582	409.92	lyne 4	1248.0	453279	5435516	143	-50	874.2	877.3	3.1	13.6	
			inclining					874.2	875.0	0.8	35.4	
OSK-W-18-1582	409.92	lyne 4	1248.0	453279	5435516	143	-50	911.0	913.0	2.0	6.64	
OSK-W-18-1586	404.91	227	117.0	452271	5434953	146	-52	37.5	40.0	2.5	3.63	
OSK-W-18-1586	404.91	227	117.0	452271	5434953	146	-52	52.4	55.6	3.2	37.9	
			inclining					53.2	54.0	0.8	83.7	
OSK-W-18-1587	396.06	Lyna	360.0	453451	5435009	332	-62	198.1	200.1	2.0	10.0	
OSK-W-18-1587	396.06	Lyna	360.0	453451	5435009	332	-62	199.1	200.1	1.0	18.8	
			inclining					288.1	295.5	7.4	33.7	
OSK-W-18-1587	396.06	Lyna	360.0	453451	5435009	332	-62	289.1	289.5	0.4	77.2	
OSK-W-18-1587	396.06	VNCR	360.0	453451	5435009	332	-62	322.5	328.6	6.1	5.01	
			inclining					322.5	323.5	1.0	17.3	
OSK-W-18-1587	396.06	Lyna	360.0	453451	5435009	332	-62	345.8	347.8	2.0	21.9	
			inclining					345.8	346.8	1.0	40.7	
OSK-W-18-1589	405.71	227	123.0	452237	5434944	138	-48	101.6	103.8	2.2	74.2	34.0
			inclining					102.9	103.4	0.5	326.0	100
OSK-W-18-1593	396.03	Lyna	381.0	453489	5435064	329	-68	194.8	197.1	2.3	3.33	
			inclining					195.3	195.8	0.6	13.5	
OSK-W-18-1593	396.03	Lyna	381.0	453489	5435064	329	-68	228.1	230.9	2.8	494	13.2
			inclining					230.6	230.9	0.3	458.0	100
OSK-W-18-1593	396.03	VNCR	381.0	453489	5435064	329	-68	354.5	357.0	2.5	6.63	
OSK-W-18-1593	396.03	VNCR	381.0	453489	5435064	329	-68	364.8	367.9	3.1	9.28	
OSK-W-18-1594	405.39	227	270.0	452212	5434965	140	-50	166.9	169.3	2.4	3.53	
OSK-W-18-1594	405.39	227	270.0	452212	5434965	140	-50	177.8	180.4	2.6	10.4	
OSK-W-18-1596	399.59	227	339.0	452326	5434670	333	-45	245.0	247.1	2.1	5.52	
			inclining					245.6	246.1	0.5	13.4	
OSK-W-18-1597	399.05	Caribou	254.0	452277	5434662	325	-47	127.9	130.0	2.1	6.86	
			inclining					127.9	129.0	1.1	17.3	
OSK-W-18-1597	399.05	227	254.0	452277	5434662	325	-47	205.0	207.5	2.5	5.08	
OSK-W-18-1598	405.56	Lyna	525.0	453346	5435471	145	-51	434.8	437.0	2.2	5.46	
			inclining					435.4	436.1	0.7	34.7	
OSK-W-18-1598-W1	405.56	Lyna	546.0	453346	5435471	145	-51	511.0	513.0	2.0	51.9	46.3



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1601	399.58	Caribou	273.0	452257	5434628	330	-49	83.0	35.0	2.0	4.38	
OSK-W-18-1602	399.14	Caribou	261.0	452277	5434662	330	-47	83.5	85.5	2.0	18.4	
								83.5	84.5	1.0	36.4	
OSK-W-18-1602	399.14	Caribou	261.0	452277	5434662	330	-47	140.7	141.1	2.4	7.94	
								141.8	142.4	0.6	22.4	
OSK-W-18-1602	399.14	Caribou	261.0	452277	5434662	330	-47	170.5	172.5	2.0	4.13	
OSK-W-18-1603	396.36	Triple 8	2109.0	453340	5434543	35	-80	1493.3	1519.6	28.3	20.4	17.7
								1501.0	1511.0	10.0	44.5	36.9
								1501.0	1503.0	4.0	82.1	62.0
OSK-W-18-1603-W1	396.36	Triple 8	1668.6	453340	5434543	35	-80	1373.3	1375.7	2.4	18.0	
								1373.3	1374.1	0.8	40.6	
OSK-W-18-1603-W3	396.36	Triple 8	1743.0	453340	5434543	35	-80	1411.0	1413.9	2.9	8.94	
OSK-W-18-1603-W3	396.36	Triple 8	1743.0	453340	5434543	35	-80	1453.5	1455.5	2.1	11.9	
								1453.5	1454.2	0.7	31.8	
OSK-W-18-1603-W3	396.36	Triple 8	1743.0	453340	5434543	35	-80	1459.5	1461.5	2.0	4.04	
OSK-W-18-1603-W3	396.36	Triple 8	1743.0	453340	5434543	35	-80	1477.7	1479.7	2.0	5.62	
OSK-W-18-1603-W3	396.36	Triple 8	1743.0	453340	5434543	35	-80	1550.8	1553.0	2.2	4.25	
								1550.0	1552.4	0.4	13.2	
OSK-W-18-1603-W3	396.36	Triple 8	1743.0	453340	5434543	35	-80	1558.0	1560.2	2.2	4.82	
OSK-W-18-1603-W4	396.36	Triple 8	1740.0	453340	5434543	35	-80	1622.3	1624.8	2.5	9.17	
OSK-W-18-1603-W5	396.36	Triple 8 800Z	1791.0	453340	5434543	35	-80	1525.4	1526.0	2.6	3.70	
OSK-W-18-1603-W5	396.36	Triple 8	1791.0	453340	5434543	35	-80	1542.0	1544.0	2.0	4.96	
								1542.5	1542.8	0.3	15.7	
OSK-W-18-1603-W5	396.36	Triple 8	1791.0	453340	5434543	35	-80	1612.0	1614.0	2.0	266	50.1
								1612.0	1613.0	1.0	531	100
OSK-W-18-1603-W5	396.36	Triple 8	1791.0	453340	5434543	35	-80	1613.3	1615.3	2.0	19.0	
								1613.9	1614.7	0.8	44.0	
OSK-W-18-1603-W5	396.36	Triple 8	1791.0	453340	5434543	35	-80	1681.8	1683.0	2.2	7.08	
								1681.4	1681.9	0.5	29.6	
OSK-W-18-1603-W5	396.36	Triple 8	1791.0	453340	5434543	35	-80	1711.7	1713.9	2.2	9.86	
OSK-W-18-1604	407.17	Lynx 336	909.0	453219	5435347	142	-52	715.3	717.3	2.0	85.1	
								715.3	726.9	1.0	66.9	
OSK-W-18-1604	407.17	Lynx 350	909.0	453219	5435347	142	-52	833.0	836.7	3.7	29.1	15.1
								834.6	834.9	0.3	272	100
OSK-W-18-1605	399.59	Caribou	345.0	452326	5434670	329	-45	91.3	93.3	2.0	3.37	
OSK-W-18-1605	399.59	227	345.0	452326	5434670	329	-45	248.0	250.0	2.0	3.05	
OSK-W-18-1607	399.71	227	345.0	452344	5434628	332	-45	202.0	204.0	2.0	3.88	
OSK-W-18-1608	405.63	Lynx	1161.0	453330	5435466	146	-51	510.1	513.4	3.3	17.2	
								512.6	513.4	0.8	54.9	
OSK-W-18-1608	405.63	Lynx	1161.0	453330	5435466	146	-51	818.7	823.2	4.5	10.9	
								819.7	820.6	0.9	26.5	
								822.9	823.2	0.3	42.3	
OSK-W-18-1608	405.63	Lynx	1161.0	453330	5435466	146	-51	1045.5	1048.5	3.0	3.74	
OSK-W-18-1608	405.63	Lynx	1161.0	453330	5435466	146	-51	1087.5	1093.0	5.5	3.50	
OSK-W-18-1608	405.63	Lynx	1161.0	453330	5435466	146	-51	1099.5	1105.1	5.6	3.73	
OSK-W-18-1608	405.63	Lynx	1161.0	453330	5435466	146	-51	1108.5	1110.0	2.0	6.61	
OSK-W-18-1609	399.68	Caribou	335.0	452314	5434664	334	-45	58.5	62.0	2.5	5.54	
								58.5	59.7	1.2	11.4	
OSK-W-18-1609	399.68	227	315.0	452314	5434664	334	-45	257.8	260.5	2.7	4.69	
								258.8	259.3	0.5	22.2	
OSK-W-18-1611	399.28	Caribou	270.0	452278	5434652	328	-46	82.0	84.1	2.1	5.29	
								83.3	86.1	0.8	12.6	
OSK-W-18-1611	399.28	227	270.0	452278	5434652	328	-46	215.9	218.0	2.1	21.1	
OSK-W-18-1613	401.01	Lynx	381.0	453201	5435176	141	-52	171.7	174.0	2.3	8.12	
OSK-W-18-1613	401.01	Lynx	381.0	453201	5435176	141	-52	221.4	226.6	5.2	46.4	17.2
OSK-W-18-1613	401.01	Lynx	381.0	453201	5435176	141	-52	221.4	222.2	0.8	290	100
								333.0	335.1	2.1	6.58	
								333.5	334.0	0.5	26.9	
OSK-W-18-1614	405.6	227	279.0	452158	5434951	146	-47	71.0	73.1	2.1	8.47	
OSK-W-18-1614	405.6	227	279.0	452158	5434951	146	-47	81.0	85.3	4.3	34.8	28.2
OSK-W-18-1615	405.57	Lynx	992.5	453330	5435465	149	-48	479.0	481.2	2.1	18.0	78.5
								478.8	480.4	0.6	60.5	
OSK-W-18-1615	405.57	Lynx	992.5	453330	5435465	149	-48	494.5	496.6	2.1	12.3	
								495.1	495.6	0.5	48.6	
OSK-W-18-1616-W1	385.0	New zone	2244.3	454135	5435058	40	-85	1985.1	1988.5	3.4	22.4	18.9
								1987.1	1987.7	0.6	120	100
OSK-W-18-1616-W2	385.0	Triple 8	2291.0	454135	5435058	40	-85	2075.0	2077.0	2.0	13.4	
OSK-W-18-1617	399.29	Caribou	245.0	452273	5434675	329	-47	151.7	154.9	2.6	3.48	
								153.9	154.3	0.4	15.7	
OSK-W-18-1818	399.72	Caribou	255.0	452315	5434663	326	-45	160.5	161.0	2.5	3.00	
								160.8	161.4	0.6	11.0	
OSK-W-18-1822	405.82	227	303.0	452159	5434943	139	-48	32.5	34.6	2.1	16.0	
OSK-W-18-1823	399.51	Caribou	279.0	452291	5434649	332	-45	175.0	177.3	2.3	6.51	
								175.5	176.0	0.5	19.7	
								177.0	177.3	0.3	14.3	
OSK-W-18-1824	399.71	Caribou	333.0	452315	5434663	330	-47	62.2	65.1	2.9	6.01	
								62.2	62.9	0.7	15.5	
OSK-W-18-1824	399.71	Caribou	333.0	452315	5434663	330	-47	181.6	184.0	2.4	7.97	



Windfall Lake Gold Project
 Quebec, Canada
 Assay Results
 Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-18-1624	399.71	227	333.0	452315	5434663	130	-47	181.6	182.1	0.5	36.1	
OSK-W-18-1627	406.52	Lynx	513.0	453229	5435372	141	-51	406.6	409.0	2.4	9.25	
OSK-W-18-1627	406.52	Lynx	513.0	453229	5435372	141	-51	406.6	409.0	2.4	15.1	
OSK-W-18-1627	406.52	Lynx	513.0	453229	5435372	141	-51	476.0	478.0	2.0	11.8	
OSK-W-18-1628	407.88	Lynx	1284.3	453287	5435492	145	-48	476.9	477.5	0.6	38.1	
OSK-W-18-1628	407.88	Lynx	1284.3	453287	5435492	145	-48	533.1	535.7	2.6	57.5	38.8
OSK-W-18-1628	407.88	Lynx	1284.3	453287	5435492	145	-48	533.1	535.7	0.6	185	100
OSK-W-18-1628	407.88	Lynx	1284.3	453287	5435492	145	-48	555.5	557.6	2.1	23.0	
OSK-W-18-1628	407.88	Lynx	1284.3	453287	5435492	145	-48	754.6	758.4	3.8	9.92	
OSK-W-18-1628	407.88	Lynx 4	1284.3	453287	5435492	145	-48	754.6	755.4	0.8	46.6	
OSK-W-18-1628	407.88	Lynx 4	1284.3	453287	5435492	145	-48	925.3	928.7	3.4	21.0	
OSK-W-18-1630	399.5	Caribou	207.0	452306	5434658	130	-45	41.9	44.0	2.1	3.9	
OSK-W-18-1630	399.5	Caribou	207.0	452306	5434658	130	-45	41.9	42.4	0.5	14.3	
OSK-W-18-1631	399.59	Caribou	315.0	452357	5434670	130	-45	76.0	85.1	5.1	4.50	
OSK-W-18-1631	399.59	Caribou	315.0	452357	5434670	130	-45	265.0	267.0	2.0	17.1	
OSK-W-18-1631	399.59	Caribou	315.0	452357	5434670	130	-45	266.0	267.0	1.0	34.0	
OSK-W-18-1632	399.51	Caribou	390.0	452341	5434668	129	-47	47.7	49.8	2.8	5.51	
OSK-W-18-1632	399.51	Caribou	390.0	452341	5434668	129	-47	322.0	324.5	2.5	3.28	
OSK-W-18-1632	399.51	Caribou	390.0	452341	5434668	129	-47	368.6	370.9	2.3	3.20	
OSK-W-18-1634	399.54	Caribou	354.0	452303	5434659	130	-46	169.0	172.9	3.9	6.29	
OSK-W-18-1634	399.54	Caribou	354.0	452303	5434659	130	-46	169.0	169.3	0.3	32.1	
OSK-W-18-1634	399.54	Caribou	354.0	452303	5434659	130	-46	170.5	170.9	0.4	23.3	
OSK-W-18-1634	399.54	Caribou	354.0	452303	5434659	130	-46	172.6	172.9	0.3	14.3	
OSK-W-18-1638	406.74	Lynx	555.0	453296	5435476	147	-49	515.0	517.0	2.0	198	97.4
OSK-W-18-1638	406.74	Lynx	555.0	453296	5435476	147	-49	516.0	517.0	1.0	300	100
OSK-W-18-1638	406.74	Lynx	555.0	453296	5435476	147	-49	538.6	546.0	2.0	14.6	
OSK-W-18-1638	406.74	Lynx	555.0	453296	5435476	147	-49	538.6	539.6	1.0	29.1	
OSK-W-18-1639	405.44	Lynx	1163.5	453266	5435397	142	-53	452.0	455.5	3.5	3.27	
OSK-W-18-1639	405.44	Lynx	1163.5	453266	5435397	142	-53	475.8	481.0	5.2	549	19.8
OSK-W-18-1639	405.44	Lynx	1163.5	453266	5435397	142	-53	475.8	477.7	0.9	2930	100
OSK-W-18-1639	405.44	Lynx	1163.5	453266	5435397	142	-53	502.0	504.0	2.0	4.87	
OSK-W-18-1639	405.44	Lynx	1163.5	453266	5435397	142	-53	502.0	502.7	0.7	13.8	
OSK-W-18-1639	405.44	Lynx 236	1163.5	453266	5435397	142	-53	754.0	757.0	3.0	8.80	
OSK-W-18-1639	405.44	Lynx 350	1163.5	453266	5435397	142	-53	754.0	755.0	1.0	24.0	
OSK-W-18-1639	405.44	Lynx 350	1163.5	453266	5435397	142	-53	875.0	877.0	2.0	13.5	
OSK-W-18-1639	405.44	Lynx 327	1163.5	453266	5435397	142	-53	875.0	876.0	1.0	45.3	
OSK-W-18-1640	401.1	Caribou	407.0	452289	5434575	118	-59	106.7	109.0	2.3	6.29	
OSK-W-18-1640	401.1	Caribou	407.0	452289	5434575	118	-59	108.2	108.6	0.4	31.1	
OSK-W-18-1640	401.1	Caribou	407.0	452289	5434575	118	-59	122.4	124.2	1.8	80.6	69.9
OSK-W-18-1642	400.46	Caribou	479.0	452331	5434628	131	-55	127.9	131.7	3.8	12.8	
OSK-W-18-1642	400.46	Caribou	479.0	452331	5434628	131	-55	372.0	374.3	2.3	5.85	
OSK-W-18-1642	400.46	Caribou	479.0	452331	5434628	131	-55	372.0	372.3	0.3	23.6	
OSK-W-18-1643	400.44	Bobcat	377.0	452871	5435079	139	-45	155.0	157.7	2.7	5.99	
OSK-W-18-1643	400.44	Bobcat	377.0	452871	5435079	139	-45	156.8	157.7	0.9	17.8	
OSK-W-18-1644	402.69	Caribou	342.0	452069	5434449	152	-45	197.0	199.6	2.6	3.32	
OSK-W-18-1644	402.69	Caribou	342.0	452069	5434449	152	-45	322.5	325.8	3.3	49.1	
OSK-W-18-1645	409.23	Lynx	618.0	451309	5435097	141	-50	565.0	562.0	2.0	5.39	
OSK-W-18-1645	409.23	Lynx	618.0	451309	5435097	141	-50	566.8	561.5	0.7	15.2	
OSK-W-18-1646	399.51	Caribou	330.0	452014	5434503	2	-53	152.8	155.2	2.4	7.51	
OSK-W-18-1646	399.51	Caribou	330.0	452014	5434503	2	-53	254.3	257.0	2.7	6.28	
OSK-W-18-1647	405.48	Lynx	536.0	453266	5435397	142	-53	496.3	498.9	2.0	17.4	
OSK-W-18-1648	402.76	Caribou	342.0	452057	5434456	143	-47	50.0	52.0	2.0	3.74	
OSK-W-18-1648	402.76	Caribou	342.0	452057	5434456	143	-47	330.0	334.4	4.4	9.39	
OSK-W-18-1649	402.68	Caribou	369.0	452069	5434449	157	-46	66.8	68.8	2.0	4.61	
OSK-W-18-1649	402.68	Caribou	369.0	452069	5434449	157	-46	266.0	268.0	2.0	48.4	45.0
OSK-W-18-1649	402.68	Caribou	369.0	452069	5434449	157	-46	266.4	267.9	0.9	198	100
OSK-W-18-1649	402.68	Caribou	369.0	452069	5434449	157	-46	334.9	337.0	2.1	14.9	
OSK-W-18-1649	402.68	Caribou	369.0	452069	5434449	157	-46	334.9	335.2	0.3	88.6	
OSK-W-18-1650	399.5	227	306.0	452014	5434503	360	-56	265.9	270.0	4.1	6.11	
OSK-W-18-1650	399.5	227	306.0	452014	5434503	360	-56	269.0	270.0	1.0	36.1	
OSK-W-18-1651	402.66	Caribou	378.0	452069	5434448	2	-45	226.9	229.1	2.2	4.01	
OSK-W-18-1651	402.66	Caribou	378.0	452069	5434448	2	-45	305.0	307.0	2.0	3.68	
OSK-W-18-1651	402.66	227	378.0	452069	5434448	2	-45	320.0	320.0	2.0	7.39	
OSK-W-18-1651	402.66	227	378.0	452069	5434448	2	-45	321.0	322.0	1.0	14.3	
OSK-W-18-1651	402.66	227	378.0	452069	5434448	2	-45	337.3	342.0	4.7	3.45	
OSK-W-18-1653	402.62	227	386.0	452057	5434456	341	-45	285.4	288.0	2.6	4.15	
OSK-W-18-1654	399.5	227	282.0	452015	5434503	355	-52	259.0	261.0	2.0	9.30	
OSK-W-18-1655	401.91	Caribou	375.0	452088	5434441	351	-45	285.0	287.0	2.0	21.5	20.1
OSK-W-18-1655	401.91	Caribou	375.0	452088	5434441	351	-45	285.6	286.0	0.4	107	100
OSK-W-18-1655	401.91	Caribou	375.0	452088	5434441	351	-45	318.8	321.1	2.3	4.89	
OSK-W-18-1655	401.91	Caribou	375.0	452088	5434441	351	-45	343.6	350.0	19.4	21.6	19.9
OSK-W-18-1655	401.91	Caribou	375.0	452088	5434441	351	-45	343.6	344.6	1.0	60.5	
OSK-W-18-1655	401.91	Caribou	375.0	452088	5434441	351	-45	351.0	353.6	2.6	67.2	56.7
OSK-W-18-1655	401.91	Caribou	375.0	452088	5434441	351	-45	360.0	360.9	0.9	122	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 ft
OSK-W-18-1655	401.91	227	375.0	452088	5434441	351	-45	365.8	368.1	2.3	11.1	
								367.6	368.1	0.5	50.3	
OSK-W-18-1656	407.47	Lynx	1154.4	453261	5435471	144	-45	550.9	556.7	5.8	8.26	
								553.3	554.3	1.0	26.6	
OSK-W-18-1656	407.47	Lynx	1154.4	453261	5435471	144	-45	730.0	736.0	6.0	5.07	
								730.0	736.5	0.5	36.5	
OSK-W-18-1656	407.47	Lynx	1154.4	453261	5435471	144	-45	783.7	786.0	2.3	8.08	
								784.7	785.3	0.6	23.0	
OSK-W-18-1656	407.47	Lynx	1154.4	453261	5435471	144	-45	900.7	902.4	1.7	131	33.9
								900.7	901.4	0.7	391	100
OSK-W-18-1656	407.47	Lynx	1154.4	453261	5435471	144	-45	1090.0	1092.5	2.5	7.29	
								1090.9	1091.8	0.9	17.9	
OSK-W-18-1657	404.8	Lynx	1131.0	453277	5435390	146	-53	391.0	393.9	2.9	5.00	
OSK-W-18-1657	404.8	Lynx	1131.0	453277	5435390	146	-53	447.0	449.1	2.1	8.41	
OSK-W-18-1659	399.54	227	315.0	452015	5434501	4	-55	260.3	267.1	6.8	4.00	
OSK-W-18-1659	399.54	227	315.0	452015	5434501	4	-55	274.3	279.5	5.2	5.88	
								275.4	275.8	0.4	27.1	
OSK-W-18-1660	402.72	Caribou	387.0	452059	5434457	359	-45	31.2	32.4	1.2	7.59	
								51.8	52.6	0.8	18.3	
OSK-W-18-1661	400.7	Caribou	393.0	452104	5434436	353	-45	246.8	249.0	2.2	6.23	
								247.2	247.6	0.4	29.1	
OSK-W-18-1661	400.7	227	393.0	452104	5434436	353	-45	347.2	349.3	2.1	9.28	
OSK-W-18-1662	399.53	Caribou	303.0	452016	5434502	8	-52	237.0	239.0	2.0	8.55	
OSK-W-18-1662	399.53	227	303.0	452016	5434501	6	-52	257.9	261.5	3.6	4.08	
OSK-W-18-1662	399.53	227	303.0	452016	5434501	6	-52	269.0	278.0	9.0	14.8	12.2
								270.9	271.8	0.9	126	100
OSK-W-18-1665	400.7	Caribou	375.0	452104	5434436	347	-46	68.7	71.3	2.6	3.60	
								71.0	71.3	0.3	16.0	
OSK-W-18-1665	400.7	227	375.0	452104	5434436	347	-46	343.2	343.9	0.7	4.65	
OSK-W-18-1665	400.7	Zone 27	375.0	452104	5434436	347	-46	363.7	366.0	2.3	39.3	
								365.0	366.0	1.0	72.2	
OSK-W-18-1667	407.39	Lynx	573.0	453360	5435472	141	-48	566.8	569.0	2.2	21.7	
								557.1	558.0	0.9	53.1	
OSK-W-18-1669	402.82	Caribou	405.0	452059	5434455	3	-47	54.0	56.1	2.1	4.15	
								55.3	55.8	0.5	16.0	
OSK-W-18-1669	402.82	227	405.0	452059	5434455	3	-47	323.6	327.0	3.4	4.75	
								326.2	326.0	0.8	12.8	
OSK-W-18-1671	399.65	227	309.0	452013	5434502	359	-52	248.0	250.3	2.3	12.7	
								249.0	249.3	0.3	95.0	
OSK-W-18-1671	399.65	227	309.0	452013	5434502	359	-52	253.9	257.8	3.9	5.64	
								256.8	257.4	0.6	22.3	
OSK-W-18-1671	399.65	227	309.0	452013	5434502	359	-52	287.9	290.4	2.5	24.1	
								289.8	290.4	0.6	85.5	
OSK-W-18-1671	399.65	Zone 27	309.0	452013	5434502	359	-52	294.5	296.8	2.3	3.52	
OSK-W-18-1672	402.77	Caribou	333.0	452039	5434455	345	-46	55.8	58.0	2.2	4.31	
OSK-W-18-1672	402.77	Zone 27	333.0	452039	5434455	345	-46	307.1	309.1	2.0	79.9	27.1
								308.6	309.1	0.5	331	100
OSK-W-18-1673	407.37	Lynx	984.0	453260	5435472	135	-46	464.0	466.0	2.0	20.4	
								465.0	465.6	0.6	66.1	
OSK-W-18-1673	407.37	Lynx	984.0	453260	5435472	135	-46	473.0	476.0	3.0	7.23	
								473.7	474.4	0.7	21.9	
OSK-W-18-1673	407.37	Lynx	984.0	453260	5435472	135	-46	479.0	481.5	2.5	7.34	
								479.7	480.8	1.1	15.4	
OSK-W-18-1673	407.37	Lynx	984.0	453260	5435472	135	-46	518.7	521.1	2.4	25.2	
								519.1	519.9	0.8	73.4	
OSK-W-18-1673	407.37	Lynx 313	984.0	453260	5435472	135	-46	925.5	941.6	16.1	23.4	21.8
								937.8	938.6	0.8	132	100
OSK-W-18-1674	400.75	Caribou	378.0	452102	5434436	345	-45	279.5	281.5	2.0	3.10	
								280.5	280.8	0.3	19.7	
OSK-W-18-1674	400.75	Caribou	378.0	452102	5434436	345	-45	316.5	317.6	1.0	5.80	
								316.3	316.6	0.3	29.9	
OSK-W-18-1674	400.75	Zone 27	378.0	452102	5434436	345	-45	340.4	343.0	2.6	3.53	
OSK-W-18-1675	400.9	Lynx	420.0	453306	5435331	136	-45	193.8	195.8	2.0	3.63	
OSK-W-18-1676	401.11	Zone 27	420.0	452289	5434575	327	-63	387.0	389.1	2.1	5.88	
								388.8	389.1	0.3	49.0	
OSK-W-18-1680	400.42	Caribou	372.0	452350	5434621	332	-48	91.0	96.0	5.0	10.0	
								101.2	92.0	1.0	23.1	
OSK-W-18-1680	400.42	Caribou	372.0	452350	5434621	332	-48	101.2	104.0	2.8	5.13	
OSK-W-18-1680	400.42	Caribou	372.0	452350	5434621	332	-48	261.0	263.0	2.0	3.84	
OSK-W-18-1680	400.42	Zone 27	372.0	452350	5434621	332	-48	279.6	281.6	2.0	14.4	
								279.6	280.1	0.5	52.1	
OSK-W-18-1680	400.42	Zone 27	372.0	452350	5434621	332	-48	299.1	306.6	7.5	3.21	
								304.3	306.6	2.3	5.85	
OSK-W-18-1680	400.42	227	372.0	452350	5434621	332	-48	332.7	335.2	2.5	9.83	
								332.7	333.3	0.6	30.9	
OSK-W-18-1681	407.26	Lynx	1131.0	453259	5435473	143	-46	517.5	519.0	1.5	11.6	
								517.5	517.8	0.3	76.9	
OSK-W-18-1681	407.26	Lynx	1131.0	453259	5435473	143	-46	538.5	541.0	2.5	8.06	
								540.0	541.0	1.0	18.4	
OSK-W-18-1681	407.26	Lynx 338	1131.0	453259	5435473	143	-46	1073.0	1075.1	4.1	61.6	35.4
								1073.7	1072.1	0.4	368	100



**Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t	
OSK-W-18-1684	390.08	Lynx	390.0	453493	5434505	143	-46	312.5	314.6	2.1	3.73		
OSK-W-18-1685	400.36	Zone 27	414.0	452350	5434621	330	-52	361.0	365.1	4.1	7.01		
								361.0	363.0	2.0	11.9		
OSK-W-18-1685	400.36	Zone 27		414.0	452350	5434621	330	-52	368.7	371.8	3.1	7.56	
								365.5	370.5	1.0	19.7		
OSK-W-18-1685	400.36	Zone 27		414.0	452350	5434621	330	-52	377.5	380.0	2.5	32.3	
								378.8	380.0	1.2	56.9		
OSK-W-18-1686	403.11	Zone 27		159.0	452098	5434820	141	-50	124.0	126.4	2.4	9.95	
								125.5	125.8	0.3	47.3		
OSK-W-18-1687	408.09	Lynx	1042.8	453344	5435502	141	-50	552.8	556.0	3.2	3.49		
OSK-W-18-1687	408.09	Lynx 331	1042.8	453344	5435502	141	-50	765.5	767.6	2.1	46.1	40.6	
								766.8	767.6	0.8	115	100	
OSK-W-18-1689	401.15	Zone 27		135.0	452177	5434814	150	-54	67.4	70.7	3.3	6.78	
								67.4	68.4	1.0	16.9		
OSK-W-18-1689	401.15	Zone 27		135.0	452177	5434814	150	-54	86.4	88.4	2.0	3.62	
OSK-W-18-1689	401.15	Caribou		135.0	452177	5434814	150	-54	123.0	125.0	2.0	3.72	
								123.7	124.0	0.3	21.8		
OSK-W-18-1690	401.6	Zone 27		143.0	452290	5434821	142	-49	17.5	20.0	2.5	6.53	
								17.9	18.3	0.4	24.7		
OSK-W-18-1691	399.7	Caribou		78.0	452251	5434568	338	-59	39.3	41.5	2.2	4.25	
								39.7	40.5	0.8	11.4		
OSK-W-18-1691	399.7	Caribou		78.0	452251	5434568	338	-59	44.9	47.0	2.1	3.30	
OSK-W-18-1692	401.42			450.0	452407	5434632	329	-52	114.0	116.0	2.0	3.88	
								114.4	115.0	0.6	57.9		
OSK-W-18-1692	401.42	Caribou		450.0	452407	5434632	329	-52	176.3	178.8	2.5	4.40	
								178.0	178.8	0.8	11.4		
OSK-W-18-1695	398.92	Caribou		520.0	452418	5434562	329	-52	321.3	323.9	2.6	3.05	
								321.3	321.9	0.6	8.65		
OSK-W-18-1695	398.92	Caribou		520.0	452418	5434562	329	-52	330.0	332.3	2.3	5.39	
								330.7	331.6	0.9	13.5		
OSK-W-18-1695	398.92	Zone 27		520.0	452418	5434562	329	-52	510.1	512.2	2.1	4.57	
OSK-W-18-1696	399.02	Lynx 3		453.0	453481	5435423	142	-45	127.5	131.9	4.4	5.86	
								127.5	127.8	0.3	11.9		
OSK-W-18-1696	399.02	Lynx		453.0	453481	5435423	142	-45	348.9	351.0	2.1	4.77	
OSK-W-18-1697	397.33	Lynx		231.0	453022	5434874	328	-61	108.9	111.1	2.2	4.24	
								109.5	110.1	0.6	15.3		
OSK-W-18-1698	400.83	Caribou		513.0	452430	5434608	329	-53	241.1	243.8	2.0	5.75	
OSK-W-18-1698	400.83	Caribou		513.0	452430	5434608	329	-53	246.1	248.8	2.7	37.65	50.0
								247.2	248.0	0.8	126	100	
OSK-W-18-1699	397.91	Lynx		174.0	452970	5434884	327	-64	82.0	84.0	2.0	5.06	
OSK-W-18-1699	397.91	Lynx		174.0	452970	5434884	327	-64	97.9	101.4	3.5	7.26	
OSK-W-18-1699	397.91	Lynx		174.0	452970	5434884	327	-64	126.3	131.9	5.6	7.26	
OSK-W-18-1699	397.91	Lynx		174.0	452970	5434884	327	-64	138.7	140.7	2.0	18.4	
								139.7	140.7	1.0	36.6		
OSK-W-18-1701	396.57	Lynx		207.0	452968	5434844	328	-66	186.6	188.6	2.0	29.0	
OSK-W-18-1702	398.0	Caribou		534.0	452418	5434561	330	-50	56.0	58.0	2.0	15.4	
OSK-W-18-1702	398.0	Caribou		534.0	452418	5434561	330	-50	293.0	295.0	2.0	36.3	
								294.0	295.0	1.0	60.5		
OSK-W-18-1702	398.0	Caribou		534.0	452418	5434561	330	-50	307.8	310.1	2.3	3.21	
								307.8	308.4	0.6	12.1		
OSK-W-18-1702	398.0	Caribou		534.0	452418	5434561	330	-50	349.8	351.8	2.0	7.51	
								350.8	351.8	1.0	15.0		
OSK-W-18-1702	398.0	Zone 27		534.0	452418	5434561	330	-50	498.0	502.8	4.8	5.58	
OSK-W-18-1704	410.04	Lynx		627.0	453349	5435524	137	-50	577.0	579.0	2.0	14.2	
OSK-W-18-1706	399.43	Lynx		416.0	453500	5435428	137	-46	360.0	362.6	2.6	45.5	15.7
								362.2	362.6	0.4	294	100	
OSK-W-18-1707	403.28	Caribou		447.0	452450	5434658	329	-49	153.1	155.4	2.3	3.86	
OSK-W-18-1707	403.28	Caribou		447.0	452450	5434658	329	-49	199.0	201.0	2.0	6.23	
OSK-W-18-1707	403.28	Caribou		447.0	452450	5434658	329	-49	268.0	270.4	2.4	3.02	
OSK-W-18-1707	403.28	Zone 27		447.0	452450	5434658	329	-49	380.0	382.4	2.4	27.4	
								380.0	381.0	1.0	50.4		
OSK-W-18-1707	403.28	Zone 27		447.0	452450	5434658	329	-49	397.0	399.0	2.0	6.83	
OSK-W-18-1709	398.17	Zone 27		525.0	452399	5434512	330	-51	499.0	501.0	2.0	17.4	
OSK-W-18-1710	400.35	Bulicat		330.0	452878	5435058	141	-45	112.3	114.6	2.3	14.2	
OSK-W-18-1711	412.96	Lynx		642.0	453367	5435556	134	-52	605.4	608.0	2.6	5.08	
OSK-W-18-1711-W1	412.96	Lynx		637.5	453367	5435556	134	-52	547.0	549.0	2.0	4.55	
OSK-W-18-1711-W2	412.96	Lynx		637.5	453367	5435556	134	-52	560.6	563.4	2.8	12.5	11.5
								560.6	560.9	0.3	109	100	
OSK-W-18-1711-W3	412.96	Lynx		637.5	453367	5435556	134	-52	568.4	574.0	2.0	6.36	
OSK-W-18-1711-W2	412.96	Lynx		1325.5	453367	5435556	134	-52	613.3	634.0	2.7	33.3	26.6
								632.2	632.9	0.7	126	100	
OSK-W-18-1711-W2	412.96	Lynx		1525.5	453367	5435556	134	-52	621.6	627.0	5.4	4.25	
OSK-W-19-1711-W3	412.96	Lynx 312		1233.0	453367	5435556	134	-52	622.0	634.0	2.0	28.3	
								622.8	623.5	0.7	80.4		
OSK-W-19-1711-W3	412.96	Lynx 331		1233.0	453367	5435556	134	-52	789.5	791.5	2.0	5.71	
OSK-W-19-1711-W3	412.96	Lynx 327		1233.0	453367	5435556	134	-52	1136.0	1138.0	2.0	6.94	
								1137.7	1138.0	0.3	35.7		
OSK-W-18-1712	397.26	Lynx		252.0	453194	5434916	329	-55	210.0	212.2	2.2	5.34	
								210.4	211.2	0.8	13.0		
OSK-W-18-1713	398.09	Zone 27		552.0	452399	5434430	333	-45	533.8	535.9	2.1	6.48	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1714	396.99	Lynx	321.0	453185	5434903	331	-63	290.0	292.4	2.4	3.59	
OSK-W-18-1721	399.67	Caribou	630.0	452510	5434500	332	-49	303.3	305.6	2.3	4.46	
OSK-W-18-1723	405.72	Lynx	531.0	453329	5435465	142	-49	488.4	490.6	2.2	22.7	
OSK-W-18-1723	405.72	Lynx	531.0	453329	5435465	142	-49	496.6	501.2	2.6	4.06	
		including						500.8	501.2	0.4	25.3	
OSK-W-18-1725	395.67	Lynx	399.0	453418	5434901	340	-54	283.3	286.0	2.7	1026	64.8
		including						283.3	284.0	0.7	502	100
		including						284.4	285.3	0.9	2670	100
OSK-W-18-1725	395.67	Lynx	399.0	453418	5434901	340	-54	293.0	297.0	4.0	13.9	
		including						293.6	294.4	0.8	42.2	
OSK-W-18-1725	395.67	Lynx	399.0	453418	5434901	340	-54	377.8	380.2	2.4	0.73	
		including						378.1	379.1	1.0	22.0	
OSK-W-18-1727	395.88	Lynx	810.0	453461	5435040	331	-61	189.0	171.0	2.0	6.51	
		including						169.0	169.9	0.8	15.6	
OSK-W-18-1727	395.88	Lynx	810.0	453461	5435040	331	-61	782.9	784.9	2.0	12.7	
OSK-W-18-1728	399.25	Lynx	507.0	453468	5435417	138	-54	455.0	457.0	2.0	4.89	
OSK-W-18-1728-W1	399.25	Lynx	669.0	453468	5435417	145	-52	467.0	470.9	3.3	56.3	36.1
		including						468.7	469.4	0.7	196	100
OSK-W-18-1728-W1	399.25	Lynx	669.0	453468	5435417	145	-53	489.6	492.7	2.1	9.83	
		including						489.6	490.0	0.4	47.2	
OSK-W-18-1729	399.2	Zone 27	318.0	4532019	5434494	360	-53	263.0	268.0	5.0	3.16	
OSK-W-18-1729	399.2	Zone 27	318.0	4532019	5434494	360	-53	272.5	274.8	2.3	7.00	
		including						272.5	273.3	0.8	33.7	
		including						282.3	285.9	3.1	14.2	
OSK-W-18-1729	399.2	Zone 27	318.0	4532019	5434494	360	-53	282.8	283.2	0.4	20.0	
		including						282.8	283.2	0.4	20.0	
OSK-W-18-1731	400.05	Lynx	611.0	453383	5435518	139	-51	555.0	557.4	2.4	89.3	73.3
		including						556.3	557.4	1.1	135	100
OSK-W-18-1731	400.05	Lynx	611.0	453383	5435518	139	-51	569.3	581.9	2.3	83.9	35.5
		including						582.4	587.0	4.6	496	100
OSK-W-18-1731-W1	400.05	Lynx 322	995.0	453383	5435518	139	-51	581.0	583.0	2.0	0.27	
		including						581.6	582.0	0.4	33.8	
OSK-W-18-1731-W1	400.05	Lynx 313	995.0	453383	5435518	139	-51	871.1	874.0	2.9	7.78	
		including						872.4	873.0	0.6	21.3	
OSK-W-18-1731-W1	400.05	Lynx 327	995.0	453383	5435518	139	-51	895.5	897.8	2.3	5.39	
OSK-W-18-1731-W2	400.05	Lynx 322	996.0	453383	5435518	139	-51	501.0	503.0	2.0	7.70	
		including						501.0	502.0	1.0	14.5	
OSK-W-18-1731-W2	400.05	Lynx 313	996.0	453383	5435518	139	-51	877.0	879.0	2.0	12.3	
OSK-W-18-1731-W2	400.05	Lynx 313	996.0	453383	5435518	139	-51	882.7	887.3	4.6	1475	64.3
		including						886.3	887.0	0.7	8030	100
OSK-W-18-1731-W2	400.05	Lynx 313	996.0	453383	5435518	139	-51	891.0	899.2	2.2	33.6	
OSK-W-18-1731-W2	400.05	Lynx 327	996.0	453383	5435518	139	-51	927.7	929.8	2.1	31.8	
OSK-W-18-1731-W3	400.05	Lynx 304	905.0	453383	5435518	139	-51	533.0	536.0	3.0	5.34	
		including						533.0	533.5	0.5	18.7	
OSK-W-18-1731-W3	400.05	Lynx	905.0	453383	5435518	139	-51	641.6	643.9	2.3	4.47	
OSK-W-18-1731-W4	400.05	Lynx 304	975.0	453383	5435518	139	-51	534.7	539.6	4.9	7.76	
		including						534.7	535.2	0.5	36.5	
		and						538.9	539.6	0.7	17.6	
OSK-W-18-1731-W4	400.05	Lynx 313	975.0	453383	5435518	139	-51	878.0	880.0	2.0	3.16	
OSK-W-18-1731-W4	400.05	Lynx 4	975.0	453383	5435518	139	-51	907.0	909.0	2.0	12.9	
		including						907.0	907.5	0.5	50.1	
OSK-W-18-1731-W4	400.05	Lynx	975.0	453383	5435518	139	-51	920.1	923.5	3.4	71.2	37.1
		including						922.2	923.6	1.4	363	100
OSK-W-20-1731-W5	400.05	Lynx 304	1027.5	453383	5435518	139	-51	544.0	546.0	2.0	6.86	
		including						544.8	545.3	0.5	26.4	
OSK-W-20-1731-W5	400.05	Lynx 304	1027.5	453383	5435518	139	-51	547.5	549.7	2.2	79.1	15.4
		including						549.4	549.7	0.3	567	100
OSK-W-20-1731-W5	400.05	Lynx	1027.5	453383	5435518	139	-51	607.0	609.0	2.0	11.9	
OSK-W-20-1731-W5	400.05	Lynx 329	1027.5	453383	5435518	139	-51	915.0	917.2	2.2	15.8	
		including						916.4	917.2	0.8	32.2	
OSK-W-20-1731-W5	400.05	Lynx 329	1027.5	453383	5435518	139	-51	923.0	925.3	2.3	61.2	13.4
		including						923.8	924.1	0.3	466	100
OSK-W-20-1731-W6	400.05	Lynx 310	1068.0	453383	5435518	139	-51	542.4	546.0	2.6	39.3	35.9
		including						543.0	543.9	0.9	110	100
OSK-W-20-1731-W6	400.05	Lynx 305	1068.0	453383	5435518	139	-51	577.4	580.7	2.8	11.5	
		including						577.4	577.7	0.3	98.9	
OSK-W-20-1731-W6	400.05	Lynx	1068.0	453383	5435518	139	-51	593.0	595.4	2.4	6.78	
		including						593.5	593.8	0.3	21.3	
OSK-W-20-1731-W6	400.05	Lynx 327	1068.0	453383	5435518	139	-51	1000.5	1003.0	2.5	4.90	
OSK-W-18-1733	405.72	Lynx 338	1340.0	453329	5435466	138	-51	1102.0	1104.5	2.5	7.59	
		including						1103.3	1103.3	0.4	29.7	
OSK-W-20-1733-W1	405.72	Lynx 330	1206.0	453329	5435466	138	-51	869.7	873.9	4.2	4.11	
		including						869.7	870.0	0.3	11.0	
		and						873.2	873.9	0.7	17.5	
OSK-W-20-1733-W1	405.72	Lynx 329	1206.0	453329	5435466	138	-51	979.0	981.0	2.0	18.0	
		including						979.9	980.2	0.3	64.0	
OSK-W-18-1734	395.88	Lynx	360.0	453461	5435038	338	-67	252.7	255.0	2.3	3.02	
OSK-W-18-1735	399.56	Caribou	327.0	452394	5434680	323	-46	86.7	91.0	4.3	6.54	
		including						90.3	91.0	0.7	18.3	
OSK-W-18-1735	399.56	Caribou	327.0	452394	5434680	323	-46	117.0	120.0	2.0	5.20	
OSK-W-18-1735	399.56	Zone 27	327.0	452394	5434680	323	-46	276.0	280.1	2.1	5.40	



**Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1737	410.61	Bolocat	1809.8	452902	5435184	130	-53	308.0	110.0	2.0	7.18	
OSK-W-18-1737	410.61	Caribou	1809.8	452902	5435184	130	-53	362.0	364.3	2.3	13.0	
OSK-W-18-1737	410.61	Lynx	1809.8	452902	5435184	130	-53	514.0	516.0	2.0	16.2	
								515.3	515.6	0.3	96.1	
OSK-W-18-1737	410.61	Lynx	1809.8	452902	5435184	130	-53	628.0	630.0	2.0	9.20	
								629.1	629.5	0.4	42.4	
OSK-W-18-1737	410.61	Lynx	1809.8	452902	5435184	130	-53	688.5	690.7	2.2	19.0	
								690.0	691.2	1.2	31.7	
OSK-W-18-1737	410.61	Lynx	1809.8	452902	5435184	130	-53	743.0	745.0	2.0	4.60	
								745.0	745.3	0.3	29.8	
OSK-W-18-1738	395.96	Lynx	815.0	453460	5434986	329	-69	262.0	264.0	2.0	8.22	
								262.0	263.0	1.0	16.3	
OSK-W-18-1738	395.96	Lynx	815.0	453460	5434986	329	-69	299.6	301.1	1.5	7.89	
OSK-W-18-1738	395.96	Lynx	815.0	453460	5434986	329	-69	350.9	353.8	2.9	29.3	16.0
								351.2	351.5	0.3	229	100
OSK-W-18-1738	395.96	Vain	815.0	453460	5434986	329	-69	427.0	429.4	2.4	5.31	
								428.0	428.4	0.4	11.9	
OSK-W-18-1738	395.96	Lynx	815.0	453460	5434986	329	-69	472.0	474.0	2.0	6.46	
								473.0	473.5	0.5	25.5	
OSK-W-18-1738	395.96	Lynx 367	815.0	453460	5434986	329	-69	686.4	690.0	2.6	39.6	
								696.4	696.8	0.4	14.7	
OSK-W-18-1738	395.96	Lynx 367	815.0	453460	5434986	329	-69	706.0	708.3	2.3	3.21	
								707.0	709.0	6.0	21.2	
OSK-W-18-1738	395.96	Lynx 367	815.0	453460	5434986	329	-69	710.0	712.3	2.3	18.3	
								710.4	711.3	0.9	44.7	
OSK-W-18-1739	415.86	Lynx	813.0	453133	5435354	125	-55	516.0	518.0	2.0	13.0	
								517.3	517.6	0.3	83.6	
OSK-W-18-1739	415.86	Lynx 331	813.0	453133	5435354	125	-55	703.0	709.0	6.0	21.2	
								707.0	708.0	1.0	95.1	
OSK-W-18-1739	415.86	Lynx 331	813.0	453133	5435354	125	-55	722.0	726.0	4.0	5.41	
								725.0	726.0	1.0	16.1	
OSK-W-18-1739	415.86	Lynx 331	813.0	453133	5435354	125	-55	737.0	739.0	2.0	13.0	
								737.9	738.2	0.3	81.1	
OSK-W-18-1741-W1	405.71	Lynx	1083.0	453328	5435466	144	-48	445.0	447.5	2.5	9.72	
								446.2	446.7	0.5	47.0	
OSK-W-18-1741-W1	405.71	Lynx	1083.0	453328	5435466	144	-48	481.1	483.4	2.3	34.4	
								484.4	484.8	0.4	74.4	
OSK-W-18-1741-W1	405.71	Lynx	1083.0	453328	5435466	144	-48	498.7	502.0	3.3	5.13	
OSK-W-18-1741-W1	405.71	Lynx 336	1083.0	453328	5435466	144	-48	693.8	696.1	2.3	4.08	
OSK-W-18-1741-W1	405.71	Lynx 4	1083.0	453328	5435466	144	-48	847.0	849.7	2.7	7.02	
								848.3	848.7	0.5	38.1	
OSK-W-18-1741-W1	405.71	Lynx 329	1083.0	453328	5435466	144	-48	916.1	918.7	2.6	76.5	50.0
								916.1	917.0	0.9	177	100
OSK-W-18-1741-W1	405.71	Lynx 4	1083.0	453328	5435466	144	-48	926.0	928.0	2.0	76.0	
OSK-W-20-1741-W2	405.71	Lynx 347	972.0	453328	5435466	144	-48	860.0	862.0	2.0	3.20	
OSK-W-20-1741-W2	405.71	Lynx 329	972.0	453328	5435466	144	-48	899.0	901.0	2.0	4.20	
								899.4	900.0	0.6	13.6	
OSK-W-20-1741-W3	405.71	Lynx 336	1096.0	453328	5435466	144	-48	696.0	698.0	2.0	3.97	
OSK-W-20-1741-W3	405.71	Lynx 329	1096.0	453328	5435466	144	-48	968.0	970.0	2.0	6.32	
OSK-W-20-1741-W3	405.71	Lynx 312	1096.0	453328	5435466	144	-48	1080.9	1083.1	2.2	20.7	
								1082.0	1083.1	1.1	38.8	
OSK-W-18-1742	400.82	Caribou	462.0	452320	5434588	335	-56	230.0	232.0	2.0	9.64	
OSK-W-18-1743-W1	401.46	Lynx	558.0	453331	5435394	140	-45	424.0	426.3	2.3	6.46	
								425.2	425.8	0.6	17.4	
OSK-W-18-1743-W1	401.46	Lynx	558.0	453331	5435394	140	-45	481.1	481.1	0.0	18.6	18.3
								483.6	484.1	0.5	105	100
OSK-W-18-1743-W1	401.46	Lynx	558.0	453331	5435394	140	-45	489.0	491.1	2.1	3.35	
OSK-W-18-1744	400.97	Lynx	588.5	453450	5435484	134	-48	507.1	509.5	2.4	8.38	
								507.1	507.7	0.6	29.6	
OSK-W-18-1744-W1	400.97	Lynx	594.0	453450	5435484	134	-48	527.8	533.8	4.5	9.71	
								527.8	528.1	0.3	15.6	
OSK-W-18-1744-W2	400.97	Lynx	621.0	453450	5435484	134	-48	541.0	543.0	2.0	17.7	
								542.2	542.6	0.4	74.0	
OSK-W-18-1745	407.07	Lynx	1038.0	453218	5435347	134	-51	386.0	388.0	2.0	20.4	
								387.4	388.0	0.6	67.7	
OSK-W-18-1745	407.07	Lynx	1038.0	453218	5435347	134	-51	450.9	452.9	2.0	13.0	
								451.2	452.1	1.0	25.4	
OSK-W-18-1745	407.07	Vain	1038.0	453218	5435347	134	-51	470.0	472.3	2.3	7.05	
								473.2	473.9	0.7	22.9	
OSK-W-18-1745	407.07	Lynx 4	1038.0	453218	5435347	134	-51	800.9	803.4	2.5	5.86	
								801.6	802.1	0.5	29.2	
OSK-W-18-1745	407.07	Lynx 327	1038.0	453218	5435347	134	-51	905.9	911.6	5.7	3.98	
OSK-W-18-1746	404.56	Lynx	882.0	453280	5435389	142	-53	454.0	456.1	2.1	3.23	
OSK-W-18-1746	404.56	Lynx 336	882.0	453280	5435389	142	-53	694.9	697.0	2.1	25.3	
OSK-W-19-1746-W1	404.56	Lynx	840.0	453280	5435389	142	-53	683.2	685.7	2.5	19.0	
								683.2	683.7	0.5	50.1	
OSK-W-19-1746-W1	404.56	Lynx 336	840.0	453280	5435389	142	-53	764.0	766.4	2.4	17.0	
								765.2	765.7	0.5	81.4	
OSK-W-19-1746-W1	404.56	Lynx	840.0	453280	5435389	142	-53	781.2	783.3	2.1	4.38	
OSK-W-18-1747	402.42	Caribou	519.0	452463	5434683	333	-54	202.6	205.0	2.4	5.99	
								203.2	203.7	0.5	26.0	
OSK-W-18-1747	402.42	Caribou	519.0	452463	5434683	333	-54	273.3	276.0	2.7	3.00	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assmt	Au (g/t) cut to 100 g/t	
			including						273.3	273.6	0.3	11.0	
OSK-W-18-1747-W1	402.42	Zone 27	558.0	452463	5434683	333	-54	505.5	507.0	2.0	3.78		
OSK-W-18-1748	397.2	Lyna	147.0	452900	5434835	301	-61	122.0	124.0	2.0	4.23		
OSK-W-18-1750	396.39	Lyna	315.0	453379	5434949	333	-52	172.1	174.3	2.2	20.0		
OSK-W-18-1750	396.39	Lyna	315.0	453379	5434949	333	-52	198.2	200.6	2.4	6.30		
OSK-W-18-1750	396.39	Lyna	315.0	453379	5434949	333	-52	229.4	231.8	2.4	6.27		
OSK-W-18-1750	396.39	Lyna	315.0	453379	5434949	333	-52	251.0	253.3	2.3	5.67		
			including						252.3	252.8	0.5	24.9	
OSK-W-18-1754	396.5	Lyna	264.0	453338	5434947	332	-53	168.0	170.9	2.0	21.7		
OSK-W-18-1754	396.5	Lyna	264.0	453338	5434947	332	-53	188.0	190.0	2.0	5.28		
			including						189.0	189.5	0.5	20.8	
OSK-W-18-1754	396.5	Lyna	264.0	453338	5434947	332	-53	208.0	210.0	2.0	22.9		
			including						208.8	209.5	0.7	64.1	
OSK-W-18-1754	396.5	Lyna	264.0	453338	5434947	332	-53	222.8	225.0	2.2	3.89		
			including						222.8	223.1	0.3	17.6	
OSK-W-18-1754	396.5	Lyna	264.0	453338	5434947	332	-53	237.0	239.7	2.7	3.93		
			including						238.1	238.8	0.7	12.4	
OSK-W-18-1756	396.81	Lyna	291.0	453358	5434956	330	-57	169.5	172.0	2.5	53.0	31.9	
			including						170.2	170.6	0.4	232	100
OSK-W-18-1756	396.81	Lyna	291.0	453358	5434956	330	-57	223.5	227.0	3.5	30.5		
OSK-W-18-1756	396.81	Lyna	291.0	453358	5434956	330	-57	244.4	246.4	2.0	6.72		
OSK-W-18-1756	401.74	Zone 27	138.0	451942	5434724	160	-45	64.8	66.0	3.2	5.96		
			including						67.1	68.0	0.9	21.3	
OSK-W-18-1759	397.45	Lyna	252.0	453323	5434955	331	-57	205.4	208.4	2.0	38.2		
			including						206.4	207.5	1.1	59.1	
OSK-W-18-1759	397.45	Lyna	252.0	453323	5434955	331	-57	218.0	220.0	2.0	3.84		
OSK-W-18-1760	396.84	Lyna	267.0	453358	5434956	332	-55	211.7	213.7	2.0	3.74		
OSK-W-18-1760	396.84	Lyna	267.0	453358	5434956	332	-55	220.0	225.5	6.5	16.9	13.3	
OSK-W-18-1760	396.84	Lyna	267.0	453358	5434956	332	-55	238.9	241.0	2.1	10.5		
			including						238.9	239.4	0.5	43.2	
OSK-W-18-1761	407.96	Caribou	201.0	452873	5435000	329	-50	54.0	56.0	2.0	4.37		
			including						55.1	56.0	0.9	94.8	
OSK-W-18-1762	407.96	Caribou	201.0	452873	5435000	329	-50	98.0	100.0	2.0	4.00		
OSK-W-18-1762	397.45	Lyna	254.0	453323	5434955	332	-58	229.5	234.2	4.7	13.5		
			including						229.5	230.0	0.5	89.0	
OSK-W-18-1763	406.43	Caribou	234.0	452863	5434704	330	-51	203.0	205.4	2.4	7.25		
OSK-W-18-1765	396.84	Lyna	306.0	453359	5434955	333	-57	188.0	190.3	2.3	3.36		
			including						189.8	190.3	0.5	10.5	
OSK-W-18-1765	396.84	Lyna	306.0	453359	5434955	333	-57	203.0	205.0	2.0	9.84		
			including						204.0	205.0	1.0	19.5	
OSK-W-18-1765	396.84	Lyna	306.0	453359	5434955	333	-57	229.8	231.8	2.0	60.3	41.6	
			including						231.1	231.4	0.3	217	100
OSK-W-18-1765	396.84	Lyna	306.0	453359	5434955	333	-57	249.4	251.8	2.4	7.43		
			including						250.2	250.9	0.7	24.7	
OSK-W-18-1767	404.51	Caribou	165.0	452577	5434901	329	-65	47.0	49.0	2.0	3.67		
OSK-W-18-1768	395.96	Lyna	375.0	453430	5434976	332	-63	202.5	204.5	2.0	3.65		
			including						202.5	202.4	0.1	21.3	
OSK-W-18-1768	395.96	Lyna	375.0	453430	5434976	332	-63	219.0	222.4	3.4	13.0		
			including						219.0	219.8	0.8	48.1	
OSK-W-18-1768	395.96	Lyna	375.0	453430	5434976	332	-63	261.0	263.0	2.0	4.49		
OSK-W-18-1768	395.96	Lyna	375.0	453430	5434976	332	-63	268.7	273.0	4.3	163	37.0	
			including						269.2	269.6	0.4	66.0	100
			including						271.9	272.7	0.8	383	100
OSK-W-18-1768	395.96	Lyna	375.0	453430	5434976	332	-63	283.0	285.5	2.5	22.1		
			including						284.1	284.7	0.6	85.2	
OSK-W-18-1768	395.96	Lyna	375.0	453430	5434976	332	-63	294.0	296.0	2.0	74.4	15.1	
OSK-W-18-1768	395.96	Lyna	375.0	453430	5434976	332	-63	335.1	332.6	2.5	8.06		
			including						332.2	332.6	0.4	22.0	
OSK-W-18-1770	397.64	Lyna	312.0	453308	5434951	335	-60	127.8	130.4	2.6	96.9	37.5	
			including						128.7	129.5	0.8	293	100
OSK-W-18-1770	397.64	Lyna	312.0	453308	5434951	335	-60	172.0	175.0	3.0	11.1		
			including						172.0	173.5	1.5	22.1	
OSK-W-18-1770	397.64	Lyna	312.0	453308	5434951	335	-60	213.0	215.5	2.5	19.0		
			including						214.1	214.8	0.7	67.9	
OSK-W-18-1770	397.64	Lyna	312.0	453308	5434951	335	-60	246.8	248.0	1.2	30.3		
			including						247.2	248.0	0.8	82.8	
OSK-W-18-1770	397.64	Lyna	312.0	453308	5434951	335	-60	252.0	257.1	5.1	32.0	25.5	
			including						256.0	257.1	1.1	113	83.4
OSK-W-18-1771	401.7	Caribou	318.0	452475	5434526	334	-57	276.8	279.0	2.2	6.83		
			including						277.4	278.0	0.6	24.3	
OSK-W-18-1772	396.03	Lyna	392.0	453431	5434976	331	-64	226.4	228.5	2.1	19.1		
			including						226.4	227.7	1.3	30.7	
OSK-W-18-1772	396.03	Lyna	392.0	453431	5434976	331	-64	274.2	276.3	2.1	31.3	24.0	
			including						275.5	275.8	0.3	133	100
OSK-W-18-1772	396.03	Lyna	392.0	453431	5434976	331	-64	361.0	363.0	2.0	11.9		
OSK-W-18-1773	399.52	Caribou	621.0	452632	5434696	331	-56	206.0	208.5	2.5	14.3		
OSK-W-18-1773	399.52	Caribou	621.0	452632	5434696	331	-56	608.0	611.0	3.0	7.59		
OSK-W-18-1774	397.58	Lyna	315.0	453307	5434951	331	-60	251.1	253.0	1.9	17.0		
			including						251.1	252.0	0.9	56.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1779	400.12	Caribou	297.0	452430	5434514	334	-58	187.0	199.1	2.1	4.05	
OSK-W-18-1779	400.12	Caribou	297.0	452430	5434514	334	-58	296.5	288.5	2.0	6.13	
OSK-W-18-1781	397.44	Lynx	300.0	453326	5434951	331	-57	146.7	148.0	0.9	30.9	
OSK-W-18-1781	397.44	Lynx	300.0	453326	5434951	331	-57	225.0	228.5	3.5	34.6	
OSK-W-18-1783	398.36	Triple 8	2223.7	453535	5434373	61	-78	1873.2	1826.5	3.3	4.62	
OSK-W-18-1783	398.36	Triple 8	2223.7	453535	5434373	61	-78	1859.9	1860.0	2.0	38.4	28.9
OSK-W-18-1783	398.36	Triple 8	2223.7	453535	5434373	61	-78	1859.9	1859.4	0.5	138	100
OSK-W-18-1783-W3	398.36	Triple 8	2208.0	453535	5434373	61	-78	1940.8	1961.1	2.3	16.0	
OSK-W-18-1783-W3	398.36	Triple 8	2208.0	453535	5434373	61	-78	1935.0	1937.2	2.2	100	14.0
OSK-W-18-1783-W3	398.36	Triple 8	2208.0	453535	5434373	61	-78	1936.9	1937.2	0.3	734	100
OSK-W-18-1783-W3	398.36	Triple 8	2208.0	453535	5434373	61	-78	2019.4	2021.8	2.4	6.65	
OSK-W-18-1783-W3	398.36	Triple 8	2208.0	453535	5434373	61	-78	2120.9	2112.0	2.1	3.32	
OSK-W-18-1783-W3	398.36	Triple 8	2208.0	453535	5434373	61	-78	2128.0	2130.0	2.0	3.55	
OSK-W-18-1783-W3	398.36	Triple 8	2208.0	453535	5434373	61	-78	2133.2	2136.1	2.9	3.11	
OSK-W-18-1783-W3	398.36	Triple 8	2208.0	453535	5434373	61	-78	2185.0	2187.5	2.5	4.49	
OSK-W-18-1785	396.22	Lynx	273.0	453425	5434953	334	-59	2186.1	2188.5	0.4	25.7	
OSK-W-18-1785	396.22	Lynx	273.0	453425	5434953	334	-59	225.4	225.7	2.0	18.5	17.2
OSK-W-18-1785	396.22	Lynx	273.0	453425	5434953	334	-59	249.2	251.9	2.7	69.0	35.3
OSK-W-18-1785	396.22	Lynx	273.0	453425	5434953	334	-59	251.4	251.9	0.5	287	100
OSK-W-18-1785-W1	396.22	Lynx	375.0	453425	5434953	334	-59	264.9	260.0	4.1	6.87	
OSK-W-18-1785-W1	396.22	Lynx	375.0	453425	5434953	334	-59	264.9	265.2	0.3	51.9	
OSK-W-18-1785-W1	396.22	Lynx	375.0	453425	5434953	334	-59	224.2	226.3	2.1	64.2	28.2
OSK-W-18-1785-W1	396.22	Lynx 305	375.0	453425	5434953	334	-59	224.8	225.1	0.3	352	100
OSK-W-18-1785-W1	396.22	Lynx 305	375.0	453425	5434953	334	-59	258.0	260.0	4.1	36.0	22.6
OSK-W-18-1785-W1	396.22	Lynx 305	375.0	453425	5434953	334	-59	258.9	259.5	0.6	192	100
OSK-W-18-1785-W1	396.22	Lynx 330	375.0	453425	5434953	334	-59	279.0	277.3	2.3	27.4	
OSK-W-18-1785-W1	396.22	Lynx 330	375.0	453425	5434953	334	-59	345.4	352.0	2.6	3.42	
OSK-W-18-1785-W1	396.22	Lynx 330	375.0	453425	5434953	334	-59	331.6	384.0	2.4	4.89	
OSK-W-18-1786	400.58	Caribou	201.0	452319	5434588	332	-53	93.0	95.0	2.0	14.6	
OSK-W-18-1786	400.58	Caribou	201.0	452319	5434588	332	-53	93.7	94.1	0.4	71.7	
OSK-W-18-1786	400.58	Caribou	201.0	452319	5434588	332	-53	115.2	117.3	2.1	3.50	
OSK-W-18-1786	401.19	Caribou	141.0	452289	5434590	330	-61	81.6	83.6	2.0	9.87	
OSK-W-18-1786	401.19	Caribou	141.0	452289	5434590	330	-61	87.7	89.1	2.4	4.08	
OSK-W-18-1788	401.19	Caribou	143.0	452289	5434590	330	-61	81.6	83.9	0.3	65.0	
OSK-W-18-1788	401.19	Caribou	143.0	452289	5434590	330	-61	87.7	90.1	2.4	4.08	
OSK-W-18-1788	401.19	Caribou	143.0	452289	5434590	330	-61	122.8	125.2	2.4	3.00	
OSK-W-18-1788	401.19	Caribou	143.0	452289	5434590	330	-61	122.8	123.3	0.5	8.62	
OSK-W-18-1789	401.03	Caribou	624.0	452651	5434691	332	-56	327.0	329.0	2.0	3.87	
OSK-W-18-1789	401.03	Caribou	624.0	452651	5434691	332	-56	481.7	483.9	2.2	3.56	
OSK-W-18-1789	401.03	227	624.0	452651	5434691	332	-56	575.0	577.0	2.0	4.49	
OSK-W-18-1789	401.03	227	624.0	452651	5434691	332	-56	593.3	596.4	2.1	4.47	
OSK-W-18-1791	396.46	Lynx	294.0	453366	5434930	331	-50	272.5	275.0	2.5	30.9	
OSK-W-18-1791	396.46	Lynx	294.0	453366	5434930	331	-50	272.5	273.4	0.9	77.3	
OSK-W-18-1791	396.46	Lynx	294.0	453366	5434930	331	-50	280.0	282.9	2.9	22.1	
OSK-W-18-1792	395.93	Lynx	315.0	453424	5434939	331	-58	264.0	266.5	2.5	4.29	
OSK-W-18-1792	395.93	Lynx	315.0	453424	5434939	331	-58	280.8	280.8	10.0	3.70	
OSK-W-18-1792	395.93	Lynx	315.0	453424	5434939	331	-58	270.8	273.3	2.5	6.37	
OSK-W-18-1795	402.61	Caribou	357.0	452070	5434451	334	-45	276.1	280.8	2.7	5.03	
OSK-W-18-1795	402.61	227	357.0	452070	5434451	334	-45	257.5	259.5	2.0	35.5	
OSK-W-18-1795	402.61	227	357.0	452070	5434451	334	-45	259.0	259.5	0.5	61.9	
OSK-W-18-1795	402.61	227	357.0	452070	5434451	334	-45	318.6	325.6	7.0	11.4	
OSK-W-18-1797	398.98	Caribou	247.4	452282	5434396	339	-56	124.0	125.6	1.6	40.9	
OSK-W-18-1797	398.98	Caribou	247.4	452282	5434396	339	-56	192.2	202.9	10.7	12.3	
OSK-W-18-1797	398.98	Caribou	247.4	452282	5434396	339	-56	192.2	194.0	1.8	31.1	
OSK-W-18-1803	404.03	Caribou	585.0	452547	5434723	334	-58	200.1	201.0	0.9	38.8	
OSK-W-18-1803	404.03	Caribou	585.0	452547	5434723	334	-58	291.4	294.2	2.8	3.68	
OSK-W-18-1803	404.03	Caribou	585.0	452547	5434723	334	-58	443.0	445.0	2.0	3.74	
OSK-W-18-1803	404.03	227	585.0	452547	5434723	334	-58	443.5	444.2	0.7	9.77	
OSK-W-18-1803	404.03	227	585.0	452547	5434723	334	-58	510.0	525.0	6.0	9.37	
OSK-W-18-1803	404.03	227	585.0	452547	5434723	334	-58	523.9	525.0	1.1	30.9	
OSK-W-18-1804	396.11	Lynx 305	345.0	453434	5434022	331	-56	280.0	282.8	2.8	224	20.3
OSK-W-18-1804	396.11	Lynx 308	345.0	453434	5434022	331	-56	282.5	282.8	0.3	200.0	100
OSK-W-18-1804	396.11	Lynx 308	345.0	453434	5434022	331	-56	308.4	312.7	4.1	10.8	
OSK-W-18-1804	396.11	Lynx 308	345.0	453434	5434022	331	-56	314.9	317.0	2.1	77.9	58.5
OSK-W-18-1804	396.11	Lynx 308	345.0	453434	5434022	331	-56	315.8	317.0	1.2	134	100
OSK-W-18-1805	400.47	Caribou	147.0	452259	5434559	331	-56	93.8	97.5	4.9	3.38	
OSK-W-18-1805	400.47	Caribou	147.0	452259	5434559	331	-56	108.7	112.9	4.2	3.48	
OSK-W-18-1805	400.47	Caribou	147.0	452259	5434559	331	-56	123.0	125.0	2.0	9.59	
OSK-W-18-1805	400.47	Caribou	147.0	452259	5434559	331	-56	123.4	124.4	1.0	17.7	
OSK-W-18-1806	400.48	Caribou	132.0	452263	5434588	330	-56	55.8	57.8	2.0	3.74	
OSK-W-18-1807	395.82	Lynx 304	297.0	453423	5434023	332	-56	266.9	263.3	2.3	3.24	
OSK-W-18-1807	395.82	Lynx 304	297.0	453423	5434023	332	-56	267.3	272.0	4.7	18.0	
OSK-W-18-1808	399.66	Caribou	351.0	452297	5434645	330	-50	267.3	267.8	0.5	80.0	
OSK-W-18-1808	399.66	Caribou	351.0	452297	5434645	330	-50	143.4	146.7	2.3	26.8	
OSK-W-18-1808	399.66	Caribou	351.0	452297	5434645	330	-50	144.3	145.0	0.7	73.9	
OSK-W-18-1808	399.66	Caribou	351.0	452297	5434645	330	-50	199.7	201.7	2.0	13.8	
OSK-W-18-1808	399.66	Zone 27	351.0	452297	5434645	330	-50	200.6	201.7	1.1	24.8	
OSK-W-18-1808	399.66	Zone 27	351.0	452297	5434645	330	-50	293.0	295.1	2.1	6.69	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-18-1809	396.42	Lynx 330	291.0	453366	5434931	328	-51	228.0	230.0	2.0	3.40	
			inclining					228.0	228.6	0.6	9.56	
OSK-W-18-1809	396.42	Lynx 308	291.0	453366	5434931	328	-51	265.0	267.3	2.3	6.13	
			inclining					265.8	266.2	0.3	25.8	
OSK-W-18-1810	398.36	Caribou	566.0	452401	5434503	335	-49	113.0	115.0	2.0	3.35	
OSK-W-18-1810	398.36	Z27	566.0	452401	5434503	335	-49	546.0	548.0	2.0	5.86	
			inclining					547.0	548.0	1.0	11.3	
OSK-W-18-1811	396.58	Lynx 304	317.0	453365	5434931	333	-51	186.0	190.4	2.4	4.30	
OSK-W-18-1811	396.58	Lynx 305	317.0	453365	5434931	333	-51	214.6	217.0	2.4	5.56	
OSK-W-18-1811	396.58	Lynx 308	317.0	453365	5434931	333	-51	255.5	257.5	2.0	15.2	
			inclining					256.8	257.5	0.7	40.9	
OSK-W-18-1811	396.58	Lynx 311	317.0	453365	5434931	333	-51	268.6	271.0	2.4	32.6	25.7
			inclining					269.8	270.4	0.6	128	100
OSK-W-18-1812	396.44	Lynx 311	303.0	453366	5434932	330	-50	266.3	268.5	3.2	51.2	40.7
OSK-W-18-1813	398.23	VNCR	731.0	452683	5434622	330	-60	333.4	335.5	2.1	52.9	
			inclining					333.4	334.5	1.1	98.9	
OSK-W-18-1813	398.23	Caribou	731.0	452683	5434622	330	-60	515.2	517.3	2.1	15.8	
			inclining					516.2	517.3	1.1	30.3	
OSK-W-18-1813	398.23	Caribou	731.0	452683	5434622	330	-60	580.9	583.0	2.1	5.54	
OSK-W-18-1813	398.23	Caribou	731.0	452683	5434622	330	-60	637.4	639.6	2.2	4.38	
			inclining					638.1	638.8	0.7	31.8	
OSK-W-18-1814	398.2	Vein	438.0	452683	5434622	333	-59	166.0	168.0	2.0	4.98	
			inclining					166.6	167.5	0.9	8.98	
OSK-W-18-1814	398.2	Caribou	438.0	452683	5434622	333	-59	299.0	300.0	1.0	26.4	
OSK-W-18-1814	398.2	Caribou	438.0	452683	5434622	333	-59	345.5	347.5	2.0	3.56	
			inclining					430.0	432.0	2.0	8.30	
			inclining					431.0	432.0	1.0	16.2	
OSK-W-18-1817	398.92	Caribou	687.0	452656	5434699	332	-57	341.0	343.0	2.0	3.45	
			inclining					341.0	342.0	1.0	6.61	
OSK-W-18-1817	398.92	Caribou	687.0	452656	5434699	332	-57	406.0	408.0	2.0	7.60	
			inclining					406.8	407.6	0.8	18.1	
OSK-W-18-1817	398.92	Z27	687.0	452656	5434699	332	-57	555.0	557.3	2.3	5.93	
OSK-W-19-1819-W1	400.72	Lynx	654.0	453487	5435512	132	-45	590.0	593.4	0.4	20.4	
			inclining					601.0	603.4	2.4	34.9	
OSK-W-19-1819-W1	400.72	Lynx	654.0	453487	5435512	132	-45	602.5	605.4	0.9	78.4	
			inclining					602.5	603.4	0.9	20.4	
OSK-W-19-1820	397.93	Caribou	489.0	452672	5434723	333	-59	438.0	440.0	2.0	4.26	
OSK-W-19-1822	402.45	Caribou	615.0	452506	5434389	339	-60	513.0	515.0	2.0	4.39	
			inclining					514.0	515.0	1.0	8.62	
OSK-W-19-1823	403.54	Caribou	330.0	452546	5434702	329	-52	238.0	240.0	2.0	3.77	
OSK-W-19-1823	403.54	Caribou	330.0	452546	5434702	329	-52	257.0	260.6	12.6	9.56	
			inclining					257.0	259.2	2.2	21.8	
			inclining					261.0	263.0	2.0	23.6	
OSK-W-19-1824	404.15	Caribou	309.0	452566	5434725	327	-50	230.0	237.0	7.0	5.29	
			inclining					230.0	231.0	1.0	13.1	
OSK-W-19-1828	399.12	Caribou	237.0	452203	5434388	340	-50	191.6	194.1	2.5	5.09	
OSK-W-19-1830	399.09	Caribou	233.0	452179	5434396	338	-52	181.0	183.6	2.6	8.84	
OSK-W-19-1831	398.47	Lynx	734.0	454109	5435091	335	-72	629.6	632.0	2.4	189	33.1
			inclining					629.6	630.0	0.4	3025	100
OSK-W-19-1832	403.64	Lynx	345.0	453195	5435212	130	-46	288.8	291.0	2.2	8.63	
			inclining					288.8	289.2	0.4	17.0	
OSK-W-19-1832	403.64	Lynx	345.0	453195	5435212	130	-46	291.0	295.0	2.0	4.06	
OSK-W-19-1834	399.06	Caribou	216.0	452179	5434396	338	-47	154.7	157.5	2.8	12.4	
			inclining					156.6	157.5	0.9	25.9	
OSK-W-19-1835	406.32	Windfall N	1293.0	452305	5435474	172	-53	348.8	351.1	2.3	82.9	18.9
			inclining					348.8	350.2	0.4	468	100
OSK-W-19-1835	406.32	Windfall N	1293.0	452305	5435474	172	-53	368.0	370.0	2.0	8.38	
			inclining					368.9	370.0	1.1	15.2	
OSK-W-19-1835	406.32	Windfall N	1293.0	452305	5435474	172	-53	414.3	418.0	3.7	43.1	
			inclining					417.0	418.0	1.0	10.6	
OSK-W-19-1835	406.32	Underdog	1293.0	452305	5435474	172	-53	700.7	703.0	2.3	11.8	
			inclining					702.0	702.7	0.7	33.6	
OSK-W-19-1835	406.32	Underdog	1293.0	452305	5435474	172	-53	883.0	885.0	2.0	34.9	
			inclining					883.8	885.2	0.5	59.1	
OSK-W-19-1835	406.32	Underdog	1293.0	452305	5435474	172	-53	928.0	930.4	2.4	12.8	
			inclining					929.1	929.5	0.4	61.8	
OSK-W-19-1835	406.32	Vein	1293.0	452305	5435474	172	-53	946.0	948.4	2.4	5.06	
			inclining					947.0	947.4	0.4	36.3	
OSK-W-19-1835	406.32	Vein	1293.0	452305	5435474	172	-53	1005.1	1007.9	4.8	13.7	
			inclining					1006.3	1007.0	0.7	40.4	
OSK-W-19-1835-W1	406.32	Underdog	948.0	452305	5435474	172	-53	651.2	653.3	2.1	4.28	
			inclining					651.2	652.4	1.2	7.38	
OSK-W-19-1835-W1	406.32	Underdog	948.0	452305	5435474	172	-53	861.8	865.0	2.5	3.26	
OSK-W-19-1835-W2	406.32	Underdog	1251.0	452305	5435474	173	-53	939.0	941.0	2.0	19.8	
			inclining					939.5	940.7	1.2	32.6	
OSK-W-19-1835-W2	406.32	Underdog	1251.0	452305	5435474	173	-53	1035.7	1038.0	2.3	5.06	
OSK-W-19-1835-W3	406.32	Underdog	1308.0	452305	5435474	205	-48	864.7	867.0	2.3	3.06	
OSK-W-19-1835-W3	406.32	Underdog	1308.0	452305	5435474	205	-48	704.0	748.0	2.0	3.43	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-1835-W3	406.32	Underdog	1308.0	452305	5435474	205	-48	915.0	917.0	2.0	3.33	
OSK-W-19-1835-W3	406.32	Underdog	1308.0	452305	5435474	205	-48	1144.0	1146.0	2.0	4.04	
OSK-W-19-1835-W3	406.32	Underdog	1308.0	452305	5435474	205	-48	1186.4	1189.5	10.1	4.76	
OSK-W-19-1846	397.63							1190.7	1193.4	0.7	17.1	
		including	324.0	453324	5434949	330	-58	239.9	243.0	3.1	11.3	
								242.3	243.0	0.7	33.5	
OSK-W-19-1847	397.46	Lynx	293.0	453317	5434947	331	-58	132.7	135.0	2.3	4.96	
		including						134.6	135.0	0.4	18.6	
OSK-W-19-1847	397.46	Lynx	293.0	453317	5434947	331	-58	259.1	261.4	2.3	7.58	
		including						260.1	260.5	0.4	37.9	
OSK-W-19-1848	396.32	Lynx	697.0	454209	5435087	349	-72	614.4	617.0	2.6	4.44	
		including						614.4	614.7	0.3	18.7	
OSK-W-19-1848	396.32	Lynx	697.0	454209	5435087	349	-72	621.2	624.0	2.8	7.46	
		including						623.6	624.0	0.4	35.0	
OSK-W-19-1848	396.32	Vain	697.0	454209	5435087	349	-72	669.0	671.0	2.0	5.34	
OSK-W-19-1848-W1	396.32	Lynx	672.0	454209	5435087	349	-72	605.7	608.0	2.3	13.2	
		including						606.6	607.6	1.0	28.1	
OSK-W-19-1848-W2	396.32	Lynx	675.0	454209	5435087	349	-72	611.0	613.0	2.0	48.1	28.2
		including						612.0	612.7	0.7	137	100
OSK-W-19-1848-W3	396.32	Lynx	675.0	454209	5435087	349	-72	628.0	630.1	2.1	86.0	38.4
		including						629.3	630.1	0.8	225	100
OSK-W-19-1850	397.61	Lynx 304	270.0	453220	5434954	329	-58	141.8	144.8	3.0	36.8	
		including						141.8	142.1	0.3	109.8	
OSK-W-19-1850	397.61	Lynx 311	270.0	453220	5434954	329	-58	228.2	231.4	3.2	43.7	37.6
		including						230.3	231.4	1.1	118	100.0
OSK-W-19-1852	397.47	Lynx 305	300.0	453312	5434949	330	-58	154.7	156.8	2.1	13.7	
		including						155.4	156.1	0.7	35.9	
OSK-W-19-1852	397.47	Lynx 311	300.0	453312	5434949	330	-58	248.0	250.6	2.6	14.8	
		including						249.9	249.3	0.4	80.2	
OSK-W-19-1855	403.76	Lynx 310	351.0	453178	5435190	124	-45	272.8	275.0	2.2	38.6	19.1
		including						274.6	275.0	0.4	207	100
OSK-W-19-1855	403.76	Lynx 305	351.0	453178	5435190	124	-45	301.0	294.3	6.3	6.94	
		including						283.9	284.3	0.4	18.1	
OSK-W-19-1855	403.76	Lynx 305	351.0	453178	5435190	124	-45	301.0	303.0	2.0	4.67	
		including						1278.3	1282.6	4.3	322	41.9
OSK-W-19-1857	405.22	Lynx	1415.2	453525	5435704	108	-58	1282.1	1282.6	0.5	2420	100
		including						1281.8	1280.6	-2.2	168	67.9
OSK-W-19-1857	405.22	Lynx	1415.2	453525	5435704	108	-58	1311.2	1316.6	2.4	16.0	
		including						1190.1	1193.2	2.2	5.37	
OSK-W-19-1857-W1	405.22	Lynx 313	1455.0	453525	5435704	108	-58	1190.1	1190.0	0.8	13.5	
		including						1236.8	1233.3	2.5	3.94	
OSK-W-19-1857-W2	405.22	Lynx 313	1455.0	453525	5435704	108	-58	1235.4	1237.6	2.2	3.31	
		including						1301.8	1304.8	2.8	7.39	
OSK-W-20-1857-W12	405.22	Lynx 349	1354.0	453525	5435704	108	-58	1453.0	1453.5	2.5	10.2	
		including						1457.5	1458.2	0.7	8.81	
OSK-W-20-1857-W12	405.22	Lynx 349	1354.0	453525	5435704	108	-58	1472.9	1474.8	2.3	12.1	
		including						1449.0	1452.5	3.5	39.7	
OSK-W-19-1857-W2	405.22	Lynx 313	1449.0	453525	5435704	108	-58	1274.9	1275.8	0.9	30.7	100
		including						1274.9	1275.8	0.9	30.7	100
OSK-W-19-1857-W2	405.22	Triple Lynx	1449.0	453525	5435704	108	-58	1322.0	1325.0	3.0	3.89	
		including						1280.4	1281.0	0.6	39.8	
OSK-W-19-1857-W3	405.22	Lynx 4	1280.4	453525	5435704	108	-58	1179.7	1181.0	1.3	59.6	
		including						1193.6	1195.0	2.3	64.9	
OSK-W-19-1857-W3	405.22	Lynx 313	1280.4	453525	5435704	108	-58	1193.6	1194.3	0.7	16.8	
		including						1312.8	1316.3	3.5	145	49.8
OSK-W-19-1857-W4	405.22	Lynx 4	1415.0	453525	5435704	108	-58	1312.8	1313.7	0.9	172	100
		including						1311.7	1314.3	0.6	548	100
OSK-W-19-1857-W4	405.22	Lynx 4	1415.0	453525	5435704	108	-58	1353.5	1357.1	3.6	6.33	
		including						1402.2	1404.2	2.0	8.12	
OSK-W-19-1857-W5	405.22	Lynx 4	1487.4	453525	5435704	108	-58	1342.6	1354.5	11.9	30.8	28.3
		including						1348.0	1348.9	0.9	99.3	74.6
OSK-W-19-1857-W6	405.22	Lynx 4	1460.4	453525	5435704	108	-58	1356.5	1357.2	2.2	86.7	85.7
		including						1373.0	1373.4	2.4	23.1	
OSK-W-19-1857-W7	405.22	Lynx 4	1460.4	453525	5435704	108	-58	1372.4	1372.9	0.5	65.1	
		including						1421.0	1423.0	2.0	10.0	
OSK-W-19-1857-W8	405.22	Lynx 4	1527.0	453525	5435704	108	-58	1412.0	1422.0	1.0	39.9	
		including						1415.1	1420.8	5.7	62.4	38.3
OSK-W-19-1859	399.98	Caribou	353.0	452106	5434414	332	-50	1418.3	1419.6	1.3	206	100
		including						103.7	106.1	2.4	19.4	
OSK-W-19-1859	399.98	Caribou	353.0	452106	5434414	332	-50	103.7	104.0	0.5	84.9	
		including						111.1	115.3	2.2	6.30	
OSK-W-19-1860	403.8	Lynx 305	333.0	453186	5435200	124	-45	134.6	135.3	0.7	17.6	
		including						287.7	290.5	2.8	6.39	
OSK-W-19-1860	403.8	Lynx 305	333.0	453186	5435200	124	-45	294.5	298.4	3.9	13.0	
		including						297.0	297.7	0.7	42.4	
OSK-W-19-1860	403.8	Lynx 304	333.0	453186	5435200	124	-45	310.7	313.0	2.3	28.6	
		including						311.0	311.9	0.9	20.7	
OSK-W-19-1865	403.72	Lynx 304	339.0	453191	5435212	124	-45	313.3	315.2	2.2	56.0	33.0
		including						314.2	314.9	0.7	172	100
OSK-W-19-1867	401.3	FS1	547.8	453760	5435758	334	-49	260.9	263.6	2.7	3.26	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-1871	402.37	Caribou	573.0	452496	5434997	331	-56	519.2	521.2	2.0	3.71	
OSK-W-19-1871	402.37	Caribou	573.0	452496	5434997	331	-56	524.5	527.0	2.5	8.78	
OSK-W-19-1871	402.37	Caribou	573.0	452496	5434997	331	-56	530.1	532.1	2.0	20.5	
								531.1	532.1	1.0	40.6	
OSK-W-19-1874	403.48	Caribou	327.0	452525	5434698	329	-52	151.4	153.5	2.1	3.11	
								152.6	152.9	0.3	21.5	
OSK-W-19-1874	403.48	Caribou	327.0	452525	5434698	329	-52	225.8	227.8	2.0	34.8	
								244.3	247.0	2.7	5.36	
OSK-W-19-1875	402.79	Vein	360.0	453023	5435222	154	-46					
								244.3	245.1	0.8	18.3	
OSK-W-19-1878	402.68	Lynx	651.0	453419	5435500	135	-46	544.2	546.3	2.1	48.8	
								545.2	545.6	0.4	93.8	
OSK-W-19-1878	402.68	Lynx	651.0	453419	5435500	135	-46	556.6	559.0	2.4	3.63	
OSK-W-19-1878	402.68	Lynx	651.0	453419	5435500	135	-46	600.0	602.0	2.0	6.98	
								601.0	601.6	0.6	22.1	
OSK-W-19-1880	402.97	Caribou corridor	372.0	452553	5434683	333	-52	149.0	151.2	2.2	4.07	
								149.6	150.2	0.6	34.8	
OSK-W-19-1882	399.92	Caribou	914.5	452469	5434405	328	-57	485.1	487.5	2.4	3.24	
								487.0	487.5	0.5	15.2	
OSK-W-19-1882	399.92	Underdog	914.5	452469	5434405	328	-57	798.0	800.4	2.4	7.60	
								799.7	800.4	0.7	22.1	
OSK-W-19-1883	404.32	Windfall N	294.0	452063	5435248	154	-46	100.2	102.4	2.2	393	23.5
								201.5	192.0	0.9	1725	100
OSK-W-19-1884	406.32	Windfall N	459.0	452278	5435429	163	-52	350.7	353.2	2.5	15.0	
								350.7	351.0	0.3	54.7	
OSK-W-19-1886	403.38	Caribou	336.2	452506	5434672	331	-50	185.0	187.4	2.4	5.00	
OSK-W-19-1886	403.38	Caribou	336.2	452506	5434672	331	-50	185.0	185.8	0.8	34.3	
OSK-W-19-1886	404.95	Windfall N	285.0	452123	5435237	156	-46	165.3	168.0	2.7	5.62	
								165.3	165.9	0.6	25.1	
OSK-W-19-1889	398.28	Vein	528.0	452452	5434600	327	-57	207.7	210.0	2.3	7.82	
OSK-W-19-1891	399.24	Lynx	600.0	453513	5435472	135	-52	495.3	497.6	2.3	72.7	35.0
								496.5	497.6	0.8	263	100
OSK-W-19-1891	399.24	Lynx	600.0	453513	5435472	135	-52	503.0	504.1	1.1	4.46	
								503.6	504.1	0.5	18.2	
OSK-W-19-1891	399.24	Lynx	600.0	453513	5435472	135	-52	515.8	520.6	4.8	96.7	23.0
								516.6	516.9	0.3	3070	100
								517.9	518.5	0.6	267	100
OSK-W-19-1891-W1	399.24	Lynx HW	585.0	453513	5435472	135	-52	473.0	475.0	2.0	70.0	
OSK-W-19-1891-W1	399.24	Lynx HW	585.0	453513	5435472	135	-52	532.0	535.4	3.4	7.28	
								473.1	473.8	0.7	30.1	
OSK-W-19-1891-W1	399.24	Lynx	585.0	453513	5435472	135	-52	502.7	504.7	2.0	7.49	
OSK-W-19-1891-W1	399.24	Lynx	585.0	453513	5435472	135	-52	532.5	534.5	2.0	31.1	
								532.9	534.0	1.1	56.3	
OSK-W-19-1891-W1	399.24	Lynx	585.0	453513	5435472	135	-52	547.1	553.5	6.4	17.0	15.4
								553.1	553.5	0.4	125	100
OSK-W-19-1891-W2	399.24	Lynx	588.8	453513	5435472	135	-52	513.6	516.3	2.7	5.38	
OSK-W-19-1891-W3	399.24	Lynx	603.0	453513	5435472	135	-52	533.2	537.0	4.7	7.54	
OSK-W-19-1891-W3	399.24	Lynx	603.0	453513	5435472	135	-52	556.0	558.3	2.3	10.6	
								557.0	557.6	0.6	32.0	
OSK-W-19-1891-W3	399.24	Lynx	603.0	453513	5435472	135	-52	566.0	568.0	2.0	4.99	
								567.2	567.6	0.4	20.3	
OSK-W-19-1891-W4	399.24	Lynx 315	665.6	453513	5435472	135	-52	548.5	551.0	2.5	14.0	
OSK-W-19-1891-W4	399.24	Lynx 315	665.6	453513	5435472	135	-52	576.7	579.2	2.6	4.36	
OSK-W-19-1891-W4	399.24	Lynx 315	665.6	453513	5435472	135	-52	587.5	589.2	1.7	6.06	
OSK-W-19-1891-W4	406.85	Windfall N	182.4	452113	5435150	329	-46	55.5	58.0	2.5	7.77	
								56.5	57.2	0.7	19.2	
OSK-W-19-1894	406.28	Windfall N	459.0	452278	5435429	151	-61	347.4	349.4	2.0	9.51	
								347.8	348.7	0.9	26.7	
OSK-W-19-1896	405.81	Windfall N	570.0	452140	5435111	329	-53	341.0	343.0	2.0	3.46	
OSK-W-19-1897	402.54	Underdog 4300	1125.0	452535	5434406	331	-57	860.0	851.0	3.0	4.37	
OSK-W-19-1897	402.54	Underdog	1125.0	452535	5434406	331	-57	860.0	862.3	2.3	19.0	
								860.8	861.8	1.0	42.8	
OSK-W-19-1897	402.54	Underdog	1125.0	452535	5434406	331	-57	892.0	894.0	2.0	5.96	
OSK-W-19-1897	402.54	Underdog 4511	1125.0	452535	5434406	331	-57	983.3	985.6	2.3	6.35	
								985.1	985.6	0.5	17.8	
OSK-W-19-1898	401.83	Caribou	300.0	452490	5434705	327	-52	158.0	200.2	2.2	4.85	
OSK-W-19-1898	401.83	Caribou	300.0	452490	5434705	327	-52	201.4	208.0	4.6	5.26	
OSK-W-19-1898	401.83	Caribou	300.0	452490	5434705	327	-52	214.9	219.5	4.6	4.40	
OSK-W-19-1900	401.30	Caribou 230	348.0	452619	5434733	323	-52	267.0	264.0	2.0	9.41	
								262.0	263.0	1.0	18.3	
OSK-W-19-1900	401.36	Caribou	345.0	452619	5434733	323	-52	286.7	291.1	4.4	6.65	
OSK-W-19-1903	399.76	Caribou corridor	564.0	452470	5434382	330	-60	205.6	208.0	2.4	3.35	
								205.6	205.4	0.2	10.0	
OSK-W-19-1903	399.76	Caribou corridor	564.0	452470	5434382	330	-60	394.6	397.4	2.8	6.38	
								395.5	396.4	0.9	16.9	
OSK-W-19-1904	399.86	Caribou	624.0	452628	5434706	328	-50	297.2	299.3	2.1	51.9	14.6
								298.0	298.3	0.3	364	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-1904	399.86	Caribou	634.0	452628	5434706	328	-50	354.0	356.1	2.1	4.14	
								354.6	355.1	0.5	10.00	
OSK-W-19-1904	399.86	227-112	634.0	452628	5434706	328	-50	322.0	325.0	3.0	3.93	
OSK-W-19-1906	405.58	Windfall N	340.0	452302	5435149	336	-54	99.7	101.7	2.0	7.50	
								100.0	100.3	0.3	19.4	
								100.3	100.7	0.4	16.4	
OSK-W-19-1911	403.79	Windfall N	403.8	452354	5435377	147	-50	202.4	204.7	2.3	6.86	
								203.4	203.7	0.3	39.0	
OSK-W-19-1911	403.79	Windfall N	403.8	452354	5435377	147	-50	215.3	217.4	2.1	31.0	12.6
								215.7	216.0	0.3	474	100
OSK-W-19-1911	403.79	Windfall N	403.8	452354	5435377	147	-50	298.0	300.4	2.4	9.75	
								300.1	300.4	0.3	74.8	
OSK-W-19-1911	403.79	Windfall N	403.8	452354	5435377	147	-50	303.9	306.3	2.4	12.9	
								304.6	305.4	0.8	30.1	
OSK-W-19-1915	396.23	Lynx	651.0	454120	5435104	330	-70	562.2	564.9	2.7	3.25	
OSK-W-19-1915	396.23	Lynx	651.0	454120	5435104	330	-70	568.2	570.7	2.5	3.12	
OSK-W-19-1915	396.23	Lynx	651.0	454120	5435104	330	-70	585.0	587.1	2.1	7.84	
								585.0	585.4	0.4	40.7	
OSK-W-19-1917	400.38	Caribou 240	600.0	452555	5434863	329	-57	465.0	467.0	2.0	3.62	
OSK-W-19-1921-W1	399.06	Lynx 333	951.0	453502	5435488	112	-52	787.0	789.1	2.1	19.9	
								788.3	788.8	0.5	81.3	
OSK-W-19-1921-W1	399.06	Lynx 332	951.0	453502	5435488	112	-52	837.4	840.0	2.6	5.78	
								839.0	840.0	1.0	14.0	
OSK-W-19-1921-W1	399.06	Lynx 332	951.0	453502	5435488	112	-52	807.6	809.0	1.4	4.01	
OSK-W-19-1921-W2	399.06	Lynx 337	1080.4	453502	5435488	112	-52	877.3	879.9	2.6	3.67	
OSK-W-19-1921-W2	399.06	Lynx 333	1080.4	453502	5435488	112	-52	953.0	956.0	3.0	5.52	
OSK-W-19-1921-W2	399.06	Lynx 333	1080.4	453502	5435488	112	-52	958.0	961.6	3.6	5.67	
OSK-W-19-1921-W2	399.06	Lynx 4	1080.4	453502	5435488	112	-52	1046.2	1049.7	3.5	7.83	
								1041.2	1042.0	0.8	20.2	
OSK-W-19-1921-W2	399.06	Lynx 4	1080.4	453502	5435488	112	-52	1049.3	1052.7	3.4	5.88	
OSK-W-19-1928	398.28	Lynx 326	654.0	454120	5435104	329	-72	582.0	584.1	2.1	37.8	
								603.1	603.7	0.6	49.4	
OSK-W-19-1932	400.12	Lynx 326	711.0	453710	5435620	127	-55	671.7	675.8	4.1	31.3	
								674.1	675.0	0.9	97.3	
OSK-W-19-1932-W1	400.12	Lynx 326	723.0	453710	5435620	127	-55	688.3	690.5	2.2	3.40	
OSK-W-19-1932-W2	400.12	Lynx 326	824.4	453710	5435620	127	-55	717.5	719.5	2.0	10.2	
OSK-W-19-1932-W2	400.12	Lynx 326	824.4	453710	5435620	127	-55	745.0	747.0	2.0	66.5	70.4
								745.6	747.0	1.4	123	100
OSK-W-19-1932-W2	400.12	Lynx 4	824.4	453710	5435620	127	-55	800.9	803.0	2.1	85.8	20.0
								801.8	802.2	0.4	445	100
OSK-W-19-1932-W2	400.12	Lynx 4	824.4	453710	5435620	127	-55	808.0	810.0	2.0	29.6	27.2
								808.5	809.0	0.5	120	100
OSK-W-19-1932-W3	400.12	Lynx 334	803.0	453710	5435620	127	-55	722.7	724.8	2.1	6.85	100
								723.4	724.2	0.8	17.3	
OSK-W-19-1933	403.63	Caribou 201	602.0	452578	5434713	333	-54	303.0	305.0	2.0	3.40	
OSK-W-19-1933	403.63	Caribou 207	602.0	452578	5434713	333	-54	396.0	398.1	2.1	4.53	
OSK-W-19-1933	403.63	227-112	602.0	452578	5434713	333	-54	508.5	512.0	3.5	3.86	
OSK-W-19-1933	403.63	227-110	602.0	452578	5434713	333	-54	524.0	526.7	2.7	4.91	
OSK-W-19-1939	400.37	Lynx	519.0	453285	5435277	126	-46	253.6	255.8	2.2	4.47	
OSK-W-19-1939	400.37	Lynx 316	519.0	453285	5435277	126	-46	351.0	353.0	2.0	6.44	
OSK-W-19-1939	400.37	Lynx 316	519.0	453285	5435277	126	-46	357.9	360.3	2.4	18.7	
								357.9	358.4	0.5	68.2	
OSK-W-19-1942	402.65	Lynx 323	930.0	453315	5435390	128	-54	447.0	449.7	2.7	3.25	
								448.3	448.9	0.6	14.0	
OSK-W-19-1942	402.65	Lynx 327	930.0	453315	5435390	128	-54	861.2	863.5	2.3	11.3	
								861.2	861.7	0.5	49.4	
OSK-W-19-1942	402.65	Lynx	930.0	453315	5435390	128	-54	884.0	886.0	2.0	6.66	
								884.5	885.0	0.5	17.4	
OSK-W-19-1942-W1	402.65	Lynx 4	942.0	453315	5435390	128	-54	825.0	828.0	3.0	7.35	
								825.0	826.5	1.5	33.4	
OSK-W-19-1942-W1	402.65	Lynx 313	942.0	453315	5435390	128	-54	837.0	839.0	2.0	3.08	
OSK-W-19-1942-W1	402.65	Lynx 4	942.0	453315	5435390	128	-54	844.0	846.0	2.0	12.8	
OSK-W-19-1942-W2	402.65	Lynx 303	1056.0	453315	5435390	128	-54	398.5	400.5	2.0	9.48	
								398.5	399.5	1.0	18.9	
OSK-W-19-1942-W2	402.65	Lynx 313	1056.0	453315	5435390	128	-54	849.0	852.0	3.0	9.80	
								851.5	852.0	0.5	28.8	
OSK-W-19-1942-W2	402.65	Lynx 313	1056.0	453315	5435390	128	-54	857.2	859.4	2.2	15.2	
								857.8	858.7	0.9	35.9	
OSK-W-19-1942-W2	402.65	Lynx 327	1056.0	453315	5435390	128	-54	905.0	908.2	3.2	4.81	
								907.8	908.2	0.4	17.9	
OSK-W-19-1942-W2	402.65	Lynx	1056.0	453315	5435390	128	-54	998.6	1003.4	4.8	6.89	
								1009.0	1003.4	0.4	41.1	
OSK-W-19-1943	405.54	Explo	297.0	452241	5435078	340	-47	106.5	108.5	2.0	5.46	
								106.5	107.0	0.5	19.3	
OSK-W-19-1947	400.63	Lynx 321	632.8	453412	5435463	137	-46	502.1	504.4	2.3	12.8	
								502.1	503.1	1.0	28.2	
OSK-W-19-1947	400.63	Lynx 301	632.8	453412	5435463	137	-46	517.5	520.9	3.4	14.1	
								517.5	528.0	0.5	34.7	
OSK-W-19-1948	400.34	Lynx 309	489.0	453286	5435277	121	-46	185.0	188.9	3.9	8.67	
OSK-W-19-1948	400.34	Lynx 305	489.0	453286	5435277	121	-46	248.8	252.3	3.5	7.06	
								248.8	249.7	0.9	17.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-1948	400.34	Lynx 306	489.0	452286	5435277	121	-45	380.2	382.2	2.0	5.98	
								381.2	382.2	1.0	11.4	
OSK-W-19-1949	400.55	Lynx	1073.0	453440	5435479	105	-57	731.0	733.0	2.0	3.19	
OSK-W-19-1949	400.55	Lynx 317	1073.0	453440	5435479	105	-57	871.3	875.0	3.7	11.5	
								872.1	873.1	1.0	31.2	
OSK-W-19-1949	400.55	Lynx 330	1073.0	453440	5435479	105	-57	996.2	999.5	3.3	31.3	
								996.2	997.1	0.9	74.2	
								999.1	999.5	0.4	79.0	
OSK-W-19-1949-W1	400.55	Lynx 317	1071.0	453440	5435479	105	-57	887.0	890.3	3.3	53.1	18.7
								889.4	889.9	0.5	327	100
OSK-W-19-1949-W1	400.55	Lynx 313	1071.0	453440	5435479	105	-57	1058.9	1060.9	2.0	20.2	
								1059.9	1060.9	1.0	40.2	
OSK-W-19-1949-W2	400.55	Lynx	1127.3	453440	5435479	105	-57	701.0	704.1	3.1	7.88	
OSK-W-19-1949-W2	400.55	Lynx	1127.3	453440	5435479	105	-57	719.0	721.0	2.0	288	17.4
								719.7	720.0	0.3	1905	100
OSK-W-19-1949-W2	400.55	Lynx 333	1127.3	453440	5435479	105	-57	988.2	1000.2	2.0	7.72	
OSK-W-19-1949-W2	400.55	Lynx 333	1127.3	453440	5435479	105	-57	1086.6	1085.4	4.8	25.4	38.1
								1082.4	1081.1	0.7	150	100
OSK-W-19-1949-W2	400.55	Lynx 343	1127.3	453440	5435479	105	-57	1097.8	1100.5	2.7	3.92	
OSK-W-19-1949-W3	400.55	Lynx 341	1326.0	453440	5435479	105	-57	642.2	644.6	2.4	4.38	
OSK-W-19-1949-W3	400.55	Lynx	1326.0	453440	5435479	105	-57	651.0	653.0	2.0	14.0	
								652.3	653.0	0.7	39.5	
OSK-W-19-1949-W3	400.55	Lynx	1326.0	453440	5435479	105	-57	691.2	696.8	5.6	37.4	23.6
								692.7	693.8	1.1	170	1000.0
OSK-W-19-1949-W3	400.55	Lynx	1326.0	453440	5435479	105	-57	688.1	700.4	2.3	3.27	
OSK-W-19-1949-W3	400.55	Lynx 333	1326.0	453440	5435479	105	-57	1046.0	1048.0	2.0	13.8	31.3
								1046.0	1046.6	0.6	486	100
OSK-W-19-1949-W3	400.55	Lynx 4	1326.0	453440	5435479	105	-57	1295.0	1297.0	2.0	10.8	
								1295.5	1296.2	0.7	30.2	
OSK-W-19-1949-W4	400.55	Lynx 333	1297.9	453440	5435479	105	-57	1086.7	1088.8	2.1	5.61	
OSK-W-19-1950	405.51	Vein	728.0	4521267	5435110	343	-46	32.3	34.6	2.3	38.9	11.5
								32.3	32.6	0.3	289	28
OSK-W-19-1952	405.18	Lynx 311	482.0	452326	5435306	132	-51	338.1	341.0	2.9	28.4	
								340.0	341.0	1.0	72.7	
OSK-W-19-1952	405.18	Lynx	486.0	452326	5435306	132	-51	346.0	350.0	4.0	4.67	
OSK-W-19-1952	405.18	Lynx 308	486.0	452326	5435306	132	-51	373.9	379.0	5.1	14.2	
OSK-W-19-1952	405.18	Lynx 310	486.0	452326	5435306	132	-51	383.0	387.7	4.7	21.1	
								384.0	384.5	0.5	40.9	
								386.9	387.7	0.8	79.3	
OSK-W-19-1954	408.95	Windfall Nord	246.0	452256	5435146	339	-52	61.6	64.4	2.8	27.8	
								61.6	64.4	0.6	89.6	
OSK-W-19-1958	410.68	Lynx	1065.0	453430	5435572	111	-52	690.7	693.0	2.3	12.9	
								692.3	693.0	0.7	41.6	
OSK-W-19-1958	410.68	Lynx 317	1065.0	453430	5435572	111	-52	870.3	877.7	7.0	7.94	
								872.1	872.5	0.4	27.9	
OSK-W-19-1958-W1	410.68	Lynx 317	1104.0	453430	5435572	111	-52	875.4	877.8	2.4	8.50	
OSK-W-19-1958-W1	410.68	Lynx 313	1104.0	453430	5435572	111	-52	1028.0	1030.0	2.0	3.51	
OSK-W-19-1958-W1	410.68	Lynx 312	1104.0	453430	5435572	111	-52	1050.0	1052.5	2.5	8.3	
OSK-W-19-1958-W1	410.68	Lynx 312	1104.0	453430	5435572	111	-52	1075.1	1077.5	2.4	5.34	
OSK-W-19-1958-W2	410.68	Lynx 317	1158.0	453430	5435572	111	-52	1005.3	1007.1	1.8	80.7	52.8
								1002.7	1003.2	0.5	325	100
OSK-W-19-1962	396.51	Lynx 310	455.0	453261	5434881	338	-54	232.4	234.4	2.0	5.41	
								234.0	234.4	0.4	22.3	
OSK-W-19-1962	396.51	Lynx 307	455.0	453261	5434881	338	-54	305.5	308.8	3.3	5.83	
OSK-W-19-1963-W1	401.03	Lynx 4	1461.0	453761	5435816	123	-58	1325.5	1327.9	2.4	56.9	55.9
OSK-W-19-1963-W1	401.03	Lynx 4	1461.0	453761	5435816	123	-58	1328.6	1327.6	1.0	100	100
OSK-W-19-1963-W2	401.03	Lynx 4	1424.0	453761	5435816	123	-58	1127.0	1124.0	3.0	6.24	
OSK-W-19-1963-W2	401.03	Lynx 4	1424.0	453761	5435816	123	-58	1319.2	1324.4	5.2	13.8	
								1319.2	1320.7	1.5	26.8	
OSK-W-19-1963-W2	401.03	Lynx 4	1424.0	453761	5435816	123	-58	1337.8	1341.8	4.0	13.0	
								1342.2	1341.8	0.6	45.9	
OSK-W-19-1963-W3	401.03	Lynx 4	1459.6	453761	5435816	123	-58	1348.9	1356.0	7.1	27.5	21.0
								1353.2	1354.4	1.2	134	95.8
OSK-W-19-1963-W3	401.03	Lynx 345	1459.6	453761	5435816	123	-58	1405.0	1403.5	1.5	3.03	
OSK-W-19-1963-W3	401.03	Lynx 4	1459.6	453761	5435816	123	-58	1431.0	1431.8	0.8	7.29	
								1432.7	1433.1	0.4	44.8	
OSK-W-19-1963-W4	401.03	Lynx	1487.4	453761	5435816	123	-58	1230.5	1234.7	4.2	40.4	34.4
								1233.5	1234.7	1.2	152	100
OSK-W-19-1963-W4	401.03	Lynx 4	1487.4	453761	5435816	123	-58	1444.0	1448.7	4.7	34.4	
								1446.0	1445.0	1.0	28.3	
OSK-W-19-1963-W5	401.03	Lynx 4	1616.0	453761	5435816	123	-58	1466.6	1470.4	3.8	19.5	
								1469.0	1470.4	1.4	42.8	
OSK-W-19-1963-W6	401.03	Lynx 4	1493.0	453761	5435816	123	-58	1402.7	1406.6	3.9	23.8	
								1405.1	1405.6	0.5	44.8	
OSK-W-19-1963-W6	401.03	Lynx 4	1493.0	453761	5435816	123	-58	1413.8	1415.0	1.2	3.94	
OSK-W-19-1965	405.45	Windfall Nord	231.0	452201	5435148	352	-48	116.0	118.5	2.5	114	34.8
								117.3	118.1	0.8	346	100
OSK-W-19-1966	404.95	Windfall Nord	195.0	452091	5435139	343	-52	90.0	92.0	2.0	4.69	
OSK-W-19-1969	405.32	Lynx corridor	336.0	452832	5434947	164	-51	198.0	200.0	2.0	3.06	
								199.0	200.0	1.0	5.64	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-1969	405.32	Lynx corridor	336.0	452832	5434947	164	-51	305.0	307.0	2.0	7.82	
		including						306.0	307.0	1.0	15.6	
OSK-W-19-1969	405.32	Lynx	336.0	452832	5434947	164	-51	315.0	317.0	2.0	3.00	
OSK-W-19-1970	400.83	Explo	2274.0	451911	5435347	90	-51	2118.6	1020.9	2.3	7.85	
		including						1020.3	1020.9	0.6	28.8	
OSK-W-19-1970	400.83	Underdog	2274.0	451911	5435347	90	-51	1658.8	1862.0	3.2	5.75	
OSK-W-19-1970	400.83	Vein	2274.0	451911	5435347	90	-51	1674.0	1675.0	1.0	62.3	
OSK-W-19-1970	400.83	Underdog	2274.0	451911	5435347	90	-51	1776.9	1773.0	2.1	24.1	
		including						1775.3	1772.0	0.7	41.4	
OSK-W-19-1970	400.83	Explo	2274.0	451911	5435347	90	-51	2048.1	2050.7	2.6	3.30	
OSK-W-19-1970	400.83	Triple 8	2274.0	451911	5435347	90	-51	2195.2	2198.8	7.6	9.58	8.00
		including						2195.8	2192.1	0.3	112	100
OSK-W-19-1970-W1	400.83	Explo	3467.0	451911	5435347	90	-51	2356.2	2460.7	2.5	4.01	
		including						2358.9	2359.5	0.6	15.7	
OSK-W-19-1970-W1	400.83	Explo	3467.0	451911	5435347	90	-51	2377.0	2392.0	15.0	1.34	
		including						2385.0	2385.8	0.8	9.88	
OSK-W-19-1970-W1	400.83	Explo	3467.0	451911	5435347	90	-51	2545.0	2547.0	2.0	5.72	
OSK-W-19-1970-W1	400.83	Explo	3467.0	451911	5435347	90	-51	2650.2	2670.0	19.8	0.75	
		including						2660.5	2670.0	0.5	11.7	
OSK-W-19-1970-W1	400.83	Explo	3467.0	451911	5435347	90	-51	2738.0	2740.0	2.0	7.41	
		including						2739.0	2739.3	0.3	48.7	
OSK-W-19-1970-W1	400.83	Explo	3467.0	451911	5435347	90	-51	2867.9	2870.2	2.3	10.7	
OSK-W-19-1970-W1	400.83	Explo	3467.0	451911	5435347	90	-51	3038.0	3068.0	4.0	5.25	
OSK-W-19-1970-W1	400.83	Explo	3467.0	451911	5435347	90	-51	3130.0	3330.0	191.0	1.04	
		including						3168.9	3170.3	1.4	11.4	
		including						3178.0	3180.0	2.0	3.28	
		including						3199.0	3200.0	1.0	15.4	
		including						3274.5	3277.0	2.5	10.0	
		including						3275.9	3277.0	1.1	19.9	
OSK-W-19-1971	405.64	Explo	147.0	452134	5435132	343	-46	135.0	137.4	2.4	3.28	
OSK-W-19-1973	398.69	Caribou 220	509.0	452392	5434547	325	-50	83.2	95.5	2.3	5.29	
		including						84.2	84.5	0.3	40.5	
OSK-W-19-1973	398.69	Caribou 220	509.0	452392	5434547	325	-50	92.2	95.1	2.9	4.37	
		including						94.8	95.1	0.3	23.7	
OSK-W-19-1973	398.69	Caribou 201	509.0	452392	5434547	325	-50	387.0	389.0	2.0	4.51	
OSK-W-19-1973	398.69	227 corridor	509.0	452392	5434547	325	-50	415.3	419.0	2.8	5.81	
OSK-W-19-1975	402.08	Triple Lynx	1716.0	453768	5435892	119	-58	1510.9	1512.9	2.0	7.88	
OSK-W-19-1975	402.08	Triple Lynx	1716.0	453768	5435892	119	-58	1511.2	1512.0	0.8	18.3	
OSK-W-19-1975-W1	402.08	Lynx 4	1560.0	453768	5435892	119	-58	1504.2	1506.6	2.4	5.69	
OSK-W-19-1978	405.64	Windfall Nord	490.2	452479	5435006	341	-48	454.0	456.0	2.0	12.1	
		including						454.7	455.4	0.7	38.1	
OSK-W-19-1982	406.61	Bobcat	363.0	452974	5435016	163	-53	158.7	151.9	3.2	10.6	
OSK-W-19-1986	397.89	Lynx	1085.0	453532	5434424	46	-75	952.4	960.6	8.2	3.98	
		and						956.0	956.7	0.7	12.4	
		and						959.4	960.0	0.6	13.5	
OSK-W-19-1988	396.15	Triple 8	1962.0	453374	5434480	48	-78	1581.2	1585.4	2.2	9.52	
OSK-W-19-1988	396.15	Triple 8	1962.0	453374	5434480	48	-78	1690.6	1693.0	2.2	5.97	
OSK-W-19-1988	396.15	Triple 8	1962.0	453374	5434480	48	-78	1773.0	1773.2	2.2	6.17	
OSK-W-19-1988	396.15	Triple 8	1962.0	453374	5434480	48	-78	1779.0	1783.0	4.0	6.02	
OSK-W-19-1988-W1	396.15	Triple 8	1812.0	453374	5434480	48	-78	1596.0	1598.0	2.0	9.05	
OSK-W-19-1988-W1	396.15	Triple 8	1812.0	453374	5434480	48	-78	1796.8	1796.8	2.0	5.66	
		including						1795.3	1795.7	0.4	24.7	
OSK-W-19-1991	397.99	Lynx 336	1266.0	453561	5434349	358	-46	852.1	854.3	2.2	5.2	
OSK-W-19-1991	397.99	Lynx 4	1266.0	453561	5434349	358	-46	891.2	893.7	2.5	5.30	
OSK-W-19-1991	397.99	Triple Lynx	1266.0	453561	5434349	358	-46	1127.3	1129.9	2.6	5.82	
OSK-W-19-1991	397.99	Triple Lynx	1266.0	453561	5434349	358	-46	1127.3	1128.0	0.7	14.0	
OSK-W-19-1992-W1	401.48	Lynx 4	1875.0	454007	5436004	106	-61	1393.2	1396.7	3.5	10.3	
OSK-W-19-1992-W1	401.48	Lynx 4	1875.0	454007	5436004	106	-61	1399.9	1403.2	3.3	16.2	
OSK-W-19-1992-W1	401.48	Lynx 4	1875.0	454007	5436004	106	-61	1708.4	1714.3	5.9	14.3	
		including						1711.0	1711.6	0.6	87.8	
OSK-W-19-1993	406.15	F11	193.0	453350	5435850	146	-54	103.1	105.5	2.4	5.34	
OSK-W-19-1995	396.57	Lynx 335	964.0	452818	5434775	336	-59	133.3	136.3	3.0	248	35.0
		including						135.3	136.3	1.0	740	100
OSK-W-19-1995	396.57	Caribou 230	564.0	452818	5434775	336	-59	400.1	402.4	2.3	4.35	
OSK-W-19-1995	396.57	Caribou 253A	564.0	452818	5434775	336	-59	424.1	427.8	3.3	4.49	
OSK-W-19-1995	396.57	Caribou 207	564.0	452818	5434775	336	-59	501.0	503.5	2.5	12.2	
		including						501.0	502.0	1.0	30.3	
OSK-W-19-1996	404.47	Bobcat	165.0	452808	5434912	177	-53	13.0	15.1	2.1	3.67	
OSK-W-19-1998	406.1	F11	183.0	452350	5435850	151	-46	100.9	104.0	3.1	12.6	
		including						101.0	104.0	3.0	30.0	
OSK-W-19-1999	406.23	Bobcat	213.0	452756	5434973	119	-45	122.8	125.0	2.2	29.0	23.0
		including						122.8	123.3	0.5	12.7	100
OSK-W-19-2001	405.89	F11	201.0	452402	5435876	166	-53	119.5	121.7	2.2	16.8	
		including						119.5	120.1	0.6	43.6	
OSK-W-19-2001	405.89	F11	201.0	452402	5435876	166	-53	125.4	127.7	2.3	7.8	
OSK-W-19-2001	407.29	Bobcat	136.0	452838	5435025	130	-47	85.8	90.2	4.4	3.06	
OSK-W-19-2004	406.26	Bobcat	252.0	452924	5434976	323	-47	213.6	216.9	3.3	5.31	
		including						216.0	216.9	0.9	15.6	
OSK-W-19-2009	408.33	Bobcat	288.0	452947	5435015	169	-49	145.6	147.2	2.2	3.87	
OSK-W-19-2009	408.33	Bobcat	288.0	452947	5435015	169	-49	170.1	174.2	4.1	4.97	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
								170.1	172.0	1.9	8.25	
OSK-W-19-2011	398.98	Lynx 301	452.0	453465	5435434	150	-47	463.8	466.0	2.2	22.6	
								463.8	464.3	0.5	28.0	
OSK-W-19-2012	395.81	Lynx 306	321.0	453482	5435045	359	-69	216.0	218.0	2.0	6.44	
								215.0	215.6	0.6	20.0	
OSK-W-19-2012	395.81	Lynx 310	321.0	453482	5435045	359	-69	303.0	307.2	4.2	52.3	50.5
								306.0	306.5	0.5	115	100
OSK-W-19-2013	406.01	F11	201.0	452491	5435886	149	-45	101.6	104.2	2.6	15.5	
								101.6	102.0	0.4	43.9	
								102.0	102.4	0.4	54.4	
OSK-W-19-2015	409.53	Lynx 315	780.0	453481	5435590	132	-50	698.5	700.5	2.0	32.9	
								699.2	699.8	0.6	57.2	
OSK-W-19-2015	409.53	Lynx 315	780.0	453481	5435590	132	-50	701.9	706.0	2.1	3.38	
								704.5	705.3	0.8	8.24	
OSK-W-19-2017	399.08	Lynx 322	471.0	453466	5435433	149	-46	385.0	387.0	2.0	17.9	
								386.0	386.5	0.5	70.5	
OSK-W-19-2017	399.08	Lynx 301	471.0	453466	5435433	149	-46	415.0	417.0	2.0	6.99	
								415.0	416.0	1.0	13.2	
OSK-W-19-2019	405.73	F11	234.0	452467	5435919	153	-53	149.0	150.0	1.0	34.8	
								149.0	151.0	2.0	17.5	
OSK-W-19-2020	406.64	Bobcat	294.0	452727	5434929	163	-45	68.0	70.0	2.0	9.30	
								68.6	69.0	0.4	44.3	
OSK-W-19-2020	406.64	Bobcat	294.0	452727	5434929	163	-45	166.0	168.0	2.0	7.23	
								166.0	166.6	0.6	23.9	
OSK-W-19-2020	406.64	Bobcat	294.0	452727	5434929	163	-45	185.0	187.0	2.0	5.61	
								186.6	187.0	0.4	23.7	
OSK-W-19-2020	406.64	Bobcat	294.0	452727	5434929	163	-45	190.0	192.0	2.0	3.14	
								224.9	225.4	0.5	14.4	
OSK-W-19-2021	409.62	F11	192.0	452534	5435914	152	-49	58.4	60.4	2.0	4.08	
								60.0	60.4	0.4	17.4	
OSK-W-19-2023	406	Bobcat	243.0	452825	5434978	157	-49	158.0	160.0	2.0	37.2	25.6
								158.5	159.0	0.5	147	100
OSK-W-19-2023	406	Lynx 302	243.0	452825	5434978	157	-49	206.0	208.0	2.0	13.5	
								207.0	207.4	0.4	57.1	
OSK-W-19-2024	406.42	F11	162.0	452415	5435854	165	-45	99.0	101.0	2.0	12.9	
								100.0	101.0	1.0	24.3	
OSK-W-19-2024	406.42	F11	162.0	452415	5435854	165	-45	108.6	110.6	2.0	4.24	
								112.9	113.4	0.5	7.24	
OSK-W-19-2025	407.81	Lynx 302	276.0	452977	5435033	157	-51	114.8	115.4	0.6	26.2	
								186.0	188.0	2.0	19.9	
OSK-W-19-2025	407.81	Bobcat	276.0	452977	5435033	157	-51	186.3	187.1	0.8	49.0	
								243.6	245.1	2.5	6.88	
OSK-W-19-2025	407.81	Bobcat	276.0	452977	5435033	157	-51	254.0	256.0	2.0	3.71	
OSK-W-19-2026	414.2	Triple Lynx	1302.0	453214	5435642	123	-56	1079.6	1089.7	10.1	8.77	
								1086.3	1086.7	0.4	40.7	
								1089.3	1089.7	0.4	36.9	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	824.1	825.2	2.1	3.43	
								825.5	826.2	0.7	10.1	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	847.7	853.4	5.7	3.70	
								890.1	892.2	2.1	9.56	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	932.2	939.0	6.8	4.32	
								932.2	932.4	0.2	22.3	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	982.0	984.0	2.0	6.89	
								1005.9	990.7	2.2	5.04	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	1026.0	1029.9	2.9	4.88	
								1028.6	1028.9	0.3	22.0	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	1058.0	1064.0	6.0	3.92	
								1063.1	1063.4	0.3	16.6	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	1083.0	1085.1	2.1	6.74	
								1083.8	1084.1	0.3	37.3	
OSK-W-19-2026-W2	414.2	Triple Lynx	1208.0	453214	5435642	123	-56	927.0	929.3	2.3	9.96	
								928.4	928.7	0.3	38.4	
OSK-W-19-2026-W2	414.2	Triple Lynx	1208.0	453214	5435642	123	-56	973.0	975.0	2.0	5.98	
								982.6	987.0	4.4	8.71	
OSK-W-19-2026-W2	414.2	Triple Lynx	1208.0	453214	5435642	123	-56	983.0	984.1	1.1	24.7	
								1000.3	1004.2	3.9	13.3	
OSK-W-19-2026-W2	414.2	Triple Lynx	1208.0	453214	5435642	123	-56	1009.7	1004.2	0.5	62.7	
								1034.0	1036.4	2.4	35.7	
OSK-W-19-2026-W2	414.2	Triple Lynx	1208.0	453214	5435642	123	-56	1034.6	1035.4	0.8	99.8	
								1052.6	1054.8	2.0	9.27	
OSK-W-19-2026-W2	414.2	Triple Lynx	1208.0	453214	5435642	123	-56	1054.3	1054.6	0.3	32.4	
								1083.0	1085.0	2.0	6.97	
OSK-W-19-2026-W3	414.2	Triple Lynx	1182.0	453214	5435642	123	-56	936.0	938.1	2.1	5.08	
								987.0	989.0	2.0	4.40	
OSK-W-19-2026-W3	414.2	Triple Lynx	1182.0	453214	5435642	123	-56	1059.0	1063.0	4.0	12.7	
								102.0	102.74	0.74	4.46	
OSK-W-19-2027	406.98	F11	102.0	452274	5435732	154	-46	21.0	27.0	6.0	2.39	
								29.9	32.5	2.6	3.29	
OSK-W-19-2027	406.98	Bobcat	78.0	452995	5435106	271	-68	72.0	76.2	2.2	14.9	
								73.4	74.2	0.8	37.7	
OSK-W-19-2022	403.44	Underdog	909.0	453190	5434310	360	-48	615.5	647.6	2.1	3.25	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-19-2032	403.44	Underdog	909.0	451949	5434310	360	-48	831.0	833.0	2.0	8.40	
		inclu						832.1	833.0	0.9	18.6	
OSK-W-19-2033	411.05	Bobcat	174.0	453007	5435076	307	-49	79.0	85.5	2.5	13.5	
OSK-W-19-2035	399.64	Lynx 321	780.0	453421	5435432	134	-51	505.7	508.0	2.3	4.55	
		inclu						506.4	507.0	0.6	17.0	
OSK-W-19-2035	399.64	Lynx 301	780.0	453421	5435432	134	-51	554.1	556.5	2.4	3.24	
OSK-W-19-2035	399.64	Lynx 315	780.0	453421	5435432	134	-51	672.9	677.0	4.1	34.1	
OSK-W-19-2035	399.64	Lynx 4	780.0	453421	5435432	134	-51	675.9	676.3	0.4	27.0	
		inclu						744.1	744.8	0.7	24.9	
OSK-W-19-2036	409.67	Bobcat	153.0	452726	5435006	316	-46	26.2	28.3	2.1	16.6	
		inclu						26.2	26.6	0.6	55.6	
OSK-W-19-2037	407.66	F11	183.0	453431	5435770	308	-45	23.0	25.0	2.0	14.9	
OSK-W-19-2038	430.68	Bobcat	111.0	452690	5435003	322	-46	23.7	26.1	2.4	18.2	
		inclu						24.5	25.4	0.9	48.2	
OSK-W-19-2038	430.68	Bobcat	111.0	452690	5435003	322	-46	63.5	65.0	2.0	22.9	
		inclu						61.3	66.2	0.7	56.3	
OSK-W-19-2043-W1	408.81	Triple Lynx	1350.0	453236	5435775	118	-49	1079.0	1104.0	7.0	3.88	
OSK-W-19-2043-W1	408.81	Triple Lynx	1350.0	453236	5435775	118	-49	1109.0	1113.8	4.8	14.8	13.2
		inclu						1100.0	1109.5	0.5	116	100
OSK-W-19-2043-W1	408.81	Triple Lynx	1350.0	453236	5435775	118	-49	1133.9	1134.8	2.9	5.88	
OSK-W-19-2043	407.82	Lynx RW	832.0	453468	5435477	131	-49	792.2	792.4	2.2	8.48	
OSK-W-19-2044	406.31	lynx corridor	840.0	453820	5435006	158	-48	143.2	147.3	4.1	10.9	
OSK-W-19-2044	406.31	Lynx 344	441.0	453820	5435006	158	-48	192.0	194.0	2.0	33.7	
OSK-W-19-2046	403.47	F17	255.0	452726	5435636	130	-54	146.0	148.1	2.1	3.84	
		inclu						146.0	146.7	0.7	10.5	
OSK-W-19-2048	399.08	Lynx 301	531.0	453502	5434975	137	-48	480.0	482.0	2.0	12.2	
		inclu						480.0	480.7	0.7	34.1	
OSK-W-19-2054	403.72	Caribou	573.0	451913	5434863	359	-46	194.0	196.0	2.0	6.24	
OSK-W-19-2055	403.47	F51	291.0	453608	5435712	337	-46	193.9	196.0	2.1	7.03	
OSK-W-19-2055	403.47	F51	291.0	453608	5435712	337	-46	210.8	213.0	2.2	12.4	
		inclu						211.6	211.9	0.3	80.3	
OSK-W-19-2055	403.47	F51	291.0	453608	5435712	337	-46	289.9	291.0	2.1	7.80	
OSK-W-19-2059	400.44	Lynx 321	993.0	453446	5435477	131	-52	563.0	565.0	2.0	7.20	
OSK-W-19-2059	400.44	Lynx	993.0	453446	5435477	131	-52	685.0	687.0	2.0	3.27	
OSK-W-19-2059	400.44	Lynx 4	993.0	453446	5435477	131	-52	795.6	798.0	2.4	15.3	
		inclu						796.1	796.8	0.8	36.5	
OSK-W-19-2059	400.44	Lynx 324	993.0	453446	5435477	131	-52	846.0	852.0	2.1	21.3	
		inclu						850.0	852.0	2.0	41.2	
OSK-W-19-2059	400.44	Lynx 327	993.0	453446	5435477	131	-52	863.8	866.7	2.9	7.07	
		inclu						865.4	865.7	0.3	49.0	
OSK-W-19-2059-W1	400.44	Lynx 301	1041.0	453446	5435477	131	-52	568.0	570.0	2.0	3.39	
OSK-W-19-2059-W1	400.44	Lynx 301	1041.0	453446	5435477	131	-52	595.0	597.0	2.0	58.8	50.8
		inclu						596.0	597.0	1.0	116	100
OSK-W-19-2059-W1	400.44	Lynx	1041.0	453446	5435477	131	-52	735.0	737.0	2.0	3.77	
OSK-W-19-2059-W1	400.44	Lynx 333	1041.0	453446	5435477	131	-52	780.4	782.4	2.0	8.48	
OSK-W-19-2059-W1	400.44	Lynx	1041.0	453446	5435477	131	-52	823.8	824.8	2.0	7.07	
		inclu						824.1	824.4	0.3	25.7	
OSK-W-19-2059-W1	400.44	Lynx	1041.0	453446	5435477	131	-52	827.0	829.0	2.0	3.24	
		inclu						827.5	828.0	0.5	12.0	
OSK-W-19-2059-W1	400.44	Lynx 313	1041.0	453446	5435477	131	-52	833.9	836.3	2.4	11.1	
		inclu						834.8	835.7	0.9	27.3	
OSK-W-19-2059-W1	400.44	Lynx 329	1041.0	453446	5435477	131	-52	867.4	869.4	2.0	50.0	
OSK-W-19-2059-W1	400.44	Lynx 4	1041.0	453446	5435477	131	-52	881.0	883.4	2.4	7.14	
OSK-W-19-2059-W1	400.44	Lynx 8	1041.0	453446	5435477	131	-52	885.8	888.0	2.1	9.43	
OSK-W-20-2059-W2	400.44	Lynx 321	933.0	453446	5435477	131	-52	596.0	598.5	2.5	6.05	
		inclu						597.6	598.0	0.4	25.7	
OSK-W-20-2059-W2	400.44	Lynx 333	933.0	453446	5435477	131	-52	806.0	808.0	2.0	7.35	
OSK-W-20-2059-W3	400.44	Lynx 325	1029.2	453446	5435477	131	-52	701.1	704.0	2.9	29.3	
		inclu						805.0	807.2	2.2	10.1	
OSK-W-20-2059-W3	400.44	Lynx 330	1029.2	453446	5435477	131	-52	806.7	807.2	0.5	43.5	
		inclu						892.8	895.0	2.2	7.28	
OSK-W-20-2059-W4	400.44	Lynx 4	1029.2	453446	5435477	131	-52	991.5	995.6	2.1	3.14	
		inclu						994.2	994.5	0.3	18.0	
OSK-W-20-2059-W4	400.44	Lynx 348	1092.0	453446	5435477	131	-52	1038.1	1066.1	28.0	202	31.0
		inclu						1043.3	1043.6	0.3	102	100
		and						1040.4	1049.7	0.3	674	100
		and						1046.7	1050.0	0.3	948	100
		and						1050.0	1050.8	0.8	152	100
		and						1051.7	1052.5	0.8	468	100
		and						1054.6	1055.0	0.4	157	100
		and						1059.0	1059.0	1.0	108	100
		and						1058.1	1058.5	0.4	216	100
		and						1058.5	1059.1	0.6	307	100
		and						1062.5	1063.1	0.6	1785	100
		and						1063.1	1064.0	0.9	256	100
OSK-W-20-2059-W4	400.44	Lynx 4	1092.0	453446	5435477	131	-52	1077.0	1079.0	2.0	3.40	
		inclu						1077.7	1078.0	0.3	17.4	
OSK-W-19-2061	406.79	lynx corridor	468.0	452783	5435007	150	-48	155.7	158.0	2.3	3.73	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-2061	406.79	Lynx 335	468.0	452783	5435007	150	-48	252.0	254.3	2.3	5.17	
OSK-W-19-2061	406.79	Lynx	468.0	452783	5435007	150	-48	453.0	455.0	2.0	4.72	
OSK-W-19-2064	403.1	Lynx 314	912.0	453627	5435635	127	-55	793.0	795.2	2.2	4.13	
OSK-W-19-2066	403.97	F51	429.0	453486	5436028	159	-49	261.5	263.7	2.2	59.1	
								261.8	263.4	1.6	79.2	
OSK-W-19-2067	435.5	Triple Lynx	1212.0	453241	5435697	123	-53	925.4	927.7	2.3	12.6	
								927.2	927.7	0.5	28.8	
OSK-W-19-2067	435.5	Triple Lynx	1212.0	453241	5435697	123	-53	1058.1	1060.0	2.7	6.85	
								1060.4	1060.9	0.4	34.4	
OSK-W-19-2067	435.5	Triple Lynx	1212.0	453241	5435697	123	-53	1144.0	1146.0	2.0	3.36	
OSK-W-19-2067-W1	435.5	Triple Lynx	1302.0	453241	5435697	123	-53	1100.5	1105.0	2.5	21.8	
								1104.3	1105.0	0.7	51.6	
OSK-W-19-2067-W2	435.5	Triple Lynx	1302.0	453241	5435697	123	-53	1120.3	1122.3	2.0	8.20	
								1121.1	1121.4	0.3	37.7	
OSK-W-19-2067-W3	435.5	Triple Lynx	1302.0	453241	5435697	123	-53	1127.1	1129.1	2.0	8.38	
								1127.1	1127.4	0.3	51.9	
OSK-W-19-2067-W4	435.5	Triple Lynx	1302.0	453241	5435697	123	-53	1140.1	1142.2	2.1	47.9	14.7
								1141.9	1142.2	0.3	312	100
OSK-W-19-2067-W2	435.5	Triple Lynx	1158.5	453241	5435697	123	-53	923.3	926.4	2.1	3.38	
OSK-W-19-2067-W2	435.5	Triple Lynx	1158.5	453241	5435697	123	-53	934.0	935.0	2.0	4.02	
OSK-W-19-2067-W2	435.5	Triple Lynx	1158.5	453241	5435697	123	-53	937.0	940.0	2.3	3.71	
OSK-W-19-2067-W2	435.5	Triple Lynx	1158.5	453241	5435697	123	-53	945.0	948.0	3.0	3.74	
OSK-W-19-2067-W2	435.5	Triple Lynx	1158.5	453241	5435697	123	-53	957.4	960.6	3.2	17.8	
								958.8	959.2	0.4	50.3	
OSK-W-19-2067-W2	435.5	Triple Lynx	1158.5	453241	5435697	123	-53	968.0	991.6	5.6	35.0	33.2
								987.3	988.2	0.9	112	100
OSK-W-19-2067-W2	435.5	Triple Lynx	1158.5	453241	5435697	123	-53	1029.0	1031.3	2.3	34.6	
								1157.0	1157.0	2.0	4.49	
OSK-W-19-2067-W3	435.5	Triple Lynx	1227.0	453241	5435697	123	-53	1063.0	1065.0	2.0	5.09	
								1078.0	1080.0	2.0	3.97	
OSK-W-19-2067-W4	435.5	Lynx 368	1203.0	453241	5435697	123	-53	1028.0	1030.5	2.5	3.25	
OSK-W-19-2067-W4	435.5	Triple Lynx	1203.0	453241	5435697	123	-53	1049.0	1053.3	4.3	3.76	
OSK-W-19-2067-W4	435.5	Triple Lynx	1203.0	453241	5435697	123	-53	1058.5	1072.0	3.5	6.85	
OSK-W-19-2067-W4	435.5	Triple Lynx	1203.0	453241	5435697	123	-53	1106.0	1109.0	3.0	12.2	
OSK-W-19-2067-W4	435.5	Triple Lynx	1203.0	453241	5435697	123	-53	1115.0	1117.5	2.5	5.46	
OSK-W-19-2067-W4	435.5	Triple Lynx	1203.0	453241	5435697	123	-53	1123.0	1126.6	3.6	15.4	
								1124.0	1125.0	1.0	37.4	
OSK-W-19-2067-W4	435.5	Triple Lynx	1226.0	453241	5435697	123	-53	1134.0	1139.0	5.0	5.06	
OSK-W-19-2067-W5	435.5	Triple Lynx	1226.0	453241	5435697	123	-53	1077.0	1079.0	2.0	4.68	
OSK-W-19-2067-W5	435.5	Triple Lynx	1226.0	453241	5435697	123	-53	1134.4	1136.8	2.4	9.04	
OSK-W-19-2067-W5	435.5	Lynx 376	1226.0	453241	5435697	123	-53	1148.0	1151.0	3.0	8.75	
								1156.7	1151.0	0.1	46.8	
OSK-W-19-2067-W5	435.5	Triple Lynx	1226.0	453241	5435697	123	-53	1174.0	1176.0	2.0	8.52	
OSK-W-19-2068	401.97	Lynx 304	1098.0	453317	5435387	116	-53	481.0	483.3	2.3	9.57	
								481.5	481.9	0.4	46.2	
OSK-W-19-2068	401.97	Lynx	1098.0	453317	5435387	116	-53	516.8	519.0	2.2	4.17	
OSK-W-19-2068	401.97	Lynx 330	1098.0	453317	5435387	116	-53	844.3	846.6	2.3	56.0	35.7
								845.8	846.6	0.8	159	100
OSK-W-19-2068	401.97	Lynx 348	1098.0	453317	5435387	116	-53	915.5	917.7	2.2	38.4	32.6
								917.3	917.7	0.4	112	
OSK-W-19-2068	401.97	Lynx 4	1049.0	453317	5435387	116	-53	1000.8	1004.0	3.2	5.23	
OSK-W-19-2068	401.97	Lynx 4	1049.0	453317	5435387	116	-53	1011.0	1013.0	2.0	6.67	
OSK-W-19-2068-W1	401.97	Lynx 313	1049.0	453317	5435387	116	-53	885.5	887.7	2.2	5.63	
OSK-W-19-2068-W1	401.97	Lynx 313	1049.0	453317	5435387	116	-53	901.0	911.7	8.7	8.85	
								905.0	906.7	1.7	23.4	
OSK-W-19-2068-W1	401.97	Lynx 4	1049.0	453317	5435387	116	-53	922.0	922.5	2.3	7.35	
OSK-W-19-2068-W1	401.97	Lynx 327	1049.0	453317	5435387	116	-53	942.5	944.5	2.0	3.92	
OSK-W-19-2068-W1	401.97	Lynx 312	1049.0	453317	5435387	116	-53	993.0	995.0	2.0	4.32	
OSK-W-19-2068-W2	401.97	Lynx 333	1046.0	453317	5435387	116	-53	864.2	866.2	2.0	4.54	
OSK-W-19-2068-W2	401.97	Lynx 313	1046.0	453317	5435387	116	-53	853.8	851.8	8.0	161	69.7
								856.5	857.0	0.5	282	100
								857.6	858.8	1.2	488	100
								861.2	861.8	0.6	345	100
OSK-W-19-2068-W2	401.97	Lynx 327	1046.0	453317	5435387	116	-53	897.0	901.0	4.0	16.3	
								906.6	901.1	0.5	36.9	
OSK-W-19-2068-W2	401.97	Lynx 312	1046.0	453317	5435387	116	-53	934.7	936.8	2.1	6.54	
								934.7	935.3	0.6	18.2	
OSK-W-19-2068-W2	401.97	Lynx 4	1046.0	453317	5435387	116	-53	967.0	969.0	2.0	3.76	
OSK-W-19-2068-W2	401.97	Lynx 4	1046.0	453317	5435387	116	-53	1072.0	1073.0	1.0	4.05	
OSK-W-19-2068-W3	401.97	Lynx 313	1022.0	453317	5435387	116	-53	893.5	896.0	2.5	22.3	
								894.7	895.3	0.6	82.1	
OSK-W-19-2068-W3	401.97	Lynx 338	1022.0	453317	5435387	116	-53	992.3	994.5	2.2	9.57	
								992.3	993.0	0.7	38.3	
OSK-W-19-2070	401.28	Lynx 313	990.0	453502	5435233	122	-52	905.9	914.6	8.7	4.08	
OSK-W-19-2075	410.86	Lynx corridor	288.0	452940	5430209	177	-50	146.0	149.1	3.1	3.75	
OSK-W-19-2077	418.15	Lynx 303	1122.0	453147	5435489	127	-57	755.4	761.0	5.6	4.56	
								755.4	760.0	0.6	14.1	
OSK-W-19-2077	418.15	Triple Lynx	1122.0	453147	5435489	127	-57	763.5	767.0	3.5	4.59	
								763.5	764.0	0.5	23.6	
OSK-W-19-2077	418.15	Triple Lynx	1122.0	453147	5435489	127	-57	770.0	776.0	6.0	10.7	
								771.8	772.3	0.5	36.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-2107-W1	395.79	Triple Lynx	1059.0	453426	5434778	23	-70	639.0	641.0	2.0	5.88	
		including						639.7	640.5	0.8	13.7	
OSK-W-19-2107-W1	395.79	Triple Lynx	1059.0	453426	5434778	23	-70	646.0	648.0	2.0	4.68	
OSK-W-19-2107-W1	395.79	Triple Lynx	1059.0	453426	5434778	23	-70	733.0	737.0	4.0	3.73	
OSK-W-19-2107-W1	395.79	Triple Lynx	1059.0	453426	5434778	23	-70	782.0	784.0	2.0	6.25	
OSK-W-19-2107-W1	395.79	Triple Lynx	1059.0	453426	5434778	23	-70	890.5	893.0	2.5	174	56.6
		including						891.2	892.0	0.8	464	100
OSK-W-19-2107-W2	395.79	Lynx 331	932.0	453426	5434778	23	-70	578.5	580.6	2.1	12.2	
		including						579.8	580.2	0.4	28.7	
OSK-W-19-2107-W2	395.79	Triple Lynx	932.0	453426	5434778	23	-70	636.4	639.0	2.6	5.19	
OSK-W-19-2107-W2	395.79	Triple Lynx	932.0	453426	5434778	23	-70	730.4	734.1	3.7	3.95	
OSK-W-19-2107-W2	395.79	Triple Lynx	932.0	453426	5434778	23	-70	779.0	781.0	2.0	15.5	15.1
		including						778.5	779.5	0.3	100	100
OSK-W-19-2107-W2	395.79	Triple Lynx	932.0	453426	5434778	23	-70	890.0	892.0	2.0	3.82	
OSK-W-19-2108-W1	413.53	Triple Lynx	1506.0	453215	5435858	117	-53	1352.6	1357.8	5.2	18.8	
		including						1355.3	1357.8	2.5	34.8	
OSK-W-19-2108-W2	413.53	Triple Lynx	1578.0	453215	5435858	117	-53	1299.6	1302.0	2.4	11.2	
		including						1299.6	1302.1	0.5	52.0	
OSK-W-19-2108-W2	413.53	Triple Lynx	1578.0	453215	5435858	117	-53	1346.2	1348.5	2.3	6.50	
OSK-W-19-2115	400.86	Underdog	1806.0	453082	5434267	8	-68	1795.9	1798.5	2.6	8.02	
		including						1797.0	1798.5	1.5	13.2	
OSK-W-19-2119	404.78	F11 6000	282.0	452546	5436001	148	-45	129.3	132.1	2.8	8.26	
OSK-W-19-2119	404.78	F11 6002	282.0	452546	5436003	148	-45	157.0	161.1	4.1	12.6	
		including						157.0	158.0	1.0	37.3	
OSK-W-19-2120-W2	400.83	lynx 4	1317.0	453800	5435747	114	-60	1058.4	1060.4	2.0	28.5	
OSK-W-19-2120-W2	400.83	lynx 4	1317.0	453800	5435747	114	-60	1128.0	1132.2	4.2	56.6	35.9
		including						1131.8	1132.2	0.4	31.7	100
OSK-W-19-2120-W2	400.83	lynx 4	1317.0	453800	5435747	114	-60	1205.4	1203.6	1.8	33.7	60.0
		including						1201.4	1202.7	1.3	58.9	100
OSK-W-19-2120-W2	400.83	lynx 4	1317.0	453800	5435747	114	-60	1209.5	1212.6	3.1	8.82	
		including						1211.5	1212.0	0.5	21.2	
OSK-W-19-2120-W2	400.83	lynx 4	1247.0	453800	5435747	114	-60	1052.4	1054.8	2.4	8.39	
OSK-W-19-2123	408.65	Triple Lynx	1293.0	453235	5435774	126	-57	1164.4	1167.0	2.6	9.97	
OSK-W-19-2123	408.65	Triple Lynx	1293.0	453235	5435774	126	-57	1197.0	1199.3	2.3	26.7	20.8
		including						1198.9	1199.3	0.4	134	100
OSK-W-19-2123	408.65	Triple Lynx	1293.0	453235	5435774	126	-57	1248.0	1250.0	2.0	3.26	
OSK-W-19-2123-W1	408.65	Triple Lynx	1308.0	453235	5435774	126	-57	1102.0	1105.5	3.5	3.84	
OSK-W-19-2123-W1	408.65	Triple Lynx	1308.0	453235	5435774	126	-57	1123.0	1125.0	2.0	8.72	
		including						1123.8	1124.4	0.6	27.9	
OSK-W-19-2123-W1	408.65	Triple Lynx	1308.0	453235	5435774	126	-57	1195.0	1194.0	3.0	5.39	
OSK-W-19-2123-W1	408.65	Triple Lynx	1308.0	453235	5435774	126	-57	1217.0	1225.0	9.0	24.9	24.1
		including						1223.0	1223.3	0.3	80.3	74.7
		and						1224.0	1225.0	1.0	71.4	
OSK-W-19-2123-W2	408.65	Triple Lynx	1367.0	453235	5435774	126	-57	1198.0	1200.0	2.0	11.5	
		including						1199.1	1199.4	0.3	73.4	
OSK-W-19-2123-W2	408.65	Triple Lynx	1367.0	453235	5435774	126	-57	1265.4	1268.2	2.8	10.9	
		including						1267.6	1268.2	0.6	49.8	
OSK-W-19-2123-W3	408.65	Triple Lynx	1284.0	453235	5435774	126	-57	1002.0	1004.8	2.8	3.23	
OSK-W-19-2123-W3	408.65	Triple Lynx	1284.0	453235	5435774	126	-57	1083.0	1083.0	2.0	5.55	
OSK-W-19-2123-W3	408.65	Triple Lynx 363	1284.0	453235	5435774	126	-57	1147.0	1149.4	2.4	4.30	
		including						1149.0	1149.4	0.4	13.0	
OSK-W-19-2123-W3	408.65	Triple Lynx	1284.0	453235	5435774	126	-57	1185.3	1187.5	2.2	4.24	
OSK-W-19-2123-W3	408.65	Lynx 370	1284.0	453235	5435774	126	-57	1190.5	1192.5	2.0	5.11	
		including						1191.1	1191.7	0.6	14.6	
OSK-W-19-2123-W3	408.65	Lynx 370	1284.0	453235	5435774	126	-57	1194.5	1195.6	1.1	4.06	
OSK-W-19-2123-W3	408.65	Lynx 370	1284.0	453235	5435774	126	-57	1198.3	1201.5	3.2	58.4	37.7
		including						1198.6	1199.2	0.6	230	100
OSK-W-20-2123-W4	408.65	Triple Lynx	1235.5	453235	5435774	126	-57	1086.0	1088.0	2.0	4.00	
OSK-W-20-2123-W4	408.65	Triple Lynx	1235.5	453235	5435774	126	-57	1096.0	1098.0	2.0	12.6	
OSK-W-20-2123-W4	408.65	Lynx 368	1235.5	453235	5435774	126	-57	1112.0	1114.0	2.0	3.31	
OSK-W-20-2123-W4	408.65	Triple Lynx	1235.5	453235	5435774	126	-57	1128.0	1130.3	2.3	5.31	
OSK-W-20-2123-W4	408.65	Lynx 364	1235.5	453235	5435774	126	-57	1168.0	1173.0	5.0	8.48	
OSK-W-20-2123-W4	408.65	Triple Lynx	1235.5	453235	5435774	126	-57	1177.2	1182.5	5.3	35.0	39.6
		including						1177.5	1178.0	0.5	165	100
OSK-W-20-2123-W4	408.65	Lynx 370	1235.5	453235	5435774	126	-57	1184.0	1185.5	1.5	7.30	
OSK-W-20-2123-W4	408.65	Lynx 370	1235.5	453235	5435774	126	-57	1198.0	1200.0	2.0	8.07	
OSK-W-19-2124	406.50	F11	270.0	452590	5435977	149	-45	51.0	53.0	2.0	10.8	
		including						51.0	52.0	1.0	19.5	
OSK-W-19-2123	416.77	Lynx	1055.0	453080	5435531	118	-49	796.3	798.8	2.5	37.0	
		including						797.5	798.4	0.9	79.7	
OSK-W-19-2123-W1	416.77	Lynx	987.0	453080	5435531	118	-49	887.0	889.8	2.8	6.06	
OSK-W-20-2123-W2	416.77	Lynx 361	1139.0	453080	5435531	118	-49	783.6	786.0	2.4	391	31.1
		including						784.2	784.6	0.4	2260	100
OSK-W-20-2123-W2	416.77	Lynx 331	1139.0	453080	5435531	118	-49	901.3	903.5	2.2	8.27	
		including						901.7	903.0	0.3	59.4	
OSK-W-19-2123-W2	416.77	Lynx	965.0	453080	5435531	118	-49	791.2	793.5	2.3	193	41.7
		including						792.7	793.1	0.4	972	100
OSK-W-20-2123-W2	416.77	Triple Lynx	965.0	453080	5435531	118	-49	874.8	877.0	2.2	9.32	
		including						875.8	876.3	0.5	31.8	
OSK-W-20-2123-W3	416.77	Triple Lynx	965.0	453080	5435531	118	-49	911.1	913.2	2.1	8.05	
		including						912.7	913.2	0.5	20.2	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) report	Au (g/t) cut to 100 g/t
OSK-W-19-2133-W4	416.77	Triple Lynx	987.0	452080	5435531	118	-48	928.8	939.6	10.8	85.0	22.7
		incluclng						931.0	933.1	2.1	420	100
OSK-W-19-2139	419.93	Lynx	1149.0	452080	5435549	115	-52	565.3	567.4	2.1	6.53	
		Lynx_361						807.9	890.0	2.1	3.81	
OSK-W-19-2139	419.93	Triple Lynx	1149.0	452080	5435549	115	-52	887.9	888.3	0.4	14.4	
		incluclng						802.4	899.8	7.4	6.93	
OSK-W-19-2139	419.93	Triple Lynx	1149.0	452080	5435549	115	-52	896.0	897.0	1.0	22.9	
		incluclng						907.7	915.2	5.5	21.2	
OSK-W-19-2139	419.93	Triple Lynx	1149.0	452080	5435549	115	-52	918.7	920.6	2.4	3.06	
		incluclng						956.6	960.6	4.0	106	46.5
OSK-W-19-2139	419.93	Triple Lynx	1149.0	452080	5435549	115	-52	959.8	960.3	0.5	566	100
		incluclng						964.0	966.0	2.0	3.19	
OSK-W-19-2139	419.93	Triple Lynx	1149.0	452080	5435549	115	-52	1126.0	1127.1	2.1	27.5	15.4
		incluclng						1121.5	1121.8	0.3	185	100
OSK-W-19-2139-W1	419.93	Triple Lynx	1153.0	452080	5435549	115	-52	867.0	872.0	5.0	3.09	
		incluclng						882.9	886.0	2.1	8.33	
OSK-W-20-2139-W11	419.93	Lynx_361	995.0	452080	5435549	115	-52	896.3	896.6	2.3	13.6	
		incluclng						896.3	896.6	0.3	35.3	
OSK-W-19-2139-W1	419.93	Triple Lynx	1153.0	452080	5435549	115	-52	898.8	902.6	3.8	56.9	37.1
		incluclng						909.0	914.9	15.9	22.3	
OSK-W-20-2139-W12	419.93	Lynx_371	1038.0	452080	5435549	115	-52	905.3	907.9	2.6	28.5	
		incluclng						906.2	906.8	0.6	88.3	
		incluclng						907.1	907.6	0.5	80.2	
OSK-W-19-2139-W1	419.93	Triple Lynx	1153.0	452080	5435549	115	-52	910.0	912.2	2.2	8.46	
		incluclng						910.0	910.7	0.7	22.5	
OSK-W-20-2139-W11	419.93	Lynx_363	995.0	452080	5435549	115	-52	912.2	914.4	2.2	4.36	
		incluclng						914.0	914.4	0.4	13.7	
OSK-W-20-2139-W10	419.93	Lynx_362	1212.0	452080	5435549	115	-52	941.9	944.0	2.1	17.4	
		incluclng						954.0	956.0	2.0	7.81	
OSK-W-20-2139-W11	419.93	Lynx_369	995.0	452080	5435549	115	-52	954.5	955.2	0.7	20.4	
		incluclng						1196.0	1198.0	2.0	11.7	
OSK-W-20-2139-W10	419.93	Triple Lynx	1212.0	452080	5435549	115	-52	1196.0	1197.1	1.1	21.3	
		incluclng						876.7	879.0	2.3	22.9	
OSK-W-19-2139-W2	419.93	Triple Lynx	1203.0	452080	5435549	115	-52	876.7	877.2	0.5	84.2	
		incluclng						887.4	894.0	6.6	8.34	
OSK-W-19-2139-W2	419.93	Triple Lynx	1203.0	452080	5435549	115	-52	927.4	928.5	2.1	4.99	
		incluclng						927.4	928.1	0.7	12.5	
OSK-W-19-2139-W2	419.93	Triple Lynx	1203.0	452080	5435549	115	-52	1077.0	1079.0	2.0	3.08	
		incluclng						996.3	1005.3	2.3	5.66	
OSK-W-19-2139-W3	419.93	Triple Lynx	1169.0	452080	5435549	115	-52	882.0	884.1	2.1	3.38	
		incluclng						910.0	912.0	2.0	32.4	15.3
OSK-W-19-2139-W3	419.93	Triple Lynx	1169.0	452080	5435549	115	-52	910.9	911.2	0.3	214	100
		incluclng						924.0	926.0	2.0	3.79	
OSK-W-19-2139-W3	419.93	Triple Lynx	1203.0	452080	5435549	115	-52	1005.0	1007.0	2.0	3.34	
		incluclng						545.5	547.1	2.1	5.80	
OSK-W-19-2139-W4	419.93	Triple Lynx	1011.0	452080	5435549	115	-52	924.0	926.0	2.0	6.87	
		incluclng						546.5	547.1	0.6	18.4	
OSK-W-19-2139-W4	419.93	Lynx_361	1011.0	452080	5435549	115	-52	898.7	902.0	3.3	21.3	
		incluclng						913.0	915.0	2.0	6.87	
OSK-W-19-2139-W4	419.93	Triple Lynx	1011.0	452080	5435549	115	-52	913.6	914.1	0.5	25.5	
		incluclng						910.0	995.2	2.2	49.9	39.7
OSK-W-19-2139-W4	419.93	Triple Lynx	1011.0	452080	5435549	115	-52	993.7	994.0	0.3	175	100
		incluclng						891.1	894.6	2.5	4.98	
OSK-W-20-2139-W5	419.93	Lynx_361	1146.0	452080	5435549	115	-52	891.1	891.5	0.4	27.7	
		incluclng						941.7	947.0	5.3	3.60	
OSK-W-20-2139-W5	419.93	Lynx_364	1146.0	452080	5435549	115	-52	941.7	943.0	1.3	7.91	
		incluclng						1006.0	1008.5	2.5	4.82	
OSK-W-20-2139-W5	419.93	Triple Lynx	1146.0	452080	5435549	115	-52	1113.4	1115.9	2.5	3.12	
		incluclng						1114.4	1114.8	0.4	18.7	
OSK-W-20-2139-W6	419.93	Lynx_361	1089.0	452080	5435549	115	-52	874.8	876.8	2.0	91.3	45.7
		incluclng						876.0	876.4	0.4	328	100
OSK-W-20-2139-W6	419.93	Triple Lynx	1089.0	452080	5435549	115	-52	902.0	902.7	2.3	39.8	16.6
		incluclng						902.4	902.7	0.3	278	100
OSK-W-20-2139-W6	419.93	Triple Lynx	1089.0	452080	5435549	115	-52	912.3	913.3	2.0	5.64	
		incluclng						913.6	913.9	0.3	34.5	
OSK-W-20-2139-W6	419.93	Lynx_369	1089.0	452080	5435549	115	-52	939.0	941.3	2.3	25.1	
		incluclng						939.8	940.8	1.0	48.3	
OSK-W-20-2139-W7	419.93	Lynx_361	1164.0	452080	5435549	115	-52	867.0	869.0	2.0	4.41	
		incluclng						867.8	868.2	0.4	12.5	
OSK-W-20-2139-W7	419.93	Lynx_361	1164.0	452080	5435549	115	-52	872.0	874.8	2.8	3.09	
		incluclng						894.0	896.6	2.6	3.01	
OSK-W-20-2139-W7	419.93	Lynx_365	1164.0	452080	5435549	115	-52	892.0	895.3	0.3	24.5	
		incluclng						899.4	901.7	2.3	3.06	
OSK-W-20-2139-W7	419.93	Triple Lynx	1164.0	452080	5435549	115	-52	1081.0	1083.5	2.5	9.53	
		incluclng						1081.0	1081.9	0.9	26.1	
OSK-W-20-2139-W8	419.93	Triple Lynx	1125.0	452080	5435549	115	-52	543.0	545.0	2.0	6.88	
		incluclng						543.5	544.4	0.9	14.5	
OSK-W-20-2139-W8	419.93	Triple Lynx	1125.0	452080	5435549	115	-52	565.0	567.4	2.4	9.28	
		incluclng						566.2	566.8	0.6	36.9	
OSK-W-20-2139-W8	419.93	Lynx_371	1125.0	452080	5435549	115	-52	918.7	920.7	2.0	22.3	20.2
		incluclng						918.6	919.9	0.3	134	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-20-2139-W8	419.93	Lynx 371	1125.0	452980	5435549	115	-52	931.5	933.7	2.2	4.90	
OSK-W-20-2139-W8	419.93	Lynx 361	1125.0	452980	5435549	115	-52	940.7	942.7	2.0	4.31	
		including						940.7	941.0	0.3	12.3	
OSK-W-20-2139-W8	419.93	Lynx 368	1125.0	452980	5435549	115	-52	957.0	962.3	5.3	8.60	
OSK-W-20-2139-W8	419.93	Lynx 363	1125.0	452980	5435549	115	-52	967.3	970.4	3.1	8.51	
		including						969.6	970.1	0.5	21.9	
OSK-W-20-2139-W8	419.93	Lynx 369	1125.0	452980	5435549	115	-52	1000.0	1004.0	2.0	173	57.3
		including						1009.6	1004.0	0.4	677	100
OSK-W-20-2139-W8	419.93	Lynx 369	1125.0	452980	5435549	115	-52	1030.1	1033.0	2.9	5.17	
OSK-W-20-2139-W8	419.93	Lynx 369	1125.0	452980	5435549	115	-52	1037.6	1039.6	2.0	4.21	
OSK-W-20-2139-W8	419.93	Triple Lynx	1152.0	452980	5435549	135	-52	943.5	946.7	2.2	20.3	
		including						944.0	946.7	0.7	63.5	
OSK-W-20-2139-W8	419.93	Lynx 371	1152.0	452980	5435549	115	-52	886.7	893.0	6.3	15.4	
OSK-W-20-2139-W8	419.93	Lynx 365	1152.0	452980	5435549	115	-52	908.9	912.5	3.6	57.9	15.6
		including						912.0	912.5	0.5	405	100
OSK-W-20-2139-W8	419.93	Lynx 364	1152.0	452980	5435549	115	-52	949.0	951.0	2.0	5.88	
		including						949.0	949.5	0.5	14.0	
OSK-W-19-2151	410.28	Lynx 320	834.0	453420	5435559	125	-56	671.3	674.0	2.7	4.41	
		including						671.3	671.7	0.4	16.2	
OSK-W-19-2151	410.28	Lynx 320	834.0	453420	5435559	125	-56	684.9	689.0	4.1	6.48	
		including						684.9	685.4	0.5	29.4	
OSK-W-19-2154	397.17	Lynx 305	225.0	453178	5434912	338	-52	126.4	128.4	2.0	7.38	
		including						127.4	127.7	0.3	46.8	
OSK-W-19-2154	397.17	Lynx 307	225.0	453178	5434912	338	-52	174.0	176.0	2.0	34.5	
		including						174.3	175.3	0.8	89.0	
OSK-W-19-2155	409.92	Lynx	909.0	453214	5435512	138	-53	523.9	525.6	1.7	13.3	
		including						523.4	524.1	0.7	27.1	
OSK-W-19-2155	409.92	Lynx	909.0	453214	5435512	138	-53	532.6	535.1	2.5	9.00	
OSK-W-19-2160	417.06	Lynx	1032.0	453086	5435526	124	-50	743.0	745.0	2.0	13.7	
OSK-W-19-2160	417.06	Lynx	1032.0	453086	5435526	124	-50	869.0	871.2	2.2	49.0	
OSK-W-19-2162	397.09	Lynx 305	183.0	453177	5434912	323	-45	118.1	120.1	2.0	10.0	
OSK-W-19-2161	397.09	Lynx 307	183.0	453177	5434912	323	-45	151.7	154.0	2.3	19.1	
		including						153.6	154.0	0.4	52.0	
OSK-W-19-2164	418.51	Lynx 376	1053.0	452944	5435566	130	-52	837.4	839.9	2.5	3.26	
OSK-W-19-2164	418.51	Triple Lynx	1053.0	452944	5435566	130	-52	950.0	951.1	2.1	360	48.8
		including						950.0	951.0	1.0	736	100
OSK-W-19-2164-W1	418.51	Lynx 367	1098.0	452944	5435566	130	-52	777.0	780.4	3.4	6.55	
		including						779.4	780.4	1.0	17.0	
OSK-W-19-2164-W1	418.51	Triple Lynx	1098.0	452944	5435566	130	-52	931.6	933.6	2.0	13.4	
		including						932.3	933.6	0.3	86.6	
OSK-W-19-2165	396.88	Lynx 305	162.0	453177	5434897	335	-48	142.2	145.0	2.8	18.4	
		including						143.2	144.0	0.8	63.0	
OSK-W-19-2166	396.9	Lynx 307	228.0	453177	5434897	326	-48	177.1	179.4	2.3	12.0	
		including						177.1	178.2	1.1	21.9	
OSK-W-19-2168	399.12	Lynx	337.0	453487	5435342	149	-56	443.7	445.7	2.0	5.80	
		including						445.0	445.7	0.7	14.1	
OSK-W-19-2169	400.93	Lynx 311	1267.5	453215	5435512	130	-50	596.6	598.7	2.1	4.61	
OSK-W-19-2169	400.93	Lynx 4	1267.5	453215	5435512	130	-50	893.9	895.9	2.0	5.59	
		including						894.7	895.3	0.6	38.2	
OSK-W-19-2169	400.93	Venn	1267.5	453215	5435512	130	-50	1013.8	1013.8	2.0	9.36	
		including						1013.8	1013.1	0.3	55.7	
OSK-W-19-2169	400.93	Lynx 4	1267.5	453215	5435512	130	-50	1256.3	1258.4	2.1	15.8	
		including						1257.5	1258.4	0.9	86.2	
OSK-W-19-2170	412.65	Triple Lynx	1203.0	453425	5435657	128	-59	923.1	926.6	3.5	40.2	
		including						923.7	924.7	1.0	98.0	
OSK-W-19-2170	412.65	Triple Lynx	1203.0	453425	5435657	128	-59	960.3	963.0	2.7	35.5	
		including						960.9	961.8	0.9	70.6	
OSK-W-19-2170	412.65	Triple Lynx	1203.0	453425	5435657	128	-59	1016.7	1018.8	2.1	3.96	
OSK-W-19-2170	412.65	Triple Lynx	1203.0	453425	5435657	128	-59	1022.8	1026.0	3.2	44.7	16.4
		including						1022.8	1023.1	0.3	402	100
OSK-W-20-2170-W2	412.65	Lynx 363	1188.0	453425	5435657	128	-59	971.0	976.6	5.6	149	39.3
		including						974.8	976.6	1.8	439	100
OSK-W-20-2170-W2	412.65	Lynx 363	1188.0	453425	5435657	128	-59	981.0	984.0	3.0	6.81	
OSK-W-20-2170-W2	412.65	Lynx 363	1188.0	453425	5435657	128	-59	988.0	990.0	2.0	4.65	
OSK-W-20-2170-W2	412.65	Lynx 364	1188.0	453425	5435657	128	-59	1011.5	1015.1	3.6	9.47	
		including						1011.5	1012.1	0.6	29.0	
OSK-W-20-2170-W2	412.65	Lynx 370	1188.0	453425	5435657	128	-59	1116.0	1118.0	2.0	13.8	
		including						1116.9	1117.3	0.3	80.8	
OSK-W-20-2170-W5	412.65	Triple Lynx	1148.2	453425	5435657	128	-59	980.5	982.5	2.0	3.28	
OSK-W-20-2170-W5	412.65	Triple Lynx	1148.2	453425	5435657	128	-59	1021.3	1023.7	2.4	9.55	
		including						1021.3	1022.0	0.7	29.6	
OSK-W-20-2170-W5	412.65	Lynx 364	1148.2	453425	5435657	128	-59	1047.0	1049.4	2.4	9.54	
		including						1047.0	1047.5	0.5	38.0	
OSK-W-20-2170-W5	412.65	Lynx 4	1407.1	453425	5435657	128	-59	1384.0	1386.4	2.4	6.70	
OSK-W-19-2171	396.86	Lynx 307	201.0	453177	5434898	329	-45	167.0	170.0	3.0	104	39.4
		including						168.5	169.0	0.5	488	100
OSK-W-19-2172	397.78	Lynx 308	207.0	453148	5434907	329	-53	157.8	161.5	3.7	7.86	
		including						160.8	161.5	0.7	31.5	
OSK-W-19-2173	406.57	F11	234.0	452382	5435722	156	-46	29.0	31.0	2.0	1.07	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-2176	397.79	Lynx 307	195.0	453148	5434907	328	-48	149.5	153.7	4.2	4.68	
			inclu					151.0	151.6	0.6	14.9	
OSK-W-19-2176	397.79	Lynx 307	195.0	453148	5434907	328	-48	158.5	160.5	2.0	5.08	
OSK-W-19-2177	398.13	F41	398.0	453464	5435997	153	-51	200.0	202.0	2.0	3.30	
OSK-W-19-2178	399.03	Lynx 301	416.0	453504	5435428	132	-48	367.0	369.3	2.3	13.4	
			inclu					367.5	368.3	0.8	37.5	
OSK-W-19-2179	397.52	Lynx 305	213.0	453149	5434907	335	-45	104.0	106.0	2.0	9.35	
			inclu					104.9	105.6	0.7	25.5	
OSK-W-19-2181	397.09	Lynx 305	207.0	453179	5434911	333	-48	117.0	119.1	2.1	4.11	
			inclu					117.0	117.3	0.3	20.0	
OSK-W-19-2181	397.09	Lynx 307	207.0	453179	5434911	333	-48	150.0	153.2	3.2	10.2	
OSK-W-19-2183	398.91	Lynx 301	485.0	453504	5435428	135	-49	441.0	443.1	2.1	8.41	
			inclu					441.0	441.5	0.5	17.9	
OSK-W-19-2184	398.34	Lynx 308	120.0	453211	5434967	334	-50	97.0	99.4	2.4	18.0	
			inclu					98.5	98.9	0.4	89.9	
OSK-W-19-2186	398.39	Lynx	135.0	453211	5434968	332	-45	62.0	64.1	2.1	14.4	
			inclu					62.0	62.3	0.3	87.0	
OSK-W-19-2186	398.39	Lynx 308	135.0	453211	5434968	332	-45	83.0	85.0	2.0	6.42	
			inclu					84.2	84.5	0.3	42.3	
OSK-W-19-2188	398.36	Lynx 306	120.0	453211	5434968	323	-47	53.8	55.9	2.1	5.83	
			inclu					53.8	54.1	0.3	33.2	
OSK-W-19-2188	398.36	Lynx 308	120.0	453211	5434968	323	-47	93.0	95.0	2.0	7.50	
OSK-W-19-2191	398.51	Lynx 320	93.0	453197	5434994	327	-54	54.0	54.3	0.3	37.3	
			inclu					54.0	54.1	0.1	37.3	
OSK-W-19-2191	398.43	Lynx 308	90.0	453197	5434995	333	-45	60.0	62.2	2.2	4.04	
			inclu					61.6	61.9	0.3	19.7	
OSK-W-19-2194	400.94	Triple Lynx	1122.0	453215	5435512	135	-51	778.7	786.2	7.5	5.38	
			inclu					781.5	784.3	0.8	12.9	
			and					785.2	786.2	1.0	13.2	
OSK-W-19-2194	400.94	Lynx 350	1122.0	453215	5435512	135	-51	992.3	994.5	2.2	11.7	
			inclu					993.6	994.5	0.9	25.2	
OSK-W-19-2195	398.98	Lynx 301	420.0	453503	5435430	134	-45	336.9	339.0	2.1	18.7	
			inclu					336.9	338.0	1.1	32.2	
OSK-W-19-2197	417.15	Lynx	1059.0	453087	5435526	121	-48	759.8	762.0	2.2	4.04	
			inclu					776.7	779.5	0.8	12.9	
OSK-W-19-2197	417.15	Lynx	1059.0	453087	5435526	121	-48	878.0	881.0	3.0	45.4	
			inclu					904.7	906.7	2.0	12.0	
OSK-W-19-2197	417.15	Lynx 331	1059.0	453087	5435526	121	-48	904.7	905.4	0.7	39.3	
			inclu					904.7	905.4	0.7	39.3	
OSK-W-19-2197-W1	417.15	Triple Lynx	1104.0	453087	5435526	121	-48	784.5	789.6	5.1	72.0	23.6
			inclu					789.0	789.6	0.6	51.1	100
OSK-W-19-2197-W1	417.15	Triple Lynx	1104.0	453087	5435526	121	-48	822.4	826.5	4.1	7.30	
			inclu					825.9	826.5	0.6	29.4	
OSK-W-19-2197-W1	417.15	Triple Lynx	1104.0	453087	5435526	121	-48	845.0	847.1	2.1	5.89	
			inclu					1047.8	1050.0	2.2	64.4	20.4
OSK-W-19-2197-W1	417.15	Triple Lynx	1104.0	453087	5435526	121	-48	1048.6	1048.9	0.3	42.9	100
			inclu					1048.6	1048.9	0.3	42.9	100
OSK-W-19-2197-W1	417.15	Triple Lynx	1104.0	453087	5435526	121	-48	1062.0	1064.0	2.0	145.4	45.4
			inclu					1062.5	1063.4	0.9	31.7	100
OSK-W-20-2197-W2	417.15	Lynx 361	1064.0	453087	5435526	121	-48	768.7	771.4	2.7	10.3	
			inclu					769.7	770.7	1.0	26.0	
OSK-W-20-2197-W2	417.15	Lynx 363	1064.0	453087	5435526	121	-48	780.0	782.0	2.0	10.1	
			inclu					780.8	781.7	0.9	22.1	
OSK-W-20-2197-W2	417.15	Lynx 4	1064.0	453087	5435526	121	-48	1049.0	1047.0	2.0	5.66	
OSK-W-19-2201	398.44	Lynx 311	93.0	453179	5434981	331	-48	48.8	51.0	2.2	14.1	
			inclu					49.4	50.6	1.2	25.6	
OSK-W-19-2202	424.48	Triple Lynx	1176.0	452997	5435606	127	-54	942.0	944.0	2.0	3.21	
			inclu					942.2	944.0	0.8	7.88	
OSK-W-20-2201-W1	424.48	Triple Lynx	1259.2	452997	5435606	127	-54	860.0	862.6	2.6	3.38	
			inclu					861.0	863.0	2.0	6.52	
OSK-W-20-2201-W1	424.48	Lynx 367	1146.0	452997	5435606	127	-54	801.0	801.4	0.4	29.7	
			inclu					848.1	850.2	2.1	12.0	
OSK-W-20-2201-W2	424.48	Triple Lynx	1146.0	452997	5435606	127	-54	849.9	850.2	0.3	49.4	
			inclu					874.8	877.0	2.2	7.36	
OSK-W-20-2201-W2	424.48	Lynx 361	1146.0	452997	5435606	127	-54	830.7	834.4	3.7	11.8	
			inclu					832.9	833.4	0.5	27.2	
			and					834.1	834.4	0.3	50.3	
OSK-W-20-2201-W2	424.48	Lynx 363	1146.0	452997	5435606	127	-54	948.0	951.0	3.0	15.4	
			inclu					950.0	950.3	0.3	81.1	
OSK-W-20-2201-W2	424.48	Lynx 363	1146.0	452997	5435606	127	-54	954.4	960.5	6.1	7.49	
			and					954.4	956.7	0.3	54.4	
OSK-W-20-2201-W2	424.48	Lynx 363	1146.0	452997	5435606	127	-54	869.6	872.0	2.4	14.2	13.3
			inclu					870.1	870.4	0.3	10.7	100
OSK-W-19-2203	398.63	Lynx 308	111.0	453220	5434993	329	-50	71.5	73.9	2.4	55.2	18.2
			inclu					72.9	73.2	0.3	396	100
OSK-W-19-2204	398.05	Lynx 304	143.0	453254	5434979	326	-48	69.4	71.5	2.1	4.88	
			inclu					70.8	71.5	0.7	14.2	
OSK-W-19-2208	398.33	Lynx 308	81.0	453212	5435008	334	-45	56.0	58.1	2.1	40.4	28.7
			inclu					57.5	58.1	0.6	143	100
OSK-W-19-2210	398.42	Lynx 311	135.0	453235	5434970	332	-50	97.3	99.5	2.2	11.7	
			inclu					98.0	98.5	0.5	49.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 ft
OSK-W-19-2210	398.42	Lynx 311	135.0	453235	5434970	332	-50	101.1	103.6	2.5	19.0	
		including						102.0	102.7	0.7	65.5	
OSK-W-19-2213	398.31	Lynx 308	144.0	453235	5434970	325	-48	103.1	105.5	2.4	18.0	
		including						103.4	104.3	0.9	46.5	
OSK-W-19-2215	398.09	Lynx 304	204.0	453254	5434980	329	-53	71.0	73.5	2.5	4.73	
OSK-W-19-2216	398.56	Lynx 306	129.0	453235	5434971	329	-45	72.4	74.4	2.0	5.02	
OSK-W-19-2216	398.56	Lynx 308	129.0	453235	5434971	329	-45	91.7	94.7	3.0	39.7	26.8
		including						91.7	92.0	0.3	115	100
		and						94.2	96.7	0.5	189	100
OSK-W-19-2217	418.46	Triple Lynx	1172.0	452944	5435565	134	-48	781.9	784.0	2.1	16.8	
		including						782.6	783.0	0.4	78.9	
OSK-W-19-2217	418.46	Triple Lynx	1172.0	452944	5435565	134	-48	791.6	793.6	2.0	3.11	
OSK-W-19-2217	418.46	Triple Lynx	1172.0	452944	5435565	134	-48	805.4	807.5	2.1	4.61	
OSK-W-19-2217	418.46	Triple Lynx	1172.0	452944	5435565	134	-48	876.7	878.8	2.1	13.4	
		including						878.0	878.8	0.8	29.3	
OSK-W-19-2217	418.46	Triple Lynx	1172.0	452944	5435565	134	-48	905.5	908.0	2.5	8.61	
		including						905.5	906.5	1.0	17.4	
OSK-W-19-2217	418.46	Triple Lynx	1172.0	452944	5435565	134	-48	961.2	963.3	2.1	13.4	
		including						961.7	964.2	0.5	98.4	
OSK-W-20-2217-W1	418.46	Triple Lynx	1044.0	452944	5435565	134	-48	753.8	759.2	5.4	3.04	
		including						754.8	756.1	0.3	11.1	
OSK-W-20-2217-W1	418.46	Triple Lynx	1044.0	452944	5435565	134	-48	877.0	879.0	2.0	3.21	
		including						877.0	877.4	0.4	3.71	
OSK-W-20-2217-W1	418.46	Triple Lynx	1044.0	452944	5435565	134	-48	948.0	950.0	2.0	4.36	
		including						948.8	949.4	0.6	14.0	
OSK-W-20-2217-W2	418.46	Lynx 365	892.8	452944	5435565	134	-48	546.0	548.0	2.0	11.7	
		including						546.0	547.0	1.0	23.4	
OSK-W-20-2217-W2	418.46	Triple Lynx	892.8	452944	5435565	134	-48	755.2	757.9	2.7	35.3	17.0
		including						753.3	756.6	0.3	265	100
OSK-W-20-2217-W2	418.46	Triple Lynx	892.8	452944	5435565	134	-48	795.7	797.7	2.0	6.84	
		including						795.7	796.0	0.3	44.7	
OSK-W-20-2217-W2	418.46	Triple Lynx	892.8	452944	5435565	134	-48	806.0	808.0	2.0	4.42	
OSK-W-20-2217-W2	418.46	Triple Lynx	892.8	452944	5435565	134	-48	860.0	862.0	2.0	14.0	
		including						860.0	860.5	0.5	55.6	
OSK-W-20-2217-W3	418.46	Triple Lynx	1128.0	452944	5435565	134	-48	760.4	764.0	3.6	21.8	
OSK-W-20-2217-W3	418.46	Lynx 363	1128.0	452944	5435565	134	-48	830.0	832.3	2.3	7.53	
		including						831.0	831.4	0.4	26.8	
OSK-W-20-2217-W3	418.46	Triple Lynx	1128.0	452944	5435565	134	-48	910.0	912.0	2.0	19.7	
		including						910.5	911.0	0.5	78.8	
OSK-W-20-2217-W3	418.46	Triple Lynx	1128.0	452944	5435565	134	-48	1113.7	1114.0	2.3	16.4	
		including						1115.5	1114.0	0.5	66.3	
OSK-W-20-2217-W4	418.46	Triple Lynx	1134.0	452944	5435565	134	-48	768.7	775.0	6.3	9.98	
		including						772.8	773.6	0.8	52.3	
OSK-W-20-2217-W4	418.46	Triple Lynx	1134.0	452944	5435565	134	-48	781.0	783.0	2.0	4.08	
OSK-W-20-2217-W4	418.46	Triple Lynx	1134.0	452944	5435565	134	-48	793.6	795.8	2.2	4.42	
		including						795.2	795.5	0.3	34.4	
OSK-W-20-2217-W4	418.46	Triple Lynx	1134.0	452944	5435565	134	-48	917.0	919.0	2.0	10.9	
		including						918.0	918.3	0.3	71.9	
OSK-W-20-2217-W4	418.46	Triple Lynx	1134.0	452944	5435565	134	-48	972.0	974.0	2.0	22.2	
		including						973.0	974.0	1.0	43.9	
OSK-W-20-2217-W4	418.46	Triple Lynx	1134.0	452944	5435565	134	-48	981.0	983.0	2.0	29.8	15.6
		including						983.3	981.6	0.3	193	100
OSK-W-19-2219	397.79	Lynx 308	174.0	453286	5434966	330	-45	135.0	137.0	2.0	13.6	
		including						135.6	135.9	0.3	88.2	
OSK-W-19-2221	401.01	Lynx 325	789.0	453422	5435465	134	-49	607.0	609.0	2.0	4.89	
		including						608.3	609.0	0.7	11.7	
OSK-W-19-2221	401.01	Lynx 4	789.0	453422	5435465	134	-49	775.0	777.0	2.0	5.48	
		including						775.7	776.1	0.4	26.4	
OSK-W-19-2225	397.73	Lynx 308	389.0	453236	5434966	334	-52	144.7	145.6	0.9	18.8	
OSK-W-19-2225	397.73	Lynx 5	189.0	453286	5434966	334	-52	179.2	181.2	2.0	7.57	
		including						179.2	179.8	0.6	15.0	
OSK-W-19-2226	398.05	Lynx 311	126.0	453238	5435014	322	-55	48.0	52.7	2.2	4.27	
OSK-W-19-2226	398.05	Lynx 311	126.0	453238	5435014	322	-55	55.7	58.1	2.4	948	33.8
		and						55.7	58.2	0.5	377	100
		and						57.8	58.1	0.3	6950	100
OSK-W-19-2226	398.05	Lynx 309	126.0	453238	5435014	322	-55	71.6	74.0	2.4	15.4	
OSK-W-19-2227	398.26	Lynx 308	108.0	453250	5435018	332	-45	31.7	34.0	2.3	4.24	
OSK-W-19-2227	398.26	Lynx 309	108.0	453250	5435018	332	-45	49.3	51.8	2.5	3.80	
OSK-W-19-2230	398.17	Lynx 304	177.0	453258	5434984	332	-53	105.5	108.0	2.5	4.18	
		including						106.6	107.1	0.5	20.1	
OSK-W-19-2230	398.17	Lynx 311	177.0	453290	5434984	332	-53	154.5	156.6	2.1	3.50	
OSK-W-19-2232	398.26	Lynx 308	123.0	453251	5435018	337	-59	92.5	94.9	2.4	3.01	
OSK-W-20-2237	397.63	Lynx 311	207.0	453267	5434960	337	-49	133.0	135.3	2.3	3.80	
		including						133.0	133.5	0.5	14.8	
OSK-W-20-2238	397.72	Lynx 304	189.0	453267	5434960	338	-51	94.1	96.7	2.1	8.36	
		including						94.1	94.5	0.4	41.6	
OSK-W-20-2238	397.72	Lynx 311	389.0	453267	5434960	338	-51	151.9	154.0	2.1	3.36	
		including						152.7	153.3	0.6	19.7	
OSK-W-20-2239	397.77	Lynx 309	165.0	453267	5434960	322	-48	130.0	132.0	2.0	4.43	
		including						130.7	131.4	0.7	12.5	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) ^{assay}	Au (g/t) cut to 100 ft
OSK-W-20-2240	397.62	Lynx	167.0	453267	5434960	323	-45	120.6	122.6	2.0	3.98	
								120.6	120.9	0.3	26.1	
OSK-W-20-2240	397.62	Lynx 311	167.0	453267	5434960	323	-45	128.6	131.0	2.4	31.2	31.1
								128.4	129.7	0.3	101	100
OSK-W-20-2241	397.62	Lynx 304	265.0	453267	5434961	328	-49	91.9	93.9	2.0	4.62	
								92.3	92.7	0.4	21.7	
OSK-W-20-2241	397.62	Lynx 311	165.0	453267	5434961	328	-49	140.2	144.8	3.8	4.29	
OSK-W-20-2243	416.95	Lynx 361	815.3	453086	5435526	122	-54	789.5	792.0	2.4	39.4	38.4
OSK-W-20-2243	416.95	Lynx 361	815.3	453086	5435526	122	-54	790.2	790.5	0.3	108	100
OSK-W-20-2243	416.95	Lynx 361	815.3	453086	5435526	122	-54	795.0	797.0	2.0	7.13	
OSK-W-20-2243	416.95	Triple Lynx	815.3	453086	5435526	122	-54	800.1	802.4	2.3	5.01	
OSK-W-20-2243-W1	416.95	Triple Lynx	960.0	453086	5435526	122	-54	795.0	797.1	2.1	6.82	
OSK-W-20-2243-W1	416.95	Lynx 363	960.0	453086	5435526	122	-54	793.3	796.1	0.8	15.9	
OSK-W-20-2243-W1	416.95	Lynx 363	960.0	453086	5435526	122	-54	814.0	816.0	2.0	5.36	
OSK-W-20-2243-W1	416.95	Triple Lynx	960.0	453086	5435526	122	-54	820.8	824.3	3.5	15.4	
OSK-W-20-2243-W1	416.95	Lynx 364	960.0	453086	5435526	122	-54	822.4	823.3	0.9	46.8	
OSK-W-20-2243-W1	416.95	Triple Lynx	960.0	453086	5435526	122	-54	828.1	833.3	5.2	5.43	
OSK-W-20-2243-W1	416.95	Lynx 361	972.0	453086	5435526	122	-54	821.0	827.0	0.4	5.34	
OSK-W-20-2243-W2	416.95	Lynx 361	972.0	453086	5435526	122	-54	789.0	795.2	6.2	31.0	16.5
OSK-W-20-2243-W2	416.95	Lynx 361	972.0	453086	5435526	122	-54	792.2	792.5	0.3	99.9	100
OSK-W-20-2243-W2	416.95	Lynx 361	972.0	453086	5435526	122	-54	804.5	807.0	2.5	10.9	
OSK-W-20-2243-W2	416.95	Triple Lynx	972.0	453086	5435526	122	-54	820.4	826.0	0.3	49.3	
OSK-W-20-2243-W2	416.95	Lynx 363	972.0	453086	5435526	122	-54	808.0	834.0	6.0	2.99	
OSK-W-20-2243-W2	416.95	Triple Lynx	972.0	453086	5435526	122	-54	962.0	964.0	2.0	17.7	
OSK-W-20-2243-W3	416.95	Lynx 361	1062.0	453086	5435526	122	-54	961.2	963.6	0.4	86.7	
OSK-W-20-2243-W3	416.95	Lynx 363	1062.0	453086	5435526	122	-54	781.9	784.5	0.6	24.6	
OSK-W-20-2243-W3	416.95	Lynx 363	1062.0	453086	5435526	122	-54	819.8	822.0	2.2	3.80	
OSK-W-20-2243-W3	416.95	Triple Lynx	1062.0	453086	5435526	122	-54	819.8	820.1	0.3	11.6	
OSK-W-20-2243-W3	416.95	Triple Lynx	1062.0	453086	5435526	122	-54	1016.0	1018.0	2.0	15.1	
OSK-W-20-2243-W4	416.95	Triple Lynx	1121.0	453086	5435526	122	-54	773.4	776.5	3.1	42.8	20.9
OSK-W-20-2243-W4	416.95	Lynx 364	1121.0	453086	5435526	122	-54	774.8	775.1	0.3	326	100
OSK-W-20-2243-W4	416.95	Lynx 364	1121.0	453086	5435526	122	-54	820.0	831.0	2.0	43.9	
OSK-W-20-2244	398.47	Lynx 311	165.0	453236	5434971	330	-52	108.7	111.0	2.3	21.5	20.1
OSK-W-20-2244	398.47	Lynx 304	153.0	453236	5434971	321	-49	109.5	109.9	0.4	10.8	100
OSK-W-20-2245	398.43	Lynx 311	153.0	453236	5434971	321	-49	77.3	79.4	2.1	7.31	
OSK-W-20-2245	398.43	Lynx 311	153.0	453236	5434971	321	-49	77.3	77.9	0.6	26.5	
OSK-W-20-2245	398.43	Lynx 311	153.0	453236	5434971	321	-49	109.5	111.5	2.0	15.2	
OSK-W-20-2246	398.42	Lynx 311	111.0	453237	5435001	329	-52	62.0	64.0	2.0	10.7	
OSK-W-20-2246	398.42	Lynx 311	111.0	453237	5435001	329	-52	62.3	62.9	0.6	35.5	
OSK-W-20-2248	398.58	Lynx 311	123.0	453224	5435007	318	-52	55.9	58.0	2.1	8.24	
OSK-W-20-2249	410.79	Bobcat	759.0	452775	5435192	132	-56	354.0	356.6	0.3	56.7	
OSK-W-20-2249	410.79	Caribou Corridor	759.0	452775	5435192	132	-56	354.7	355.3	0.6	16.4	
OSK-W-20-2249	410.79	Lynx SW	759.0	452775	5435192	132	-56	374.6	376.6	2.0	3.44	
OSK-W-20-2250	419.32	Lynx 364	1064.0	453129	5435505	132	-57	729.0	732.0	2.0	5.66	
OSK-W-20-2250	419.32	Lynx 364	1064.0	453129	5435505	132	-57	730.5	730.9	0.4	22.8	
OSK-W-20-2250	419.32	Triple Lynx	1059.8	453129	5435505	132	-57	799.5	804.0	4.5	27.0	14.7
								799.5	799.8	0.3	134	100
								801.5	801.8	0.3	251	
OSK-W-20-2250	419.32	Lynx 364	1064.0	453129	5435505	132	-57	807.0	809.0	2.0	5.87	
OSK-W-20-2250	419.32	Triple Lynx	1064.0	453129	5435505	132	-57	1002.2	1005.0	2.8	18.1	15.6
OSK-W-20-2250-W1	419.32	Triple Lynx	1059.8	453129	5435505	132	-57	1002.2	1002.5	0.3	129	100
OSK-W-20-2250-W1	419.32	Triple Lynx	1059.8	453129	5435505	132	-57	719.9	722.4	2.5	27.1	
OSK-W-20-2250-W1	419.32	Triple Lynx	1059.8	453129	5435505	132	-57	720.9	721.8	0.9	47.0	
OSK-W-20-2250-W1	419.32	Triple Lynx	1059.8	453129	5435505	132	-57	732.8	735.0	2.2	3.53	
OSK-W-20-2250-W1	419.32	Triple Lynx	1059.8	453129	5435505	132	-57	752.0	757.6	5.6	4.07	
OSK-W-20-2250-W1	419.32	Lynx 363	1059.8	453129	5435505	132	-57	767.0	769.0	2.0	5.65	
OSK-W-20-2250-W1	419.32	Lynx 372	1059.8	453129	5435505	132	-57	890.4	932.6	2.2	42.6	28.0
OSK-W-20-2250-W1	419.32	Triple Lynx	1059.8	453129	5435505	132	-57	930.4	931.0	0.6	15.4	100
OSK-W-20-2250-W1	419.32	Triple Lynx	1059.8	453129	5435505	132	-57	973.0	975.0	2.0	48.6	15.4
OSK-W-20-2250-W1	419.32	Triple Lynx	1059.8	453129	5435505	132	-57	973.5	973.8	0.3	321	100
OSK-W-20-2250-W1	419.32	Triple Lynx	1059.8	453129	5435505	132	-57	1009.0	1011.1	2.1	5.08	
OSK-W-20-2250-W2	419.32	Lynx 364	1134.0	453129	5435505	132	-57	787.0	792.0	0.3	11.1	
OSK-W-20-2250-W2	419.32	Triple Lynx	1134.0	453129	5435505	132	-57	790.0	790.4	0.4	67.5	
OSK-W-20-2250-W2	419.32	Triple Lynx	1134.0	453129	5435505	132	-57	1024.7	1028.0	3.3	28.8	
OSK-W-20-2250-W2	419.32	Triple Lynx	1134.0	453129	5435505	132	-57	1026.4	1027.0	0.6	63.0	
OSK-W-20-2250-W3	419.32	Triple Lynx	1170.0	453129	5435505	132	-57	714.0	716.5	2.5	34.4	
OSK-W-20-2250-W3	419.32	Triple Lynx	1170.0	453129	5435505	132	-57	748.0	750.0	2.0	3.11	
OSK-W-20-2250-W3	419.32	Triple Lynx	1170.0	453129	5435505	132	-57	756.4	758.5	2.1	11.5	
OSK-W-20-2250-W3	419.32	Lynx 363	1170.0	453129	5435505	132	-57	756.8	757.1	0.3	42.9	
OSK-W-20-2250-W3	419.32	Lynx 363	1170.0	453129	5435505	132	-57	765.0	767.0	2.0	28.4	24.5
OSK-W-20-2250-W4	419.32	Triple Lynx	1005.0	453129	5435505	132	-57	761.5	763.8	0.3	128	100
OSK-W-20-2250-W4	419.32	Triple Lynx	1005.0	453129	5435505	132	-57	727.7	736.5	8.8	4.58	100
OSK-W-20-2250-W4	419.32	Triple Lynx	1005.0	453129	5435505	132	-57	727.7	728.4	0.7	10.3	
OSK-W-20-2250-W4	419.32	Triple Lynx	1005.0	453129	5435505	132	-57	730.5	731.0	0.5	12.0	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) ^{assay}	Au (g/t) cut to 100 g/t
OSK-W-20-2250-W4	419.32	Lynx 371	1005.0	453129	5435505	132	-57	744.0	746.0	2.0	14.7	
								744.0	746.0	1.0	27.3	
OSK-W-20-2250-W4	419.32	Lynx 361	1005.0	453129	5435505	132	-57	764.7	767.0	2.3	10.8	
								765.7	766.4	0.7	33.1	
OSK-W-20-2250-W4	419.32	Triple Lynx	1005.0	453129	5435505	132	-57	855.4	858.0	2.6	6.29	
								857.2	858.0	0.8	18.6	
OSK-W-20-2252	415.27	Lynx 371	1194.0	453241	5435694	129	-54	871.1	873.6	2.5	3.21	
								871.1	872.0	0.9	7.51	
OSK-W-20-2252	415.27	Lynx 371	1194.0	453241	5435694	129	-54	876.3	877.7	1.4	4.09	
								876.3	877.0	0.7	10.6	
OSK-W-20-2252-W1	415.27	Lynx 371	1119.0	453241	5435694	129	-54	828.0	830.0	2.0	3.48	
								828.9	829.2	0.3	19.1	
OSK-W-20-2252-W1	415.27	Lynx 371	1119.0	453241	5435694	129	-54	832.0	834.6	2.6	27.6	13.2
								834.3	834.6	0.3	226	100
OSK-W-20-2252-W1	415.27	Triple Lynx	1119.0	453241	5435694	129	-54	861.0	863.0	2.0	4.86	
								874.1	876.2	2.1	4.21	
OSK-W-20-2252-W1	415.27	Lynx 361	1119.0	453241	5435694	129	-54	892.0	894.0	2.0	3.60	
								897.9	899.0	1.1	3.29	
OSK-W-20-2252-W1	415.27	Lynx 369	1119.0	453241	5435694	129	-54	988.5	989.0	0.5	8.49	
								812.0	814.0	2.0	7.64	
OSK-W-20-2252-W2	415.27	Triple Lynx	1194.0	453241	5435694	129	-54	817.2	822.0	4.8	54.4	10.4
								817.2	817.5	0.3	604	100
OSK-W-20-2252-W2	415.27	Lynx 371	1194.0	453241	5435694	129	-54	826.0	828.0	2.0	4.03	
								833.0	835.0	2.0	4.41	
OSK-W-20-2252-W2	415.27	Triple Lynx	1194.0	453241	5435694	129	-54	837.0	841.2	4.2	12.9	
								838.8	839.5	0.7	50.7	
OSK-W-20-2252-W2	415.27	Lynx 371	1194.0	453241	5435694	129	-54	856.0	857.1	1.1	31.2	12.7
								859.7	860.1	0.4	290	100
OSK-W-20-2252-W2	415.27	Lynx 374	1194.0	453241	5435694	129	-54	1154.0	1156.8	2.8	5.37	
								824.3	829.7	5.4	3.98	
OSK-W-20-2252-W3	415.27	Triple Lynx	1062.0	453241	5435694	129	-53	845.1	847.1	2.0	4.06	
								857.7	857.7	0.0	11.7	
OSK-W-20-2252-W3	415.27	Lynx 371	1062.0	453241	5435694	129	-53	865.7	866.0	0.3	58.6	
								940.1	943.0	2.9	4.33	
OSK-W-20-2252-W3	415.27	Lynx 363	1062.0	453241	5435694	129	-53	946.1	946.4	0.3	21.3	
								880.5	882.6	2.1	54.4	33.2
OSK-W-20-2252-W4	415.27	Lynx 371	1143.0	453241	5435694	129	-54	882.0	882.6	0.6	171	100
								889.0	892.0	3.0	3.24	
OSK-W-20-2252-W4	415.27	Lynx 361	1143.0	453241	5435694	129	-54	902.0	904.0	2.0	41.5	
								903.0	904.0	1.0	61.3	
OSK-W-20-2252-W5	415.27	Lynx 371	1092.0	453241	5435694	129	-54	854.7	856.9	2.2	18.6	
								855.6	856.0	0.4	97.3	
OSK-W-20-2252-W5	415.27	Lynx 371	1092.0	453241	5435694	129	-54	882.3	886.3	4.0	71.3	43.8
								884.1	884.6	0.5	234	100
OSK-W-20-2252-W6	415.27	Lynx 371	1191.0	453241	5435694	129	-54	895.9	898.3	2.4	375	100
								943.9	946.2	1.3	153	100
OSK-W-20-2253	413.55	Caribou Corridor	924.0	452831	5435325	128	-54	387.5	389.5	2.0	4.30	
OSK-W-20-2253	413.55	Triple Lynx	924.0	452831	5435325	128	-54	554.1	556.4	2.3	5.60	
								554.1	555.0	0.9	12.2	
OSK-W-20-2253	413.55	Triple Lynx	924.0	452831	5435325	128	-54	596.7	599.0	2.3	3.01	
								598.7	599.0	0.3	16.4	
OSK-W-20-2253	413.55	Lynx	924.0	452831	5435325	128	-54	833.8	835.9	2.1	3.33	
								832.7	833.4	0.7	4.61	
OSK-W-20-2256	410.82	Triple Lynx	1179.0	453160	5435686	125	-51	884.0	885.5	1.5	4.24	
								852.8	855.0	2.2	44.4	19.7
OSK-W-20-2256	410.82	Lynx 371	1179.0	453160	5435686	125	-51	853.2	853.6	0.4	236	100
								870.0	872.8	2.8	9.81	
OSK-W-20-2256	410.82	Lynx 361	1179.0	453160	5435686	125	-51	881.1	883.4	2.3	127	51.1
								882.2	882.8	0.6	190	100
OSK-W-20-2256	410.82	Lynx 361	1179.0	453160	5435686	125	-51	894.0	896.2	2.2	4.63	
								898.0	900.0	2.0	11.3	
OSK-W-20-2256	410.82	Lynx 361	1179.0	453160	5435686	125	-51	878.9	880.0	1.1	4.44	
								882.2	882.8	0.6	10.5	
OSK-W-20-2256	410.82	Lynx 369	1179.0	453160	5435686	125	-51	978.9	980.0	1.1	39.7	
								882.2	882.8	0.6	10.5	
OSK-W-20-2256-W1	410.82	Lynx 361	1101.0	453160	5435686	125	-51	855.0	858.0	3.0	21.0	17.0
								862.5	863.2	0.7	174	100
OSK-W-20-2256-W1	410.82	Lynx 375	1101.0	453160	5435686	125	-51	947.0	949.0	2.0	15.3	
								947.0	948.0	1.0	39.7	
OSK-W-20-2256-W2	410.82	Triple Lynx	957.0	453160	5435686	125	-51	815.0	817.0	2.0	3.17	
								855.0	859.0	4.0	4.21	
OSK-W-20-2256-W2	410.82	Triple Lynx	957.0	453160	5435686	125	-51	874.7	880.3	5.6	115	16.0
								876.5	877.1	0.6	3020	100
OSK-W-20-2256-W2	410.82	Lynx 361	957.0	453160	5435686	125	-51	931.9	936.0	4.1	3.78	
								919.9	932.2	0.3	12.0	
OSK-W-20-2256-W2	410.82	Lynx 369	957.0	453160	5435686	125	-51	935.0	936.0	1.0	8.94	
								940.0	945.0	5.0	25.6	
OSK-W-20-2256-W2	410.82	Lynx 369	957.0	453160	5435686	125	-51	940.0	945.0	5.0	51.4	
								862.0	871.2	9.2	61.5	32.6
OSK-W-20-2256-W4	410.82	Lynx 361	1122.0	453160	5435686	125	-51	863.0	864.0	1.0	281	100
								870.0	871.2	1.2	171	100
OSK-W-20-2256-W4	410.82	Lynx 361	1122.0	453160	5435686	125	-51	881.0	884.0	3.0	37.0	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
inclining												
OSK-W-20-2256-W4	410.82	Lynx 364	1122.0	453160	5435686	125	-51	882.0	883.0	1.0	86.2	
OSK-W-20-2256-W4	410.82	Lynx 369	1122.0	453160	5435686	125	-51	930.0	934.0	4.0	5.63	
OSK-W-20-2256-W5	410.82	Lynx 361	1027.0	453160	5435686	125	-51	858.5	879.0	20.5	88.2	16.4
inclining												
and												
and												
OSK-W-20-2256-W5	410.82	Lynx 368	1027.0	453160	5435686	125	-51	899.0	889.3	0.3	321	100
OSK-W-20-2260	413.11	Lynx 361	1038.0	453201	5435667	127	-48	892.1	894.1	2.0	4.85	
OSK-W-20-2260-W1	413.11	Lynx 361	1140.0	453201	5435667	127	-48	834.8	836.2	0.4	93.4	
OSK-W-20-2260-W1	413.11	Lynx 361	1140.0	453201	5435667	127	-48	843.0	846.0	3.0	334	38.0
OSK-W-20-2260-W1	413.11	Lynx 363	1140.0	453201	5435667	127	-48	843.4	844.4	1.0	927	100
OSK-W-20-2260-W1	413.11	Lynx 363	1140.0	453201	5435667	127	-48	891.0	893.0	2.0	32.3	
OSK-W-20-2260-W1	413.11	Lynx 369	1140.0	453201	5435667	127	-48	899.0	942.0	3.0	6.39	
OSK-W-20-2260-W1	413.11	Lynx 374	1140.0	453201	5435667	127	-48	939.0	942.0	1.0	34.0	
OSK-W-20-2260-W2	413.11	Lynx 361	1038.0	453201	5435667	127	-48	898.0	1100.3	1.0	13.3	
OSK-W-20-2260-W2	413.11	Lynx 361	1038.0	453201	5435667	127	-48	838.7	842.0	3.3	54.4	
OSK-W-20-2260-W2	413.11	Triple Lynx	1038.0	453201	5435667	127	-48	838.7	840.5	1.8	88.2	
OSK-W-20-2260-W2	413.11	Lynx 363	1038.0	453201	5435667	127	-48	876.0	880.0	2.0	4.25	
OSK-W-20-2260-W2	413.11	Lynx 363	1038.0	453201	5435667	127	-48	882.0	884.0	2.0	3.08	
OSK-W-20-2260-W2	413.11	Lynx 363	1038.0	453201	5435667	127	-48	891.0	893.0	2.0	12.2	
OSK-W-20-2260-W2	413.11	Lynx 364	1038.0	453201	5435667	127	-48	891.8	892.3	0.5	36.5	
OSK-W-20-2260-W2	413.11	Lynx 364	1038.0	453201	5435667	127	-48	899.9	912.0	2.1	4.77	
OSK-W-20-2260-W2	413.11	Triple Lynx	1038.0	453201	5435667	127	-48	841.0	840.0	2.0	10.1	
OSK-W-20-2260-W2	413.11	Triple Lynx	1038.0	453201	5435667	127	-48	1009.0	1003.0	2.0	6.47	
OSK-W-20-2260-W2	413.11	Triple Lynx	1038.0	453201	5435667	127	-48	1009.4	1002.1	0.7	18.1	
OSK-W-20-2260-W2	413.11	Triple Lynx	1038.0	453201	5435667	127	-48	1174.4	1176.5	2.1	9.43	
inclining												
OSK-W-20-2263	413.95	Bobcut	1029.0	452927	5435187	128	-49	817.0	819.5	0.5	28.9	
OSK-W-20-2263	413.95	Bobcut	1029.0	452927	5435187	128	-49	940.0	96.0	2.0	7.35	
OSK-W-20-2263	413.95	Bobcut	1029.0	452927	5435187	128	-49	940.0	95.0	1.0	16.9	
OSK-W-20-2263	413.95	Lynx 311	1029.0	452927	5435187	128	-49	105.7	108.8	2.1	6.12	
OSK-W-20-2263	413.95	Lynx 356	1029.0	452927	5435187	128	-49	108.0	108.8	0.8	34.1	
OSK-W-20-2263	413.95	Lynx 356	1029.0	452927	5435187	128	-49	884.4	885.7	2.3	8.43	
OSK-W-20-2263	413.95	Lynx 356	1029.0	452927	5435187	128	-49	522.3	524.3	2.0	20.4	
OSK-W-20-2263	413.95	Lynx 356	1029.0	452927	5435187	128	-49	522.9	523.4	0.5	68.9	
OSK-W-20-2263	413.95	Lynx 356	1029.0	452927	5435187	128	-49	593.0	595.0	2.0	4.33	
OSK-W-20-2263	413.95	Lynx 356	1029.0	452927	5435187	128	-49	710.0	712.0	2.0	42.8	21.4
OSK-W-20-2263	413.95	Lynx 356	1029.0	452927	5435187	128	-49	711.2	713.6	0.4	206	100
inclining												
OSK-W-20-2264	399.91	Lynx 334	1119.0	454127	5435062	292	-34	766.5	778.8	12.3	75.7	21.0
OSK-W-20-2264	399.91	Lynx 334	1119.0	454127	5435062	292	-34	773.8	774.4	0.6	1085	100
and												
OSK-W-20-2266	417.59	Triple Lynx	1050.0	453067	5435478	128	-55	774.4	775.3	0.9	390	100
OSK-W-20-2266	417.59	Triple Lynx	1050.0	453067	5435478	128	-55	751.8	758.0	2.2	10.3	
OSK-W-20-2266	417.59	Triple Lynx	1050.0	453067	5435478	128	-55	752.0	755.0	3.0	10.8	
OSK-W-20-2266	417.59	Triple Lynx	1050.0	453067	5435478	128	-55	753.4	753.8	0.4	21.2	
OSK-W-20-2266	417.59	Triple Lynx	1050.0	453067	5435478	128	-55	1027.4	1029.5	2.1	5.58	
OSK-W-20-2266-W1	417.59	Triple Lynx	1116.0	453067	5435478	128	-55	802.7	802.9	0.3	31.1	
OSK-W-20-2266-W1	417.59	Triple Lynx	1116.0	453067	5435478	128	-55	728.2	727.9	2.1	3.86	
OSK-W-20-2266-W1	417.59	Triple Lynx	1116.0	453067	5435478	128	-55	793.7	747.7	10.4	34.8	18.5
OSK-W-20-2266-W1	417.59	Triple Lynx	1116.0	453067	5435478	128	-55	742.4	743.0	0.6	379	100
OSK-W-20-2266-W1	417.59	Triple Lynx	1116.0	453067	5435478	128	-55	746.4	746.7	0.3	119	100
OSK-W-20-2266-W1	417.59	Triple Lynx	1116.0	453067	5435478	128	-55	767.5	769.9	2.4	4.08	
OSK-W-20-2266-W1	417.59	Triple Lynx	1116.0	453067	5435478	128	-55	776.8	779.2	2.4	5.73	
OSK-W-20-2266-W1	417.59	Triple Lynx	1116.0	453067	5435478	128	-55	778.0	779.2	1.2	11.1	
OSK-W-20-2266-W1	417.59	Lynx 364	1116.0	453067	5435478	128	-55	797.3	799.3	2.0	3.08	
OSK-W-20-2266-W1	417.59	Lynx 370	1116.0	453067	5435478	128	-55	999.6	942.1	2.7	4.89	
OSK-W-20-2266-W2	417.59	Lynx 363	1131.0	453067	5435478	128	-55	727.4	729.4	2.0	19.9	
OSK-W-20-2266-W2	417.59	Lynx 361	1131.0	453067	5435478	128	-55	731.9	742.7	10.8	9.07	
OSK-W-20-2266-W2	417.59	Lynx 363	1131.0	453067	5435478	128	-55	736.9	738.0	1.1	35.3	
OSK-W-20-2266-W2	417.59	Lynx 363	1131.0	453067	5435478	128	-55	774.0	776.0	2.0	8.57	
OSK-W-20-2267	415.66	Bobcut	66.0	452972	5435210	135	-52	775.0	775.3	0.3	45.7	
OSK-W-20-2267	415.66	Bobcut	66.0	452972	5435210	135	-52	52.4	52.8	2.4	15.4	
OSK-W-20-2268	417.94	Triple Lynx	1073.0	453148	5435488	127	-55	51.0	51.5	0.5	46.4	
OSK-W-20-2268	417.94	Triple Lynx	1073.0	453148	5435488	127	-55	711.2	716.5	5.3	26.1	25.9
OSK-W-20-2268-W1	417.94	Triple Lynx	1073.0	453148	5435488	127	-55	711.7	712.2	0.5	102	100
OSK-W-20-2268-W1	417.94	Triple Lynx	1073.0	453148	5435488	127	-55	713.0	713.8	0.8	40.6	
OSK-W-20-2268-W1	417.94	Triple Lynx	1073.0	453148	5435488	127	-55	797.1	798.3	2.2	74.6	
OSK-W-20-2268-W1	417.94	Triple Lynx	1073.0	453148	5435488	127	-55	812.3	739.0	0.7	19.0	
OSK-W-20-2268-W1	417.94	Triple Lynx	1073.0	453148	5435488	127	-55	828.5	814.5	2.0	4.64	
OSK-W-20-2268-W1	417.94	Triple Lynx	1073.0	453148	5435488	127	-55	813.7	814.1	0.4	32.1	
OSK-W-20-2268-W1	417.94	Triple Lynx	1073.0	453148	5435488	127	-55	819.0	821.3	2.3	37.4	
OSK-W-20-2268-W1	417.94	Triple Lynx	1073.0	453148	5435488	127	-55	819.0	820.0	1.0	45.7	
OSK-W-20-2268-W1	417.94	Triple Lynx	1073.0	453148	5435488	127	-55	1027.0	1029.0	2.0	6.70	
OSK-W-20-2268-W1	417.94	Triple Lynx	1073.0	453148	5435488	127	-55	1027.4	1028.2	0.8	16.5	
OSK-W-20-2268-W2	417.94	Triple Lynx	1038.0	453148	5435488	127	-55	999.0	1011.0	2.0	5.08	
OSK-W-20-2268-W2	417.94	Lynx 364	975.0	453148	5435488	127	-55	778.0	781.9	2.3	37.4	18.6
OSK-W-20-2268-W2	417.94	Lynx 364	975.0	453148	5435488	127	-55	780.7	781.0	0.3	55.0	100
OSK-W-20-2268-W3	417.94	Triple Lynx	975.0	453148	5435488	127	-55	790.9	796.0	5.1	4.60	
OSK-W-20-2269	415.83	Bobcut	933.0	452972	5435210	133	-50	97.2	99.5	2.2	8.21	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-20-2269	415.83	Lynx 311	933.0	452972	5435210	133	-50	98.0	98.4	0.4	30.8	
OSK-W-20-2269	415.83	Lynx	933.0	452972	5435210	133	-50	368.9	371.0	2.1	3.85	
OSK-W-20-2269	415.83	Lynx	933.0	452972	5435210	133	-50	510.2	513.0	2.8	8.05	
OSK-W-20-2269	415.83	Lynx SW	933.0	452972	5435210	133	-50	510.2	510.5	0.3	72.9	
OSK-W-20-2269	415.83	Lynx	933.0	452972	5435210	133	-50	518.2	530.6	2.4	3.37	
OSK-W-20-2269	415.83	Lynx	933.0	452972	5435210	133	-50	580.1	582.5	2.4	15.5	
OSK-W-20-2269	415.83	Lynx SW	933.0	452972	5435210	133	-50	886.0	888.0	2.0	14.0	
OSK-W-20-2270	415.89	Lynx 356	774.0	452973	5435209	133	-53	886.5	886.6	0.1	92.5	
OSK-W-20-2270	415.89	Lynx 356	774.0	452973	5435209	133	-53	596.0	596.0	0.0	5.89	
OSK-W-20-2271	410	Lynx	1247.0	453462	5435683	120	-53	597.0	597.5	0.5	23.0	
OSK-W-20-2271	410	Lynx	1247.0	453462	5435683	120	-53	775.0	777.0	2.0	7.99	
OSK-W-20-2271	410	Lynx	1247.0	453462	5435683	120	-53	809.6	815.2	5.6	6.69	
OSK-W-20-2271	410	Lynx	1247.0	453462	5435683	120	-53	814.2	815.2	1.0	17.4	
OSK-W-20-2271	410	Lynx	1247.0	453462	5435683	120	-53	841.1	843.1	2.0	18.2	
OSK-W-20-2271	410	Lynx	1247.0	453462	5435683	120	-53	842.1	843.1	1.0	35.0	
OSK-W-20-2271	410	Lynx	1247.0	453462	5435683	120	-53	877.0	879.0	2.0	5.36	
OSK-W-20-2271	410	Lynx 4	1247.0	453462	5435683	120	-53	877.9	878.2	0.3	27.8	
OSK-W-20-2271	410	Lynx 4	1247.0	453462	5435683	120	-53	1108.6	1114.2	5.6	13.2	
OSK-W-20-2272	413.57	Lynx 356	1004.0	452967	5435265	149	-46	1110.8	1115.5	0.7	51.6	
OSK-W-20-2272	413.57	Lynx 356	1004.0	452967	5435265	149	-46	568.5	570.5	2.0	4.66	
OSK-W-20-2272	413.57	Lynx 356	1004.0	452967	5435265	149	-46	569.5	569.9	0.4	21.4	
OSK-W-20-2272	413.57	Triple Lynx	1004.0	452967	5435265	149	-46	613.0	615.0	2.0	3.46	
OSK-W-20-2272	413.57	Triple Lynx	1004.0	452967	5435265	149	-46	681.0	685.1	4.1	13.0	
OSK-W-20-2273	417.46	Lynx 363	1059.0	453067	5435478	129	-51	683.0	683.9	0.9	29.7	
OSK-W-20-2273	417.46	Lynx 363	1059.0	453067	5435478	129	-51	706.7	708.7	2.0	8.32	
OSK-W-20-2273	417.46	Triple Lynx	1059.0	453067	5435478	129	-51	706.7	707.2	0.5	22.4	
OSK-W-20-2273	417.46	Triple Lynx	1059.0	453067	5435478	129	-51	821.8	821.7	0.1	5.31	
OSK-W-20-2273	417.46	Triple Lynx	1059.0	453067	5435478	129	-51	1015.1	1015.5	0.4	20.7	
OSK-W-20-2275	409.03	Triple Lynx	1094.0	452888	5435583	127	-49	670.3	672.4	2.1	4.11	
OSK-W-20-2275	409.03	Triple Lynx	1094.0	452888	5435583	127	-49	670.3	670.7	0.4	10.5	
OSK-W-20-2275	409.03	Lynx 365	1094.0	452888	5435583	127	-49	796.0	796.0	0.0	4.38	
OSK-W-20-2275	409.03	Lynx 365	1094.0	452888	5435583	127	-49	837.0	839.2	2.2	23.4	
OSK-W-20-2275	409.03	Lynx 365	1094.0	452888	5435583	127	-49	837.7	838.2	0.5	102	100
OSK-W-20-2275-W2	409.03	Lynx 365	1035.0	452888	5435583	127	-49	628.9	631.0	2.1	8.18	
OSK-W-20-2275-W2	409.03	Lynx 365	1035.0	452888	5435583	127	-49	628.9	628.9	0.0	16.5	
OSK-W-20-2275-W2	409.03	Lynx 376	1035.0	452888	5435583	127	-49	800.0	802.3	2.3	3.65	
OSK-W-20-2275-W2	409.03	Lynx 376	1035.0	452888	5435583	127	-49	800.0	800.6	0.6	10.9	
OSK-W-20-2275-W2	409.03	Triple Lynx	1035.0	452888	5435583	127	-49	906.6	910.3	3.7	7.56	
OSK-W-20-2275-W2	409.03	Triple Lynx	1035.0	452888	5435583	127	-49	909.0	909.5	0.5	25.7	
OSK-W-20-2275-W3	409.03	Triple Lynx	1050.0	452888	5435583	127	-49	669.5	672.3	2.8	11.8	
OSK-W-20-2275-W3	409.03	Triple Lynx	1050.0	452888	5435583	127	-49	669.5	670.2	0.7	46.5	
OSK-W-20-2275-W3	409.03	Triple Lynx	1050.0	452888	5435583	127	-49	776.7	781.0	4.3	9.73	
OSK-W-20-2275-W3	409.03	Triple Lynx	1050.0	452888	5435583	127	-49	807.5	809.5	2.0	37.6	15.5
OSK-W-20-2275-W3	409.03	Triple Lynx	1050.0	452888	5435583	127	-49	807.5	807.8	0.3	34.7	100
OSK-W-20-2276	404.22	F17 6003	138.0	452639	5435491	149	-47	81.6	85.9	4.3	3.11	100
OSK-W-20-2276	404.22	F17 6003	138.0	452639	5435491	149	-47	84.7	85.0	0.3	18.6	
OSK-W-20-2276	404.22	F17 6003	138.0	452639	5435491	149	-47	94.0	96.3	2.3	7.06	
OSK-W-20-2276	404.22	F17 6005	138.0	452639	5435491	149	-47	94.6	95.0	0.4	38.0	
OSK-W-20-2276	404.55	F17	196.0	452633	5435521	158	-53	98.5	102.0	3.5	4.09	
OSK-W-20-2276	404.55	F17	196.0	452633	5435521	158	-53	105.5	107.5	2.0	6.80	
OSK-W-20-2280	414.89	Lynx 368	1161.0	453304	5435639	127	-58	106.4	106.9	0.5	18.7	
OSK-W-20-2280	414.89	Lynx 368	1161.0	453304	5435639	127	-58	1007.7	1008.3	0.6	4.94	
OSK-W-20-2280	414.89	Lynx 368	1161.0	453304	5435639	127	-58	1007.7	1007.4	0.3	11.1	
OSK-W-20-2280	414.89	Lynx 368	1161.0	453304	5435639	127	-58	1006.0	1004.4	1.6	10.5	
OSK-W-20-2280	414.89	Lynx 368	1161.0	453304	5435639	127	-58	1013.8	1014.2	0.4	26.7	
OSK-W-20-2280	414.89	Lynx 363	1161.0	453304	5435639	127	-58	1016.4	1016.7	0.3	11.3	
OSK-W-20-2280	414.89	Lynx 363	1161.0	453304	5435639	127	-58	1025.9	1026.0	0.1	83.3	
OSK-W-20-2280	414.89	Lynx 363	1161.0	453304	5435639	127	-58	1027.0	1027.5	0.5	25.3	
OSK-W-20-2280	414.89	Lynx 364	1161.0	453304	5435639	127	-58	1038.0	1040.0	2.0	3.76	
OSK-W-20-2280	414.89	Lynx 364	1161.0	453304	5435639	127	-58	1039.4	1040.0	0.6	8.30	
OSK-W-20-2280	414.89	Lynx 364	1161.0	453304	5435639	127	-58	1067.0	1069.0	2.0	12.5	
OSK-W-20-2280	414.89	Lynx 364	1161.0	453304	5435639	127	-58	1067.8	1068.1	0.3	52.1	
OSK-W-20-2280	414.89	Triple Lynx	1161.0	453304	5435639	127	-58	1079.0	1081.0	2.0	4.09	
OSK-W-20-2280	414.89	Triple Lynx	1161.0	453304	5435639	127	-58	1084.7	1087.0	2.3	4.27	
OSK-W-20-2280	414.89	Lynx 369	1161.0	453304	5435639	127	-58	1088.7	1094.4	5.7	16.8	12.9
OSK-W-20-2280	414.89	Lynx 370	1161.0	453304	5435639	127	-58	1091.3	1093.5	0.3	173	100
OSK-W-20-2280	414.89	Lynx 370	1161.0	453304	5435639	127	-58	1109.0	1111.0	2.0	4.64	
OSK-W-20-2280-W1	414.89	Lynx 368	1170.0	453304	5435639	127	-58	1006.0	1008.0	2.0	4.22	
OSK-W-20-2280-W1	414.89	Lynx 368	1170.0	453304	5435639	127	-58	1006.0	1007.0	1.0	8.08	
OSK-W-20-2280-W1	414.89	Lynx 368	1170.0	453304	5435639	127	-58	1011.0	1010.0	1.0	4.82	
OSK-W-20-2280-W1	414.89	Lynx 363	1170.0	453304	5435639	127	-58	1021.9	1024.1	2.2	20.3	
OSK-W-20-2280-W1	414.89	Lynx 363	1170.0	453304	5435639	127	-58	1043.4	1047.6	4.2	27.7	
OSK-W-20-2280-W1	414.89	Lynx 364	1170.0	453304	5435639	127	-58	1043.7	1044.7	1.0	78.6	
OSK-W-20-2280-W1	414.89	Lynx 364	1170.0	453304	5435639	127	-58	1080.8	1083.0	2.2	4.81	
OSK-W-20-2280-W1	414.89	Triple Lynx	1170.0	453304	5435639	127	-58	1096.0	1093.0	3.0	11.8	
OSK-W-20-2280-W1	414.89	Lynx 370	1170.0	453304	5435639	127	-58	1097.0	1106.8	9.8	33.6	27.6
OSK-W-20-2280-W1	414.89	Lynx 368	1170.0	453304	5435639	127	-58	1102.0	1104.0	2.0	129	100
OSK-W-20-2280-W1	414.89	Lynx 368	1170.0	453304	5435639	127	-58	1106.5	1106.8	0.3	108	100
OSK-W-20-2280-W2	414.89	Lynx 368	1211.0	453304	5435639	127	-58	996.4	1001.1	4.7	11.2	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 ft
OSK-W-20-2280-W2	414.89	Lynx 368	1211.0	453304	5435639	127	-58	1012.2	1014.9	2.7	7.72	
OSK-W-20-2280-W2	414.89	Lynx 363	1211.0	453304	5435639	127	-58	1027.9	1031.3	3.4	5.60	
		including						1027.9	1028.3	0.4	28.3	
OSK-W-20-2280-W2	414.89	Lynx 364	1211.0	453304	5435639	127	-58	1073.6	1075.6	2.0	13.9	
OSK-W-20-2280-W2	414.89	Lynx 364	1211.0	453304	5435639	127	-58	1074.2	1074.9	0.7	35.9	
OSK-W-20-2280-W2	414.89	Lynx 370	1211.0	453304	5435639	127	-58	1068.0	1066.0	2.0	9.71	
OSK-W-20-2280-W2	414.89	Lynx 370	1211.0	453304	5435639	127	-58	1113.4	1115.4	2.0	4.29	
		including						1113.7	1114.0	0.3	39.3	
OSK-W-20-2280-W3	414.89	Lynx 368	1191.0	453304	5435639	127	-58	1011.0	1011.0	2.0	9.31	
OSK-W-20-2280-W3	414.89	Lynx 364	1191.0	453304	5435639	127	-58	1075.0	1079.0	4.0	10.1	
OSK-W-20-2281	403.88	F17 6003	174.0	452630	5435548	149	-47	125.0	129.0	4.0	3.08	
		including						125.0	126.0	1.0	7.28	
		and						128.5	129.0	0.5	7.46	
OSK-W-20-2282	409.39	Bobcat	853.0	452875	5435181	148	-56	308.4	310.8	2.4	6.13	
		including						309.0	309.5	0.5	16.6	
OSK-W-20-2283	424.95	Triple Lynx	1151.0	452997	5435607	135	-50	808.0	813.4	5.4	33.5	29.0
		including						810.8	811.3	0.5	75.1	
		and						811.7	812.0	0.3	18.0	100
OSK-W-20-2283	424.95	Triple Lynx	1151.0	452997	5435607	135	-50	819.0	821.0	2.0	7.27	
		including						819.6	820.0	0.4	24.1	
OSK-W-20-2283	424.95	Triple Lynx	1151.0	452997	5435607	135	-50	823.2	825.5	2.3	4.30	
		including						823.6	824.4	0.8	26.6	
OSK-W-20-2283	424.95	Triple Lynx	1151.0	452997	5435607	135	-50	935.0	937.0	2.0	18.5	
		including						936.0	936.7	0.7	40.6	
OSK-W-20-2283	424.95	Triple Lynx	1151.0	452997	5435607	135	-50	1006.0	1003.2	2.8	44.8	23.6
		including						1002.7	1003.2	0.5	19.4	100
OSK-W-20-2283	424.95	Triple Lynx	1151.0	452997	5435607	135	-50	1018.0	1020.0	2.0	19.3	
		including						1018.9	1019.5	0.6	54.4	
OSK-W-20-2283-W1	424.95	Lynx 365	1035.0	452997	5435607	135	-50	553.9	556.0	2.1	7.37	
		including						554.5	555.3	0.8	16.7	
OSK-W-20-2283-W1	424.95	Triple Lynx	1035.0	452997	5435607	135	-50	794.5	797.7	3.2	22.1	
OSK-W-20-2283-W1	424.95	Triple Lynx	1035.0	452997	5435607	135	-50	818.0	820.0	4.0	6.80	
OSK-W-20-2288	400.37	Caribou 2527	749.0	452875	5435181	146	-51	169.6	172.0	2.4	6.44	
OSK-W-20-2288	400.37	Caribou 2527	749.0	452875	5435181	146	-51	193.0	195.0	2.0	13.8	
		including						194.0	194.6	0.6	24.5	
OSK-W-20-2288	400.37	Caribou 2527	749.0	452875	5435181	146	-51	204.7	206.8	2.1	3.75	
OSK-W-20-2288	400.37	Lynx SW	749.0	452875	5435181	146	-51	467.0	469.8	2.8	8.13	
		including						467.0	467.4	0.4	38.9	
OSK-W-20-2288	400.37	Lynx 356	749.0	452875	5435181	146	-51	624.4	633.9	9.5	12.0	
		including						624.6	630.0	5.4	27.9	
		and						632.7	633.3	0.6	28.8	
OSK-W-20-2289	406.3	F17 6003	141.0	452662	5435527	149	-47	98.6	101.0	2.4	10.7	
		including						100.0	101.0	1.0	22.1	
OSK-W-20-2291	409.25	F17 6003	131.0	452692	5435521	158	-48	89.7	92.0	2.3	18.2	
		including						89.7	90.5	0.8	24.3	
		and						90.5	91.3	0.8	26.7	
OSK-W-20-2292	420.07	Lynx	1059.0	453035	5435561	125	-54	390.0	392.0	2.0	7.18	
		including						391.7	392.0	0.3	19.3	
OSK-W-20-2292	420.07	Triple Lynx	1059.0	453035	5435561	125	-54	835.4	837.8	2.4	4.47	
OSK-W-20-2292	420.07	Lynx 361	1059.0	453035	5435561	125	-54	845.0	847.0	2.0	11.8	
		including						845.8	846.3	0.5	41.0	
OSK-W-20-2292	420.07	Lynx 363	1059.0	453035	5435561	125	-54	852.0	854.0	2.0	3.87	
		including						852.0	852.7	0.7	10.9	
OSK-W-20-2292	420.07	Lynx 364	1059.0	453035	5435561	125	-54	882.0	884.0	2.0	8.01	
		including						883.0	884.0	1.0	15.7	
OSK-W-20-2292	420.07	Lynx 372	1059.0	453035	5435561	125	-54	1007.0	1009.2	2.0	40.8	21.0
		including						1008.8	1009.2	0.4	244	100
OSK-W-20-2292-W1	420.07	Lynx 361	1149.0	453035	5435561	125	-54	835.9	838.0	2.1	3.39	
OSK-W-20-2292-W1	420.07	Lynx 361	1149.0	453035	5435561	125	-54	840.0	843.5	3.5	3.65	
		including						840.0	840.4	0.4	7.83	
		and						843.0	843.5	0.5	9.84	
OSK-W-20-2292-W1	420.07	Lynx 363	1149.0	453035	5435561	125	-54	857.0	859.3	2.3	26.0	
		including						858.3	859.3	1.0	57.6	
OSK-W-20-2292-W1	420.07	Lynx 364	1149.0	453035	5435561	125	-54	889.5	892.0	2.5	97.8	32.2
		including						890.3	891.1	0.8	395	
OSK-W-20-2292-W1	420.07	Lynx 374	1149.0	453035	5435561	125	-54	1040.7	1043.0	2.3	305	15.4
		including						1042.3	1043.6	1.3	3020	100
OSK-W-20-2292-W2	420.07	Lynx 375	1020.0	453035	5435561	125	-54	309.3	310.0	0.7	3.69	
OSK-W-20-2292-W2	420.07	Lynx 362	942.9	453035	5435561	125	-54	817.0	819.0	2.0	4.11	
OSK-W-20-2293	406.07	F17 6003	183.0	452658	5435549	145	-44	114.6	117.3	2.7	5.30	
		including						114.6	114.9	0.3	11.0	
		and						116.8	117.3	0.5	10.1	
OSK-W-20-2293	406.07	F17 6005	183.0	452658	5435549	145	-44	139.9	142.4	2.5	5.25	
		including						142.0	142.4	0.4	18.0	
OSK-W-20-2295	414.85	Triple Lynx	987.0	452933	5435473	132	-51	651.2	658.0	6.8	12.4	
		including						652.4	652.7	0.3	28.7	
		and						653.4	654.0	0.6	45.9	
		including						656.1	656.7	0.6	56.9	
OSK-W-20-2295	414.85	Triple Lynx	987.0	452933	5435473	132	-51	891.7	893.7	2.0	11.6	
		including						891.7	892.7	1.0	23.0	
OSK-W-20-2295-W1	414.85	Triple Lynx	960.0	452933	5435473	132	-51	648.6	651.4	2.8	45.1	30.1



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
								650.0	650.7	0.7	160	100
OSK-W-20-2295-W2	414.85	Lynx 376	963.0	452933	5435473	132	-51	654.0	656.0	2.0	16.1	
								654.5	655.0	0.5	51.9	
OSK-W-20-2295-W2	414.85	Triple Lynx	963.0	452933	5435473	132	-51	695.7	698.0	2.3	4.3	
OSK-W-20-2295-W3	414.85	Triple Lynx	969.0	452933	5435473	132	-51	697.0	699.0	2.0	5.11	
								698.1	698.5	0.4	22.8	
OSK-W-20-2295-W3	414.85	Triple Lynx	969.0	452933	5435473	132	-51	890.7	892.0	1.3	12.7	
								891.7	892.2	0.5	46.2	
OSK-W-20-2297	404.85	F17_6003	180.0	452652	5435567	149	-47	128.0	131.0	3.0	29.3	24.2
								128.0	128.4	0.4	138	
OSK-W-20-2297	404.85	F17_6005	180.0	452652	5435567	149	-47	166.5	168.8	2.3	5.82	
OSK-W-20-2298	406.95	Bobcat	596.0	452847	5435059	137	-50	169.0	171.7	2.7	7.41	
								169.0	169.7	0.7	20.2	
OSK-W-20-2298	406.95	Bobcat	596.0	452847	5435059	137	-50	245.0	245.7	0.7	6.59	
								245.0	245.7	0.7	18.4	
OSK-W-20-2298	406.95	Lynx SW	596.0	452847	5435059	137	-50	373.0	375.0	2.0	16.7	
								373.8	374.3	0.5	65.2	
OSK-W-20-2298	406.95	Lynx SW	596.0	452847	5435059	137	-50	487.0	489.0	2.0	11.2	
								487.7	488.6	0.9	24.6	
OSK-W-20-2299	405.63	F17_6003	201.0	452681	5435583	150	-49	134.7	136.7	2.0	62.2	41.5
								135.1	135.9	0.8	152	100
OSK-W-20-2300	405.66	F17_6005	192.0	452699	5435578	152	-46	149.7	154.0	4.3	7.42	
								151.0	152.0	1.0	18.6	
OSK-W-20-2305	412.48	Triple Lynx	911.0	453026	5435407	124	-55	630.8	635.0	4.2	4.47	
								634.0	635.0	1.0	9.32	
OSK-W-20-2305	412.48	Triple Lynx	911.0	453026	5435407	124	-55	876.0	878.3	2.3	10.7	
								877.6	878.3	0.7	31.6	
OSK-W-20-2305	412.48	Triple Lynx	911.0	453026	5435407	124	-55	982.2	984.4	2.2	44.0	18.0
								133.4	883.8	0.4	250	100
OSK-W-20-2306	400.14	Bobcat	531.0	452872	5435155	152	-55	187.8	140.0	2.2	4.30	
OSK-W-20-2306	400.14	Bobcat	531.0	452872	5435155	152	-55	147.1	149.4	2.3	3.12	
OSK-W-20-2306	400.14	Bobcat	531.0	452872	5435155	152	-55	376.0	377.3	1.3	8.58	
								375.8	376.5	0.7	20.7	
OSK-W-20-2306	400.14	Lynx	531.0	452872	5435155	152	-55	386.1	388.3	2.2	3.94	
								386.6	387.0	0.4	11.5	
OSK-W-20-2307	412.79	Lynx 341	878.0	453397	5435557	124	-54	689.6	692.9	3.3	342	75.8
								690.0	690.4	0.4	431	100
OSK-W-20-2310	407.07	Mallard 5200	144.0	451971	5434835	333	-51	69.7	72.0	2.3	35.6	13.9
								70.8	71.1	0.3	267	100
OSK-W-20-2312	407.51	Mallard	182.0	451965	5434815	334	-52	85.0	87.3	2.3	7.19	
								85.7	86.2	0.5	25.4	
OSK-W-20-2312	407.51	Mallard 5200	192.0	451965	5434815	334	-51	126.0	128.0	2.0	7.26	
								127.0	127.6	0.6	22.6	
OSK-W-20-2313-W2	419.93	Triple Lynx	1047.0	452965	5435583	134	-52	986.3	988.3	2.0	6.69	
OSK-W-20-2315	407.22	Mallard 5200	182.0	451980	5434804	334	-52	127.0	129.0	2.0	5.59	
OSK-W-20-2315	407.22	Mallard 5213	192.0	451980	5434804	334	-52	157.0	159.0	2.0	4.13	
OSK-W-20-2321	406.95	Mallard 5213	176.2	451958	5434790	332	-52	166.3	168.5	2.2	6.40	
								167.2	167.8	0.6	21.2	
OSK-W-20-2322	403.45	Lynx 334	1191.0	453608	5435715	130	-54	1090.3	1094.1	3.8	28.9	
								1090.3	1091.3	1.0	81.9	
OSK-W-20-2323	405.12	Mallard 5213	171.0	451937	5434789	335	-49	151.0	155.0	4.0	3.88	
								154.7	155.0	0.3	24.1	
OSK-W-20-2324	406.24	Mallard	167.0	451945	5434809	334	-51	90.0	92.5	2.5	8.43	
OSK-W-20-2327	400.71	Mallard 5213	132.0	451899	5434812	334	-49	105.3	111.4	6.1	13.6	
								109.0	110.0	1.0	48.9	
OSK-W-20-2339	413.72	Triple Lynx	1025.0	452965	5435444	144	-50	608.3	610.5	2.2	8.59	
WST-18-0004	277.36	Zone 27	195.7	452383	5435013	112	-56	160.7	161.0	0.3	180	100
								160.7	161.2	0.5	58.8	
WST-18-0006	277.45	Zone 27	114.3	452383	5435013	136	-44	77.0	79.0	2.0	8.80	
								78.1	78.5	0.4	35.7	
WST-20-0011	231.14	Lynx 311	450.8	453205	5435065	157	-54	74.3	76.4	2.1	4.68	
WST-20-0013	153.92	Lynx 304	368.6	453357	5435208	171	-42	140.0	142.8	2.8	40.1	31.5
								140.7	141.5	0.8	130	100
WST-18-0017	263.72	Zone 27	177.1	452279	5434973	192	-6	76.6	79.0	2.4	12.8	
								76.6	77.2	0.6	45.1	
WST-19-02658	204.16	Lynx	108.6	453298	5435066	166	1	2.0	4.3	2.3	3.02	
WST-19-02658	204.16	Lynx	108.6	453298	5435066	166	1	39.0	43.0	4.0	5.63	
								40.0	40.3	0.3	37.0	
WST-19-02726	206.14	Lynx 311	54.5	453252	5435110	154	-5	41.3	44.4	3.1	21.9	13.8
								41.9	42.2	0.3	185	100
WST-19-01508	205.32	Lynx 311	72.4	453252	5435110	145	-14	44.0	46.1	2.1	17.7	
WST-19-0142A	205.38	Lynx 311	123.4	453268	5435108	136	-30	45.6	48.0	2.4	31.5	
								46.6	47.2	0.6	53.6	
WST-19-0161A	207.7	Caribou 201	132.4	453234	5434710	311	-39	49.0	52.0	3.0	5.70	
WST-19-01508	205.32	Lynx 311	72.4	453252	5435110	145	-14	49.8	53.9	4.1	33.5	26.7
								49.8	50.2	0.4	136	100
WST-19-02658	204.16	Lynx 304	108.6	453298	5435066	166	1	51.0	54.4	3.4	0.04	
								51.8	53.4	1.6	21.3	
								54.0	54.4	0.4	32.5	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 ft
WST-19-0142A	205.38	Lynx 308	123.4	453268	5435108	136	-30	54.5	58.0	3.5	9.86	
WST-19-0165A	204.99	Lynx 310	126.7	453290	5435116	130	-15	57.0	59.0	2.0	0.81	
								58.0	59.0	1.0	18.4	
WST-19-0165A	207.7	227_113	132.4	453234	5434710	311	-38	61.0	65.0	4.0	8.71	
								61.0	62.0	1.0	19.8	
WST-19-0165A	204.99	Lynx 310	126.7	453290	5435116	130	-15	63.0	65.0	2.0	10.6	
WST-19-0065A	250.03	Zone 27	132.9	451958	5434734	198	-12	64.8	68.3	3.5	4.02	
WST-19-0054A	252.53	227	155.5	451959	5434734	157	46	66.0	68.7	2.7	9.37	
WST-19-0065A	250.03	Zone 27	132.9	451958	5434734	198	-12	67.7	68.7	1.0	21.3	
WST-19-0166A	207.62	227_113	125.4	453234	5434710	314	-49	83.9	79.3	2.0	13.1	
WST-19-0165A	204.99	Lynx 304	126.7	453290	5435116	130	-15	84.0	86.0	2.0	4.56	
WST-19-0265B	204.16	Lynx 306	108.6	453288	5435066	166	1	85.0	87.0	2.0	27.3	
								85.7	86.3	0.6	90.7	
WST-19-0065A	250.03	227	132.9	451958	5434734	198	-12	86.4	89.9	3.5	12.0	
WST-19-0273a	205.77	Lynx 304	114.4	453290	5435116	138	11	91.0	95.1	2.1	77.7	34.7
								91.3	92.0	0.7	229	100
WST-19-0161A	207.7	227_115	132.4	453234	5434710	311	-38	101.0	110.0	9.0	18.5	
WST-19-0142A	205.38	Lynx 305	123.4	453268	5435108	136	-30	103.0	105.0	2.0	5.92	
								103.6	103.9	0.3	38.4	
								105.0	107.0	2.0	62.3	
WST-19-0273a	205.77	Lynx 306	114.4	453290	5435116	138	11	107.0	109.2	2.2	19.4	18.6
								107.5	107.9	0.4	105	100
WST-19-0142A	205.38	Lynx 304	123.4	453268	5435108	136	-30	110.0	112.7	2.7	81.0	40.9
								110.8	112.0	1.2	159	200.0
WST-19-0160A	207.62	227_102	125.4	453234	5434710	314	-49	121.4	123.8	2.4	7.25	
WST-19-0222A	249.02	Caribou 206	321.9	452208	5434898	145	5	228.0	230.0	2.0	4.52	
WST-19-0222A	249.02	Caribou 206	321.9	452208	5434898	145	5	236.0	238.0	2.0	6.66	
								236.0	237.0	1.0	13.1	
WST-19-0222A	249.02	Caribou 217	321.9	452208	5434898	145	5	292.0	294.4	2.4	3.07	
WST-19-0222A	249.02	Caribou 217	321.9	452208	5434898	145	5	302.5	304.6	2.1	83.8	19.3
								304.2	304.6	0.4	439	100
WST-20-0433A	115.07	Lynx 311	156.8	453450	5435264	155	-32	65.2	68.9	3.4	4.49	
								68.1	68.4	0.3	35.0	
WST-20-0012D	134.18	Lynx 311	465.1	453326	5435126	174	-62	61.0	66.0	2.0	3.58	
								82.5	83.0	0.5	8.88	
WST-20-0391A	155.34	Lynx 304	174.4	453359	5435209	135	8	91.6	94.1	2.5	6.21	
								93.4	94.1	0.7	17.6	
WST-20-0391A	155.34	Lynx 304	174.4	453359	5435209	135	8	88.3	100.5	2.2	3.47	
WST-20-0014A	161.54	Lynx 304	123.5	453359	5435209	137	1	100.3	102.2	2.0	4.49	
WST-20-0367A	114.9	Lynx 313	165.5	453460	5435264	163	-35	110.0	112.0	2.0	4.31	
WST-20-0433A	115.07	Lynx 304	156.8	453450	5435264	155	-32	110.0	110.6	0.6	14.3	
								117.0	119.1	2.1	7.84	
								117.6	117.9	0.3	36.1	
WST-20-0385A	118.2	Lynx 304	164.0	453493	5435286	166	-36	119.1	121.4	2.3	7.53	
								120.1	120.5	0.4	39.6	
WST-20-0433A	115.07	Lynx 309	156.8	453450	5435264	155	-32	122.0	124.0	2.0	10.9	
								122.9	123.4	0.5	39.1	
WST-20-0367A	114.9	Lynx 309	165.5	453450	5435264	163	-35	126.7	128.8	2.1	4.97	
								127.6	128.4	0.8	12.9	
WST-20-0385A	118.2	Lynx	164.0	453493	5435286	166	-36	128.0	130.0	2.0	19.3	
								128.7	129.2	0.5	75.8	
WST-20-0378A	115.98	Lynx 304	276.5	453493	5435287	143	-41	132.0	134.4	2.4	4.54	
								133.5	133.9	0.4	38.8	
WST-20-0388A	114.74	Lynx 304	616.0	453452	5435266	115	-46	162.3	163.8	2.0	94.4	50.9
								163.0	164.0	1.0	187	100
WST-20-0388A	114.74	Lynx 304	616.0	453452	5435266	115	-46	169.3	171.5	2.2	23.5	14.9
								169.6	169.9	0.3	163	100
WST-20-0342A	114.54	Lynx 304	678.6	453452	5435266	116	-47	172.6	175.0	2.4	5.15	
								174.6	175.0	0.4	18.0	
WST-20-0388A	114.74	Lynx 341	616.0	453452	5435266	115	-46	192.0	194.3	2.3	9.23	
								192.0	192.6	0.6	23.5	
WST-20-0341A	134.49	Lynx 4	492.5	453228	5435126	163	-42	306.1	308.2	2.1	86.0	19.9
								306.1	306.5	0.4	447	100
WST-20-0388A	114.74	Lynx 321	616.0	453452	5435266	115	-46	321.0	323.9	2.9	4.48	
								323.2	323.9	0.7	14.4	
WST-20-0341A	134.49	Lynx 4	492.5	453228	5435126	163	-42	346.1	348.1	2.0	10.6	
								347.3	347.7	0.4	50.2	
WST-20-0342A	114.54	Lynx 313	678.6	453452	5435266	116	-47	351.0	353.6	2.6	4.60	
								353.1	353.6	0.5	17.9	
WST-20-0388A	114.74	Lynx 340	616.0	453452	5435266	115	-46	353.9	355.9	2.0	3.44	
								353.9	354.3	0.4	15.7	
WST-20-0342A	114.54	Lynx 340	678.6	453452	5435266	116	-47	365.3	368.0	2.7	3.77	
								365.3	365.6	0.3	20.1	
WST-18-0023	261.9	227	102.3	452280	5434973	179	-36	44.4	47.0	2.6	3.58	
								44.4	44.7	0.3	25.5	
WST-18-0024	262.84	Mallard	180.6	452280	5434973	170	-39	25.7	28.1	2.4	26.5	
WST-18-0025	264.38	227	102.4	452280	5434974	159	12	33.0	35.0	2.0	7.96	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 ft
WST-19-0025	264.38	Z27	including 102.4	452280	5434974	159	12	33.4	34.3	0.9	17.7	
			including 102.4	452280	5434974	159	12	65.0	67.0	2.0	2223	42.8
WST-19-0026	263.37	Z27	including 149.0	452280	5434974	159	-31	66.2	67.0	0.8	5550	100
			including 149.0	452280	5434974	159	-31	49.4	51.6	2.2	1.80	
WST-19-0026	263.37	Z27	including 150.7	452281	5434974	148	-27	16.0	18.0	2.0	6.18	
			including 150.7	452281	5434974	148	-27	16.6	17.1	0.5	21.6	
WST-19-0029	263.2	Z27	including 105.6	452280	5434974	159	-44	107.4	93.0	2.0	11.1	
			including 105.6	452280	5434974	159	-44	107.4	93.0	2.0	11.1	
WST-19-0029	263.2	Z27	including 150.7	452281	5434974	148	-27	16.0	18.0	2.0	6.18	
			including 150.7	452281	5434974	148	-27	16.6	17.1	0.5	21.6	
WST-19-0030	266.59	Z27 108	including 116.7	452282	5434974	128	40	55.0	57.0	2.0	3.33	
			including 116.7	452282	5434974	128	40	81.0	83.0	2.0	7.91	
WST-19-0030	266.59	Z27 104	including 159.2	452281	5434975	117	-48	62.0	64.1	2.1	35.4	28.9
			including 159.2	452281	5434975	117	-48	62.6	63.2	0.6	124	100
WST-19-0032	262.71	Z27 108	including 117.5	452282	5434975	108	-1	64.0	66.5	2.5	6.24	
			including 117.5	452282	5434975	108	-1	65.1	65.9	0.8	19.9	
WST-19-0035	178.3	Z27	including 126.5	452057	5434604	314	-2	56.0	58.0	2.0	14.9	
			including 126.5	452057	5434604	314	-2	56.0	57.0	1.0	29.5	
WST-19-0035	178.3	Z27	including 135.5	452057	5434604	308	-2	60.9	60.0	4.1	5.98	
			including 135.5	452057	5434604	308	-2	63.9	64.2	0.3	44.2	
WST-19-0036	178.33	Z27	including 147.6	452024	5434760	166	-34	98.0	100.0	2.0	3.82	
			including 147.6	452024	5434760	166	-34	98.0	99.4	0.5	11.0	
WST-19-0039	240.64	Caribou	including 142.0	452025	5434760	164	-39	73.0	75.0	2.0	4.67	
			including 142.0	452025	5434760	164	-39	73.5	74.0	0.5	17.1	
WST-19-0025	251.63	Z27	including 144.2	451959	5434734	165	35	65.0	68.8	4.8	3.57	
			including 144.2	451959	5434734	165	35	65.0	68.8	4.8	3.57	
WST-19-0056	251.49	Z27	including 165.0	451959	5434734	171	42	67.3	72.0	4.7	4.99	
			including 165.0	451959	5434734	171	42	75.8	78.0	2.2	4.47	
WST-19-0057	253.04	Z27	including 117.7	451959	5434734	171	31	61.8	66.5	4.7	3.08	
			including 117.7	451959	5434734	171	31	65.5	66.5	1.0	8.05	
WST-19-0058	251.95	Zone 27	including 152.0	451959	5434734	176	55	113.8	116.1	2.3	4.08	
			including 152.0	451959	5434734	176	55	113.8	116.1	2.3	4.08	
WST-19-0059	252.62	Z27	including 152.0	451959	5434734	176	55	113.8	116.1	2.3	4.08	
			including 152.0	451959	5434734	176	55	113.8	116.1	2.3	4.08	
WST-19-0059	252.62	Z27 114	including 152.0	451959	5434734	176	55	113.8	116.1	2.3	4.08	
			including 152.0	451959	5434734	176	55	113.8	116.1	2.3	4.08	
WST-19-0059	252.62	Z27	including 165.1	451959	5434734	176	49	80.0	82.6	2.6	59.9	27.6
			including 165.1	451959	5434734	176	49	80.0	82.6	2.6	59.9	27.6
WST-19-0060	251.86	Z27	including 150.4	451959	5434734	187	37	75.0	77.2	2.2	18.2	
			including 150.4	451959	5434734	187	37	120.0	122.0	2.0	21.1	
WST-19-0062	251.57	Zone 27	including 120.6	451959	5434734	187	25	93.0	96.0	1.0	29.3	
			including 120.6	451959	5434734	187	25	93.0	96.0	1.0	29.3	
WST-19-0063	251.36	Z27	including 147.2	451958	5434735	207	25	98.8	100.8	2.0	13.1	
			including 147.2	451958	5434735	207	25	98.8	99.5	0.7	35.7	
WST-19-0064	252.71	Zone 27	including 152.4	451957	5434735	218	58	63.0	65.4	2.4	7.19	
			including 152.4	451957	5434735	218	58	98.0	100.0	2.0	5.59	
WST-19-0066	251.23	Vein	including 147.2	451958	5434735	207	25	109.5	112.0	2.5	130	36.3
			including 147.2	451958	5434735	207	25	109.5	112.0	2.5	130	36.3
WST-19-0066	251.23	Zone 27	including 152.4	451957	5434735	218	58	63.0	65.4	2.4	7.19	
			including 152.4	451957	5434735	218	58	98.0	100.0	2.0	5.59	
WST-19-0068	253.15	Zone 27	including 156.0	451957	5434735	218	50	120.4	122.9	2.5	4.88	
			including 156.0	451957	5434735	218	50	127.9	130.0	2.1	15.0	
WST-19-0069	252.72	Zone 27	including 138.3	452158	5434858	130	22	96.5	98.5	2.0	5.07	
			including 138.3	452158	5434858	130	22	96.5	98.5	2.0	5.07	
WST-19-0072	242.51	Z27 108	including 158.4	452208	5434968	133	43	115.3	117.6	2.3	3.23	
			including 158.4	452208	5434968	133	43	115.3	117.6	2.3	3.23	
WST-19-0075	249.89	Z27	including 177.5	452147	5434645	336	-55	127.0	129.0	2.0	3.78	
			including 177.5	452147	5434645	336	-55	127.5	127.9	0.4	16.2	
WST-19-0076	250.18	Zone 27	including 135.5	452147	5434644	322	-42	93.1	95.7	2.6	32.9	
			including 135.5	452147	5434644	322	-42	93.1	96.0	0.9	89.4	
WST-19-0078	193.82	Caribou	including 162.4	452147	5434644	322	-58	6.4	8.5	2.0	5.73	
			including 162.4	452147	5434644	322	-58	127.7	134.7	3.0	29.0	
WST-19-0085	193.82	Zone 27	including 162.4	452147	5434644	322	-58	133.0	135.3	2.3	3.62	
			including 162.4	452147	5434644	322	-58	133.0	135.3	2.3	3.62	
WST-19-0088	193.67	Caribou	including 135.6	452147	5434645	307	16	11.8	14.4	2.6	4.37	
			including 135.6	452147	5434645	307	16	58.9	63.0	2.1	4.67	
WST-19-0088	193.67	Zone 27	including 99.5	453219	5435116	127	-30	85.7	86.5	0.8	15.3	
			including 99.5	453219	5435116	127	-30	85.7	86.5	0.8	15.3	
WST-19-0089	222.93	Lynx 311	including 99.5	453219	5435116	127	-30	85.0	87.4	2.4	5.23	
			including 99.5	453219	5435116	127	-30	85.7	86.5	0.8	15.3	
WST-19-0090	222.99	Lynx 311	including 99.5	453219	5435116	127	-30	85.0	87.4	2.4	5.23	
			including 99.5	453219	5435116	127	-30	85.7	86.5	0.8	15.3	
WST-19-0091	223.1	Lynx 311	including 99.5	453219	5435116	127	-30	85.0	87.4	2.4	5.23	
			including 99.5	453219	5435116	127	-30	85.7	86.5	0.8	15.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 ft
								53.8	54.3	0.5	342	100
								54.8	55.1	0.3	221	100
WST-19-0143	204.92	Lynx 308	135.3	453266	5435107	134	-38	69.7	75.8	2.1	16.1	
								69.7	70.4	0.7	48.3	
WST-19-0143	204.92	Lynx 308	135.3	453266	5435107	134	-38	81.0	85.0	2.0	4.85	
								81.7	82.1	0.4	23.3	
WST-19-0143	204.92	Lynx 304	135.3	453266	5435107	134	-38	117.5	119.7	2.2	3.27	
WST-19-0144	206.02	Lynx 308	123.4	453268	5435109	128	2	57.1	60.0	2.0	5.61	
								57.1	57.5	0.4	22.1	
WST-19-0144	206.02	Lynx 310	123.4	453268	5435109	128	2	68.6	70.8	2.2	9.42	
								70.5	70.8	0.3	28.4	
WST-19-0144	206.02	Lynx 304	123.4	453268	5435109	128	2	101.6	104.0	2.4	47.2	
								102.8	104.0	1.2	80.3	
WST-19-0145	204.37	Lynx 310	141.5	453290	5435116	142	-45	68.8	72.5	2.7	96.9	15.2
								68.8	69.1	0.3	748	100
WST-19-0145	204.37	Lynx 305	141.5	453290	5435116	142	-45	103.3	105.9	2.6	33.2	
								103.3	103.6	0.3	98.9	
WST-19-0145	204.37	Lynx 304	141.5	453290	5435116	142	-45	88.0	90.0	2.0	61.7	
WST-19-0146	204.4	Lynx 308	159.6	453289	5435116	175	-44	63.0	65.0	2.0	4.84	
								63.8	64.1	0.3	31.8	
WST-19-0146	204.4	Lynx 310	159.6	453289	5435116	175	-44	77.0	79.0	2.0	3.51	
WST-19-0146	204.4	Lynx 310	159.6	453289	5435116	175	-44	88.0	90.0	2.0	61.7	50.3
								89.0	90.0	1.0	127	100
WST-19-0146	204.4	Lynx 305	159.6	453289	5435116	175	-44	105.4	109.4	4.0	5.60	
WST-19-0148	205.32	Lynx 311	144.6	453268	5435108	128	-39	55.5	57.6	2.1	10.5	
								56.8	57.2	0.4	51.7	
WST-19-0148	205.32	Lynx 304	144.6	453268	5435108	128	-39	77.8	80.1	2.3	11.6	
								79.7	80.1	0.4	35.4	
WST-19-0148	205.32	Lynx 305	144.6	453268	5435108	128	-39	112.0	114.2	2.2	59.3	41.8
								112.0	112.7	0.7	155	100
WST-19-0148	205.32	Lynx 304	144.6	453268	5435108	128	-39	118.8	121.1	2.4	6.91	
								120.5	121.2	0.7	18.6	
WST-19-0149	204.99	Lynx 311	90.4	453252	5435110	159	-28	49.0	51.2	2.2	106	68.4
								49.0	49.4	0.4	199	100
WST-19-0149	204.99	Lynx 310	90.4	453252	5435110	159	-28	50.7	51.2	0.5	188	100
								76.0	78.4	2.4	4.09	
WST-19-0151	204.86	Lynx 311	72.6	453290	5435116	152	-16	34.0	36.0	2.0	30.4	20.9
								35.2	35.6	0.4	148	100
WST-19-0151	204.86	Lynx 308	72.6	453290	5435116	152	-16	51.0	53.1	2.1	32.0	30.0
								51.8	54.4	0.6	107	100
WST-19-0152	204.48	Lynx 308	120.6	453290	5435116	154	-27	52.3	55.2	3.0	3.89	
								52.3	52.7	0.4	15.1	
WST-19-0153	206.18	Lynx 308	114.6	453289	5435116	162	25	45.9	50.4	4.5	15.9	
								45.9	47.0	1.1	51.0	
WST-19-0154	206.17	Lynx 308	123.6	453288	5435116	175	26	47.0	49.1	2.1	6.85	
								48.0	49.6	0.6	18.8	
WST-19-0154	206.17	Lynx 304	123.6	453288	5435116	175	26	55.0	57.0	2.0	8.65	
								56.0	56.5	0.5	33.5	
WST-19-0154	206.17	Lynx 310	123.6	453288	5435116	175	26	73.0	75.2	2.2	95.5	27.9
								74.0	74.6	0.6	348	100
WST-19-0154	206.17	Lynx 304	123.6	453288	5435116	175	26	78.0	80.3	2.3	4.93	
								79.3	79.8	0.5	21.3	
WST-19-0154	206.17	Lynx 304	123.6	453288	5435116	175	26	102.1	104.2	2.1	7.04	
								102.6	102.9	0.3	47.5	
WST-19-0154	206.17	Lynx 304	123.6	453288	5435116	175	26	106.2	109.0	2.8	12.8	
								106.2	106.9	0.7	46.7	
WST-19-0155	205.32	Lynx 311	136.8	453268	5435108	124	-32	51.0	53.3	2.3	5.60	
WST-19-0155	205.32	Lynx 311	136.8	453268	5435108	124	-32	67.0	69.0	2.0	13.8	
								68.0	69.0	1.0	27.3	
WST-19-0155	205.32	Lynx 304	136.8	453268	5435108	124	-32	96.7	100.0	3.3	4.67	
								104.5	107.0	2.5	5.79	
WST-19-0155	205.32	Lynx 304	136.8	453268	5435108	124	-32	112.0	114.0	2.0	3.04	
WST-19-0156	204.24	Lynx 311	141.6	453289	5435116	161	-39	46.0	48.9	2.9	10.4	
								47.8	49.6	0.8	30.2	
WST-19-0156	204.24	Lynx 305	141.6	453289	5435116	161	-39	98.5	101.0	2.5	21.3	16.5
								99.6	100.0	0.4	130	100
WST-19-0157	203.96	Lynx 311	102.6	453289	5435116	164	-47	48.2	50.8	2.6	9.84	
								49.6	50.3	0.7	33.1	
WST-19-0157	203.96	Lynx 308	102.6	453289	5435116	164	-47	70.0	72.0	2.0	3.86	
WST-19-0158	203.93	Lynx 305	150.5	453290	5435116	149	-50	119.3	121.3	2.0	10.3	
WST-19-0158	203.93	Lynx 304	150.5	453290	5435116	149	-50	132.0	134.0	2.0	3.33	
WST-19-0159	207.13	227 101	182.8	452234	5434710	296	-50	145.0	147.9	2.9	9.86	
								147.0	147.9	0.9	22.7	
WST-19-0159	207.13	227 115	182.8	452234	5434710	296	-50	165.0	168.0	3.0	3.93	
WST-19-0162	207.63	227 corcator	255.2	452236	5434711	346	-54	66.9	70.9	4.0	5.85	
								68.7	69.2	0.5	18.4	
WST-19-0164	205.12	Lynx 308	129.6	453290	5435116	138	-7	50.0	52.0	2.0	6.85	
								50.0	50.9	0.9	4.6	
WST-19-0164	205.12	Lynx 304	129.6	453290	5435116	138	-7	67.0	69.0	2.0	3.54	
WST-19-0164	205.12	Lynx 310	129.6	453290	5435116	138	-7	72.0	74.0	2.0	14.0	
								72.3	72.9	0.6	43.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-19-0164	205.12	Lynx 320	129.6	453290	5435116	138	-7	79.6	82.0	2.4	8.98	
		including						79.6	80.5	0.9	22.3	
WST-19-0164	205.12	Lynx 304	129.6	453290	5435116	138	-7	88.0	90.0	2.0	30.3	
		including						88.6	89.2	0.6	59.7	
WST-19-0166	205.06	Lynx 305	120.6	453290	5435116	130	-5	73.0	75.0	2.0	4.66	
		including						73.4	73.9	0.5	17.7	
WST-19-0167	204.78	Lynx 308	123.6	453290	5435116	138	-15	51.0	53.0	2.0	15.1	
		including						51.4	51.9	0.5	57.2	
WST-19-0167	204.78	Lynx 308	123.6	453290	5435116	138	-15	57.0	59.0	2.0	8.85	
WST-19-0167	204.78	Lynx 330	123.6	453290	5435116	138	-15	64.9	69.2	4.3	20.7	
		including						66.6	67.0	0.4	64.1	
WST-19-0167	204.78	Lynx 304	123.6	453290	5435116	138	-15	87.1	90.0	2.9	89.2	57.0
		including						87.8	88.2	0.8	217	100
WST-19-0168	204.46	Lynx 308	111.6	453291	5435116	127	-26	44.6	46.8	2.2	6.94	
		including						45.4	45.8	0.4	28.5	
WST-19-0168	204.46	Lynx 320	111.6	453291	5435116	127	-26	63.5	65.5	2.0	14.8	
		including						64.2	64.7	0.5	58.4	
WST-19-0168	204.46	Lynx	111.6	453291	5435116	127	-26	73.0	75.0	2.0	5.66	
		including						73.0	75.0	2.0	5.66	
WST-19-0168	204.46	Lynx 304	111.6	453291	5435116	127	-26	87.9	90.0	2.1	151	76.9
		including						87.9	88.6	0.7	198	100
		including						88.6	89.5	0.9	197	100
WST-19-0169	204.88	Lynx 308	138.7	453291	5435116	122	-6	42.9	45.0	2.1	6.30	
		including						42.9	43.3	0.4	31.1	
WST-19-0169	204.88	Lynx 308	138.7	453291	5435116	122	-6	53.0	55.0	2.0	12.0	
		including						54.0	54.5	0.5	47.6	
WST-19-0169	204.88	Lynx 304	138.7	453291	5435116	122	-6	88.0	100.8	2.8	36.7	
		including						89.5	100.0	0.5	90.5	
WST-19-0170	204.85	Lynx 308	138.6	453291	5435116	117	-16	47.0	50.0	3.0	2.23	
		including						47.0	50.0	3.0	2.23	
WST-19-0170	204.85	Lynx 330	138.6	453291	5435116	117	-16	65.0	67.6	2.6	9.74	
		including						67.1	67.6	0.5	50.5	
WST-19-0170	204.85	Lynx 305	138.6	453291	5435116	117	-16	79.5	83.5	2.0	5.46	
		including						81.0	83.5	0.5	21.0	
WST-19-0170	204.85	Lynx	138.6	453291	5435116	117	-16	127.0	129.8	2.8	5.50	
		including						128.5	129.8	1.3	11.8	
WST-19-0172	204.43	Lynx 330	147.6	453291	5435116	117	-20	71.0	75.5	2.5	50.9	22.3
		including						71.4	73.9	2.4	243	100
WST-19-0172	204.43	Lynx 305	147.6	453291	5435116	117	-20	76.6	78.9	2.3	32.4	
		including						77.0	77.4	0.4	85.5	
		including						78.5	78.9	0.4	96.3	
WST-19-0172	204.43	Lynx 304	147.6	453291	5435116	117	-20	86.6	89.3	2.7	22.7	
		including						87.6	89.5	0.9	43.5	
WST-19-0172	204.43	Lynx 304	147.6	453291	5435116	117	-20	90.9	93.0	2.1	4.09	
		including						92.5	93.0	0.5	12.1	
WST-19-0177	205.39	Lynx	111.5	453291	5435116	119	5	91.0	99.1	2.1	9.13	
		including						92.0	92.4	0.4	43.9	
WST-19-0177	205.39	Lynx	111.5	453291	5435116	119	5	100.3	104.0	3.7	6.31	
		including						106.0	110.0	4.0	4.67	
WST-19-0178	205.65	Lynx 326	117.5	453291	5435116	125	12	87.8	90.0	2.2	8.82	
		including						88.4	89.1	0.7	26.9	
WST-19-0179	182.74	Lynx 311	102.2	453272	5435107	182	-21	34.0	36.0	2.0	36.2	
		including						34.8	35.6	0.8	89.6	
WST-19-0179	182.74	Lynx 311	102.2	453272	5435107	182	-21	39.0	41.0	2.0	3.01	
WST-19-0179	182.74	Lynx	102.2	453272	5435107	182	-21	57.0	59.0	2.0	3.43	
		including						61.3	63.9	2.6	10.9	
WST-19-0179	182.74	Lynx 305	102.2	453272	5435107	182	-21	81.4	83.9	2.5	33.0	
		including						83.6	83.9	0.3	39.0	
WST-19-0180	182.96	Lynx 305	100.2	453272	5435107	186	-11	89.4	91.6	2.2	32.6	
		including						91.9	92.4	0.5	36.2	
WST-19-0181	182.92	Lynx 311	129.6	453273	5435108	158	-23	35.9	38.0	2.1	3.91	
		including						36.3	36.8	0.5	16.0	
WST-19-0181	182.92	Lynx	129.6	453273	5435108	158	-23	118.8	121.0	2.2	34.1	
		including						119.1	120.6	0.5	54.8	
WST-19-0182	182.77	Lynx 311	114.2	453271	5435107	194	-21	38.0	40.0	2.0	33.3	
		including						39.2	40.0	0.8	83.1	
WST-19-0183	263.96	227 103	106.1	452281	5434974	148	4	37.0	39.0	2.0	3.92	
		including						37.8	39.0	1.2	19.1	
WST-19-0184	263.67	227 104	105.7	452281	5434975	128	-5	78.1	81.1	3.0	4.41	
		including						80.0	80.8	0.8	10.5	
WST-19-0185	263.29	227	100.7	452281	5434975	128	-20	1.0	3.0	2.0	6.20	
WST-19-0186	264.83	227 103	105.9	452281	5434974	155	21	35.0	37.0	2.0	4.17	
		including						36.3	36.6	0.3	27.2	
WST-19-0187	186.56	227 115	138.6	452118	5434606	320	6	108.4	110.5	2.1	6.02	
		including						109.7	110.0	0.3	40.4	
WST-19-0187	186.56	227	138.6	452118	5434606	320	6	124.2	126.4	2.2	3.83	
		including						125.8	126.1	0.3	18.1	
WST-19-0188	185.62	Caribou	144.5	452118	5434606	320	-37	62.0	67.0	5.0	3.46	
		including						63.5	64.1	0.6	12.4	
WST-19-0188	185.62	227 101	144.5	452118	5434606	320	-37	98.0	100.0	2.0	4.93	
		including						105.9	109.0	2.1	26.6	39.1
WST-19-0188	185.62	227 115	144.5	452118	5434606	320	-37	106.9	107.7	0.8	199	100
		including						103.0	105.0	2.0	8.23	
WST-19-0189	187.04	227 101	138.5	452119	5434606	326	16	103.7	104.6	0.9	16.6	
		including						103.7	104.6	0.9	16.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-19-0189	187.04	227 115	138.5	452119	5434606	326	38	107.9	130.0	2.1	3.08	
WST-19-0190	185.45	227 115	153.4	452119	5434606	331	-31	110.4	113.8	3.4	3.42	
WST-19-0191	185.87	227 101	123.6	452119	5434606	336	-9	85.4	87.6	2.2	0.13	
											87.0	0.6
											75.3	2.3
WST-19-0192	185.67	Caribou 201	129.5	452119	5434606	336	-21	71.0	75.3	0.3	12.0	
											96.2	2.8
											105.5	2.3
WST-19-0193	185.67	227 115	129.5	452119	5434606	336	-21	103.2	105.5	2.3	7.08	
WST-19-0194	185.67	227 115	129.5	452119	5434606	336	-21	103.2	105.5	2.3	7.08	
WST-19-0195	198.66	Caribou corridor	150.5	452193	5434661	317	-42	113.9	14.4	2.5	5.38	
WST-19-0196	198.66	Caribou 203	150.5	452193	5434661	317	-42	106.0	58.0	2.0	3.34	
WST-19-0197	198.66	227 115	150.5	452193	5434661	317	-42	127.4	129.9	2.5	9.26	
WST-19-0198	198.58	227 115	162.6	452194	5434662	340	-47	136.5	138.6	2.1	6.42	
											137.0	0.8
WST-19-0199	174.58	Lynx 307	147.6	453176	5435125	186	13	78.4	80.5	2.1	3.24	
WST-19-0198	173.87	Lynx 311	132.5	453176	5435125	177	3	69.2	72.4	3.2	51.0	31.9
											71.8	0.6
											72.4	0.6
WST-19-0201	173.86	Lynx 307	129.6	453177	5435125	162	-8	67.6	70.0	2.4	15.0	
											67.6	0.9
											94.0	2.0
WST-19-0201	173.86	Lynx 309	129.6	453177	5435125	162	-8	94.0	96.0	2.0	10.2	
											94.8	0.1
											95.1	0.3
WST-19-0202	174.09	Lynx 307	135.5	453178	5435126	156	1	73.4	75.8	2.4	9.84	
											74.0	7.3
											81.0	0.3
WST-19-0202	174.09	Lynx 319	139.5	453178	5435126	156	1	81.0	83.0	0.7	64.3	35.0
											81.0	0.7
											85.7	0.7
WST-19-0203	173.65	Lynx 307	126.6	453178	5435126	156	-16	66.3	69.8	3.5	6.56	
											68.1	0.8
											68.9	0.8
WST-19-0205	174.23	Lynx 309	168.6	453178	5435126	147	5	79.0	85.0	2.0	5.84	
WST-19-0205	174.23	Lynx 311	168.6	453178	5435126	147	5	84.0	86.0	2.0	3.81	
WST-19-0205	174.23	Lynx 304	168.6	453178	5435126	147	5	157.0	159.0	2.0	71.8	15.1
											157.7	0.3
											158.0	0.3
WST-19-0206	173.96	Lynx 319	171.7	453178	5435126	147	-3	76.0	78.0	2.0	44.5	20.1
											76.8	7.2
											77.2	0.4
WST-19-0206	173.96	Lynx 305	171.7	453178	5435126	147	-3	122.0	124.0	0.7	3.26	100
WST-19-0207	173.77	Lynx 307	138.6	453178	5435126	147	-12	72.1	74.5	2.4	7.45	
											73.7	7.4
											74.0	0.3
WST-19-0207	173.77	Lynx 309	138.6	453178	5435126	147	-12	75.6	78.0	2.4	10.6	
											76.8	7.1
											77.1	0.3
WST-19-0207	173.77	Lynx 310	138.6	453178	5435126	147	-12	117.0	119.0	2.0	3.46	
											118.2	13.5
											118.5	0.3
WST-19-0208	173.61	Lynx 307	141.6	453178	5435126	147	-21	75.5	77.5	2.0	11.8	
WST-19-0209	173.44	Lynx 307	129.6	453178	5435126	147	-30	72.4	75.1	2.7	267	85.5
											74.0	74.5
											74.5	0.5
WST-19-0209	173.44	Lynx 307	129.6	453178	5435126	147	-30	81.9	84.1	2.2	3.65	
WST-19-0210	175.02	Lynx 319	156.6	453176	5435125	187	22	91.2	95.7	4.5	10.3	
											91.2	92.2
											102.0	2.0
WST-19-0210	175.02	Lynx	156.6	453176	5435125	187	22	130.0	132.0	2.0	7.30	
											130.0	131.0
											131.0	1.0
WST-19-0211	174.66	Lynx 307	150.6	453177	5435125	172	14	77.0	81.0	4.0	5.21	
WST-19-0212	173.8	Lynx 311	165.6	453178	5435126	131	-13	86.2	88.3	2.1	23.5	19.4
											87.4	87.8
											85.4	87.6
											85.4	88.1
WST-19-0213	173.62	Lynx 311	192.6	453178	5435126	131	-21	89.0	91.4	2.4	4.85	
											90.1	90.4
											90.4	0.3
WST-19-0214	263.6	Caribou 201	291.6	452281	5434975	135	-12	214.4	216.7	2.3	6.72	
WST-19-0215	174.89	Caribou 307	183.6	453178	5435127	144	30	182.2	184.6	2.4	51.9	22.4
											182.2	183.7
											183.7	0.5
WST-19-0217	174.87	Lynx 309	120.7	453178	5435126	156	17	81.4	83.9	2.5	3.17	
											83.4	83.9
											83.9	0.5
WST-19-0219	242.04	Caribou corridor	309.6	452157	5434857	142	17	274.0	276.0	2.0	3.98	
WST-19-0220	241.6	227 116	251.7	452157	5434857	142	6	74.9	77.0	2.1	8.46	
											74.9	75.3
											135.0	137.1
WST-19-0220	241.6	Caribou 201	251.7	452157	5434857	142	6	135.0	137.1	2.1	4.05	
											136.6	137.1
											137.1	0.5
WST-19-0220	241.6	Caribou 238	251.7	452157	5434857	142	6	235.0	237.0	2.0	5.24	
											235.5	235.9
											237.0	0.4
WST-19-0221	241.17	Caribou 207	252.6	452157	5434857	147	-3	118.0	121.0	2.0	24.5	
											118.8	120.1
											120.1	0.3
WST-19-0223	248.42	Caribou 225	390.5	452208	5434998	145	-13	275.0	275.0	2.0	9.46	
WST-19-0224	249.07	Caribou 231	315.7	452208	5434999	132	6	204.4	209.5	5.1	12.8	
WST-19-0225	248.54	227 corridor	329.4	452208	5434999	132	-9	11.7	12.0	2.3	38.9	
WST-19-0225	248.54	Caribou corridor	329.4	452208	5434999	132	-9	199.1	201.4	2.3	4.64	
WST-19-0225	248.54	Caribou corridor	329.4	452208	5434999	132	-9	325.0	327.0	2.0	5.17	
WST-19-0226	261.34	227 101	315.9	452281	5434974	141	-15	109.0	111.4	2.4	46.4	43.1
											109.0	110.0
WST-19-0227	263.42	Caribou 218	339.5	453281	5434974	124	-17	218.7	220.9	2.0	26.7	
											218.7	219.5
											219.5	0.8
WST-19-0227	263.42	Caribou 201	339.5	453281	5434974	124	-17	234.0	236.0	2.0	3.18	



Windfall Lake Gold Project
 Quebec, Canada
 Assay Results
 Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) avg	Au (g/t) cut to 100 g/t
WST-19-0228	223.68	Lynx 308	150.6	453216	5435115	128	14	81.0	83.0	2.0	25.1	20.4
								82.1	82.5	0.4	124	100
WST-19-0229	223.7	Lynx 308	111.6	453216	5435114	140	11	68.8	70.9	2.1	4.54	
								70.6	70.9	0.3	26.7	
WST-19-0229	223.7	Lynx 311	111.6	453216	5435114	140	11	76.6	76.6	2.0	5.34	
								77.5	78.2	0.7	11.4	
WST-19-0230	223.83	Lynx	150.6	453215	5435114	161	20	50.0	52.0	2.0	8.98	
								50.0	52.0	1.0	17.8	
WST-19-0230	223.83	Lynx 308	150.6	453215	5435114	161	20	70.0	72.0	2.0	13.7	
								70.0	70.3	0.3	80.4	
WST-19-0230	223.83	Lynx 306	150.6	453215	5435114	161	20	129.9	132.0	2.1	4.91	
								130.8	131.2	0.4	25.3	
WST-19-0230	223.83	Lynx 323	150.6	453215	5435114	161	20	146.0	148.5	2.5	8.57	
								150.0	150.6	2.6	5.17	
WST-19-0231	223.66	Lynx 308	153.6	453215	5435114	161	10	68.0	71.6	2.6	15.6	
								71.0	71.6	0.6	16.6	
WST-19-0231	223.25	Lynx 308	147.6	453215	5435114	161	-1	66.0	68.0	2.0	10.5	
								68.0	90.0	2.0	4.36	
WST-19-0231	223.62	Lynx	93.7	453215	5435114	183	12	86.0	90.0	2.0	15.8	17.8
								89.2	72.6	3.4	15.3	100
WST-19-0234	223.82	Lynx 311	156.6	453216	5435114	150	17	69.2	69.5	0.3	16.80	
								119.0	121.0	2.0	10.8	
WST-19-0234	223.82	Lynx 304	156.6	453216	5435114	150	17	120.7	121.0	0.3	67.4	
								69.6	71.6	2.0	25.4	23.5
WST-19-0235	223.6	Lynx 308	158.6	453216	5435114	150	9	70.9	70.6	0.3	113	100
								101.0	103.6	2.6	6.98	
WST-19-0235	223.6	Lynx 320	158.6	453216	5435114	150	9	103.2	103.6	0.4	42.6	
								118.8	121.1	2.3	7.89	
WST-19-0235	223.6	Lynx 304	158.6	453216	5435114	150	9	120.6	121.1	0.5	30.3	
WST-19-0236	223.18	Lynx 304	168.6	453216	5435114	150	0	119.8	121.9	2.1	8.63	
								72.0	74.9	2.9	4.88	
WST-19-0237	224.11	Lynx 308	96.6	453216	5435114	173	22	74.6	74.9	0.3	26.5	
								89.1	91.1	2.0	4.32	
WST-19-0238	223.78	Lynx	96.6	453216	5435114	173	12	66.6	69.1	2.5	9.88	
								68.5	69.1	0.6	37.9	
WST-19-0239	223.22	Lynx 311	90.6	453215	5435114	173	1	74.4	77.0	2.6	9.52	
								177.6	74.8	0.4	56.2	
WST-19-0240	223.17	Lynx 308	177.6	453217	5435115	135	-3	74.4	74.8	0.4	9.52	
								71.7	6.0	2.0	5.15	
WST-19-0242	205.1	Lynx 310	71.7	453307	5435063	119	31	4.0	5.0	1.0	10.1	
								10.0	12.0	2.0	8.15	
WST-19-0242	205.1	Lynx	71.7	453307	5435063	119	31	16.0	14.0	1.0	16.1	
								17.4	17.8	0.4	139	100
WST-19-0242	205.1	Lynx 310	71.7	453307	5435063	119	31	15.0	18.8	2.8	20.2	14.7
								15.0	17.3	2.3	5.08	
WST-19-0243	206.59	Lynx 310	67.3	453306	5435063	124	42	16.5	16.8	0.3	31.9	
								46.2	48.2	2.0	10.1	
WST-19-0243	206.59	Lynx 304	67.3	453306	5435063	124	42	46.6	46.9	0.3	65.1	
								12.0	15.3	3.3	8.22	
WST-19-0244	205.52	Lynx 310	72.7	453306	5435063	124	23	35.0	35.3	0.3	40.2	
								37.0	39.0	2.0	21.1	16.3
WST-19-0244	205.52	Lynx 305	72.7	453306	5435063	124	23	37.8	38.1	0.3	132	100
								40.6	44.0	3.4	26.9	
WST-19-0245	207.12	Lynx 310	69.0	453305	5435063	138	40	17.1	19.9	2.8	8.54	
								17.1	17.4	0.3	52.8	
WST-19-0246	206.58	Lynx 310	72.6	453305	5435063	143	40	7.9	9.0	2.0	5.02	
								12.5	15.0	2.5	5.06	
WST-19-0246	206.58	Lynx 310	72.6	453305	5435063	143	40	14.7	15.0	0.3	33.9	
								33.0	35.0	2.0	3.47	
WST-19-0246	206.58	Lynx 305	72.6	453305	5435063	143	40	34.7	35.0	0.3	21.8	
								58.0	60.1	2.1	3.55	
WST-19-0247	205.88	Lynx 306	72.6	453305	5435063	143	40	59.3	60.1	0.8	9.15	
								5.0	9.8	4.8	3.65	
WST-19-0247	205.88	Lynx 310	72.5	453305	5435063	155	33	9.5	8.8	0.7	22.2	
								40.6	42.6	2.0	29.8	
WST-19-0247	205.88	Lynx 304	72.5	453305	5435063	155	33	40.6	41.4	0.8	73.5	
								35.6	38.1	2.5	5.76	
WST-19-0248	205.26	Lynx 304	72.8	453305	5435063	155	20	36.3	36.6	0.3	40.2	
								83.0	85.0	2.0	17.3	
WST-19-0249	224.03	Lynx 308	114.5	453217	5435115	134	20	83.0	84.2	0.4	80.8	
								88.0	90.5	2.5	3.73	
WST-19-0249	224.03	Lynx 310	114.5	453217	5435115	134	20	88.6	89.9	0.3	30.2	
								110.0	112.0	2.0	54.4	32.8
WST-19-0249	224.03	Lynx 305	114.5	453217	5435115	134	20	110.4	112.0	1.6	17.1	100
								70.0	72.0	2.0	4.02	
WST-19-0250	223.51	Lynx 308	162.5	453217	5435115	139	8	70.6	70.9	0.3	26.1	
								77.4	80.0	2.6	30.2	19.9
WST-19-0250	223.51	Lynx 308	162.5	453217	5435115	139	8	78.2	78.5	0.3	189	100
								97.5	99.2	1.7	3.05	
WST-19-0250	223.51	Lynx 310	162.5	453217	5435115	139	8	98.3	98.7	0.4	16.3	
								125.0	127.0	2.0	8.30	
WST-19-0250	223.51	Lynx 304	162.5	453217	5435115	139	8	125.0	125.3	0.3	55.3	
								69.8	72.3	2.5	135	52.1



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 ft
WST-19-0251	223.91	Lynx 308	155.1	453217	5435115	143	17	69.8	70.6	0.8	422	100
								75.6	76.0	2.4	6.11	
WST-19-0252	223.67	Lynx 308	156.6	453217	5435115	143	12	76.3	76.8	0.5	25.2	
								68.5	70.6	2.1	7.31	
WST-19-0252	223.67	Lynx 308	156.6	453217	5435115	143	12	75.7	77.9	2.2	8.78	
								77.6	77.9	0.3	37.1	
WST-19-0252	223.67	Lynx 310	156.5	453217	5435115	143	12	80.9	80.0	2.1	6.29	
								92.0	80.6	0.6	21.9	
WST-19-0253	223.58	Lynx 308	156.5	453217	5435115	143	6	70.4	72.7	2.3	38.4	
								71.9	72.7	0.8	72.9	
WST-19-0253	223.58	Lynx 304	156.5	453217	5435115	143	6	121.0	123.1	2.1	6.82	
								122.7	123.1	0.4	34.0	
WST-19-0253	223.58	Lynx 323	156.5	453217	5435115	143	6	140.9	153.3	2.4	7.49	
								150.5	151.0	0.5	35.3	
WST-19-0254	223.43	Lynx 311	168.0	453217	5435115	143	1	59.3	65.7	2.4	17.1	13.6
								61.4	65.7	0.3	129	100
WST-19-0254	223.43	Lynx 308	168.0	453217	5435115	143	1	69.0	72.6	2.6	5.84	
WST-19-0255	224.32	Lynx 311	93.0	453216	5435115	145	24	68.0	70.4	2.4	13.0	
								70.1	70.4	0.3	49.8	
WST-19-0255	224.32	Lynx 308	93.0	453216	5435115	145	24	76.0	78.0	2.0	6.97	
WST-19-0259	224.48	Lynx 311	96.5	453216	5435114	164	26	70.6	76.8	6.2	9.86	9.92
								74.0	75.5	0.3	105	100
WST-20-0260	205.57	Lynx 310	87.4	453298	5435067	169	34	8.8	10.9	2.1	10.1	
								8.8	9.4	0.6	26.9	
WST-20-0260	205.57	Lynx 304	87.4	453298	5435067	169	34	51.0	53.0	2.0	6.29	
								51.7	52.1	0.4	31.0	
WST-20-0261	205.36	Lynx 304	72.5	453298	5435066	169	25	55.0	57.0	2.0	8.28	
								57.7	56.2	0.5	32.9	
WST-19-0263	204.5	Lynx 305	105.5	453298	5435066	161	8	18.0	20.3	2.3	4.26	
								19.3	19.7	0.4	24.2	
WST-19-0263	204.5	Lynx 304	105.5	453298	5435066	161	8	49.9	53.4	2.5	8.46	
								51.2	53.8	0.6	22.1	
WST-19-0266	203.92	Lynx 310	120.6	453298	5435066	165	-11	8.0	10.0	2.0	3.95	
WST-19-0266	203.92	Lynx 304	120.6	453298	5435066	165	-11	53.4	55.4	2.0	113	33.7
								54.5	55.1	0.6	363	100
WST-19-0266	203.92	Lynx 306	120.6	453298	5435066	165	-11	92.8	95.0	2.2	58.5	22.9
								93.4	93.8	0.4	296	100
WST-19-0267	204.36	Lynx 306	108.6	453298	5435066	173	5	2.0	4.0	2.0	3.22	
WST-19-0267	204.36	Lynx 319	108.6	453298	5435066	173	5	33.0	35.0	2.0	6.29	
								33.6	34.1	0.5	25.0	
WST-19-0267	204.36	Lynx 306	108.6	453298	5435066	173	5	84.7	87.0	2.3	13.0	
								84.7	85.0	0.3	33.1	
WST-19-0269	204.16	Lynx 304	117.6	453298	5435066	176	-4	62.2	64.5	2.3	6.30	
WST-19-0270	204.43	Lynx 306	114.7	453298	5435066	179	6	91.0	93.0	2.0	3.14	
WST-19-0272	206.49	Lynx 304	111.6	453298	5435116	138	25	81.0	83.4	2.4	9.29	
								83.1	83.4	0.3	72.5	
WST-19-0274	208.75	Lynx 306	119.4	453298	5435116	120	50	77.8	80.0	2.2	13.2	
								79.0	80.0	1.0	28.6	
WST-19-0276	206.26	Lynx 316	111.3	453291	5435116	126	20	85.9	88.3	2.4	17.8	17.1
								86.6	87.0	0.4	105	100
WST-19-0276	206.26	Lynx 306	111.3	453291	5435116	126	20	97.2	99.3	2.1	6.38	
								97.8	98.1	0.3	42.3	
WST-19-0277	206.66	Lynx 341	117.2	453291	5435117	111	27	95.0	97.3	2.3	4.91	
								96.7	97.3	0.6	15.1	
WST-19-0278	205.61	Lynx 316	141.4	453291	5435116	111	6	91.9	93.9	2.0	7.27	
WST-20-0282	135.31	Lynx 311	81.5	453228	5435126	179	-18	44.8	50.0	2.0	7.44	
WST-20-0283	135.88	Lynx 311	213.8	453227	5435126	165	25	65.9	68.0	2.4	6.95	
								66.3	66.8	0.5	24.8	
WST-20-0284	135.17	Lynx 311	81.5	453228	5435126	182	-21	50.0	54.0	2.0	5.37	
WST-20-0284	135.17	Lynx 306	81.5	453228	5435126	182	-21	65.7	67.8	2.1	3.64	
WST-20-0285	136.83	Lynx 320	210.5	453227	5435126	161	25	113.9	126.0	2.1	1.93	
								114.8	115.3	0.5	15.3	
WST-20-0285	136.83	Lynx 319	210.5	453227	5435126	161	25	118.0	120.0	2.0	3.35	
								118.6	119.2	0.6	10.9	
WST-20-0286	136.36	Lynx 311	84.6	453228	5435126	153	16	54.3	56.3	2.0	99.2	55.1
WST-20-0286	136.36	Lynx 308	84.6	453228	5435126	153	16	58.7	56.3	0.6	247	100
								80.0	82.0	2.0	6.52	
WST-20-0287	135.8	Lynx 311	220.4	453228	5435126	153	5	51.9	54.2	2.3	31.4	28.3
								52.3	52.9	0.6	112	100
WST-20-0287	135.8	Lynx 306	220.4	453228	5435126	153	5	85.6	88.0	2.1	6.38	
								87.7	88.0	0.3	105	100
WST-20-0287	135.8	Lynx 319	220.4	453228	5435126	153	5	105.4	112.0	6.6	19.1	18.3
								105.4	105.7	0.3	117	100
								111.0	112.0	1.0	13.4	12.9
WST-20-0287	135.8	Lynx 304	220.4	453228	5435126	153	5	140.0	142.0	2.0	13.2	
								140.8	141.2	0.4	62.5	
WST-20-0288	135.45	Lynx 311	228.7	453228	5435127	152	-7	52.2	54.2	2.0	6.62	
WST-20-0290	135.75	Lynx 311	222.6	453229	5435127	140	2	55.0	57.3	2.3	20.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-20-0290	135.75	Lynx 320	222.6	453229	5435127	140	2	56.7	57.3	0.6	76.9	
								103.0	106.1	2.1	7.92	
WST-20-0290	135.75	Lynx 310	222.6	453229	5435127	140	2	115.4	117.6	2.2	4.29	
WST-20-0290	135.75	Lynx 304	222.6	453229	5435127	140	2	135.6	139.3	3.7	10.7	
WST-20-0291	135.2	Lynx 311	159.7	453229	5435127	140	-9	55.5	57.5	2.0	5.11	
WST-20-0292	135.07	Lynx 311	282.0	453229	5435127	141	-22	51.5	53.7	2.2	9.31	
WST-20-0292	135.07	Lynx	282.0	453229	5435127	141	-22	51.5	52.5	1.0	18.8	
								124.8	127.0	2.2	28.5	
								125.3	126.0	0.7	80.7	
WST-20-0294	135.15	Lynx 311	96.3	453228	5435126	131	13	67.9	70.0	2.1	19.7	
								67.9	68.8	0.9	45.5	
WST-20-0295	135.27	Lynx 311	365.6	453229	5435127	131	-7	83.6	85.6	2.0	27.0	21.0
WST-20-0295	135.27	Lynx 304	105.6	453229	5435127	131	-7	134.0	136.0	2.0	243	20.6
								134.5	134.9	0.4	1210	100
WST-20-0295	135.27	Lynx 304	365.6	453229	5435127	131	-7	142.0	144.0	2.0	337	17.9
								142.4	143.7	0.3	2280	100
WST-20-0298	135.06	Lynx 311	283.7	453229	5435127	130	-36	63.2	65.4	2.2	3.94	
								65.0	65.4	0.4	21.0	
WST-20-0298	135.06	Lynx 320	283.7	453229	5435127	130	-36	135.7	137.8	2.1	21.8	
								136.7	137.5	0.8	56.9	
WST-20-0302	134.86	Lynx 311	120.4	453229	5435126	112	-29	74.0	76.2	2.2	8.09	
								75.6	76.2	0.6	17.7	
WST-19-0305	224.4	Lynx 308	132.5	453217	5435115	133	27	89.2	91.3	2.1	44.2	38.5
								90.5	91.3	0.8	115	100
WST-19-0305	224.4	Lynx 310	132.5	453217	5435115	133	27	94.0	96.1	2.1	5.14	
WST-19-0305	224.4	Lynx 304	132.5	453217	5435115	133	27	115.0	117.0	2.0	27.6	19.1
								115.7	116.0	0.3	157	100
WST-19-0306	224.63	Lynx	150.5	453217	5435115	149	31	93.0	95.0	2.0	5.49	
								94.0	94.3	0.3	35.4	
WST-19-0306	224.63	Lynx 304	150.5	453217	5435115	149	31	121.8	123.8	2.0	29.9	15.8
								122.7	123.0	0.3	189	100
WST-19-0306	224.63	Lynx 306	150.5	453217	5435115	149	31	136.5	138.6	2.1	6.53	
								136.5	137.3	0.8	16.8	
WST-19-0307	224.64	Lynx 311	153.5	453217	5435115	159	32	76.0	78.5	2.5	3.68	
WST-19-0307	224.64	Lynx	153.5	453217	5435115	159	32	128.3	130.2	2.0	10.8	
WST-19-0307	224.64	Lynx 306	153.5	453217	5435115	159	32	133.2	135.2	2.0	47.2	38.2
								133.9	134.6	0.6	130	100
WST-20-0308	163.23	Lynx 311	159.7	453292	5435139	172	-12	52.6	54.7	2.1	4.56	
								53.6	54.1	0.5	16.9	
WST-20-0308	163.23	Lynx 320	159.7	453292	5435139	172	-12	81.1	83.4	2.3	3.48	
WST-20-0308	163.23	Lynx 310	159.7	453292	5435139	172	-12	95.0	98.3	3.3	4.09	
WST-20-0308	163.23	Lynx	159.7	453292	5435139	172	-12	148.5	150.7	2.2	5.98	
								150.1	150.7	0.6	21.5	
WST-20-0309	162.93	Lynx 311	165.5	453292	5435139	172	-23	58.0	60.5	2.5	14.0	
								58.5	59.5	1.0	34.8	
WST-20-0310	162.61	Lynx 311	96.5	453292	5435139	169	-33	63.7	65.7	2.0	376	34.4
								63.7	64.2	0.5	1465	100
WST-20-0311	163.23	Lynx 311	96.6	453292	5435140	152	-15	54.0	56.1	2.1	5.75	
WST-20-0311	163.23	Lynx 311	96.6	453292	5435140	152	-15	57.9	60.3	2.4	9.84	
								59.8	60.3	0.5	35.8	
WST-20-0312	164.03	Lynx 311	123.6	453292	5435139	146	12	59.0	61.6	2.6	6.1	44.6
								59.7	60.8	1.1	144	100.0
WST-20-0312	164.03	Lynx 308	123.6	453292	5435139	146	12	75.0	77.0	2.0	18.4	
								76.0	77.0	1.0	30.3	
WST-20-0312	164.03	Lynx 310	123.6	453292	5435139	146	12	79.0	81.6	2.6	32.5	28.3
								80.4	80.9	0.5	122	100
WST-20-0312	164.03	Lynx 320	123.6	453292	5435139	146	12	85.0	87.0	2.0	219	
WST-20-0312	164.03	Lynx 304	123.6	453292	5435139	146	12	105.0	110.0	5.0	189	41.0
								107.2	109.8	0.8	1085	100
WST-20-0313	162.92	Lynx 311	132.6	453292	5435139	148	-28	67.0	69.0	2.0	6.86	
WST-20-0313	162.92	Lynx 311	132.6	453292	5435139	148	-28	62.0	62.7	0.7	17.0	
								99.9	102.6	2.7	109	41.3
								99.9	100.7	0.8	308	100
WST-20-0315	163.12	Lynx 311	120.5	453292	5435139	142	-14	54.0	56.0	2.0	4.13	
WST-20-0315	163.12	Lynx 323	120.5	453292	5435139	142	-14	60.5	62.7	2.2	31.6	31.2
								61.3	63.9	0.6	102	100
WST-20-0316	163.05	Lynx 311	126.6	453293	5435140	133	-18	58.7	61.1	2.4	19.7	
WST-20-0317	163.15	Lynx 311	126.8	453292	5435140	131	-23	57.9	60.0	2.2	14.7	
								58.7	59.2	0.5	14.2	
WST-20-0317	163.15	Lynx 323	126.8	453292	5435140	131	-23	64.4	66.4	2.0	13.7	
								65.4	66.4	1.0	26.8	
WST-20-0318	134.56	Lynx 311	502.0	453227	5435125	148	-52	65.0	66.5	1.5	36.2	
								66.0	66.7	0.7	91.0	
WST-20-0318	134.56	Lynx 4	502.0	453227	5435125	148	-52	258.0	260.5	2.5	6.53	
								260.0	260.5	0.5	22.9	
WST-20-0318	134.56	Lynx SW	502.0	453227	5435125	148	-52	371.4	379.6	2.2	8.06	
WST-20-0318	134.56	Lynx 4	502.0	453227	5435125	148	-52	463.3	466.0	2.7	9.06	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
WST-20-0319	163.44	Lynx 323	117.8	453293	5435140	134	-3	58.7	62.3	3.6	23.6	21.1
								60.5	60.9	0.4	122	100
WST-20-0319	163.44	Lynx 323	117.8	453293	5435140	134	-3	61.9	62.3	0.4	80.5	
								66.8	60.8	3.0	24.3	18.8
WST-20-0319	163.44	Lynx 308	117.8	453293	5435140	134	-3	77.6	80.0	2.4	3.95	
								86.0	88.0	2.0	8.09	
WST-20-0319	163.44	Lynx 320	117.8	453293	5435140	134	-3	94.5	96.5	0.5	31.4	
								94.5	92.1	2.6	22.6	
WST-20-0319	163.44	Lynx 304	117.8	453293	5435140	134	-3	94.5	94.9	0.4	94.4	
WST-20-0320	163.22	Lynx 323	123.6	453293	5435140	138	-16	73.0	75.6	2.6	15.5	
								74.9	75.6	0.7	44.5	
WST-20-0321	163.03	Lynx 303	132.7	453293	5435140	127	-22	50.9	53.0	2.1	4.32	
								50.2	53.0	0.8	15.1	
WST-20-0321	163.03	Lynx 308	132.7	453293	5435140	127	-22	65.4	67.8	2.4	3.55	
								68.8	71.0	2.2	24.6	13.8
WST-20-0322	163.74	Lynx 323	153.5	453293	5435140	124	7	129.5	131.5	2.0	12.3	
								130.6	131.5	0.9	26.0	
WST-20-0322	163.74	Lynx	153.5	453293	5435140	124	7	129.5	131.5	2.0	12.3	
								130.6	131.5	0.9	26.0	
WST-20-0323	163.78	Lynx 323	150.5	453293	5435140	115	6	68.5	70.5	2.0	104	35.9
								69.1	69.8	0.7	296	100
WST-19-0324	225.11	Lynx 311	120.4	453216	5435115	168	38	87.5	90.0	2.5	3.36	
								88.5	89.0	0.5	15.6	
WST-19-0325	224.98	Lynx 304	144.3	453217	5435115	121	27	123.0	125.0	2.0	9.52	
								123.0	123.8	0.8	23.7	
WST-19-0327	224.93	Lynx 311	147.2	453218	5435115	129	34	94.3	96.5	2.2	13.9	
								94.3	95.3	0.8	30.7	
WST-19-0328	225.09	Lynx 304	144.4	453217	5435115	139	39	118.0	120.0	2.0	4.32	
								118.5	119.0	0.5	99.1	
WST-20-0329	225.11	Lynx	144.4	453217	5435115	147	37	137.6	140.0	2.4	4.25	
								137.9	138.2	0.3	32.8	
WST-20-0331	114.14	Lynx 304	132.7	453411	5435230	137	-1	85.0	87.8	2.8	8.41	
								87.0	87.8	0.8	34.5	
WST-20-0332	113.75	Lynx 304	218.1	453411	5435230	139	-16	92.0	94.6	2.6	14.3	
								92.0	93.3	0.3	53.3	
WST-20-0333	113.53	Lynx 304	135.5	453411	5435230	140	-24	94.0	96.1	2.1	4.32	
								95.6	96.1	0.5	17.9	
WST-20-0334	113.32	Lynx 325	141.4	453411	5435230	140	-36	90.0	92.0	2.0	4.32	
								90.0	92.0	2.0	4.32	
WST-20-0334	113.32	Lynx 304	141.4	453411	5435230	140	-36	94.7	97.3	2.6	56.9	53.6
								96.0	97.3	1.3	107	100
WST-20-0335	113.26	Lynx	141.7	453411	5435230	141	-42	32.0	34.3	2.3	4.51	
								51.0	53.5	2.5	4.47	
WST-20-0335	113.26	Lynx 309	141.7	453411	5435230	141	-42	117.3	119.5	2.2	5.36	
								118.0	118.7	0.7	16.0	
WST-20-0336	113.22	Lynx 311	147.5	453411	5435230	134	-44	50.4	56.0	5.6	3.97	
								50.4	53.4	1.0	8.12	
WST-20-0336	113.22	Lynx 323	147.5	453411	5435230	134	-44	55.0	56.0	1.0	11.0	
								103.0	105.0	2.0	50.2	43.6
WST-20-0336	113.22	Lynx 304	147.5	453411	5435230	134	-44	103.4	104.4	1.0	98.7	85.4
								121.9	124.0	2.1	21.7	
WST-20-0337	113.9	Lynx 323	203.2	453411	5435230	145	-6	122.4	122.9	0.5	74.2	
								68.0	70.1	2.1	6.21	
WST-20-0337	113.9	Lynx 304	203.2	453411	5435230	145	-6	69.4	70.1	0.7	12.6	
								90.0	92.5	2.5	6.30	
WST-20-0337	113.9	Lynx	203.2	453411	5435230	145	-6	102.5	104.6	2.1	4.69	
								104.3	104.6	0.3	27.7	
WST-20-0338	113.87	Lynx	211.7	453410	5435229	146	-12	74.5	76.7	2.2	4.23	
								74.5	75.3	0.8	9.99	
WST-20-0338	113.87	Lynx 304	211.7	453410	5435229	146	-12	85.5	87.9	2.4	3.42	
								55.0	57.5	2.5	1.43	
WST-20-0339	113.71	Lynx	294.7	453410	5435229	146	-18	93.0	95.4	2.4	37.3	32.3
								93.0	94.1	0.6	12.0	100
WST-20-0339	113.71	Lynx HW	294.7	453410	5435229	146	-18	182.0	184.7	2.7	4.49	
								191.2	194.3	3.1	5.35	
WST-20-0339	113.71	Lynx HW	294.7	453410	5435229	146	-18	199.1	202.2	3.1	4.27	
								62.0	64.5	2.5	6.79	
WST-20-0340	113.53	Lynx	135.4	453410	5435229	147	-26	64.0	64.5	0.5	31.5	
								64.0	64.5	0.5	31.5	
WST-20-0340	113.53	Lynx	135.4	453410	5435229	147	-26	78.5	80.6	2.1	8.07	
								78.5	79.2	0.7	23.9	
WST-20-0340	113.53	Lynx 304	135.4	453410	5435229	147	-26	87.7	89.7	2.0	69.2	62.2
								88.3	89.1	0.8	118	100
WST-20-0340	113.53	Lynx 359	135.4	453410	5435229	147	-26	113.0	113.0	2.0	4.40	
								100.9	101.2	0.3	11.0	
WST-20-0343	114.59	Lynx 311	177.3	453410	5435229	158	8	80.9	83.7	2.8	11.0	
								60.9	61.3	0.4	60.0	
WST-20-0343	114.59	Lynx 304	177.3	453410	5435229	158	8	86.9	88.9	2.0	3.90	
								1.0	2.5	1.5	20.9	
WST-20-0345	263.27	Mallard	401.1	452282	5434975	136	-21	1.0	4.1	3.1	11.4	
								1.0	2.5	1.5	20.9	
WST-20-0345	263.27	Caribou corridor	401.1	452282	5434975	136	-21	361.7	363.9	2.2	3.75	
								362.3	363.1	0.8	8.43	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
WST-20-0350	154.15	Lynx 325	174.5	453359	5435209	142	-31	41.6	44.4	2.8	9.18	
			inclu					41.6	42.4	0.8	29.3	
WST-20-0350	154.15	Lynx 304	174.5	453359	5435209	142	-31	113.5	116.0	2.5	17.6	
			inclu					114.0	114.9	0.9	45.7	
WST-20-0350	154.15	Lynx 359	174.5	453359	5435209	142	-31	128.5	131.0	2.5	55.5	
			inclu					129.2	129.9	0.7	96.8	
WST-20-0351	154.44	Lynx 304	180.5	453359	5435209	142	-19	96.0	98.0	2.0	4.25	
			inclu					96.9	97.6	0.7	10.9	
WST-20-0352	154.67	Lynx 325	177.4	453359	5435209	140	-10	32.3	36.0	3.7	16.2	
			inclu					35.0	36.0	1.0	46.8	
WST-20-0352	154.67	Lynx 304	177.4	453359	5435209	140	-10	97.0	99.0	2.0	5.95	
			inclu					110.6	112.7	2.1	4.58	
WST-20-0355	115.18	Lynx 304	246.7	453451	5435264	145	-24	110.6	111.2	0.6	12.8	
			inclu					111.5	113.7	2.2	5.08	
WST-20-0355	115.20	Lynx 304	241.7	453451	5435264	147	-14	111.5	113.7	2.2	5.08	
			inclu					112.6	117.2	2.6	5.36	
WST-20-0357	114.84	Lynx 323	168.0	453451	5435265	146	-43	118.5	120.7	2.2	8.69	
			inclu					118.5	119.5	1.0	16.8	
WST-20-0358	114.48	Lynx 304	168.0	453451	5435265	146	-43	127.5	130.0	2.5	38.7	17.4
			inclu					128.7	129.1	0.4	230	100
WST-20-0359	115.36	Lynx 304	144.6	453450	5435264	151	-17	107.0	109.3	2.3	3.04	
			inclu					107.0	110.0	2.0	18.7	
WST-20-0360	115.19	Lynx 304	254.0	453450	5435264	151	-23	106.6	108.9	0.3	86.6	
			inclu					126.2	128.4	2.2	28.4	
WST-20-0360	115.19	Lynx 359	254.0	453450	5435264	151	-23	126.5	128.8	0.3	91.5	
			inclu					129.6	131.7	2.1	5.11	
WST-20-0360	115.19	Lynx 309	254.0	453450	5435264	152	-28	113.0	115.2	2.2	4.02	
			inclu					125.4	127.8	2.4	25.5	12.5
WST-20-0361	115.26	Lynx 359	294.6	453450	5435264	152	-28	125.4	125.7	0.3	206	100
			inclu					125.4	125.7	0.3	206	100
WST-20-0362	115.35	Lynx 359	147.6	453450	5435264	156	-34	119.0	121.0	2.0	3.45	
			inclu					119.0	121.0	2.0	3.45	
WST-20-0363	115	Lynx 311	153.8	453450	5435264	157	-30	68.9	71.0	2.1	4.49	
			inclu					115.5	118.0	2.5	3.16	
WST-20-0363	115	Lynx 304	153.8	453450	5435264	157	-30	116.3	116.7	0.4	17.9	
			inclu					122.0	124.5	2.5	16.3	
WST-20-0363	115	Lynx 359	153.8	453450	5435264	157	-30	122.0	124.5	2.5	16.3	
			inclu					122.0	123.8	0.8	50.2	
WST-20-0364	115.13	Lynx 304	282.4	453450	5435264	157	-25	110.0	112.0	2.0	7.37	
			inclu					111.3	111.6	0.3	17.9	
WST-20-0365	115.57	Lynx 304	141.6	453450	5435264	158	-8	90.4	90.0	2.3	9.28	
			inclu					102.2	92.6	0.4	50.8	
WST-20-0365	115.57	Lynx 359	141.6	453450	5435264	158	-8	122.7	123.0	0.3	14.6	
			inclu					122.7	123.0	0.3	14.6	
WST-20-0371	115.77	Lynx 304	162.7	453493	5435287	145	-47	136.8	138.9	2.1	13.7	
			inclu					138.3	138.9	0.6	43.9	
WST-20-0372	115.95	Lynx 304	450.7	453493	5435287	148	-42	126.5	128.5	2.0	5.87	
			inclu					127.7	128.0	0.3	31.4	
WST-20-0372	115.95	Lynx 304	450.7	453493	5435287	148	-42	130.0	132.7	2.7	23.2	17.5
			inclu					132.3	132.7	0.4	139	100
WST-20-0372	115.95	Lynx HW	450.7	453493	5435287	148	-42	189.2	191.5	2.3	7.73	
			inclu					190.9	191.5	0.6	26.1	
WST-20-0372	115.95	Lynx 322	450.7	453493	5435287	148	-42	205.6	207.8	2.2	108	31.7
			inclu					206.6	207.2	0.6	378	100
WST-20-0372	115.95	Lynx 4	450.7	453493	5435287	148	-42	431.7	434.0	2.3	21.6	
			inclu					433.2	434.0	0.8	61.4	
WST-20-0373	116.12	Lynx 304	168.4	453493	5435287	155	-41	131.1	131.2	2.1	11.7	
			inclu					132.8	133.2	0.4	40.2	
WST-20-0374	115.93	Lynx 304	174.6	453493	5435287	152	-45	135.3	139.4	4.1	17.5	
			inclu					136.3	136.0	0.7	71.3	
			and					138.5	138.8	0.3	52.9	
WST-20-0375	115.84	Lynx 304	186.4	453493	5435287	156	-40	144.4	147.2	2.8	25.9	
			inclu					145.7	146.4	0.7	81.8	
WST-20-0376	116.05	Lynx 359	165.7	453493	5435286	161	-39	129.9	132.0	2.1	37.3	
			inclu					129.9	130.2	0.3	93.6	
WST-20-0377	115.99	Lynx 304	174.7	453493	5435286	161	-42	125.1	127.2	2.1	4.56	
			inclu					137.5	141.0	3.5	28.7	21.6
WST-20-0377	115.99	Lynx 359	174.7	453493	5435286	161	-42	138.0	138.3	0.3	79.1	
			inclu					138.6	139.0	0.4	163	100
			and					138.6	148.3	2.3	28.6	
WST-20-0378	115.78	Lynx 304	252.7	453493	5435287	144	-50	146.0	147.7	0.7	45.9	
			inclu					147.0	147.7	0.7	45.9	
WST-20-0378	115.78	Lynx 304	252.7	453493	5435287	144	-50	200.0	202.2	2.2	18.6	
			inclu					200.5	200.9	0.4	95.3	
WST-20-0380	136.1	Lynx 311	84.5	453228	5435126	159	11	52.9	59.9	4.3	36.2	30.4
			inclu					56.2	57.2	1.0	123	100
WST-20-0381	136.07	Lynx 311	81.6	453228	5435126	145	9	54.1	56.4	2.3	38.1	35.2
			inclu					54.1	54.9	0.8	109	100
WST-20-0382	135.41	Lynx 309	157.7	453228	5435126	147	-3	52.1	54.4	2.3	6.08	
			inclu					50.0	52.0	2.0	3.03	
WST-20-0383	135.24	Lynx 309	91.9	453227	5435125	155	-17	50.4	51.3	0.9	1.69	
			inclu					50.4	51.3	0.9	1.69	
WST-20-0384	116.29	Lynx 304	156.7	453493	5435286	160	-35	125.0	127.0	2.0	25.5	
			inclu					125.0	125.4	0.4	62.8	
			and					126.5	127.0	0.5	90.0	



Windfall Lake Gold Project
 Quebec, Canada
 Assay Results
 Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 ft
WST-20-0386	116.03	Lynx 304	177.7	453493	5435286	163	-47	134.1	138.3	4.2	41.2	20.6
								138.0	138.3	0.3	369	100
WST-20-0387	115.66	Lynx 304	207.6	453493	5435287	152	-52	151.8	153.8	2.0	6.27	
								151.8	153.2	0.4	30.9	
								154.6	157.5	2.9	38.6	23.3
								205.9	207.5	0.6	176	100
WST-20-0390	114.97	Lynx	174.6	453450	5435264	158	-35	111.0	113.8	2.8	22.9	18.2
								112.1	112.6	0.5	127	100
								82.8	84.8	2.0	8.12	
								83.4	83.8	0.4	26.3	
WST-20-0392	155.09	Lynx 323	180.5	453359	5435209	126	2	88.0	90.2	2.2	5.49	
								107.7	109.7	2.7	11.2	
								108.4	108.8	0.4	70.9	
WST-20-0392	155.09	Lynx 304	180.5	453359	5435209	126	2	88.0	109.7	2.7	11.2	
								108.4	108.8	0.4	70.9	
WST-20-0393	154.02	Lynx 325	174.5	453358	5435208	153	-37	48.9	52.5	2.6	4.68	
								50.0	50.7	0.7	10.2	
WST-20-0393	154.02	Lynx 304	174.5	453358	5435208	153	-37	113.2	115.9	2.7	5.34	
								114.3	114.8	0.5	18.8	
WST-20-0394	154.27	Lynx 325	171.6	453358	5435208	152	-26	35.1	37.3	2.2	11.7	
								70.8	72.8	2.0	4.85	
WST-20-0394	154.27	Lynx 304	171.6	453358	5435208	152	-26	107.0	109.3	2.3	24.2	23.2
								107.0	107.7	0.7	78.9	75.7
WST-20-0395	154.51	Lynx 303	168.5	453358	5435208	153	-16	50.0	52.0	2.0	6.45	
								136.5	141.1	2.6	3.54	
WST-20-0396	118.26	Lynx HW	165.4	453493	5435287	158	20	140.3	140.6	0.3	20.7	
								162.4	162.4	0.0	10.2	
WST-20-0397	118.75	Lynx 301	162.4	453493	5435287	150	26	136.6	136.6	2.0	10.7	
								137.7	138.1	0.4	52.1	
WST-20-0400	118.27	Lynx 301	171.8	453493	5435287	167	16	158.0	160.2	2.2	11.1	
								159.0	160.2	1.2	29.7	
								142.1	144.4	2.3	15.8	14.3
WST-20-0402	119.18	Lynx 301	162.4	453493	5435287	147	32	142.1	142.4	0.3	189	100
								142.1	142.4	0.3	189	100
WST-20-0404	117.38	Lynx 304	192.4	453493	5435286	163	-4	109.1	111.1	2.0	5.90	
								110.4	111.1	0.7	16.0	
WST-20-0404	117.38	Lynx 321	192.4	453493	5435286	163	-4	137.5	139.6	2.1	6.37	
								176.4	180.5	2.1	4.24	
WST-20-0407	117.74	Lynx 315	201.5	453493	5435288	106	9	85.4	87.4	2.0	3.37	
WST-20-0409	116.75	Lynx 322	168.6	453450	5435264	155	21	126.4	127.4	1.0	10.2	
WST-20-0411	117.99	Lynx HW	171.4	453450	5435264	156	38	148.2	150.4	2.2	38.1	36.1
								149.2	149.9	0.7	107	100
WST-20-0412	117.24	Lynx 323	165.4	453450	5435264	164	34	97.6	99.9	2.3	9.21	
								99.6	99.9	0.3	24.9	
WST-20-0412	117.24	Lynx 328	165.4	453450	5435264	164	24	155.0	157.2	2.2	3.06	
								156.9	157.2	0.3	11.2	
WST-20-0413	163.14	Lynx 323	138.7	453293	5435140	122	-20	77.0	79.0	2.0	3.44	
WST-20-0413	163.14	Lynx 308	138.7	453293	5435140	122	-20	85.8	88.0	2.2	24.3	
								85.8	85.9	1.1	48.3	
WST-20-0413	163.14	Lynx 304	138.7	453293	5435140	122	-20	99.5	101.7	2.2	18.9	
								101.2	101.7	0.5	69.6	
WST-20-0414	163.17	Lynx 323	120.6	453293	5435140	136	-13	59.7	62.0	2.3	4.43	
								61.3	61.4	0.3	24.9	
WST-20-0415	163.33	Lynx 308	130.6	453293	5435141	117	-7	80.0	82.0	2.0	9.34	
								80.0	81.0	1.0	14.0	
WST-20-0415	163.33	Lynx 308	130.6	453293	5435141	117	-7	85.0	87.0	2.0	3.83	
WST-20-0416	134.54	Lynx	801.4	453228	5435126	138	-52	326.4	329.6	3.2	27.6	
								336.0	338.1	2.1	4.13	
WST-20-0416	134.54	Lynx	801.4	453228	5435126	138	-52	695.2	697.2	2.0	9.85	
								695.8	696.3	0.5	18.7	
								696.3	696.6	0.3	27.4	
WST-20-0416	134.54	Lynx 327	801.4	453228	5435126	138	-52	710.1	712.5	2.4	4.03	
								710.1	710.7	0.6	16.0	
WST-20-0417	134.43	Lynx 339	759.2	453228	5435126	138	-50	85.0	87.5	2.5	4.81	
								86.0	86.2	2.2	13.1	
WST-20-0417	134.43	Lynx 307	759.2	453228	5435126	138	-50	85.0	85.7	0.7	38.6	
								190.6	192.6	2.0	22.4	
								190.6	191.2	0.6	41.5	
WST-20-0417	134.43	Lynx	759.2	453228	5435126	138	-50	316.0	318.2	2.2	17.6	
WST-20-0417	134.43	Lynx	759.2	453228	5435126	138	-50	368.0	370.0	2.0	3.21	
WST-20-0417	134.43	Lynx 4	759.2	453228	5435126	138	-50	428.2	430.2	2.0	4.06	
WST-20-0417	134.43	Lynx 350	759.2	453228	5435126	138	-50	480.8	483.2	2.4	48.0	44.0
								481.3	482.2	0.9	154	100
WST-20-0417	134.43	Lynx 350	759.2	453228	5435126	138	-50	487.8	490.0	2.2	4.34	
WST-20-0417	134.43	Lynx 312	759.2	453228	5435126	138	-50	687.0	689.1	2.1	3.28	
								687.3	687.8	0.5	11.7	
WST-20-0418	134.5	Lynx	744.4	453228	5435126	140	-49	271.1	273.1	2.0	23.8	
WST-20-0418	134.5	Lynx	744.4	453228	5435126	140	-49	440.9	443.2	2.3	6.59	
WST-20-0420	116.46	Lynx 323	165.5	453450	5435264	155	10	79.4	81.7	2.3	4.1	
								81.4	81.7	0.3	29.1	
WST-20-0420	116.46	Lynx 321	165.5	453450	5435264	155	10	150.0	153.2	2.1	19.0	
								151.2	151.1	0.9	43.5	
WST-20-0421	116.79	Lynx 323	168.4	453450	5435264	162	18	87.6	90.0	2.4	3.87	
								88.2	88.5	0.3	28.3	
WST-20-0421	116.79	Lynx 321	168.4	453450	5435264	162	18	151.0	153.2	2.2	4.96	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
			including					205.9	206.4	0.5	76.2	
WST-20-0459	134.64	Lynx	578.5	453227	5435126	153	-47	327.2	330.0	2.8	23.2	
WST-20-0460	116.49	Lynx 321	294.6	453494	5435287	126	-33	217.0	219.0	2.0	3.2	
WST-20-0460	116.49	Lynx 303	294.6	453494	5435287	126	-33	234.6	238.0	3.4	12.8	
			including					235.6	236.0	0.4	72.9	
WST-20-0461	114.33	Lynx 304	621.8	453452	5435265	115	-46	163.6	166.0	2.4	30.0	
			including					164.6	165.4	0.8	89.1	
WST-20-0461	114.33	Lynx 304	621.8	453452	5435265	115	-46	171.3	174.0	2.7	5.60	
			including					171.3	171.9	0.6	18.8	
WST-20-0461	114.33	Lynx 341	621.6	453452	5435265	115	-46	192.8	196.0	3.2	3.96	
WST-20-0462	134.41	Lynx	680.2	453227	5435125	152	-53	171.0	173.0	2.0	40.4	
			including					171.5	172.5	1.0	79.1	
WST-20-0462	134.41	Lynx	680.2	453227	5435125	152	-53	263.8	266.0	2.2	7.77	
WST-20-0462	134.41	Lynx 336	680.2	453227	5435125	152	-53	454.0	456.0	2.0	3.50	
			including					454.0	454.8	0.8	8.19	
WST-20-0462	134.41	Lynx	680.2	453227	5435125	152	-53	638.9	643.2	4.3	3.82	
			including					638.9	639.6	0.7	12.8	
WST-20-0463	113.25	Lynx 323	552.3	453411	5435230	137	-43	52.7	53.0	0.3	10.1	
			including					52.7	53.0	0.3	10.1	
			and					54.0	54.3	0.3	20.8	
WST-20-0463	113.25	Lynx 323	552.3	453411	5435230	137	-43	100.0	102.5	2.5	171	40.2
			including					100.0	101.0	1.0	427	100
WST-20-0463	113.25	Lynx 304	552.3	453411	5435230	137	-43	119.8	121.0	1.0	9.08	
			including					119.8	120.6	0.8	22.5	
WST-20-0463	113.25	Lynx 347	552.3	453411	5435230	137	-43	436.3	438.3	2.0	24.5	15.5
			including					437.4	437.7	0.3	360	100
WST-20-0463	113.25	Lynx 313	552.3	453411	5435230	137	-43	469.9	473.8	3.9	9.07	
			including					469.9	470.8	0.9	19.0	
			and					472.4	472.9	0.5	23.1	
WST-20-0464	117.51	Lynx 321	171.1	453494	5435287	138	3	133.0	135.2	2.2	5.33	
			including					133.0	133.3	0.3	81.1	
WST-20-0465	117.62	Lynx 303	183.5	453494	5435287	147	7	125.0	127.0	2.0	9.26	
			including					136.6	137.0	0.4	44.5	
WST-20-0466	117.78	Lynx 303	183.4	453494	5435287	131	9	138.7	141.0	2.3	5.17	
WST-20-0467	117.91	Lynx 315	182.5	453494	5435287	147	-1	160.0	162.0	2.0	11.0	
			including					161.0	162.0	1.0	21.8	
WST-20-0468	117.45	Lynx 321	192.5	453494	5435287	130	2	143.8	146.7	2.9	3.28	
			including					143.8	144.7	0.9	6.34	
WST-20-0469	117.99	Lynx 303	183.5	453493	5435287	149	15	136.0	138.4	2.4	13.4	
WST-20-0470	117.87	Lynx	183.5	453493	5435287	158	9	86.2	88.2	2.0	73.8	15.0
			including					87.5	87.8	0.3	492	100
WST-20-0471	117.43	Lynx 321	180.5	453493	5435287	156	2	126.0	128.5	2.5	47.8	32.0
			including					127.7	128.5	0.8	148	100
WST-20-0471	117.43	Lynx 315	180.5	453493	5435287	156	2	154.9	157.0	2.1	12.4	
			including					155.8	156.5	0.7	36.0	
WST-20-0473	117.01	Lynx 304	201.5	453493	5435287	149	-16	101.0	103.0	2.0	12.3	
			including					102.5	103.0	0.5	48.6	
WST-20-0482	116.5	Lynx 323	180.5	453449	5435264	165	9	87.9	90.0	2.1	6.00	
WST-20-0483	116.22	Lynx 304	192.6	453449	5435264	170	2	98.0	100.0	2.0	4.93	
			including					98.4	98.7	0.3	24.1	
WST-20-0484	154.36	Lynx	159.6	453359	5435209	138	-26	43.1	45.5	2.4	4.80	
			including					43.7	44.0	0.3	33.1	
WST-20-0484	154.36	Lynx 304	159.6	453359	5435209	138	-26	94.2	96.3	2.1	13.5	
			including					94.8	95.2	0.4	31.0	
WST-20-0485	153.85	Lynx 323	180.6	453359	5435209	148	-44	106.3	108.3	2.0	5.5	
			including					107.9	108.3	0.4	27.2	
WST-20-0485	153.85	Lynx 304	180.6	453359	5435209	148	-44	119.3	121.0	1.7	12.6	
			including					119.3	119.7	0.4	60.5	
WST-20-0485	153.85	Lynx 359	180.6	453359	5435209	148	-44	143.2	145.3	2.1	16.3	
			including					144.3	145.0	0.7	48.4	
WST-20-0486	154.01	Lynx 325	162.0	453359	5435209	130	-37	44.8	47.3	2.4	11.2	
			including					46.8	47.3	0.5	34.8	
WST-20-0486	154.01	Lynx 303	162.0	453359	5435209	130	-37	51.5	54.5	3.0	14.9	
WST-20-0486	154.01	Lynx 323	162.0	453359	5435209	130	-37	93.0	95.0	2.0	5.03	
WST-20-0487	154.8	Lynx 304	177.3	453358	5435208	140	-5	89.0	91.5	2.5	6.87	
			including					91.1	91.5	0.4	36.4	
WST-20-0487	154.8	Lynx 359	177.3	453358	5435208	140	-5	103.7	106.0	2.3	25.2	
			including					104.4	105.0	0.6	53.2	
WST-20-0494	117.34	Lynx 301	189.2	453495	5435288	124	0	164.4	166.4	2.0	10.8	
			including					165.2	165.5	0.3	84.8	
WST-20-0495	117.31	Lynx 304	183.6	453495	5435288	165	2	119.0	121.0	2.0	8.89	
			including					120.6	121.0	0.4	30.7	
WST-20-0495	117.31	Lynx 321	183.6	453495	5435288	165	2	131.2	133.2	2.0	8.8	
			including					133.1	133.5	0.4	16.9	
WST-20-0498	135.55	Lynx 320	168.5	453228	5435126	132	-11	108.0	110.0	2.0	3.23	
			including					108.5	109.0	0.5	12.9	
WST-20-0499	135.39	Lynx 311	162.7	453228	5435126	131	-21	96.0	98.2	2.2	16.5	
			including					97.0	97.4	0.4	83.5	
WST-20-0500	135.34	Lynx 311	165.5	453228	5435126	139	-30	96.1	98.4	2.3	10.2	
			including					97.0	97.4	0.4	49.0	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-20-0500	135.34	Lynx 304	165.5	453228	5435126	139	-30	132.0	134.5	2.5	10.1	
								132.9	133.6	0.7	35.9	
WST-20-0506	155.92	Lynx 311	141.3	453357	5435208	175	30	82.7	85.1	2.4	6.21	
WST-20-0508	124.41	Lynx 311	138.4	453316	5435165	136	-12	51.4	53.5	2.1	6.01	
								52.8	53.1	0.3	37.7	
WST-20-0508	124.41	Lynx 323	138.4	453316	5435165	136	-12	70.5	72.8	2.3	9.05	
WST-20-0508	124.41	Lynx 308	138.4	453316	5435165	136	-12	77.4	80.0	2.6	4.45	
								77.7	78.1	0.4	21.9	
WST-20-0508	124.41	Lynx 304	138.4	453316	5435165	136	-12	93.9	96.0	2.1	94.9	22.0
								93.9	94.3	0.4	483	100
WST-20-0508	124.41	Lynx 359	138.4	453316	5435165	136	-12	109.0	111.2	2.2	19.2	
								110.7	111.2	0.5	71.7	
WST-20-0511	125.16	Lynx 308	162.3	453316	5435165	137	8	82.5	88.4	5.9	15.8	
								83.4	84.0	0.6	78.7	
WST-20-0511	125.16	Lynx 304	162.3	453316	5435165	137	8	92.0	94.0	2.0	9.36	
								93.6	94.0	0.4	45.0	
WST-20-0515	68.92	Lynx 323	186.4	453418	5435305	158	-33	156.0	158.0	2.0	24.4	20.4
								157.0	157.4	0.4	120	100
WST-20-0515	68.92	Lynx 304	186.4	453418	5435305	158	-33	165.0	171.0	2.0	25.0	21.0
								169.0	169.4	0.4	120	100
WST-20-0541	123.64	Lynx 323	144.4	453315	5435165	150	-40	74.3	74.6	0.3	90700	100
WST-20-0549	230.85	Lynx 356	525.5	453304	5435065	165	-59	310.5	312.7	2.2	327	28.2
								310.5	311.1	0.6	1195	100