



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
EAG-11-254 ext	2500	FW3U	754.5	5434676	452369	329	-57	684.1	690.9	6.8	24.7	
<i>including</i>								686.5	688.7	2.2	59.7	
EAG-11-269ext	2575	FW3U	997.5	452471	5434647	325	-53	737.1	744.0	6.9	7.71	
<i>including</i>								739.7	740.7	1.0	42.1	
EAG-11-269ext	2575	FW4	997.5	452471	5434647	325	-53	886.6	898.3	11.7	0.10	
EAG-13-494	2750	FW3 HW	707.0	5434537	452731	330	-60	1013.0	1016.0	3.0	5.70	
EAG-13-494	2750	FW3	707.0	5434537	452731	330	-60	1055.1	1057.1	2.0	8.38	
<i>including</i>								1055.1	1055.6	0.5	32.1	
EAG-13-525 ext	2700		698.6	5434618	452643	331	-60	<i>No significant results</i>				
OBM-15-552	2400	Caribou S1	1247.2	5434436	452390	329	-60	449.0	452.0	3.0	5.70	
OBM-15-552	2400	-	1247.2	5434436	452390	329	-60	707.0	711.0	4.0	2.28	
OBM-15-552	2400	FW1	1247.2	5434436	452390	329	-60	743.0	757.0	14.0	0.43	
OBM-15-552	2400	-	1247.2	5434436	452390	329	-60	881.0	882.0	1.0	29.2	
<i>including</i>								881.0	881.5	0.5	57.3	
OBM-15-552	2400	-	1247.2	5434436	452390	329	-60	901.0	901.8	0.8	15.6	
OBM-15-552	2400	-	1247.2	5434436	452390	329	-60	929.0	931.0	2.0	3.29	
<i>including</i>								929.8	930.3	0.5	8.83	
OBM-15-552	2400	FW3	1247.2	5434436	452390	329	-60	937.0	942.8	5.8	1.98	
<i>including</i>								937.7	938.2	0.5	17.5	
OBM-15-552	2400	Footwall of FW3	1247.2	5434436	452390	329	-60	951.5	951.8	0.3	11.0	
OBM-15-552	2400	FW4	1247.2	5434436	452390	329	-60	1163.5	1164.5	1.0	8.09	
OBM-15-553	2125		47.7	5434313	452173	328	-60	<i>No significant results</i>				
OBM-15-554	2125	Caribou W2	1135.5	5434313	452173	336	-61	335.1	339.0	3.9	0.41	
OBM-15-554	2125	FW3	1135.5	5434313	452173	336	-61	922.0	924.0	2.0	1.85	
OBM-15-554	2125	-	1135.5	5434313	452173	336	-61	1082.8	1085.0	2.2	3.10	
OBM-15-554	2125	FW4	1135.5	5434313	452173	336	-61	1094.0	1097.2	3.2	2.43	
OBM-15-554	2125	Footwall of FW4	1135.5	5434313	452173	336	-61	1102.0	1105.0	3.0	6.33	
<i>including</i>								1102.0	1103.0	1.0	18.2	
OBM-15-555	2400	-	285.0	5434397	452428	330	-60	282.8	284.2	1.4	14.9	
OBM-15-556	1850	FW1	1112.8	5434189	451899	330	-60	677.0	677.3	0.3	65.4	
OBM-15-556	1850	FW3	1112.8	5434189	451899	330	-60	832.8	841.0	8.2	0.07	
OBM-15-556	1850	FW4	1112.8	5434189	451899	330	-60	1057.1	1062.1	5.0	0.41	
OBM-15-557	2400	-	1282.5	5434393	452429	332	-61	200.1	202.1	2.0	4.12	
<i>including</i>								200.1	200.8	0.7	9.94	
OBM-15-557	2400	-	1282.5	5434393	452429	332	-61	350.7	351.2	0.5	9.33	
OBM-15-557	2400	Caribou S1	1282.5	5434393	452429	332	-61	479.5	485.3	5.8	0.75	
OBM-15-557	2400	FW1	1282.5	5434393	452429	332	-61	852.7	855.0	2.3	4.19	
<i>including</i>								853.4	854.3	0.9	7.64	
OBM-15-557	2400	-	1282.5	5434393	452429	332	-61	894.5	901.3	6.8	5.27	
<i>including</i>								894.5	894.8	0.3	2590	100
OBM-15-557	2400	FW3	1282.5	5434393	452429	332	-61	971.0	981.3	10.3	3.80	
<i>including</i>								975.9	980.6	4.7	7.46	
<i>and</i>								975.9	976.9	1.0	23.4	
OBM-15-557	2400	-	1282.5	5434393	452429	332	-61	1136.7	1143.0	6.3	3.67	
<i>including</i>								1136.7	1137.5	0.8	20.6	
OBM-15-558	2750		118.5	5434559	452749	330	-60	<i>No significant results</i>				
OBM-15-559	2750	-	1321.0	5434559	452749	333	-60	271.5	272.5	1.0	6.06	
OBM-15-559	2750	Caribou S3 footwall	1321.0	5434559	452749	333	-60	545.8	547.0	1.2	6.76	
OBM-15-559	2750	Potential new lens	1321.0	5434559	452749	333	-60	628.9	631.7	2.8	5.24	
OBM-15-559	2750	Potential new lens	1321.0	5434559	452749	333	-60	646.5	666.9	20.4	7.04	
<i>including</i>								646.5	650.5	4.0	12.9	
<i>and</i>								646.5	647.5	1.0	39.0	
<i>and</i>								654.0	657.4	3.4	12.8	
<i>and</i>								662.5	666.9	4.4	8.90	
OBM-15-559	2750	Potential new lens	1321.0	5434559	452749	333	-60	681.0	684.7	3.7	10.0	
OBM-15-559	2750	Potential new lens	1321.0	5434559	452749	333	-60	751.0	761.0	10.0	7.00	
OBM-15-559	2750	-	1321.0	5434559	452749	333	-60	976.1	979.0	2.9	5.74	
<i>including</i>								977.3	978.0	0.7	23.0	
OBM-15-560	2550	Caribou S1	1509.5	5434252	452670	333	-57	701.9	708.0	6.1	11.0	
<i>including</i>								702.3	703.4	1.1	45.7	
<i>and</i>								705.1	707.0	2.0	8.38	
OBM-15-560	2550	Vein in Red Dog	1509.5	5434252	452670	333	-57	737.8	738.3	0.5	69.6	
OBM-15-560	2550	FW0	1509.5	5434252	452670	333	-57	957.0	959.0	2.0	12.5	
<i>including</i>								958.0	959.0	1.0	18.6	
OBM-15-560	2550	FW1	1509.5	5434252	452670	333	-57	1123.0	1136.0	13.0	5.71	
<i>including</i>								1131.5	1132.4	0.9	41.0	
<i>and</i>								1132.4	1133.0	0.6	21.3	
OBM-15-560	2550	Splay FW3	1509.5	5434252	452670	333	-57	1196.8	1203.0	6.2	11.1	
<i>including</i>								1199.4	1199.9	0.5	48.1	
OBM-15-561	2300	shallow mineralization	61.0	5434597	452184	330	-52	21.0	22.0	1.0	121	100
OBM-15-562	2400	Zone 27	125.9	5434775	452194	151	-64	77.0	89.0	12.0	0.98	
OBM-15-563	2375		232.5	5434682	452237	330	-50	<i>No significant results</i>				
OBM-15-564	2675	Potential new lens	1528.5	5434367	452759	330	-60	436.6	439.9	3.3	22.3	
<i>including</i>								439.5	439.9	0.4	171	100
OBM-15-564	2675	Caribou S1	1528.5	5434367	452759	330	-60	666.7	674.1	7.4	5.59	
<i>including</i>								666.7	668.8	2.1	17.9	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-15-564	2675	-	1528.5	5434367	452759	330	-60	865.4	867.8	2.4	8.29	
OBM-15-564	2675	New potential lens	1528.5	5434367	452759	330	-60	947.0	954.0	7.0	7.49	
<i>including</i>								948.8	949.3	0.5	85.4	
OBM-15-564	2675	FW1	1528.5	5434367	452759	330	-60	1102.9	1105.0	2.1	7.19	
OBM-15-564	2675	Hanging wall of FW3	1528.5	5434367	452759	330	-60	1268.9	1271.0	2.1	4.09	
OBM-15-564	2675	Hanging wall of FW3	1528.5	5434367	452759	330	-60	1286.9	1288.9	2.0	5.10	
<i>including</i>								1286.9	1287.4	0.5	18.5	
OBM-15-564	2675	FW3	1528.5	5434367	452759	330	-60	1295.0	1297.1	2.1	5.32	
OBM-15-565	2375	Caribou	286.5	5434628	452263	330	-50	30.0	39.0	9.0	3.59	
<i>including and</i>								30.5	31.0	0.5	19.3	
<i>and</i>								37.5	39.0	1.5	6.58	
OBM-15-565	2375	Zone 27	286.5	5434628	452263	330	-50	234.4	241.0	6.6	2.78	
<i>including and</i>								234.4	237.0	2.6	4.94	
<i>and</i>								234.4	235.3	0.9	8.18	
OBM-15-566	2300	Zone 27	196.5	5434745	452096	151	-72	68.5	73.0	4.5	2.37	
<i>including</i>								71.1	72.1	1.0	4.94	
OBM-15-567	2250	Zone 27	70.5	5434692	452071	150	-63	35.8	39.0	3.2	3.45	
OBM-15-568	2400	Upper Zone 27	215.9	5434698	452259	330	-50	72.5	92.5	20.0	1.04	
<i>including</i>								82.5	87.0	4.5	2.34	
OBM-15-568	2400	Extension Upper Zone 27	215.9	5434698	452259	330	-50	98.0	101.0	3.0	4.52	
OBM-15-568	2400	Zone 27	215.9	5434698	452259	330	-50	179.5	182.0	2.5	1.63	
OBM-16-569	2425	Zone 27	232.5	5434688	452271	331	-54	79.5	99.5	20.0	0.62	
OBM-16-569	2425	New splay of zone 27	232.5	5434688	452271	331	-54	125.3	127.5	2.2	18.2	
<i>including</i>								126.5	127.0	0.5	56.3	
OBM-16-569	2425	Zone 27	232.5	5434688	452271	331	-54	218.3	220.5	2.2	10.6	
<i>including</i>								218.3	218.9	0.6	26.6	
OBM-16-570	2150	Caribou W2	202.0	5434403	452122	331	-50	107.0	109.6	2.6	31.1	
<i>including</i>								107.9	108.6	0.7	111	100
OBM-16-571	2150	-	265.0	5434364	452148	331	-50	28.4	31.0	2.6	4.20	
<i>including</i>								28.4	29.2	0.8	13.6	
OBM-16-571	2150	-	265.0	5434364	452148	331	-50	162.0	164.0	2.0	32.3	
<i>including</i>								162.0	162.4	0.4	161	100
OBM-16-571	2150	Caribou	265.0	5434364	452148	331	-50	165.5	172.7	7.2	1.20	
<i>including</i>								168.5	169.5	1.0	4.50	
OBM-16-572	2400	Upper Zone 27	262.5	5434662	452262	331	-50	101.5	103.5	2.0	97.3	
<i>including</i>								101.5	102.5	1.0	194	100
OBM-16-572	2400	Hanging wall Zone 27	262.5	5434662	452262	331	-50	199.0	203.0	4.0	2.17	
<i>including</i>								200.0	200.6	0.6	10.3	
OBM-16-572	2400	Zone 27	262.5	5434662	452262	331	-50	226.0	232.0	6.0	1.81	
<i>including and</i>								229.3	230.0	0.7	5.83	
<i>and</i>								231.0	232.0	1.0	3.52	
OBM-16-573	2725	-	652.5	5434672	452639	332	-51	107.0	109.0	2.0	3.77	
OBM-16-573	2725	-	652.5	5434672	452639	332	-51	302.0	304.0	2.0	5.43	
<i>including</i>								302.0	303.0	1.0	10.6	
OBM-16-573	2725	-	652.5	5434672	452639	332	-51	313.0	315.0	2.0	32.9	
<i>including</i>								313.5	314.6	1.1	59.7	
OBM-16-573	2725	-	652.5	5434672	452639	332	-51	443.4	446.1	2.7	4.86	
<i>including</i>								444.4	444.8	0.4	17.3	
OBM-16-573	2725	Zone 27-3	652.5	5434672	452639	332	-51	569.3	571.8	2.5	15.3	
<i>including</i>								569.3	569.8	0.5	48.8	
OBM-16-574	2175	Caribou W2	229.5	5434397	452162	331	-50	159.0	168.0	9.0	0.75	
<i>including</i>								165.5	165.8	0.3	4.46	
OBM-16-575	2125	Caribou W2	232.5	5434354	452118	331	-50	182.4	193.1	10.7	0.68	
<i>including</i>								187.0	193.1	6.1	1.06	
OBM-16-576	2075	-	202.5	5434363	452068	331	-50	<i>No significant results</i>				
OBM-16-577	2950	-	144.5	5434777	452820	330	-62	129.0	133.0	4.0	4.13	
<i>including</i>								132.0	133.0	1.0	11.1	
OBM-16-578	2050	Caribou W1	202.5	5434347	452040	331	-50	164.0	179.5	15.5	0.39	
<i>including</i>								171.9	172.5	0.6	3.19	
OBM-16-579	2300	-	250.5	5434611	452184	331	-48	36.6	39.0	2.4	19.7	
<i>including</i>								36.6	37.5	0.9	51.8	
OBM-16-579	2300	Zone 27	250.5	5434611	452184	331	-48	196.5	199.8	3.3	1.28	
OBM-16-580	2950	-	1272.5	5434773	452818	332	-63	441.4	446.8	5.4	4.30	
OBM-16-580	2950	Zone 27	1272.5	5434773	452818	332	-63	672.4	675.8	3.4	9.49	
OBM-16-580	2950	FW4	1272.5	5434773	452818	332	-63	1162.2	1168.2	6.0	19.6	
<i>including and</i>								1162.2	1162.8	0.6	150	100
<i>and</i>								1167.9	1168.2	0.3	97.7	
OBM-16-581	1950	Caribou W	202.5	5434301	451955	331	-50	153.6	166.4	12.8	0.78	
<i>including</i>								153.6	155.1	1.5	3.32	
OBM-16-582	2775	-	511.0	5434696	452690	334	-52	216.0	218.8	2.8	15.9	
OBM-16-583	1700	-	802.5	5434110	451767	334	-55	774.0	777.0	3.0	19.0	
<i>including</i>								776.0	777.0	1.0	55.0	
OBM-16-584	2900	-	84.0	5434870	452722	327	-65	36.0	38.0	2.0	5.67	
<i>including</i>								36.5	37.1	0.6	16.9	
OBM-16-584	2900	Vein	84.0	5434870	452722	327	-65	57.0	59.0	2.0	287	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								57.0	58.0	1.0	566	100
OBM-16-584	2900	-	84.0	5434870	452722	327	-65	70.9	74.5	3.6	6.19	
<i>including</i>								73.7	74.5	0.8	26.4	
OBM-16-585	2950	-	84.0	5434887	452768	330	-67	<i>No significant results</i>				
OBM-16-586	3000	-	153.0	5434860	452835	330	-65	8.6	10.7	2.1	6.62	
OBM-16-586	3000	-	153.0	5434860	452835	330	-65	18.0	21.0	3.0	17.6	
OBM-16-587	3000	-	84.0	5434914	452806	331	-66	12.9	16.3	3.4	3.08	
OBM-16-588	3050	-	102.0	5434899	452873	329	-67	65.9	67.9	2.0	5.45	
<i>including</i>								67.0	67.5	0.5	19.3	
OBM-16-589	3050	-	84.0	5434930	452856	331	-70	<i>No significant results</i>				
OBM-16-590	1700	-	748.5	5434183	451726	330	-55	<i>No significant results</i>				
OBM-16-591	3100	-	120.0	5434948	452902	327	-59	<i>No significant results</i>				
OBM-16-592	2750	-	51.0	5434841	452559	330	-78	<i>No significant results</i>				
OBM-16-593	2800	Crustiform vein	78.0	5434862	452606	150	-72	46.4	48.6	2.2	5.17	
OBM-16-593	2800	Crustiform vein	78.0	5434862	452606	150	-72	53.0	57.6	4.6	8.43	
<i>including</i>								55.3	55.6	0.3	230	100
OBM-16-594	2850	C-south-2	150.0	5434932	452624	150	-80	88.8	100.0	11.2	1.13	
OBM-16-594	2850	C-south-2	150.0	5434932	452624	150	-80	136.9	139.3	2.4	2.56	
OBM-16-595	2950	New zone	75.0	5435033	452679	145	-80	63.0	65.5	2.5	4.08	
OBM-16-596	2875	-	27.0	5434568	452855	328	-60	<i>No significant results</i>				
OBM-16-597	2100	-	277.5	5434512	452005	331	-53	<i>No significant results</i>				
OBM-16-598	2775	Caribou S1	1383.5	5434568	452855	333	-61	504.7	508.0	3.3	9.44	
<i>including</i>								507.0	508.0	1.0	25.1	
OBM-16-598	2775	C-south-3	1383.5	5434568	452855	333	-61	542.1	558.8	16.7	1.62	
OBM-16-598	2775	FW3	1383.5	5434568	452855	333	-61	1115.0	1122.4	7.4	5.56	
<i>including</i>								1118.0	1119.0	1.0	9.33	
<i>including</i>								1121.9	1122.4	0.5	56.8	
OBM-16-599	2100	Zone 27	271.5	5434537	451986	332	-50	193.0	198.6	5.6	2.11	
OBM-16-600	2150	Zone 27 hanging wall	253.5	5434563	452030	331	-48	166.6	170.8	4.2	12.9	
<i>including</i>								166.6	167.7	1.1	18.9	
<i>and</i>								169.7	170.8	1.1	23.5	
OBM-16-600	2150	Zone 27	253.5	5434563	452030	331	-48	178.5	182.0	3.5	3.36	
OBM-16-601	2600	Caribou	507.5	5434677	452476	332	-51	231.1	233.5	2.4	5.43	
OBM-16-601	2600	Zone 27	507.5	5434677	452476	332	-51	425.0	427.3	2.3	0.90	
OBM-16-602	1700	-	760.5	5434254	451679	330	-57	193.5	196.5	3.0	14.1	
<i>including</i>								194.5	195.1	0.6	68.2	
OBM-16-602	1700	FW1	760.5	5434254	451679	330	-57	407.0	409.0	2.0	7.84	
<i>including</i>								407.6	408.1	0.5	25.7	
OBM-16-602	1700	FW3	760.5	5434254	451679	330	-57	489.5	491.5	2.0	0.35	
OBM-16-602	1700	FW4	760.5	5434254	451679	330	-57	749.0	751.0	2.0	2.86	
OBM-16-603	2150	Zone 27	250.5	5434548	452042	331	-50	188.0	207.9	19.9	11.4	
<i>including</i>								188.0	189.4	1.4	54.1	
<i>and</i>								200.4	207.9	7.5	20.3	
<i>and</i>								206.0	207.9	1.9	71.6	
<i>and</i>								206.7	207.0	0.3	142	100
OBM-16-603	2150	Footwall Zone 27	250.5	5434548	452042	331	-50	233.0	235.5	2.5	4.31	
OBM-16-604	2150	Zone 27	280.5	5434533	452046	330	-53	234.0	237.0	3.0	4.29	
OBM-16-605	2575	New zone	444.5	5434705	452445	332	-51	320.0	322.0	2.0	3.64	
OBM-16-605	2575	Zone 27	444.5	5434705	452445	332	-51	345.0	347.8	2.8	0.90	
OBM-16-606	2175	Zone 27	280.1	5434559	452072	331	-50	192.1	197.1	5.0	13.8	
<i>including</i>								196.0	196.8	0.8	76.9	
OBM-16-607	1700	-	625.5	5434330	451641	332	-55	<i>FW1 - No significant results</i>				
OBM-16-607	1700	-	625.5	5434330	451641	332	-55	<i>FW3 - No significant results</i>				
OBM-16-607	1700	-	625.5	5434330	451641	332	-55	<i>FW4 - No significant results</i>				
OBM-16-608	2225	-	250.5	5434590	452095	331	-50	87.0	89.1	2.1	5.64	
<i>including</i>								88.3	89.1	0.8	14.2	
OBM-16-608	2225	Zone 27	250.5	5434590	452095	331	-50	177.3	186.6	9.3	10.3	
<i>including</i>								179.5	181.5	2.0	12.9	
<i>including</i>								183.0	183.5	0.5	232	100
<i>including</i>								183.8	184.2	0.4	13.7	
OBM-16-608	2225	Footwall of Zone 27	250.5	5434590	452095	331	-50	201.2	205.0	3.8	7.21	
<i>including</i>								203.2	204.2	1.0	21.4	
OBM-16-609	2550	Zone 27	552.5	5434642	452459	331	-49	426.5	437.7	11.2	5.21	
OBM-16-609	2550	FW3U HW	552.5	5434642	452459	331	-49	641.8	646.0	4.2	1.17	
OBM-16-609	2550	FW3U	552.5	5434642	452459	331	-49	654.3	662.0	7.7	63.2	23.7
<i>including</i>								656.0	658.0	2.0	18.9	
<i>including</i>								660.0	662.0	2.0	222	69.7
OBM-16-610	2225	Zone 27	271.5	5434571	452108	331	-50	191.0	192.0	1.0	8.15	
OBM-16-610	2225	Zone 27	271.5	5434571	452108	331	-50	198.1	203.0	4.9	3.81	
<i>including</i>								198.1	198.9	0.8	9.06	
<i>including</i>								202.1	203.0	0.9	6.82	
OBM-16-610	2225	Footwall of Zone 27	271.5	5434571	452108	331	-50	221.0	226.0	5.0	24.2	
<i>including</i>								223.5	224.5	1.0	419	100
OBM-16-611	2250	-	250.5	5434597	452122	332	-49	87.0	91.5	4.5	4.44	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	
OBM-16-611	2250	Zone 27	250.5	5434597	452122	332	-49	177.6	182.0	4.4	3.44		
			<i>including</i>						177.6	178.5	0.9	5.70	
OBM-16-612	2775		141.5	5434378	452851	331	-58	<i>Hole abandoned</i>					
OBM-16-613	2550	Caribou	252.5	5434676	452431	332	-51	151.0	153.2	2.2	4.83		
OBM-16-613	2550	Footwall Caribou	252.5	5434676	452431	332	-51	157.8	160.0	2.2	4.43		
OBM-16-614	2775	-	1119.5	5434378	452851	333	-60	417.0	419.0	2.0	3.06		
OBM-16-614	2775	Caribou S3	1119.5	5434378	452851	333	-60	797.1	799.6	2.5	0.69		
OBM-16-614	2775	-	1119.5	5434378	452851	333	-60	1020.0	1022.1	2.1	3.85		
OBM-16-614	2775	New zone between FW1 et FW3	1119.5	5434378	452851	333	-60	1026.8	1030.2	3.4	11.2		
			<i>including</i>						1029.9	1030.2	0.3	84.9	
OBM-16-614	2775	New zone between FW1 et FW3	1119.5	5434378	452851	333	-60	1036.7	1039.0	2.3	3.99		
			<i>including</i>						1037.5	1038.0	0.5	13.2	
OBM-16-614-W1	2775	FW0	1519.5	5434380	452850	333	-60	1020.1	1023.0	2.9	4.96		
			<i>including</i>						1020.7	1021.3	0.6	17.9	
OBM-16-614-W1	2775	New zone below I2F intrusion	1519.5	5434380	452850	333	-60	1032.0	1034.0	2.0	3.60		
OBM-16-614-W1	2775	New zone below I2F intrusion	1519.5	5434380	452850	333	-60	1043.7	1046.0	2.3	5.34		
OBM-16-614-W1	2775	FW1	1519.5	5434380	452850	333	-60	1204.0	1206.0	2.0	3.40		
			<i>including</i>						1204.0	1205.0	1.0	6.30	
OBM-16-614-W1	2775	Quartz veins	1519.5	5434380	452850	333	-60	1301.0	1303.0	2.0	3.23		
			<i>including</i>						1301.0	1302.0	1.0	6.40	
OBM-16-614-W1	2775	FW3	1519.5	5434380	452850	333	-60	1340.0	1342.0	2.0	4.22		
			<i>including</i>						1341.0	1342.0	1.0	8.26	
OBM-16-615	2200	Zone 27	85.5	5434645	452038	331	-64	54.5	57.0	2.5	4.35		
OBM-16-616	1675	FW3	403.5	5434464	451557	332	-61	122.4	124.8	2.4	18.9		
			<i>including</i>						123.8	124.5	0.7	37.3	
OBM-16-617	2150	Zone 27	97.5	5434636	451986	327	-73	44.3	50.0	5.7	6.94		
OBM-16-618	2525	Extension Caribou N2	492.0	5434636	452426	333	-51	281.3	283.8	2.5	5.77		
OBM-16-618	2525	-	492.0	5434636	452426	333	-51	286.9	289.0	2.1	6.25		
OBM-16-618	2525	Hanging wall Zone 27	492.0	5434636	452426	333	-51	398.0	408.0	10.0	1.00		
OBM-16-618	2525	footwall Zone 27	492.0	5434636	452426	333	-51	433.5	436.3	2.8	8.96		
			<i>including</i>						435.5	436.3	0.8	23.6	
OBM-16-618	2525	FW3 Upper	492.0	5434636	452426	333	-51	685.0	688.4	3.4	0.14		
OBM-16-619	2150	Zone 27	127.5	5434676	451964	328	-70	69.0	72.1	3.1	1.64		
OBM-16-619	2150	Zone 27-1	127.5	5434676	451964	328	-70	98.5	101.0	2.5	1.61		
			<i>including</i>						99.6	100.0	0.4	8.27	
OBM-16-620	2200	Mallard	76.5	5434866	451913	327	-67	25.0	27.1	2.1	3.70		
OBM-16-621	2250		55.5	5434877	451965	330	-57	<i>Mallard - No significant results</i>					
OBM-16-622	1875		115.5	5434772	451605	330	-71	<i>No significant results</i>					
OBM-16-623	2250		49.5	5434900	451951	330	-57	<i>No significant results</i>					
OBM-16-624	2300	Zone 27	61.5	5434711	452117	150	-67	27.4	30.7	3.3	1.60		
OBM-16-624	2300	Zone 27	61.5	5434711	452117	150	-67	36.7	38.8	2.1	1.09		
OBM-16-625	2525	-	526.5	5434675	452404	333	-51	167.0	169.0	2.2	11.2		
OBM-16-625	2525	-	526.5	5434675	452404	333	-51	269.0	271.0	2.0	4.29		
OBM-16-625	2525	Zone 27 HW	526.5	5434675	452404	333	-51	333.3	336.0	2.7	7.97		
			<i>including</i>						333.3	334.2	0.9	15.6	
OBM-16-625	2525	Zone 27 FW	526.5	5434675	452404	333	-51	349.0	352.0	3.0	3.83		
OBM-16-625	2525	-	526.5	5434675	452404	333	-51	518.7	521.0	2.3	23.8		
OBM-16-625	2525		526.5	5434675	452404	333	-51	<i>Caribou - No significant results</i>					
OBM-16-626	2350	Caribou (upper extension)	82.5	5434626	452224	151	-68	40.5	43.0	2.5	41.8		
			<i>including</i>						40.5	41.4	0.9	136	100
OBM-16-626	2350	Crustiform vein	82.5	5434626	452224	151	-68	60.9	63.3	2.4	23.3		
			<i>including</i>						60.9	61.2	0.3	69.6	
			<i>including</i>						62.6	63.3	0.7	40.3	
OBM-16-627	1875		103.5	5434766	451590	320	-56	<i>Crustiform vein - No significant results</i>					
OBM-16-628	2375		31.3	5434613	452252	343	-50	<i>Hole abandoned</i>					
OBM-16-629	1875		82.5	5434795	451582	332	-68	<i>Crustiform vein - No significant results</i>					
OBM-16-630	2350	Zone 27	280.5	5434613	452251	329	-51	244.3	248.6	4.3	1.13		
OBM-16-631	1800		121.5	5434780	451501	151	-56	<i>Crustiform vein - No significant results</i>					
OBM-16-632	1750		106.5	5434740	451462	155	-51	<i>Crustiform vein - No significant results</i>					
OBM-16-633	2350	Zone 27	273.2	5434637	452222	332	-51	203.6	205.8	2.2	7.81		
			<i>including</i>						204.0	204.3	0.3	51.5	
OBM-16-634	1875		166.5	5434851	451547	146	-57	<i>Crustiform vein - No significant results</i>					
OBM-16-635	2500		100.5	5434862	452260	333	-78	<i>Caribou - No significant results</i>					
OBM-16-636	2350	Caribou	301.5	5434584	452240	331	-50	43.6	51.2	7.6	0.51		
OBM-16-636	2350	Zone 27	301.5	5434584	452240	331	-50	253.1	256.0	2.9	0.56		
OBM-16-636	2350		301.5	5434584	452240	331	-50	<i>C-west-4 - No significant results</i>					
OBM-16-639	2825	Shear Zone	267.5	5434725	452719	330	-61	18.0	20.0	2.0	2.96		
OBM-16-640	2325		400.5	5434605	452214	330	-50	<i>No significant results</i>					
OBM-16-642	2825	New zone	1091.3	5434726	452719	334	-61	318.4	321.0	2.6	10.0		
OBM-16-642	2825	Caribou North 2	1091.3	5434726	452719	334	-61	510.0	521.0	11.0	3.46		
OBM-16-642	2825	Closing of Zone 27-3	1091.3	5434726	452719	334	-61	610.0	620.6	10.6	1.11		
OBM-16-642	2825	FW3	1091.3	5434726	452719	334	-61	816.4	817.8	1.4	0.28		
OBM-16-642	2825	New underdog corridor	1091.3	5434726	452719	334	-61	934.0	937.9	3.9	17.2		
			<i>including</i>						934.0	934.3	0.3	264	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-16-643	2325	Caribou	301.5	5434580	452217	330	-50	35.0	38.0	3.0	4.95	
OBM-16-643	2325	New zone	301.5	5434580	452217	330	-50	172.0	177.4	5.4	2.48	
		<i>including</i>						174.0	175.0	1.0	6.93	
OBM-16-643	2325	Zone 27	301.5	5434580	452217	330	-50	245.6	247.9	2.3	25.2	
		<i>including</i>						245.6	246.1	0.5	254	100
OBM-16-643	2325	Zone 27 footwall	301.5	5434580	452217	330	-50	261.7	264.0	2.3	5.03	
OBM-16-645	2325	Pyrite vein	397.5	5434629	452201	330	-50	155.0	155.4	0.4	46.4	
OBM-16-645	2325	Zone 27 (pyrite vein)	397.5	5434629	452201	330	-50	184.3	187.0	2.7	2.31	
		<i>including</i>						184.3	184.6	0.3	6.88	
OBM-16-645	2325	Zone 27 footwall	397.5	5434629	452201	330	-50	219.9	222.0	2.1	5.67	
OBM-16-647	2500	Caribou	121.5	5434658	452381	332	-44	100.8	103.0	2.2	5.00	
OBM-16-648	2450		88.5	5434649	452327	329	-65	<i>No significant results</i>				
OBM-16-649	2400	Caribou	127.5	5434647	452268	151	-78	37.0	39.1	2.1	4.37	
OBM-16-649	2400	Caribou	127.5	5434647	452268	151	-78	48.6	51.0	2.4	9.55	
OBM-16-649	2400	Caribou	127.5	5434647	452268	151	-78	81.0	83.5	2.5	3.33	
OBM-16-649	2400	Caribou	127.5	5434647	452268	151	-78	95.5	98.0	2.5	3.93	
OBM-16-650	2900		139.5	5434816	452749	331	-45	<i>No significant results</i>				
OBM-16-651	2350	Zone 27	187.5	5434676	452214	322	-46	73.1	79.1	6.0	0.73	
OBM-16-651	2350	Zone 27 footwall	187.5	5434676	452214	322	-46	158.5	163.8	5.3	8.94	
		<i>including</i>						163.3	163.8	0.5	30.5	
OBM-16-653	2950		112.5	5434960	452727	330	-51	<i>No significant results</i>				
OBM-16-654	2250	Zone 27	268.5	5434591	452134	330	-52	171.9	183.0	11.1	0.96	
OBM-16-655	2400	New zone	955.5	5434353	452439	333	-61	207.0	209.5	2.5	3.82	
		<i>including</i>						208.0	209.5	1.5	6.82	
OBM-16-655	2400	Tourmaline vein	955.5	5434353	452439	333	-61	410.0	412.0	2.0	10.8	
		<i>including</i>						410.0	411.0	1.0	21.6	
OBM-16-655	2400	Quartz vein in I2F	955.5	5434353	452439	333	-61	539.4	539.8	0.4	6.06	
OBM-16-655	2400	Quartz-carbonate-chlorite vein in I2F	955.5	5434353	452439	333	-61	550.0	550.3	0.3	75.5	
OBM-16-655	2400	New zone	955.5	5434353	452439	333	-61	917.5	928.5	11.0	5.30	
		<i>including</i>						924.0	928.5	4.5	10.2	
OBM-16-656	2500	Caribou	337.5	5434680	452359	329	-48	60.4	62.5	2.1	6.48	
OBM-16-656	2500	Caribou footwall	337.5	5434680	452359	329	-48	67.7	73.4	5.7	6.19	
		<i>including</i>						72.5	73.4	0.9	24.4	
OBM-16-656	2500	New zone	337.5	5434680	452359	329	-48	195.5	198.3	2.8	3.39	
		<i>including</i>						197.8	198.3	0.5	9.20	
OBM-16-656	2500	Hanging wall of Zone 27	337.5	5434680	452359	329	-48	255.2	261.0	5.8	9.04	
		<i>including</i>						260.0	260.5	0.5	73.8	
OBM-16-656	2500	Zone 27	337.5	5434680	452359	329	-48	273.3	276.4	3.1	30.6	
		<i>including</i>						274.2	275.3	1.1	70.8	
OBM-16-656	2500	Zone 27	337.5	5434680	452359	329	-48	296.0	299.0	3.0	8.30	
		<i>including</i>						296.0	297.0	1.0	22.2	
OBM-16-658	2650	Caribou South 1	925.5	5434621	452611	333	-60	380.0	382.0	2.0	45.8	
		<i>including</i>						380.0	381.0	1.0	90.0	
OBM-16-658	2650	Caribou South 3	925.5	5434621	452611	333	-60	450.0	454.0	4.0	1.66	
OBM-16-658	2650	New zone	925.5	5434621	452611	333	-60	519.0	527.0	8.0	8.90	
		<i>including</i>						521.0	521.8	0.8	18.8	
		<i>and</i>						522.4	523.4	1.0	37.1	
OBM-16-658	2650	Caribou North 2	925.5	5434621	452611	333	-60	562.4	564.5	2.1	3.96	
OBM-16-658	2650	Zone 27-3	925.5	5434621	452611	333	-60	675.0	676.8	1.8	3.98	
		<i>including</i>						676.0	676.8	0.8	8.80	
OBM-16-658	2650	FW3	925.5	5434621	452611	333	-60	851.0	854.0	3.0	0.19	
OBM-16-660	2500	Caribou	427.5	5434668	452376	329	-52	93.0	98.7	5.7	2.16	
OBM-16-660	2500	Caribou	427.5	5434668	452376	329	-52	125.1	132.0	6.9	7.25	
		<i>including</i>						129.6	130.7	1.1	24.3	
OBM-16-660	2500	Zone 27	427.5	5434668	452376	329	-52	301.7	305.4	3.7	2.24	
OBM-16-662	2525	Hanging wall of Caribou	211.5	5434665	452423	330	-53	129.3	131.4	2.1	3.09	
OBM-16-662	2525	Caribou	211.5	5434665	452423	330	-53	173.7	179.7	6.0	0.95	
OBM-16-663	2525	New zone	451.5	5434658	452402	330	-53	233.7	236.1	2.4	30.2	
		<i>including</i>						233.7	234.4	0.7	169	100
OBM-16-663	2525	Zone 27 hanging wall	451.5	5434658	452402	330	-53	366.8	371.0	4.2	2.92	
		<i>including</i>						366.8	367.2	0.4	11.4	
		<i>and</i>						370.0	371.0	1.0	5.11	
OBM-16-663	2525	Zone 27	451.5	5434658	452402	330	-53	383.5	395.2	11.7	5.38	
		<i>including</i>						384.3	388.5	4.2	10.9	
OBM-16-664	2500	Caribou	499.5	5434618	452396	329	-55	172.9	175.9	3.0	7.34	
		<i>including</i>						173.7	174.6	0.9	17.8	
OBM-16-664	2500	Zone 27	499.5	5434618	452396	329	-55	439.3	449.5	10.2	4.64	
		<i>including</i>						439.3	440.0	0.7	29.7	
		<i>and</i>						449.0	449.5	0.5	19.1	
OBM-16-664	2500	Crustiform vein	499.5	5434618	452396	329	-55	453.0	453.3	0.3	178	100
OBM-16-667	2500	Quartz-tourmaline vein	526.5	5434597	452410	330	-55	111.6	114.0	2.4	3.70	
		<i>including</i>						111.6	112.6	1.0	8.86	
OBM-16-667	2500	Zone 27	526.5	5434597	452410	330	-55	482.5	485.5	3.0	0.81	
OBM-16-667	2500		526.5	5434597	452410	330	-55	<i>Caribou - No significant results</i>				
OBM-16-668	2575	Caribou hanging wall	442.5	5434674	452450	330	-45	129.1	131.5	2.4	4.67	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								130.0	130.6	0.6	17.6	
OBM-16-668	2575	New Zone	442.5	5434674	452450	330	-45	197.0	199.0	2.0	6.36	
<i>including</i>								198.0	199.0	1.0	12.7	
OBM-16-668	2575	New Zone	442.5	5434674	452450	330	-45	220.5	223.0	2.5	29.3	
<i>including</i>								222.1	223.0	0.9	76.1	
OBM-16-668	2575	Zone 27	442.5	5434674	452450	330	-45	351.6	355.6	4.0	7.54	
OBM-16-668	2575		442.5	5434674	452450	330	-45	<i>Caribou - No significant results</i>				
OBM-16-669	2625	Caribou South 2	403.5	5434712	452503	330	-45	141.0	143.0	2.0	0.66	
OBM-16-669	2625	Caribou	403.5	5434712	452503	330	-45	175.8	177.8	2.0	2.98	
OBM-16-669	2625	Caribou footwall	403.5	5434712	452503	330	-45	189.0	192.0	3.0	3.02	
<i>including</i>								189.0	189.8	0.8	6.76	
OBM-16-669	2625	New zone	403.5	5434712	452503	330	-45	307.0	309.0	2.0	5.00	
OBM-16-669	2625	Zone 27	403.5	5434712	452503	330	-45	330.0	332.3	2.3	0.84	
OBM-16-669	2625	Zone 27 footwall	403.5	5434712	452503	330	-45	384.7	387.2	2.5	3.92	
OBM-16-671	2450	New zone	490.5	5434591	452374	330	-57	89.5	93.0	3.5	3.62	
<i>including</i>								92.0	93.0	1.0	8.04	
OBM-16-671	2450	Crustiform vein	490.5	5434591	452374	330	-57	339.4	342.0	2.6	15.9	
<i>including</i>								339.4	339.8	0.4	152	100
OBM-16-671	2450	New zone	490.5	5434591	452374	330	-57	361.4	365.9	4.5	5.99	
OBM-16-671	2450	Tourmaline vein	490.5	5434591	452374	330	-57	377.1	379.2	2.1	7.37	
<i>including</i>								378.6	379.2	0.6	19.5	
OBM-16-671	2450	Zone 27	490.5	5434591	452374	330	-57	466.5	470.8	4.3	0.49	
OBM-16-671	2450		490.5	5434591	452374	330	-57	<i>Caribou - No significant results</i>				
OBM-16-672	2150	Caribou West 2	352.5	5434431	452106	333	-47	82.5	87.0	4.5	1.69	
OBM-16-672	2150		352.5	5434431	452106	333	-47	<i>Zone 27 - No significant results</i>				
OBM-16-673	2650	Crustiform veining	496.5	5434736	452518	330	-57	117.0	119.6	2.6	3.19	
<i>including</i>								118.8	119.6	0.8	7.61	
OBM-16-673	2650	Caribou South 2	496.5	5434736	452518	330	-57	132.0	134.3	2.3	2.27	
OBM-16-673	2650	Caribou	496.5	5434736	452518	330	-57	226.5	236.7	10.2	0.88	
OBM-16-673	2650	Zone 27 hanging wall	496.5	5434736	452518	330	-57	450.0	453.3	3.3	0.84	
OBM-16-674	2125	New zone	172.5	5434714	451921	150	-60	17.0	19.0	2.0	7.71	
<i>including</i>								17.7	18.0	0.3	50.1	
OBM-16-674	2125	Zone 27 footwall	172.5	5434714	451921	150	-60	61.0	64.0	3.0	2.98	
<i>including</i>								63.0	64.0	1.0	7.19	
OBM-16-674	2125	Zone 27 footwall	172.5	5434714	451921	150	-60	72.0	74.0	2.0	6.62	
<i>including</i>								72.7	74.0	1.3	9.77	
OBM-16-674	2125	Zone 27 footwall	172.5	5434714	451921	150	-60	76.2	78.8	2.6	4.10	
OBM-16-674	2125	Zone 27	172.5	5434714	451921	150	-60	106.3	113.0	6.7	16.6	
<i>including</i>								106.3	107.0	0.7	47.0	
<i>and</i>								110.4	111.8	1.4	45.7	
OBM-16-674	2125	Zone 27 hanging wall	172.5	5434714	451921	150	-60	159.0	161.2	2.2	10.4	
<i>including</i>								159.6	161.2	1.6	14.3	
OBM-16-675	2425	Caribou	433.5	5434607	452338	332	-55	98.6	101.0	2.4	0.52	
OBM-16-675	2425	New zone	433.5	5434607	452338	332	-55	297.6	301.7	4.1	8.23	
OBM-16-675	2425	Crustiform vein	433.5	5434607	452338	332	-55	331.0	333.0	2.0	9.10	
<i>including</i>								331.5	331.9	0.4	42.8	
OBM-16-675	2425	Zone 27	433.5	5434607	452338	332	-55	395.9	400.2	4.3	3.18	
OBM-16-676	2350	Quartz vein	157.5	5434543	452261	330	-54	25.2	26.0	0.8	43.4	
OBM-16-676	2350	Caribou West 4	157.5	5434543	452261	330	-54	124.5	127.0	2.5	0.49	
OBM-16-677	2350	Zone 27 upper	126.5	5434724	452177	328	-51	43.8	46.0	2.2	3.34	
<i>including</i>								43.8	45.0	1.2	5.73	
OBM-16-677	2350	Zone 27	126.5	5434724	452177	328	-51	70.5	73.0	2.5	4.26	
OBM-16-678	2475	Caribou	187.5	5434661	452347	328	-52	71.0	73.0	2.0	2.07	
OBM-16-679	2450	Zone 27 upper	139.5	5434790	452254	325	-65	50.0	53.6	3.6	2.09	
OBM-16-679	2450	Zone 27	139.5	5434790	452254	325	-65	106.5	112.1	5.6	1.35	
OBM-16-680	2800		19.5	5434834	452622	331	-53	<i>Abandoned</i>				
OBM-16-681	2800	New zone	373.5	5434826	452626	331	-53	78.0	80.2	2.2	4.97	
OBM-16-681	2800		373.5	5434826	452626	331	-53	<i>Caribou South 2 - No significant results</i>				
OBM-16-682	2475	Zone 27	130.5	5434798	452269	331	-55	56.0	58.0	2.0	3.47	
<i>including</i>								57.6	58.0	0.4	16.4	
OBM-16-683	2425		40.5	5434640	452314	330	-53	<i>Abandoned</i>				
OBM-16-684	2500	Caribou	211.5	5434629	452382	331	-53	130.0	134.0	4.0	5.22	
<i>including</i>								132.0	133.0	1.0	15.0	
OBM-16-685	2425	Caribou	385.5	5434638	452315	332	-53	41.4	43.7	2.3	0.82	
OBM-16-685	2425	Zone 27	385.5	5434638	452315	332	-53	321.7	333.4	11.7	5.40	
<i>including</i>								321.7	325.0	3.3	9.63	
OBM-16-686	2475	Zone 27 hanging wall	196.5	5434908	452207	153	-57	133.5	139.0	5.5	3.89	
<i>including</i>								133.5	134.5	1.0	19.5	
OBM-16-686	2475	Zone 27	196.5	5434908	452207	153	-57	153.0	155.0	2.0	2.39	
<i>including</i>								154.5	155.0	0.5	6.36	
OBM-16-686	2475	Zone 27 footwall	196.5	5434908	452207	153	-57	179.0	181.4	2.4	1.39	
OBM-16-687	2550	New zone	571.5	5434592	452476	330	-56	105.0	107.0	2.0	3.36	
OBM-16-687	2550	New zone	571.5	5434592	452476	330	-56	194.0	197.0	3.0	4.32	
OBM-16-687	2550	Caribou - Caribou South 1 connexion	571.5	5434592	452476	330	-56	309.0	311.6	2.6	0.35	
OBM-16-687	2550	zone (between Caribou S1 and Caribou	571.5	5434592	452476	330	-56	354.0	361.0	7.0	6.61	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								354.8	355.4	0.6	67.0	
OBM-16-687	2550	Zone 27	571.5	5434592	452476	330	-56	537.9	540.0	2.1	4.78	
<i>including</i>								537.9	539.2	1.3	7.69	
OBM-16-688	2500		10.1	5434899	452247	148	-61	<i>Abandoned</i>				
OBM-16-689	2725	Caribou	688.5	5434688	452630	330	-54	359.5	370.1	10.8	1.06	
<i>including</i>								359.8	360.8	1.0	3.45	
OBM-16-689	2725	New zone	688.5	5434688	452630	330	-54	492.3	495.4	3.1	9.12	
<i>including</i>								492.3	493.4	1.1	25.1	
OBM-16-689	2725	Zone 27 hanging wall	688.5	5434688	452630	330	-54	577.0	579.3	2.3	4.54	
OBM-16-689	2725	Zone 27 hanging wall	688.5	5434688	452630	330	-54	587.3	589.4	2.1	4.65	
OBM-16-689	2725	Zone 27	688.5	5434688	452630	330	-54	594.0	602.0	8.0	4.36	
<i>including</i>								597.4	599.3	1.9	12.1	
<i>and</i>								601.0	602.0	1.0	6.81	
OBM-16-689	2725	Zone 27 footwall	688.5	5434688	452630	330	-54	615.7	618.0	2.3	9.85	
<i>including</i>								616.4	617.1	0.7	23.7	
OBM-16-690	2500	Zone 27	199.5	5434915	452240	150	-54	117.4	124.9	7.2	0.33	
OBM-16-691	2250	Caribou	329.1	5434636	452456	331	-53	198.4	200.8	2.4	4.26	
OBM-16-692	2525	Crustiform vein	183.5	5434930	452273	150	-54	42.6	47.0	4.4	13.2	
<i>including</i>								42.6	44.9	2.3	23.9	
<i>including</i>								43.0	44.0	1.0	27.9	
<i>and</i>								44.6	44.9	0.3	81.1	
OBM-16-692	2525	Zone 27	183.5	5434930	452273	150	-54	161.9	164.0	2.1	0.66	
OBM-16-693	2525	Caribou	541.5	5434600	452443	331	-54	280.3	283.2	2.9	8.22	
<i>including</i>								282.5	283.2	0.7	31.5	
OBM-16-693	2525	Caribou - Caribou South 1 connexion	541.5	5434600	452443	331	-54	297.0	299.6	2.6	5.14	
OBM-16-693	2525	Caribou North 2	541.5	5434600	452443	331	-54	336.0	339.9	3.9	0.11	
OBM-16-693	2525	Zone 27	541.5	5434600	452443	331	-54	499.0	501.0	2.0	3.23	
OBM-16-693	2525	Zone 27 footwall	541.5	5434600	452443	331	-54	504.8	507.0	2.2	3.28	
<i>including</i>								505.5	505.9	0.4	13.3	
OBM-16-694	2650	Crustiform vein	91.5	5434996	452367	150	-56	19.6	21.6	2.0	7.52	
<i>including</i>								19.6	20.3	0.7	20.5	
OBM-16-695	2850		148.5	5434784	452702	332	-61	<i>Abandoned</i>				
OBM-16-696	2850	Caribou	511.5	5434810	452710	333	-61	348.2	351.5	3.3	5.50	
<i>including</i>								350.0	351.5	1.5	7.82	
OBM-16-697	2575	Quartz tourmaline vein	421.5	5434610	452501	330	-54	228.7	230.7	2.0	16.0	
<i>including</i>								228.7	229.2	0.5	63.5	
OBM-16-697	2575		421.5	5434610	452501	330	-54	<i>Caribou hanging wall -</i>				
OBM-16-697	2575	Caribou	421.5	5434610	452501	330	-54	292.0	302.3	10.3	0.61	
OBM-16-697	2575	Caribou South 1	421.5	5434610	452501	330	-54	315.0	319.3	4.3	1.17	
OBM-16-697	2575	Caribou North 1	421.5	5434610	452501	330	-54	338.0	340.0	2.0	1.23	
OBM-16-697	2575	Caribou North 2	421.5	5434610	452501	330	-54	386.0	388.5	2.5	0.45	
OBM-16-698	2850	New zone, shear	685.5	5434749	452738	332	-60	79.5	82.5	3.0	2.97	
OBM-16-698	2850	New zone	685.5	5434749	452738	332	-60	156.5	159.0	2.5	8.06	
<i>including</i>								156.5	157.5	1.0	19.0	
OBM-16-698	2850	Caribou hanging wall - Quartz tourmaline vein	685.5	5434749	452738	332	-60	443.1	446.0	2.9	3.62	
OBM-16-698	2850	Caribou North 2	685.5	5434749	452738	332	-60	492.3	495.8	3.4	4.49	
<i>including</i>								495.1	495.8	0.6	19.3	
OBM-16-699	1600	FW3	352.5	5434418	451486	330	-60	118.5	121.0	2.5	0.02	
OBM-16-699	1600	New zone	352.5	5434418	451486	330	-60	270.0	272.5	2.5	6.63	
OBM-16-700	2550		127.5	5434608	452469	331	-53	<i>Abandoned</i>				
OBM-16-701	2950	New zone	700.5	5434799	452818	328	-63	262.0	264.0	2.0	3.20	
<i>including</i>								262.5	263.0	0.5	11.9	
OBM-16-701	2950	Tourmaline veins	700.5	5434799	452818	328	-63	310.7	313.0	2.3	3.66	
<i>including</i>								310.7	311.0	0.3	12.1	
OBM-16-701	2950	Quartz vein	700.5	5434799	452818	328	-63	374.7	377.0	2.3	3.28	
<i>including</i>								376.7	377.0	0.3	14.4	
OBM-16-701	2950	New zone	700.5	5434799	452818	328	-63	414.7	420.8	6.1	5.14	
OBM-16-701	2950	Caribou hanging wall	700.5	5434799	452818	328	-63	463.0	470.0	7.0	4.82	
<i>including</i>								463.0	464.0	1.0	22.4	
OBM-16-701	2950	Crustiform vein	700.5	5434799	452818	328	-63	469.0	471.2	2.2	4.51	
OBM-16-701	2950	Extension of Caribou North 2	700.5	5434799	452818	328	-63	551.1	558.0	6.9	8.86	
<i>including</i>								557.0	558.0	1.0	47.7	
OBM-16-701	2950	Eastern extension of Zone 27	700.5	5434799	452818	328	-63	620.2	622.3	2.1	6.68	
<i>including</i>								621.3	622.3	1.0	13.3	
OBM-16-702	2425	Caribou	109.5	5434627	452311	329	-55	52.9	55.7	2.8	2.66	
<i>including</i>								52.9	53.6	0.7	9.69	
OBM-16-703	1625	New zone	679.5	5434235	451622	329	-56	250.5	252.8	2.3	7.81	
<i>including</i>								250.5	251.3	0.8	22.0	
OBM-16-703	1625	Quartz-carbonate veins	679.5	5434235	451622	329	-56	256.1	259.0	2.9	3.34	
OBM-16-703	1625	FW1	679.5	5434235	451622	329	-56	300.7	303.0	2.3	18.4	
<i>including</i>								301.4	302.5	1.1	38.2	
OBM-16-703	1625	New zone	679.5	5434235	451622	329	-56	336.5	338.5	2.0	3.17	
<i>including</i>								336.5	337.7	1.2	5.09	
OBM-16-703	1625	FW3	679.5	5434235	451622	329	-56	469.5	472.5	3.0	0.60	
OBM-16-704	2425	Caribou	795.0	5434627	452311	329	-57	56.0	58.0	2.0	0.79	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-16-704	2425	Zone 27	795.0	5434627	452311	329	-57	346.0	350.2	4.2	3.55	
OBM-16-704	2425	FW3	795.0	5434627	452311	329	-57	594.9	599.2	4.3	0.72	
OBX-16-637	N/A		166.5	5439271	459413	360	-49	No significant results				
OBX-16-638	N/A		250.5	5439131	459298	1	-47	No significant results				
OBX-16-641	N/A	Exploration	379.5	5439413	459580	182	-45	249.8	252.3	2.5	1.12	
OBX-16-641	N/A	Exploration	379.5	5439413	459580	182	-45	256.0	259.0	3.0	1.09	
OBX-16-644	N/A		169.5	5439140	459109	358	-48	No significant results				
OBX-16-646	N/A		400.5	5439135	458692	360	-49	No significant results				
OBX-16-652	N/A	Crustiform vein	235.5	5434175	448639	167	-44	208.7	210.2	1.5	12.7	
OBX-16-657	N/A		262.5	5433925	448718	360	-55	No significant results				
OBX-16-659	N/A		241.5	5433901	448629	356	-46	No significant results				
OBX-16-661	N/A		556.5	5433866	448773	330	-59	No significant results				
OBX-16-665	N/A		21.0	5434379	449316	335	-48	No significant results				
OBX-16-666	N/A	New zone	421.5	5434385	449316	335	-48	151.5	152.5	1.0	44.1	
OBX-16-666	N/A	Sheared vein	421.5	5434385	449316	335	-48	284.0	284.3	0.3	184	100
OBX-16-670	N/A		421.5	5432987	448298	333	-45	No significant results				
OSK-EAG-13-502	2625	FW3 Upper	801.0	452507	5434696	331	-56	695.5	698.2	2.7	37.9	31.6
								695.5	695.8	0.3	66.3	
								695.8	696.1	0.3	38.4	
								696.1	696.6	0.5	134	100
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	746.9	749.9	3.0	15.9	
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	753.0	755.1	2.1	4.22	
OSK-OBM-16-609	2550	FW3U HW	738.0	452459	5434642	331	-49	635.0	637.0	2.0	3.07	
OSK-OBM-16-667	2500	FW3	852.0	452410	5434597	330	-55	660.5	669.0	8.5	12.5	
								663.0	665.0	2.0	37.4	
								663.0	664.2	1.2	50.1	
OSK-OBM-16-697	2575	FW3U	421.5	452500	5434612	330	-54	799.0	801.1	2.1	15.3	
								800.3	801.1	0.8	40.1	
OSK-OBM-16-697	2575	FW3U	421.5	452500	5434612	330	-54	804.1	806.7	2.6	29.1	
								804.1	804.7	0.6	90.1	
OSK-U-16-729	N/A		483.5	5433288	450104	330	-43	No significant results				
OSK-U-16-730	N/A		502.5	449901	5433572	330	-45	No significant results				
OSK-U-16-731	N/A	New zone	499.5	449764	5433851	330	-43	358.5	360.5	2.0	6.78	
								358.5	359.4	0.9	11.1	
OSK-U-16-732	N/A	Fox	421.5	448758	5435641	331	-56	65.5	68.5	3.0	8.04	
								67.0	68.5	1.5	16.1	
OSK-U-16-733	N/A	Shear veins	502.5	448759	5435642	359	-54	47.3	49.0	1.8	3.40	
								47.3	47.8	0.5	9.99	
OSK-U-16-734	N/A	Fox	560.5	448758	5435641	302	-46	406.0	409.1	2.1	39.2	
								407.0	407.7	0.7	96.2	
								408.8	409.1	0.3	48.0	
OSK-U-16-736	N/A	Fox	590.5	448758	5435640	302	-60	260.6	262.7	2.1	5.14	
OSK-U-16-736	N/A	Fox	590.5	448758	5435640	302	-60	313.0	315.6	2.6	4.32	
OSK-U-16-738	N/A	Fox	547.5	448758	5435640	276	-46	217.8	221.7	3.9	2.58	
OSK-U-16-738	N/A	Fox	547.5	448758	5435640	276	-46	272.7	274.4	1.7	2.86	
OSK-W-16-309-W1	2575	Quartz vein in Red Dog	1225.0	5434514	452548	326	-63	612.2	615.0	2.8	9.11	
								614.0	615.0	1.0	24.5	
OSK-W-16-309-W1	2575	FW3	1225.0	5434514	452548	326	-63	965.0	967.0	2.0	1.19	
OSK-W-16-309-W1	2575	New	1225.0	5434514	452548	326	-63	1115.0	1117.0	2.0	5.60	
								1116.0	1117.0	1.0	11.2	
OSK-W-16-309-W2	2575	Caribou North 1	1111.0	5434514	452548	326	-63	520.8	522.7	1.9	0.84	
OSK-W-16-309-W2	2575	FW3	1111.0	5434514	452548	326	-63	924.0	926.0	2.0	0.23	
OSK-W-16-309-W2	2575	New - Underdog corridor	1111.0	5434514	452548	326	-63	972.0	975.0	3.0	5.58	
OSK-W-16-309-W2	2575	New under Red Dog	1111.0	5434514	452548	326	-63	988.0	992.0	4.0	3.27	
OSK-W-16-309-W3	2575	New Zone - Caribou	1174.0	5434514	452548	326	-63	474.0	476.2	2.2	7.63	
OSK-W-16-309-W3	2575	New Zone - Caribou	1174.0	5434514	452548	326	-63	480.4	482.5	2.1	6.32	
								481.3	482.0	0.7	17.3	
OSK-W-16-309-W3	2575	New Zone - Caribou	1174.0	5434514	452548	326	-63	539.2	543.8	4.6	11.8	
								542.0	543.0	1.0	47.9	
OSK-W-16-309-W3	2575	New Zone - Caribou	1174.0	5434514	452548	326	-63	883.7	886.5	2.8	0.48	
OSK-W-16-311-W1	2325	FW1	1155.0	5434424	452311	330	-62	753.5	756.0	2.5	0.42	
OSK-W-16-311-W1	2325	FW3 hanging wall	1155.0	5434424	452311	330	-62	927.5	930.5	3.0	9.40	
								927.5	929.4	1.9	14.6	
OSK-W-16-311-W1	2325	FW3	1155.0	5434424	452311	330	-62	991.0	993.0	2.0	1.44	
OSK-W-16-311-W1	2325	FW4 Hanging wall	1155.0	5434424	452311	330	-62	1118.0	1120.0	2.0	15.7	
OSK-W-16-311-W1	2325	FW4	1155.0	5434424	452311	330	-62	1131.0	1132.9	1.9	8.32	
								1131.0	1132.0	1.0	15.7	
OSK-W-16-311-W2	2325	FW1	1181.0	5434424	452311	330	-62	734.3	737.8	3.5	0.80	
OSK-W-16-311-W2	2325	FW3 hanging wall	1181.0	5434424	452311	330	-62	918.8	921.0	2.2	13.0	
								919.3	919.6	0.3	88.3	
OSK-W-16-311-W2	2325	FW3 hanging wall	1181.0	5434424	452311	330	-62	970.0	972.0	2.0	6.44	
OSK-W-16-311-W2	2325	FW3	1181.0	5434424	452311	330	-62	992.5	994.9	2.4	6.55	
								993.3	993.9	0.6	24.7	
OSK-W-16-311-W2	2325	FW3 footwall	1181.0	5434424	452311	330	-62	1050.7	1053.4	2.7	7.87	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								1052.4	1053.4	1.0	20.9	
OSK-W-16-311-W2	2325	FW4	1181.0	5434424	452311	330	-62	1149.3	1152.0	2.7	5.21	
<i>including</i>								1150.3	1151.0	0.7	19.9	
OSK-W-16-704-W1	2425	FW3 hanging wall	853.5	5434629	452311	329	-57	641.8	644.5	2.8	6.59	
<i>including</i>								643.1	643.5	0.4	39.1	
OSK-W-16-704-W1	2425	FW3	853.5	5434629	452311	329	-57	649.6	652.5	2.9	15.5	
<i>including</i>								649.6	650.3	0.7	63.6	
OSK-W-16-704-W1	2425	New - Underdog corridor	853.5	5434629	452311	329	-57	671.2	677.5	6.3	6.10	
<i>including</i>								671.2	671.7	0.5	59.3	
OSK-W-16-704-W1	2425	FW4	853.5	5434629	452311	329	-57	797.0	799.0	2.0	25.1	
<i>including</i>								797.5	798.1	0.6	50.5	
OSK-W-16-705	2650	Caribou South 1	1108.5	5434581	452599	333	-60	403.5	405.8	2.3	1.31	
OSK-W-16-705	2650	Caribou South 3	1108.5	5434581	452599	333	-60	482.7	485.0	2.3	0.54	
OSK-W-16-705	2650	Wolf	1108.5	5434581	452599	333	-60	565.0	567.0	2.0	4.04	
<i>including</i>								565.7	566.4	0.7	10.7	
OSK-W-16-705	2650	New Zone	1108.5	5434581	452599	333	-60	594.0	596.2	2.2	3.64	
OSK-W-16-705	2650	FW3	1108.5	5434581	452599	333	-60	899.0	901.9	2.9	3.54	
<i>including</i>								901.1	901.9	0.8	12.3	
OSK-W-16-706	2575	Caribou South 1	1336.5	5434418	452611	330	-58	549.6	552.6	3.0	8.65	
OSK-W-16-706	2575	FW1	1336.5	5434418	452611	330	-58	950.3	952.6	2.3	12.3	
<i>including</i>								950.3	951.3	1.0	29.4	
OSK-W-16-706	2575	FW3	1336.5	5434418	452611	330	-58	1135.0	1138.9	3.9	0.72	
OSK-W-16-706-W1	2525	Caribou South 1	1276.5	5434420	452610	330	-58	546.5	563.0	16.5	5.75	
OSK-W-16-706-W1	2525	Caribou South 1 - cut to 100 g/t Au	1276.5	5434420	452610	330	-58	546.5	563.0	16.5	3.53	
<i>including</i>								549.2	549.5	0.3	222	100
OSK-W-16-706-W1	2525	Caribou South 1 footwall	1276.5	5434420	452610	330	-58	558.3	563.0	4.7	3.41	
<i>including</i>								558.3	558.7	0.4	14.5	
OSK-W-16-706-W1	2525	FW0	1276.5	5434420	452610	330	-58	818.8	821.3	2.5	28.1	
<i>including</i>								819.4	820.0	0.6	127	100
OSK-W-16-706-W1	2525	FW1 hanging wall	1276.5	5434420	452610	330	-58	886.2	888.2	2.0	4.93	
<i>including</i>								886.2	887.2	1.0	9.72	
OSK-W-16-706-W1	2525	FW1	1276.5	5434420	452610	330	-58	902.5	904.5	2.0	2.85	
OSK-W-16-706-W1	2525	FW2	1276.5	5434420	452610	330	-58	981.1	992.0	10.9	10.6	
<i>including</i>								981.9	983.7	1.8	24.0	
<i>including</i>								988.5	992.0	3.5	19.4	
OSK-W-16-706-W1	2525	FW2	1276.5	5434420	452610	330	-58	1007.0	1012.0	5.0	7.10	
<i>including</i>								1008.0	1010.0	2.0	13.8	
OSK-W-16-706-W1	2525	FW2	1276.5	5434420	452610	330	-58	1022.0	1024.3	2.3	18.6	
<i>including</i>								1022.9	1023.7	0.8	49.9	
OSK-W-16-706-W1	2525	FW3	1276.5	5434420	452610	330	-58	1033.0	1041.9	8.9	16.6	15.9
<i>including</i>								1033.5	1034.3	0.8	93.6	
<i>including</i>								1041.0	1041.4	0.4	117	100
OSK-W-16-706-W1	2525	FW4	1276.5	5434420	452610	330	-58	1073.1	1077.0	3.9	8.74	
OSK-W-16-706-W1	2525	New - under Red Dog	1276.5	5434420	452610	330	-58	1248.4	1250.9	2.5	3.95	
OSK-W-16-706-W2	2525	Caribou South 1	1297.5	5434420	452610	330	-58	552.0	556.3	4.3	1.87	
OSK-W-16-706-W2	2525	Quartz-tourmaline veins	1297.5	5434420	452610	330	-58	903.0	905.0	2.0	3.12	
OSK-W-16-706-W2	2525	FW1 (AQ core)	1297.5	5434420	452610	330	-58	945.1	951.4	6.3	9.17	
OSK-W-16-706-W2	2525	New - Underdog Corridor	1297.5	5434420	452610	330	-58	1018.0	1020.4	2.4	5.67	
OSK-W-16-706-W2	2525	New - Underdog Corridor	1297.5	5434420	452610	330	-58	1093.8	1098.3	4.5	3.06	
<i>including</i>								1093.8	1094.4	0.6	12.7	
<i>and</i>								1097.4	1098.3	0.9	6.44	
OSK-W-16-706-W2	2525	FW3	1297.5	5434420	452610	330	-58	1146.0	1149.5	3.5	4.95	
<i>including</i>								1147.8	1148.2	0.4	35.3	
OSK-W-16-706-W2	2525	New - Underdog Corridor	1297.5	5434420	452610	330	-58	1176.5	1179.0	2.5	3.20	
<i>including</i>								1177.5	1178.0	0.5	15.7	
OSK-W-16-706-W2	2525	New - Underdog Corridor	1297.5	5434420	452610	330	-58	1203.2	1205.2	2.0	7.33	
<i>including</i>								1204.2	1204.6	0.4	33.6	
OSK-W-16-706-W3	2575	FW1	970.5	5434420	452610	330	-58	944.8	952.5	7.7	7.57	
<i>including</i>								944.8	945.9	1.1	9.15	
<i>and</i>								949.0	950.1	1.1	30.0	
OSK-W-16-707	2675	Caribou South 2	361.5	5434688	452572	331	-52	247.3	249.5	2.2	11.3	
<i>including</i>								248.3	248.7	0.4	58.6	
OSK-W-16-707	2675	Caribou	361.5	5434688	452572	331	-52	319.5	328.0	8.5	0.78	
OSK-W-16-708	2775	Shear and quartz veins	1258.5	5434423	452819	331	-54	354.0	356.2	2.2	3.65	
<i>including</i>								354.8	355.1	0.3	14.0	
OSK-W-16-708	2775	Caribou South 3	1258.5	5434423	452819	331	-54	625.5	628.0	2.5	1.50	
OSK-W-16-708	2775	New	1258.5	5434423	452819	331	-54	755.6	758.0	2.4	3.36	
OSK-W-16-708	2775	Wolf hanging wall	1258.5	5434423	452819	331	-54	796.0	798.0	2.0	17.1	
OSK-W-16-708	2775	New	1258.5	5434423	452819	331	-54	889.5	891.8	2.3	5.55	
<i>including</i>								891.2	891.8	0.6	19.0	
OSK-W-16-708	2775	FW1	1258.5	5434423	452819	331	-54	1021.7	1024.5	2.8	3.94	
<i>including</i>								1022.5	1023.0	0.5	16.1	
OSK-W-16-708	2775	FW3	1258.5	5434423	452819	331	-54	1204.5	1206.7	2.2	0.09	
OSK-W-16-708-W1	2775	Caribou South 3 footwall	1273.5	5434427	452817	331	-54	633.3	635.9	2.6	1.28	
OSK-W-16-708-W1	2775	New	1273.5	5434427	452817	331	-54	706.3	708.7	2.4	3.25	
OSK-W-16-708-W1	2775	New	1273.5	5434427	452817	331	-54	729.3	733.0	3.7	3.89	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-16-724	3050	New - Caribou Corridor	823.5	5434850	452910	329	-65	478.6	480.7	2.1	3.64	
OSK-W-16-724	3050	Caribou North 2 Zone Extension	823.5	5434850	452910	329	-65	576.7	580.0	3.3	5.06	
<i>including</i>								579.7	580.0	0.3	26.7	
OSK-W-16-726	1850	FW3	997.5	5434186	451895	328	-59	837.0	839.9	2.9	0.60	
OSK-W-16-726	1850	New zone under Red Dog	997.5	5434186	451895	328	-59	936.6	938.8	2.2	4.49	
<i>including</i>								938.5	938.8	0.3	18.5	
OSK-W-16-726-W1	1850	FW3	1107.5	5434186	451895	328	-59	962.9	966.3	3.4	0.27	
OSK-W-16-726-W2	1850		565.5	5434186	451895	328	-59	<i>No significant results</i>				
OSK-W-16-727	1775	FW3 Underdog	382.5	5434446	451664	330	-53	274.4	276.5	2.1	9.45	
<i>including</i>								274.9	276.0	1.1	17.2	
OSK-W-16-728	3200	Crustiform vein	1420.5	5434890	453055	334	-66	363.0	365.4	2.4	42.2	17.2
<i>including</i>								363.6	364.0	0.4	25.0	100
OSK-W-16-728	3200	Crustiform vein	1420.5	5434890	453055	334	-66	404.0	404.5	0.5	23.8	
OSK-W-16-728	3200	Caribou Zone extension	1420.5	5434890	453055	334	-66	478.1	481.2	3.1	391	100
OSK-W-16-728	3200	Caribou Zone extension Cut to 100 g/t Au	1420.5	5434890	453055	334	-66	478.1	481.2	3.1	14.7	
<i>including</i>								478.1	478.5	0.4	3020	100
OSK-W-16-728	3200	New zone - Caribou corridor	1420.5	5434890	453055	334	-66	581.6	584.0	2.4	3.18	
OSK-W-16-728	3200	Zone 27 - Crustiform vein	1420.5	5434890	453055	334	-66	752.2	754.9	2.7	4.69	
<i>including</i>								753.1	753.9	0.8	15.6	
OSK-W-16-735	2375	Shear vein	1111.5	5434583	452285	332	-64	58.3	60.5	2.2	13.8	
<i>including</i>								58.3	58.9	0.6	48.7	
OSK-W-16-735	2375	Caribou	1111.5	5434583	452285	332	-64	101.8	137.2	35.4	17.0	
OSK-W-16-735	2375	Caribou Cut to 100g/t Au	1111.5	5434583	452285	332	-64	101.8	137.2	35.4	6.10	
<i>including</i>								103.0	103.5	0.5	10.1	
<i>and</i>								112.0	113.7	1.7	318	100
<i>including</i>								112.0	113.0	1.0	486	100
<i>and</i>								113.0	113.7	0.7	79.2	
OSK-W-16-735	2375	Zone 27	1111.5	5434583	452285	332	-64	322.8	325.0	2.2	14.6	
<i>including</i>								322.8	323.4	0.6	53.0	
OSK-W-16-735	2375	FW1	1111.5	5434583	452285	332	-64	532.4	534.5	2.1	14.1	
<i>including</i>								532.4	533.1	0.7	32.8	
<i>including</i>								534.2	534.5	0.3	19.6	
OSK-W-16-735	2375	FW1 Footwall	1111.5	5434583	452285	332	-64	554.4	557.8	3.4	10.8	
<i>including</i>								554.4	554.8	0.4	76.9	
OSK-W-16-735	2375	FW3	1111.5	5434583	452285	332	-64	676.5	681.1	4.6	0.71	
OSK-W-16-735	2375	FW4 Hangingwall	1111.5	5434583	452285	332	-64	797.8	800.0	2.2	6.75	
<i>including</i>								798.8	799.1	0.3	48.4	
OSK-W-16-735	2375	FW4 Hangingwall	1111.5	5434583	452285	332	-64	812.0	814.9	2.9	8.57	
<i>including</i>								814.4	814.9	0.5	43.0	
OSK-W-16-735	2375	FW4	1111.5	5434583	452285	332	-64	824.2	828.4	4.2	33.6	24.4
<i>including</i>								824.2	824.5	0.3	228	100
<i>and</i>								826.8	828.4	1.6	36.8	
OSK-W-16-735-W1	2375	Z27-2	1072.5	5434583	452285	332	-64	345.8	348.0	2.2	4.50	
OSK-W-16-735-W1	2375	Zone 27	1072.5	5434583	452285	332	-64	404.1	406.0	1.9	1.14	
OSK-W-16-735-W1	2375	Quartz vein in Red Dog	1072.5	5434583	452285	332	-64	427.5	428.5	1.0	5.13	
OSK-W-16-735-W1	2375	Quartz vein in Red Dog	1072.5	5434583	452285	332	-64	477.8	478.1	0.3	11.8	
OSK-W-16-735-W1	2375	FW1	1072.5	5434583	452285	332	-64	520.5	527.3	6.8	11.6	8.70
<i>including</i>								521.5	522.0	0.5	140	100
OSK-W-16-735-W1	2375	FW3	1072.5	5434583	452285	332	-64	743.3	749.0	5.7	1.04	
OSK-W-16-735-W2	2375	FW1	1091.0	5434583	452285	332	-64	532.2	535.7	3.5	12.2	
OSK-W-16-735-W2	2375	FW1	1091.0	5434583	452285	332	-64	545.8	548.6	2.8	6.80	
OSK-W-16-735-W2	2375	FW3	1091.0	5434583	452285	332	-64	808.5	818.3	9.8	7.92	
OSK-W-16-735-W2	2375	FW3	1091.0	5434583	452285	332	-64	822.7	828.0	5.3	11.7	
<i>including</i>								825.0	825.5	0.5	54.1	
OSK-W-16-737	3375		73.5	5434928	453236	332	-66	<i>Abandoned</i>				
OSK-W-16-739	3375		43.5	5434928	453236	332	-65	<i>Abandoned</i>				
OSK-W-16-740	3375	Vein	1465.5	5434925	453238	340	-66	137.4	140.0	2.6	7.21	
<i>including</i>								138.7	139.2	0.5	23.6	
OSK-W-16-740	3375	Lynx	1465.5	5434925	453238	340	-66	159.0	161.0	2.0	4.49	
OSK-W-16-740	3375	Lynx FW	1465.5	5434925	453238	340	-66	248.5	256.7	8.2	4.72	
<i>including</i>								249.5	250.1	0.6	13.0	
<i>including</i>								255.7	256.7	1.0	19.3	
OSK-W-16-740	3375	Crustiform Vein	1465.5	5434925	453238	340	-66	305.4	310.0	4.6	5.69	
<i>including</i>								305.4	306.1	0.7	11.8	
<i>including</i>								309.0	310.0	1.0	16.3	
OSK-W-16-740	3375	CN2	1465.5	5434925	453238	340	-66	720.5	722.8	2.3	9.66	
<i>including</i>								720.5	721.5	1.0	19.5	
OSK-W-16-740	3375	New UnderDog	1465.5	5434925	453238	340	-66	1389.0	1391.4	2.4	8.71	
<i>including</i>								1390.2	1390.5	0.3	67.9	
OSK-W-16-741	2525		247.5	5434237	452651	329	-65	<i>No significant results</i>				
OSK-W-16-742	2525		31.5	5434237	452651	330	-64	<i>Abandoned</i>				
OSK-W-16-743	2525	New zone	1561.5	5434237	452651	334	-64	672.2	674.7	2.5	6.44	
OSK-W-16-743	2525	New zone	1561.5	5434237	452651	334	-64	701.1	703.8	2.7	4.91	
<i>including</i>								703.1	703.8	0.7	15.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t		
OSK-W-16-743	2525	CS1	1561.5	5434237	452651	334	-64	776.4	777.3	0.9	1.91			
OSK-W-16-743	2525	New zone	1561.5	5434237	452651	334	-64	790.4	792.8	2.4	4.71			
								including		790.4	790.7	0.3	37.1	
OSK-W-16-743	2525	FW0	1561.5	5434237	452651	334	-64	1007.0	1009.7	2.7	2.52			
OSK-W-16-743	2525	FW1	1561.5	5434237	452651	334	-64	1173.6	1183.3	9.7	3.37			
								including		1179.2	1179.8	0.6	13.3	
OSK-W-16-743	2525	FW2	1561.5	5434237	452651	334	-64	1233.7	1236.3	2.6	303	47.0		
								including		1233.7	1235.8	2.1	375	57.7
OSK-W-16-743	2525	FW3	1561.5	5434237	452651	334	-64	1366.0	1368.2	2.2	5.55			
OSK-W-16-743-W1	2525	CS1	1489.5	5434237	452651	334	-64	774.0	776.0	2.0	1.10			
								including		774.6	775.0	0.4	5.05	
OSK-W-16-743-W1	2525	FW0	1489.5	5434237	452651	334	-64	1000.5	1005.7	5.2	5.77			
								including		1001.3	1003.7	2.4	11.0	
OSK-W-16-743-W1	2525	FW0 FW	1489.5	5434237	452651	334	-64	1060.0	1063.0	3.0	3.62			
								including		1060.0	1060.5	0.5	7.97	
OSK-W-16-743-W1	2525	FW2 HW	1489.5	5434237	452651	334	-64	1243.5	1245.6	2.1	6.77			
OSK-W-16-743-W1	2525	FW2	1489.5	5434237	452651	334	-64	1251.8	1254.4	2.6	8.13			
								including		1252.1	1252.9	0.8	24.0	
OSK-W-16-743-W1	2525	FW3	1489.5	5434237	452651	334	-64	1394.0	1396.0	2.0	6.29			
								including		1394.0	1394.9	0.9	12.9	
OSK-W-16-743-W2	2525	CS1	1626.7	5434237	452651	334	-64	748.0	751.0	3.0	10.3			
								including		749.6	751.0	1.4	21.5	
OSK-W-16-743-W2	2525	FW0	1626.7	5434237	452651	334	-64	1160.0	1162.9	2.9	3.52			
OSK-W-16-743-W2	2525	FW2	1626.7	5434237	452651	334	-64	1373.7	1376.3	2.6	9.10			
								including		1374.5	1375.3	0.8	27.5	
OSK-W-16-744	2775	New zone	690.9	5434732	452665	331	-56	268.0	270.5	2.5	5.24			
								including		269.0	270.5	1.5	8.35	
OSK-W-16-744	2775	Caribou	690.9	5434732	452665	331	-56	365.0	374.0	9.0	5.00			
								including		372.0	373.0	1.0	31.2	
OSK-W-16-744	2775	Caribou North 2	690.9	5434732	452665	331	-56	417.4	419.9	2.5	4.44			
								including		419.5	419.9	0.4	20.0	
OSK-W-16-744	2775	Zone 27	690.9	5434732	452665	331	-56	578.0	594.0	16.0	4.92			
								including		578.0	582.0	4.0	15.2	
OSK-W-16-746	2650	Caribou	874.5	5434670	452551	331	-57	343.0	348.2	5.2	5.50			
								including		344.8	345.2	0.4	47.2	
OSK-W-16-746	2650	Caribou North 2	874.5	5434670	452551	331	-57	378.2	378.9	0.7	0.16			
OSK-W-16-746	2650	New zone	874.5	5434670	452551	331	-57	455.4	457.7	2.3	3.87			
								including		456.9	457.7	0.8	9.29	
OSK-W-16-746	2650	Vein	874.5	5434670	452551	331	-57	603.0	606.7	3.7	16.5			
OSK-W-16-747	2475	Quartz-tourmaline vein	548.1	5434487	452449	331	-57	153.0	155.0	2.0	3.66			
								including		154.0	154.3	0.3	23.6	
OSK-W-16-747	2475	Caribou	548.1	5434487	452449	331	-57	298.3	300.7	2.4	13.7			
								including		298.3	299.3	1.0	31.5	
OSK-W-16-747	2475	Caribou South 1	548.1	5434487	452449	331	-57	417.0	419.0	2.0	11.4			
								including		417.8	418.3	0.5	45.3	
OSK-W-16-747	2475	Caribou North 1	548.1	5434487	452449	331	-57	467.1	468.9	1.8	2.17			
								Zone 27 ; cross-cut by Red Dog						
OSK-W-16-749	2450	CS1	553.0	5434389	452486	332	-58	504.6	510.0	5.4	12.7			
								including		504.6	505.3	0.7	35.2	
								including		506.0	510.0	4.0	10.7	
OSK-W-16-749	2450	CS1 FW	553.0	5434389	452486	332	-58	522.0	525.1	3.1	3.43			
OSK-W-16-750	3550	Crustiform vein	1660.1	5434933	453439	339	-69	418.2	420.5	2.3	17.0			
OSK-W-16-750	3550	Caribou	1660.1	5434933	453439	339	-69	709.0	711.0	2.0	41.8			
OSK-W-16-750	3550	UnderDog	1660.1	5434933	453439	339	-69	983.5	985.8	2.3	14.8			
								including		984.6	985.2	0.6	56.0	
OSK-W-16-750	3550	UnderDog	1660.1	5434933	453439	339	-69	1430.0	1432.0	2.0	4.65			
OSK-W-16-751	3200	Caribou - Shear Zone	943.5	5434930	453032	337	-64	403.0	407.7	4.7	3.09			
OSK-W-16-751	3200	Caribou - Shear Zone	943.5	5434930	453032	337	-64	466.9	469.0	2.1	5.21			
								including		466.9	467.8	0.9	11.5	
OSK-W-16-751	3200	Caribou	943.5	5434930	453032	337	-64	504.6	507.0	2.4	3.17			
OSK-W-16-751	3200	CN2	943.5	5434930	453032	337	-64	519.2	521.5	2.3	6.57			
OSK-W-16-751	3200	Zone 27	943.5	5434930	453032	337	-64	795.6	796.9	1.3	0.07			
OSK-W-16-753	2725	Caribou South 3	756.5	5434463	452756	332	-58	666.5	674.0	7.5	7.92			
								including		666.5	670.1	3.6	14.1	
OSK-W-16-753	2725	Caribou	756.5	5434463	452756	332	-58	688.0	690.7	2.7	4.09			
OSK-W-16-754	2675	CS1	1564.5	5434303	452767	332	-59	724.4	726.5	2.1	7.15			
								including		724.9	725.5	0.6	24.6	
OSK-W-16-754	2675	FW0	1564.5	5434303	452767	332	-59	1108.0	1111.0	3.0	4.94			
								including		1110.0	1111.0	1.0	11.9	
OSK-W-16-754	2675	FW0 FW	1564.5	5434303	452767	332	-59	1128.4	1131.0	2.6	3.66			
								including		1129.2	1129.5	0.3	22.0	
OSK-W-16-754	2675	FW3	1564.5	5434303	452767	332	-59	1422.7	1430.0	7.3	9.76			
								including		1424.0	1425.6	1.6	34.6	
OSK-W-16-755	3375	Lynx	1078.5	5434971	453213	336	-65	63.0	69.0	6.0	11.8			
								including		64.0	64.9	0.9	67.1	
OSK-W-16-755	3375	Lynx Footwall	1078.5	5434971	453213	336	-65	147.0	149.0	2.0	8.12			



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					147.4	147.9	0.5	30.4	
OSK-W-16-755	3375	Caribou Hangingwall	1078.5	5434971	453213	336	-65	188.5	191.0	2.5	3.30	
			<i>including</i>					189.5	190.2	0.7	10.6	
OSK-W-16-755	3375	Caribou	1078.5	5434971	453213	336	-65	568.0	572.9	4.9	2.11	
			<i>including</i>					569.7	570.2	0.5	11.6	
OSK-W-16-755	3375	CN2	1078.5	5434971	453213	336	-65	617.0	621.8	4.8	2.08	
OSK-W-16-755	3375	Vein	1078.5	5434971	453213	336	-65	668.0	670.0	2.0	5.60	
OSK-W-16-755-W1	3375	CN2	685.5	5434973	453213	336	-65	670.7	674.5	3.8	0.61	
OSK-W-16-756	2750	CS1	803.0	5434392	452809	331	-58	672.8	675.4	2.6	3.29	
			<i>including</i>					673.8	674.6	0.8	9.66	
OSK-W-16-756	2750	Vein	803.0	5434392	452809	331	-58	756.6	759.1	2.5	3.70	
			<i>including</i>					758.8	759.1	0.3	26.4	
OSK-W-16-759	3175	Caribou HW	891.5	5434975	452988	330	-65	189.1	193.5	4.4	4.20	
OSK-W-16-759	3175	CN2	891.5	5434975	452988	330	-65	377.4	381.3	3.9	1.53	
OSK-W-16-759	3175	Zone 27	891.5	5434975	452988	330	-65	540.2	542.4	2.2	0.46	
OSK-W-16-760	3550	Lynx HW	1561.5	5434971	453403	331	-65	208.0	211.0	3.0	14.1	
			<i>including</i>					208.5	211.0	2.5	16.7	
OSK-W-16-760	3550	Lynx	1561.5	5434971	453403	331	-65	223.0	232.0	9.0	95.3	42.7
OSK-W-16-760	3550	Lynx	1561.5	5434971	453403	331	-65	223.0	232.0	9.0	42.7	
			<i>including</i>					226.3	232.0	5.7	148	65.0
OSK-W-16-760	3550	Crustiform vein	1561.5	5434971	453403	331	-65	250.5	255.0	4.5	7.79	
OSK-W-16-760	3550	Crustiform vein	1561.5	5434971	453403	331	-65	354.3	357.0	2.7	5.50	
OSK-W-16-761	3375	Lynx FW	1387.5	5434993	453182	330	-61	54.5	56.5	2.0	19.4	
OSK-W-16-761	3375	Lynx	1387.5	5434993	453182	330	-61	64.7	67.0	2.3	71.3	64.3
OSK-W-16-762	2675	CS1 HW	775.5	5434409	452730	332	-56	554.0	556.8	2.8	3.29	
			<i>including</i>					555.0	556.8	1.8	4.95	
OSK-W-16-762	2675	Vein	775.5	5434409	452730	332	-56	589.0	591.7	2.7	3.12	
OSK-W-16-762	2675	CS1 FW	775.5	5434409	452730	332	-56	622.0	624.0	2.0	8.89	
			<i>including</i>					623.0	624.0	1.0	17.7	
OSK-W-16-762	2675	CS3	775.5	5434409	452730	332	-56	666.0	673.0	7.0	7.61	
OSK-W-16-762	2675	CS3 FW	775.5	5434409	452730	332	-56	680.0	684.1	4.1	4.70	
			<i>including</i>					682.0	684.1	2.1	8.95	
OSK-W-16-762	2675	Caribou	775.5	5434409	452730	332	-56	693.0	696.0	3.0	4.47	
			<i>including</i>					694.0	695.0	1.0	7.24	
OSK-W-16-764	3375	Caribou extension	1336.3	5435027	453147	329	-60	369.9	374.5	4.6	0.73	
OSK-W-16-764	3375	CN2 extension	1336.3	5435027	453147	329	-60	416.5	420.0	3.5	0.24	
OSK-W-16-765	3175	New zone	901.5	5435002	452955	329	-63	41.3	52.9	11.6	1.11	
OSK-W-16-765	3175	New zone	901.5	5435002	452955	329	-63	82.6	84.0	1.4	4.52	
			<i>including</i>					82.6	82.9	0.3	20.3	
OSK-W-16-765	3175	Caribou extension	901.5	5435002	452955	329	-63	137.0	139.0	2.0	2.27	
			<i>including</i>					137.0	137.5	0.5	8.82	
OSK-W-16-765	3175	Caribou extension	901.5	5435002	452955	329	-63	141.9	144.1	2.2	2.54	
OSK-W-16-765	3175	CN2 extension	901.5	5435002	452955	329	-63	341.1	344.0	2.9	0.98	
OSK-W-16-765	3175	CN2 extension	901.5	5435002	452955	329	-63	364.3	371.0	6.7	0.21	
OSK-W-16-765	3175	Z27 extension	901.5	5435002	452955	329	-63	576.1	577.1	1.0	0.13	
OSK-W-16-766	2650	Vein - Caribou corridor	709.4	5434340	452690	333	-57	341.9	345.0	3.1	5.17	
			<i>including</i>					343.0	343.6	0.6	16.2	
OSK-W-16-766	2650	CS1	709.4	5434340	452690	333	-57	651.1	653.9	2.8	3.60	
OSK-W-16-767	2775	Vein - Shear	1606.5	5434330	452887	331	-60	431.7	433.1	1.4	1.70	
			<i>including</i>					432.8	433.1	0.3	6.72	
OSK-W-16-767	2775	Vein in late dyke	1606.5	5434330	452887	331	-60	865.9	870.0	4.1	3.68	
OSK-W-16-767	2775	FW0	1606.5	5434330	452887	331	-60	1121.0	1123.0	2.0	4.14	
			<i>including</i>					1122.0	1123.0	1.0	7.57	
OSK-W-16-767	2775	FW1	1606.5	5434330	452887	331	-60	1359.7	1368.5	8.8	2.06	
			<i>including</i>					1359.7	1360.1	0.4	22.2	
OSK-W-16-767	2775	FW3	1606.5	5434330	452887	331	-60	1535.5	1548.0	12.5	0.49	
OSK-W-16-769	3175	Vein	922.5	5435051	452932	331	-64	235.6	238.7	3.1	3.52	
			<i>including</i>					237.1	237.7	0.6	13.4	
OSK-W-17-466-W1	2575	FW3 Upper	861.0	452484	5434643	0	0	718.8	724.0	5.2	8.52	
			<i>including</i>					718.8	719.8	1.0	35.7	
OSK-W-17-466-W1	2575	FW3 Upper FW	861.0	452484	5434643	0	0	736.0	738.4	2.4	8.38	
			<i>including</i>					737.5	738.4	0.9	20.3	
OSK-W-17-466-W2	2575	FW3 Upper	900.0	452484	5434643	330	-52	721.0	723.0	2.0	26.6	
			<i>including</i>					721.3	722.3	1.0	51.5	
OSK-W-17-663-W1	2525	FW3U	822.2	452402	5434658	330	-53	648.0	650.0	2.0	4.64	
OSK-W-17-743-W3	2525	CS1	1474.5	5434237	452651	334	-64	816.9	821.6	4.7	1.28	
OSK-W-17-743-W3	2525	Vein - FW0 corridor	1474.5	5434237	452651	334	-64	1058.0	1060.0	2.0	7.44	
OSK-W-17-743-W3	2525	FW0	1474.5	5434237	452651	334	-64	1066.8	1069.5	2.7	1.43	
OSK-W-17-743-W3	2525	FW3	1474.5	5434237	452651	334	-64	1424.0	1436.0	12.0	0.38	
OSK-W-17-743-W4	2525	CS1	1477.5	5434237	452651	334	-64	796.2	799.0	2.8	585	11.5
			<i>including</i>					796.2	796.5	0.3	5450	100
OSK-W-17-743-W4	2525	FW0	1477.5	5434237	452651	334	-64	997.0	1004.5	7.5	0.78	
OSK-W-17-743-W4	2525	QTV	1477.5	5434237	452651	334	-64	1075.2	1078.0	2.8	3.89	
OSK-W-17-743-W4	2525	FW1 HW	1477.5	5434237	452651	334	-64	1100.0	1103.0	3.0	6.86	
			<i>including</i>					1101.8	1102.2	0.4	42.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								1079.0	1080.0	1.0	8.21	
OSK-W-17-780	2850	UnderDog	1552.5	452929	5434374	331	-60	1119.0	1121.0	2.0	5.02	
OSK-W-17-780	2850	FW1 HW	1552.5	452929	5434374	331	-60	1248.0	1250.0	2.0	3.02	
OSK-W-17-780	2850	FW1	1552.5	452929	5434374	331	-60	1271.6	1278.4	6.8	10.6	
<i>including</i>								1276.0	1278.4	2.4	28.9	
OSK-W-17-780	2850	FW3	1552.5	452929	5434374	331	-60	1366.0	1370.0	4.0	34.1	
<i>including</i>								1368.5	1370.0	1.5	90.5	
OSK-W-17-780	2850	FW3 FW	1552.5	452929	5434374	331	-60	1400.0	1404.0	4.0	9.38	
<i>including</i>								1401.0	1402.5	1.5	24.4	
OSK-W-17-780-W1	2850	FW0	1533.0	452929	5434378	331	-60	1074.0	1091.0	17.0	5.97	
<i>including</i>								1079.0	1082.8	3.8	19.7	
OSK-W-17-781	2700	Crustiform vein	1236.0	5434221	452844	332	-61	518.5	520.5	2.0	15.3	
<i>including</i>								519.5	520.5	1.0	30.4	
OSK-W-17-781	2700	CS1	1236.0	5434221	452844	332	-61	778.0	780.5	2.5	3.05	
OSK-W-17-783	3775	Crustiform vein - Lynx FW	1327.5	5435182	453535	329	-72	99.6	101.5	1.9	4.57	
OSK-W-17-783	3775	Caribou extension	1327.5	5435182	453535	329	-72	458.0	460.0	2.0	0.21	
OSK-W-17-784	2825	CS1	895.5	5434491	452860	330	-54	578.5	592.7	14.2	0.96	
OSK-W-17-784	2825	CS3	895.5	5434491	452860	330	-54	660.9	663.3	2.4	0.98	
OSK-W-17-784	2825	Wolf HW	895.5	5434491	452860	330	-54	767.0	770.0	3.0	4.89	
<i>including</i>								769.5	770.0	0.5	15.1	
OSK-W-17-784	2825	Wolf HW	895.5	5434491	452860	330	-54	780.4	786.1	5.7	3.21	
<i>including</i>								785.1	786.1	1.0	13.6	
OSK-W-17-784	2825	Wolf	895.5	5434491	452860	330	-54	823.0	827.0	4.0	0.42	
OSK-W-17-785	2625		51.0	5434414	452673	329	-56					Abandoned
OSK-W-17-786	2625	CS1	718.5	5434412	452673	337	-55	570.3	572.4	2.1	0.26	
OSK-W-17-786	2625	CS3 HW	718.5	5434412	452673	337	-55	652.3	660.1	7.8	5.17	
<i>including</i>								652.3	656.0	3.7	9.85	
OSK-W-17-786	2625	CS3	718.5	5434412	452673	337	-55	664.0	668.9	4.9	6.64	
<i>including</i>								667.9	668.9	1.0	20.5	
OSK-W-17-787	3500	Lynx FW	1207.3	5435040	453324	333	-63	118.7	121.1	2.4	0.96	
OSK-W-17-787	3500	Caribou extension	1207.3	5435040	453324	333	-63	507.9	514.4	6.5	7.21	
<i>including</i>								512.6	513.6	1.0	24.1	
OSK-W-17-787	3500	CN2 extension	1207.3	5435040	453324	333	-63	517.0	521.8	4.8	3.48	
<i>including</i>								521.2	521.8	0.6	13.1	
OSK-W-17-788	3450	Lynx HW	376.5	5434932	453329	332	-66	164.5	166.5	2.0	3.09	
OSK-W-17-788	3450	Lynx	376.5	5434932	453329	332	-66	233.0	250.3	17.3	17.0	12.8
<i>including and</i>								236.4	236.9	0.5	153	100
<i>and</i>								239.0	240.0	1.0	128	100
OSK-W-17-788	3450	Lynx FW	376.5	5434932	453329	332	-66	295.0	297.0	2.0	6.21	
<i>including</i>								296.6	297.0	0.4	25.7	
OSK-W-17-788	3450	Lynx FW	376.5	5434932	453329	332	-66	301.0	303.0	2.0	3.76	
OSK-W-17-789	2525	CS1	1279.5	452546	5434390	333	-59	526.1	533.5	7.4	5.12	
<i>including</i>								527.9	530.0	2.1	16.4	
OSK-W-17-789	2525	CS1 FW	1279.5	452546	5434390	333	-59	538.9	544.1	5.2	7.31	6.39
<i>including</i>								543.8	544.1	0.3	116	100
OSK-W-17-789	2525	CS1 FW	1279.5	452546	5434390	333	-59	583.2	585.7	2.5	3.30	
<i>including</i>								584.4	585.0	0.6	13.3	
OSK-W-17-789	2525	FW0	1279.5	452546	5434390	333	-59	796.8	799.9	3.1	3.01	
OSK-W-17-789	2525	FW1	1279.5	452546	5434390	333	-59	853.0	860.9	7.9	19.4	16.4
<i>including</i>								853.0	857.5	4.5	29.7	
OSK-W-17-789	2525	FW1 FW	1279.5	452546	5434390	333	-59	883.9	885.9	2.0	9.15	
<i>including</i>								884.9	885.6	0.7	24.1	
OSK-W-17-789	2525	FW3	1279.5	452546	5434390	333	-59	964.0	966.3	2.3	8.20	
<i>including</i>								965.0	965.3	0.3	61.7	
OSK-W-17-789-W1	2525	FW0	1198.5	452546	5434390	333	-59	799.5	804.4	4.9	5.63	
<i>including</i>								801.9	802.5	0.6	20.4	
OSK-W-17-789-W1	2525	FW1	1198.5	452546	5434390	333	-59	877.1	880.6	3.5	11.0	
OSK-W-17-789-W1	2525	FW3 HW	1198.5	452546	5434390	333	-59	995.4	997.5	2.1	3.50	
<i>including</i>								995.4	996.0	0.6	10.5	
OSK-W-17-789-W1	2525	FW3	1198.5	452546	5434390	333	-59	1004.1	1006.7	2.6	14.6	
<i>including</i>								1005.2	1006.0	0.8	34.3	
OSK-W-17-789-W1	2525	FW3 / Z14-2	1198.5	452546	5434390	333	-59	1119.8	1122.0	2.2	16.4	
<i>including</i>								1120.4	1121.2	0.8	44.1	
OSK-W-17-789-W2	2500	New / FW0	1195.5	452546	5434388	330	-58	801.0	803.0	2.0	13.2	
OSK-W-17-789-W2	2500	FW1	1195.5	452546	5434388	330	-58	882.0	884.3	2.3	5.00	
OSK-W-17-789-W2	2500	FW1 FW	1195.5	452546	5434388	330	-58	906.5	909.2	2.7	4.79	
OSK-W-17-789-W2	2500	FW3	1195.5	452546	5434388	330	-58	1014.0	1017.0	3.0	8.02	
OSK-W-17-789-W2	2500	FW3 / Z14-2	1195.5	452546	5434388	330	-58	1152.1	1155.2	3.1	25.6	
<i>including</i>								1152.1	1152.7	0.6	44.0	
<i>including</i>								1154.5	1155.2	0.7	67.9	
OSK-W-17-789-W2	2500	FW3 / Z14-2	1195.5	452546	5434388	330	-58	1163.0	1165.7	2.7	5.62	
OSK-W-17-790	3600	Lynx FW	451.5	5434998	453456	332	-66	261.6	265.2	3.6	11.3	
<i>including and</i>								261.6	262.3	0.7	28.7	
<i>and</i>								264.7	265.2	0.5	39.9	
OSK-W-17-790	3600	Lynx FW	451.5	5434998	453456	332	-66	269.5	272.5	3.0	4.32	
<i>including</i>								269.5	270.6	1.1	10.1	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-790	3600	Lynx 2	451.5	5434998	453456	332	-66	293.0	295.0	2.0	8.61	
OSK-W-17-790	3600	Lynx 2	451.5	5434998	453456	332	-66	303.8	308.8	5.0	6.00	
OSK-W-17-790	3600	Lynx 2	451.5	5434998	453456	332	-66	316.9	325.5	8.6	10.5	10.3
<i>including</i>								324.8	325.5	0.7	102	100
OSK-W-17-790	3600	VNCR	451.5	5434998	453456	332	-66	392.5	394.7	2.2	10.9	
OSK-W-17-792	3575	Lynx	439.5	5434960	453446	335	-64	309.5	318.7	9.2	42.1	25.2
<i>including</i>								313.3	314.2	0.9	56.0	
<i>and</i>								315.6	317.6	2.0	162	100
OSK-W-17-792	3575	Crustiform vein	439.5	5434960	453446	335	-64	380.8	384.5	3.7	2.51	
OSK-W-17-799	3650	Lynx HW	451.5	453481	5435035	332	-74	309.3	311.2	1.9	10.6	
OSK-W-17-799	3650	Lynx	451.5	453481	5435035	332	-74	319.8	324.4	4.6	50.9	49.7
<i>including</i>								319.8	320.7	0.9	106	100
<i>and</i>								323.1	324.4	1.3	82.7	
OSK-W-17-799	3650	Lynx FW	451.5	453481	5435035	332	-74	339.8	344.2	4.4	63.8	41.4
<i>including</i>								341.5	342.3	0.8	223	100
OSK-W-17-799	3650	Crustiform vein	451.5	453481	5435035	332	-74	402.0	408.5	6.5	11.0	
OSK-W-17-800	3500	Lynx 1	415.5	5434943	453366	330	-58	193.6	196.0	2.4	16.5	
<i>including</i>								194.1	195.0	0.9	40.4	
OSK-W-17-800	3500	VNCR	415.5	5434943	453366	330	-58	306.0	308.8	2.8	35.2	25.4
<i>including</i>								306.5	307.2	0.7	139	100
OSK-W-17-802	3475	Lynx 2	400.5	453375	5434897	330	-54	293.1	298.0	4.9	10.4	
<i>including</i>								297.0	298.0	1.0	37.5	
OSK-W-17-802	3475	Crustiform vein - Lynx corridor	400.5	453375	5434897	330	-54	363.0	366.1	3.1	24.9	
<i>including</i>								365.3	366.1	0.8	73.2	
OSK-W-17-802	3475	Crustiform vein - Lynx corridor	400.5	453375	5434897	330	-54	378.7	381.3	2.6	3.99	
<i>including</i>								379.3	380.5	1.2	6.77	
OSK-W-17-803	3450	Lynx HW	412.5	453305	5434943	331	-64	137.0	139.3	2.3	5.23	
<i>including</i>								137.0	138.5	1.5	7.74	
OSK-W-17-803	3450	Lynx	412.5	453305	5434943	331	-64	169.0	171.9	2.9	19.1	
OSK-W-17-803	3450	Crustiform vein - Lynx corridor	412.5	453305	5434943	331	-64	372.0	374.3	2.3	6.38	
<i>including</i>								372.0	373.2	1.2	11.1	
OSK-W-17-804	2100	Z27 HW	201.0	451941	5434625	342	-42	69.5	71.5	2.0	3.59	
<i>including</i>								69.5	69.8	0.3	19.1	
OSK-W-17-804	2100	Z27	201.0	451941	5434625	342	-42	83.9	86.6	2.7	3.65	
<i>including</i>								86.3	86.6	0.3	27.4	
OSK-W-17-804	2100	Z27-1	201.0	451941	5434625	342	-42	97.4	99.5	2.1	1.46	
OSK-W-17-805	3350	Lynx 2	322.5	453200	5434910	332	-56	225.5	230.5	5.0	12.4	
<i>including</i>								227.4	230.5	3.1	17.7	
<i>including</i>								230.0	230.5	0.5	64.6	
OSK-W-17-806	3400	Lynx 2	388.5	453262	5434950	331	-60	214.6	217.5	2.9	3.13	
<i>including</i>								214.6	215.5	0.9	8.24	
OSK-W-17-807	2325	FW0	1171.5	452311	5434424	330	-65	623.5	626.5	3.0	3.89	
OSK-W-17-807	2325	FW1	1171.5	452311	5434424	330	-65	715.5	717.5	2.0	19.2	
<i>including</i>								715.5	716.0	0.5	51.5	
OSK-W-17-807-W1	2325	FW1	1195.5	452311	5434424	330	-65	730.2	734.6	4.4	8.20	
<i>including</i>								734.0	734.6	0.6	56.3	
OSK-W-17-807-W1	2325	FW3 HW	1195.5	452311	5434424	330	-65	907.0	916.4	9.4	9.01	
<i>including</i>								913.3	915.7	2.4	20.7	
OSK-W-17-807-W1	2325	FW3 FW	1195.5	452311	5434424	330	-65	1031.9	1034.0	2.1	8.64	
<i>including</i>								1031.9	1032.5	0.6	27.8	
OSK-W-17-807-W2	2325	FW1	1156.5	452306	5434421	330	-65	735.0	738.0	3.0	53.5	35.2
<i>including</i>								737.0	738.0	1.0	155	100
OSK-W-17-807-W2	2325	UnderDog	1156.5	452306	5434421	330	-65	868.5	870.5	2.0	7.15	
OSK-W-17-807-W2	2325	FW3	1156.5	452306	5434421	330	-65	911.0	913.0	2.0	32.9	
<i>including</i>								911.0	912.0	1.0	65.4	
OSK-W-17-807-W2	2325	Underdog	1156.5	452306	5434421	330	-65	1070.5	1072.5	2.0	4.29	
<i>including</i>								1070.5	1071.5	1.0	8.20	
OSK-W-17-810	2100	Z27 HW	225.0	451949	5434615	331	-60	93.1	98.0	4.9	7.25	
<i>including</i>								93.8	95.7	1.9	16.4	
OSK-W-17-810	2100	Z27	225.0	451949	5434615	331	-60	108.7	111.0	2.3	6.54	
<i>including</i>								109.2	110.2	1.0	14.9	
OSK-W-17-811	3725	Lynx 1	433.5	453469	5435216	150	-76	152.5	156.0	3.5	3.01	
OSK-W-17-812	3625	Lynx 1	379.2	453461	5435033	330	-65	194.7	196.5	1.8	0.98	
OSK-W-17-812	3625	Lynx 2	379.2	453461	5435033	330	-65	298.5	301.0	2.5	26.0	14.0
<i>including</i>								299.7	300.0	0.3	200	100
OSK-W-17-812	3625	Lynx 2	379.2	453461	5435033	330	-65	304.8	308.9	4.1	18.6	12.5
<i>including</i>								304.8	305.1	0.3	59.7	
<i>and</i>								307.3	307.6	0.3	184	100
OSK-W-17-813	2600	CS1	667.5	452610	5434457	332	-63	522.8	525.0	2.2	4.16	
OSK-W-17-813-W1	2600	CS3	661.5	452610	5434457	332	-63	618.3	620.7	2.4	4.53	
OSK-W-17-813-W1	2600	CN1	661.5	452610	5434457	332	-63	626.2	629.1	2.9	9.67	
<i>including</i>								626.2	627.0	0.8	30.8	
OSK-W-17-814	2075	Z27-1	204.0	451927	5434612	329	-62	118.5	120.5	2.0	189	25.1
<i>including</i>								120.0	120.5	0.5	756	100
OSK-W-17-816	3725	Lynx 1	1051.5	453470	5435215	147	-69	192.5	194.5	2.0	9.46	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	
			<i>including</i>						192.5	193.5	1.0	18.7	
OSK-W-17-816	3725	Lynx 1	1051.5	453470	5435215	147	-69	670.0	672.8	2.8	5.24		
			<i>including</i>						672.4	672.8	0.4	14.7	
OSK-W-17-816	3725	Lynx 4	1051.5	453470	5435215	147	-69	797.1	804.8	7.7	11.7		
			<i>including</i>						799.3	800.0	0.8	68.3	
			<i>including</i>						804.5	804.8	0.3	85.9	
OSK-W-17-817	3600	Lynx 2	821.8	453334	5435231	145	-60	273.3	275.3	2.0	4.40		
			<i>including</i>						273.3	273.7	0.4	14.0	
OSK-W-17-817	3600	Lynx 1	821.8	453334	5435231	145	-60	289.5	292.0	2.5	3.46		
			<i>including</i>						291.0	292.0	1.0	8.33	
OSK-W-17-817	3600	New - Lynx corridor	821.8	453334	5435231	145	-60	594.0	596.0	2.0	13.3		
			<i>including</i>						595.3	596.0	0.7	34.2	
OSK-W-17-818	2050	Z27-1	165.0	451868	5434630	329	-61	80.0	82.0	2.0	5.04		
OSK-W-17-818	2050	Vein	165.0	451868	5434630	329	-61	99.0	101.0	2.0	5.86		
			<i>including</i>						100.0	100.4	0.4	29.0	
OSK-W-17-820	2675	CS1 FW	1105.5	452669	5434484	332	-66	616.5	619.0	2.5	936	32.1	
			<i>including</i>						616.5	617.5	1.0	29.3	
			<i>and</i>						618.5	619.0	0.5	4620	100
OSK-W-17-820	2675	Vein in late dyke	1105.5	452669	5434484	332	-66	690.0	692.8	2.8	8.05		
			<i>including</i>						690.0	691.5	1.5	14.1	
OSK-W-17-820	2675	FW0 HW	1105.5	452669	5434484	332	-66	821.7	825.0	3.3	3.35		
OSK-W-17-820	2675	FW0 HW	1105.5	452669	5434484	332	-66	840.5	843.6	3.1	3.85		
			<i>including</i>						842.7	843.6	0.9	11.4	
OSK-W-17-820	2675	FW0 FW	1105.5	452669	5434484	332	-66	976.3	982.6	6.3	5.79		
			<i>including</i>						982.1	982.6	0.5	28.7	
OSK-W-17-820-W1	2675	FW0	1357.5	452669	5434484	333	-65	876.1	881.3	5.2	3.25		
OSK-W-17-820-W1	2675	FW0 FW	1357.5	452669	5434484	333	-65	981.8	985.0	3.2	21.6		
			<i>including</i>						981.8	983.4	1.6	40.4	
OSK-W-17-821	2725	FW0 FW	1258.6	452738	5434475	332	-65	875.1	977.3	2.2	5.25		
			<i>including</i>						976.1	976.7	0.6	15.4	
OSK-W-17-821	2725	FW1	1258.6	452738	5434475	332	-65	1041.5	1044.0	2.5	1.48		
OSK-W-17-821	2725	FW3	1258.6	452738	5434475	332	-65	1174.5	1177.8	3.3	9.27		
			<i>including</i>						1176.6	1177.8	1.2	21.0	
OSK-W-17-821-W1	2725	CS3	1416.0	452738	5434475	332	-65	670.0	672.0	2.0	0.90		
OSK-W-17-821-W1	2725	FW0 HW	1416.0	452738	5434475	332	-65	865.0	867.0	2.0	7.31		
			<i>including</i>						865.7	866.0	0.3	44.3	
OSK-W-17-821-W1	2725	FW0	1416.0	452738	5434475	332	-65	905.0	907.0	2.0	7.93		
			<i>including</i>						905.0	906.0	1.0	12.2	
OSK-W-17-821-W1	2725	FW1	1416.0	452738	5434475	332	-65	1110.0	1141.0	31.0	24.9	16.4	
OSK-W-17-821-W1	2725	FW1	1416.0	452738	5434475	332	-65	1144.0	1150.0	6.0	10.5		
OSK-W-17-821-W1	2725	FW1	1416.0	452738	5434475	332	-65	1158.0	1180.0	22.0	5.33		
			<i>including</i>						1175.6	1176.3	0.7	29.3	
			<i>including</i>						1178.0	1179.0	1.0	19.5	
OSK-W-17-821-W1	2725	FW1	1416.0	452738	5434475	332	-65	1192.0	1194.0	2.0	3.35		
OSK-W-17-821-W1	2725	FW1 FW	1416.0	452738	5434475	332	-65	1202.8	1207.0	4.2	5.65		
			<i>including</i>						1202.8	1203.1	0.3	48.0	
OSK-W-17-821-W1	2725	New UnderDog	1416.0	452738	5434475	332	-65	1219.4	1223.0	3.6	15.4		
			<i>including</i>						1222.2	1223.0	0.8	40.8	
OSK-W-17-821-W1	2725	New UnderDog	1416.0	452738	5434475	332	-65	1278.0	1285.0	7.0	3.84		
			<i>including</i>						1278.0	1279.0	1.0	9.58	
			<i>including</i>						1284.0	1285.0	1.0	9.62	
OSK-W-17-821-W1	2725	FW3	1416.0	452738	5434475	332	-65	1330.3	1333.0	2.7	5.04		
			<i>including</i>						1330.9	1331.2	0.3	30.1	
OSK-W-17-823	2550	CS1 HW	620.3	452565	5434414	330	-57	486.9	494.0	7.1	13.5		
			<i>including</i>						490.0	492.0	2.0	37.7	
OSK-W-17-823	2550	CS1	620.3	452565	5434414	330	-57	526.4	533.5	7.1	0.41		
OSK-W-17-823	2550	CS1 FW	620.3	452565	5434414	330	-57	552.2	554.3	2.1	5.43		
OSK-W-17-823	2550	Caribou corridor	620.3	452565	5434414	330	-57	574.6	577.2	2.6	4.70		
			<i>including</i>						575.3	576.4	1.1	10.8	
OSK-W-17-823-W1	2550	CS1 HW	618.0	452563	5434410	330	-57	503.0	508.4	5.4	8.05		
			<i>including</i>						507.1	508.4	1.3	23.8	
OSK-W-17-823-W1	2550	CS1	618.0	452563	5434410	330	-57	535.0	537.4	2.4	18.6		
			<i>including</i>						535.0	536.0	1.0	43.9	
OSK-W-17-824	2100	Z27	220.0	451948	5434608	330	-67	28.4	31.0	2.6	195	16.7	
			<i>including</i>						29.6	30.0	0.4	1260	100
OSK-W-17-824	2100	Z27-1	220.0	451948	5434608	330	-67	150.9	152.9	2.0	3.28		
OSK-W-17-825	3525	Lynx 2	579.0	453252	5435182	145	-54	226.1	228.1	2.0	4.06		
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	265.2	266.9	1.7	3.18		
			<i>including</i>						265.2	265.5	0.3	14.0	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	267.9	270.7	2.8	6.71		
			<i>including</i>						268.9	269.6	0.7	21.6	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	274.0	276.2	2.2	6.88		
			<i>including</i>						274.8	275.2	0.4	21.6	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	280.5	283.9	3.4	23.8		
			<i>including</i>						280.5	281.3	0.8	92.1	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	289.8	292.5	2.7	5.27		



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t		
OSK-W-17-826	2825	CS1	1335.0	452799	5434556	330	-67	543.5	544.8	1.3	0.67			
OSK-W-17-826	2825	CS3	1335.0	452799	5434556	330	-67	658.1	661.9	3.8	1.14			
OSK-W-17-826	2825	FW0	1335.0	452799	5434556	330	-67	937.0	939.0	2.0	3.79			
OSK-W-17-826	2825	FW3/Z14-2	1335.0	452799	5434556	330	-67	1204.0	1206.2	2.2	9.26			
								<i>including</i>		1205.6	1206.2	0.6	24.7	
OSK-W-17-826	2825	FW3/Z14 HW	1335.0	452799	5434556	330	-67	1246.8	1250.0	3.2	4.61			
OSK-W-17-826	2825	FW3/Z14	1335.0	452799	5434556	330	-67	1298.0	1300.2	2.2	4.67			
OSK-W-17-826	2825	FW3/Z14 FW	1335.0	452799	5434556	330	-67	1308.3	1310.6	2.3	3.37			
								<i>including</i>		1309.0	1309.6	0.6	12.4	
OSK-W-17-826	2825	FW3 FW	1335.0	452799	5434556	330	-67	1316.6	1319.0	2.4	16.0			
								<i>including</i>		1317.2	1319.0	1.8	21.3	
OSK-W-17-827	3425	Lynx 3	957.0	453173	5435126	145	-63	158.0	162.1	4.1	12.1			
								<i>including</i>		160.0	161.5	1.5	30.0	
OSK-W-17-827	3425	Lynx 2	957.0	453173	5435126	145	-63	196.0	198.5	2.5	2.66			
OSK-W-17-827	3425	Lynx 1 FW	957.0	453173	5435126	145	-63	255.0	258.0	3.0	14.6			
OSK-W-17-827	3425	Lynx 1 HW	957.0	453173	5435126	145	-63	354.0	356.5	2.5	7.51			
								<i>including</i>		354.0	355.5	1.5	12.4	
OSK-W-17-827	3425	VNCR - Lynx corridor	957.0	453173	5435126	145	-63	381.0	383.0	2.0	5.84			
								<i>including</i>		381.5	382.3	0.8	12.5	
OSK-W-17-827	3425	Lynx corridor	957.0	453173	5435126	145	-63	469.0	472.0	3.0	3.63			
OSK-W-17-827	3425	Lynx 4	957.0	453173	5435126	145	-63	664.3	667.0	2.7	57.0	50.1		
								<i>including</i>		666.0	667.0	1.0	119	100
OSK-W-17-827	3425	Lynx 5	957.0	453173	5435126	145	-63	779.0	781.0	2.0	12.7			
								<i>including</i>		780.0	781.0	1.0	25.0	
OSK-W-17-830	2575	CS1	819.0	452487	5434622	329	-55	292.0	296.2	4.2	1.03			
OSK-W-17-830	2575	Caribou	819.0	452487	5434622	329	-55	343.0	344.0	1.0	7.92			
OSK-W-17-830	2575	Wolf	819.0	452487	5434622	329	-55	419.4	420.8	1.4	1.02			
OSK-W-17-830	2575	Z27	819.0	452487	5434622	329	-55	522.1	524.6	2.5	0.69			
OSK-W-17-830	2575	FW3U HW	819.0	452487	5434622	329	-55	670.5	673.5	3.0	3.59			
OSK-W-17-830	2575	FW3U	819.0	452487	5434622	329	-55	762.0	764.0	2.0	7.56			
OSK-W-17-831	3825	Lynx 1	561.0	453548	5435282	330	-50	457.7	460.0	2.3	4.61			
OSK-W-17-832	3600	Lynx 3	573.0	453332	5435232	146	-55	85.0	87.3	2.3	14.1			
								<i>including</i>		85.8	86.6	0.8	38.9	
OSK-W-17-833	2550	CS1	1149.0	452597	5434395	331	-57	540.0	546.3	6.3	5.91			
								<i>including</i>		544.0	546.3	2.3	13.2	
OSK-W-17-833	2550	CN1	1149.0	452597	5434395	331	-57	608.5	614.8	6.3	3.11			
								<i>including</i>		612.9	614.8	1.9	5.93	
OSK-W-17-833	2550	FW2	1149.0	452597	5434395	331	-57	915.3	918.0	2.7	0.94			
OSK-W-17-833	2550	FW2 FW	1149.0	452597	5434395	331	-57	954.0	957.0	3.0	3.40			
OSK-W-17-833	2550	FW3/Z14	1149.0	452597	5434395	331	-57	1086.0	1088.5	2.5	8.94			
								<i>including</i>		1086.0	1087.0	1.0	15.0	
OSK-W-17-833	2550	FW3/Z14-2	1149.0	452597	5434395	331	-57	1125.0	1127.4	2.4	8.97			
								<i>including</i>		1125.0	1126.1	1.1	17.1	
OSK-W-17-833-W1	2550	CS1	1173.0	5434395	452597	331	-57	534.0	536.0	2.0	8.27			
OSK-W-17-833-W1	2550	FW0	1173.0	5434395	452597	331	-57	815.0	818.0	2.5	5.60			
								<i>including</i>		815.5	816.0	0.5	21.6	
OSK-W-17-833-W1	2550	FW0 FW	1173.0	5434395	452597	331	-57	842.0	844.0	2.0	5.66			
								<i>including</i>		842.6	843.3	0.7	15.6	
OSK-W-17-833-W1	2550	FW1 HW	1173.0	5434395	452597	331	-57	853.7	857.7	4.0	11.8			
OSK-W-17-833-W1	2550	New UnderDog	1173.0	5434395	452597	331	-57	862.0	864.0	2.0	5.79			
OSK-W-17-833-W1	2550	FW3	1173.0	5434395	452597	331	-57	1100.0	1102.0	2.0	6.16			
OSK-W-17-833-W2	2650	CS1	1244.2	5434395	452597	331	-57	534.0	544.0	10.0	9.18			
								<i>including</i>		542.0	544.0	2.0	39.0	
OSK-W-17-833-W2	2650	CS1 FW	1244.2	5434395	452597	331	-57	554.0	556.0	2.0	3.87			
OSK-W-17-834	3525	Lynx 2	402.0	453247	5435189	144	-59	277.6	280.0	2.4	16.6			
OSK-W-17-834	3525	Lynx 2	402.0	453247	5435189	144	-59	286.1	288.4	2.3	3.52			
								<i>including</i>		286.1	286.5	0.4	16.1	
OSK-W-17-834	3525	Lynx 1	402.0	453247	5435189	144	-59	292.0	295.7	3.7	42.1	27.8		
								<i>including</i>		293.1	293.5	0.4	3740	100
OSK-W-17-836	3825	Lynx HW	1045.4	453548	5435280	145	-68	210.0	214.5	4.5	4.56			
OSK-W-17-836	3825	Lynx HW	1045.4	453548	5435280	145	-68	219.9	222.0	2.1	5.49			
OSK-W-17-836	3825	Crustiform vein - Lynx corridor	1045.4	453548	5435280	145	-68	269.3	272.0	2.7	4.96			
								<i>including</i>		269.3	270.0	0.7	18.7	
OSK-W-17-836	3825	New - Lynx Corridor	1045.4	453548	5435280	145	-68	307.2	309.7	2.5	18.5			
								<i>including</i>		307.2	307.7	0.5	85.2	
OSK-W-17-836	3825	New - Lynx corridor	1045.4	453548	5435280	145	-68	382.4	384.7	2.3	20.7	14.8		
								<i>including</i>		382.4	382.7	0.3	146	100
OSK-W-17-836	3825	New - Lynx Corridor	1045.4	453548	5435280	145	-68	421.2	423.5	2.3	3.30			
OSK-W-17-836	3825	New - Lynx Corridor	1045.4	453548	5435280	145	-68	517.0	520.1	3.1	3.82			
OSK-W-17-836	3825	Lynx 5	1045.4	453548	5435280	145	-68	868.0	870.4	2.4	116	46.4		
								<i>including</i>		869.3	870.4	1.1	253	100
OSK-W-17-836	3825	New - Lynx corridor	1045.4	453548	5435280	145	-68	890.1	892.7	2.6	16.3			
								<i>including</i>		890.1	890.6	0.5	75.9	
OSK-W-17-837	3650	Lynx 1 HW	465.0	453483	5435060	332	-75	207.0	210.4	3.4	43.9	35.5		
								<i>including</i>		210.0	210.4	0.4	172	100
OSK-W-17-837	3650	Lynx 1	465.0	453483	5435060	332	-75	285.8	291.2	5.4	16.8			



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								285.8	287.2	1.4	45.7	
OSK-W-17-837	3650	Lynx 2	465.0	453483	5435060	332	-75	320.0	328.4	8.4	97.4	33.7
<i>including</i>								320.7	322.8	2.1	65.0	
<i>and</i>								324.7	325.4	0.7	865	100
OSK-W-17-837	3650	VNCR - Lynx corridor	465.0	453483	5435060	332	-75	335.9	339.0	3.1	5.77	
OSK-W-17-837	3650	VNCR	465.0	453483	5435060	332	-75	343.7	346.6	2.9	15.6	
OSK-W-17-837	3650	Vein - Lynx corridor	465.0	453483	5435060	332	-75	407.6	408.7	1.1	3.93	
OSK-W-17-839	3525	Lynx 1 HW	449.2	453431	5434888	331	-56	310.0	312.1	2.1	10.5	
<i>including</i>								310.8	312.1	1.3	16.7	
OSK-W-17-839	3525	Lynx 1	449.2	453431	5434888	331	-56	319.7	328.0	8.3	6.58	
<i>including</i>								325.2	325.7	0.5	30.4	
<i>including</i>								326.4	327.1	0.7	24.9	
OSK-W-17-842	2475	CS1 HW	948.0	452509	5434390	331	-59	505.5	508.0	2.5	3.79	
<i>including</i>								505.5	505.9	0.4	18.3	
OSK-W-17-842	2475	FW1	948.0	452509	5434390	331	-59	923.7	925.8	2.1	4.01	
OSK-W-17-843	3500	Lynx 1	462.0	453428	5434866	330	-50	327.1	331.4	4.3	1.83	
OSK-W-17-843	3500	VNCR	462.0	453428	5434866	330	-50	450.4	452.8	2.4	5.93	
<i>including</i>								450.4	451.1	0.7	19.0	
OSK-W-17-844	2750	CS1	1092.0	452727	5434546	334	-55	414.3	416.1	1.8	0.89	
OSK-W-17-844	2750	CS3	1092.0	452727	5434546	334	-55	520.8	523.6	2.8	11.6	
<i>including</i>								521.7	522.6	0.9	33.7	
OSK-W-17-844	2750	Wolf 2	1092.0	452727	5434546	334	-55	568.7	571.2	2.5	8.14	
<i>including</i>								569.7	570.1	0.4	28.2	
OSK-W-17-844	2750	Wolf 2 FW	1092.0	452727	5434546	334	-55	595.4	598.0	2.6	5.30	
<i>including</i>								596.4	597.0	0.6	20.3	
OSK-W-17-844	2750	Wolf	1092.0	452727	5434546	334	-55	665.1	668.6	3.5	18.7	
<i>including</i>								668.0	668.6	0.6	69.4	
OSK-W-17-844	2750	FW3	1092.0	452727	5434546	334	-55	954.8	957.6	2.8	56.9	35.5
<i>including</i>								957.1	957.6	0.5	220	100
OSK-W-17-844	2750	Underdog	1092.0	452727	5434546	334	-55	1058.5	1060.5	2.0	4.87	
OSK-W-17-845	3550	Lynx 1	375.0	453450	5434919	328	-58	316.2	318.2	2.0	10.7	
<i>including</i>								316.7	317.5	0.8	26.3	
OSK-W-17-846	3300	Lynx 1	249.0	453139	5434935	331	-64	95.0	97.0	2.0	113	75.1
<i>including</i>								95.5	97.0	1.5	151	100
OSK-W-17-846	3300	Lynx 2	249.0	453139	5434935	331	-64	174.6	176.5	1.9	3.25	
OSK-W-17-847	2625	CS1	1347.0	452644	5434430	334	-69	601.0	603.0	2.0	29.8	
OSK-W-17-847	2625	FW0	1347.0	452644	5434430	334	-69	864.9	871.8	6.9	3.57	
OSK-W-17-847	2625	FW3	1347.0	452644	5434430	334	-69	1162.0	1174.0	12.0	8.44	
<i>including</i>								1169.0	1170.0	1.0	32.9	
OSK-W-17-847	2625	FW3 FW	1347.0	452644	5434430	334	-69	1208.0	1211.0	3.0	20.4	
OSK-W-17-847-W1	2625	CS1 HW	1133.6	452644	5434430	334	-69	584.0	586.0	2.0	5.82	
<i>including</i>								585.0	586.0	1.0	10.7	
OSK-W-17-847-W1	2625	CS1	1133.6	452644	5434430	334	-69	606.0	609.0	3.0	30.1	
<i>including</i>								608.0	609.0	1.0	81.9	
OSK-W-17-847-W1	2625	CS1 FW	1133.6	452644	5434430	334	-69	621.0	626.0	5.0	6.75	
<i>including</i>								622.0	624.0	2.0	14.7	
OSK-W-17-847-W1	2625	CS3	1133.6	452644	5434430	334	-69	643.0	645.0	2.0	4.08	
<i>including</i>								644.5	645.0	0.5	13.4	
OSK-W-17-848	3650	Lynx 2	669.0	453310	5435355	135	-45	348.0	350.6	2.6	8.43	
<i>including</i>								348.0	348.9	0.9	21.3	
OSK-W-17-848	3650	New - Lynx corridor	669.0	453310	5435355	135	-45	486.5	488.5	2.0	3.11	
OSK-W-17-848	3650	New - Lynx corridor	669.0	453310	5435355	135	-45	490.5	492.8	2.3	6.21	
<i>including</i>								491.3	492.2	0.9	15.0	
OSK-W-17-849	3350	Lynx 2	315.0	453219	5434910	335	-46	190.0	192.0	2.0	7.10	
OSK-W-17-851	3550	Lynx HW	375.0	453452	5434918	324	-49	249.0	251.0	2.0	3.04	
OSK-W-17-851	3550	Lynx 2	375.0	453452	5434918	324	-49	340.0	343.0	3.0	8.02	
OSK-W-17-851	3550	Crustiform vein - Lynx corridor	375.0	453452	5434918	324	-49	348.0	350.0	2.0	131	100
OSK-W-17-852-W1	2875	Wolf	897.0	5434555	452879	330	-55	706.0	708.0	2.0	12.1	
<i>including</i>								706.0	706.6	0.6	38.8	
OSK-W-17-854	2550	Caribou	846.0	452481	5434592	331	-53	280.0	282.0	2.0	12.5	
<i>including</i>								280.8	282.0	1.2	19.8	
OSK-W-17-854	2550	CN2	846.0	452481	5434592	331	-53	369.0	371.9	2.9	9.07	
<i>including</i>								370.5	371.0	0.5	33.0	
OSK-W-17-854	2550	FW3U	846.0	452481	5434592	331	-53	767.0	769.0	2.0	7.48	
<i>including</i>								767.0	768.0	1.0	14.9	
OSK-W-17-854-W1	2550	FW3U	843.8	452481	5434592	331	-53	800.5	803.3	2.8	4.65	
OSK-W-17-854-W2	2550	FW3U	873.0	5434592	452481	331	-53	795.7	799.2	3.5	18.6	
<i>including</i>								798.1	798.6	0.5	80.3	
OSK-W-17-855	2300	Caribou corridor	717.0	452310	5434383	334	-64	269.0	271.5	2.5	24.4	
<i>including</i>								270.5	271.5	1.0	46.6	
OSK-W-17-855-W1	2300	FW2	1197.0	5434383	452310	334	-64	843.0	845.2	2.2	3.18	
<i>including</i>								844.0	844.5	0.5	12.5	
OSK-W-17-855-W1	2300	FW3	1197.0	5434383	452310	334	-64	916.3	919.5	3.2	3.79	
<i>including</i>								919.0	919.5	0.5	15.8	
OSK-W-17-857	3525	Lynx HW	436.5	453415	5434890	330	-49	252.0	254.0	2.0	27.4	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								253.1	253.6	0.5	95.0	
OSK-W-17-857	3525	Vein - Lynx corridor	436.5	453415	5434890	330	-49	348.0	350.9	2.9	30.0	
<i>including</i>								349.2	350.9	1.7	50.8	
OSK-W-17-857	3525	VNCR	436.5	453415	5434890	330	-49	361.5	364.2	2.7	159	17.0
<i>including</i>								363.8	364.2	0.4	1060	100
OSK-W-17-858	2600	SHR	840.0	452527	5434612	331	-53	46.8	49.0	2.2	3.95	
<i>including</i>								46.8	47.7	0.9	9.58	
OSK-W-17-858-W1	N/A	FW3U	915.0	5434618	452523	331	-53	781.0	784.0	3.0	11.1	
<i>including</i>								781.0	782.5	1.5	18.3	
OSK-W-17-859	3550	Lynx 1	414.0	453432	5434908	340	-54	307.0	309.0	2.0	5.66	
OSK-W-17-859	3550	Lynx 2	414.0	453432	5434908	340	-54	326.0	328.0	2.0	2.26	
OSK-W-17-859	3550	Crustiform vein - Lynx corridor	414.0	453432	5434908	340	-54	380.5	382.7	2.2	73.5	29.1
<i>including</i>								381.4	382.0	0.6	263	100
OSK-W-17-859	3550	Crustiform vein - Lynx corridor	414.0	453432	5434908	340	-54	390.6	393.4	2.8	10.3	
<i>including</i>								390.6	391.5	0.9	27.3	
OSK-W-17-864	2525	CS1	813.4	452467	5434582	330	-54	257.0	280.0	23.0	0.90	
OSK-W-17-864	2525	Caribou corridor	813.4	452467	5434582	330	-54	305.0	308.0	3.0	4.17	
OSK-W-17-864	2525	CN2	813.4	452467	5434582	330	-54	338.5	348.0	9.5	0.56	
OSK-W-17-864	2525	Z27	813.4	452467	5434582	330	-54	518.0	524.0	6.0	8.22	
<i>including and</i>								518.0	519.0	1.0	22.7	
<i>including</i>								522.3	524.0	1.7	14.9	
OSK-W-17-864	2525	FW3U	813.4	452467	5434582	330	-54	768.4	770.7	2.3	4.15	
<i>including</i>								769.3	769.6	0.3	15.1	
OSK-W-17-866	2525	New - Caribou corridor	1299.0	452631	5434283	332	-57	347.8	350.4	2.6	3.49	
OSK-W-17-866	2525	Underdog	1299.0	452631	5434283	332	-57	769.7	772.2	2.5	10.2	
<i>including</i>								771.6	772.2	0.6	40.0	
OSK-W-17-866	2525	FW1	1299.0	452631	5434283	332	-57	1031.0	1033.4	2.4	1.20	
OSK-W-17-866	2525	FW2	1299.0	452631	5434283	332	-57	1105.0	1107.0	2.0	19.4	
<i>including</i>								1105.6	1106.1	0.5	73.2	
OSK-W-17-866	2525	FW3	1299.0	452631	5434283	332	-57	1138.0	1140.0	2.0	13.9	
OSK-W-17-866	2525	FW3 FW	1299.0	452631	5434283	332	-57	1168.4	1172.9	4.5	4.50	
<i>including</i>								1168.4	1168.9	0.5	19.9	
OSK-W-17-866	2525	FW3 FW	1299.0	452631	5434283	332	-57	1229.2	1231.5	2.3	14.0	
<i>including</i>								1229.2	1229.9	0.7	41.1	
OSK-W-17-868	3575	Lynx HW	435.0	453428	5434977	332	-64	199.8	202.0	2.2	9.77	
<i>including</i>								200.5	201.3	0.8	25.2	
OSK-W-17-868	3575	Lynx HW	435.0	453428	5434977	332	-64	221.0	223.0	2.0	26.7	
OSK-W-17-868	3575	Lynx 1	435.0	453428	5434977	332	-64	272.0	277.4	5.4	5.54	
OSK-W-17-868	3575	Lynx 2	435.0	453428	5434977	332	-64	301.0	303.5	2.5	12.3	
<i>including</i>								302.0	302.6	0.6	50.4	
OSK-W-17-868	3575	VNCR	435.0	453428	5434977	332	-64	381.0	383.2	2.2	4.40	
OSK-W-17-870	3550	Lynx HW	411.0	453419	5434939	334	-50	210.4	213.1	2.7	25.7	
OSK-W-17-870	3550	Lynx 1	411.0	453419	5434939	334	-50	230.9	233.7	2.8	18.9	
<i>including</i>								230.9	231.6	0.7	69.0	
OSK-W-17-871	2500	Caribou	533.0	5434615	452404	328	-54	152.0	156.8	4.8	13.4	
<i>including</i>								155.5	156.0	0.5	100	
OSK-W-17-871	2500	Caribou	533.0	5434615	452404	328	-54	177.3	179.9	2.6	3.47	
<i>including</i>								177.3	177.6	0.3	17.4	
OSK-W-17-871	2500	Z27	533.0	5434615	452404	328	-54	429.3	432.0	2.7	3.18	
OSK-W-17-872	3400	Crustiform vein - Lynx corridor	307.3	453265	5434914	334	-47	194.7	197.4	2.7	4.27	
OSK-W-17-872	3400	Lynx 2	307.3	453265	5434914	334	-47	210.5	212.4	1.9	0.83	
OSK-W-17-873	3575	Lynx HW	393.0	453428	5434977	326	-61	210.0	212.0	2.0	3.51	
OSK-W-17-873	3575	Lynx 1	393.0	453428	5434977	326	-61	242.0	246.9	4.9	10.7	
OSK-W-17-873	3575	Lynx 1 FW	393.0	453428	5434977	326	-61	254.0	256.0	2.0	3.66	
OSK-W-17-873	3575	Lynx 2	393.0	453428	5434977	326	-61	269.0	271.6	2.6	10.0	
<i>including</i>								270.6	271.6	1.0	18.4	
OSK-W-17-873	3575	Crustiform vein	393.0	453428	5434977	326	-61	327.0	329.5	2.5	4.29	
<i>including</i>								328.0	328.6	0.6	12.4	
OSK-W-17-874	3425	Lynx HW	372.0	453312	5434910	332	-49	154.6	156.0	1.4	0.26	
OSK-W-17-874	3425	Lynx 1	372.0	453312	5434910	332	-49	168.0	170.0	2.0	7.03	
<i>including</i>								169.1	170.0	0.9	14.9	
OSK-W-17-874	3425	Lynx 2	372.0	453312	5434910	332	-49	258.0	261.0	3.0	1.33	
OSK-W-17-875	3750	Lynx 3	924.0	453374	5435443	144	-51	359.0	359.3	0.3	0.11	
OSK-W-17-875	3750	Lynx 1	924.0	453374	5435443	144	-51	451.5	454.5	3.0	1.52	
OSK-W-17-875	3750	Vein - Lynx corridor	924.0	453374	5435443	144	-51	851.0	853.0	2.0	13.7	
<i>including</i>								852.0	853.0	1.0	27.3	
OSK-W-17-876	3400	Lynx HW	393.0	453257	5434941	335	-46	93.8	97.0	3.2	1.65	
OSK-W-17-876	3400	Lynx 3	393.0	453257	5434941	335	-46	210.0	212.0	2.0	25.9	15.3
<i>including</i>								210.6	210.9	0.3	171	100
OSK-W-17-877	3400	Lynx 1	360.0	5434885	453297	330	-51	196.2	198.2	2.0	1.49	
OSK-W-17-877	3400	Crustiform vein	360.0	5434885	453297	330	-51	308.0	310.3	2.3	57.8	
OSK-W-17-878	3600	Lynx HW	417.0	5434984	453454	329	-62	230.7	233.0	2.3	0.74	
OSK-W-17-878	3600	Crustiform vein	417.0	5434984	453454	329	-62	234.2	236.4	2.2	14.6	
<i>including</i>								235.8	236.4	0.6	51.5	
OSK-W-17-878	3600	Lynx 1	417.0	5434984	453454	329	-62	250.0	252.0	2.0	1.81	
OSK-W-17-878	3600	Lynx 2	417.0	5434984	453454	329	-62	287.0	302.7	15.7	5.32	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
								292.7	293.0	0.3	100	100
								298.2	298.6	0.4	66.1	
OSK-W-17-878	3600	Crustiform vein	417.0	5434984	453454	329	-62	364.0	366.0	2.0	16.8	
								364.3	365.3	1.0	33.2	
OSK-W-17-879	3400	Lynx 1	369.0	5434966	453240	335	-46	76.3	77.8	1.5	1.98	
OSK-W-17-879	3400	Lynx HW	369.0	5434966	453240	335	-46	84.2	86.2	2.0	1.93	
OSK-W-17-879	3400	Lynx 2	369.0	5434966	453240	335	-46	108.1	110.4	2.3	52.8	
								108.6	109.4	0.8	96.2	
OSK-W-17-879	3400	Lynx 2	369.0	5434966	453240	335	-46	115.8	117.8	2.0	14.5	
								115.8	116.8	1.0	28.3	
OSK-W-17-880	2500	Z27	813.0	5434567	452426	327	-50	461.4	463.9	2.5	5.38	
OSK-W-17-880	2500	FW3U	813.0	5434567	452426	327	-50	713.0	719.0	6.0	0.45	
OSK-W-17-881	3575	Lynx 2	867.0	5435344	453214	136	-48	412.0	414.0	2.0	379	30.7
								412.7	413.3	0.6	1260	100
OSK-W-17-881	3575	Lynx 1	867.0	5435344	453214	136	-48	445.8	448.2	2.4	2.97	
OSK-W-17-881	3575	Crustiform vein	867.0	5435344	453214	136	-48	732.7	734.8	2.1	4.70	
								733.3	733.9	0.6	14.2	
OSK-W-17-883	3600	Lynx 1 + Lynx 2	396.0	5434983	453453	326	-60	254.0	256.0	2.0	12.4	
								254.9	255.4	0.5	36.8	
OSK-W-17-883	3600	Lynx 1 + Lynx 2	396.0	5434983	453453	326	-60	259.0	261.0	2.0	7.52	
								259.7	260.0	0.3	44.4	
OSK-W-17-883	3600	Lynx 2	396.0	5434983	453453	326	-60	274.5	276.5	2.0	18.6	
								275.5	276.5	1.0	32.5	
OSK-W-17-883	3600	VNCR	396.0	5434983	453453	326	-60	353.0	355.2	2.2	3.07	
OSK-W-17-887	3750	Crustiform vein	593.5	5435442	453377	144	-54	492.0	494.6	2.6	24.3	
								492.9	493.5	0.6	91.6	
OSK-W-17-888	3500	Lynx 2	402.0	5434943	453368	333	-52	238.3	240.0	1.7	23.7	
								238.3	238.8	0.5	65.3	
OSK-W-17-895	3475	Lynx HW	444.0	5494938	453347	332	-50	156.0	168.6	12.6	0.17	
OSK-W-17-895	3475	Lynx 2	444.0	5494938	453347	332	-50	221.0	227.5	6.5	8.98	
OSK-W-17-895	3475	Lynx 2	444.0	5494938	453347	332	-50	221.0	225.0	4.0	9.81	
								221.0	222.0	1.0	34.7	
								225.0	227.5	2.5	7.65	
								227.0	227.5	0.5	37.4	
OSK-W-17-898	3675	Lynx 2	555.0	5435402	453330	148	-51	411.0	413.5	2.5	12.2	
OSK-W-17-898	3675	Lynx 2	555.0	5435402	453330	148	-51	429.9	432.9	3.0	23.5	
								431.2	432.0	0.8	85.2	
OSK-W-17-898	3675	Lynx 1	555.0	5435402	453330	148	-51	449.7	452.0	2.3	17.3	
OSK-W-17-901	2500	Caribou	810.0	452392	5434635	328	-55	122.5	124.6	2.1	16.2	
								123.1	123.9	0.8	34.7	
OSK-W-17-901	2500	Z27	810.0	452392	5434635	328	-55	403.0	409.0	6.0	0.77	
OSK-W-17-903	2650	Caribou	801.0	452539	5434693	329	-56	228.0	230.5	2.5	5.35	
								229.2	229.6	0.4	31.3	
OSK-W-17-906	3475	Lynx 2 FW	442.0	453349	5434938	331	-56	279.0	280.0	1.0	8.37	
OSK-W-17-908	4350	Lynx corridor extension	824.0	5435783	453872	135	-54	738.4	742.6	4.2	10.6	
								741.0	742.6	1.6	26.6	
OSK-W-17-908	4350	Lynx corridor extension	824.0	5435783	453872	135	-54	756.0	760.1	4.1	7.34	
								756.0	756.4	0.4	15.6	
								759.0	760.1	1.1	19.3	
OSK-W-17-908	4350	Lynx corridor extension	824.0	5435783	453872	135	-54	764.0	766.5	2.5	12.6	
								765.5	766.5	1.0	26.7	
OSK-W-17-911	3325	Lynx 2	255.0	5434907	453176	331	-54	210.8	213.0	2.2	11.1	
								210.8	211.1	0.3	65.6	
OSK-W-17-916	3325	Lynx HW	336.0	5434924	453172	331	-54	108.0	111.5	3.5	14.3	
								108.0	108.5	0.5	75.1	
OSK-W-17-918	3525	Lynx HW	372.0	5434956	453386	335	-57	179.0	180.0	1.0	0.40	
OSK-W-17-918	3525	Lynx 1	372.0	5434956	453386	335	-57	185.5	187.9	2.4	13.3	13.3
								186.4	186.7	0.3	100.0	100
OSK-W-17-919	2200	Mallard	495.0	5434838	451943	329	-54	91.5	94.4	2.9	4.32	
								91.5	92.3	0.8	11.0	
OSK-W-17-921	3525	Lynx HW	447.0	5434866	453428	331	-57	328.6	330.6	2.0	3.05	
								329.3	329.7	0.4	10.00	
OSK-W-17-921	3525	Lynx 1	447.0	5434866	453428	331	-57	336.0	343.9	7.9	0.59	
OSK-W-17-921	3525	Lynx 2	447.0	5434866	453428	331	-57	360.0	362.4	2.4	0.78	
OSK-W-17-922	3700	New - Lynx corridor	591.0	5435440	453359	144	-52	364.0	366.2	2.2	3.89	
OSK-W-17-924	3550	Lynx HW	375.0	5434928	453414	334	-54	220.9	227.0	6.1	9.18	
								220.9	222.0	1.1	29.5	
OSK-W-17-924	3550	Lynx 1	375.0	5434928	453414	334	-54	233.0	235.0	2.0	9.12	
								233.0	234.0	1.0	15.4	
OSK-W-17-924	3550	Lynx 2	375.0	5434928	453414	334	-54	278.4	280.7	2.3	12.5	
								280.0	280.7	0.7	35.0	
OSX-W-16-711	N/A		394.5	5434556	449352	329	-47	No significant results				
OSX-W-16-714	N/A		511.5	5435272	449299	330	-45	No significant results				
OSX-W-16-716	N/A		602.5	5435348	448895	332	-45	No significant results				
OSX-W-16-717	N/A	New	526.5	5435642	448758	331	-45	51.5	53.6	2.1	3.16	



Windfall Lake Gold Project
 Quebec, Canada
 Assay Results
 Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSX-W-16-717	N/A	New discovery - Fox	526.5	5435642	448758	331	-45	243.9	255.5	11.6	3.22	
OSX-W-16-719	N/A		502.5	5436406	448757	329	-46	<i>No significant results</i>				
OSX-W-16-721	N/A		486.6	5436942	448442	327	-45	<i>No significant results</i>				
OSX-W-16-723	N/A		766.5	5436916	447874	332	-44	<i>No significant results</i>				
OSX-W-16-725	N/A	Quartz-carbonate veinelets	583.5	5436106	447947	330	-50	346.7	347.7	1.0	3.07	