



Windfall Lake Gold Project
 Quebec, Canada
 Assay Results
 Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	
EAG-11-254-EXT	2500	FW3U	753.0	452369	5434676	329	-57	684.1	690.9	6.8	24.7		
			<i>including</i>						686.5	688.7	2.2	59.7	
EAG-11-269	2575	FW3U	567.2	452471	5434647	330	-56	737.1	744.0	6.9	7.71		
			<i>including</i>						739.7	740.7	1.0	42.1	
EAG-11-269	2575	FW4	567.2	452471	5434647	330	-56	886.6	898.3	11.7	0.10		
EAG-13-494	2750	FW3 HW	1062.5	452731	5434537	330	-60	1013.0	1016.0	3.0	5.70		
EAG-13-494	2750	FW3	1062.5	452731	5434537	330	-60	1055.1	1057.1	2.0	8.38		
			<i>including</i>						1055.1	1055.6	0.5	32.1	
EAG-13-525	2700		539.5	452643	5434618	331	-60	<i>No significant results</i>					
OBM-15-552	2400	Caribou S1	1246.7	452390	5434436	329	-60	449.0	452.0	3.0	5.70		
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	707.0	711.0	4.0	2.28		
OBM-15-552	2400	FW1	1246.7	452390	5434436	329	-60	743.0	757.0	14.0	0.43		
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	881.0	882.0	1.0	29.2		
			<i>including</i>						881.0	881.5	0.5	57.3	
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	901.0	901.8	0.8	15.6		
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	929.0	931.0	2.0	3.29		
			<i>including</i>						929.8	930.3	0.5	8.83	
OBM-15-552	2400	FW3	1246.7	452390	5434436	329	-60	937.0	942.8	5.8	1.98		
			<i>including</i>						937.7	938.2	0.5	17.5	
OBM-15-552	2400	Footwall of FW3	1246.7	452390	5434436	329	-60	951.5	951.8	0.3	11.0		
OBM-15-552	2400	FW4	1246.7	452390	5434436	329	-60	1163.5	1164.5	1.0	8.09		
OBM-15-553	2150		47.2	452173	5434313	328	-60	<i>No significant results</i>					
OBM-15-554	2150	Caribou W2	1135.0	452173	5434313	336	-61	335.1	339.0	3.9	0.41		
OBM-15-554	2150	FW3	1135.0	452173	5434313	336	-61	922.0	924.0	2.0	1.85		
OBM-15-554	2150	-	1135.0	452173	5434313	336	-61	1082.8	1085.0	2.2	3.10		
OBM-15-554	2150	FW4	1135.0	452173	5434313	336	-61	1094.0	1097.2	3.2	2.43		
OBM-15-554	2150	Footwall of FW4	1135.0	452173	5434313	336	-61	1102.0	1105.0	3.0	6.33		
			<i>including</i>						1102.0	1103.0	1.0	18.2	
OBM-15-555	2400	-	283.5	452428	5434397	330	-60	282.8	284.2	1.4	14.9		
OBM-15-556	1850	FW1	1112.3	451899	5434189	330	-60	677.0	677.3	0.3	65.4		
OBM-15-556	1850	FW3	1112.3	451899	5434189	330	-60	832.8	841.0	8.2	0.07		
OBM-15-556	1850	FW4	1112.3	451899	5434189	330	-60	1057.1	1062.1	5.0	0.41		
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	200.1	202.1	2.0	4.12		
			<i>including</i>						200.1	200.8	0.7	9.94	
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	350.7	351.2	0.5	9.33		
OBM-15-557	2400	Caribou S1	1281.0	452429	5434393	332	-61	479.5	485.3	5.8	0.75		
OBM-15-557	2400	FW1	1281.0	452429	5434393	332	-61	852.7	855.0	2.3	4.19		
			<i>including</i>						853.4	854.3	0.9	7.64	
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	894.5	901.3	6.8	5.27		
			<i>including</i>						894.5	894.8	0.3	2590	100
OBM-15-557	2400	FW3	1281.0	452429	5434393	332	-61	971.0	981.3	10.3	3.80		
			<i>including and</i>						975.9	980.6	4.7	7.46	
			<i>and</i>						975.9	976.9	1.0	23.4	
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	1136.7	1143.0	6.3	3.67		
			<i>including</i>						1136.7	1137.5	0.8	20.6	
OBM-15-558	2775		117.0	452749	5434559	330	-60	<i>No significant results</i>					
OBM-15-559	2775	-	1319.5	452749	5434559	333	-60	271.5	272.5	1.0	6.06		
OBM-15-559	2775	Caribou S3 footwall	1319.5	452749	5434559	333	-60	545.8	547.0	1.2	6.76		
OBM-15-559	2775	Potential new lens	1319.5	452749	5434559	333	-60	628.9	631.7	2.8	5.24		
OBM-15-559	2775	Potential new lens	1319.5	452749	5434559	333	-60	646.5	666.9	20.4	7.04		
			<i>including and</i>						646.5	650.5	4.0	12.9	
			<i>and</i>						646.5	647.5	1.0	39.0	
			<i>and</i>						654.0	657.4	3.4	12.8	
			<i>and</i>						662.5	666.9	4.4	8.90	
OBM-15-559	2775	Potential new lens	1319.5	452749	5434559	333	-60	681.0	684.7	3.7	10.0		
OBM-15-559	2775	Potential new lens	1319.5	452749	5434559	333	-60	751.0	761.0	10.0	7.00		
OBM-15-559	2775	-	1319.5	452749	5434559	333	-60	976.1	979.0	2.9	5.74		
			<i>including</i>						977.3	978.0	0.7	23.0	
OBM-15-560	2550	Caribou S1	1508.0	452670	5434252	333	-57	701.9	708.0	6.1	11.0		
			<i>including and</i>						702.3	703.4	1.1	45.7	
			<i>and</i>						705.1	707.0	2.0	8.38	
OBM-15-560	2550	Vein in Red Dog	1508.0	452670	5434252	333	-57	737.8	738.3	0.5	69.6		
OBM-15-560	2550	FW0	1508.0	452670	5434252	333	-57	957.0	959.0	2.0	12.5		
			<i>including</i>						958.0	959.0	1.0	18.6	
OBM-15-560	2550	FW1	1508.0	452670	5434252	333	-57	1123.0	1136.0	13.0	5.71		
			<i>including and</i>						1131.5	1132.4	0.9	41.0	
			<i>and</i>						1132.4	1133.0	0.6	21.3	
OBM-15-560	2550	Splay FW3	1508.0	452670	5434252	333	-57	1196.8	1203.0	6.2	11.1		
			<i>including</i>						1199.4	1199.9	0.5	48.1	
OBM-15-561	2300	shallow mineralization	60.5	452184	5434597	330	-52	21.0	22.0	1.0	121	100	
OBM-15-562	2400	Zone 27	125.4	452194	5434775	151	-64	77.0	89.0	12.0	0.98		
OBM-15-563	2375		231.0	452237	5434682	330	-50	<i>No significant results</i>					
OBM-15-564	2675	Potential new lens	1527.0	452759	5434367	330	-60	436.6	439.9	3.3	22.3		
			<i>including</i>						439.5	439.9	0.4	171	100
OBM-15-564	2675	Caribou S1	1527.0	452759	5434367	330	-60	666.7	674.1	7.4	5.59		



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					666.7	668.8	2.1	17.9	
OBM-15-564	2675	-	1527.0	452759	5434367	330	-60	865.4	867.8	2.4	8.29	
OBM-15-564	2675	New potential lens	1527.0	452759	5434367	330	-60	947.0	954.0	7.0	7.49	
			<i>including</i>					948.8	949.3	0.5	85.4	
OBM-15-564	2675	FW1	1527.0	452759	5434367	330	-60	1102.9	1105.0	2.1	7.19	
OBM-15-564	2675	Hanging wall of FW3	1527.0	452759	5434367	330	-60	1268.9	1271.0	2.1	4.09	
OBM-15-564	2675	Hanging wall of FW3	1527.0	452759	5434367	330	-60	1286.9	1288.9	2.0	5.10	
			<i>including</i>					1286.9	1287.4	0.5	18.5	
OBM-15-564	2675	FW3	1527.0	452759	5434367	330	-60	1295.0	1297.1	2.1	5.32	
OBM-15-565	2375	Caribou	285.0	452263	5434628	330	-50	30.0	39.0	9.0	3.59	
			<i>including</i>					30.5	31.0	0.5	19.3	
			<i>and</i>					37.5	39.0	1.5	6.58	
OBM-15-565	2375	Zone 27	285.0	452263	5434628	330	-50	234.4	241.0	6.6	2.78	
			<i>including</i>					234.4	237.0	2.6	4.94	
			<i>and</i>					234.4	235.3	0.9	8.18	
OBM-15-566	2300	Zone 27	195.0	452096	5434745	151	-72	68.5	73.0	4.5	2.37	
			<i>including</i>					71.1	72.1	1.0	4.94	
OBM-15-567	2250	Zone 27	69.0	452071	5434692	150	-63	35.8	39.0	3.2	3.45	
OBM-15-568	2400	Upper Zone 27	214.4	452259	5434698	330	-50	72.5	92.5	20.0	1.04	
			<i>including</i>					82.5	87.0	4.5	2.34	
OBM-15-568	2400	Extension Upper Zone 27	214.4	452259	5434698	330	-50	98.0	101.0	3.0	4.52	
OBM-15-568	2400	Zone 27	214.4	452259	5434698	330	-50	179.5	182.0	2.5	1.63	
OBM-16-569	2425	Zone 27	231.0	452271	5434688	331	-54	79.5	99.5	20.0	0.62	
OBM-16-569	2425	New splay of zone 27	231.0	452271	5434688	331	-54	125.3	127.5	2.2	18.2	
			<i>including</i>					126.5	127.0	0.5	56.3	
OBM-16-569	2425	Zone 27	231.0	452271	5434688	331	-54	218.3	220.5	2.2	10.6	
			<i>including</i>					218.3	218.9	0.6	26.6	
OBM-16-570	2150	Caribou W2	200.5	452122	5434403	331	-50	107.0	109.6	2.6	31.1	
			<i>including</i>					107.9	108.6	0.7	111	100
OBM-16-571	2150	-	263.5	452148	5434364	331	-50	28.4	31.0	2.6	4.20	
			<i>including</i>					28.4	29.2	0.8	13.6	
OBM-16-571	2150	-	263.5	452148	5434364	331	-50	162.0	164.0	2.0	32.3	
			<i>including</i>					162.0	162.4	0.4	161	100
OBM-16-571	2150	Caribou	263.5	452148	5434364	331	-50	165.5	172.7	7.2	1.20	
			<i>including</i>					168.5	169.5	1.0	4.50	
OBM-16-572	2400	Upper Zone 27	261.0	452262	5434662	331	-50	101.5	103.5	2.0	97.3	
			<i>including</i>					101.5	102.5	1.0	194	100
OBM-16-572	2400	Hanging wall Zone 27	261.0	452262	5434662	331	-50	199.0	203.0	4.0	2.17	
			<i>including</i>					200.0	200.6	0.6	10.3	
OBM-16-572	2400	Zone 27	261.0	452262	5434662	331	-50	226.0	232.0	6.0	1.81	
			<i>including</i>					229.3	230.0	0.7	5.83	
			<i>and</i>					231.0	232.0	1.0	3.52	
OBM-16-573	2725	-	651.0	452639	5434672	332	-51	107.0	109.0	2.0	3.77	
OBM-16-573	2725	-	651.0	452639	5434672	332	-51	302.0	304.0	2.0	5.43	
			<i>including</i>					302.0	303.0	1.0	10.6	
OBM-16-573	2725	-	651.0	452639	5434672	332	-51	313.0	315.0	2.0	32.9	
			<i>including</i>					313.5	314.6	1.1	59.7	
OBM-16-573	2725	-	651.0	452639	5434672	332	-51	443.4	446.1	2.7	4.86	
			<i>including</i>					444.4	444.8	0.4	17.3	
OBM-16-573	2725	Zone 27-3	651.0	452639	5434672	332	-51	569.3	571.8	2.5	15.3	
			<i>including</i>					569.3	569.8	0.5	48.8	
OBM-16-574	2175	Caribou W2	228.0	452162	5434397	331	-50	159.0	168.0	9.0	0.75	
			<i>including</i>					165.5	165.8	0.3	4.46	
OBM-16-575	2125	Caribou W2	231.0	452118	5434354	331	-50	182.4	193.1	10.7	0.68	
			<i>including</i>					187.0	193.1	6.1	1.06	
OBM-16-576	2075		201.0	452068	5434363	331	-50	<i>No significant results</i>				
OBM-16-577	2950	-	143.0	452820	5434777	330	-62	129.0	133.0	4.0	4.13	
			<i>including</i>					132.0	133.0	1.0	11.1	
OBM-16-578	2050	Caribou W1	201.0	452040	5434347	331	-50	164.0	179.5	15.5	0.39	
			<i>including</i>					171.9	172.5	0.6	3.19	
OBM-16-579	2300	-	249.0	452184	5434611	331	-48	36.6	39.0	2.4	19.7	
			<i>including</i>					36.6	37.5	0.9	51.8	
OBM-16-579	2300	Zone 27	249.0	452184	5434611	331	-48	196.5	199.8	3.3	1.28	
OBM-16-580	2950	-	1271.0	452818	5434773	332	-63	441.4	446.8	5.4	4.30	
OBM-16-580	2950	Zone 27	1271.0	452818	5434773	332	-63	672.4	675.8	3.4	9.49	
OBM-16-580	2950	FW4	1271.0	452818	5434773	332	-63	1162.2	1168.2	6.0	19.6	
			<i>including</i>					1162.2	1162.8	0.6	150	100
			<i>and</i>					1167.9	1168.2	0.3	97.7	
OBM-16-581	1950	Caribou W	201.0	451955	5434301	331	-50	153.6	166.4	12.8	0.78	
			<i>including</i>					153.6	155.1	1.5	3.32	
OBM-16-582	2775	-	509.5	452690	5434696	334	-52	216.0	218.8	2.8	15.9	
OBM-16-583	1700	-	801.0	451767	5434110	334	-55	774.0	777.0	3.0	19.0	
			<i>including</i>					776.0	777.0	1.0	55.0	
OBM-16-584	2900	-	83.5	452722	5434870	327	-65	36.0	38.0	2.0	5.67	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								36.5	37.1	0.6	16.9	
OBM-16-584	2900	Vein	83.5	452722	5434870	327	-65	57.0	59.0	2.0	287	100
<i>including</i>								57.0	58.0	1.0	566	100
OBM-16-584	2900	-	83.5	452722	5434870	327	-65	70.9	74.5	3.6	6.19	
<i>including</i>								73.7	74.5	0.8	26.4	
OBM-16-585	2950		83.5	452768	5434887	330	-67	<i>No significant results</i>				
OBM-16-586	3000	-	152.5	452835	5434860	330	-65	8.6	10.7	2.1	6.62	
OBM-16-586	3000	-	152.5	452835	5434860	330	-65	18.0	21.0	3.0	17.6	
OBM-16-587	3000	-	83.5	452806	5434914	331	-66	12.9	16.3	3.4	3.08	
OBM-16-588	3050	-	101.5	452873	5434899	329	-67	65.9	67.9	2.0	5.45	
<i>including</i>								67.0	67.5	0.5	19.3	
OBM-16-589	3050		83.5	452856	5434930	331	-70	<i>No significant results</i>				
OBM-16-590	1700		747.0	451726	5434183	330	-55	<i>No significant results</i>				
OBM-16-591	3100		119.5	452902	5434948	327	-59	<i>No significant results</i>				
OBM-16-592	2750		50.5	452559	5434841	330	-78	<i>No significant results</i>				
OBM-16-593	2800	Crustiform vein	77.5	452606	5434862	150	-72	46.4	48.6	2.2	5.17	
OBM-16-593	2800	Crustiform vein	77.5	452606	5434862	150	-72	53.0	57.6	4.6	8.43	
<i>including</i>								55.3	55.6	0.3	230	100
OBM-16-594	2850	C-south-2	149.5	452624	5434932	150	-80	88.8	100.0	11.2	1.13	
OBM-16-594	2850	C-south-2	149.5	452624	5434932	150	-80	136.9	139.3	2.4	2.56	
OBM-16-595	2950	New zone	74.5	452679	5435033	150	-80	63.0	65.5	2.5	4.08	
OBM-16-596	2875		26.5	452855	5434568	328	-60	<i>No significant results</i>				
OBM-16-597	2100		276.0	452005	5434512	331	-53	<i>No significant results</i>				
OBM-16-598	2875	Caribou S1	1382.0	452855	5434568	333	-61	504.7	508.0	3.3	9.44	
<i>including</i>								507.0	508.0	1.0	25.1	
OBM-16-598	2875	C-south-3	1382.0	452855	5434568	333	-61	542.1	558.8	16.7	1.62	
OBM-16-598	2875	FW3	1382.0	452855	5434568	333	-61	1115.0	1122.4	7.4	5.56	
<i>including</i>								1118.0	1119.0	1.0	9.33	
<i>including</i>								1121.9	1122.4	0.5	56.8	
OBM-16-599	2100	Zone 27	270.0	451986	5434537	332	-50	193.0	198.6	5.6	2.11	
OBM-16-600	2150	Zone 27 hanging wall	252.0	452030	5434563	331	-48	166.6	170.8	4.2	12.9	
<i>including and</i>								166.6	167.7	1.1	18.9	
<i>and</i>								169.7	170.8	1.1	23.5	
OBM-16-600	2150	Zone 27	252.0	452030	5434563	331	-48	178.5	182.0	3.5	3.36	
OBM-16-601	2600	Caribou	504.0	452476	5434677	332	-51	231.1	233.5	2.4	5.43	
OBM-16-601	2600	Zone 27	504.0	452476	5434677	332	-51	425.0	427.3	2.3	0.90	
OBM-16-602	1700	-	759.0	451679	5434254	330	-57	193.5	196.5	3.0	14.1	
<i>including</i>								194.5	195.1	0.6	68.2	
OBM-16-602	1700	FW1	759.0	451679	5434254	330	-57	407.0	409.0	2.0	7.84	
<i>including</i>								407.6	408.1	0.5	25.7	
OBM-16-602	1700	FW3	759.0	451679	5434254	330	-57	489.5	491.5	2.0	0.35	
OBM-16-602	1700	FW4	759.0	451679	5434254	330	-57	749.0	751.0	2.0	2.86	
OBM-16-603	2150	Zone 27	249.0	452042	5434548	331	-50	188.0	207.9	19.9	11.4	
<i>including and and and</i>								188.0	189.4	1.4	54.1	
<i>and</i>								200.4	207.9	7.5	20.3	
<i>and</i>								206.0	207.9	1.9	71.6	
<i>and</i>								206.7	207.0	0.3	142	100
OBM-16-603	2150	Footwall Zone 27	249.0	452042	5434548	331	-50	233.0	235.5	2.5	4.31	
OBM-16-604	2150	Zone 27	279.0	452046	5434533	330	-53	234.0	237.0	3.0	4.29	
OBM-16-605	2575	New zone	443.0	452445	5434705	332	-51	320.0	322.0	2.0	3.64	
OBM-16-605	2575	Zone 27	443.0	452445	5434705	332	-51	345.0	347.8	2.8	0.90	
OBM-16-606	2175	Zone 27	278.6	452072	5434559	331	-50	192.1	197.1	5.0	13.8	
<i>including</i>								196.0	196.8	0.8	76.9	
OBM-16-607	1700		624.0	451641	5434330	332	-55	<i>FW1 - No significant results</i>				
OBM-16-607	1700		624.0	451641	5434330	332	-55	<i>FW3 - No significant results</i>				
OBM-16-607	1700		624.0	451641	5434330	332	-55	<i>FW4 - No significant results</i>				
OBM-16-608	2225	-	249.0	452095	5434590	331	-50	87.0	89.1	2.1	5.64	
<i>including</i>								88.3	89.1	0.8	14.2	
OBM-16-608	2225	Zone 27	249.0	452095	5434590	331	-50	177.3	186.6	9.3	10.3	
<i>including</i>								179.5	181.5	2.0	12.9	
<i>including</i>								183.0	183.5	0.5	232	100
<i>including</i>								183.8	184.2	0.4	13.7	
OBM-16-608	2225	Footwall of Zone 27	249.0	452095	5434590	331	-50	201.2	205.0	3.8	7.21	
<i>including</i>								203.2	204.2	1.0	21.4	
OBM-16-609	2550	Zone 27	555.0	452459	5434642	331	-49	426.5	437.7	11.2	5.21	
OBM-16-610	2225	Zone 27	270.0	452108	5434571	331	-50	191.0	192.0	1.0	8.15	
OBM-16-610	2225	Zone 27	270.0	452108	5434571	331	-50	198.1	203.0	4.9	3.81	
<i>including</i>								198.1	198.9	0.8	9.06	
<i>including</i>								202.1	203.0	0.9	6.82	
OBM-16-610	2225	Footwall of Zone 27	270.0	452108	5434571	331	-50	221.0	226.0	5.0	24.2	
<i>including</i>								223.5	224.5	1.0	419	100
OBM-16-611	2250	-	249.0	452122	5434597	332	-49	87.0	91.5	4.5	4.44	
OBM-16-611	2250	Zone 27	249.0	452122	5434597	332	-49	177.6	182.0	4.4	3.44	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								177.6	178.5	0.9	5.70	
OBM-16-612	2775		140.0	452851	5434378	331	-58	<i>Hole abandoned</i>				
OBM-16-613	2550	Caribou	251.0	452431	5434676	332	-51	151.0	153.2	2.2	4.83	
OBM-16-613	2550	Footwall Caribou	251.0	452431	5434676	332	-51	157.8	160.0	2.2	4.43	
OBM-16-614	2775	-	1118.0	452851	5434378	333	-60	417.0	419.0	2.0	3.06	
OBM-16-614	2775	Caribou S3	1118.0	452851	5434378	333	-60	797.1	799.6	2.5	0.69	
OBM-16-614	2775	-	1118.0	452851	5434378	333	-60	1020.0	1022.1	2.1	3.85	
OBM-16-614	2775	New zone between FW1 et FW3	1118.0	452851	5434378	333	-60	1026.8	1030.2	3.4	11.2	
<i>including</i>								1029.9	1030.2	0.3	84.9	
OBM-16-614	2775	New zone between FW1 et FW3	1118.0	452851	5434378	333	-60	1036.7	1039.0	2.3	3.99	
<i>including</i>								1037.5	1038.0	0.5	13.2	
OBM-16-614-W1	2775	FW0	1518.0	452851	5434378	333	-60	1020.1	1023.0	2.9	4.96	
<i>including</i>								1020.7	1021.3	0.6	17.9	
OBM-16-614-W1	2775	New zone below I2F intrusion	1518.0	452851	5434378	333	-60	1032.0	1034.0	2.0	3.60	
OBM-16-614-W1	2775	New zone below I2F intrusion	1518.0	452851	5434378	333	-60	1043.7	1046.0	2.3	5.34	
OBM-16-614-W1	2775	FW1	1518.0	452851	5434378	333	-60	1204.0	1206.0	2.0	3.40	
<i>including</i>								1204.0	1205.0	1.0	6.30	
OBM-16-614-W1	2775	Quartz veins	1518.0	452851	5434378	333	-60	1301.0	1303.0	2.0	3.23	
<i>including</i>								1301.0	1302.0	1.0	6.40	
OBM-16-614-W1	2775	FW3	1518.0	452851	5434378	333	-60	1340.0	1342.0	2.0	4.22	
<i>including</i>								1341.0	1342.0	1.0	8.26	
OBM-16-615	2200	Zone 27	84.0	452038	5434645	331	-64	54.5	57.0	2.5	4.35	
OBM-16-616	1675	FW3	402.0	451557	5434464	332	-61	122.4	124.8	2.4	18.9	
<i>including</i>								123.8	124.5	0.7	37.3	
OBM-16-617	2150	Zone 27	96.0	451986	5434636	327	-73	44.3	50.0	5.7	6.94	
OBM-16-618	2525	Extension Caribou N2	751.5	452426	5434636	333	-51	281.3	283.8	2.5	5.77	
OBM-16-618	2525	-	751.5	452426	5434636	333	-51	286.9	289.0	2.1	6.25	
OBM-16-618	2525	Hanging wall Zone 27	751.5	452426	5434636	333	-51	398.0	408.0	10.0	1.00	
OBM-16-618	2525	footwall Zone 27	751.5	452426	5434636	333	-51	433.5	436.3	2.8	8.96	
<i>including</i>								435.5	436.3	0.8	23.6	
OBM-16-618	2525	FW3 Upper	751.5	452426	5434636	333	-51	685.0	688.4	3.4	0.14	
OBM-16-619	2150	Zone 27	126.0	451964	5434676	328	-70	69.0	72.1	3.1	1.64	
OBM-16-619	2150	Zone 27-1	126.0	451964	5434676	328	-70	98.5	101.0	2.5	1.61	
<i>including</i>								99.6	100.0	0.4	8.27	
OBM-16-620	2200	Mallard	75.0	451913	5434866	327	-67	25.0	27.1	2.1	3.70	
OBM-16-621	2250		54.0	451965	5434877	330	-57	<i>Mallard - No significant results</i>				
OBM-16-622	1875		114.0	451605	5434772	330	-71	<i>No significant results</i>				
OBM-16-623	2250		48.0	451951	5434900	330	-57	<i>No significant results</i>				
OBM-16-624	2300	Zone 27	60.0	452117	5434711	150	-67	27.4	30.7	3.3	1.60	
OBM-16-624	2300	Zone 27	60.0	452117	5434711	150	-67	36.7	38.8	2.1	1.09	
OBM-16-625	2525	-	525.0	452404	5434675	333	-51	167.0	169.2	2.2	11.2	
OBM-16-625	2525	-	525.0	452404	5434675	333	-51	269.0	271.0	2.0	4.29	
OBM-16-625	2525	Zone 27 HW	525.0	452404	5434675	333	-51	333.3	336.0	2.7	7.97	
<i>including</i>								333.3	334.2	0.9	15.6	
OBM-16-625	2525	Zone 27 FW	525.0	452404	5434675	333	-51	349.0	352.0	3.0	3.83	
OBM-16-625	2525	-	525.0	452404	5434675	333	-51	518.7	521.0	2.3	23.8	
OBM-16-625	2525	-	525.0	452404	5434675	333	-51	<i>Caribou - No significant results</i>				
OBM-16-626	2350	Caribou (upper extension)	81.0	452224	5434626	151	-68	40.5	43.0	2.5	41.8	
<i>including</i>								40.5	41.4	0.9	136	100
OBM-16-626	2350	Crustiform vein	81.0	452224	5434626	151	-68	60.9	63.3	2.4	23.3	
<i>including</i>								60.9	61.2	0.3	69.6	
<i>including</i>								62.6	63.3	0.7	40.3	
OBM-16-627	1875		102.0	451590	5434766	320	-56	<i>Crustiform vein - No significant results</i>				
OBM-16-628	2375		29.8	452252	5434613	343	-50	<i>Hole abandoned</i>				
OBM-16-629	1875		81.0	451582	5434795	332	-68	<i>Crustiform vein - No significant results</i>				
OBM-16-630	2350	Zone 27	279.0	452251	5434613	329	-51	244.3	248.6	4.3	1.13	
OBM-16-631	1800		120.0	451501	5434780	151	-56	<i>Crustiform vein - No significant results</i>				
OBM-16-632	1750		105.0	451462	5434740	155	-51	<i>Crustiform vein - No significant results</i>				
OBM-16-633	2350	Zone 27	271.7	452222	5434637	332	-51	203.6	205.8	2.2	7.81	
<i>including</i>								204.0	204.3	0.3	51.5	
OBM-16-634	1875		165.0	451547	5434851	146	-57	<i>Crustiform vein - No significant results</i>				
OBM-16-635	2500		99.0	452260	5434862	333	-78	<i>Caribou - No significant results</i>				
OBM-16-636	2350	Caribou	300.0	452240	5434584	331	-50	43.6	51.2	7.6	0.51	
OBM-16-636	2350	Zone 27	300.0	452240	5434584	331	-50	253.1	256.0	2.9	0.56	
OBM-16-636	2350		300.0	452240	5434584	331	-50	<i>C-west-4 - No significant results</i>				
OBM-16-639	2825	Shear Zone	266.0	452719	5434725	330	-61	18.0	20.0	2.0	2.96	
OBM-16-640	2325		399.0	452214	5434605	330	-50	<i>No significant results</i>				
OBM-16-642	2825	New zone	1089.8	452719	5434726	334	-61	318.4	321.0	2.6	10.0	
OBM-16-642	2825	Caribou North 2	1089.8	452719	5434726	334	-61	510.0	521.0	11.0	3.46	
OBM-16-642	2825	Closing of Zone 27-3	1089.8	452719	5434726	334	-61	610.0	620.6	10.6	1.11	
OBM-16-642	2825	FW3	1089.8	452719	5434726	334	-61	816.4	817.8	1.4	0.28	
OBM-16-642	2825	New underdog corridor	1089.8	452719	5434726	334	-61	934.0	937.9	3.9	17.2	
<i>including</i>								934.0	934.3	0.3	264	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-16-643	2325	Caribou	300.0	452217	5434580	330	-50	35.0	38.0	3.0	4.95	
OBM-16-643	2325	New zone	300.0	452217	5434580	330	-50	172.0	177.4	5.4	2.48	
			<i>including</i>					174.0	175.0	1.0	6.93	
OBM-16-643	2325	Zone 27	300.0	452217	5434580	330	-50	245.6	247.9	2.3	25.2	
			<i>including</i>					245.6	246.1	0.5	254	100
OBM-16-643	2325	Zone 27 footwall	300.0	452217	5434580	330	-50	261.7	264.0	2.3	5.03	
OBM-16-645	2325	Pyrite vein	396.0	452201	5434629	330	-50	155.0	155.4	0.4	46.4	
OBM-16-645	2325	Zone 27 (pyrite vein)	396.0	452201	5434629	330	-50	184.3	187.0	2.7	2.31	
			<i>including</i>					184.3	184.6	0.3	6.88	
OBM-16-645	2325	Zone 27 footwall	396.0	452201	5434629	330	-50	219.9	222.0	2.1	5.67	
OBM-16-647	2500	Caribou	120.0	452381	5434658	332	-44	100.8	103.0	2.2	5.00	
OBM-16-648	2450		87.0	452327	5434648	329	-65	<i>No significant results</i>				
OBM-16-649	2400	Caribou	126.0	452268	5434647	151	-78	37.0	39.1	2.1	4.37	
OBM-16-649	2400	Caribou	126.0	452268	5434647	151	-78	48.6	51.0	2.4	9.55	
OBM-16-649	2400	Caribou	126.0	452268	5434647	151	-78	81.0	83.5	2.5	3.33	
OBM-16-649	2400	Caribou	126.0	452268	5434647	151	-78	95.5	98.0	2.5	3.93	
OBM-16-650	2900		138.0	452749	5434816	331	-45	<i>No significant results</i>				
OBM-16-651	2350	Zone 27	186.0	452214	5434676	322	-46	73.1	79.1	6.0	0.73	
OBM-16-651	2350	Zone 27 footwall	186.0	452214	5434676	322	-46	158.5	163.8	5.3	8.94	
			<i>including</i>					163.3	163.8	0.5	30.5	
OBM-16-653	2950		111.4	452727	5434960	330	-51	<i>No significant results</i>				
OBM-16-654	2250	Zone 27	267.0	452134	5434591	330	-52	171.9	183.0	11.1	0.96	
OBM-16-655	2400	New zone	954.0	452439	5434353	333	-61	207.0	209.5	2.5	3.82	
			<i>including</i>					208.0	209.5	1.5	6.82	
OBM-16-655	2400	Tourmaline vein	954.0	452439	5434353	333	-61	410.0	412.0	2.0	10.8	
			<i>including</i>					410.0	411.0	1.0	21.6	
OBM-16-655	2400	Quartz vein in I2F	954.0	452439	5434353	333	-61	539.4	539.8	0.4	6.06	
OBM-16-655	2400	Quartz-carbonate-chlorite vein in I2F	954.0	452439	5434353	333	-61	550.0	550.3	0.3	75.5	
OBM-16-655	2400	New zone	954.0	452439	5434353	333	-61	917.5	928.5	11.0	5.30	
			<i>including</i>					924.0	928.5	4.5	10.2	
OBM-16-656	2500	Caribou	336.0	452359	5434680	329	-48	60.4	62.5	2.1	6.48	
OBM-16-656	2500	Caribou footwall	336.0	452359	5434680	329	-48	67.7	73.4	5.7	6.19	
			<i>including</i>					72.5	73.4	0.9	24.4	
OBM-16-656	2500	New zone	336.0	452359	5434680	329	-48	195.5	198.3	2.8	3.39	
			<i>including</i>					197.8	198.3	0.5	9.20	
OBM-16-656	2500	Hanging wall of Zone 27	336.0	452359	5434680	329	-48	255.2	261.0	5.8	9.04	
			<i>including</i>					260.0	260.5	0.5	73.8	
OBM-16-656	2500	Zone 27	336.0	452359	5434680	329	-48	273.3	276.4	3.1	30.6	
			<i>including</i>					274.2	275.3	1.1	70.8	
OBM-16-656	2500	Zone 27	336.0	452359	5434680	329	-48	296.0	299.0	3.0	8.30	
			<i>including</i>					296.0	297.0	1.0	22.2	
OBM-16-658	2675	Caribou South 1	924.0	452611	5434621	333	-60	380.0	382.0	2.0	45.8	
			<i>including</i>					380.0	381.0	1.0	90.0	
OBM-16-658	2675	Caribou South 3	924.0	452611	5434621	333	-60	450.0	454.0	4.0	1.66	
OBM-16-658	2675	New zone	924.0	452611	5434621	333	-60	519.0	527.0	8.0	8.90	
			<i>including</i>					521.0	521.8	0.8	18.8	
			<i>and</i>					522.4	523.4	1.0	37.1	
OBM-16-658	2675	Caribou North 2	924.0	452611	5434621	333	-60	562.4	564.5	2.1	3.96	
OBM-16-658	2675	Zone 27-3	924.0	452611	5434621	333	-60	675.0	676.8	1.8	3.98	
			<i>including</i>					676.0	676.8	0.8	8.80	
OBM-16-658	2675	FW3	924.0	452611	5434621	333	-60	851.0	854.0	3.0	0.19	
OBM-16-660	2500	Caribou	426.0	452376	5434668	329	-52	93.0	98.7	5.7	2.16	
OBM-16-660	2500	Caribou	426.0	452376	5434668	329	-52	125.1	132.0	6.9	7.25	
			<i>including</i>					129.6	130.7	1.1	24.3	
OBM-16-660	2500	Zone 27	426.0	452376	5434668	329	-52	301.7	305.4	3.7	2.24	
OBM-16-662	2525	Hanging wall of Caribou	210.0	452423	5434665	330	-53	129.3	131.4	2.1	3.09	
OBM-16-662	2525	Caribou	210.0	452423	5434665	330	-53	173.7	179.7	6.0	0.95	
OBM-16-663	2525	New zone	450.0	452402	5434658	330	-53	233.7	236.1	2.4	30.2	
			<i>including</i>					233.7	234.4	0.7	169	100
OBM-16-663	2525	Zone 27 hanging wall	450.0	452402	5434658	330	-53	366.8	371.0	4.2	2.92	
			<i>including</i>					366.8	367.2	0.4	11.4	
			<i>and</i>					370.0	371.0	1.0	5.11	
OBM-16-663	2525	Zone 27	450.0	452402	5434658	330	-53	383.5	395.2	11.7	5.38	
			<i>including</i>					384.3	388.5	4.2	10.9	
OBM-16-664	2500	Caribou	498.0	452396	5434618	329	-55	172.9	175.9	3.0	7.34	
			<i>including</i>					173.7	174.6	0.9	17.8	
OBM-16-664	2500	Zone 27	498.0	452396	5434618	329	-55	439.3	449.5	10.2	4.64	
			<i>including</i>					439.3	440.0	0.7	29.7	
			<i>and</i>					449.0	449.5	0.5	19.1	
OBM-16-664	2500	Crustiform vein	498.0	452396	5434618	329	-55	453.0	453.3	0.3	178	100
OBM-16-667	2500	Quartz-tourmaline vein	525.0	452410	5434597	330	-55	111.6	114.0	2.4	3.70	
			<i>including</i>					111.6	112.6	1.0	8.86	
OBM-16-667	2500	Zone 27	525.0	452410	5434597	330	-55	482.5	485.5	3.0	0.81	
OBM-16-667	2500		525.0	452410	5434597	330	-55	<i>Caribou - No significant results</i>				
OBM-16-668	2575	Caribou hanging wall	438.0	452450	5434674	330	-45	129.1	131.5	2.4	4.67	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								130.0	130.6	0.6	17.6	
OBM-16-668	2575	New Zone	438.0	452450	5434674	330	-45	197.0	199.0	2.0	6.36	
<i>including</i>								198.0	199.0	1.0	12.7	
OBM-16-668	2575	New Zone	438.0	452450	5434674	330	-45	220.5	223.0	2.5	29.3	
<i>including</i>								222.1	223.0	0.9	76.1	
OBM-16-668	2575	Zone 27	438.0	452450	5434674	330	-45	351.6	355.6	4.0	7.54	
OBM-16-668	2575		438.0	452450	5434674	330	-45	<i>Caribou - No significant results</i>				
OBM-16-669	2625	Caribou South 2	402.0	452503	5434712	330	-45	141.0	143.0	2.0	0.66	
OBM-16-669	2625	Caribou	402.0	452503	5434712	330	-45	175.8	177.8	2.0	2.98	
OBM-16-669	2625	Caribou footwall	402.0	452503	5434712	330	-45	189.0	192.0	3.0	3.02	
<i>including</i>								189.0	189.8	0.8	6.76	
OBM-16-669	2625	New zone	402.0	452503	5434712	330	-45	307.0	309.0	2.0	5.00	
OBM-16-669	2625	Zone 27	402.0	452503	5434712	330	-45	330.0	332.3	2.3	0.84	
OBM-16-669	2625	Zone 27 footwall	402.0	452503	5434712	330	-45	384.7	387.2	2.5	3.92	
OBM-16-671	2450	New zone	489.0	452374	5434591	330	-57	89.5	93.0	3.5	3.62	
<i>including</i>								92.0	93.0	1.0	8.04	
OBM-16-671	2450	Crustiform vein	489.0	452374	5434591	330	-57	339.4	342.0	2.6	15.9	
<i>including</i>								339.4	339.8	0.4	152	100
OBM-16-671	2450	New zone	489.0	452374	5434591	330	-57	361.4	365.9	4.5	5.99	
OBM-16-671	2450	Tourmaline vein	489.0	452374	5434591	330	-57	377.1	379.2	2.1	7.37	
<i>including</i>								378.6	379.2	0.6	19.5	
OBM-16-671	2450	Zone 27	489.0	452374	5434591	330	-57	466.5	470.8	4.3	0.49	
OBM-16-671	2450		489.0	452374	5434591	330	-57	<i>Caribou - No significant results</i>				
OBM-16-672	2150	Caribou West 2	351.0	452106	5434431	333	-47	82.5	87.0	4.5	1.69	
OBM-16-672	2150		351.0	452106	5434431	333	-47	<i>Zone 27 - No significant results</i>				
OBM-16-673	2650	Crustiform veining	495.0	452518	5434736	330	-57	117.0	119.6	2.6	3.19	
<i>including</i>								118.8	119.6	0.8	7.61	
OBM-16-673	2650	Caribou South 2	495.0	452518	5434736	330	-57	132.0	134.3	2.3	2.27	
OBM-16-673	2650	Caribou	495.0	452518	5434736	330	-57	226.5	236.7	10.2	0.88	
OBM-16-673	2650	Zone 27 hanging wall	495.0	452518	5434736	330	-57	450.0	453.3	3.3	0.84	
OBM-16-674	2125	New zone	171.0	451921	5434714	150	-60	17.0	19.0	2.0	7.71	
<i>including</i>								17.7	18.0	0.3	50.1	
OBM-16-674	2125	Zone 27 footwall	171.0	451921	5434714	150	-60	61.0	64.0	3.0	2.98	
<i>including</i>								63.0	64.0	1.0	7.19	
OBM-16-674	2125	Zone 27 footwall	171.0	451921	5434714	150	-60	72.0	74.0	2.0	6.62	
<i>including</i>								72.7	74.0	1.3	9.77	
OBM-16-674	2125	Zone 27 footwall	171.0	451921	5434714	150	-60	76.2	78.8	2.6	4.10	
OBM-16-674	2125	Zone 27	171.0	451921	5434714	150	-60	106.3	113.0	6.7	16.6	
<i>including</i>								106.3	107.0	0.7	47.0	
<i>and</i>								110.4	111.8	1.4	45.7	
OBM-16-674	2125	Zone 27 hanging wall	171.0	451921	5434714	150	-60	159.0	161.2	2.2	10.4	
<i>including</i>								159.6	161.2	1.6	14.3	
OBM-16-675	2425	Caribou	432.0	452338	5434607	332	-55	98.6	101.0	2.4	0.52	
OBM-16-675	2425	New zone	432.0	452338	5434607	332	-55	297.6	301.7	4.1	8.23	
OBM-16-675	2425	Crustiform vein	432.0	452338	5434607	332	-55	331.0	333.0	2.0	9.10	
<i>including</i>								331.5	331.9	0.4	42.8	
OBM-16-675	2425	Zone 27	432.0	452338	5434607	332	-55	395.9	400.2	4.3	3.18	
OBM-16-676	2350	Quartz vein	156.0	452261	5434543	330	-54	25.2	26.0	0.8	43.4	
OBM-16-676	2350	Caribou West 4	156.0	452261	5434543	330	-54	124.5	127.0	2.5	0.49	
OBM-16-677	2350	Zone 27 upper	125.0	452177	5434724	328	-51	43.8	46.0	2.2	3.34	
<i>including</i>								43.8	45.0	1.2	5.73	
OBM-16-677	2350	Zone 27	125.0	452177	5434724	328	-51	70.5	73.0	2.5	4.26	
OBM-16-678	2475	Caribou	186.0	452347	5434661	328	-52	71.0	73.0	2.0	2.07	
OBM-16-679	2450	Zone 27 upper	138.0	452254	5434790	325	-65	50.0	53.6	3.6	2.09	
OBM-16-679	2450	Zone 27	138.0	452254	5434790	325	-65	106.5	112.1	5.6	1.35	
OBM-16-680	2800		18.0	452622	5434834	331	-53	<i>Abandoned</i>				
OBM-16-681	2800	New zone	372.0	452626	5434826	331	-53	78.0	80.2	2.2	4.97	
OBM-16-681	2800		372.0	452626	5434826	331	-53	<i>Caribou South 2 - No significant results</i>				
OBM-16-682	2475	Zone 27	129.0	452269	5434798	331	-55	56.0	58.0	2.0	3.47	
<i>including</i>								57.6	58.0	0.4	16.4	
OBM-16-683	2425		39.0	452314	5434640	330	-53	<i>Abandoned</i>				
OBM-16-684	2500	Caribou	210.0	452382	5434629	331	-53	130.0	134.0	4.0	5.22	
<i>including</i>								132.0	133.0	1.0	15.0	
OBM-16-685	2425	Caribou	384.0	452315	5434638	332	-53	41.4	43.7	2.3	0.82	
OBM-16-685	2425	Zone 27	384.0	452315	5434638	332	-53	321.7	333.4	11.7	5.40	
<i>including</i>								321.7	325.0	3.3	9.63	
OBM-16-686	2475	Zone 27 hanging wall	195.0	452207	5434908	153	-57	133.5	139.0	5.5	3.89	
<i>including</i>								133.5	134.5	1.0	19.5	
OBM-16-686	2475	Zone 27	195.0	452207	5434908	153	-57	153.0	155.0	2.0	2.39	
<i>including</i>								154.5	155.0	0.5	6.36	
OBM-16-686	2475	Zone 27 footwall	195.0	452207	5434908	153	-57	179.0	181.4	2.4	1.39	
OBM-16-687	2550	New zone	570.0	452476	5434592	330	-56	105.0	107.0	2.0	3.36	
OBM-16-687	2550	New zone	570.0	452476	5434592	330	-56	194.0	197.0	3.0	4.32	
OBM-16-687	2550	Caribou - Caribou South 1 connexion	570.0	452476	5434592	330	-56	309.0	311.6	2.6	0.35	
OBM-16-687	2550	zone (between Caribou S1 and Caribo	570.0	452476	5434592	330	-56	354.0	361.0	7.0	6.61	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					354.8	355.4	0.6	67.0	
OBM-16-687	2550	Zone 27	570.0	452476	5434592	330	-56	537.9	540.0	2.1	4.78	
			<i>including</i>					537.9	539.2	1.3	7.69	
OBM-16-688	2500		8.6	452247	5434899	148	-61	<i>Abandoned</i>				
OBM-16-689	2725	Caribou	687.0	452630	5434688	330	-54	359.3	370.1	10.8	1.06	
			<i>including</i>					359.8	360.8	1.0	3.45	
OBM-16-689	2725	New zone	687.0	452630	5434688	330	-54	492.3	495.4	3.1	9.12	
			<i>including</i>					492.3	493.4	1.1	25.1	
OBM-16-689	2725	Zone 27 hanging wall	687.0	452630	5434688	330	-54	577.0	579.3	2.3	4.54	
OBM-16-689	2725	Zone 27 hanging wall	687.0	452630	5434688	330	-54	587.3	589.4	2.1	4.65	
OBM-16-689	2725	Zone 27	687.0	452630	5434688	330	-54	594.0	602.0	8.0	4.36	
			<i>including and</i>					597.4	599.3	1.9	12.1	
			<i>including and</i>					601.0	602.0	1.0	6.81	
OBM-16-689	2725	Zone 27 footwall	687.0	452630	5434688	330	-54	615.7	618.0	2.3	9.85	
			<i>including</i>					616.4	617.1	0.7	23.7	
OBM-16-690	2500	Zone 27	198.0	452240	5434915	150	-54	117.4	124.9	7.5	0.32	
OBM-16-691	2550	Caribou	327.6	452456	5434636	331	-53	198.4	200.8	2.4	4.26	
OBM-16-692	2525	Crustiform vein	182.0	452273	5434930	150	-54	42.6	47.0	4.4	13.2	
			<i>including</i>					42.6	44.9	2.3	23.9	
			<i>including</i>					43.0	44.0	1.0	27.9	
			<i>and</i>					44.6	44.9	0.3	81.1	
OBM-16-692	2525	Zone 27	182.0	452273	5434930	150	-54	161.9	164.0	2.1	0.66	
OBM-16-693	2525	Caribou	540.0	452443	5434600	331	-54	280.3	283.2	2.9	8.22	
			<i>including</i>					282.5	283.2	0.7	31.5	
OBM-16-693	2525	Caribou - Caribou South 1 connexion	540.0	452443	5434600	331	-54	297.0	299.6	2.6	5.14	
OBM-16-693	2525	Caribou North 2	540.0	452443	5434600	331	-54	336.0	339.9	3.9	0.11	
OBM-16-693	2525	Zone 27	540.0	452443	5434600	331	-54	499.0	501.0	2.0	3.23	
OBM-16-693	2525	Zone 27 footwall	540.0	452443	5434600	331	-54	504.8	507.0	2.2	3.28	
			<i>including</i>					505.5	505.9	0.4	13.3	
OBM-16-694	2650	Crustiform vein	90.0	452367	5434996	150	-56	19.6	21.6	2.0	7.52	
			<i>including</i>					19.6	20.3	0.7	20.5	
OBM-16-695	2850		147.0	452702	5434784	332	-61	<i>Abandoned</i>				
OBM-16-696	2850	Caribou	510.0	452710	5434810	333	-61	348.2	351.5	3.3	5.50	
			<i>including</i>					350.0	351.5	1.5	7.82	
OBM-16-697	2575	Quartz tourmaline vein	420.0	452501	5434610	330	-54	228.7	230.7	2.0	16.0	
			<i>including</i>					228.7	229.2	0.5	63.5	
OBM-16-697	2575		420.0	452501	5434610	330	-54	<i>Caribou hanging wall -</i>				
OBM-16-697	2575	Caribou	420.0	452501	5434610	330	-54	292.0	302.3	10.3	0.61	
OBM-16-697	2575	Caribou South 1	420.0	452501	5434610	330	-54	315.0	319.3	4.3	1.17	
OBM-16-697	2575	Caribou North 1	420.0	452501	5434610	330	-54	338.0	340.0	2.0	1.23	
OBM-16-697	2575	Caribou North 2	420.0	452501	5434610	330	-54	386.0	388.5	2.5	0.45	
OBM-16-698	2850	New zone, shear	684.0	452738	5434749	332	-60	79.5	82.5	3.0	2.97	
OBM-16-698	2850	New zone	684.0	452738	5434749	332	-60	156.5	159.0	2.5	8.06	
			<i>including</i>					156.5	157.5	1.0	19.0	
OBM-16-698	2850	Caribou hanging wall - Quartz tourmaline	684.0	452738	5434749	332	-60	443.1	446.0	2.9	3.62	
OBM-16-698	2850	Caribou North 2	684.0	452738	5434749	332	-60	492.3	495.8	3.4	4.49	
			<i>including</i>					495.1	495.8	0.6	19.3	
OBM-16-699	1600	FW3	351.0	451486	5434418	330	-60	118.5	121.0	2.5	0.02	
OBM-16-699	1600	New zone	351.0	451486	5434418	330	-60	270.0	272.5	2.5	6.63	
OBM-16-700	2550		126.0	452469	5434608	331	-53	<i>Abandoned</i>				
OBM-16-701	2950	New zone	699.0	452818	5434799	328	-63	262.0	264.0	2.0	3.20	
			<i>including</i>					262.5	263.0	0.5	11.9	
OBM-16-701	2950	Tourmaline veins	699.0	452818	5434799	328	-63	310.7	313.0	2.3	3.66	
			<i>including</i>					310.7	311.0	0.3	12.1	
OBM-16-701	2950	Quartz vein	699.0	452818	5434799	328	-63	374.7	377.0	2.3	3.28	
			<i>including</i>					376.7	377.0	0.3	14.4	
OBM-16-701	2950	New zone	699.0	452818	5434799	328	-63	414.7	420.8	6.1	5.14	
OBM-16-701	2950	Caribou hanging wall	699.0	452818	5434799	328	-63	463.0	470.0	7.0	4.82	
			<i>including</i>					463.0	464.0	1.0	22.4	
OBM-16-701	2950	Crustiform vein	699.0	452818	5434799	328	-63	469.0	471.2	2.2	4.51	
OBM-16-701	2950	Extension of Caribou North 2	699.0	452818	5434799	328	-63	551.1	558.0	6.9	8.86	
			<i>including</i>					557.0	558.0	1.0	47.7	
OBM-16-701	2950	Eastern extension of Zone 27	699.0	452818	5434799	328	-63	620.2	622.3	2.1	6.68	
			<i>including</i>					621.3	622.3	1.0	13.3	
OBM-16-702	2425	Caribou	108.0	452311	5434627	329	-55	52.9	55.7	2.8	2.66	
			<i>including</i>					52.9	53.6	0.7	9.69	
OBM-16-703	1625	New zone	678.0	451622	5434235	329	-56	250.5	252.8	2.3	7.81	
			<i>including</i>					250.5	251.3	0.8	22.0	
OBM-16-703	1625	Quartz-carbonate veins	678.0	451622	5434235	329	-56	256.1	259.0	2.9	3.34	
OBM-16-703	1625	FW1	678.0	451622	5434235	329	-56	300.7	303.0	2.3	18.4	
			<i>including</i>					301.4	302.5	1.1	38.2	
OBM-16-703	1625	New zone	678.0	451622	5434235	329	-56	336.5	338.5	2.0	3.17	
			<i>including</i>					336.5	337.7	1.2	5.09	
OBM-16-703	1625	FW3	678.0	451622	5434235	329	-56	469.5	472.5	3.0	0.60	
OBM-16-704	2425	Caribou	408.0	452311	5434627	329	-57	56.0	58.0	2.0	0.79	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-16-704	2425	Zone 27	408.0	452311	5434627	329	-57	346.0	350.2	4.2	3.55	
OBM-16-704	2425	FW3	408.0	452311	5434627	329	-57	594.9	599.2	4.3	0.72	
OBX-16-637	N/A		165.0	459413	5439271	360	-49	No significant results				
OBX-16-638	N/A		249.0	459298	5439131	1	-47	No significant results				
OBX-16-641	N/A	Exploration	378.0	459580	5439413	182	-45	249.8	252.3	2.5	1.12	
OBX-16-641	N/A	Exploration	378.0	459580	5439413	182	-45	256.0	259.0	3.0	1.09	
OBX-16-644	N/A		168.0	459109	5439140	358	-48	No significant results				
OBX-16-646	N/A		399.0	458692	5439135	360	-49	No significant results				
OBX-16-652	N/A	Crustiform vein	234.0	448639	5434175	167	-44	208.7	210.2	1.5	12.7	
OBX-16-657	N/A		261.0	448718	5433925	360	-55	No significant results				
OBX-16-659	N/A		240.0	448629	5433901	356	-46	No significant results				
OBX-16-661	N/A		555.0	448773	5433866	330	-59	No significant results				
OBX-16-665	N/A		20.5	449316	5434379	335	-48	No significant results				
OBX-16-666	N/A	New zone	420.0	449316	5434385	335	-48	151.5	152.5	1.0	44.1	
OBX-16-666	N/A	Sheared vein	420.0	449316	5434385	335	-48	284.0	284.3	0.3	184	100
OBX-16-670	N/A		420.0	448298	5432987	333	-45	No significant results				
OSK-EAG-13-494	2750	Wolf	1197.0	452731	5434537	330	-60	738.5	740.6	2.1	6.52	
		<i>including</i>						740.0	740.6	0.6	19.6	
OSK-EAG-13-494	2750	Wolf	1197.0	452731	5434537	330	-60	749.0	751.0	2.0	4.56	
OSK-EAG-13-502	2625	FW3U HW	802.5	452507	5434696	330	-57	688.5	690.5	2.0	28.0	
OSK-EAG-13-502	2625	FW3 Upper	802.5	452507	5434696	330	-57	695.5	698.2	2.7	37.9	31.6
		<i>including</i>						695.5	695.8	0.3	66.3	
		<i>including</i>						695.8	696.1	0.3	38.4	
		<i>and</i>						696.1	696.6	0.5	134	100
OSK-EAG-13-503	2075	Underdog	918.0	451969	5434525	330	-56	342.5	344.9	2.4	8.96	
		<i>including</i>						343.5	344.9	1.4	13.3	
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	746.9	749.9	3.0	15.9	
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	753.0	755.1	2.1	4.22	
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	753.0	755.1	2.1	4.22	
OSK-OBM-16-601	2600	FW3U	801.0	452476	5434677	332	-51	657.6	659.6	2.0	16.2	
OSK-OBM-16-601	2600	FW4	801.0	452476	5434677	332	-51	795.0	797.8	2.8	5.26	
		<i>including</i>						797.1	797.8	0.7	20.7	
OSK-OBM-16-609	2550	FW3U HW	738.0	452459	5434642	331	-49	635.0	637.0	2.0	3.07	
OSK-OBM-16-609	2550	FW3U HW	738.0	452459	5434642	331	-49	641.8	646.0	4.2	1.17	
OSK-OBM-16-609	2550	FW3U	738.0	452459	5434642	331	-49	654.3	662.0	7.7	63.2	23.7
		<i>including</i>						656.0	658.0	2.0	18.9	
		<i>including</i>						660.0	662.0	2.0	222	69.7
OSK-OBM-16-625	2525	FW3U HW	801.0	452404	5434675	331	-51	588.0	590.1	2.1	4.00	
		<i>including</i>						588.5	588.9	0.4	16.9	
OSK-OBM-16-625	2525	FW3U	801.0	452404	5434675	331	-51	605.3	610.6	5.3	0.35	
OSK-OBM-16-660	2500	FW3U	651.0	452376	5434668	329	-52	573.9	576.8	2.9	15.0	
		<i>including</i>						573.9	575.0	1.1	17.9	
		<i>including</i>						576.0	576.8	0.8	22.8	
OSK-OBM-16-664	2500	FW3U HW	810.0	452396	5434618	329	-55	649.0	652.0	3.0	12.8	
OSK-OBM-16-664	2500	FW3U	810.0	452396	5434618	329	-55	725.7	728.4	2.7	1.01	
OSK-OBM-16-667	2500	FW3	852.0	452410	5434597	330	-55	660.5	669.0	8.5	12.5	
		<i>including</i>						663.0	665.0	2.0	37.4	
		<i>including</i>						663.0	664.2	1.2	50.1	
OSK-OBM-16-697	2575	FW3U	885.0	452501	5434610	330	-54	799.0	801.1	2.1	15.3	
		<i>including</i>						800.3	801.1	0.8	40.1	
OSK-OBM-16-697	2575	FW3U	885.0	452501	5434610	330	-54	804.1	806.7	2.6	29.1	
		<i>including</i>						804.1	804.7	0.6	90.1	
OSK-U-16-729	N/A		482.0	450104	5433288	330	-43	No significant results				
OSK-U-16-730	N/A		501.0	449901	5433572	330	-45	No significant results				
OSK-U-16-731	N/A	New zone	498.0	449764	5433851	330	-43	358.5	360.5	2.0	6.78	
		<i>including</i>						358.5	359.4	0.9	11.1	
OSK-U-16-732	N/A	Fox	420.0	448758	5435641	331	-56	65.5	68.5	3.0	8.04	
		<i>including</i>						67.0	68.5	1.5	16.1	
OSK-U-16-733	N/A	Shear veins	501.0	448759	5435642	359	-54	47.3	49.0	1.8	3.40	
		<i>including</i>						47.3	47.8	0.5	9.99	
OSK-U-16-734	N/A	Fox	559.0	448758	5435641	302	-46	407.0	409.1	2.1	39.2	
		<i>including</i>						407.0	407.7	0.7	96.2	
		<i>and</i>						408.8	409.1	0.3	48.0	
OSK-U-16-736	N/A	Fox	589.0	448758	5435640	302	-60	260.6	262.7	2.1	5.14	
OSK-U-16-736	N/A	Fox	589.0	448758	5435640	302	-60	313.0	315.6	2.6	4.32	
OSK-U-16-738	N/A	Fox	546.0	448758	5435640	276	-46	217.8	221.7	3.9	2.58	
OSK-U-16-738	N/A	Fox	546.0	448758	5435640	276	-46	272.7	274.4	1.7	2.86	
OSK-W-16-309-W1	2575	Quartz vein in Red Dog	1223.5	452548	5434514	326	-63	612.2	615.0	2.8	9.11	
		<i>including</i>						614.0	615.0	1.0	24.5	
OSK-W-16-309-W1	2575	FW3	1223.5	452548	5434514	326	-63	965.0	967.0	2.0	1.19	
OSK-W-16-309-W1	2575	New	1223.5	452548	5434514	326	-63	1115.0	1117.0	2.0	5.60	
		<i>including</i>						1116.0	1117.0	1.0	11.2	
OSK-W-16-309-W2	2575	Caribou North 1	1109.5	452548	5434514	326	-63	520.8	522.7	1.9	0.84	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-16-309-W2	2575	FW3	1109.5	452548	5434514	326	-63	924.0	926.0	2.0	0.23	
OSK-W-16-309-W2	2575	New - Underdog corridor	1109.5	452548	5434514	326	-63	972.0	975.0	3.0	5.58	
OSK-W-16-309-W2	2575	New under Red Dog	1109.5	452548	5434514	326	-63	988.0	992.0	4.0	3.27	
OSK-W-16-309-W3	2575	New Zone - Caribou	1172.5	452548	5434514	326	-63	474.0	476.2	2.2	7.63	
OSK-W-16-309-W3	2575	New Zone - Caribou	1172.5	452548	5434514	326	-63	480.4	482.5	2.1	6.32	
		<i>including</i>						481.3	482.0	0.7	17.3	
OSK-W-16-309-W3	2575	New Zone - Caribou	1172.5	452548	5434514	326	-63	539.2	543.8	4.6	11.8	
		<i>including</i>						542.0	543.0	1.0	47.9	
OSK-W-16-309-W3	2575	New Zone - Caribou	1172.5	452548	5434514	326	-63	883.7	886.5	2.8	0.48	
OSK-W-16-311-W1	2325	FW1	1153.5	452311	5434424	330	-62	753.5	756.0	2.5	0.42	
OSK-W-16-311-W1	2325	FW3 hanging wall	1153.5	452311	5434424	330	-62	927.5	930.5	3.0	9.40	
		<i>including</i>						927.5	929.4	1.9	14.6	
OSK-W-16-311-W1	2325	FW3	1153.5	452311	5434424	330	-62	991.0	993.0	2.0	1.44	
OSK-W-16-311-W1	2325	FW4 Hanging wall	1153.5	452311	5434424	330	-62	1118.0	1120.0	2.0	15.7	
OSK-W-16-311-W1	2325	FW4	1153.5	452311	5434424	330	-62	1131.0	1132.9	1.9	8.32	
		<i>including</i>						1131.0	1132.0	1.0	15.7	
OSK-W-16-311-W2	2325	FW1	1179.5	452311	5434424	330	-62	734.3	737.8	3.5	0.80	
OSK-W-16-311-W2	2325	FW3 hanging wall	1179.5	452311	5434424	330	-62	918.8	921.0	2.2	13.0	
		<i>including</i>						919.3	919.6	0.3	88.3	
OSK-W-16-311-W2	2325	FW3 hanging wall	1179.5	452311	5434424	330	-62	970.0	972.0	2.0	6.44	
OSK-W-16-311-W2	2325	FW3	1179.5	452311	5434424	330	-62	992.5	994.9	2.4	6.55	
		<i>including</i>						993.3	993.9	0.6	24.7	
OSK-W-16-311-W2	2325	FW3 footwall	1179.5	452311	5434424	330	-62	1050.7	1053.4	2.7	7.87	
		<i>including</i>						1052.4	1053.4	1.0	20.9	
OSK-W-16-311-W2	2325	FW4	1179.5	452311	5434424	330	-62	1149.3	1152.0	2.7	5.21	
		<i>including</i>						1150.3	1151.0	0.7	19.9	
OSK-W-16-704-W1	2425	FW3 hanging wall	852.0	452311	5434627	329	-57	641.8	644.5	2.8	6.59	
		<i>including</i>						643.1	643.5	0.4	39.1	
OSK-W-16-704-W1	2425	FW3	852.0	452311	5434627	329	-57	649.6	652.5	2.9	15.5	
		<i>including</i>						649.6	650.3	0.7	63.6	
OSK-W-16-704-W1	2425	New - Underdog corridor	852.0	452311	5434627	329	-57	671.2	677.5	6.3	6.10	
		<i>including</i>						671.2	671.7	0.5	59.3	
OSK-W-16-704-W1	2425	FW4	852.0	452311	5434627	329	-57	797.0	799.0	2.0	25.1	
		<i>including</i>						797.5	798.1	0.6	50.5	
OSK-W-16-705	2650	Caribou South 1	636.0	452599	5434581	333	-60	403.5	405.8	2.3	1.31	
OSK-W-16-705	2650	Caribou South 3	636.0	452599	5434581	333	-60	482.7	485.0	2.3	0.54	
OSK-W-16-705	2650	Wolf	636.0	452599	5434581	333	-60	565.0	567.0	2.0	4.04	
		<i>including</i>						565.7	566.4	0.7	10.7	
OSK-W-16-705	2650	New Zone	636.0	452599	5434581	333	-60	594.0	596.2	2.2	3.64	
OSK-W-16-705	2650	FW3	636.0	452599	5434581	333	-60	899.0	901.9	2.9	3.54	
		<i>including</i>						901.1	901.9	0.8	12.3	
OSK-W-16-706	2575	Caribou South 1	1335.0	452611	5434418	330	-58	549.6	552.6	3.0	8.65	
OSK-W-16-706	2575	FW0	1335.0	452611	5434418	330	-58	829.5	831.6	2.1	1.44	
OSK-W-16-706	2575	FW1	1335.0	452611	5434418	330	-58	950.3	952.6	2.3	12.3	
		<i>including</i>						950.3	951.3	1.0	29.4	
OSK-W-16-706	2575	FW3	1335.0	452611	5434418	330	-58	1135.0	1138.9	3.9	0.72	
OSK-W-16-706-W1	2575	Caribou South 1	1275.0	452611	5434418	330	-58	546.5	563.0	16.5	5.75	
OSK-W-16-706-W1	2575	Caribou South 1 - cut to 100 g/t Au	1275.0	452611	5434418	330	-58	546.5	563.0	16.5	3.53	
		<i>including</i>						549.2	549.5	0.3	222	100
OSK-W-16-706-W1	2575	Caribou South 1 footwall	1275.0	452611	5434418	330	-58	558.3	563.0	4.7	3.41	
		<i>including</i>						558.3	558.7	0.4	14.5	
OSK-W-16-706-W1	2575	FW0	1275.0	452611	5434418	330	-58	818.8	821.3	2.5	28.1	
		<i>including</i>						819.4	820.0	0.6	127	100
OSK-W-16-706-W1	2575	FW1 hanging wall	1275.0	452611	5434418	330	-58	886.2	888.2	2.0	4.93	
		<i>including</i>						886.2	887.2	1.0	9.72	
OSK-W-16-706-W1	2575	FW1	1275.0	452611	5434418	330	-58	902.5	904.5	2.0	2.85	
OSK-W-16-706-W1	2575	FW2	1275.0	452611	5434418	330	-58	981.1	992.0	10.9	10.6	
		<i>including</i>						981.9	983.7	1.8	24.0	
		<i>including</i>						988.5	992.0	3.5	19.4	
OSK-W-16-706-W1	2575	FW2	1275.0	452611	5434418	330	-58	1007.0	1012.0	5.0	7.10	
		<i>including</i>						1008.0	1010.0	2.0	13.8	
OSK-W-16-706-W1	2575	FW2	1275.0	452611	5434418	330	-58	1022.0	1024.3	2.3	18.6	
		<i>including</i>						1022.9	1023.7	0.8	49.9	
OSK-W-16-706-W1	2575	FW3	1275.0	452611	5434418	330	-58	1033.0	1041.9	8.9	16.6	15.9
		<i>including</i>						1033.5	1034.3	0.8	93.6	
		<i>including</i>						1041.0	1041.4	0.4	117	100
OSK-W-16-706-W1	2575	FW4	1275.0	452611	5434418	330	-58	1073.1	1077.0	3.9	8.74	
OSK-W-16-706-W1	2575	New - under Red Dog	1275.0	452611	5434418	330	-58	1248.4	1250.9	2.5	3.95	
OSK-W-16-706-W2	2575	Caribou South 1	1296.0	452611	5434418	330	-58	552.0	556.3	4.3	1.87	
OSK-W-16-706-W2	2575	FW0	1296.0	452611	5434418	330	-58	827.0	829.0	2.0	2.43	
OSK-W-16-706-W2	2575	Quartz-tourmaline veins	1296.0	452611	5434418	330	-58	903.0	905.0	2.0	3.12	
OSK-W-16-706-W2	2575	FW1 (AQ core)	1296.0	452611	5434418	330	-58	945.1	951.4	6.3	9.17	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	330	-58	1018.0	1020.4	2.4	5.67	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	330	-58	1093.8	1098.3	4.5	3.06	
		<i>including</i>						1093.8	1094.4	0.6	12.7	
		<i>and</i>						1097.4	1098.3	0.9	6.44	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								647.5	649.0	1.5	41.0	
OSK-W-16-715	2800	New	804.0	452786	5434527	334	-61	668.5	671.5	3.0	6.84	
<i>including</i>								668.5	670.0	1.5	13.1	
OSK-W-16-715	2800	New	804.0	452786	5434527	334	-61	727.0	729.8	2.8	4.38	
OSK-W-16-715	2800	Quartz vein in Red Dog	804.0	452786	5434527	334	-61	800.8	801.3	0.5	18.9	
OSK-W-16-718	2775	Caribou South 1	798.0	452742	5434571	332	-61	431.9	434.9	3.0	23.2	
<i>including</i>								432.9	434.2	1.3	44.5	
OSK-W-16-718	2775	Caribou South 3	798.0	452742	5434571	332	-61	515.5	518.0	2.5	1.88	
OSK-W-16-718	2775	New	798.0	452742	5434571	332	-61	537.5	539.7	2.2	3.31	
OSK-W-16-718	2775	Wolf 2	798.0	452742	5434571	332	-61	570.5	575.2	4.7	8.50	
OSK-W-16-718	2775	Quartz-carbonate vein	798.0	452742	5434571	332	-61	679.0	681.2	2.2	10.4	
<i>including</i>								680.7	681.2	0.5	44.4	
OSK-W-16-718	2775	Wolf	798.0	452742	5434571	332	-61	735.3	737.9	2.6	4.78	
OSK-W-16-720	2775	Caribou	459.0	452665	5434716	332	-56	260.0	265.7	5.7	34.4	20.9
<i>including and and</i>								262.0	262.5	0.5	45.9	
<i>and</i>								263.1	263.6	0.5	105	100
<i>and</i>								264.3	264.6	0.3	348	100
OSK-W-16-720	2775	Caribou	459.0	452665	5434716	332	-56	394.0	398.4	4.4	5.56	
<i>including</i>								394.0	394.5	0.5	18.7	
OSK-W-16-720	2775	Caribou North 2 extension	459.0	452665	5434716	332	-56	436.5	439.0	2.5	3.07	
<i>including</i>								437.0	438.0	1.0	7.25	
OSK-W-16-722	2925	New	773.3	452795	5434812	330	-60	53.0	55.0	2.0	6.08	
<i>including</i>								53.0	54.0	1.0	12.0	
OSK-W-16-724	3050	New	822.0	452910	5434850	329	-65	157.0	159.0	2.0	3.18	
OSK-W-16-724	3050	New - Caribou Corridor	822.0	452910	5434850	329	-65	385.0	387.5	2.5	3.34	
<i>including</i>								385.0	386.0	1.0	8.11	
OSK-W-16-724	3050	New - Caribou Corridor	822.0	452910	5434850	329	-65	478.6	480.7	2.1	3.64	
OSK-W-16-724	3050	Caribou North 2 Zone Extension	822.0	452910	5434850	329	-65	576.7	580.0	3.3	5.06	
<i>including</i>								579.7	580.0	0.3	26.7	
OSK-W-16-726	1850	FW3	996.0	451895	5434186	328	-59	837.0	839.9	2.9	0.60	
OSK-W-16-726	1850	New zone under Red Dog	996.0	451895	5434186	328	-59	936.6	938.8	2.2	4.49	
<i>including</i>								938.5	938.8	0.3	18.5	
OSK-W-16-726-W1	1850	FW3	1106.0	451895	5434186	328	-59	962.9	966.3	3.4	0.27	
OSK-W-16-726-W2	1850		564.0	451895	5434186	328	-59	<i>No significant results</i>				
OSK-W-16-727	1775	FW3 Underdog	381.0	451664	5434446	330	-53	274.4	276.5	2.1	9.45	
<i>including</i>								274.9	276.0	1.1	17.2	
OSK-W-16-728	3200	Crustiform vein	1419.0	453055	5434890	334	-66	363.0	365.4	2.4	42.2	17.2
<i>including</i>								363.6	364.0	0.4	250	100
OSK-W-16-728	3200	Crustiform vein	1419.0	453055	5434890	334	-66	404.0	404.5	0.5	23.8	
OSK-W-16-728	3200	Caribou Zone extension	1419.0	453055	5434890	334	-66	478.1	481.2	3.1	391	100
OSK-W-16-728	3200	Caribou Zone extension Cut to 100 g/t Au	1419.0	453055	5434890	334	-66	478.1	481.2	3.1	14.7	
<i>including</i>								478.1	478.5	0.4	3020	100
OSK-W-16-728	3200	New zone - Caribou corridor	1419.0	453055	5434890	334	-66	581.6	584.0	2.4	3.18	
OSK-W-16-728	3200	Zone 27 - Crustiform vein	1419.0	453055	5434890	334	-66	752.2	754.9	2.7	4.69	
<i>including</i>								753.1	753.9	0.8	15.6	
OSK-W-16-735	2375	Shear vein	1110.0	452285	5434580	332	-64	58.3	60.5	2.2	13.8	
<i>including</i>								58.3	58.9	0.6	48.7	
OSK-W-16-735	2375	Caribou	1110.0	452285	5434580	332	-64	101.8	137.2	35.4	17.0	
OSK-W-16-735	2375	Caribou Cut to 100g/t Au	1110.0	452285	5434580	332	-64	101.8	137.2	35.4	6.10	
<i>including and</i>								103.0	103.5	0.5	10.1	
<i>including and</i>								112.0	113.7	1.7	318	100
<i>and</i>								112.0	113.0	1.0	486	100
<i>and</i>								113.0	113.7	0.7	79.2	
OSK-W-16-735	2375	Zone 27	1110.0	452285	5434580	332	-64	322.8	325.0	2.2	14.6	
<i>including</i>								322.8	323.4	0.6	53.0	
OSK-W-16-735	2375	FW1	1110.0	452285	5434580	332	-64	532.4	534.5	2.1	14.1	
<i>including</i>								532.4	533.1	0.7	32.8	
<i>including</i>								534.2	534.5	0.3	19.6	
OSK-W-16-735	2375	FW1 Footwall	1110.0	452285	5434580	332	-64	554.4	557.8	3.4	10.8	
<i>including</i>								554.4	554.8	0.4	76.9	
OSK-W-16-735	2375	FW3	1110.0	452285	5434580	332	-64	676.5	681.1	4.6	0.71	
OSK-W-16-735	2375	FW4 Hangingwall	1110.0	452285	5434580	332	-64	797.8	800.0	2.2	6.75	
<i>including</i>								798.8	799.1	0.3	48.4	
OSK-W-16-735	2375	FW4 Hangingwall	1110.0	452285	5434580	332	-64	812.0	814.9	2.9	8.57	
<i>including</i>								814.4	814.9	0.5	43.0	
OSK-W-16-735	2375	FW4	1110.0	452285	5434580	332	-64	824.2	828.4	4.2	33.6	24.4
<i>including</i>								824.2	824.5	0.3	228	100
<i>and</i>								826.8	828.4	1.6	36.8	
OSK-W-16-735-W1	2375	Z27-2	1071.0	452285	5434580	332	-64	345.8	348.0	2.2	4.50	
OSK-W-16-735-W1	2375	Zone 27	1071.0	452285	5434580	332	-64	404.1	406.0	1.9	1.14	
OSK-W-16-735-W1	2375	Quartz vein in Red Dog	1071.0	452285	5434580	332	-64	427.5	428.5	1.0	5.13	
OSK-W-16-735-W1	2375	Quartz vein in Red Dog	1071.0	452285	5434580	332	-64	477.8	478.1	0.3	11.8	
OSK-W-16-735-W1	2375	FW1	1071.0	452285	5434580	332	-64	520.5	527.3	6.8	11.6	8.70



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								521.5	522.0	0.5	140	100
OSK-W-16-735-W1	2375	FW3	1071.0	452285	5434580	332	-64	743.3	749.0	5.7	1.04	
OSK-W-16-735-W2	2375	FW1	1089.5	452285	5434580	332	-64	532.2	535.7	3.5	12.2	
OSK-W-16-735-W2	2375	FW1	1089.5	452285	5434580	332	-64	545.8	548.6	2.8	6.80	
OSK-W-16-735-W2	2375	FW3	1089.5	452285	5434580	332	-64	808.5	818.3	9.8	7.92	
OSK-W-16-735-W2	2375	FW3	1089.5	452285	5434580	332	-64	822.7	828.0	5.3	11.7	
<i>including</i>								825.0	825.5	0.5	54.1	
OSK-W-16-737	3375		72.0	453236	5434928	332	-66	<i>Abandoned</i>				
OSK-W-16-739	3375		42.0	453236	5434928	332	-65	<i>Abandoned</i>				
OSK-W-16-740	3375	Vein	1464.0	453238	5434925	340	-66	137.4	140.0	2.6	7.21	
<i>including</i>								138.7	139.2	0.5	23.6	
OSK-W-16-740	3375	Lynx	1464.0	453238	5434925	340	-66	159.0	161.0	2.0	4.49	
OSK-W-16-740	3375	Lynx FW	1464.0	453238	5434925	340	-66	248.5	256.7	8.2	4.72	
<i>including</i>								249.5	250.1	0.6	13.0	
<i>including</i>								255.7	256.7	1.0	19.3	
OSK-W-16-740	3375	Crustiform Vein	1464.0	453238	5434925	340	-66	305.4	310.0	4.6	5.69	
<i>including</i>								305.4	306.1	0.7	11.8	
<i>including</i>								309.0	310.0	1.0	16.3	
OSK-W-16-740	3375	CN2	1464.0	453238	5434925	340	-66	720.5	722.8	2.3	9.66	
<i>including</i>								720.5	721.5	1.0	19.5	
OSK-W-16-740	3375	New UnderDog	1464.0	453238	5434925	340	-66	1389.0	1391.4	2.4	8.71	
<i>including</i>								1390.2	1390.5	0.3	67.9	
OSK-W-16-741	2525		246.0	452652	5434236	329	-65	<i>No significant results</i>				
OSK-W-16-742	2525		30.0	452651	5434236	330	-64	<i>Abandoned</i>				
OSK-W-16-743	2525	New zone	1560.0	452652	5434235	334	-64	672.2	674.7	2.5	6.44	
OSK-W-16-743	2525	New zone	1560.0	452652	5434235	334	-64	701.1	703.8	2.7	4.91	
<i>including</i>								703.1	703.8	0.7	15.3	
OSK-W-16-743	2525	CS1	1560.0	452652	5434235	334	-64	776.4	777.3	0.9	1.91	
OSK-W-16-743	2525	New zone	1560.0	452652	5434235	334	-64	790.4	792.8	2.4	4.71	
<i>including</i>								790.4	790.7	0.3	37.1	
OSK-W-16-743	2525	FW0	1560.0	452652	5434235	334	-64	1007.0	1009.7	2.7	2.52	
OSK-W-16-743	2525	FW1	1560.0	452652	5434235	334	-64	1173.6	1183.3	9.7	3.37	
<i>including</i>								1179.2	1179.8	0.6	13.3	
OSK-W-16-743	2525	FW2	1560.0	452652	5434235	334	-64	1233.7	1236.3	2.6	303	47.0
<i>including</i>								1233.7	1235.8	2.1	375	57.7
OSK-W-16-743	2525	FW3	1560.0	452652	5434235	334	-64	1366.0	1368.2	2.2	5.55	
OSK-W-16-743-W1	2525	CS1	1488.0	452651	5434237	334	-64	774.0	776.0	2.0	1.10	
<i>including</i>								774.6	775.0	0.4	5.05	
OSK-W-16-743-W1	2525	FW0	1488.0	452651	5434237	334	-64	1000.5	1005.7	5.2	5.77	
<i>including</i>								1001.3	1003.7	2.4	11.0	
OSK-W-16-743-W1	2525	FW0 FW	1488.0	452651	5434237	334	-64	1060.0	1063.0	3.0	3.62	
<i>including</i>								1060.0	1060.5	0.5	7.97	
OSK-W-16-743-W1	2525	FW2 HW	1488.0	452651	5434237	334	-64	1243.5	1245.6	2.1	6.77	
OSK-W-16-743-W1	2525	FW2	1488.0	452651	5434237	334	-64	1251.8	1254.4	2.6	8.13	
<i>including</i>								1252.1	1252.9	0.8	24.0	
OSK-W-16-743-W1	2525	FW3	1488.0	452651	5434237	334	-64	1394.0	1396.0	2.0	6.29	
<i>including</i>								1394.0	1394.9	0.9	12.9	
OSK-W-16-743-W2	2525	CS1	1625.2	452651	5434237	334	-64	748.0	751.0	3.0	10.3	
<i>including</i>								749.6	751.0	1.4	21.5	
OSK-W-16-743-W2	2525	FW0	1625.2	452651	5434237	334	-64	1160.0	1162.9	2.9	3.52	
OSK-W-16-743-W2	2525	FW1	1625.2	452651	5434237	334	-64	1279.0	1281.0	2.0	1.90	
OSK-W-16-743-W2	2525	FW2	1625.2	452651	5434237	334	-64	1373.7	1376.3	2.6	9.10	
<i>including</i>								1374.5	1375.3	0.8	27.5	
OSK-W-16-743-W2	2525	FW3	1625.2	452651	5434237	334	-64	1465.5	1469.0	3.5	0.64	
OSK-W-16-744	2775	New zone	689.4	452665	5434732	331	-56	268.0	270.5	2.5	5.24	
<i>including</i>								269.0	270.5	1.5	8.35	
OSK-W-16-744	2775	Caribou	689.4	452665	5434732	331	-56	365.0	374.0	9.0	5.00	
<i>including</i>								372.0	373.0	1.0	31.2	
OSK-W-16-744	2775	Caribou North 2	689.4	452665	5434732	331	-56	417.4	419.9	2.5	4.44	
<i>including</i>								419.5	419.9	0.4	20.0	
OSK-W-16-744	2775	Zone 27	689.4	452665	5434732	331	-56	578.0	594.0	16.0	4.92	
<i>including</i>								578.0	582.0	4.0	15.2	
OSK-W-16-746	2650	Caribou	873.0	452551	5434670	331	-57	343.0	348.2	5.2	5.50	
<i>including</i>								344.8	345.2	0.4	47.2	
OSK-W-16-746	2650	Caribou North 2	873.0	452551	5434670	331	-57	378.2	378.9	0.7	0.16	
OSK-W-16-746	2650	New zone	873.0	452551	5434670	331	-57	455.4	457.7	2.3	3.87	
<i>including</i>								456.9	457.7	0.8	9.29	
OSK-W-16-746	2650	Vein	873.0	452551	5434670	331	-57	603.0	606.7	3.7	16.5	
OSK-W-16-747	2475	Quartz-tourmaline vein	1050.0	452449	5434488	331	-57	153.0	155.0	2.0	3.66	
<i>including</i>								154.0	154.3	0.3	23.6	
OSK-W-16-747	2475	Caribou	1050.0	452449	5434488	331	-57	298.3	300.7	2.4	13.7	
<i>including</i>								298.3	299.3	1.0	31.5	
OSK-W-16-747	2475	Caribou South 1	1050.0	452449	5434488	331	-57	417.0	419.0	2.0	11.4	
<i>including</i>								417.8	418.3	0.5	45.3	
OSK-W-16-747	2475	Caribou North 1	1050.0	452449	5434488	331	-57	467.1	468.9	1.8	2.17	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	
OSK-W-17-1072	3975	Lynx 4	1086.0	453612	5435535	144	-57	884.0	886.3	2.3	3.73		
			<i>including</i>						886.0	886.3	0.3	22.8	
OSK-W-17-1072-W1	4000	Lynx 1	948.0	453612	5435535	144	-57	656.0	660.1	4.1	1.53		
OSK-W-17-1072-W1	4000	Lynx HW	948.0	453612	5435535	144	-57	693.0	695.0	2.0	4.50		
			<i>including</i>						694.0	695.0	1.0	8.76	
OSK-W-17-1072-W1	4000	Lynx 4	948.0	453612	5435535	144	-57	818.0	820.0	2.0	3.79		
			<i>including</i>						819.0	819.3	0.3	23.0	
OSK-W-17-1072-W1	4000	Lynx 4	948.0	453612	5435535	144	-57	825.0	827.0	2.0	9.52		
			<i>including</i>						825.0	826.0	1.0	19.0	
OSK-W-17-1072-W1	4000	Lynx 4	948.0	453612	5435535	144	-57	911.0	914.0	3.0	6.09		
			<i>including</i>						911.0	912.0	1.0	17.5	
OSK-W-17-1072-W3	4000	Lynx 4	1110.0	453612	5435535	144	-57	1095.0	1097.0	2.0	11.3		
			<i>including</i>						1095.0	1096.0	1.0	20.6	
OSK-W-17-1073	3000	Lynx 4	603.0	452755	5434982	144	-51	409.0	411.0	2.0	8.65		
OSK-W-17-1073	3000	Vein	603.0	452755	5434982	144	-51	470.5	473.0	2.5	3.68		
			<i>including</i>						470.5	471.2	0.7	13.0	
OSK-W-17-1073	3000	Vein	603.0	452755	5434982	144	-51	475.3	477.9	2.6	4.03		
			<i>including</i>						475.3	476.0	0.7	12.4	
OSK-W-17-1073	3000	Vein	603.0	452755	5434982	144	-51	481.0	483.2	2.2	3.78		
			<i>including</i>						482.5	483.2	0.7	11.3	
OSK-W-17-1079	2550	CN1 FW	615.0	452541	5434452	332	-58	597.0	599.3	2.3	108	17.5	
			<i>including</i>						597.6	598.0	0.4	618	100
OSK-W-17-1080	3350	Lynx 2	84.0	453165	5434979	330	-45	51.0	53.0	2.0	5.47		
			<i>including</i>						52.1	52.4	0.3	34.0	
OSK-W-17-1081	2175	Z27	117.0	451987	5434710	145	-65	61.3	63.7	2.4	10.4		
			<i>including</i>						62.0	62.6	0.6	35.2	
OSK-W-17-1085	3625	Lynx 1	447.0	453460	5435020	339	-68	254.8	257.0	2.2	4.83		
OSK-W-17-1085	3625	Lynx 2	447.0	453460	5435020	339	-68	272.0	276.0	4.0	4.45		
OSK-W-17-1087	2475	Drake	381.0	452255	5434830	328	-61	243.0	245.0	2.0	3.28		
OSK-W-17-1088	2175	Z27	129.0	451972	5434737	148	-55	80.2	82.4	2.2	7.73		
			<i>including</i>						80.2	81.0	0.8	19.5	
OSK-W-17-1090	2350	Z27	237.0	452219	5434643	334	-45	134.2	136.5	2.3	5.24		
			<i>including</i>						134.2	134.6	0.4	26.3	
OSK-W-17-1091	3375	Lynx 1	246.0	453207	5434962	332	-51	60.4	62.7	2.3	11.3		
			<i>including</i>						61.0	62.0	1.0	25.2	
OSK-W-17-1091	3375	Lynx 2	246.0	453207	5434962	332	-51	104.0	106.4	2.4	3.64		
			<i>including</i>						105.6	106.4	0.8	9.30	
OSK-W-17-1095	2175	Z27	147.0	451959	5434734	147	-50	113.0	116.0	3.0	4.09		
OSK-W-17-1096	3375	Vein	120.0	453206	5434962	320	-46	58.8	61.1	2.3	3.48		
OSK-W-17-1098	3575	Lynx 3	424.5	453253	5435282	129	-48	249.9	252.3	2.4	13.7		
			<i>including</i>						250.6	251.4	0.8	34.7	
OSK-W-17-1098	3575	Lynx 2	424.5	453253	5435282	129	-48	326.2	328.8	2.6	8.51		
			<i>including</i>						327.9	328.8	0.9	18.1	
OSK-W-17-1100	3675	Lynx 3	426.0	453395	5435252	149	-61	165.5	167.5	2.0	5.98		
			<i>including</i>						165.5	166.5	1.0	11.8	
OSK-W-17-1102	3400	Lynx 1	345.0	453275	5434899	330	-50	174.0	176.0	2.0	3.58		
			<i>including</i>						175.7	176.0	0.3	16.2	
OSK-W-17-1102	3400	Lynx 1	345.0	453275	5434899	330	-50	220.0	223.0	3.0	1.26		
OSK-W-17-1102	3400	Lynx 2	345.0	453275	5434899	330	-50	280.9	284.5	3.6	13.0		
			<i>including</i>						280.9	281.6	0.7	55.4	
OSK-W-17-1103	2200	Z27	111.0	452016	5434722	148	-49	79.8	82.0	2.2	15.4		
OSK-W-17-1104	3775	Lynx 1	1059.0	453383	5435455	142	-50	472.0	474.0	2.0	1.77		
OSK-W-17-1104	3775	Lynx HW	1059.0	453383	5435455	142	-50	578.2	581.0	2.8	6.79		
			<i>including</i>						578.2	578.6	0.4	46.4	
OSK-W-17-1104	3775	Lynx 4	1059.0	453383	5435455	142	-50	883.0	885.0	2.0	3.61		
			<i>including</i>						884.3	884.7	0.4	17.0	
OSK-W-17-1104	3775	Lynx 5	1059.0	453383	5435455	142	-50	978.0	980.0	2.0	10.3		
			<i>including</i>						978.6	979.3	0.7	29.3	
OSK-W-17-1105	3050	New zone	834.0	452920	5434843	328	-71	468.0	470.0	2.0	3.42		
			<i>including</i>						468.0	469.0	1.0	6.71	
OSK-W-17-1105	3050	Caribou extension	834.0	452920	5434843	328	-71	526.0	528.0	2.0	8.85		
			<i>including</i>						527.5	528.0	0.5	17.3	
OSK-W-17-1105	3050	Caribou extension	834.0	452920	5434843	328	-71	534.3	539.0	4.7	4.94		
			<i>including</i>						534.3	535.0	0.7	14.5	
OSK-W-17-1105	3050	Caribou extension	834.0	452920	5434843	328	-71	550.0	552.0	2.0	3.76		
OSK-W-17-1105	3050	Caribou extension	834.0	452920	5434843	328	-71	556.2	558.5	2.3	4.21		
OSK-W-17-1105	3050	Wolf FW	834.0	452920	5434843	328	-71	684.9	696.1	11.2	11.0	7.95	
			<i>including</i>						684.9	689.8	4.9	21.4	14.5
OSK-W-17-1105	3050	Z27	834.0	452920	5434843	328	-71	772.0	774.0	2.0	4.49		
			<i>including</i>						772.3	772.9	0.6	14.5	
OSK-W-17-1106	2325	Z27	342.0	452152	5434730	330	-50	19.0	21.2	2.2	3.02		
			<i>including</i>						20.9	21.2	0.3	18.6	
OSK-W-17-1106	2325	Mallard	342.0	452152	5434730	330	-50	314.0	316.9	2.9	0.62		
OSK-W-17-1108	3300	Lynx 1	102.0	453133	5434954	330	-46	60.0	62.0	2.0	4.55		



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1110	2475	CS1	570.0	452488	5434436	333	-60	460.6	465.3	4.7	4.39	
		<i>including</i>						460.6	461.2	0.6	12.4	
OSK-W-17-1111	3400	Lynx HW	307.0	453275	5434899	335	-50	156.7	158.5	1.8	2.17	
OSK-W-17-1111	3400	Lynx 1 + Lynx 2	307.0	453275	5434899	335	-50	204.0	206.0	2.0	11.0	
		<i>including</i>						204.0	205.0	1.0	21.7	
OSK-W-17-1111	3400	Vein	307.0	453275	5434899	335	-50	259.0	261.0	2.0	4.18	
OSK-W-17-1111	3400	Lynx 2	307.0	453275	5434899	335	-50	268.5	271.0	2.5	1.72	
OSK-W-17-1111	3400	Lynx 2	307.0	453275	5434899	335	-50	278.7	285.5	6.8	19.0	
		<i>including</i>						281.0	282.0	1.0	72.1	
OSK-W-17-1112	3825	Lynx 1	636.0	453437	5435481	136	-54	503.0	505.0	2.0	4.09	
OSK-W-17-1113	3625	Lynx 2	480.0	453280	5435347	138	-50	389.6	395.0	5.4	4.66	
		<i>including</i>						389.6	389.9	0.3	20.1	
OSK-W-17-1113	3625	Lynx 1	480.0	453280	5435347	138	-50	418.4	420.7	2.3	3.11	
		<i>including</i>						419.5	419.8	0.3	22.9	
OSK-W-17-1115	3075	New zone	816.0	452796	5435118	153	-48	333.6	336.4	2.8	13.7	
OSK-W-17-1116	2175	Z27	123.0	452039	5434729	150	-47	63.0	66.0	3.0	9.13	
OSK-W-17-1119	2550	CN1	609.0	452541	5434452	331	-55	527.4	529.5	2.1	10.7	
		<i>including</i>						528.3	528.7	0.4	44.4	
OSK-W-17-1119	2550	CN1	609.0	452541	5434452	331	-55	534.3	540.4	6.1	3.08	
		<i>including</i>						539.2	540.4	1.2	9.48	
OSK-W-17-1120	3775	Lynx 2	453.0	453457	5435338	154	-54	210.0	212.0	2.0	4.93	
		<i>including</i>						210.0	211.0	1.0	9.12	
OSK-W-17-1120	3775	Lynx HW	453.0	453457	5435338	154	-54	329.0	331.2	2.2	3.24	
OSK-W-17-1120	3775	Lynx HW	453.0	453457	5435338	154	-54	334.0	336.7	2.7	5.68	
OSK-W-17-1121	3550	Lynx 1	465.0	453436	5434958	335	-64	303.0	305.0	2.0	4.29	
OSK-W-17-1121	3550	Lynx 1	465.0	453436	5434958	335	-64	309.5	313.5	4.0	7.78	
		<i>including</i>						309.5	311.2	1.7	14.9	
OSK-W-17-1121	3550	VNCR	465.0	453436	5434958	335	-64	335.4	337.7	2.3	19.0	
		<i>including</i>						336.2	336.9	0.7	58.8	
OSK-W-17-1121	3550	VNCR	465.0	453436	5434958	335	-64	421.9	424.0	2.1	3.34	
OSK-W-17-1121	3550	VNCR	465.0	453436	5434958	335	-64	435.0	437.7	2.7	8.62	
		<i>including</i>						436.0	437.7	1.7	13.7	
OSK-W-17-1122	2250	Z27	114.0	452063	5434736	150	-47	63.0	65.2	2.2	7.05	
OSK-W-17-1123	3475	Lynx 1	345.0	453313	5434972	336	-46	113.0	116.0	3.0	1.49	
OSK-W-17-1123	3475	Lynx 2	345.0	453313	5434972	336	-46	130.0	132.1	2.1	11.6	
		<i>including</i>						130.9	131.3	0.4	47.5	
OSK-W-17-1123	3475	Lynx 3	345.0	453313	5434972	336	-46	163.0	167.0	4.0	0.74	
OSK-W-17-1124	2250	Mallard	255.0	452015	5434776	331	-51	204.6	207.0	2.4	18.3	
		<i>including</i>						204.6	205.6	1.0	43.4	
OSK-W-17-1125	2625	Z27 HW	975.0	452563	5434568	331	-58	595.0	597.0	2.0	3.19	
OSK-W-17-1125	2625	FW2	975.0	452563	5434568	331	-58	753.6	759.0	5.4	10.2	
		<i>including</i>						755.9	757.2	1.3	36.3	
OSK-W-17-1125-W3	2625	Wolf HW	1086.2	452563	5434568	331	-58	516.8	519.0	2.2	26.0	
		<i>including</i>						517.5	518.2	0.7	80.5	
OSK-W-17-1125-W3	2625	Wolf FW	1086.2	452563	5434568	331	-58	583.0	585.0	2.0	11.5	
		<i>including</i>						583.8	584.2	0.4	49.6	
OSK-W-17-1128	3625	Lynx 3	1419.0	453272	5435392	129	-53	423.5	429.0	5.5	3.85	
OSK-W-17-1128	3625	Lynx 2	1419.0	453272	5435392	129	-53	459.0	461.0	2.0	5.00	
OSK-W-17-1128	3625	Lynx 2	1419.0	453272	5435392	129	-53	486.9	489.0	2.1	36.1	28.6
		<i>including</i>						487.6	488.0	0.4	140	100
OSK-W-17-1128	3625	Lynx 4	1419.0	453272	5435392	129	-53	916.4	918.6	2.2	27.4	
OSK-W-17-1128	3625	Lynx 6	1419.0	453272	5435392	129	-53	1181.0	1183.0	2.0	9.71	
OSK-W-17-1128	3625	Lynx 6	1419.0	453272	5435392	129	-53	1203.9	1206.2	2.3	14.0	
		<i>including</i>						1205.0	1206.2	1.2	25.7	
OSK-W-17-1129	2325	Z27	741.0	452213	5434606	325	-49	206.8	209.0	2.2	8.20	
OSK-W-17-1129	2325	Z27	741.0	452213	5434606	325	-49	220.6	222.7	2.1	3.24	
OSK-W-17-1132	3600	VNCR	600.0	453202	5435434	129	-49	501.0	503.0	2.0	8.28	
OSK-W-17-1136	3275	Lynx 2	156.0	453105	5434948	331	-45	56.0	58.0	2.0	5.40	
		<i>including</i>						56.6	57.0	0.4	26.2	
OSK-W-17-1137	2325	Z27	81.0	452136	5434749	132	-61	56.5	58.5	2.0	3.01	
OSK-W-17-1138	3100	Epith 1	402.0	452888	5434989	327	-51	142.0	158.0	16.0	6.30	
		<i>including</i>						142.0	148.4	6.4	8.10	
		<i>including</i>						151.0	156.0	5.0	7.20	
OSK-W-17-1139	2500	CN1	1092.0	452473	5434470	333	-56	454.7	458.3	3.6	0.47	
OSK-W-17-1139	2500	CN1 FW	1092.0	452473	5434470	333	-56	520.0	523.4	3.4	4.87	
		<i>including</i>						521.6	521.9	0.3	19.8	
OSK-W-17-1140	2975	Z27	975.0	453006	5434522	336	-55	937.3	942.0	4.7	3.56	
OSK-W-17-1141	2325	Z27	252.0	452143	5434747	236	-65	59.4	61.8	2.4	30.0	
		<i>including</i>						59.4	61.0	1.6	44.7	
OSK-W-17-1141	2325	Z27	252.0	452143	5434747	236	-65	71.7	74.0	2.3	8.04	
		<i>including</i>						73.4	74.0	0.6	28.0	
OSK-W-17-1142	2325	Z27 HW	679.5	452202	5434628	324	-45	142.0	144.0	2.0	3.07	
OSK-W-17-1143	3425	Lynx 2	159.0	453250	5435004	331	-46	67.5	69.6	2.1	27.9	
		<i>including</i>						67.5	68.2	0.7	83.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1143	3425	Lynx 2	159.0	453250	5435004	331	-46	73.0	75.0	2.0	10.6	
OSK-W-17-1145	2250	Z27	156.6	452041	5434769	146	-49	90.9	93.3	2.4	12.5	
OSK-W-17-1145	2250	Z27	156.6	452041	5434769	146	-49	95.6	100.4	4.8	9.93	
OSK-W-17-1145	2250	Z27	156.6	452041	5434769	146	-49	120.0	125.9	5.9	7.25	
OSK-W-17-1146	3375	Lynx 2	156.0	453180	5435002	333	-50	38.6	42.2	3.6	0.56	
OSK-W-17-1146	3375	Lynx 3	156.0	453180	5435002	333	-50	63.2	65.6	2.4	1.15	
OSK-W-17-1147-W1	3125	No name	1212.0	453241	5434381	335	-52	798.0	800.4	2.4	3.36	
OSK-W-17-1147-W1	3125	Caribou extension	1212.0	453241	5434381	335	-52	909.0	911.0	2.0	3.94	
OSK-W-17-1147-W1	3125	Caribou extension	1212.0	453241	5434381	335	-52	1116.7	1119.0	2.3	4.63	
OSK-W-17-1147-W1	3125	Caribou extension	1212.0	453241	5434381	335	-52	1129.0	1131.0	2.0	7.52	
		<i>including</i>						1130.0	1130.5	0.5	29.2	
OSK-W-17-1149	3825	Lynx HW	489.0	453485	5435424	140	-47	346.8	349.0	2.2	11.0	
OSK-W-17-1152	1750	FW1	885.0	451738	5434293	330	-53	367.0	369.0	2.0	5.67	
		<i>including</i>						368.0	368.6	0.6	16.6	
OSK-W-17-1152	1750	FW4	885.0	451738	5434293	330	-53	703.8	706.0	2.2	1.72	
OSK-W-17-1153	3525	Lynx 1	615.0	453375	5434985	341	-45	149.0	151.1	2.1	10.4	
		<i>including</i>						150.3	151.1	0.8	25.6	
OSK-W-17-1153	3525	Lynx 2	615.0	453375	5434985	341	-45	160.2	163.0	2.8	1.30	
OSK-W-17-1154	2250	Z27	174.0	452020	5434762	149	-49	91.0	95.2	4.2	18.8	
		<i>including</i>						92.0	93.0	1.0	44.1	
OSK-W-17-1155	2725	VNCR	477.0	452451	5435008	332	-71	327.0	329.7	2.7	3.64	
		<i>including</i>						329.0	329.7	0.7	12.9	
OSK-W-17-1158	3175	Caribou extension	696.0	453046	5434871	331	-59	596.0	598.4	2.4	4.12	
		<i>including</i>						597.0	597.8	0.8	10.6	
OSK-W-17-1164	2175	Z27	336.0	451960	5434752	143	-58	132.0	139.8	7.8	7.12	
		<i>including</i>						139.3	139.8	0.5	64.9	
OSK-W-17-1166	4050	Lynx 4	1182.0	453621	5435639	132	-59	918.5	924.7	6.2	9.05	
OSK-W-17-1168	3650	VNCR	717.0	453464	5435090	329	-57	544.0	546.6	2.6	3.99	
		<i>including</i>						546.0	546.6	0.6	15.4	
OSK-W-17-1169	3725	Lynx 2	1437.0	453330	5435468	129	-55	573.0	576.5	3.5	4.23	
		<i>including</i>						575.6	576.5	0.9	12.6	
OSK-W-17-1169	3725	Lynx corridor	1437.0	453330	5435468	129	-55	761.0	763.0	2.0	479	30.3
		<i>including</i>						761.9	762.5	0.6	1595	100
OSK-W-17-1169	3725	QTV	1437.0	453330	5435468	129	-55	874.0	876.0	2.0	5.13	
		<i>including</i>						874.4	875.0	0.6	17.0	
OSK-W-17-1169	3725	Lynx 4	1437.0	453330	5435468	129	-55	1037.7	1040.1	2.4	7.14	
		<i>including</i>						1039.7	1040.1	0.4	21.8	
OSK-W-17-1169	3725	Lynx 4	1437.0	453330	5435468	129	-55	1104.2	1108.5	4.3	21.2	
		<i>including</i>						1107.5	1108.5	1.0	42.4	
OSK-W-17-1169	3725	Lynx 5	1437.0	453330	5435468	129	-55	1198.1	1201.6	3.5	2.07	
OSK-W-17-1170	3125	VNCR	594.0	452878	5435048	154	-49	63.3	66.0	2.7	4.87	
OSK-W-17-1177	4225	Caribou extension	1422.0	454113	5435090	340	-67	1353.1	1356.5	3.4	7.86	
		<i>including</i>						1354.1	1355.1	1.0	17.1	
OSK-W-17-1179	1650	Underdog	777.0	451560	5434376	332	-57	742.8	745.5	2.7	4.56	
		<i>including</i>						742.8	743.7	0.9	11.6	
OSK-W-17-1180	2175	Z27	189.0	452066	5434618	322	-45	71.0	74.0	3.0	5.04	
OSK-W-17-1180	2175	Z27	189.0	452066	5434618	322	-45	80.0	85.0	5.0	18.0	
		<i>including</i>						80.9	81.9	1.0	49.6	
OSK-W-17-1180	2175	Z27	189.0	452066	5434618	322	-45	142.8	146.0	3.2	3.98	
OSK-W-17-1180	2175	Z27	189.0	452066	5434618	322	-45	156.5	158.7	2.2	3.47	
OSK-W-17-1185	3125	Z27 corridor	342.0	452904	5435021	334	-47	246.7	249.5	2.8	3.61	
		<i>including</i>						248.6	249.5	0.9	10.4	
OSK-W-17-1186	2475	Caribou	984.0	452419	5434554	331	-54	228.0	237.0	9.0	5.38	
		<i>including</i>						229.1	229.6	0.5	28.4	
		<i>including</i>						236.0	237.0	1.0	23.6	
OSK-W-17-1186	2475	Z27	984.0	452419	5434554	331	-54	521.5	524.4	2.9	33.1	
		<i>including</i>						523.0	524.0	1.0	87.8	
OSK-W-17-1186	2475	FW3U	984.0	452419	5434554	331	-54	863.0	866.0	3.0	15.7	
		<i>including</i>						863.0	864.6	1.6	27.5	
OSK-W-17-1188	2200	Z27	201.0	452067	5434618	318	-57	147.5	149.9	2.4	3.09	
		<i>including</i>						148.9	149.9	1.0	6.97	
OSK-W-17-1188	2200	Z27	201.0	452067	5434618	318	-57	167.8	169.8	2.0	3.28	
OSK-W-17-1189	2950	Caribou	1005.0	452945	5434561	335	-47	718.5	723.7	5.2	6.58	
		<i>including</i>						718.5	719.0	0.5	49.8	
OSK-W-17-1190	3200	Lynx 4 Corridor	1179.0	452905	5435152	151	-49	538.6	541.1	2.5	11.0	
OSK-W-17-1190	3200	Lynx 4 Corridor	1179.0	452905	5435152	151	-49	548.0	552.0	4.0	16.9	
		<i>including</i>						549.0	549.7	0.7	57.2	
OSK-W-17-1190	3200	Lynx 5	1179.0	452905	5435152	151	-49	762.3	764.4	2.1	6.03	
OSK-W-17-1190	3200	Lynx 5	1179.0	452905	5435152	151	-49	798.0	804.0	6.0	4.09	
		<i>including</i>						801.7	804.0	2.3	5.08	
OSK-W-17-1196	2200	Z27	210.0	452066	5434618	310	-59	155.5	158.0	2.5	3.26	
OSK-W-17-1204	3225	Lynx 2	615.0	453092	5434876	338	-61	241.5	243.6	2.1	3.16	
OSK-W-17-1204	3225	Caribou corridor	615.0	453092	5434876	338	-61	472.1	474.3	2.2	3.20	
OSK-W-17-1207	2450	Mallard	267.0	452147	5434924	334	-57	147.7	149.7	2.0	6.17	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								148.0	148.7	0.7	16.0	
OSK-W-17-1209	1600	FW4	429.0	451456	5434453	331	-60	236.4	239.2	2.8	4.68	
<i>including</i>								236.4	237.1	0.7	17.2	
OSK-W-17-1210	3250	Caribou extension	317.6	453011	5435050	334	-51	209.5	211.6	2.1	4.26	
OSK-W-17-1212	2550	Mallard	324.0	452303	5434914	330	-62	215.0	217.0	2.0	6.87	
<i>including</i>								216.0	217.0	1.0	13.2	
OSK-W-17-1218	3225	Caribou extension	405.0	453004	5435009	327	-62	384.0	386.0	2.0	6.88	
<i>including</i>								385.3	385.6	0.3	28.7	
OSK-W-17-1220	2275	Z27	303.0	452025	5434811	141	-47	179.4	182.0	2.6	12.3	
<i>including</i>								180.2	181.1	0.9	29.7	
OSK-W-17-1220	2275	Z27	303.0	452025	5434811	141	-47	197.7	202.0	4.3	4.63	
OSK-W-17-1221	3050	Caribou corridor	1079.0	453082	5434544	335	-51	707.4	709.4	2.0	7.28	
<i>including</i>								707.4	708.0	0.6	23.7	
OSK-W-17-1221	3050	Caribou corridor	1079.0	453082	5434544	335	-51	715.8	719.7	3.9	3.45	
OSK-W-17-1224	2550	Mallard 2	402.0	452304	5434914	333	-70	70.3	73.1	2.8	15.7	
<i>including</i>								72.7	73.1	0.4	44.2	
OSK-W-17-1224	2550	Mallard	402.0	452304	5434914	333	-70	371.0	373.4	2.4	3.12	
OSK-W-17-1226	3400	Caribou corridor	934.3	453371	5434726	331	-51	717.0	721.6	4.6	8.29	
<i>including</i>								717.8	718.3	0.5	18.1	
<i>including</i>								720.0	721.6	1.6	11.2	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434726	331	-51	743.4	746.2	2.8	3.43	
<i>including</i>								743.4	744.0	0.6	8.96	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434726	331	-51	765.0	767.0	2.0	3.78	
<i>including</i>								765.0	765.6	0.6	11.6	
OSK-W-17-1226	3400	CN2	934.3	453371	5434726	331	-51	852.7	855.0	2.3	3.42	
OSK-W-17-1227	3225	Vein	1164.0	453290	5434532	329	-50	419.9	422.0	2.1	4.37	
<i>including</i>								420.4	421.1	0.7	12.9	
OSK-W-17-1227	3225	TBD	1164.0	453290	5434532	329	-50	619.0	621.0	2.0	3.62	
OSK-W-17-1228	1600	Vein	657.0	451443	5434484	328	-59	50.7	53.0	2.3	7.59	
OSK-W-17-1228	1600	FW4	657.0	451443	5434484	328	-59	164.9	168.6	3.7	0.16	
OSK-W-17-1232	2275	Z27	351.0	452025	5434834	154	-47	149.0	151.5	2.5	5.50	
OSK-W-17-1232	2275	Z27	351.0	452025	5434834	154	-47	183.0	186.0	3.0	3.99	
OSK-W-17-1232	2275	Z27	351.0	452025	5434834	154	-47	206.0	208.0	2.0	27.2	
OSK-W-17-1241	3225	Caribou corridor	282.0	452947	5435107	130	-45	22.0	25.5	3.5	8.11	
<i>including</i>								24.6	25.5	0.9	17.9	
OSK-W-17-1243	2275	Z27	189.0	452060	5434781	146	-49	99.6	101.6	2.0	5.23	
<i>including</i>								101.0	101.6	0.6	13.6	
OSK-W-17-1246	2225	Z27 HW	191.0	452082	5434636	324	-50	34.5	39.9	5.4	5.62	
OSK-W-17-1246	2225	Z27	191.0	452082	5434636	324	-50	175.2	182.0	6.8	2.43	
OSK-W-17-1252	2400	Mallard	231.0	452132	5434944	324	-46	8.8	11.6	2.8	0.34	
OSK-W-17-1252	2400	Mallard	231.0	452132	5434944	324	-46	18.5	21.0	2.5	3.55	
<i>including</i>								19.3	20.3	1.0	8.74	
OSK-W-17-1252	2400	New zone	231.0	452132	5434944	324	-46	168.0	170.0	2.0	8.38	
<i>including</i>								168.0	169.0	1.0	16.7	
OSK-W-17-1253	2225	Z27	186.0	452081	5434634	337	-52	43.0	47.3	4.3	4.88	
OSK-W-17-1253	2225	Z27	186.0	452081	5434634	337	-52	56.0	59.0	3.0	3.68	
OSK-W-17-1257	2225	Z27	250.0	452081	5434634	322	-71	155.5	157.6	2.1	7.69	
<i>including</i>								156.2	156.5	0.3	44.9	
OSK-W-17-1257	2225	Z27	250.0	452081	5434634	322	-71	161.0	163.3	2.3	3.15	
<i>including</i>								163.0	163.3	0.3	17.2	
OSK-W-17-1257	2225	Z27	250.0	452081	5434634	322	-71	172.0	174.0	2.0	15.4	
<i>including</i>								172.0	173.0	1.0	30.1	
OSK-W-17-466-W1	2575	FW3 Upper	861.0	452484	5434643	330	-52	718.8	724.0	5.2	8.52	
<i>including</i>								718.8	719.8	1.0	35.7	
OSK-W-17-466-W1	2575	FW3 Upper FW	861.0	452484	5434643	330	-52	736.0	738.4	2.4	8.38	
<i>including</i>								737.5	738.4	0.9	20.3	
OSK-W-17-466-W2	2575	FW3 Upper	900.0	452484	5434643	330	-52	721.0	723.0	2.0	26.6	
<i>including</i>								721.3	722.3	1.0	51.5	
OSK-W-17-663-W1	2525	FW3U	822.2	452402	5434658	330	-53	648.0	650.0	2.0	4.64	
OSK-W-17-664-W1	2500	FW3U HW	996.0	452394	5434619	329	-55	653.0	660.0	7.0	0.52	
OSK-W-17-664-W1	2500	FW3U	996.0	452394	5434619	329	-55	754.0	756.4	2.4	4.89	
<i>including</i>								754.9	755.8	0.9	12.8	
OSK-W-17-743-W3	2525	CS1	1473.0	452651	5434237	334	-64	816.9	821.6	4.7	1.28	
OSK-W-17-743-W3	2525	Vein - FW0 corridor	1473.0	452651	5434237	334	-64	1058.0	1060.0	2.0	7.44	
OSK-W-17-743-W3	2525	FW0	1473.0	452651	5434237	334	-64	1066.8	1069.5	2.7	1.43	
OSK-W-17-743-W3	2525	FW3	1473.0	452651	5434237	334	-64	1424.0	1436.0	12.0	0.38	
OSK-W-17-743-W4	2525	CS1	1476.0	452651	5434237	334	-64	796.2	799.0	2.8	585	11.5
<i>including</i>								796.2	796.5	0.3	5450	100
OSK-W-17-743-W4	2525	FW0	1476.0	452651	5434237	334	-64	997.0	1004.5	7.5	0.78	
OSK-W-17-743-W4	2525	QTV	1476.0	452651	5434237	334	-64	1075.2	1078.0	2.8	3.89	
OSK-W-17-743-W4	2525	FW1 HW	1476.0	452651	5434237	334	-64	1100.0	1103.0	3.0	6.86	
<i>including</i>								1101.8	1102.2	0.4	42.6	
OSK-W-17-743-W4	2525	FW1 HW	1476.0	452651	5434237	334	-64	1113.6	1116.1	2.5	3.62	
OSK-W-17-743-W4	2525	FW1	1476.0	452651	5434237	334	-64	1139.0	1142.0	3.0	3.21	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								1154.5	1155.2	0.7	67.9	
OSK-W-17-789-W2	2500	FW3 / Z14-2	1194.0	452546	5434388	333	-59	1163.0	1165.7	2.7	5.62	
OSK-W-17-790	3600	Lynx FW	450.0	453457	5434995	332	-66	261.6	265.2	3.6	11.3	
<i>including and</i>								261.6	262.3	0.7	28.7	
<i>including</i>								264.7	265.2	0.5	39.9	
OSK-W-17-790	3600	Lynx FW	450.0	453457	5434995	332	-66	269.5	272.5	3.0	4.32	
<i>including</i>								269.5	270.6	1.1	10.1	
OSK-W-17-790	3600	Lynx 2	450.0	453457	5434995	332	-66	293.0	295.0	2.0	8.61	
OSK-W-17-790	3600	Lynx 2	450.0	453457	5434995	332	-66	303.8	308.8	5.0	6.00	
OSK-W-17-790	3600	Lynx 2	450.0	453457	5434995	332	-66	316.9	325.5	8.6	10.5	10.3
<i>including</i>								324.8	325.5	0.7	102	100
OSK-W-17-790	3600	VNCR	450.0	453457	5434995	332	-66	392.5	394.7	2.2	10.9	
OSK-W-17-792	3575	Lynx	438.0	453447	5434959	335	-64	309.5	318.7	9.2	42.1	25.2
<i>including and</i>								313.3	314.2	0.9	56.0	
<i>including</i>								315.6	317.6	2.0	162	100
OSK-W-17-792	3575	Crustiform vein	438.0	453447	5434959	335	-64	380.8	384.5	3.7	2.51	
OSK-W-17-799	3650	Lynx HW	450.0	453481	5435035	332	-74	309.3	311.2	1.9	10.6	
OSK-W-17-799	3650	Lynx	450.0	453481	5435035	332	-74	319.8	324.4	4.6	50.9	49.7
<i>including and</i>								319.8	320.7	0.9	106	100
<i>including</i>								323.1	324.4	1.3	82.7	
OSK-W-17-799	3650	Lynx FW	450.0	453481	5435035	332	-74	339.8	344.2	4.4	63.8	41.4
<i>including</i>								341.5	342.3	0.8	223	100
OSK-W-17-799	3650	Crustiform vein	450.0	453481	5435035	332	-74	402.0	408.5	6.5	11.0	
OSK-W-17-800	3500	Lynx 1	414.0	453367	5434941	330	-58	193.6	196.0	2.4	16.5	
<i>including</i>								194.1	195.0	0.9	40.4	
OSK-W-17-800	3500	VNCR	414.0	453367	5434941	330	-58	306.0	308.8	2.8	35.2	25.4
<i>including</i>								306.5	307.2	0.7	139	100
OSK-W-17-802	3475	Lynx 2	399.0	453375	5434897	330	-54	293.1	298.0	4.9	10.4	
<i>including</i>								297.0	298.0	1.0	37.5	
OSK-W-17-802	3475	Crustiform vein - Lynx corridor	399.0	453375	5434897	330	-54	363.0	366.1	3.1	24.9	
<i>including</i>								365.3	366.1	0.8	73.2	
OSK-W-17-802	3475	Crustiform vein - Lynx corridor	399.0	453375	5434897	330	-54	378.7	381.3	2.6	3.99	
<i>including</i>								379.3	380.5	1.2	6.77	
OSK-W-17-803	3450	Lynx HW	411.0	453305	5434943	331	-64	137.0	139.3	2.3	5.23	
<i>including</i>								137.0	138.5	1.5	7.74	
OSK-W-17-803	3450	Lynx	411.0	453305	5434943	331	-64	169.0	171.9	2.9	19.1	
OSK-W-17-803	3450	Crustiform vein - Lynx corridor	411.0	453305	5434943	331	-64	372.0	374.3	2.3	6.38	
<i>including</i>								372.0	373.2	1.2	11.1	
OSK-W-17-804	2100	Z27 HW	200.5	451941	5434625	342	-42	69.5	71.5	2.0	3.59	
<i>including</i>								69.5	69.8	0.3	19.1	
OSK-W-17-804	2100	Z27	200.5	451941	5434625	342	-42	83.9	86.6	2.7	3.65	
<i>including</i>								86.3	86.6	0.3	27.4	
OSK-W-17-804	2100	Z27-1	200.5	451941	5434625	342	-42	97.4	99.5	2.1	1.46	
OSK-W-17-805	3350	Lynx 2	321.0	453200	5434910	332	-56	225.5	230.5	5.0	12.4	
<i>including</i>								227.4	230.5	3.1	17.7	
<i>including</i>								230.0	230.5	0.5	64.6	
OSK-W-17-806	3400	Lynx 2	387.0	453262	5434950	331	-60	214.6	217.5	2.9	3.13	
<i>including</i>								214.6	215.5	0.9	8.24	
OSK-W-17-807	2325	FW0	1170.0	452311	5434423	330	-65	623.5	626.5	3.0	3.89	
OSK-W-17-807	2325	FW1	1170.0	452311	5434423	330	-65	715.5	717.5	2.0	19.2	
<i>including</i>								715.5	716.0	0.5	51.5	
OSK-W-17-807	2325	FW3 HW	1170.0	452311	5434423	330	-65	861.0	863.5	2.5	2.96	
OSK-W-17-807	2325	FW4	1170.0	452311	5434423	330	-65	1023.0	1028.6	5.6	0.54	
OSK-W-17-807-W1	2325	FW1	1194.0	452311	5434423	330	-65	730.2	734.6	4.4	8.20	
<i>including</i>								734.0	734.6	0.6	56.3	
OSK-W-17-807-W1	2325	FW3 HW	1194.0	452311	5434423	330	-65	907.0	916.4	9.4	9.01	
<i>including</i>								913.3	915.7	2.4	20.7	
OSK-W-17-807-W1	2325	FW3 FW	1194.0	452311	5434423	330	-65	1031.9	1034.0	2.1	8.64	
<i>including</i>								1031.9	1032.5	0.6	27.8	
OSK-W-17-807-W1	2325	FW4	1194.0	452311	5434423	330	-65	1122.8	1127.0	4.2	0.38	
OSK-W-17-807-W2	2325	FW1	1155.0	452311	5434423	330	-65	735.0	738.0	3.0	53.5	35.2
<i>including</i>								737.0	738.0	1.0	155	100
OSK-W-17-807-W2	2325	UnderDog	1155.0	452311	5434423	330	-65	868.5	870.5	2.0	7.15	
OSK-W-17-807-W2	2325	FW3	1155.0	452311	5434423	330	-65	911.0	913.0	2.0	32.9	
<i>including</i>								911.0	912.0	1.0	65.4	
OSK-W-17-807-W2	2325	Underdog	1155.0	452311	5434423	330	-65	1070.5	1072.5	2.0	4.29	
<i>including</i>								1070.5	1071.5	1.0	8.20	
OSK-W-17-810	2100	Z27 HW	224.5	451949	5434615	331	-60	93.1	98.0	4.9	7.25	
<i>including</i>								93.8	95.7	1.9	16.4	
OSK-W-17-810	2100	Z27	224.5	451949	5434615	331	-60	108.7	111.0	2.3	6.54	
<i>including</i>								109.2	110.2	1.0	14.9	
OSK-W-17-811	3725	Lynx 1	432.0	453470	5435213	150	-76	152.5	156.0	3.5	3.01	
OSK-W-17-812	3625	Lynx 1	377.7	453461	5435033	330	-65	194.7	196.5	1.8	0.98	
OSK-W-17-812	3625	Lynx 2	377.7	453461	5435033	330	-65	298.5	301.0	2.5	26.0	14.0
<i>including</i>								299.7	300.0	0.3	200	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-812	3625	Lynx 2	377.7	453461	5435033	330	-65	304.8	308.9	4.1	18.6	12.5
								304.8	305.1	0.3	59.7	
								307.3	307.6	0.3	184	100
OSK-W-17-813	2600	CS1	666.0	452612	5434456	332	-63	522.8	525.0	2.2	4.16	
OSK-W-17-813-W1	2600	CS3	660.0	452612	5434456	332	-63	618.3	620.7	2.4	4.53	
OSK-W-17-813-W1	2600	CN1	660.0	452612	5434456	332	-63	626.2	629.1	2.9	9.67	
								626.2	627.0	0.8	30.8	
OSK-W-17-814	2075	Z27-1	203.5	451927	5434612	329	-62	118.5	120.5	2.0	189	25.1
								120.0	120.5	0.5	756	100
OSK-W-17-816	3725	Lynx 1	1050.0	453470	5435213	147	-69	192.5	194.5	2.0	9.46	
								192.5	193.5	1.0	18.7	
OSK-W-17-816	3725	Lynx 1	1050.0	453470	5435213	147	-69	670.0	672.8	2.8	5.24	
								672.4	672.8	0.4	14.7	
OSK-W-17-816	3725	Lynx 4	1050.0	453470	5435213	147	-69	797.1	804.8	7.7	11.7	
								799.3	800.0	0.8	68.3	
								804.5	804.8	0.3	85.9	
OSK-W-17-817	3600	Lynx 2	820.3	453332	5435229	145	-60	273.3	275.3	2.0	4.40	
								273.3	273.7	0.4	14.0	
OSK-W-17-817	3600	Lynx 1	820.3	453332	5435229	145	-60	289.5	292.0	2.5	3.46	
								291.0	292.0	1.0	8.33	
OSK-W-17-817	3600	New - Lynx corridor	820.3	453332	5435229	145	-60	594.0	596.0	2.0	13.3	
								595.3	596.0	0.7	34.2	
OSK-W-17-818	2050	Z27-1	164.5	451868	5434630	329	-61	80.0	82.0	2.0	5.04	
OSK-W-17-818	2050	Vein	164.5	451868	5434630	329	-61	99.0	101.0	2.0	5.86	
								100.0	100.4	0.4	29.0	
OSK-W-17-820	2675	CS1	1104.0	452670	5434484	332	-66	558.5	564.5	6.0	31.4	25.4
								561.0	563.0	2.0	83.0	65.0
OSK-W-17-820	2675	CS1 FW	1104.0	452670	5434484	332	-66	616.5	619.0	2.5	936	32.1
								616.5	617.5	1.0	29.3	
								618.5	619.0	0.5	4620	100
OSK-W-17-820	2675	Vein in late dyke	1104.0	452670	5434484	332	-66	690.0	692.8	2.8	8.05	
								690.0	691.5	1.5	14.1	
OSK-W-17-820	2675	FW0 HW	1104.0	452670	5434484	332	-66	821.7	825.0	3.3	3.35	
OSK-W-17-820	2675	FW0 HW	1104.0	452670	5434484	332	-66	840.5	843.6	3.1	3.85	
								842.7	843.6	0.9	11.4	
OSK-W-17-820	2675	FW0	1104.0	452670	5434484	332	-66	864.2	867.0	2.8	3.51	
								864.2	865.0	0.8	11.9	
OSK-W-17-820	2675	FW0 FW	1104.0	452670	5434484	332	-66	946.0	948.0	2.0	3.85	
OSK-W-17-820	2675	FW0 FW	1104.0	452670	5434484	332	-66	976.3	982.6	6.3	5.79	
								982.1	982.6	0.5	28.7	
OSK-W-17-820-W1	2675	FW0	1356.0	452670	5434484	332	-66	876.1	881.3	5.2	3.25	
OSK-W-17-820-W1	2675	FW0 FW	1356.0	452670	5434484	332	-66	943.0	945.0	2.0	5.78	
								944.0	945.0	1.0	11.3	
OSK-W-17-820-W1	2675	FW0 FW	1356.0	452670	5434484	332	-66	949.0	951.0	2.0	9.02	
OSK-W-17-820-W1	2675	FW0 FW	1356.0	452670	5434484	332	-66	981.8	985.0	3.2	21.6	
								981.8	983.4	1.6	40.4	
OSK-W-17-820-W1	2675	FW1 FW	1356.0	452670	5434484	332	-66	1044.0	1046.0	2.0	4.26	
								1044.0	1045.0	1.0	7.92	
OSK-W-17-820-W1	2675	FW3 HW	1356.0	452670	5434484	332	-66	1109.2	1111.4	2.2	31.7	27.7
								1110.8	1111.4	0.6	115	100
OSK-W-17-820-W1	2675	FW3	1356.0	452670	5434484	332	-66	1146.7	1149.0	2.3	47.0	18.1
								1147.1	1147.5	0.4	266	100
OSK-W-17-821	2725	FW0 FW	1258.6	452739	5434474	332	-65	975.1	977.3	2.2	5.25	
								976.1	976.7	0.6	15.4	
OSK-W-17-821	2725	FW1	1258.6	452739	5434474	332	-65	1041.5	1044.0	2.5	1.48	
OSK-W-17-821	2725	FW3	1258.6	452739	5434474	332	-65	1174.5	1177.8	3.3	9.27	
								1176.6	1177.8	1.2	21.0	
OSK-W-17-821-W1	2725	CS3	1416.0	452739	5434474	332	-65	670.0	672.0	2.0	0.90	
OSK-W-17-821-W1	2725	FW0 HW	1416.0	452739	5434474	332	-65	865.0	867.0	2.0	7.31	
								865.7	866.0	0.3	44.3	
OSK-W-17-821-W1	2725	FW0	1416.0	452739	5434474	332	-65	905.0	907.0	2.0	7.93	
								905.0	906.0	1.0	12.2	
OSK-W-17-821-W1	2725	FW0	1416.0	452739	5434474	332	-65	937.0	941.0	4.0	36.7	35.4
								938.0	939.0	1.0	105	100
OSK-W-17-821-W1	2725	FW0 FW	1416.0	452739	5434474	332	-65	952.0	954.0	2.0	16.5	
								953.0	954.0	1.0	32.6	
OSK-W-17-821-W1	2725	FW1 HW	1416.0	452739	5434474	332	-65	1079.0	1084.0	5.0	4.63	
								1082.0	1083.0	1.0	11.3	
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1110.0	1141.0	31.0	24.9	16.4
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1144.0	1150.0	6.0	10.5	
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1158.0	1180.0	22.0	5.33	
								1175.6	1176.3	0.7	29.3	
								1178.0	1179.0	1.0	19.5	
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1192.0	1194.0	2.0	3.35	
OSK-W-17-821-W1	2725	FW1 FW	1416.0	452739	5434474	332	-65	1202.8	1207.0	4.2	5.65	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					1202.8	1203.1	0.3	48.0	
OSK-W-17-821-W1	2725	New UnderDog	1416.0	452739	5434474	332	-65	1219.4	1223.0	3.6	15.4	
			<i>including</i>					1222.2	1223.0	0.8	40.8	
OSK-W-17-821-W1	2725	New UnderDog	1416.0	452739	5434474	332	-65	1278.0	1285.0	7.0	3.84	
			<i>including</i>					1278.0	1279.0	1.0	9.58	
			<i>including</i>					1284.0	1285.0	1.0	9.62	
OSK-W-17-821-W1	2725	FW3	1416.0	452739	5434474	332	-65	1330.3	1333.0	2.7	5.04	
			<i>including</i>					1330.9	1331.2	0.3	30.1	
OSK-W-17-823	2550	CS1 HW	620.3	452565	5434415	330	-57	486.9	494.0	7.1	13.5	
			<i>including</i>					490.0	492.0	2.0	37.7	
OSK-W-17-823	2550	CS1	620.3	452565	5434415	330	-57	526.4	533.5	7.1	0.41	
OSK-W-17-823	2550	CS1 FW	620.3	452565	5434415	330	-57	552.2	554.3	2.1	5.43	
OSK-W-17-823	2550	Caribou corridor	620.3	452565	5434415	330	-57	574.6	577.2	2.6	4.70	
			<i>including</i>					575.3	576.4	1.1	10.8	
OSK-W-17-823-W1	2550	CS1 HW	618.0	452565	5434415	330	-57	503.0	508.4	5.4	8.05	
			<i>including</i>					507.1	508.4	1.3	23.8	
OSK-W-17-823-W1	2550	CS1	618.0	452565	5434415	330	-57	535.0	537.4	2.4	18.6	
			<i>including</i>					535.0	536.0	1.0	43.9	
OSK-W-17-824	2100	Z27	209.5	451948	5434608	330	-67	28.4	31.0	2.6	195	16.7
			<i>including</i>					29.6	30.0	0.4	1260	100
OSK-W-17-824	2100	Z27-1	209.5	451948	5434608	330	-67	150.9	152.9	2.0	3.28	
OSK-W-17-825	3525	Lynx 2	579.0	453252	5435182	145	-54	226.1	228.1	2.0	4.06	
OSK-W-17-825	3525	Lynx 2	579.0	453252	5435182	145	-54	237.1	239.1	2.0	3.18	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	265.2	266.9	1.7	3.18	
			<i>including</i>					265.2	265.5	0.3	14.0	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	267.9	270.7	2.8	6.71	
			<i>including</i>					268.9	269.6	0.7	21.6	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	274.0	276.2	2.2	6.88	
			<i>including</i>					274.8	275.2	0.4	21.6	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	280.5	283.9	3.4	23.8	
			<i>including</i>					280.5	281.3	0.8	92.1	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	289.8	292.5	2.7	5.27	
OSK-W-17-826	2825	CS1	1335.0	452799	5434556	331	-66	543.5	544.8	1.3	0.67	
OSK-W-17-826	2825	CS3	1335.0	452799	5434556	331	-66	658.1	661.9	3.8	1.14	
OSK-W-17-826	2825	Caribou Corridor	1335.0	452799	5434556	331	-66	720.3	723.7	3.4	4.49	
OSK-W-17-826	2825	FW0	1335.0	452799	5434556	331	-66	937.0	939.0	2.0	3.79	
OSK-W-17-826	2825	FW1 HW	1335.0	452799	5434556	331	-66	1031.0	1033.0	2.0	6.53	
			<i>including</i>					1031.0	1032.0	1.0	11.3	
OSK-W-17-826	2825	FW1 HW	1335.0	452799	5434556	331	-66	1051.0	1053.0	2.0	6.37	
			<i>including</i>					1052.0	1053.0	1.0	11.9	
OSK-W-17-826	2825	FW3/Z14-2	1335.0	452799	5434556	331	-66	1204.0	1206.2	2.2	9.26	
			<i>including</i>					1205.6	1206.2	0.6	24.7	
OSK-W-17-826	2825	FW3/Z14 HW	1335.0	452799	5434556	331	-66	1246.8	1250.0	3.2	4.61	
OSK-W-17-826	2825	FW3/Z14	1335.0	452799	5434556	331	-66	1298.0	1300.2	2.2	4.67	
OSK-W-17-826	2825	FW3/Z14 FW	1335.0	452799	5434556	331	-66	1308.3	1310.6	2.3	3.37	
			<i>including</i>					1309.0	1309.6	0.6	12.4	
OSK-W-17-826	2825	FW3 FW	1335.0	452799	5434556	331	-66	1316.6	1319.0	2.4	16.0	
			<i>including</i>					1317.2	1319.0	1.8	21.3	
OSK-W-17-826-W1	2825	Caribou corridor	759.0	452799	5434556	331	-66	648.0	650.8	2.8	3.48	
OSK-W-17-827	3425	Lynx 3	957.0	453173	5435126	145	-63	158.0	162.1	4.1	12.1	
			<i>including</i>					160.0	161.5	1.5	30.0	
OSK-W-17-827	3425	Lynx 2	957.0	453173	5435126	145	-63	196.0	198.5	2.5	2.66	
OSK-W-17-827	3425	Lynx 1 FW	957.0	453173	5435126	145	-63	255.0	258.0	3.0	14.6	
OSK-W-17-827	3425	Lynx 1 HW	957.0	453173	5435126	145	-63	354.0	356.5	2.5	7.51	
			<i>including</i>					354.0	355.5	1.5	12.4	
OSK-W-17-827	3425	VNCR - Lynx corridor	957.0	453173	5435126	145	-63	381.0	383.0	2.0	5.84	
			<i>including</i>					381.5	382.3	0.8	12.5	
OSK-W-17-827	3425	Lynx corridor	957.0	453173	5435126	145	-63	469.0	472.0	3.0	3.63	
OSK-W-17-827	3425	Lynx 4	957.0	453173	5435126	145	-63	664.3	667.0	2.7	57.0	50.1
			<i>including</i>					666.0	667.0	1.0	119	100
OSK-W-17-827	3425	Lynx 5	957.0	453173	5435126	145	-63	779.0	781.0	2.0	12.7	
			<i>including</i>					780.0	781.0	1.0	25.0	
OSK-W-17-830	2575	CS1	819.0	452487	5434622	329	-55	292.0	296.2	4.2	1.03	
OSK-W-17-830	2575	Caribou	819.0	452487	5434622	329	-55	343.0	344.0	1.0	7.92	
OSK-W-17-830	2575	Wolf	819.0	452487	5434622	329	-55	419.4	420.8	1.4	1.02	
OSK-W-17-830	2575	Z27	819.0	452487	5434622	329	-55	522.1	524.6	2.5	0.69	
OSK-W-17-830	2575	FW3U HW	819.0	452487	5434622	329	-55	670.5	673.5	3.0	3.59	
OSK-W-17-830	2575	FW3U	819.0	452487	5434622	329	-55	762.0	764.0	2.0	7.56	
OSK-W-17-831	3825	Lynx 1	561.0	453549	5435279	150	-75	457.7	460.0	2.3	4.61	
OSK-W-17-832	3600	Lynx 3	573.0	453332	5435229	146	-55	85.0	87.3	2.3	14.1	
			<i>including</i>					85.8	86.6	0.8	38.9	
OSK-W-17-833	2550	CS1	1149.0	452597	5434393	331	-57	540.0	546.3	6.3	5.91	
			<i>including</i>					544.0	546.3	2.3	13.2	
OSK-W-17-833	2550	CN1	1149.0	452597	5434393	331	-57	608.5	614.8	6.3	3.11	
			<i>including</i>					612.9	614.8	1.9	5.93	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-833	2550	FW0	1149.0	452597	5434393	331	-57	828.2	831.4	3.2	3.48	
OSK-W-17-833	2550	FW2	1149.0	452597	5434393	331	-57	915.3	918.0	2.7	0.94	
OSK-W-17-833	2550	FW2 FW	1149.0	452597	5434393	331	-57	954.0	957.0	3.0	3.40	
OSK-W-17-833	2550	FW3/Z14	1149.0	452597	5434393	331	-57	1086.0	1088.5	2.5	8.94	
		<i>including</i>						1086.0	1087.0	1.0	15.0	
OSK-W-17-833	2550	FW3/Z14-2	1149.0	452597	5434393	331	-57	1125.0	1127.4	2.4	8.97	
		<i>including</i>						1125.0	1126.1	1.1	17.1	
OSK-W-17-833-W1	2550	CS1	1173.0	452597	5434393	331	-57	534.0	536.0	2.0	8.27	
OSK-W-17-833-W1	2550	FW0	1173.0	452597	5434393	331	-57	815.5	818.0	2.5	5.60	
		<i>including</i>						815.5	816.0	0.5	21.6	
OSK-W-17-833-W1	2550	FW0 FW	1173.0	452597	5434393	331	-57	842.0	844.0	2.0	5.66	
		<i>including</i>						842.6	843.3	0.7	15.6	
OSK-W-17-833-W1	2550	FW1 HW	1173.0	452597	5434393	331	-57	853.7	857.7	4.0	11.8	
OSK-W-17-833-W1	2550	New UnderDog	1173.0	452597	5434393	331	-57	862.0	864.0	2.0	5.79	
OSK-W-17-833-W1	2550	FW3	1173.0	452597	5434393	331	-57	1089.0	1091.9	2.9	8.24	
		<i>including</i>						1091.6	1091.9	0.3	76.2	
OSK-W-17-833-W1	2550	FW3	1173.0	452597	5434393	331	-57	1100.0	1102.0	2.0	6.16	
OSK-W-17-833-W2	2550	CS1	1244.2	452597	5434393	331	-57	534.0	544.0	10.0	9.18	
		<i>including</i>						542.0	544.0	2.0	39.0	
OSK-W-17-833-W2	2550	CS1 FW	1244.2	452597	5434393	331	-57	554.0	556.0	2.0	3.87	
OSK-W-17-833-W2	2550	FW1	1244.2	452597	5434393	331	-57	886.0	893.5	7.5	0.21	
OSK-W-17-833-W2	2550	FW2	1244.2	452597	5434393	331	-57	1014.0	1017.0	3.0	43.9	41.6
		<i>including</i>						1014.7	1016.4	1.7	72.8	68.7
		<i>including</i>						1014.7	1015.0	0.3	123	100
OSK-W-17-833-W2	2550	FW3	1244.2	452597	5434393	331	-57	1022.0	1024.6	2.6	2.14	
OSK-W-17-834	3525	Lynx 2	402.0	453248	5435187	144	-59	277.6	280.0	2.4	16.6	
OSK-W-17-834	3525	Lynx 2	402.0	453248	5435187	144	-59	286.1	288.4	2.3	3.52	
		<i>including</i>						286.1	286.5	0.4	16.1	
OSK-W-17-834	3525	Lynx 1	402.0	453248	5435187	144	-59	292.0	295.7	3.7	421	27.8
		<i>including</i>						293.1	293.5	0.4	3740	100
OSK-W-17-836	3825	Lynx HW	1045.4	453549	5435279	145	-68	210.0	214.5	4.5	4.56	
OSK-W-17-836	3825	Lynx HW	1045.4	453549	5435279	145	-68	219.9	222.0	2.1	5.49	
OSK-W-17-836	3825	Crustiform vein - Lynx corridor	1045.4	453549	5435279	145	-68	269.3	272.0	2.7	4.96	
		<i>including</i>						269.3	270.0	0.7	18.7	
OSK-W-17-836	3825	New - Lynx Corridor	1045.4	453549	5435279	145	-68	307.2	309.7	2.5	18.5	
		<i>including</i>						307.2	307.7	0.5	85.2	
OSK-W-17-836	3825	New - Lynx corridor	1045.4	453549	5435279	145	-68	382.4	384.7	2.3	20.7	14.8
		<i>including</i>						382.4	382.7	0.3	146	100
OSK-W-17-836	3825	New - Lynx Corridor	1045.4	453549	5435279	145	-68	421.2	423.5	2.3	3.30	
OSK-W-17-836	3825	New - Lynx Corridor	1045.4	453549	5435279	145	-68	517.0	520.1	3.1	3.82	
OSK-W-17-836	3825	Lynx 5	1045.4	453549	5435279	145	-68	868.0	870.4	2.4	116	46.4
		<i>including</i>						869.3	870.4	1.1	253	100
OSK-W-17-836	3825	New - Lynx corridor	1045.4	453549	5435279	145	-68	890.1	892.7	2.6	16.3	
		<i>including</i>						890.1	890.6	0.5	75.9	
OSK-W-17-837	3650	Lynx 1 HW	465.0	453485	5435060	332	-75	207.0	210.4	3.4	43.9	35.5
		<i>including</i>						210.0	210.4	0.4	172	100
OSK-W-17-837	3650	Lynx 1	465.0	453485	5435060	332	-75	285.8	291.2	5.4	16.8	
		<i>including</i>						285.8	287.2	1.4	45.7	
OSK-W-17-837	3650	Lynx 2	465.0	453485	5435060	332	-75	320.0	328.4	8.4	97.4	33.7
		<i>including</i>						320.7	322.8	2.1	65.0	
		<i>and</i>						324.7	325.4	0.7	865	100
OSK-W-17-837	3650	VNCR - Lynx corridor	465.0	453485	5435060	332	-75	335.9	339.0	3.1	5.77	
OSK-W-17-837	3650	VNCR	465.0	453485	5435060	332	-75	343.7	346.6	2.9	15.6	
OSK-W-17-837	3650	Vein - Lynx corridor	465.0	453485	5435060	332	-75	407.6	408.7	1.1	3.93	
OSK-W-17-838	3275	Caribou Corridor	528.0	453144	5434900	329	-65	488.7	490.7	2.0	7.31	
		<i>including</i>						489.7	490.7	1.0	12.4	
OSK-W-17-838	3275	Caribou Corridor	528.0	453144	5434900	329	-65	497.0	500.0	3.0	4.55	
		<i>including</i>						498.0	499.0	1.0	10.8	
OSK-W-17-839	3525	Lynx 1 HW	449.2	453431	5434889	331	-56	310.0	312.1	2.1	10.5	
		<i>including</i>						310.8	312.1	1.3	16.7	
OSK-W-17-839	3525	Lynx 1	449.2	453431	5434889	331	-56	319.7	328.0	8.3	6.58	
		<i>including</i>						325.2	325.7	0.5	30.4	
		<i>including</i>						326.4	327.1	0.7	24.9	
OSK-W-17-842	2475	CS1 HW	948.0	452509	5434390	331	-59	505.5	508.0	2.5	3.79	
		<i>including</i>						505.5	505.9	0.4	18.3	
OSK-W-17-842	2475	CS1	948.0	452509	5434390	331	-59	540.0	545.5	5.5	14.5	8.55
		<i>including</i>						540.0	540.4	0.4	182	100
OSK-W-17-842	2475	FW0	948.0	452509	5434390	331	-59	799.5	808.5	9.0	0.41	
OSK-W-17-842	2475	FW1	948.0	452509	5434390	331	-59	923.7	925.8	2.1	4.01	
OSK-W-17-843	3500	Lynx 1	462.0	453427	5434866	330	-50	327.1	331.4	4.3	1.83	
OSK-W-17-843	3500	VNCR	462.0	453427	5434866	330	-50	450.4	452.8	2.4	5.93	
		<i>including</i>						450.4	451.1	0.7	19.0	
OSK-W-17-844	2750	CS1	1092.0	452728	5434545	333	-57	414.3	416.1	1.8	0.89	
OSK-W-17-844	2750	CS3	1092.0	452728	5434545	333	-57	520.8	523.6	2.8	11.6	
		<i>including</i>						521.7	522.6	0.9	33.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
including								752.0	753.0	1.0	41.2	
OSK-W-17-855-W1	2300	FW2	1197.0	452309	5434384	334	-64	843.0	845.2	2.2	3.18	
including								844.0	844.5	0.5	12.5	
OSK-W-17-855-W1	2300	FW3	1197.0	452309	5434384	334	-64	916.3	919.5	3.2	3.79	
including								919.0	919.5	0.5	15.8	
OSK-W-17-855-W1	2300	FW3 FW	1197.0	452309	5434384	334	-64	968.0	971.0	3.0	13.5	
including								969.0	971.0	2.0	18.2	
OSK-W-17-855-W1	2300	FW3	1197.0	452309	5434384	334	-64	985.0	987.0	2.0	4.85	
OSK-W-17-855-W1	2300	QTV	1197.0	452309	5434384	334	-64	1012.0	1014.0	2.0	8.31	
including								1013.0	1014.0	1.0	16.5	
OSK-W-17-855-W1	2300	FW4	1197.0	452309	5434384	334	-64	1158.0	1166.0	8.0	1.24	
OSK-W-17-855-W2	2300	FW1	1197.0	452309	5434384	334	-64	759.9	762.0	2.1	11.1	
including								759.9	761.0	1.1	20.8	
OSK-W-17-855-W2	2300	FW2	1197.0	452309	5434384	334	-64	861.0	863.0	2.0	8.88	
including								862.0	863.0	1.0	17.4	
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	924.8	928.3	3.5	26.1	
including								924.8	925.5	0.7	33.5	
including								925.5	925.9	0.4	66.2	
including								927.0	928.3	1.3	31.5	
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	973.0	975.0	2.0	4.21	
including								973.0	973.7	0.7	11.2	
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	1095.8	1098.0	2.2	9.20	
including								1097.0	1098.0	1.0	18.6	
OSK-W-17-855-W3	2300	FW3	1203.0	452309	5434384	334	-64	945.0	947.0	2.0	5.18	
OSK-W-17-856	3425	Lynx 1	291.0	453292	5434909	331	-52	162.4	166.0	3.6	0.25	
OSK-W-17-856	3425	Lynx 2	291.0	453292	5434909	331	-52	270.4	276.0	5.6	5.03	
including								270.4	271.0	0.6	13.1	
including								274.0	275.0	1.0	15.2	
OSK-W-17-857	3525	Lynx HW	436.5	453414	5434889	330	-52	248.0	250.0	2.0	4.25	
OSK-W-17-857	3525	Lynx HW	436.5	453414	5434889	330	-52	252.0	254.0	2.0	27.4	
including								253.1	253.6	0.5	95.0	
OSK-W-17-857	3525	Vein - Lynx corridor	436.5	453414	5434889	330	-52	348.0	350.9	2.9	30.0	
including								349.2	350.9	1.7	50.8	
OSK-W-17-857	3525	VNCR	436.5	453414	5434889	330	-52	361.5	364.2	2.7	159	17.0
including								363.8	364.2	0.4	1060	100
OSK-W-17-858	2600	SHR	840.0	452524	5434616	331	-53	46.8	49.0	2.2	3.95	
including								46.8	47.7	0.9	9.58	
OSK-W-17-858-W1	2600	FW3U	915.0	452524	5434616	331	-53	781.0	784.0	3.0	11.1	
including								781.0	782.5	1.5	18.3	
OSK-W-17-858-W2	2600	Wolf FW	909.0	452524	5434616	331	-53	486.3	488.6	2.3	8.51	
OSK-W-17-858-W2	2600	Z27	909.0	452524	5434616	331	-53	586.3	588.3	2.0	1.07	
OSK-W-17-858-W2	2600	Vein	909.0	452524	5434616	331	-53	630.1	632.5	2.4	32.6	
including								631.6	632.5	0.9	76.6	
OSK-W-17-858-W2	2600	FW3U	909.0	452524	5434616	331	-53	806.0	810.0	4.0	0.06	
OSK-W-17-858-W2	2600	VNCR	909.0	452524	5434616	331	-53	810.7	812.7	2.0	9.50	
including								810.7	811.2	0.5	34.5	
OSK-W-17-859	3550	Lynx 1	414.0	453433	5434905	337	-55	307.0	309.0	2.0	5.66	
OSK-W-17-859	3550	Lynx 2	414.0	453433	5434905	337	-55	326.0	328.0	2.0	2.26	
OSK-W-17-859	3550	Crustiform vein - Lynx corridor	414.0	453433	5434905	337	-55	380.5	382.7	2.2	73.5	29.1
including								381.4	382.0	0.6	263	100
OSK-W-17-859	3550	Crustiform vein - Lynx corridor	414.0	453433	5434905	337	-55	390.6	393.4	2.8	10.3	
including								390.6	391.5	0.9	27.3	
OSK-W-17-861	3775	Lynx 2	726.0	453386	5435455	150	-45	388.5	390.5	2.0	9.41	
including								388.5	389.5	1.0	18.7	
OSK-W-17-861	3775	Lynx HW	726.0	453386	5435455	150	-45	506.7	509.0	2.3	4.06	
including								508.6	509.0	0.4	12.5	
OSK-W-17-862	2725	Caribou corridor	993.0	452683	5434577	332	-55	369.3	372.2	2.9	17.4	
including								369.3	370.8	1.5	30.8	
OSK-W-17-862	2725	CS3	993.0	452683	5434577	332	-55	513.0	514.9	1.9	1.27	
OSK-W-17-862	2725	Wolf	993.0	452683	5434577	332	-55	570.7	572.5	1.8	0.29	
OSK-W-17-862-W2	2725	CS3	759.0	452683	5434577	332	-55	465.7	468.3	2.6	4.95	
OSK-W-17-862-W2	2725	CS3	759.0	452683	5434577	332	-55	473.0	477.7	4.7	17.8	
including								475.0	477.0	2.0	33.3	
OSK-W-17-862-W2	2725	Wolf HW	759.0	452683	5434577	332	-55	551.8	554.0	2.2	6.12	
including								552.3	552.8	0.5	26.3	
OSK-W-17-862-W2	2725	Wolf	759.0	452683	5434577	332	-55	568.0	570.0	2.0	1.48	
OSK-W-17-862-W2	2725	Wolf FW	759.0	452683	5434577	332	-55	640.0	643.0	3.0	13.4	
including								642.0	643.0	1.0	38.9	
OSK-W-17-862-W2	2725	Vein	759.0	452683	5434577	332	-55	712.7	714.8	2.1	297	14.5
including								713.8	714.1	0.3	2080	100
OSK-W-17-864	2525	CS1	813.4	452467	5434581	330	-53	257.0	280.0	23.0	0.90	
OSK-W-17-864	2525	Caribou corridor	813.4	452467	5434581	330	-53	305.0	308.0	3.0	4.17	
OSK-W-17-864	2525	CN2	813.4	452467	5434581	330	-53	338.5	348.0	9.5	0.56	
OSK-W-17-864	2525	Z27	813.4	452467	5434581	330	-53	516.0	524.0	8.0	7.90	
OSK-W-17-864	2525	Z27	813.4	452467	5434581	330	-53	518.0	524.0	6.0	8.22	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								518.0	519.0	1.0	22.7	
<i>and</i>								522.3	524.0	1.7	14.9	
OSK-W-17-864	2525	FW3U	813.4	452467	5434581	330	-53	768.4	770.7	2.3	4.15	
<i>including</i>								769.3	769.6	0.3	15.1	
OSK-W-17-864	2525	FW3U	813.4	452467	5434581	330	-53	790.3	793.0	2.7	14.0	
<i>including</i>								792.0	793.0	1.0	28.6	
OSK-W-17-864-W2	2525	FW3U	834.0	452467	5434581	330	-53	800.5	803.0	2.5	3.21	
OSK-W-17-866	2525	New - Caribou corridor	1299.0	452633	5434280	332	-57	347.8	350.4	2.6	3.49	
OSK-W-17-866	2525	Underdog	1299.0	452633	5434280	332	-57	769.7	772.2	2.5	10.2	
<i>including</i>								771.6	772.2	0.6	40.0	
OSK-W-17-866	2525	FW1	1299.0	452633	5434280	332	-57	1031.0	1033.4	2.4	1.20	
OSK-W-17-866	2525	FW2	1299.0	452633	5434280	332	-57	1105.0	1107.0	2.0	19.4	
<i>including</i>								1105.6	1106.1	0.5	73.2	
OSK-W-17-866	2525	FW3	1299.0	452633	5434280	332	-57	1138.0	1140.0	2.0	13.9	
OSK-W-17-866	2525	FW3 FW	1299.0	452633	5434280	332	-57	1168.4	1172.9	4.5	4.50	
<i>including</i>								1168.4	1168.9	0.5	19.9	
OSK-W-17-866	2525	FW3 FW	1299.0	452633	5434280	332	-57	1229.2	1231.5	2.3	14.0	
<i>including</i>								1229.2	1229.9	0.7	41.1	
OSK-W-17-866	2525	FW3	1299.0	452633	5434280	332	-57	1272.4	1274.5	2.1	6.29	
<i>including</i>								1273.1	1273.9	0.8	16.3	
OSK-W-17-866-W1	2525	Caribou	1359.0	452633	5434280	332	-57	514.7	519.0	4.3	2.43	
OSK-W-17-866-W1	2525	FW1	1359.0	452633	5434280	332	-57	1034.5	1040.0	5.5	3.76	
<i>including</i>								1034.5	1035.5	1.0	9.41	
OSK-W-17-866-W1	2525	FW3	1359.0	452633	5434280	332	-57	1100.0	1102.0	2.0	1.35	
OSK-W-17-866-W2	2525	FW0	1332.0	452633	5434280	332	-57	943.5	946.5	3.0	11.6	
<i>including</i>								946.1	946.5	0.4	44.0	
OSK-W-17-866-W2	2525	FW0	1332.0	452633	5434280	332	-57	961.2	962.5	1.3	1.64	
OSK-W-17-866-W2	2525	FW0 FW	1332.0	452633	5434280	332	-57	964.0	966.4	2.4	12.9	
<i>including</i>								965.1	965.6	0.5	31.1	
OSK-W-17-866-W2	2525	FW1	1332.0	452633	5434280	332	-57	1056.0	1062.0	6.0	4.21	
<i>including</i>								1060.5	1062.0	1.5	12.6	
OSK-W-17-866-W2	2525	FW1	1332.0	452633	5434280	332	-57	1095.5	1097.7	2.2	5.40	
<i>including</i>								1096.3	1096.7	0.4	29.0	
OSK-W-17-866-W2	2525	FW3	1332.0	452633	5434280	332	-57	1126.1	1128.5	2.4	87.0	37.4
<i>including</i>								1126.1	1126.9	0.8	249	100
OSK-W-17-867	2825	Caribou	1029.0	452800	5434550	315	-50	595.0	598.9	3.9	5.94	
OSK-W-17-867	2825	Wolf	1029.0	452800	5434550	315	-50	637.2	638.5	1.3	1.67	
OSK-W-17-867	2825	Wolf FW	1029.0	452800	5434550	315	-50	714.1	717.5	3.4	36.6	29.9
<i>including</i>								715.0	716.0	1.0	123	
OSK-W-17-867	2825	Caribou	1029.0	452800	5434550	315	-50	735.0	737.6	2.6	5.66	
<i>including</i>								735.9	736.9	1.0	12.6	
OSK-W-17-867	2825	Z27	1029.0	452800	5434550	315	-50	780.0	784.0	4.0	0.91	
OSK-W-17-868	3575	Lynx HW	435.0	453428	5434977	332	-64	199.8	202.0	2.2	9.77	
<i>including</i>								200.5	201.3	0.8	25.2	
OSK-W-17-868	3575	Lynx HW	435.0	453428	5434977	332	-64	221.0	223.0	2.0	26.7	
OSK-W-17-868	3575	Lynx 1	435.0	453428	5434977	332	-64	267.0	269.0	2.0	8.22	
<i>including</i>								267.4	268.2	0.8	18.0	
OSK-W-17-868	3575	Lynx 1	435.0	453428	5434977	332	-64	272.0	277.4	5.4	5.54	
OSK-W-17-868	3575	Lynx 2	435.0	453428	5434977	332	-64	301.0	303.5	2.5	12.3	
<i>including</i>								302.0	302.6	0.6	50.4	
OSK-W-17-868	3575	VNCR	435.0	453428	5434977	332	-64	381.0	383.2	2.2	4.40	
OSK-W-17-869	3600	VNCR	864.0	453229	5435372	132	-48	388.1	397.2	9.1	4.67	
OSK-W-17-870	3550	Lynx HW	411.0	453419	5434937	332	-50	210.4	213.1	2.7	25.7	
OSK-W-17-870	3550	Lynx 1	411.0	453419	5434937	332	-50	230.9	233.7	2.8	18.9	
<i>including</i>								230.9	231.6	0.7	69.0	
OSK-W-17-870	3550	Lynx 3	411.0	453419	5434937	332	-50	353.0	356.0	3.0	3.45	
OSK-W-17-871	2500	TBD	532.6	452402	5434623	328	-54	23.2	25.8	2.6	5.39	
<i>including</i>								24.1	25.0	0.9	15.2	
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	152.0	156.8	4.8	17.9	13.4
<i>including</i>								155.5	156.0	0.5	100	
<i>including</i>								155.5	156.0	0.5	143	100
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	177.3	179.9	2.6	3.47	
<i>including</i>								177.3	177.6	0.3	17.4	
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	269.0	271.4	2.4	6.21	
OSK-W-17-871	2500	Z27	532.6	452402	5434623	328	-54	429.3	432.0	2.7	3.18	
OSK-W-17-871	2500	Z27 FW	532.6	452402	5434623	328	-54	480.0	482.0	2.0	3.35	
OSK-W-17-871-W1	2500	QTV	840.0	452402	5434623	328	-54	610.1	612.4	2.3	8.38	
<i>including</i>								610.1	610.8	0.7	27.4	
OSK-W-17-871-W1	2500	FW3U	840.0	452402	5434623	328	-54	752.1	754.1	2.0	120	28.7
<i>including</i>								753.7	754.1	0.4	557	100
OSK-W-17-872	3400	Crustiform vein - Lynx corridor	307.3	453265	5434914	334	-47	194.7	197.4	2.7	4.27	
OSK-W-17-872	3400	Lynx 2	307.3	453265	5434914	334	-47	210.5	212.4	1.9	0.83	
OSK-W-17-873	3575	Lynx HW	393.0	453427	5434976	326	-61	210.0	212.0	2.0	3.51	
OSK-W-17-873	3575	Lynx 1	393.0	453427	5434976	326	-61	242.0	246.9	4.9	10.7	
OSK-W-17-873	3575	Lynx 1 FW	393.0	453427	5434976	326	-61	254.0	256.0	2.0	3.66	



Windfall Lake Gold Project
 Quebec, Canada
 Assay Results
 Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-883	3600	VNCR	396.0	453455	5434983	326	-60	353.0	355.2	2.2	3.07	
OSK-W-17-884	3400	Lynx 1	371.0	453213	5434983	333	-53	49.5	53.0	3.5	1.14	
OSK-W-17-884	3400	Lynx 2	371.0	453213	5434983	333	-53	77.0	80.0	3.0	6.88	
		<i>including</i>						77.0	77.5	0.5	26.0	
OSK-W-17-884	3400	Lynx 3	371.0	453213	5434983	333	-53	120.0	126.1	6.1	0.10	
OSK-W-17-885	2850	Vein	1458.0	452861	5434494	335	-67	472.0	474.0	2.0	21.4	19.8
		<i>including</i>						472.9	473.2	0.3	111	100
OSK-W-17-885	2850	CS3	1458.0	452861	5434494	335	-67	812.3	817.4	5.1	4.75	
		<i>including</i>						812.3	813.0	0.7	11.1	
OSK-W-17-885	2850	FW0	1458.0	452861	5434494	335	-67	1051.0	1053.0	2.0	7.81	
		<i>including</i>						1051.0	1052.0	1.0	15.5	
OSK-W-17-885	2850	FW0 FW	1458.0	452861	5434494	335	-67	1092.0	1100.0	8.0	6.69	
		<i>including</i>						1092.0	1093.0	1.0	22.3	