



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
EAG-11-254-EXT	2500	FW3U	753.0	452369	5434676	329	-57	684.1	690.9	6.8	24.7	
			<i>including</i>					686.5	688.7	2.2	59.7	
EAG-11-269	2575	FW3U	567.2	452471	5434647	330	-56	737.1	744.0	6.9	7.71	
			<i>including</i>					739.7	740.7	1.0	42.1	
EAG-11-269	2575	FW4	567.2	452471	5434647	330	-56	886.6	898.3	11.7	0.10	
EAG-13-494	2750	FW3 HW	706.5	452731	5434537	330	-60	1013.0	1016.0	3.0	5.70	
EAG-13-494	2750	FW3	706.5	452731	5434537	330	-60	1055.1	1057.1	2.0	8.38	
			<i>including</i>					1055.1	1055.6	0.5	32.1	
EAG-13-525	2700		539.5	452643	5434618	331	-60	<i>No significant results</i>				
OBM-15-552	2400	Caribou S1	1246.7	452390	5434436	329	-60	449.0	452.0	3.0	5.70	
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	707.0	711.0	4.0	2.28	
OBM-15-552	2400	FW1	1246.7	452390	5434436	329	-60	743.0	757.0	14.0	0.43	
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	881.0	882.0	1.0	29.2	
			<i>including</i>					881.0	881.5	0.5	57.3	
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	901.0	901.8	0.8	15.6	
OBM-15-552	2400	-	1246.7	452390	5434436	329	-60	929.0	931.0	2.0	3.29	
			<i>including</i>					929.8	930.3	0.5	8.83	
OBM-15-552	2400	FW3	1246.7	452390	5434436	329	-60	937.0	942.8	5.8	1.98	
			<i>including</i>					937.7	938.2	0.5	17.5	
OBM-15-552	2400	Footwall of FW3	1246.7	452390	5434436	329	-60	951.5	951.8	0.3	11.0	
OBM-15-552	2400	FW4	1246.7	452390	5434436	329	-60	1163.5	1164.5	1.0	8.09	
OBM-15-553	2150		47.2	452173	5434313	328	-60	<i>No significant results</i>				
OBM-15-554	2150	Caribou W2	1135.0	452173	5434313	336	-61	335.1	339.0	3.9	0.41	
OBM-15-554	2150	FW3	1135.0	452173	5434313	336	-61	922.0	924.0	2.0	1.85	
OBM-15-554	2150	-	1135.0	452173	5434313	336	-61	1082.8	1085.0	2.2	3.10	
OBM-15-554	2150	FW4	1135.0	452173	5434313	336	-61	1094.0	1097.2	3.2	2.43	
OBM-15-554	2150	Footwall of FW4	1135.0	452173	5434313	336	-61	1102.0	1105.0	3.0	6.33	
			<i>including</i>					1102.0	1103.0	1.0	18.2	
OBM-15-555	2400	-	283.5	452428	5434397	330	-60	282.8	284.2	1.4	14.9	
OBM-15-556	1850	FW1	1112.3	451899	5434189	330	-60	677.0	677.3	0.3	65.4	
OBM-15-556	1850	FW3	1112.3	451899	5434189	330	-60	832.8	841.0	8.2	0.07	
OBM-15-556	1850	FW4	1112.3	451899	5434189	330	-60	1057.1	1062.1	5.0	0.41	
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	200.1	202.1	2.0	4.12	
			<i>including</i>					200.1	200.8	0.7	9.94	
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	350.7	351.2	0.5	9.33	
OBM-15-557	2400	Caribou S1	1281.0	452429	5434393	332	-61	479.5	485.3	5.8	0.75	
OBM-15-557	2400	FW1	1281.0	452429	5434393	332	-61	852.7	855.0	2.3	4.19	
			<i>including</i>					853.4	854.3	0.9	7.64	
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	894.5	901.3	6.8	5.27	
			<i>including</i>					894.5	894.8	0.3	2590	100
OBM-15-557	2400	FW3	1281.0	452429	5434393	332	-61	971.0	981.3	10.3	3.80	
			<i>including and</i>					975.9	980.6	4.7	7.46	
			<i>and</i>					975.9	976.9	1.0	23.4	
OBM-15-557	2400	-	1281.0	452429	5434393	332	-61	1136.7	1143.0	6.3	3.67	
			<i>including</i>					1136.7	1137.5	0.8	20.6	
OBM-15-558	2775		117.0	452749	5434559	330	-60	<i>No significant results</i>				
OBM-15-559	2775	-	1319.5	452749	5434559	333	-60	271.5	272.5	1.0	6.06	
OBM-15-559	2775	Caribou S3 footwall	1319.5	452749	5434559	333	-60	545.8	547.0	1.2	6.76	
OBM-15-559	2775	Potential new lens	1319.5	452749	5434559	333	-60	628.9	631.7	2.8	5.24	
OBM-15-559	2775	Potential new lens	1319.5	452749	5434559	333	-60	646.5	666.9	20.4	7.04	
			<i>including</i>					646.5	650.5	4.0	12.9	
			<i>and</i>					646.5	647.5	1.0	39.0	
			<i>and</i>					654.0	657.4	3.4	12.8	
			<i>and</i>					662.5	666.9	4.4	8.90	
OBM-15-559	2775	Potential new lens	1319.5	452749	5434559	333	-60	681.0	684.7	3.7	10.0	
OBM-15-559	2775	Potential new lens	1319.5	452749	5434559	333	-60	751.0	761.0	10.0	7.00	
OBM-15-559	2775	-	1319.5	452749	5434559	333	-60	976.1	979.0	2.9	5.74	
			<i>including</i>					977.3	978.0	0.7	23.0	
OBM-15-560	2550	Caribou S1	1508.0	452670	5434252	333	-57	701.9	708.0	6.1	11.0	
			<i>including</i>					702.3	703.4	1.1	45.7	
			<i>and</i>					705.1	707.0	2.0	8.38	
OBM-15-560	2550	Vein in Red Dog	1508.0	452670	5434252	333	-57	737.8	738.3	0.5	69.6	
OBM-15-560	2550	FW0	1508.0	452670	5434252	333	-57	957.0	959.0	2.0	12.5	
			<i>including</i>					958.0	959.0	1.0	18.6	
OBM-15-560	2550	FW1	1508.0	452670	5434252	333	-57	1123.0	1136.0	13.0	5.71	
			<i>including</i>					1131.5	1132.4	0.9	41.0	
			<i>and</i>					1132.4	1133.0	0.6	21.3	
OBM-15-560	2550	Splay FW3	1508.0	452670	5434252	333	-57	1196.8	1203.0	6.2	11.1	
			<i>including</i>					1199.4	1199.9	0.5	48.1	
OBM-15-561	2300	shallow mineralization	60.5	452184	5434597	330	-52	21.0	22.0	1.0	121	100
OBM-15-562	2400	Zone 27	125.4	452194	5434775	151	-64	77.0	89.0	12.0	0.98	
OBM-15-563	2375		231.0	452237	5434682	330	-50	<i>No significant results</i>				
OBM-15-564	2675	Potential new lens	1527.0	452759	5434367	330	-60	436.6	439.9	3.3	22.3	
			<i>including</i>					439.5	439.9	0.4	171	100
OBM-15-564	2675	Caribou S1	1527.0	452759	5434367	330	-60	666.7	674.1	7.4	5.59	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					666.7	668.8	2.1	17.9	
OBM-15-564	2675	-	1527.0	452759	5434367	330	-60	865.4	867.8	2.4	8.29	
OBM-15-564	2675	New potential lens	1527.0	452759	5434367	330	-60	947.0	954.0	7.0	7.49	
			<i>including</i>					948.8	949.3	0.5	85.4	
OBM-15-564	2675	FW1	1527.0	452759	5434367	330	-60	1102.9	1105.0	2.1	7.19	
OBM-15-564	2675	Hanging wall of FW3	1527.0	452759	5434367	330	-60	1268.9	1271.0	2.1	4.09	
OBM-15-564	2675	Hanging wall of FW3	1527.0	452759	5434367	330	-60	1286.9	1288.9	2.0	5.10	
			<i>including</i>					1286.9	1287.4	0.5	18.5	
OBM-15-564	2675	FW3	1527.0	452759	5434367	330	-60	1295.0	1297.1	2.1	5.32	
OBM-15-565	2375	Caribou	285.0	452263	5434628	330	-50	30.0	39.0	9.0	3.59	
			<i>including</i>					30.5	31.0	0.5	19.3	
			<i>and</i>					37.5	39.0	1.5	6.58	
OBM-15-565	2375	Zone 27	285.0	452263	5434628	330	-50	234.4	241.0	6.6	2.78	
			<i>including</i>					234.4	237.0	2.6	4.94	
			<i>and</i>					234.4	235.3	0.9	8.18	
OBM-15-566	2300	Zone 27	195.0	452096	5434745	151	-72	68.5	73.0	4.5	2.37	
			<i>including</i>					71.1	72.1	1.0	4.94	
OBM-15-567	2250	Zone 27	69.0	452071	5434692	150	-63	35.8	39.0	3.2	3.45	
OBM-15-568	2400	Upper Zone 27	214.4	452259	5434698	330	-50	72.5	92.5	20.0	1.04	
			<i>including</i>					82.5	87.0	4.5	2.34	
OBM-15-568	2400	Extension Upper Zone 27	214.4	452259	5434698	330	-50	98.0	101.0	3.0	4.52	
OBM-15-568	2400	Zone 27	214.4	452259	5434698	330	-50	179.5	182.0	2.5	1.63	
OBM-16-569	2425	Zone 27	231.0	452271	5434688	331	-54	79.5	99.5	20.0	0.62	
OBM-16-569	2425	New splay of zone 27	231.0	452271	5434688	331	-54	125.3	127.5	2.2	18.2	
			<i>including</i>					126.5	127.0	0.5	56.3	
OBM-16-569	2425	Zone 27	231.0	452271	5434688	331	-54	218.3	220.5	2.2	10.6	
			<i>including</i>					218.3	218.9	0.6	26.6	
OBM-16-570	2150	Caribou W2	200.5	452122	5434403	331	-50	107.0	109.6	2.6	31.1	
			<i>including</i>					107.9	108.6	0.7	111	100
OBM-16-571	2150	-	263.5	452148	5434364	331	-50	28.4	31.0	2.6	4.20	
			<i>including</i>					28.4	29.2	0.8	13.6	
OBM-16-571	2150	-	263.5	452148	5434364	331	-50	162.0	164.0	2.0	32.3	
			<i>including</i>					162.0	162.4	0.4	161	100
OBM-16-571	2150	Caribou	263.5	452148	5434364	331	-50	165.5	172.7	7.2	1.20	
			<i>including</i>					168.5	169.5	1.0	4.50	
OBM-16-572	2400	Upper Zone 27	261.0	452262	5434662	331	-50	101.5	103.5	2.0	97.3	
			<i>including</i>					101.5	102.5	1.0	194	100
OBM-16-572	2400	Hanging wall Zone 27	261.0	452262	5434662	331	-50	199.0	203.0	4.0	2.17	
			<i>including</i>					200.0	200.6	0.6	10.3	
OBM-16-572	2400	Zone 27	261.0	452262	5434662	331	-50	226.0	232.0	6.0	1.81	
			<i>including</i>					229.3	230.0	0.7	5.83	
			<i>and</i>					231.0	232.0	1.0	3.52	
OBM-16-573	2725	-	651.0	452639	5434672	332	-51	107.0	109.0	2.0	3.77	
OBM-16-573	2725	-	651.0	452639	5434672	332	-51	302.0	304.0	2.0	5.43	
			<i>including</i>					302.0	303.0	1.0	10.6	
OBM-16-573	2725	-	651.0	452639	5434672	332	-51	313.0	315.0	2.0	32.9	
			<i>including</i>					313.5	314.6	1.1	59.7	
OBM-16-573	2725	-	651.0	452639	5434672	332	-51	443.4	446.1	2.7	4.86	
			<i>including</i>					444.4	444.8	0.4	17.3	
OBM-16-573	2725	Zone 27-3	651.0	452639	5434672	332	-51	569.3	571.8	2.5	15.3	
			<i>including</i>					569.3	569.8	0.5	48.8	
OBM-16-574	2175	Caribou W2	228.0	452162	5434397	331	-50	159.0	168.0	9.0	0.75	
			<i>including</i>					165.5	165.8	0.3	4.46	
OBM-16-575	2125	Caribou W2	231.0	452118	5434354	331	-50	182.4	193.1	10.7	0.68	
			<i>including</i>					187.0	193.1	6.1	1.06	
OBM-16-576	2075		201.0	452068	5434363	331	-50	<i>No significant results</i>				
OBM-16-577	2950	-	143.0	452820	5434777	330	-62	129.0	133.0	4.0	4.13	
			<i>including</i>					132.0	133.0	1.0	11.1	
OBM-16-578	2050	Caribou W1	201.0	452040	5434347	331	-50	164.0	179.5	15.5	0.39	
			<i>including</i>					171.9	172.5	0.6	3.19	
OBM-16-579	2300	-	249.0	452184	5434611	331	-48	36.6	39.0	2.4	19.7	
			<i>including</i>					36.6	37.5	0.9	51.8	
OBM-16-579	2300	Zone 27	249.0	452184	5434611	331	-48	196.5	199.8	3.3	1.28	
OBM-16-580	2950	-	1271.0	452818	5434773	332	-63	441.4	446.8	5.4	4.30	
OBM-16-580	2950	Zone 27	1271.0	452818	5434773	332	-63	672.4	675.8	3.4	9.49	
OBM-16-580	2950	FW4	1271.0	452818	5434773	332	-63	1162.2	1168.2	6.0	19.6	
			<i>including</i>					1162.2	1162.8	0.6	150	100
			<i>and</i>					1167.9	1168.2	0.3	97.7	
OBM-16-581	1950	Caribou W	201.0	451955	5434301	331	-50	153.6	166.4	12.8	0.78	
			<i>including</i>					153.6	155.1	1.5	3.32	
OBM-16-582	2775	-	509.5	452690	5434696	334	-52	216.0	218.8	2.8	15.9	
OBM-16-583	1700	-	801.0	451767	5434110	334	-55	774.0	777.0	3.0	19.0	
			<i>including</i>					776.0	777.0	1.0	55.0	
OBM-16-584	2900	-	83.5	452722	5434870	327	-65	36.0	38.0	2.0	5.67	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
								36.5	37.1	0.6	16.9	
		<i>including</i>						57.0	59.0	2.0	287	100
OBM-16-584	2900	Vein	83.5	452722	5434870	327	-65	57.0	59.0	2.0	287	100
		<i>including</i>						70.9	74.5	3.6	6.19	
OBM-16-584	2900	-	83.5	452722	5434870	327	-65	70.9	74.5	3.6	6.19	
		<i>including</i>						73.7	74.5	0.8	26.4	
OBM-16-585	2950		83.5	452768	5434887	330	-67					
OBM-16-586	3000	-	152.5	452835	5434860	330	-65	8.6	10.7	2.1	6.62	
OBM-16-586	3000	-	152.5	452835	5434860	330	-65	18.0	21.0	3.0	17.6	
OBM-16-587	3000	-	83.5	452806	5434914	331	-66	12.9	16.3	3.4	3.08	
OBM-16-588	3050	-	101.5	452873	5434899	329	-67	65.9	67.9	2.0	5.45	
		<i>including</i>						67.0	67.5	0.5	19.3	
OBM-16-589	3050		83.5	452856	5434930	331	-70					
OBM-16-590	1700		747.0	451726	5434183	330	-55					
OBM-16-591	3100		119.5	452902	5434948	327	-59					
OBM-16-592	2750		50.5	452559	5434841	330	-78					
OBM-16-593	2800	Crustiform vein	77.5	452606	5434862	150	-72	46.4	48.6	2.2	5.17	
OBM-16-593	2800	Crustiform vein	77.5	452606	5434862	150	-72	53.0	57.6	4.6	8.43	
		<i>including</i>						55.3	55.6	0.3	230	100
OBM-16-594	2850	C-south-2	149.5	452624	5434932	150	-80	88.8	100.0	11.2	1.13	
OBM-16-594	2850	C-south-2	149.5	452624	5434932	150	-80	136.9	139.3	2.4	2.56	
OBM-16-595	2950	New zone	74.5	452679	5435033	150	-80	63.0	65.5	2.5	4.08	
OBM-16-596	2875		26.5	452855	5434568	328	-60					
OBM-16-597	2100		276.0	452005	5434512	331	-53					
OBM-16-598	2875	Caribou S1	1382.0	452855	5434568	333	-61	504.7	508.0	3.3	9.44	
		<i>including</i>						507.0	508.0	1.0	25.1	
OBM-16-598	2875	C-south-3	1382.0	452855	5434568	333	-61	542.1	558.8	16.7	1.62	
OBM-16-598	2875	FW3	1382.0	452855	5434568	333	-61	1115.0	1122.4	7.4	5.56	
		<i>including</i>						1118.0	1119.0	1.0	9.33	
		<i>including</i>						1121.9	1122.4	0.5	56.8	
OBM-16-599	2100	Zone 27	270.0	451986	5434537	332	-50	193.0	198.6	5.6	2.11	
OBM-16-600	2150	Zone 27 hanging wall	252.0	452030	5434563	331	-48	166.6	170.8	4.2	12.9	
		<i>including</i>						166.6	167.7	1.1	18.9	
		<i>and</i>						169.7	170.8	1.1	23.5	
OBM-16-600	2150	Zone 27	252.0	452030	5434563	331	-48	178.5	182.0	3.5	3.36	
OBM-16-601	2600	Caribou	504.0	452476	5434677	332	-51	231.1	233.5	2.4	5.43	
OBM-16-601	2600	Zone 27	504.0	452476	5434677	332	-51	425.0	427.3	2.3	0.90	
OBM-16-602	1700	-	759.0	451679	5434254	330	-57	193.5	196.5	3.0	14.1	
		<i>including</i>						194.5	195.1	0.6	68.2	
OBM-16-602	1700	FW1	759.0	451679	5434254	330	-57	407.0	409.0	2.0	7.84	
		<i>including</i>						407.6	408.1	0.5	25.7	
OBM-16-602	1700	FW3	759.0	451679	5434254	330	-57	489.5	491.5	2.0	0.35	
OBM-16-602	1700	FW4	759.0	451679	5434254	330	-57	749.0	751.0	2.0	2.86	
OBM-16-603	2150	Zone 27	249.0	452042	5434548	331	-50	188.0	207.9	19.9	11.4	
		<i>including</i>						188.0	189.4	1.4	54.1	
		<i>and</i>						200.4	207.9	7.5	20.3	
		<i>and</i>						206.0	207.9	1.9	71.6	
		<i>and</i>						206.7	207.0	0.3	142	100
OBM-16-603	2150	Footwall Zone 27	249.0	452042	5434548	331	-50	233.0	235.5	2.5	4.31	
OBM-16-604	2150	Zone 27	279.0	452046	5434533	330	-53	234.0	237.0	3.0	4.29	
OBM-16-605	2575	New zone	443.0	452445	5434705	332	-51	320.0	322.0	2.0	3.64	
OBM-16-605	2575	Zone 27	443.0	452445	5434705	332	-51	345.0	347.8	2.8	0.90	
OBM-16-606	2175	Zone 27	278.6	452072	5434559	331	-50	192.1	197.1	5.0	13.8	
		<i>including</i>						196.0	196.8	0.8	76.9	
OBM-16-607	1700		624.0	451641	5434330	332	-55					
OBM-16-607	1700		624.0	451641	5434330	332	-55					
OBM-16-607	1700		624.0	451641	5434330	332	-55					
OBM-16-608	2225	-	249.0	452095	5434590	331	-50	87.0	89.1	2.1	5.64	
		<i>including</i>						88.3	89.1	0.8	14.2	
OBM-16-608	2225	Zone 27	249.0	452095	5434590	331	-50	177.3	186.6	9.3	10.3	
		<i>including</i>						179.5	181.5	2.0	12.9	
		<i>including</i>						183.0	183.5	0.5	232	100
		<i>including</i>						183.8	184.2	0.4	13.7	
OBM-16-608	2225	Footwall of Zone 27	249.0	452095	5434590	331	-50	201.2	205.0	3.8	7.21	
		<i>including</i>						203.2	204.2	1.0	21.4	
OBM-16-609	2550	Zone 27	555.0	452459	5434642	331	-49	426.5	437.7	11.2	5.21	
OBM-16-610	2225	Zone 27	270.0	452108	5434571	331	-50	191.0	192.0	1.0	8.15	
OBM-16-610	2225	Zone 27	270.0	452108	5434571	331	-50	198.1	203.0	4.9	3.81	
		<i>including</i>						198.1	198.9	0.8	9.06	
		<i>including</i>						202.1	203.0	0.9	6.82	
OBM-16-610	2225	Footwall of Zone 27	270.0	452108	5434571	331	-50	221.0	226.0	5.0	24.2	
		<i>including</i>						223.5	224.5	1.0	419	100
OBM-16-611	2250	-	249.0	452122	5434597	332	-49	87.0	91.5	4.5	4.44	
OBM-16-611	2250	Zone 27	249.0	452122	5434597	332	-49	177.6	182.0	4.4	3.44	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								177.6	178.5	0.9	5.70	
OBM-16-612	2775		140.0	452851	5434378	331	-58	<i>Hole abandoned</i>				
OBM-16-613	2550	Caribou	251.0	452431	5434676	332	-51	151.0	153.2	2.2	4.83	
OBM-16-613	2550	Footwall Caribou	251.0	452431	5434676	332	-51	157.8	160.0	2.2	4.43	
OBM-16-614	2775	-	1118.0	452851	5434378	333	-60	417.0	419.0	2.0	3.06	
OBM-16-614	2775	Caribou S3	1118.0	452851	5434378	333	-60	797.1	799.6	2.5	0.69	
OBM-16-614	2775	-	1118.0	452851	5434378	333	-60	1020.0	1022.1	2.1	3.85	
OBM-16-614	2775	New zone between FW1 et FW3	1118.0	452851	5434378	333	-60	1026.8	1030.2	3.4	11.2	
<i>including</i>								1029.9	1030.2	0.3	84.9	
OBM-16-614	2775	New zone between FW1 et FW3	1118.0	452851	5434378	333	-60	1036.7	1039.0	2.3	3.99	
<i>including</i>								1037.5	1038.0	0.5	13.2	
OBM-16-614-W1	2775	FW0	1518.0	452851	5434378	333	-60	1020.1	1023.0	2.9	4.96	
<i>including</i>								1020.7	1021.3	0.6	17.9	
OBM-16-614-W1	2775	New zone below I2F intrusion	1518.0	452851	5434378	333	-60	1032.0	1034.0	2.0	3.60	
OBM-16-614-W1	2775	New zone below I2F intrusion	1518.0	452851	5434378	333	-60	1043.7	1046.0	2.3	5.34	
OBM-16-614-W1	2775	FW1	1518.0	452851	5434378	333	-60	1204.0	1206.0	2.0	3.40	
<i>including</i>								1204.0	1205.0	1.0	6.30	
OBM-16-614-W1	2775	Quartz veins	1518.0	452851	5434378	333	-60	1301.0	1303.0	2.0	3.23	
<i>including</i>								1301.0	1302.0	1.0	6.40	
OBM-16-614-W1	2775	FW3	1518.0	452851	5434378	333	-60	1340.0	1342.0	2.0	4.22	
<i>including</i>								1341.0	1342.0	1.0	8.26	
OBM-16-615	2200	Zone 27	84.0	452038	5434645	331	-64	54.5	57.0	2.5	4.35	
OBM-16-616	1675	FW3	402.0	451557	5434464	332	-61	122.4	124.8	2.4	18.9	
<i>including</i>								123.8	124.5	0.7	37.3	
OBM-16-617	2150	Zone 27	96.0	451986	5434636	327	-73	44.3	50.0	5.7	6.94	
OBM-16-618	2525	Extension Caribou N2	751.5	452426	5434636	333	-51	281.3	283.8	2.5	5.77	
OBM-16-618	2525	-	751.5	452426	5434636	333	-51	286.9	289.0	2.1	6.25	
OBM-16-618	2525	Hanging wall Zone 27	751.5	452426	5434636	333	-51	398.0	408.0	10.0	1.00	
OBM-16-618	2525	footwall Zone 27	751.5	452426	5434636	333	-51	433.5	436.3	2.8	8.96	
<i>including</i>								435.5	436.3	0.8	23.6	
OBM-16-618	2525	FW3 Upper	751.5	452426	5434636	333	-51	685.0	688.4	3.4	0.14	
OBM-16-619	2150	Zone 27	126.0	451964	5434676	328	-70	69.0	72.1	3.1	1.64	
OBM-16-619	2150	Zone 27-1	126.0	451964	5434676	328	-70	98.5	101.0	2.5	1.61	
<i>including</i>								99.6	100.0	0.4	8.27	
OBM-16-620	2200	Mallard	75.0	451913	5434866	327	-67	25.0	27.1	2.1	3.70	
OBM-16-621	2250		54.0	451965	5434877	330	-57	<i>Mallard - No significant results</i>				
OBM-16-622	1875		114.0	451605	5434772	330	-71	<i>No significant results</i>				
OBM-16-623	2250		48.0	451951	5434900	330	-57	<i>No significant results</i>				
OBM-16-624	2300	Zone 27	60.0	452117	5434711	150	-67	27.4	30.7	3.3	1.60	
OBM-16-624	2300	Zone 27	60.0	452117	5434711	150	-67	36.7	38.8	2.1	1.09	
OBM-16-625	2525	-	525.0	452404	5434675	333	-51	167.0	169.2	2.2	11.2	
OBM-16-625	2525	-	525.0	452404	5434675	333	-51	269.0	271.0	2.0	4.29	
OBM-16-625	2525	Zone 27 HW	525.0	452404	5434675	333	-51	333.3	336.0	2.7	7.97	
<i>including</i>								333.3	334.2	0.9	15.6	
OBM-16-625	2525	Zone 27 FW	525.0	452404	5434675	333	-51	349.0	352.0	3.0	3.83	
OBM-16-625	2525	-	525.0	452404	5434675	333	-51	518.7	521.0	2.3	23.8	
OBM-16-625	2525		525.0	452404	5434675	333	-51	<i>Caribou - No significant results</i>				
OBM-16-626	2350	Caribou (upper extension)	81.0	452224	5434626	151	-68	40.5	43.0	2.5	41.8	
<i>including</i>								40.5	41.4	0.9	136	100
OBM-16-626	2350	Crustiform vein	81.0	452224	5434626	151	-68	60.9	63.3	2.4	23.3	
<i>including</i>								60.9	61.2	0.3	69.6	
<i>including</i>								62.6	63.3	0.7	40.3	
OBM-16-627	1875		102.0	451590	5434766	320	-56	<i>Crustiform vein - No significant results</i>				
OBM-16-628	2375		29.8	452252	5434613	343	-50	<i>Hole abandoned</i>				
OBM-16-629	1875		81.0	451582	5434795	332	-68	<i>Crustiform vein - No significant results</i>				
OBM-16-630	2350	Zone 27	279.0	452251	5434613	329	-51	244.3	248.6	4.3	1.13	
OBM-16-631	1800		120.0	451501	5434780	151	-56	<i>Crustiform vein - No significant results</i>				
OBM-16-632	1750		105.0	451462	5434740	155	-51	<i>Crustiform vein - No significant results</i>				
OBM-16-633	2350	Zone 27	271.7	452222	5434637	332	-51	203.6	205.8	2.2	7.81	
<i>including</i>								204.0	204.3	0.3	51.5	
OBM-16-634	1875		165.0	451547	5434851	146	-57	<i>Crustiform vein - No significant results</i>				
OBM-16-635	2500		99.0	452260	5434862	333	-78	<i>Caribou - No significant results</i>				
OBM-16-636	2350	Caribou	300.0	452240	5434584	331	-50	43.6	51.2	7.6	0.51	
OBM-16-636	2350	Zone 27	300.0	452240	5434584	331	-50	253.1	256.0	2.9	0.56	
OBM-16-636	2350		300.0	452240	5434584	331	-50	<i>C-west-4 - No significant results</i>				
OBM-16-639	2825	Shear Zone	266.0	452719	5434725	330	-61	18.0	20.0	2.0	2.96	
OBM-16-640	2325		399.0	452214	5434605	330	-50	<i>No significant results</i>				
OBM-16-642	2825	New zone	1089.8	452719	5434726	334	-61	318.4	321.0	2.6	10.0	
OBM-16-642	2825	Caribou North 2	1089.8	452719	5434726	334	-61	510.0	521.0	11.0	3.46	
OBM-16-642	2825	Closing of Zone 27-3	1089.8	452719	5434726	334	-61	610.0	620.6	10.6	1.11	
OBM-16-642	2825	FW3	1089.8	452719	5434726	334	-61	816.4	817.8	1.4	0.28	
OBM-16-642	2825	New underdog corridor	1089.8	452719	5434726	334	-61	934.0	937.9	3.9	17.2	
<i>including</i>								934.0	934.3	0.3	264	100



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-16-643	2325	Caribou	300.0	452217	5434580	330	-50	35.0	38.0	3.0	4.95	
OBM-16-643	2325	New zone	300.0	452217	5434580	330	-50	172.0	177.4	5.4	2.48	
		<i>including</i>						174.0	175.0	1.0	6.93	
OBM-16-643	2325	Zone 27	300.0	452217	5434580	330	-50	245.6	247.9	2.3	25.2	
		<i>including</i>						245.6	246.1	0.5	254	100
OBM-16-643	2325	Zone 27 footwall	300.0	452217	5434580	330	-50	261.7	264.0	2.3	5.03	
OBM-16-645	2325	Pyrite vein	396.0	452201	5434629	330	-50	155.0	155.4	0.4	46.4	
OBM-16-645	2325	Zone 27 (pyrite vein)	396.0	452201	5434629	330	-50	184.3	187.0	2.7	2.31	
		<i>including</i>						184.3	184.6	0.3	6.88	
OBM-16-645	2325	Zone 27 footwall	396.0	452201	5434629	330	-50	219.9	222.0	2.1	5.67	
OBM-16-647	2500	Caribou	120.0	452381	5434658	332	-44	100.8	103.0	2.2	5.00	
OBM-16-648	2450		87.0	452327	5434648	329	-65					
OBM-16-649	2400	Caribou	126.0	452268	5434647	151	-78	37.0	39.1	2.1	4.37	
OBM-16-649	2400	Caribou	126.0	452268	5434647	151	-78	48.6	51.0	2.4	9.55	
OBM-16-649	2400	Caribou	126.0	452268	5434647	151	-78	81.0	83.5	2.5	3.33	
OBM-16-649	2400	Caribou	126.0	452268	5434647	151	-78	95.5	98.0	2.5	3.93	
OBM-16-650	2900		138.0	452749	5434816	331	-45					
OBM-16-651	2350	Zone 27	186.0	452214	5434676	322	-46	73.1	79.1	6.0	0.73	
OBM-16-651	2350	Zone 27 footwall	186.0	452214	5434676	322	-46	158.5	163.8	5.3	8.94	
		<i>including</i>						163.3	163.8	0.5	30.5	
OBM-16-653	2950		111.4	452727	5434960	330	-51					
OBM-16-654	2250	Zone 27	267.0	452134	5434591	330	-52	171.9	183.0	11.1	0.96	
OBM-16-655	2400	New zone	954.0	452439	5434353	333	-61	207.0	209.5	2.5	3.82	
		<i>including</i>						208.0	209.5	1.5	6.82	
OBM-16-655	2400	Tourmaline vein	954.0	452439	5434353	333	-61	410.0	412.0	2.0	10.8	
		<i>including</i>						410.0	411.0	1.0	21.6	
OBM-16-655	2400	Quartz vein in I2F	954.0	452439	5434353	333	-61	539.4	539.8	0.4	6.06	
OBM-16-655	2400	Quartz-carbonate-chlorite vein in I2F	954.0	452439	5434353	333	-61	550.0	550.3	0.3	75.5	
OBM-16-655	2400	New zone	954.0	452439	5434353	333	-61	917.5	928.5	11.0	5.30	
		<i>including</i>						924.0	928.5	4.5	10.2	
OBM-16-656	2500	Caribou	336.0	452359	5434680	329	-48	60.4	62.5	2.1	6.48	
OBM-16-656	2500	Caribou footwall	336.0	452359	5434680	329	-48	67.7	73.4	5.7	6.19	
		<i>including</i>						72.5	73.4	0.9	24.4	
OBM-16-656	2500	New zone	336.0	452359	5434680	329	-48	195.5	198.3	2.8	3.39	
		<i>including</i>						197.8	198.3	0.5	9.20	
OBM-16-656	2500	Hanging wall of Zone 27	336.0	452359	5434680	329	-48	255.2	261.0	5.8	9.04	
		<i>including</i>						260.0	260.5	0.5	73.8	
OBM-16-656	2500	Zone 27	336.0	452359	5434680	329	-48	273.3	276.4	3.1	30.6	
		<i>including</i>						274.2	275.3	1.1	70.8	
OBM-16-656	2500	Zone 27	336.0	452359	5434680	329	-48	296.0	299.0	3.0	8.30	
		<i>including</i>						296.0	297.0	1.0	22.2	
OBM-16-658	2675	Caribou South 1	924.0	452611	5434621	333	-60	380.0	382.0	2.0	45.8	
		<i>including</i>						380.0	381.0	1.0	90.0	
OBM-16-658	2675	Caribou South 3	924.0	452611	5434621	333	-60	450.0	454.0	4.0	1.66	
OBM-16-658	2675	New zone	924.0	452611	5434621	333	-60	519.0	527.0	8.0	8.90	
		<i>including</i>						521.0	521.8	0.8	18.8	
		<i>and</i>						522.4	523.4	1.0	37.1	
OBM-16-658	2675	Caribou North 2	924.0	452611	5434621	333	-60	562.4	564.5	2.1	3.96	
OBM-16-658	2675	Zone 27-3	924.0	452611	5434621	333	-60	675.0	676.8	1.8	3.98	
		<i>including</i>						676.0	676.8	0.8	8.80	
OBM-16-658	2675	FW3	924.0	452611	5434621	333	-60	851.0	854.0	3.0	0.19	
OBM-16-660	2500	Caribou	426.0	452376	5434668	329	-52	93.0	98.7	5.7	2.16	
OBM-16-660	2500	Caribou	426.0	452376	5434668	329	-52	125.1	132.0	6.9	7.25	
		<i>including</i>						129.6	130.7	1.1	24.3	
OBM-16-660	2500	Zone 27	426.0	452376	5434668	329	-52	301.7	305.4	3.7	2.24	
OBM-16-662	2525	Hanging wall of Caribou	210.0	452423	5434665	330	-53	129.3	131.4	2.1	3.09	
OBM-16-662	2525	Caribou	210.0	452423	5434665	330	-53	173.7	179.7	6.0	0.95	
OBM-16-663	2525	New zone	450.0	452402	5434658	330	-53	233.7	236.1	2.4	30.2	
		<i>including</i>						233.7	234.4	0.7	169	100
OBM-16-663	2525	Zone 27 hanging wall	450.0	452402	5434658	330	-53	366.8	371.0	4.2	2.92	
		<i>including</i>						366.8	367.2	0.4	11.4	
		<i>and</i>						370.0	371.0	1.0	5.11	
OBM-16-663	2525	Zone 27	450.0	452402	5434658	330	-53	383.5	395.2	11.7	5.38	
		<i>including</i>						384.3	388.5	4.2	10.9	
OBM-16-664	2500	Caribou	498.0	452396	5434618	329	-55	172.9	175.9	3.0	7.34	
		<i>including</i>						173.7	174.6	0.9	17.8	
OBM-16-664	2500	Zone 27	498.0	452396	5434618	329	-55	439.3	449.5	10.2	4.64	
		<i>including</i>						439.3	440.0	0.7	29.7	
		<i>and</i>						449.0	449.5	0.5	19.1	
OBM-16-664	2500	Crustiform vein	498.0	452396	5434618	329	-55	453.0	453.3	0.3	178	100
OBM-16-667	2500	Quartz-tourmaline vein	525.0	452410	5434597	330	-55	111.6	114.0	2.4	3.70	
		<i>including</i>						111.6	112.6	1.0	8.86	
OBM-16-667	2500	Zone 27	525.0	452410	5434597	330	-55	482.5	485.5	3.0	0.81	
OBM-16-667	2500		525.0	452410	5434597	330	-55					
		<i>Caribou - No significant results</i>										
OBM-16-668	2575	Caribou hanging wall	438.0	452450	5434674	330	-45	129.1	131.5	2.4	4.67	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					130.0	130.6	0.6	17.6	
OBM-16-668	2575	New Zone	438.0	452450	5434674	330	-45	197.0	199.0	2.0	6.36	
			<i>including</i>					198.0	199.0	1.0	12.7	
OBM-16-668	2575	New Zone	438.0	452450	5434674	330	-45	220.5	223.0	2.5	29.3	
			<i>including</i>					222.1	223.0	0.9	76.1	
OBM-16-668	2575	Zone 27	438.0	452450	5434674	330	-45	351.6	355.6	4.0	7.54	
OBM-16-668	2575		438.0	452450	5434674	330	-45	<i>Caribou - No significant results</i>				
OBM-16-669	2625	Caribou South 2	402.0	452503	5434712	330	-45	141.0	143.0	2.0	0.66	
OBM-16-669	2625	Caribou	402.0	452503	5434712	330	-45	175.8	177.8	2.0	2.98	
OBM-16-669	2625	Caribou footwall	402.0	452503	5434712	330	-45	189.0	192.0	3.0	3.02	
			<i>including</i>					189.0	189.8	0.8	6.76	
OBM-16-669	2625	New zone	402.0	452503	5434712	330	-45	307.0	309.0	2.0	5.00	
OBM-16-669	2625	Zone 27	402.0	452503	5434712	330	-45	330.0	332.3	2.3	0.84	
OBM-16-669	2625	Zone 27 footwall	402.0	452503	5434712	330	-45	384.7	387.2	2.5	3.92	
OBM-16-671	2450	New zone	489.0	452374	5434591	330	-57	89.5	93.0	3.5	3.62	
			<i>including</i>					92.0	93.0	1.0	8.04	
OBM-16-671	2450	Crustiform vein	489.0	452374	5434591	330	-57	339.4	342.0	2.6	15.9	
			<i>including</i>					339.4	339.8	0.4	152	100
OBM-16-671	2450	New zone	489.0	452374	5434591	330	-57	361.4	365.9	4.5	5.99	
OBM-16-671	2450	Tourmaline vein	489.0	452374	5434591	330	-57	377.1	379.2	2.1	7.37	
			<i>including</i>					378.6	379.2	0.6	19.5	
OBM-16-671	2450	Zone 27	489.0	452374	5434591	330	-57	466.5	470.8	4.3	0.49	
OBM-16-671	2450		489.0	452374	5434591	330	-57	<i>Caribou - No significant results</i>				
OBM-16-672	2150	Caribou West 2	351.0	452106	5434431	333	-47	82.5	87.0	4.5	1.69	
OBM-16-672	2150		351.0	452106	5434431	333	-47	<i>Zone 27 - No significant results</i>				
OBM-16-673	2650	Crustiform veining	495.0	452518	5434736	330	-57	117.0	119.6	2.6	3.19	
			<i>including</i>					118.8	119.6	0.8	7.61	
OBM-16-673	2650	Caribou South 2	495.0	452518	5434736	330	-57	132.0	134.3	2.3	2.27	
OBM-16-673	2650	Caribou	495.0	452518	5434736	330	-57	226.5	236.7	10.2	0.88	
OBM-16-673	2650	Zone 27 hanging wall	495.0	452518	5434736	330	-57	450.0	453.3	3.3	0.84	
OBM-16-674	2125	New zone	171.0	451921	5434714	150	-60	17.0	19.0	2.0	7.71	
			<i>including</i>					17.7	18.0	0.3	50.1	
OBM-16-674	2125	Zone 27 footwall	171.0	451921	5434714	150	-60	61.0	64.0	3.0	2.98	
			<i>including</i>					63.0	64.0	1.0	7.19	
OBM-16-674	2125	Zone 27 footwall	171.0	451921	5434714	150	-60	72.0	74.0	2.0	6.62	
			<i>including</i>					72.7	74.0	1.3	9.77	
OBM-16-674	2125	Zone 27 footwall	171.0	451921	5434714	150	-60	76.2	78.8	2.6	4.10	
OBM-16-674	2125	Zone 27	171.0	451921	5434714	150	-60	106.3	113.0	6.7	16.6	
			<i>including</i>					106.3	107.0	0.7	47.0	
			<i>and</i>					110.4	111.8	1.4	45.7	
OBM-16-674	2125	Zone 27 hanging wall	171.0	451921	5434714	150	-60	159.0	161.2	2.2	10.4	
			<i>including</i>					159.6	161.2	1.6	14.3	
OBM-16-675	2425	Caribou	432.0	452338	5434607	332	-55	98.6	101.0	2.4	0.52	
OBM-16-675	2425	New zone	432.0	452338	5434607	332	-55	297.6	301.7	4.1	8.23	
OBM-16-675	2425	Crustiform vein	432.0	452338	5434607	332	-55	331.0	333.0	2.0	9.10	
			<i>including</i>					331.5	331.9	0.4	42.8	
OBM-16-675	2425	Zone 27	432.0	452338	5434607	332	-55	395.9	400.2	4.3	3.18	
OBM-16-676	2350	Quartz vein	156.0	452261	5434543	330	-54	25.2	26.0	0.8	43.4	
OBM-16-676	2350	Caribou West 4	156.0	452261	5434543	330	-54	124.5	127.0	2.5	0.49	
OBM-16-677	2350	Zone 27 upper	125.0	452177	5434724	328	-51	43.8	46.0	2.2	3.34	
			<i>including</i>					43.8	45.0	1.2	5.73	
OBM-16-677	2350	Zone 27	125.0	452177	5434724	328	-51	70.5	73.0	2.5	4.26	
OBM-16-678	2475	Caribou	186.0	452347	5434661	328	-52	71.0	73.0	2.0	2.07	
OBM-16-679	2450	Zone 27 upper	138.0	452254	5434790	325	-65	50.0	53.6	3.6	2.09	
OBM-16-679	2450	Zone 27	138.0	452254	5434790	325	-65	106.5	112.1	5.6	1.35	
OBM-16-680	2800		18.0	452622	5434834	331	-53	<i>Abandoned</i>				
OBM-16-681	2800	New zone	372.0	452626	5434826	331	-53	78.0	80.2	2.2	4.97	
OBM-16-681	2800		372.0	452626	5434826	331	-53	<i>Caribou South 2 - No significant results</i>				
OBM-16-682	2475	Zone 27	129.0	452269	5434798	331	-55	56.0	58.0	2.0	3.47	
			<i>including</i>					57.6	58.0	0.4	16.4	
OBM-16-683	2425		39.0	452314	5434640	330	-53	<i>Abandoned</i>				
OBM-16-684	2500	Caribou	210.0	452382	5434629	331	-53	130.0	134.0	4.0	5.22	
			<i>including</i>					132.0	133.0	1.0	15.0	
OBM-16-685	2425	Caribou	384.0	452315	5434638	332	-53	41.4	43.7	2.3	0.82	
OBM-16-685	2425	Zone 27	384.0	452315	5434638	332	-53	321.7	333.4	11.7	5.40	
			<i>including</i>					321.7	325.0	3.3	9.63	
OBM-16-686	2475	Zone 27 hanging wall	195.0	452207	5434908	153	-57	133.5	139.0	5.5	3.89	
			<i>including</i>					133.5	134.5	1.0	19.5	
OBM-16-686	2475	Zone 27	195.0	452207	5434908	153	-57	153.0	155.0	2.0	2.39	
			<i>including</i>					154.5	155.0	0.5	6.36	
OBM-16-686	2475	Zone 27 footwall	195.0	452207	5434908	153	-57	179.0	181.4	2.4	1.39	
OBM-16-687	2550	New zone	570.0	452476	5434592	330	-56	105.0	107.0	2.0	3.36	
OBM-16-687	2550	New zone	570.0	452476	5434592	330	-56	194.0	197.0	3.0	4.32	
OBM-16-687	2550	Caribou - Caribou South 1 connexion	570.0	452476	5434592	330	-56	309.0	311.6	2.6	0.35	
OBM-16-687	2550	zone (between Caribou S1 and Caribo	570.0	452476	5434592	330	-56	354.0	361.0	7.0	6.61	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					354.8	355.4	0.6	67.0	
OBM-16-687	2550	Zone 27	570.0	452476	5434592	330	-56	537.9	540.0	2.1	4.78	
			<i>including</i>					537.9	539.2	1.3	7.69	
OBM-16-688	2500		8.6	452247	5434899	148	-61	<i>Abandoned</i>				
OBM-16-689	2725	Caribou	687.0	452630	5434688	330	-54	359.3	370.1	10.8	1.06	
			<i>including</i>					359.8	360.8	1.0	3.45	
OBM-16-689	2725	New zone	687.0	452630	5434688	330	-54	492.3	495.4	3.1	9.12	
			<i>including</i>					492.3	493.4	1.1	25.1	
OBM-16-689	2725	Zone 27 hanging wall	687.0	452630	5434688	330	-54	577.0	579.3	2.3	4.54	
OBM-16-689	2725	Zone 27 hanging wall	687.0	452630	5434688	330	-54	587.3	589.4	2.1	4.65	
OBM-16-689	2725	Zone 27	687.0	452630	5434688	330	-54	594.0	602.0	8.0	4.36	
			<i>including and</i>					597.4	599.3	1.9	12.1	
			<i>including and</i>					601.0	602.0	1.0	6.81	
OBM-16-689	2725	Zone 27 footwall	687.0	452630	5434688	330	-54	615.7	618.0	2.3	9.85	
			<i>including</i>					616.4	617.1	0.7	23.7	
OBM-16-690	2500	Zone 27	198.0	452240	5434915	150	-54	117.4	124.9	7.5	0.32	
OBM-16-691	2550	Caribou	327.6	452456	5434636	331	-53	198.4	200.8	2.4	4.26	
OBM-16-692	2525	Crustiform vein	182.0	452273	5434930	150	-54	42.6	47.0	4.4	13.2	
			<i>including</i>					42.6	44.9	2.3	23.9	
			<i>including</i>					43.0	44.0	1.0	27.9	
			<i>and</i>					44.6	44.9	0.3	81.1	
OBM-16-692	2525	Zone 27	182.0	452273	5434930	150	-54	161.9	164.0	2.1	0.66	
OBM-16-693	2525	Caribou	540.0	452443	5434600	331	-54	280.3	283.2	2.9	8.22	
			<i>including</i>					282.5	283.2	0.7	31.5	
OBM-16-693	2525	Caribou - Caribou South 1 connexion	540.0	452443	5434600	331	-54	297.0	299.6	2.6	5.14	
OBM-16-693	2525	Caribou North 2	540.0	452443	5434600	331	-54	336.0	339.9	3.9	0.11	
OBM-16-693	2525	Zone 27	540.0	452443	5434600	331	-54	499.0	501.0	2.0	3.23	
OBM-16-693	2525	Zone 27 footwall	540.0	452443	5434600	331	-54	504.8	507.0	2.2	3.28	
			<i>including</i>					505.5	505.9	0.4	13.3	
OBM-16-694	2650	Crustiform vein	90.0	452367	5434996	150	-56	19.6	21.6	2.0	7.52	
			<i>including</i>					19.6	20.3	0.7	20.5	
OBM-16-695	2850		147.0	452702	5434784	332	-61	<i>Abandoned</i>				
OBM-16-696	2850	Caribou	510.0	452710	5434810	333	-61	348.2	351.5	3.3	5.50	
			<i>including</i>					350.0	351.5	1.5	7.82	
OBM-16-697	2575	Quartz tourmaline vein	420.0	452501	5434610	330	-54	228.7	230.7	2.0	16.0	
			<i>including</i>					228.7	229.2	0.5	63.5	
OBM-16-697	2575		420.0	452501	5434610	330	-54	<i>Caribou hanging wall -</i>				
OBM-16-697	2575	Caribou	420.0	452501	5434610	330	-54	292.0	302.3	10.3	0.61	
OBM-16-697	2575	Caribou South 1	420.0	452501	5434610	330	-54	315.0	319.3	4.3	1.17	
OBM-16-697	2575	Caribou North 1	420.0	452501	5434610	330	-54	338.0	340.0	2.0	1.23	
OBM-16-697	2575	Caribou North 2	420.0	452501	5434610	330	-54	386.0	388.5	2.5	0.45	
OBM-16-698	2850	New zone, shear	684.0	452738	5434749	332	-60	79.5	82.5	3.0	2.97	
OBM-16-698	2850	New zone	684.0	452738	5434749	332	-60	156.5	159.0	2.5	8.06	
			<i>including</i>					156.5	157.5	1.0	19.0	
OBM-16-698	2850	Caribou hanging wall - Quartz tourmaline	684.0	452738	5434749	332	-60	443.1	446.0	2.9	3.62	
OBM-16-698	2850	Caribou North 2	684.0	452738	5434749	332	-60	492.3	495.8	3.4	4.49	
			<i>including</i>					495.1	495.8	0.6	19.3	
OBM-16-699	1600	FW3	351.0	451486	5434418	330	-60	118.5	121.0	2.5	0.02	
OBM-16-699	1600	New zone	351.0	451486	5434418	330	-60	270.0	272.5	2.5	6.63	
OBM-16-700	2550		126.0	452469	5434608	331	-53	<i>Abandoned</i>				
OBM-16-701	2950	New zone	699.0	452818	5434799	328	-63	262.0	264.0	2.0	3.20	
			<i>including</i>					262.5	263.0	0.5	11.9	
OBM-16-701	2950	Tourmaline veins	699.0	452818	5434799	328	-63	310.7	313.0	2.3	3.66	
			<i>including</i>					310.7	311.0	0.3	12.1	
OBM-16-701	2950	Quartz vein	699.0	452818	5434799	328	-63	374.7	377.0	2.3	3.28	
			<i>including</i>					376.7	377.0	0.3	14.4	
OBM-16-701	2950	New zone	699.0	452818	5434799	328	-63	414.7	420.8	6.1	5.14	
OBM-16-701	2950	Caribou hanging wall	699.0	452818	5434799	328	-63	463.0	470.0	7.0	4.82	
			<i>including</i>					463.0	464.0	1.0	22.4	
OBM-16-701	2950	Crustiform vein	699.0	452818	5434799	328	-63	469.0	471.2	2.2	4.51	
OBM-16-701	2950	Extension of Caribou North 2	699.0	452818	5434799	328	-63	551.1	558.0	6.9	8.86	
			<i>including</i>					557.0	558.0	1.0	47.7	
OBM-16-701	2950	Eastern extension of Zone 27	699.0	452818	5434799	328	-63	620.2	622.3	2.1	6.68	
			<i>including</i>					621.3	622.3	1.0	13.3	
OBM-16-702	2425	Caribou	108.0	452311	5434627	329	-55	52.9	55.7	2.8	2.66	
			<i>including</i>					52.9	53.6	0.7	9.69	
OBM-16-703	1625	New zone	678.0	451622	5434235	329	-56	250.5	252.8	2.3	7.81	
			<i>including</i>					250.5	251.3	0.8	22.0	
OBM-16-703	1625	Quartz-carbonate veins	678.0	451622	5434235	329	-56	256.1	259.0	2.9	3.34	
OBM-16-703	1625	FW1	678.0	451622	5434235	329	-56	300.7	303.0	2.3	18.4	
			<i>including</i>					301.4	302.5	1.1	38.2	
OBM-16-703	1625	New zone	678.0	451622	5434235	329	-56	336.5	338.5	2.0	3.17	
			<i>including</i>					336.5	337.7	1.2	5.09	
OBM-16-703	1625	FW3	678.0	451622	5434235	329	-56	469.5	472.5	3.0	0.60	
OBM-16-704	2425	Caribou	408.0	452311	5434627	329	-57	56.0	58.0	2.0	0.79	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-16-704	2425	Zone 27	408.0	452311	5434627	329	-57	346.0	350.2	4.2	3.55	
OBM-16-704	2425	FW3	408.0	452311	5434627	329	-57	594.9	599.2	4.3	0.72	
OBX-16-637	N/A		165.0	459413	5439271	360	-49	No significant results				
OBX-16-638	N/A		249.0	459298	5439131	1	-47	No significant results				
OBX-16-641	N/A	Exploration	378.0	459580	5439413	182	-45	249.8	252.3	2.5	1.12	
OBX-16-641	N/A	Exploration	378.0	459580	5439413	182	-45	256.0	259.0	3.0	1.09	
OBX-16-644	N/A		168.0	459109	5439140	358	-48	No significant results				
OBX-16-646	N/A		399.0	458692	5439135	360	-49	No significant results				
OBX-16-652	N/A	Crustiform vein	234.0	448639	5434175	167	-44	208.7	210.2	1.5	12.7	
OBX-16-657	N/A		261.0	448718	5433925	360	-55	No significant results				
OBX-16-659	N/A		240.0	448629	5433901	356	-46	No significant results				
OBX-16-661	N/A		555.0	448773	5433866	330	-59	No significant results				
OBX-16-665	N/A		20.5	449316	5434379	335	-48	No significant results				
OBX-16-666	N/A	New zone	420.0	449316	5434385	335	-48	151.5	152.5	1.0	44.1	
OBX-16-666	N/A	Sheared vein	420.0	449316	5434385	335	-48	284.0	284.3	0.3	184	100
OBX-16-670	N/A		420.0	448298	5432987	333	-45	No significant results				
OSK-EAG-12-399	2700	FW3U	795.0	452584	5434701	328	-56	765.5	768.0	2.5	5.57	
OSK-EAG-12-399	2700	FW3U	795.0	452584	5434701	328	-56	773.9	776.0	2.1	5.21	
OSK-EAG-13-480	2450	FW1	990.6	452400	5434486	331	-57	643.2	646.8	3.6	29.1	
		<i>including</i>						645.2	646.8	1.6	63.0	
OSK-EAG-13-480	2450	FW1 FW	990.6	452400	5434486	331	-57	681.0	684.0	3.0	4.67	
		<i>including</i>						683.0	684.0	1.0	11.8	
OSK-EAG-13-480	2450	FW2	990.6	452400	5434486	331	-57	722.7	725.5	2.8	4.09	
OSK-EAG-13-480	2450	FW2	990.6	452400	5434486	331	-57	728.0	730.0	2.0	19.5	
		<i>including</i>						729.3	729.7	0.4	82.6	
OSK-EAG-13-480	2450	FW2	990.6	452400	5434486	331	-57	749.5	751.6	2.1	59.5	15.2
		<i>including</i>						750.7	751.0	0.3	410	100
OSK-EAG-13-480	2450	FW3	990.6	452400	5434486	331	-57	804.0	814.4	10.4	9.65	
		<i>including</i>						807.5	810.4	2.9	25.5	
		<i>and</i>						814.1	814.4	0.3	25.0	
OSK-EAG-13-480	2450	FW3	990.6	452400	5434486	331	-57	820.0	822.6	2.6	6.44	
		<i>including</i>						821.4	821.7	0.3	31.5	
OSK-EAG-13-480	2450	FW3U	990.6	452400	5434486	331	-57	911.8	914.0	2.2	7.04	
OSK-EAG-13-480	2450	FW3U	990.6	452400	5434486	331	-57	923.0	925.0	2.0	5.90	
OSK-EAG-13-494	2750	Wolf	1197.0	452731	5434537	330	-60	738.5	740.6	2.1	6.52	
		<i>including</i>						740.0	740.6	0.6	19.6	
OSK-EAG-13-494	2750	Wolf	1197.0	452731	5434537	330	-60	749.0	751.0	2.0	4.56	
OSK-EAG-13-502	2625	FW3U HW	802.5	452507	5434696	330	-57	688.5	690.5	2.0	28.0	
OSK-EAG-13-502	2625	FW3 Upper	802.5	452507	5434696	330	-57	695.5	698.2	2.7	37.9	31.6
		<i>including</i>						695.5	695.8	0.3	66.3	
		<i>including</i>						695.8	696.1	0.3	38.4	
		<i>and</i>						696.1	696.6	0.5	134	100
OSK-EAG-13-503	2075	Underdog	918.0	451969	5434525	330	-56	342.5	344.9	2.4	8.96	
		<i>including</i>						343.5	344.9	1.4	13.3	
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	746.9	749.9	3.0	15.9	
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	753.0	755.1	2.1	4.22	
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	753.0	755.1	2.1	4.22	
OSK-EAG-13-505	2025	FW1	852.3	451930	5434493	330	-51	329.0	333.8	4.8	8.37	
		<i>including</i>						332.0	332.8	0.8	28.8	
OSK-EAG-13-520	2650	FW3U	872.0	452568	5434633	330	-55	839.3	841.6	2.3	3.00	
OSK-OBM-15-565	2375	No name	669.0	452263	5434628	330	-50	393.0	395.0	2.0	48.6	
		<i>including</i>						394.0	395.0	1.0	96.9	
OSK-OBM-16-601	2600	FW3U	801.0	452476	5434677	332	-51	657.6	659.6	2.0	16.2	
OSK-OBM-16-601	2600	FW4	801.0	452476	5434677	332	-51	795.0	797.8	2.8	5.26	
		<i>including</i>						797.1	797.8	0.7	20.7	
OSK-OBM-16-609	2550	FW3U HW	738.0	452459	5434642	331	-49	635.0	637.0	2.0	3.07	
OSK-OBM-16-609	2550	FW3U HW	738.0	452459	5434642	331	-49	641.8	646.0	4.2	1.17	
OSK-OBM-16-609	2550	FW3U	738.0	452459	5434642	331	-49	654.3	662.0	7.7	63.2	23.7
		<i>including</i>						656.0	658.0	2.0	18.9	
		<i>including</i>						660.0	662.0	2.0	222	69.7
OSK-OBM-16-625	2525	FW3U HW	801.0	452404	5434675	331	-51	588.0	590.1	2.1	4.00	
		<i>including</i>						588.5	588.9	0.4	16.9	
OSK-OBM-16-625	2525	FW3U	801.0	452404	5434675	331	-51	605.3	610.6	5.3	0.35	
OSK-OBM-16-630	2375	FW3U HW	699.0	452252	5434614	329	-51	518.2	521.0	2.8	4.82	
OSK-OBM-16-660	2500	FW3U	651.0	452376	5434668	329	-52	573.9	576.8	2.9	15.0	
		<i>including</i>						573.9	575.0	1.1	17.9	
		<i>including</i>						576.0	576.8	0.8	22.8	
OSK-OBM-16-664	2500	FW3U HW	810.0	452396	5434618	329	-55	649.0	652.0	3.0	12.8	
OSK-OBM-16-664	2500	FW3U	810.0	452396	5434618	329	-55	725.7	728.4	2.7	1.01	
OSK-OBM-16-667	2500	FW3	852.0	452410	5434597	330	-55	660.5	669.0	8.5	12.5	
		<i>including</i>						663.0	665.0	2.0	37.4	
		<i>including</i>						663.0	664.2	1.2	50.1	
OSK-OBM-16-678	2475	Z27	717.0	452347	5434661	330	-53	256.0	258.4	2.4	24.8	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					257.5	258.4	0.9	65.4	
OSK-OBM-16-678	2475	Z27	717.0	452347	5434661	330	-53	318.0	320.0	2.0	41.5	
			<i>including</i>					319.0	320.0	1.0	82.8	
OSK-OBM-16-678	2475	FW3U	717.0	452347	5434661	330	-53	599.0	601.0	2.0	3.22	
OSK-OBM-16-678	2475	FW3U	717.0	452347	5434661	330	-53	604.0	606.2	2.2	3.16	
OSK-OBM-16-678	2475	FW3U	717.0	452347	5434661	330	-53	619.0	621.0	2.0	7.10	
			<i>including</i>					620.0	621.0	1.0	12.9	
OSK-OBM-16-687	2550	FW3U HW	882.0	452476	5434592	330	-56	749.0	751.0	2.0	3.48	
OSK-OBM-16-693	2525	FW3U HW	861.0	452443	5434600	331	-54	645.4	649.0	3.6	13.3	
OSK-OBM-16-693	2525	FW3U HW	861.0	452443	5434600	331	-54	654.1	664.0	9.9	30.8	22.2
			<i>including</i>					654.1	656.0	1.9	80.0	45.5
			<i>including</i>					658.1	661.9	3.8	37.4	32.1
OSK-OBM-16-693	2525	FW3U	861.0	452443	5434600	331	-54	805.0	807.0	2.0	7.36	
			<i>including</i>					806.0	807.0	1.0	14.2	
OSK-OBM-16-697	2575	FW3U	885.0	452501	5434610	330	-54	799.0	801.1	2.1	15.3	
			<i>including</i>					800.3	801.1	0.8	40.1	
OSK-OBM-16-697	2575	FW3U	885.0	452501	5434610	330	-54	804.1	806.7	2.6	29.1	
			<i>including</i>					804.1	804.7	0.6	90.1	
OSK-U-16-729	N/A		482.0	450104	5433288	330	-43	<i>No significant results</i>				
OSK-U-16-730	N/A		501.0	449901	5433572	330	-45	<i>No significant results</i>				
OSK-U-16-731	N/A	New zone	498.0	449764	5433851	330	-43	358.5	360.5	2.0	6.78	
			<i>including</i>					358.5	359.4	0.9	11.1	
OSK-U-16-732	N/A	Fox	420.0	448758	5435641	331	-56	65.5	68.5	3.0	8.04	
			<i>including</i>					67.0	68.5	1.5	16.1	
OSK-U-16-733	N/A	Shear veins	501.0	448759	5435642	359	-54	47.3	49.0	1.8	3.40	
			<i>including</i>					47.3	47.8	0.5	9.99	
OSK-U-16-734	N/A	Fox	559.0	448758	5435641	302	-46	407.0	409.1	2.1	39.2	
			<i>including</i>					407.0	407.7	0.7	96.2	
			<i>and</i>					408.8	409.1	0.3	48.0	
OSK-U-16-736	N/A	Fox	589.0	448758	5435640	302	-60	260.6	262.7	2.1	5.14	
OSK-U-16-736	N/A	Fox	589.0	448758	5435640	302	-60	313.0	315.6	2.6	4.32	
OSK-U-16-738	N/A	Fox	546.0	448758	5435640	276	-46	217.8	221.7	3.9	2.58	
OSK-U-16-738	N/A	Fox	546.0	448758	5435640	276	-46	272.7	274.4	1.7	2.86	
OSK-W-16-309-W1	2575	Quartz vein in Red Dog	1223.5	452548	5434514	326	-63	612.2	615.0	2.8	9.11	
			<i>including</i>					614.0	615.0	1.0	24.5	
OSK-W-16-309-W1	2575	FW3	1223.5	452548	5434514	326	-63	965.0	967.0	2.0	1.19	
OSK-W-16-309-W1	2575	New	1223.5	452548	5434514	326	-63	1115.0	1117.0	2.0	5.60	
			<i>including</i>					1116.0	1117.0	1.0	11.2	
OSK-W-16-309-W2	2575	Caribou North 1	1109.5	452548	5434514	326	-63	520.8	522.7	1.9	0.84	
OSK-W-16-309-W2	2575	FW3	1109.5	452548	5434514	326	-63	924.0	926.0	2.0	0.23	
OSK-W-16-309-W2	2575	New - Underdog corridor	1109.5	452548	5434514	326	-63	972.0	975.0	3.0	5.58	
OSK-W-16-309-W2	2575	New under Red Dog	1109.5	452548	5434514	326	-63	988.0	992.0	4.0	3.27	
OSK-W-16-309-W3	2575	New Zone - Caribou	1172.5	452548	5434514	326	-63	474.0	476.2	2.2	7.63	
OSK-W-16-309-W3	2575	New Zone - Caribou	1172.5	452548	5434514	326	-63	480.4	482.5	2.1	6.32	
			<i>including</i>					481.3	482.0	0.7	17.3	
OSK-W-16-309-W3	2575	New Zone - Caribou	1172.5	452548	5434514	326	-63	539.2	543.8	4.6	11.8	
			<i>including</i>					542.0	543.0	1.0	47.9	
OSK-W-16-309-W3	2575	New Zone - Caribou	1172.5	452548	5434514	326	-63	883.7	886.5	2.8	0.48	
OSK-W-16-311-W1	2325	FW1	1153.5	452311	5434424	330	-62	753.5	756.0	2.5	0.42	
OSK-W-16-311-W1	2325	FW3 hanging wall	1153.5	452311	5434424	330	-62	927.5	930.5	3.0	9.40	
			<i>including</i>					927.5	929.4	1.9	14.6	
OSK-W-16-311-W1	2325	FW3	1153.5	452311	5434424	330	-62	991.0	993.0	2.0	1.44	
OSK-W-16-311-W1	2325	FW4 Hangingwall	1153.5	452311	5434424	330	-62	1118.0	1120.0	2.0	15.7	
OSK-W-16-311-W1	2325	FW4	1153.5	452311	5434424	330	-62	1131.0	1132.9	1.9	8.32	
			<i>including</i>					1131.0	1132.0	1.0	15.7	
OSK-W-16-311-W2	2325	FW1	1179.5	452311	5434424	330	-62	734.3	737.8	3.5	0.80	
OSK-W-16-311-W2	2325	FW3 hanging wall	1179.5	452311	5434424	330	-62	918.8	921.0	2.2	13.0	
			<i>including</i>					919.3	919.6	0.3	88.3	
OSK-W-16-311-W2	2325	FW3 hanging wall	1179.5	452311	5434424	330	-62	970.0	972.0	2.0	6.44	
OSK-W-16-311-W2	2325	FW3	1179.5	452311	5434424	330	-62	992.5	994.9	2.4	6.55	
			<i>including</i>					993.3	993.9	0.6	24.7	
OSK-W-16-311-W2	2325	FW3 footwall	1179.5	452311	5434424	330	-62	1050.7	1053.4	2.7	7.87	
			<i>including</i>					1052.4	1053.4	1.0	20.9	
OSK-W-16-311-W2	2325	FW4	1179.5	452311	5434424	330	-62	1149.3	1152.0	2.7	5.21	
			<i>including</i>					1150.3	1151.0	0.7	19.9	
OSK-W-16-704-W1	2425	FW3 hanging wall	852.0	452311	5434627	329	-57	641.8	644.5	2.8	6.59	
			<i>including</i>					643.1	643.5	0.4	39.1	
OSK-W-16-704-W1	2425	FW3	852.0	452311	5434627	329	-57	649.6	652.5	2.9	15.5	
			<i>including</i>					649.6	650.3	0.7	63.6	
OSK-W-16-704-W1	2425	New - Underdog corridor	852.0	452311	5434627	329	-57	671.2	677.5	6.3	6.10	
			<i>including</i>					671.2	671.7	0.5	59.3	
OSK-W-16-704-W1	2425	FW4	852.0	452311	5434627	329	-57	797.0	799.0	2.0	25.1	
			<i>including</i>					797.5	798.1	0.6	50.5	
OSK-W-16-705	2650	Caribou South 1	636.0	452599	5434581	333	-60	403.5	405.8	2.3	1.31	
OSK-W-16-705	2650	Caribou South 3	636.0	452599	5434581	333	-60	482.7	485.0	2.3	0.54	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-16-705	2650	Wolf	636.0	452599	5434581	333	-60	565.0	567.0	2.0	4.04	
		<i>including</i>						565.7	566.4	0.7	10.7	
OSK-W-16-705	2650	New Zone	636.0	452599	5434581	333	-60	594.0	596.2	2.2	3.64	
OSK-W-16-705	2650	FW3	636.0	452599	5434581	333	-60	899.0	901.9	2.9	3.54	
		<i>including</i>						901.1	901.9	0.8	12.3	
OSK-W-16-706	2575	Caribou South 1	1335.0	452611	5434418	327	-57	549.6	552.6	3.0	8.65	
OSK-W-16-706	2575	FW0	1335.0	452611	5434418	327	-57	829.5	831.6	2.1	1.44	
OSK-W-16-706	2575	FW1	1335.0	452611	5434418	327	-57	950.3	952.6	2.3	12.3	
		<i>including</i>						950.3	951.3	1.0	29.4	
OSK-W-16-706	2575	FW3	1335.0	452611	5434418	327	-57	1135.0	1138.9	3.9	0.72	
OSK-W-16-706-W1	2575	Caribou South 1	1275.0	452611	5434418	327	-57	546.5	563.0	16.5	5.75	
OSK-W-16-706-W1	2575	Caribou South 1 - cut to 100 g/t Au	1275.0	452611	5434418	327	-57	546.5	563.0	16.5	3.53	
		<i>including</i>						549.2	549.5	0.3	222	100
OSK-W-16-706-W1	2575	Caribou South 1 footwall	1275.0	452611	5434418	327	-57	558.3	563.0	4.7	3.41	
		<i>including</i>						558.3	557.7	0.4	14.5	
OSK-W-16-706-W1	2575	FW0	1275.0	452611	5434418	327	-57	818.8	821.3	2.5	28.1	
		<i>including</i>						819.4	820.0	0.6	127	100
OSK-W-16-706-W1	2575	FW1 hanging wall	1275.0	452611	5434418	327	-57	886.2	888.2	2.0	4.93	
		<i>including</i>						886.2	887.2	1.0	9.72	
OSK-W-16-706-W1	2575	FW1	1275.0	452611	5434418	327	-57	902.5	904.5	2.0	2.85	
OSK-W-16-706-W1	2575	FW2	1275.0	452611	5434418	327	-57	981.1	992.0	10.9	10.6	
		<i>including</i>						981.9	983.7	1.8	24.0	
		<i>including</i>						988.5	992.0	3.5	19.4	
OSK-W-16-706-W1	2575	FW2	1275.0	452611	5434418	327	-57	1007.0	1012.0	5.0	7.10	
		<i>including</i>						1008.0	1010.0	2.0	13.8	
OSK-W-16-706-W1	2575	FW2	1275.0	452611	5434418	327	-57	1022.0	1024.3	2.3	18.6	
		<i>including</i>						1022.9	1023.7	0.8	49.9	
OSK-W-16-706-W1	2575	FW3	1275.0	452611	5434418	327	-57	1033.0	1041.9	8.9	16.6	15.9
		<i>including</i>						1033.5	1034.3	0.8	93.6	
		<i>including</i>						1041.0	1041.4	0.4	117	100
OSK-W-16-706-W1	2575	FW4	1275.0	452611	5434418	327	-57	1073.1	1077.0	3.9	8.74	
OSK-W-16-706-W1	2575	New - under Red Dog	1275.0	452611	5434418	327	-57	1248.4	1250.9	2.5	3.95	
OSK-W-16-706-W2	2575	Caribou South 1	1296.0	452611	5434418	327	-57	552.0	556.3	4.3	1.87	
OSK-W-16-706-W2	2575	FW0	1296.0	452611	5434418	327	-57	827.0	829.0	2.0	2.43	
OSK-W-16-706-W2	2575	Quartz-tourmaline veins	1296.0	452611	5434418	327	-57	903.0	905.0	2.0	3.12	
OSK-W-16-706-W2	2575	FW1 (AQ core)	1296.0	452611	5434418	327	-57	945.1	951.4	6.3	9.17	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1018.0	1020.4	2.4	5.67	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1093.8	1098.3	4.5	3.06	
		<i>including</i>						1093.8	1094.4	0.6	12.7	
		<i>and</i>						1097.4	1098.3	0.9	6.44	
OSK-W-16-706-W2	2575	FW3	1296.0	452611	5434418	327	-57	1146.0	1149.5	3.5	4.95	
		<i>including</i>						1147.8	1148.2	0.4	35.3	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1176.5	1179.0	2.5	3.20	
		<i>including</i>						1177.5	1178.0	0.5	15.7	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1203.2	1205.2	2.0	7.33	
		<i>including</i>						1204.2	1204.6	0.4	33.6	
OSK-W-16-706-W3	2575	FW1	1061.0	452611	5434418	327	-57	944.8	952.5	7.7	7.57	
		<i>including</i>						944.8	945.9	1.1	9.15	
		<i>and</i>						949.0	950.1	1.1	30.0	
OSK-W-16-707	2675	Caribou South 2	360.0	452572	5434688	331	-52	247.3	249.5	2.2	11.3	
		<i>including</i>						248.3	248.7	0.4	58.6	
OSK-W-16-707	2675	Caribou	360.0	452572	5434688	331	-52	319.5	328.0	8.5	0.78	
OSK-W-16-708	2775	Shear and quartz veins	1257.0	452819	5434423	331	-54	354.0	356.2	2.2	3.65	
		<i>including</i>						354.8	355.1	0.3	14.0	
OSK-W-16-708	2775	Caribou South 3	1257.0	452819	5434423	331	-54	625.5	628.0	2.5	1.50	
OSK-W-16-708	2775	New	1257.0	452819	5434423	331	-54	755.6	758.0	2.4	3.36	
OSK-W-16-708	2775	Wolf hanging wall	1257.0	452819	5434423	331	-54	796.0	798.0	2.0	17.1	
OSK-W-16-708	2775	New	1257.0	452819	5434423	331	-54	889.5	891.8	2.3	5.55	
		<i>including</i>						891.2	891.8	0.6	19.0	
OSK-W-16-708	2775	FW1	1257.0	452819	5434423	331	-54	1021.7	1024.5	2.8	3.94	
		<i>including</i>						1022.5	1023.0	0.5	16.1	
OSK-W-16-708	2775	FW3	1257.0	452819	5434423	331	-54	1204.5	1206.7	2.2	0.09	
OSK-W-16-708-W1	2775	Caribou South 3 footwall	1272.0	452819	5434423	331	-54	633.3	635.9	2.6	1.28	
OSK-W-16-708-W1	2775	New	1272.0	452819	5434423	331	-54	706.3	708.7	2.4	3.25	
OSK-W-16-708-W1	2775	New	1272.0	452819	5434423	331	-54	729.3	733.0	3.7	3.89	
OSK-W-16-708-W1	2775	New	1272.0	452819	5434423	331	-54	738.1	740.7	2.6	4.01	
		<i>including</i>						739.0	739.7	0.7	12.0	
OSK-W-16-708-W1	2775	Wolf hanging wall	1272.0	452819	5434423	331	-54	765.5	769.5	4.0	12.2	
OSK-W-16-708-W1	2775	Wolf	1272.0	452819	5434423	331	-54	816.5	820.3	3.8	12.5	
OSK-W-16-708-W1	2775	Wolf footwall	1272.0	452819	5434423	331	-54	834.0	836.4	2.4	4.79	
		<i>including</i>						835.6	836.4	0.8	13.9	
OSK-W-16-708-W1	2775	New	1272.0	452819	5434423	331	-54	838.1	844.5	6.4	15.4	
		<i>including</i>						840.5	843.4	2.9	31.5	
OSK-W-16-708-W1	2775	New	1272.0	452819	5434423	331	-54	1069.0	1071.0	2.0	8.27	
		<i>including</i>						1069.9	1070.2	0.3	41.7	
OSK-W-16-708-W1	2775	FW3	1272.0	452819	5434423	331	-54	1088.0	1091.0	3.0	3.74	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-16-708-W1	2775	New	1272.0	452819	5434423	331	-54	1163.0	1165.1	2.1	6.14	
		<i>including</i>						1163.0	1164.0	1.0	11.1	
OSK-W-16-708-W2	2775	Caribou South 3	1407.0	452819	5434423	330	-54	633.0	635.6	2.6	3.20	
OSK-W-16-708-W2	2775	Shear - Caribou Corridor	1407.0	452819	5434423	330	-54	668.8	671.0	2.2	7.43	
		<i>including</i>						668.8	670.2	1.4	11.4	
OSK-W-16-708-W2	2775	Caribou - Caribou Corridor	1407.0	452819	5434423	330	-54	795.0	798.0	3.0	7.66	
OSK-W-16-708-W2	2775	Wolf - Caribou Corridor	1407.0	452819	5434423	330	-54	841.9	844.7	2.8	4.47	
		<i>including</i>						844.3	844.7	0.4	30.3	
OSK-W-16-708-W2	2775	New zone - Underdog	1407.0	452819	5434423	330	-54	1135.5	1142.1	6.6	13.8	
		<i>including</i>						1136.1	1138.5	2.4	36.1	
OSK-W-16-708-W2	2775	FW3	1407.0	452819	5434423	330	-54	1274.3	1276.3	2.0	0.63	
OSK-W-16-709	2700	New zone ; Shear	590.0	452647	5434573	330	-59	186.0	188.0	2.0	3.01	
		<i>including</i>						186.0	187.0	1.0	5.61	
OSK-W-16-709	2700	New Zone	590.0	452647	5434573	330	-59	349.5	351.5	2.0	3.22	
OSK-W-16-709	2700	Caribou South 1	590.0	452647	5434573	330	-59	418.2	421.9	3.7	4.90	
OSK-W-16-709	2700	Caribou South 3	590.0	452647	5434573	330	-59	499.2	502.0	2.8	0.76	
OSK-W-16-710	2700	Tourmaline breccia	704.0	452649	5434613	331	-60	68.0	70.0	2.0	3.25	
		<i>including</i>						69.3	70.0	0.7	8.93	
OSK-W-16-710	2700	New zone	704.0	452649	5434613	331	-60	157.0	159.0	2.0	3.13	
		<i>including</i>						157.0	158.3	1.3	4.72	
OSK-W-16-710	2700	New zone	704.0	452649	5434613	331	-60	222.0	225.0	3.0	3.48	
		<i>including</i>						222.0	223.5	1.5	6.94	
OSK-W-16-710	2700	Caribou South 1	704.0	452649	5434613	331	-60	402.8	403.5	0.7	1.94	
OSK-W-16-710	2700	Caribou South 1	704.0	452649	5434613	331	-60					
OSK-W-16-710	2700	Quartz-tourmaline veins	704.0	452649	5434613	331	-60	498.0	500.5	2.5	10.8	
		<i>including</i>						498.0	499.5	1.5	17.8	
OSK-W-16-710	2700	New zone	704.0	452649	5434613	331	-60	531.0	534.0	3.0	8.32	
		<i>including</i>						532.5	534.0	1.5	15.5	
OSK-W-16-710	2700	Wolf	704.0	452649	5434613	331	-60	562.0	568.7	6.7	11.8	
		<i>including</i>						565.9	566.6	0.7	212	100
OSK-W-16-710	2700	New zone	704.0	452649	5434613	331	-60	586.0	588.3	2.3	16.2	
		<i>including</i>						586.0	587.9	1.9	19.6	
OSK-W-16-710	2700	Caribou North 2	704.0	452649	5434613	331	-60	620.0	623.5	3.5	1.12	
OSK-W-16-712	2775		39.0	452678	5434681	330	-55					
		<i>Abandoned</i>										
OSK-W-16-713	2775	Caribou	523.0	452678	5434681	331	-56	421.0	423.0	2.0	0.80	
OSK-W-16-713	2775	Caribou North 2 footwall	523.0	452678	5434681	331	-56	472.0	479.4	7.4	1.43	
OSK-W-16-715	2800	Eastern extension Caribou South 1	804.0	452786	5434527	334	-61	534.5	536.5	2.0	4.85	
OSK-W-16-715	2800	New	804.0	452786	5434527	334	-61	541.5	543.5	2.0	4.17	
OSK-W-16-715	2800	Caribou South 3	804.0	452786	5434527	334	-61	646.0	649.0	3.0	22.6	
		<i>including</i>						647.5	649.0	1.5	41.0	
OSK-W-16-715	2800	New	804.0	452786	5434527	334	-61	668.5	671.5	3.0	6.84	
		<i>including</i>						668.5	670.0	1.5	13.1	
OSK-W-16-715	2800	New	804.0	452786	5434527	334	-61	727.0	729.8	2.8	4.38	
OSK-W-16-715	2800	Quartz vein in Red Dog	804.0	452786	5434527	334	-61	800.8	801.3	0.5	18.9	
OSK-W-16-718	2775	Caribou South 1	798.0	452742	5434571	332	-61	431.9	434.9	3.0	23.2	
		<i>including</i>						432.9	434.2	1.3	44.5	
OSK-W-16-718	2775	Caribou South 3	798.0	452742	5434571	332	-61	515.5	518.0	2.5	1.88	
OSK-W-16-718	2775	New	798.0	452742	5434571	332	-61	537.5	539.7	2.2	3.31	
OSK-W-16-718	2775	Wolf 2	798.0	452742	5434571	332	-61	570.5	575.2	4.7	8.50	
OSK-W-16-718	2775	Quartz-carbonate vein	798.0	452742	5434571	332	-61	679.0	681.2	2.2	10.4	
		<i>including</i>						680.7	681.2	0.5	44.4	
OSK-W-16-718	2775	Wolf	798.0	452742	5434571	332	-61	735.3	737.9	2.6	4.78	
OSK-W-16-720	2775	Caribou	459.0	452665	5434716	332	-56	260.0	265.7	5.7	34.4	20.9
		<i>including</i>						262.0	262.5	0.5	45.9	
		<i>and</i>						263.1	263.6	0.5	105	100
		<i>and</i>						264.3	264.6	0.3	348	100
OSK-W-16-720	2775	Caribou	459.0	452665	5434716	332	-56	394.0	398.4	4.4	5.56	
		<i>including</i>						394.0	394.5	0.5	18.7	
OSK-W-16-720	2775	Caribou North 2 extension	459.0	452665	5434716	332	-56	436.5	439.0	2.5	3.07	
		<i>including</i>						437.0	438.0	1.0	7.25	
OSK-W-16-722	2925	New	773.3	452795	5434812	330	-60	53.0	55.0	2.0	6.08	
		<i>including</i>						53.0	54.0	1.0	12.0	
OSK-W-16-724	3050	New	822.0	452910	5434850	329	-65	157.0	159.0	2.0	3.18	
OSK-W-16-724	3050	New - Caribou Corridor	822.0	452910	5434850	329	-65	385.0	387.5	2.5	3.34	
		<i>including</i>						385.0	386.0	1.0	8.11	
OSK-W-16-724	3050	New - Caribou Corridor	822.0	452910	5434850	329	-65	478.6	480.7	2.1	3.64	
OSK-W-16-724	3050	Caribou North 2 Zone Extension	822.0	452910	5434850	329	-65	576.7	580.0	3.3	5.06	
		<i>including</i>						579.7	580.0	0.3	26.7	
OSK-W-16-726	1850	FW3	996.0	451895	5434186	328	-59	837.0	839.9	2.9	0.60	
OSK-W-16-726	1850	New zone under Red Dog	996.0	451895	5434186	328	-59	936.6	938.8	2.2	4.49	
		<i>including</i>						938.5	938.8	0.3	18.5	
OSK-W-16-726-W1	1850	FW3	1106.0	451895	5434186	328	-59	962.9	966.3	3.4	0.27	
OSK-W-16-726-W2	1850		564.0	451895	5434186	328	-59					
		<i>No significant results</i>										
OSK-W-16-727	1775	FW3 Underdog	381.0	451664	5434446	330	-53	274.4	276.5	2.1	9.45	
		<i>including</i>						274.9	276.0	1.1	17.2	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-16-728	3200	Crustiform vein	1419.0	453055	5434890	334	-66	363.0	365.4	2.4	42.2	17.2
		<i>including</i>						363.6	364.0	0.4	250	100
OSK-W-16-728	3200	Crustiform vein	1419.0	453055	5434890	334	-66	404.0	404.5	0.5	23.8	
OSK-W-16-728	3200	Caribou Zone extension	1419.0	453055	5434890	334	-66	478.1	481.2	3.1	391	100
OSK-W-16-728	3200	Caribou Zone extension Cut to 100g/t Au	1419.0	453055	5434890	334	-66	478.1	481.2	3.1	14.7	
		<i>including</i>						478.1	478.5	0.4	3020	100
OSK-W-16-728	3200	New zone - Caribou corridor	1419.0	453055	5434890	334	-66	581.6	584.0	2.4	3.18	
OSK-W-16-728	3200	Zone 27 - Crustiform vein	1419.0	453055	5434890	334	-66	752.2	754.9	2.7	4.69	
		<i>including</i>						753.1	753.9	0.8	15.6	
OSK-W-16-735	2375	Shear vein	1110.0	452285	5434580	332	-64	58.3	60.5	2.2	13.8	
		<i>including</i>						58.3	58.9	0.6	48.7	
OSK-W-16-735	2375	Caribou	1110.0	452285	5434580	332	-64	101.8	137.2	35.4	17.0	
OSK-W-16-735	2375	Caribou Cut to 100g/t Au	1110.0	452285	5434580	332	-64	101.8	137.2	35.4	6.10	
		<i>including</i>						103.0	103.5	0.5	10.1	
		<i>and</i>						112.0	113.7	1.7	318	100
		<i>including</i>						112.0	113.0	1.0	486	100
		<i>and</i>						113.0	113.7	0.7	79.2	
OSK-W-16-735	2375	Zone 27	1110.0	452285	5434580	332	-64	322.8	325.0	2.2	14.6	
		<i>including</i>						322.8	323.4	0.6	53.0	
OSK-W-16-735	2375	FW1	1110.0	452285	5434580	332	-64	532.4	534.5	2.1	14.1	
		<i>including</i>						532.4	533.1	0.7	32.8	
		<i>including</i>						534.2	534.5	0.3	19.6	
OSK-W-16-735	2375	FW1 Footwall	1110.0	452285	5434580	332	-64	554.4	557.8	3.4	10.8	
		<i>including</i>						554.4	554.8	0.4	76.9	
OSK-W-16-735	2375	FW3	1110.0	452285	5434580	332	-64	676.5	681.1	4.6	0.71	
OSK-W-16-735	2375	FW4 Hangingwall	1110.0	452285	5434580	332	-64	797.8	800.0	2.2	6.75	
		<i>including</i>						798.8	799.1	0.3	48.4	
OSK-W-16-735	2375	FW4 Hangingwall	1110.0	452285	5434580	332	-64	812.0	814.9	2.9	8.57	
		<i>including</i>						814.4	814.9	0.5	43.0	
OSK-W-16-735	2375	FW4	1110.0	452285	5434580	332	-64	824.2	828.4	4.2	33.6	24.4
		<i>including</i>						824.2	824.5	0.3	228	100
		<i>and</i>						826.8	828.4	1.6	36.8	
OSK-W-16-735-W1	2375	Z27-2	1071.0	452285	5434580	332	-64	345.8	348.0	2.2	4.50	
OSK-W-16-735-W1	2375	Zone 27	1071.0	452285	5434580	332	-64	404.1	406.0	1.9	1.14	
OSK-W-16-735-W1	2375	Quartz vein in Red Dog	1071.0	452285	5434580	332	-64	427.5	428.5	1.0	5.13	
OSK-W-16-735-W1	2375	Quartz vein in Red Dog	1071.0	452285	5434580	332	-64	477.8	478.1	0.3	11.8	
OSK-W-16-735-W1	2375	FW1	1071.0	452285	5434580	332	-64	520.5	527.3	6.8	11.6	8.70
		<i>including</i>						521.5	522.0	0.5	140	100
OSK-W-16-735-W1	2375	FW3	1071.0	452285	5434580	332	-64	743.3	749.0	5.7	1.04	
OSK-W-16-735-W2	2375	FW1	1089.5	452285	5434580	332	-64	532.2	535.7	3.5	12.2	
OSK-W-16-735-W2	2375	FW1	1089.5	452285	5434580	332	-64	545.8	548.6	2.8	6.80	
OSK-W-16-735-W2	2375	FW3	1089.5	452285	5434580	332	-64	808.5	818.3	9.8	7.92	
OSK-W-16-735-W2	2375	FW3	1089.5	452285	5434580	332	-64	822.7	828.0	5.3	11.7	
		<i>including</i>						825.0	825.5	0.5	54.1	
OSK-W-16-737	3375		72.0	453236	5434928	332	-66	<i>Abandoned</i>				
OSK-W-16-739	3375		42.0	453236	5434928	332	-65	<i>Abandoned</i>				
OSK-W-16-740	3375	Vein	1464.0	453238	5434925	340	-66	137.4	140.0	2.6	7.21	
		<i>including</i>						138.7	139.2	0.5	23.6	
OSK-W-16-740	3375	Lynx	1464.0	453238	5434925	340	-66	159.0	161.0	2.0	4.49	
OSK-W-16-740	3375	Lynx FW	1464.0	453238	5434925	340	-66	248.5	256.7	8.2	4.72	
		<i>including</i>						249.5	250.1	0.6	13.0	
		<i>including</i>						255.7	256.7	1.0	19.3	
OSK-W-16-740	3375	Crustiform Vein	1464.0	453238	5434925	340	-66	305.4	310.0	4.6	5.69	
		<i>including</i>						305.4	306.1	0.7	11.8	
		<i>including</i>						309.0	310.0	1.0	16.3	
OSK-W-16-740	3375	CN2	1464.0	453238	5434925	340	-66	720.5	722.8	2.3	9.66	
		<i>including</i>						720.5	721.5	1.0	19.5	
OSK-W-16-740	3375	New UnderDog	1464.0	453238	5434925	340	-66	1389.0	1391.4	2.4	8.71	
		<i>including</i>						1390.2	1390.5	0.3	67.9	
OSK-W-16-741	2525		246.0	452652	5434236	329	-65	<i>No significant results</i>				
OSK-W-16-742	2525		30.0	452651	5434236	330	-64	<i>Abandoned</i>				
OSK-W-16-743	2525	New zone	1560.0	452652	5434235	334	-64	672.2	674.7	2.5	6.44	
OSK-W-16-743	2525	New zone	1560.0	452652	5434235	334	-64	701.1	703.8	2.7	4.91	
		<i>including</i>						703.1	703.8	0.7	15.3	
OSK-W-16-743	2525	CS1	1560.0	452652	5434235	334	-64	776.4	777.3	0.9	1.91	
OSK-W-16-743	2525	New zone	1560.0	452652	5434235	334	-64	790.4	792.8	2.4	4.71	
		<i>including</i>						790.4	790.7	0.3	37.1	
OSK-W-16-743	2525	FW0	1560.0	452652	5434235	334	-64	1007.0	1009.7	2.7	2.52	
OSK-W-16-743	2525	FW1	1560.0	452652	5434235	334	-64	1173.6	1183.3	9.7	3.37	
		<i>including</i>						1179.2	1179.8	0.6	13.3	
OSK-W-16-743	2525	FW2	1560.0	452652	5434235	334	-64	1233.7	1236.3	2.6	303	47.0
		<i>including</i>						1233.7	1235.8	2.1	375	57.7
OSK-W-16-743	2525	FW3	1560.0	452652	5434235	334	-64	1366.0	1368.2	2.2	5.55	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-16-743-W1	2525	CS1	1488.0	452651	5434237	334	-64	774.0	776.0	2.0	1.10	
		including						774.6	775.0	0.4	5.05	
OSK-W-16-743-W1	2525	FW0	1488.0	452651	5434237	334	-64	1000.5	1005.7	5.2	5.77	
		including						1001.3	1003.7	2.4	11.0	
OSK-W-16-743-W1	2525	FW0 FW	1488.0	452651	5434237	334	-64	1060.0	1063.0	3.0	3.62	
		including						1060.0	1060.5	0.5	7.97	
OSK-W-16-743-W1	2525	FW2 HW	1488.0	452651	5434237	334	-64	1243.5	1245.6	2.1	6.77	
OSK-W-16-743-W1	2525	FW2	1488.0	452651	5434237	334	-64	1251.8	1254.4	2.6	8.13	
		including						1252.1	1252.9	0.8	24.0	
OSK-W-16-743-W1	2525	FW3	1488.0	452651	5434237	334	-64	1394.0	1396.0	2.0	6.29	
		including						1394.0	1394.9	0.9	12.9	
OSK-W-16-743-W2	2525	CS1	1625.2	452651	5434237	334	-64	748.0	751.0	3.0	10.3	
		including						749.6	751.0	1.4	21.5	
OSK-W-16-743-W2	2525	FW0	1625.2	452651	5434237	334	-64	1160.0	1162.9	2.9	3.52	
OSK-W-16-743-W2	2525	FW1	1625.2	452651	5434237	334	-64	1279.0	1281.0	2.0	1.90	
OSK-W-16-743-W2	2525	FW2	1625.2	452651	5434237	334	-64	1373.7	1376.3	2.6	9.10	
		including						1374.5	1375.3	0.8	27.5	
OSK-W-16-743-W2	2525	FW3	1625.2	452651	5434237	334	-64	1465.5	1469.0	3.5	0.64	
OSK-W-16-744	2775	New zone	689.4	452665	5434732	331	-56	268.0	270.5	2.5	5.24	
		including						269.0	270.5	1.5	8.35	
OSK-W-16-744	2775	Caribou	689.4	452665	5434732	331	-56	365.0	374.0	9.0	5.00	
		including						372.0	373.0	1.0	31.2	
OSK-W-16-744	2775	Caribou North 2	689.4	452665	5434732	331	-56	417.4	419.9	2.5	4.44	
		including						419.5	419.9	0.4	20.0	
OSK-W-16-744	2775	Zone 27	689.4	452665	5434732	331	-56	578.0	594.0	16.0	4.92	
		including						578.0	582.0	4.0	15.2	
OSK-W-16-746	2650	Caribou	873.0	452551	5434670	331	-57	343.0	348.2	5.2	5.50	
		including						344.8	345.2	0.4	47.2	
OSK-W-16-746	2650	Caribou North 2	873.0	452551	5434670	331	-57	378.2	378.9	0.7	0.16	
OSK-W-16-746	2650	New zone	873.0	452551	5434670	331	-57	455.4	457.7	2.3	3.87	
		including						456.9	457.7	0.8	9.29	
OSK-W-16-746	2650	Vein	873.0	452551	5434670	331	-57	603.0	606.7	3.7	16.5	
OSK-W-16-747	2475	Quartz-tourmaline vein	1050.0	452449	5434488	331	-57	153.0	155.0	2.0	3.66	
		including						154.0	154.3	0.3	23.6	
OSK-W-16-747	2475	Caribou	1050.0	452449	5434488	331	-57	298.3	300.7	2.4	13.7	
		including						298.3	299.3	1.0	31.5	
OSK-W-16-747	2475	Caribou South 1	1050.0	452449	5434488	331	-57	417.0	419.0	2.0	11.4	
		including						417.8	418.3	0.5	45.3	
OSK-W-16-747	2475	Caribou North 1	1050.0	452449	5434488	331	-57	467.1	468.9	1.8	2.17	
OSK-W-16-747	2475		1050.0	452449	5434488	331	-57					
OSK-W-16-747	2475	FW1	1050.0	452449	5434488	331	-57	677.6	680.0	2.4	3.89	
OSK-W-16-747	2475	FW2	1050.0	452449	5434488	331	-57	813.3	816.0	2.7	6.95	
		including						813.3	813.7	0.4	26.2	
		including						815.4	815.7	0.3	20.2	
OSK-W-16-747	2475	FW2	1050.0	452449	5434488	331	-57	850.3	856.0	5.7	4.95	
		including						853.0	854.8	1.8	8.53	
OSK-W-16-747	2475	FW3	1050.0	452449	5434488	331	-57	911.7	914.0	2.3	3.92	
OSK-W-16-747	2475	FW3	1050.0	452449	5434488	331	-57	936.9	939.3	2.4	6.96	
		including						938.1	938.6	0.5	32.5	
OSK-W-16-749	2450	CS1	551.5	452486	5434389	332	-58	504.6	510.0	5.4	12.7	
		including						504.6	505.3	0.7	35.2	
		including						506.0	510.0	4.0	10.7	
OSK-W-16-749	2450	CS1 FW	551.5	452486	5434389	332	-58	522.0	525.1	3.1	3.43	
OSK-W-16-750	3550	Lynx 1	1658.6	453440	5434933	339	-69	346.0	347.0	1.0	0.65	
OSK-W-16-750	3550	Crustiform vein	1658.6	453440	5434933	339	-69	418.2	420.5	2.3	17.0	
OSK-W-16-750	3550	Caribou	1658.6	453440	5434933	339	-69	709.0	711.0	2.0	41.8	
OSK-W-16-750	3550	UnderDog	1658.6	453440	5434933	339	-69	983.5	985.8	2.3	14.8	
		including						984.6	985.2	0.6	56.0	
OSK-W-16-750	3550	UnderDog	1658.6	453440	5434933	339	-69	1430.0	1432.0	2.0	4.65	
OSK-W-16-751	3200	Caribou - Shear Zone	942.0	453032	5434930	337	-64	403.0	407.7	4.7	3.09	
OSK-W-16-751	3200	Caribou - Shear Zone	942.0	453032	5434930	337	-64	466.9	469.0	2.1	5.21	
		including						466.9	467.8	0.9	11.5	
OSK-W-16-751	3200	Caribou	942.0	453032	5434930	337	-64	504.6	507.0	2.4	3.17	
OSK-W-16-751	3200	CN2	942.0	453032	5434930	337	-64	519.2	521.5	2.3	6.57	
OSK-W-16-751	3200	Zone 27	942.0	453032	5434930	337	-64	795.6	796.9	1.3	0.07	
OSK-W-16-753	2725	Caribou South 3	755.0	452756	5434463	332	-58	666.5	674.0	7.5	7.92	
		including						666.5	670.1	3.6	14.1	
OSK-W-16-753	2725	Caribou	755.0	452756	5434463	332	-58	688.0	690.7	2.7	4.09	
OSK-W-16-754	2675	CS1	1563.0	452767	5434303	332	-59	724.4	726.5	2.1	7.15	
		including						724.9	725.5	0.6	24.6	
OSK-W-16-754	2675	FW0	1563.0	452767	5434303	332	-59	1108.0	1111.0	3.0	4.94	
		including						1110.0	1111.0	1.0	11.9	
OSK-W-16-754	2675	FW0 FW	1563.0	452767	5434303	332	-59	1128.4	1131.0	2.6	3.66	
		including						1129.2	1129.5	0.3	22.0	
OSK-W-16-754	2675	FW1	1563.0	452767	5434303	332	-59	1257.6	1258.9	1.3	2.07	
OSK-W-16-754	2675	FW3	1563.0	452767	5434303	332	-59	1422.7	1430.0	7.3	9.76	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								1424.0	1425.6	1.6	34.6	
OSK-W-16-755	3375	Lynx	1077.0	453213	5434971	336	-65	63.0	69.0	6.0	11.8	
<i>including</i>								64.0	64.9	0.9	67.1	
OSK-W-16-755	3375	Lynx Footwall	1077.0	453213	5434971	336	-65	147.0	149.0	2.0	8.12	
<i>including</i>								147.4	147.9	0.5	30.4	
OSK-W-16-755	3375	Caribou Hangingwall	1077.0	453213	5434971	336	-65	188.5	191.0	2.5	3.30	
<i>including</i>								189.5	190.2	0.7	10.6	
OSK-W-16-755	3375	Caribou	1077.0	453213	5434971	336	-65	568.0	572.9	4.9	2.11	
<i>including</i>								569.7	570.2	0.5	11.6	
OSK-W-16-755	3375	CN2	1077.0	453213	5434971	336	-65	617.0	621.8	4.8	2.08	
OSK-W-16-755	3375	Vein	1077.0	453213	5434971	336	-65	668.0	670.0	2.0	5.60	
OSK-W-16-755-W1	3375	CN2	684.0	453213	5434971	336	-65	670.7	674.5	3.8	0.61	
OSK-W-16-756	2750	CS1	801.5	452809	5434390	331	-58	672.8	675.4	2.6	3.29	
<i>including</i>								673.8	674.6	0.8	9.66	
OSK-W-16-756	2750	Vein	801.5	452809	5434390	331	-58	756.6	759.1	2.5	3.70	
<i>including</i>								758.8	759.1	0.3	26.4	
OSK-W-16-759	3175	Caribou HW	890.0	452988	5434975	330	-65	189.1	193.5	4.4	4.20	
OSK-W-16-759	3175	CN2	890.0	452988	5434975	330	-65	377.4	381.3	3.9	1.53	
OSK-W-16-759	3175	Zone 27	890.0	452988	5434975	330	-65	540.2	542.4	2.2	0.46	
OSK-W-16-760	3550	Lynx HW	1560.0	453403	5434971	331	-65	208.0	211.0	3.0	14.1	
<i>including</i>								208.5	211.0	2.5	16.7	
OSK-W-16-760	3550	Lynx	1560.0	453403	5434971	331	-65	223.0	232.0	9.0	95.3	42.7
OSK-W-16-760	3550	Lynx	1560.0	453403	5434971	331	-65	223.0	232.0	9.0	42.7	
<i>including</i>								226.3	232.0	5.7	148	65.0
OSK-W-16-760	3550	Crustiform vein	1560.0	453403	5434971	331	-65	250.5	255.0	4.5	7.79	
OSK-W-16-760	3550	Crustiform vein	1560.0	453403	5434971	331	-65	354.3	357.0	2.7	5.50	
OSK-W-16-761	3375	Lynx FW	1386.0	453182	5434993	330	-61	54.5	56.5	2.0	19.4	
OSK-W-16-761	3375	Lynx FW	1386.0	453182	5434993	330	-61	64.7	67.0	2.3	71.3	64.3
OSK-W-16-762	2675	CS1 HW	1311.0	452730	5434409	332	-56	554.0	556.8	2.8	3.29	
<i>including</i>								555.0	556.8	1.8	4.95	
OSK-W-16-762	2675	Vein	1311.0	452730	5434409	332	-56	589.0	591.7	2.7	3.12	
OSK-W-16-762	2675	CS1 FW	1311.0	452730	5434409	332	-56	622.0	624.0	2.0	8.89	
<i>including</i>								623.0	624.0	1.0	17.7	
OSK-W-16-762	2675	CS3	1311.0	452730	5434409	332	-56	666.0	673.0	7.0	7.61	
OSK-W-16-762	2675	CS3 FW	1311.0	452730	5434409	332	-56	680.0	684.1	4.1	4.70	
<i>including</i>								682.0	684.1	2.1	8.95	
OSK-W-16-762	2675	Caribou	1311.0	452730	5434409	332	-56	693.0	696.0	3.0	4.47	
<i>including</i>								694.0	695.0	1.0	7.24	
OSK-W-16-764	3350	Caribou extension	1334.8	453147	5435026	329	-60	369.9	374.5	4.6	0.73	
OSK-W-16-764	3350	CN2 extension	1334.8	453147	5435026	329	-60	416.5	420.0	3.5	0.24	
OSK-W-16-765	3175	New zone	900.0	452955	5435002	329	-63	41.3	52.9	11.6	1.11	
OSK-W-16-765	3175	New zone	900.0	452955	5435002	329	-63	82.6	84.0	1.4	4.52	
<i>including</i>								82.6	82.9	0.3	20.3	
OSK-W-16-765	3175	Caribou extension	900.0	452955	5435002	329	-63	137.0	139.0	2.0	2.27	
<i>including</i>								137.0	137.5	0.5	8.82	
OSK-W-16-765	3175	Caribou extension	900.0	452955	5435002	329	-63	141.9	144.1	2.2	2.54	
OSK-W-16-765	3175	CN2 extension	900.0	452955	5435002	329	-63	341.1	344.0	2.9	0.98	
OSK-W-16-765	3175	CN2 extension	900.0	452955	5435002	329	-63	364.3	371.0	6.7	0.21	
OSK-W-16-765	3175	227 extension	900.0	452955	5435002	329	-63	576.1	577.1	1.0	0.13	
OSK-W-16-766	2625	Vein - Caribou corridor	707.9	452690	5434340	333	-57	341.9	345.0	3.1	5.17	
<i>including</i>								343.0	343.6	0.6	16.2	
OSK-W-16-766	2625	CS1	707.9	452690	5434340	333	-57	651.1	653.9	2.8	3.60	
OSK-W-16-767	2775	Vein - Shear	1605.0	452887	5434330	331	-60	431.7	433.1	1.4	1.70	
<i>including</i>								432.8	433.1	0.3	6.72	
OSK-W-16-767	2775	Vein in late dyke	1605.0	452887	5434330	331	-60	865.9	870.0	4.1	3.68	
OSK-W-16-767	2775	FW0	1605.0	452887	5434330	331	-60	1121.0	1123.0	2.0	4.14	
<i>including</i>								1122.0	1123.0	1.0	7.57	
OSK-W-16-767	2775	FW1	1605.0	452887	5434330	331	-60	1359.7	1368.5	8.8	2.06	
<i>including</i>								1359.7	1360.1	0.4	22.2	
OSK-W-16-767	2775	FW3	1605.0	452887	5434330	331	-60	1535.5	1548.0	12.5	0.49	
OSK-W-16-769	3175	Vein	921.0	452932	5435051	331	-64	235.6	238.7	3.1	3.52	
<i>including</i>								237.1	237.7	0.6	13.4	
OSK-W-16-769	3175	CN2	921.0	452932	5435051	331	-64	298.0	300.1	2.1	32.8	24.1
OSK-W-17-1002	2250	227	303.0	452013	5434821	142	-48	284.0	286.0	2.0	5.07	
<i>including</i>								284.6	285.0	0.4	16.5	
OSK-W-17-1003	3350	Lynx 1	366.0	453223	5434910	329	-59	131.1	133.7	2.6	5.18	
<i>including</i>								131.1	131.9	0.8	16.8	
OSK-W-17-1003	3350	Lynx 2	366.0	453223	5434910	329	-59	213.1	215.1	2.0	19.5	
<i>including</i>								213.1	213.9	0.8	46.3	
OSK-W-17-1003	3350	Lynx 2	366.0	453223	5434910	329	-59	240.8	243.0	2.2	3.00	
<i>including</i>								241.8	242.1	0.3	11.5	
OSK-W-17-1006	3625	Lynx 3	762.0	453281	5435348	136	-49	251.3	253.3	2.0	0.28	
OSK-W-17-1006	3625	Lynx 2 FW	762.0	453281	5435348	136	-49	351.0	353.0	2.0	3.78	
<i>including</i>								351.5	353.0	1.5	4.96	
OSK-W-17-1006	3625	Lynx 2	762.0	453281	5435348	136	-49	383.3	390.2	6.9	36.0	29.9





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
								383.3	384.2	0.9	147	100
								384.6	385.7	1.1	62.3	
								389.3	390.2	0.9	41.4	
OSK-W-17-1006	3625	Lynx 4	762.0	453281	5435348	136	-49	612.9	615.5	2.6	0.54	
OSK-W-17-1006	3625	Lynx 4	762.0	453281	5435348	136	-49	707.8	710.0	2.2	13.8	
								707.8	708.4	0.6	49.1	
OSK-W-17-1007	3650	Lynx 1	378.0	453477	5435045	334	-68	238.6	240.6	2.0	6.54	
								238.6	240.0	1.4	9.31	
OSK-W-17-1007	3650	VNCR	378.0	453477	5435045	334	-68	340.0	342.2	2.2	10.4	
OSK-W-17-1009	2325	Z27	183.0	452107	5434809	147	-49	108.0	110.7	2.7	5.73	
								109.0	110.0	1.0	13.7	
OSK-W-17-1009	2325	Z27	183.0	452107	5434809	147	-49	127.9	130.0	2.1	3.16	
OSK-W-17-1010	3425	Lynx HW	369.0	453313	5434908	330	-53	169.9	172.0	2.1	5.84	
								170.3	171.0	0.7	16.8	
OSK-W-17-1010	3425	VNCR	369.0	453313	5434908	330	-53	310.5	314.0	3.5	24.3	
								310.5	311.5	1.0	62.9	
OSK-W-17-1011	3325	Lynx HW	111.0	453175	5434955	331	-46	20.0	22.0	2.0	0.08	
OSK-W-17-1011	3325	Lynx 1	111.0	453175	5434955	331	-46	55.0	65.0	10.0	0.13	
OSK-W-17-1011	3325	Lynx 2	111.0	453175	5434955	331	-46	79.0	81.3	2.3	0.82	
OSK-W-17-1013	2475	Z27	24.0	452246	5434866	333	-48	9.2	12.0	2.8	4.56	
								9.6	10.1	0.5	24.9	
OSK-W-17-1014	2300	Z27	195.0	452063	5434811	141	-47	133.5	135.6	2.1	5.22	
OSK-W-17-1014	2300	Z27	195.0	452063	5434811	141	-47	176.6	180.0	3.4	6.27	
								178.4	179.0	0.6	30.0	
OSK-W-17-1015	3550	Lynx 2	474.0	453232	5435294	137	-51	344.1	346.2	2.1	4.02	
								344.9	345.5	0.6	13.7	
OSK-W-17-1015	3550	Lynx 2	474.0	453232	5435294	137	-51	357.9	360.5	2.6	6.26	
								358.8	359.2	0.4	33.7	
OSK-W-17-1015	3550	VNCR	474.0	453232	5435294	137	-51	400.0	402.3	2.3	8.38	
								400.7	401.7	1.0	19.0	
OSK-W-17-1018	2475	Z27	300.0	452247	5434865	333	-47	10.0	12.0	2.0	3.93	
OSK-W-17-1018	2475	Mallard	300.0	452247	5434865	333	-47	199.7	205.6	5.9	3.55	
								200.5	200.8	0.3	30.9	
OSK-W-17-1019	2875	Lynx 1	606.0	452660	5434917	140	-52	227.0	229.0	2.0	11.3	
								227.5	228.5	1.0	22.6	
OSK-W-17-1019	2875	Lynx 4	606.0	452660	5434917	140	-52	329.0	331.2	2.2	3.21	
								329.5	330.0	0.5	13.5	
OSK-W-17-1019	2875	Vein	606.0	452660	5434917	140	-52	589.0	591.0	2.0	9.04	
OSK-W-17-1020	3350	Bobcat	312.0	453217	5434928	337	-54	271.5	273.5	2.0	72.8	
								272.0	273.5	1.5	96.9	
OSK-W-17-1021	3150	VNCR - Lynx corridor	621.0	452990	5434889	333	-55	68.0	70.2	2.2	9.72	
OSK-W-17-1023	2275	Z27	228.0	452033	5434796	145	-48	134.4	138.0	3.6	4.00	
								134.4	135.2	0.8	13.1	
OSK-W-17-1024	3450	Lynx 1	360.0	453295	5434947	330	-53	134.0	136.0	2.0	3.97	
OSK-W-17-1024	3450	Lynx 1	360.0	453295	5434947	330	-53	138.0	140.0	2.0	3.64	
OSK-W-17-1025	2475	TBD	990.0	452486	5434439	330	-58	94.9	96.9	2.0	4.17	
OSK-W-17-1025	2475	FW1	990.0	452486	5434439	330	-58	732.0	734.0	2.0	3.23	
OSK-W-17-1025	2475	FW1	990.0	452486	5434439	330	-58	806.7	809.5	2.8	8.34	
								806.7	807.6	0.9	20.2	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-45	60.3	62.6	2.3	4.57	
								62.0	62.6	0.6	16.5	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-45	83.6	85.9	2.3	4.93	
								85.0	85.9	0.9	12.4	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-45	92.7	95.9	3.2	4.38	
								94.8	95.9	1.1	11.2	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-45	124.6	127.0	2.4	4.24	
OSK-W-17-1027	3825	Lynx 2	825.0	453437	5435481	134	-59	604.0	606.0	2.0	3.85	
OSK-W-17-1027	3825	Vein	825.0	453437	5435481	134	-59	625.0	627.2	2.2	12.2	
								626.0	627.2	1.2	22.3	
OSK-W-17-1027	3825	Lynx HW	825.0	453437	5435481	134	-59	779.5	782.0	2.5	3.47	
OSK-W-17-1028	3000	Lynx 1	807.0	452860	5434814	326	-59	76.0	78.0	2.0	8.18	
								77.0	77.3	0.3	45.4	
OSK-W-17-1028	3000	Caribou extension	807.0	452860	5434814	326	-59	370.9	374.0	3.1	11.6	
								372.7	374.0	1.3	18.6	
OSK-W-17-1028	3000	Caribou extension	807.0	452860	5434814	326	-59	383.6	385.9	2.3	10.6	
								385.5	385.9	0.4	51.1	
OSK-W-17-1028	3000	Caribou extension	807.0	452860	5434814	326	-59	393.0	396.1	3.1	3.12	
OSK-W-17-1028	3000	Caribou extension	807.0	452860	5434814	326	-59	727.5	729.5	2.0	6.77	
OSK-W-17-1030	3500	Lynx 1	300.0	453346	5434982	332	-56	144.4	146.7	2.3	9.25	
								145.1	145.7	0.6	34.4	
OSK-W-17-1030	3500	Lynx 2	300.0	453346	5434982	332	-56	189.3	193.0	3.7	1.14	
OSK-W-17-1031	2525	Z27	390.0	452296	5434867	336	-62	61.5	63.8	2.3	2.38	
OSK-W-17-1031	2525	Drake	390.0	452296	5434867	336	-62	182.0	184.0	2.0	3.14	
								182.3	182.6	0.3	18.7	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1031	2525	Mallard	390.0	452296	5434867	336	-62	325.6	327.8	2.2	0.58	
OSK-W-17-1034	3150	VNCR	228.0	452978	5434914	330	-53	202.3	206.0	3.7	6.29	
OSK-W-17-1035	2300	Z27	105.0	452101	5434747	133	-45	68.4	71.0	2.6	4.27	
								69.1	69.6	0.5	15.2	
OSK-W-17-1036	3550	VNCR	432.0	453231	5435294	139	-55	345.8	350.6	4.8	3.73	
								349.6	350.6	1.0	15.7	
OSK-W-17-1036	3550	VNCR	432.0	453231	5435294	139	-55	358.6	361.5	2.9	18.9	
								359.6	360.5	0.9	58.1	
OSK-W-17-1036	3550	QTV	432.0	453231	5435294	139	-55	414.0	416.0	2.0	3.34	
								415.0	416.0	1.0	6.23	
OSK-W-17-1038	2275	Z27	120.0	452067	5434773	147	-49	97.4	99.7	2.3	16.4	
OSK-W-17-1039	3725	Lynx 2	513.0	453361	5435436	147	-49	379.1	381.1	2.0	1.06	
OSK-W-17-1039	3725	Lynx 1	513.0	453361	5435436	147	-49	436.9	441.3	4.4	11.6	
								436.9	437.9	1.0	34.4	
OSK-W-17-1040	3450	Lynx 2	294.0	453295	5434948	327	-45	162.0	164.0	2.0	15.9	
								162.3	162.7	0.4	68.3	
OSK-W-17-1042	2325	Z27	156.0	452119	5434786	146	-52	62.8	75.0	12.2	3.39	
								73.0	74.0	1.0	20.2	
OSK-W-17-1042	2325	Z27	156.0	452119	5434786	146	-52	84.0	86.3	2.3	3.53	
OSK-W-17-1043	3625	Lynx 1	438.0	453284	5435344	133	-47	374.0	376.0	2.0	3.11	
OSK-W-17-1044	3650	Lynx 1	381.0	453477	5435045	333	-70	242.0	244.1	2.1	3.03	
OSK-W-17-1044	3650	Lynx 1 + Lynx 2	381.0	453477	5435045	333	-70	264.6	266.7	2.1	3.59	
OSK-W-17-1047	3100	VNCR	186.0	452937	5434890	333	-62	84.0	86.6	2.6	3.95	
OSK-W-17-1048	3350	Lynx 2	303.0	453215	5434914	333	-52	209.1	212.0	2.9	10.4	
								210.3	210.7	0.4	49.2	
OSK-W-17-1048	3350	Lynx 2	303.0	453215	5434914	333	-52	216.0	219.0	3.0	21.3	
								217.8	219.0	1.2	37.4	
OSK-W-17-1050	2250	Z27	105.6	452053	5434749	148	-49	39.7	41.7	2.0	11.2	
OSK-W-17-1050	2250	Z27	105.6	452053	5434749	148	-49	76.5	80.0	3.5	6.55	
OSK-W-17-1051	2775	VNCR	1248.0	452313	5435323	138	-68	51.0	53.4	2.4	3.94	
OSK-W-17-1051	2775	TBD	1248.0	452313	5435323	138	-68	303.0	305.1	2.1	7.85	
OSK-W-17-1051	2775	FW3	1248.0	452313	5435323	138	-68	846.0	848.0	2.0	27.8	
								847.0	848.0	1.0	53.8	
OSK-W-17-1051	2775	FW3	1248.0	452313	5435323	138	-68	857.1	859.8	2.7	5.36	
OSK-W-17-1051	2775	FW2	1248.0	452313	5435323	138	-68	1067.0	1069.0	2.0	3.23	
OSK-W-17-1051	2775	FW1	1248.0	452313	5435323	138	-68	1096.7	1099.0	2.3	5.22	
								1097.5	1098.0	0.5	17.5	
OSK-W-17-1051	2775	FW1	1248.0	452313	5435323	138	-68	1103.0	1105.4	2.4	7.09	
								1104.0	1104.4	0.4	34.6	
OSK-W-17-1051	2775	FW1	1248.0	452313	5435323	138	-68	1111.0	1114.5	3.5	6.82	
								1113.9	1114.5	0.6	29.7	
OSK-W-17-1051-W1	2775	FW3	1279.0	452313	5435323	138	-68	941.0	943.0	2.0	3.96	
OSK-W-17-1051-W1	2775	FW1	1279.0	452313	5435323	138	-68	1262.0	1264.0	2.0	10.5	
OSK-W-17-1051-W2	2775	FW1	1206.0	452313	5435323	138	-68	1081.5	1085.5	4.0	11.8	
								1081.5	1082.0	0.5	52.4	
								1085.0	1085.5	0.5	22.4	
OSK-W-17-1051-W2	2775	FW1 FW	1206.0	452313	5435323	138	-68	1119.1	1121.3	2.2	7.19	
OSK-W-17-1051-W2	2775	QTV	1206.0	452313	5435323	138	-68	1183.0	1185.0	2.0	3.32	
OSK-W-17-1052	3150	Lynx 1	839.5	452999	5434855	328	-67	94.0	96.1	2.1	3.00	
								94.6	95.3	0.7	8.64	
OSK-W-17-1052	3150	Lynx 1	839.5	452999	5434855	328	-67	115.9	120.0	4.1	7.65	
								118.2	119.4	1.2	20.8	
OSK-W-17-1052	3150	Caribou extension	839.5	452999	5434855	328	-67	507.0	509.0	2.0	3.26	
OSK-W-17-1052	3150	Z27	839.5	452999	5434855	328	-67	721.0	723.3	2.3	3.81	
								721.8	722.1	0.3	21.9	
OSK-W-17-1053	2225	Z27	96.0	452031	5434741	148	-49	74.7	79.8	5.1	5.06	
								79.2	79.8	0.6	38.2	
OSK-W-17-1054	3450	Lynx 1	363.0	453282	5435000	325	-48	86.0	88.0	2.0	12.9	
								86.4	87.0	0.6	42.6	
OSK-W-17-1055	2300	Z27	144.0	452091	5434739	148	-49	72.0	74.0	2.0	3.69	
OSK-W-17-1056	2225	Z27	120.0	452003	5434746	150	-46	87.5	90.5	3.0	3.89	
OSK-W-17-1056	2225	Z27	120.0	452003	5434746	150	-46	96.9	100.6	3.7	7.71	
OSK-W-17-1058	3350	Lynx 1	318.0	453201	5434911	332	-50	137.0	139.5	2.5	0.73	
OSK-W-17-1058	3350	Lynx 2	318.0	453201	5434911	332	-50	190.0	193.1	3.1	8.50	
								190.0	190.3	0.3	15.4	
								192.8	193.1	0.3	64.5	
OSK-W-17-1059	3625	Lynx 3	660.0	453284	5435344	136	-46	264.0	266.0	2.0	83.0	55.9
								264.9	266.0	1.1	149	100
OSK-W-17-1059	3625	Lynx 1	660.0	453284	5435344	136	-46	362.8	365.2	2.4	17.7	
								362.8	364.0	1.2	33.6	
OSK-W-17-1062	2225	Z27	192.0	452009	5434774	147	-49	110.5	116.2	5.7	3.25	
OSK-W-17-1064	3625	Lynx HW	441.0	453460	5435020	330	-74	234.0	237.0	3.0	4.42	
								235.5	237.0	1.5	8.41	
OSK-W-17-1064	3625	Lynx 1	441.0	453460	5435020	330	-74	326.0	328.0	2.0	8.92	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1064	3625	Lynx 1	441.0	453460	5435020	330	-74	333.0	335.0	2.0	3.19	
OSK-W-17-1064	3625	Lynx 2	441.0	453460	5435020	330	-74	344.9	356.5	11.6	20.5	15.5
<i>including</i>								345.7	346.7	1.0	159	
OSK-W-17-1064	3625	Lynx 3	441.0	453460	5435020	330	-74	417.5	420.0	2.5	2.78	
OSK-W-17-1065	2550	Mallard_2	330.0	452290	5434903	334	-56	31.9	34.2	2.3	3.28	
OSK-W-17-1065	2550	Mallard	330.0	452290	5434903	334	-56	229.1	231.5	2.4	0.10	
OSK-W-17-1066	2475	Vein	639.0	452488	5434436	332	-56	214.5	216.5	2.0	4.21	
OSK-W-17-1066	2475	CS1 HW	639.0	452488	5434436	332	-56	412.0	415.4	3.4	4.72	
OSK-W-17-1066	2475	CS1	639.0	452488	5434436	332	-56	458.6	460.9	2.3	4.48	
OSK-W-17-1066	2475	CN1	639.0	452488	5434436	332	-56	514.0	517.0	3.0	7.98	
<i>including</i>								515.6	516.1	0.5	43.1	
OSK-W-17-1066	2475	Vein in Red Dog	639.0	452488	5434436	332	-56	572.3	572.9	0.6	32.5	
OSK-W-17-1067	3700	Lynx HW	653.2	453339	5435400	132	-48	512.6	515.7	3.1	4.54	
OSK-W-17-1068	3575	Lynx HW	513.0	453253	5435282	130	-45	414.0	416.0	2.0	4.56	
OSK-W-17-1068	3575	Lynx HW	513.0	453253	5435282	130	-45	451.9	454.3	2.4	4.77	
OSK-W-17-1070	2200	Z27	66.0	452023	5434702	141	-49	45.0	47.4	2.4	9.58	
<i>including</i>								46.0	46.9	0.9	22.9	
OSK-W-17-1071	2200	Z27	204.0	451983	5434774	146	-49	112.7	115.5	2.8	7.12	
OSK-W-17-1071	2200	Z27	204.0	451983	5434774	146	-49	139.5	141.7	2.2	12.1	
OSK-W-17-1071	2200	Z27	204.0	451983	5434774	146	-49	150.8	152.8	2.0	5.31	
OSK-W-17-1071	2200	Z27	204.0	451983	5434774	146	-49	156.0	158.8	2.8	9.72	
OSK-W-17-1071	2200	Z27	204.0	451983	5434774	146	-49	161.7	164.0	2.3	12.2	
OSK-W-17-1072	4000	Lynx 3	1086.0	453612	5435535	144	-57	271.9	274.0	2.1	0.04	
OSK-W-17-1072	4000	Lynx 2	1086.0	453612	5435535	144	-57	518.9	520.0	1.1	1.26	
OSK-W-17-1072	4000	Lynx 4	1086.0	453612	5435535	144	-57	884.0	886.3	2.3	3.73	
<i>including</i>								886.0	886.3	0.3	22.8	
OSK-W-17-1072-W1	4000	Lynx 1	948.0	453612	5435535	144	-57	656.0	660.1	4.1	1.53	
OSK-W-17-1072-W1	4000	Lynx HW	948.0	453612	5435535	144	-57	693.0	695.0	2.0	4.50	
<i>including</i>								694.0	695.0	1.0	8.76	
OSK-W-17-1072-W1	4000	Lynx 4	948.0	453612	5435535	144	-57	818.0	820.0	2.0	3.79	
<i>including</i>								819.0	819.3	0.3	23.0	
OSK-W-17-1072-W1	4000	Lynx 4	948.0	453612	5435535	144	-57	825.0	827.0	2.0	9.52	
<i>including</i>								825.0	826.0	1.0	19.0	
OSK-W-17-1072-W1	4000	Lynx 4	948.0	453612	5435535	144	-57	911.0	914.0	3.0	6.09	
<i>including</i>								911.0	912.0	1.0	17.5	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435535	144	-57	842.8	845.9	3.1	5.24	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435535	144	-57	885.2	887.2	2.0	17.7	
<i>including</i>								886.9	887.2	0.3	98.2	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435535	144	-57	908.0	911.0	3.0	8.60	
<i>including</i>								910.6	911.0	0.4	56.6	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435535	144	-57	915.0	917.0	2.0	10.9	
<i>including</i>								915.5	916.2	0.7	30.9	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435535	144	-57	989.7	992.0	2.3	17.1	
<i>including</i>								990.1	990.4	0.3	127	
OSK-W-17-1072-W2	4000	Lynx 4	1059.0	453612	5435535	144	-57	1019.7	1022.0	2.3	4.16	
<i>including</i>								1020.2	1020.5	0.3	31.0	
OSK-W-17-1072-W3	4000	Lynx 4	1110.0	453612	5435535	144	-57	906.6	909.0	2.4	4.02	
OSK-W-17-1072-W3	4000	Lynx 4	1110.0	453612	5435535	144	-57	1095.0	1097.0	2.0	11.3	
<i>including</i>								1095.0	1096.0	1.0	20.6	
OSK-W-17-1073	3000	Epith4	603.0	452755	5434982	144	-51	97.2	101.4	4.2	3.11	
OSK-W-17-1073	3000	Lynx 4	603.0	452755	5434982	144	-51	409.0	411.0	2.0	8.65	
OSK-W-17-1073	3000	Vein	603.0	452755	5434982	144	-51	470.5	473.0	2.5	3.68	
<i>including</i>								470.5	471.2	0.7	13.0	
OSK-W-17-1073	3000	Vein	603.0	452755	5434982	144	-51	475.3	477.9	2.6	4.03	
<i>including</i>								475.3	476.0	0.7	12.4	
OSK-W-17-1073	3000	Vein	603.0	452755	5434982	144	-51	481.0	483.2	2.2	3.78	
<i>including</i>								482.5	483.2	0.7	11.3	
OSK-W-17-1077	2175	Z27	102.9	451987	5434710	148	-54	59.0	61.0	2.0	8.41	
<i>including</i>								59.4	60.0	0.6	18.0	
OSK-W-17-1079	2550	CN1 FW	615.0	452541	5434452	332	-58	597.0	599.3	2.3	108	17.5
<i>including</i>								597.6	598.0	0.4	618	100
OSK-W-17-1080	3350	Lynx 2	84.0	453165	5434979	330	-45	51.0	53.0	2.0	5.47	
<i>including</i>								52.1	52.4	0.3	34.0	
OSK-W-17-1081	2175	Z27	117.0	451987	5434710	145	-65	61.3	63.7	2.4	10.4	
<i>including</i>								62.0	62.6	0.6	35.2	
OSK-W-17-1085	3625	Lynx 1	447.0	453460	5435020	339	-68	230.0	232.5	2.5	4.41	
OSK-W-17-1085	3625	Lynx 1	447.0	453460	5435020	339	-68	254.8	257.0	2.2	4.83	
OSK-W-17-1085	3625	Lynx 2	447.0	453460	5435020	339	-68	272.0	276.0	4.0	4.45	
OSK-W-17-1085	3625	Lynx 2	447.0	453460	5435020	339	-68	328.5	330.7	2.2	29.8	
<i>including</i>								329.5	330.7	1.2	54.6	
OSK-W-17-1087	2475	Drake	381.0	452255	5434830	328	-61	243.0	245.0	2.0	3.28	
OSK-W-17-1088	2175	Z27	129.0	451972	5434737	148	-55	80.2	82.4	2.2	7.73	
<i>including</i>								80.2	81.0	0.8	19.5	
OSK-W-17-1090	2350	Z27	237.0	452219	5434643	334	-45	134.2	136.5	2.3	5.24	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								134.2	134.6	0.4	26.3	
OSK-W-17-1091	3375	Lynx 1	246.0	453207	5434962	332	-51	60.4	62.7	2.3	11.3	
<i>including</i>								61.0	62.0	1.0	25.2	
OSK-W-17-1091	3375	Lynx 2	246.0	453207	5434962	332	-51	104.0	106.4	2.4	3.64	
<i>including</i>								105.6	106.4	0.8	9.30	
OSK-W-17-1095	2175	Z27	147.0	451959	5434734	147	-50	88.2	90.7	2.5	58.8	52.9
<i>including</i>								88.6	89.7	1.1	114	100
OSK-W-17-1095	2175	Z27	147.0	451959	5434734	147	-50	113.0	116.0	3.0	4.09	
OSK-W-17-1096	3375	Vein	120.0	453206	5434962	320	-46	58.8	61.1	2.3	3.48	
OSK-W-17-1098	3575	Lynx 3	424.5	453253	5435282	129	-48	249.9	252.3	2.4	13.7	
<i>including</i>								250.6	251.4	0.8	34.7	
OSK-W-17-1098	3575	Lynx 2	424.5	453253	5435282	129	-48	326.2	328.8	2.6	8.51	
<i>including</i>								327.9	328.8	0.9	18.1	
OSK-W-17-1099	3300	Lynx 1	264.0	453143	5434935	335	-56	83.0	85.0	2.0	7.87	
<i>including</i>								83.0	83.3	0.3	51.9	
OSK-W-17-1100	3675	Lynx 3	426.0	453395	5435252	149	-61	165.5	167.5	2.0	5.98	
<i>including</i>								165.5	166.5	1.0	11.8	
OSK-W-17-1102	3400	Lynx 1	345.0	453275	5434899	330	-50	174.0	176.0	2.0	3.58	
<i>including</i>								175.7	176.0	0.3	16.2	
OSK-W-17-1102	3400	Lynx 1	345.0	453275	5434899	330	-50	220.0	223.0	3.0	1.26	
OSK-W-17-1102	3400	Lynx 2	345.0	453275	5434899	330	-50	280.9	284.5	3.6	13.0	
<i>including</i>								280.9	281.6	0.7	55.4	
OSK-W-17-1103	2200	Z27	111.0	452016	5434722	148	-49	79.8	82.0	2.2	15.4	
OSK-W-17-1104	3775	Lynx 1	1059.0	453383	5435455	142	-50	472.0	474.0	2.0	1.77	
OSK-W-17-1104	3775	Lynx HW	1059.0	453383	5435455	142	-50	578.2	581.0	2.8	6.79	
<i>including</i>								578.2	578.6	0.4	46.4	
OSK-W-17-1104	3775	Vein	1059.0	453383	5435455	142	-50	857.4	860.0	2.6	48.7	27.3
<i>including</i>								857.4	858.0	0.6	193	100
OSK-W-17-1104	3775	Lynx 4	1059.0	453383	5435455	142	-50	883.0	885.0	2.0	3.61	
<i>including</i>								884.3	884.7	0.4	17.0	
OSK-W-17-1104	3775	Lynx 5	1059.0	453383	5435455	142	-50	978.0	980.0	2.0	10.3	
<i>including</i>								978.6	979.3	0.7	29.3	
OSK-W-17-1105	3050	New zone	834.0	452920	5434843	328	-71	468.0	470.0	2.0	3.42	
<i>including</i>								468.0	469.0	1.0	6.71	
OSK-W-17-1105	3050	Caribou extension	834.0	452920	5434843	328	-71	526.0	528.0	2.0	8.85	
<i>including</i>								527.5	528.0	0.5	17.3	
OSK-W-17-1105	3050	Caribou extension	834.0	452920	5434843	328	-71	534.3	539.0	4.7	4.94	
<i>including</i>								534.3	535.0	0.7	14.5	
OSK-W-17-1105	3050	Caribou extension	834.0	452920	5434843	328	-71	550.0	552.0	2.0	3.76	
OSK-W-17-1105	3050	Caribou extension	834.0	452920	5434843	328	-71	556.2	558.5	2.3	4.21	
OSK-W-17-1105	3050	Wolf FW	834.0	452920	5434843	328	-71	684.9	696.1	11.2	11.0	7.95
<i>including</i>								684.9	689.8	4.9	21.4	14.5
OSK-W-17-1105	3050	Z27	834.0	452920	5434843	328	-71	772.0	774.0	2.0	4.49	
<i>including</i>								772.3	772.9	0.6	14.5	
OSK-W-17-1106	2325	Z27	342.0	452152	5434730	330	-50	19.0	21.2	2.2	3.02	
<i>including</i>								20.9	21.2	0.3	18.6	
OSK-W-17-1106	2325	Mallard	342.0	452152	5434730	330	-50	314.0	316.9	2.9	0.62	
OSK-W-17-1108	3300	Lynx 1	102.0	453133	5434954	330	-46	60.0	62.0	2.0	4.55	
OSK-W-17-1110	2475	CS1	570.0	452488	5434436	333	-60	460.6	465.3	4.7	4.39	
<i>including</i>								460.6	461.2	0.6	12.4	
OSK-W-17-1111	3400	Lynx HW	307.0	453275	5434899	335	-50	156.7	158.5	1.8	2.17	
OSK-W-17-1111	3400	Lynx 1 + Lynx 2	307.0	453275	5434899	335	-50	204.0	206.0	2.0	11.0	
<i>including</i>								204.0	205.0	1.0	21.7	
OSK-W-17-1111	3400	Vein	307.0	453275	5434899	335	-50	259.0	261.0	2.0	4.18	
OSK-W-17-1111	3400	Lynx 2	307.0	453275	5434899	335	-50	268.5	271.0	2.5	1.72	
OSK-W-17-1111	3400	Lynx 2	307.0	453275	5434899	335	-50	278.7	285.5	6.8	19.0	
<i>including</i>								281.0	282.0	1.0	72.1	
OSK-W-17-1112	3825	Lynx 1	636.0	453437	5435481	136	-54	503.0	505.0	2.0	4.09	
OSK-W-17-1112	3825	Lynx HW	636.0	453437	5435481	136	-54	603.0	605.1	2.1	9.96	
<i>including</i>								604.0	604.7	0.7	24.0	
OSK-W-17-1113	3625	Lynx 2	480.0	453280	5435347	138	-50	374.1	376.2	2.1	6.35	
<i>including</i>								374.7	375.2	0.5	25.2	
OSK-W-17-1113	3625	Lynx 1 + Lynx 2	480.0	453280	5435347	138	-50	382.4	387.0	4.6	8.46	
<i>including</i>								386.4	387.0	0.6	22.2	
OSK-W-17-1113	3625	Lynx 2	480.0	453280	5435347	138	-50	389.6	395.0	5.4	4.66	
<i>including</i>								389.6	389.9	0.3	20.1	
OSK-W-17-1113	3625	Lynx 1	480.0	453280	5435347	138	-50	418.4	420.7	2.3	3.11	
<i>including</i>								419.5	419.8	0.3	22.9	
OSK-W-17-1115	3075	New zone	816.0	452796	5435118	153	-48	333.6	336.4	2.8	13.7	
OSK-W-17-1115	3075	No name	816.0	452796	5435118	153	-48	625.5	628.0	2.5	3.86	
OSK-W-17-1116	2175	Z27	123.0	452039	5434729	150	-47	63.0	66.0	3.0	9.13	
OSK-W-17-1117	3275	Lynx 2	471.0	453120	5434934	334	-46	86.9	89.0	2.1	4.76	
<i>including</i>								86.9	87.5	0.6	16.0	
OSK-W-17-1119	2550	CN1	609.0	452541	5434452	331	-55	527.4	529.5	2.1	10.7	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					528.3	528.7	0.4	44.4	
OSK-W-17-1119	2550	CN1	609.0	452541	5434452	331	-55	534.3	540.4	6.1	3.08	
			<i>including</i>					539.2	540.4	1.2	9.48	
OSK-W-17-1120	3775	Lynx 2	453.0	453457	5435338	154	-54	210.0	212.0	2.0	4.93	
			<i>including</i>					210.0	211.0	1.0	9.12	
OSK-W-17-1120	3775	Lynx HW	453.0	453457	5435338	154	-54	329.0	331.2	2.2	3.24	
OSK-W-17-1120	3775	Lynx HW	453.0	453457	5435338	154	-54	334.0	336.7	2.7	5.68	
OSK-W-17-1121	3550	Lynx 1	465.0	453436	5434958	335	-64	303.0	305.0	2.0	4.29	
OSK-W-17-1121	3550	Lynx 1	465.0	453436	5434958	335	-64	309.5	313.5	4.0	7.78	
			<i>including</i>					309.5	311.2	1.7	14.9	
OSK-W-17-1121	3550	VNCR	465.0	453436	5434958	335	-64	335.4	337.7	2.3	19.0	
			<i>including</i>					336.2	336.9	0.7	58.8	
OSK-W-17-1121	3550	VNCR	465.0	453436	5434958	335	-64	421.9	424.0	2.1	3.34	
OSK-W-17-1121	3550	VNCR	465.0	453436	5434958	335	-64	435.0	437.7	2.7	8.62	
			<i>including</i>					436.0	437.7	1.7	13.7	
OSK-W-17-1122	2250	Z27	114.0	452063	5434736	150	-47	63.0	65.2	2.2	7.05	
OSK-W-17-1123	3475	Lynx 1	345.0	453313	5434972	336	-46	113.0	116.0	3.0	1.49	
OSK-W-17-1123	3475	Lynx 2	345.0	453313	5434972	336	-46	130.0	132.1	2.1	11.6	
			<i>including</i>					130.9	131.3	0.4	47.5	
OSK-W-17-1123	3475	Lynx 3	345.0	453313	5434972	336	-46	163.0	167.0	4.0	0.74	
OSK-W-17-1124	2250	Mallard	255.0	452015	5434776	331	-51	204.6	207.0	2.4	18.3	
			<i>including</i>					204.6	205.6	1.0	43.4	
OSK-W-17-1125	2625	Vein	975.0	452563	5434568	331	-58	427.0	429.0	2.0	6.80	
			<i>including</i>					427.0	428.0	1.0	13.5	
OSK-W-17-1125	2625	Z27 HW	975.0	452563	5434568	331	-58	595.0	597.0	2.0	3.19	
OSK-W-17-1125	2625	SHR	975.0	452563	5434568	331	-58	616.0	618.0	2.0	3.87	
			<i>including</i>					617.2	618.0	0.8	9.35	
OSK-W-17-1125	2625	FW2	975.0	452563	5434568	331	-58	753.6	759.0	5.4	10.2	
			<i>including</i>					755.9	757.2	1.3	36.3	
OSK-W-17-1125	2625	FW3U HW	975.0	452563	5434568	331	-58	769.0	778.0	9.0	11.9	
			<i>including</i>					769.0	771.0	2.0	21.1	
			<i>including</i>					776.0	778.0	2.0	18.4	
OSK-W-17-1125	2625	VNCR	975.0	452563	5434568	331	-58	921.5	923.9	2.4	7.32	
			<i>including</i>					922.1	922.6	0.5	30.1	
OSK-W-17-1125-W1	2625	CS3	987.0	452563	5434568	331	-58	368.0	370.1	2.1	4.01	
OSK-W-17-1125-W1	2625	Caribou corridor	987.0	452563	5434568	331	-58	445.0	447.0	2.0	7.57	
			<i>including</i>					445.0	446.0	1.0	15.1	
OSK-W-17-1125-W1	2625	Wolf HW	987.0	452563	5434568	331	-58	475.0	481.9	6.9	11.1	
			<i>including</i>					479.0	481.0	2.0	26.5	
OSK-W-17-1125-W3	2625	Caribou	1086.2	452563	5434568	331	-58	420.0	422.0	2.0	18.1	
			<i>including</i>					421.0	422.0	1.0	36.1	
OSK-W-17-1125-W3	2625	Wolf	1086.2	452563	5434568	331	-58	501.0	503.0	2.0	10.2	
			<i>including</i>					502.0	503.0	1.0	19.6	
OSK-W-17-1125-W3	2625	Wolf HW	1086.2	452563	5434568	331	-58	516.8	519.0	2.2	26.0	
			<i>including</i>					517.5	518.2	0.7	80.5	
OSK-W-17-1125-W3	2625	Wolf FW	1086.2	452563	5434568	331	-58	583.0	585.0	2.0	11.5	
			<i>including</i>					583.8	584.2	0.4	49.6	
OSK-W-17-1125-W3	2625	Vein	1086.2	452563	5434568	331	-58	900.8	903.0	2.2	3.85	
			<i>including</i>					901.1	901.4	0.3	14.0	
OSK-W-17-1128	3625	Lynx 3	1419.0	453272	5435392	129	-53	423.5	429.0	5.5	3.85	
OSK-W-17-1128	3625	Lynx 2	1419.0	453272	5435392	129	-53	459.0	461.0	2.0	5.00	
OSK-W-17-1128	3625	Lynx 2	1419.0	453272	5435392	129	-53	466.2	471.0	4.8	43.7	22.7
OSK-W-17-1128	3625	including	1419.0	453272	5435392	129	-53	470.2	471.0	0.8	226	100
OSK-W-17-1128	3625	Lynx 2	1419.0	453272	5435392	129	-53	486.9	489.0	2.1	36.1	28.6
			<i>including</i>					487.6	488.0	0.4	140	100
OSK-W-17-1128	3625	Lynx 4	1419.0	453272	5435392	129	-53	916.4	918.6	2.2	27.4	
OSK-W-17-1128	3625	Lynx 4	1419.0	453272	5435392	129	-53	985.5	988.5	3.0	17.4	
			<i>including</i>					987.0	988.5	1.5	32.3	
OSK-W-17-1128	3625	Lynx 6	1419.0	453272	5435392	129	-53	1181.0	1183.0	2.0	9.71	
OSK-W-17-1128	3625	Lynx 6	1419.0	453272	5435392	129	-53	1203.9	1206.2	2.3	14.0	
			<i>including</i>					1205.0	1206.2	1.2	25.7	
OSK-W-17-1128	3625	TBD - Lynx corridor	1419.0	453272	5435392	129	-53	1256.0	1258.0	2.0	4.49	
			<i>including</i>					1257.0	1257.7	0.7	12.7	
OSK-W-17-1128	3625	TBD - Lynx corridor	1419.0	453272	5435392	129	-53	1286.1	1288.1	2.0	8.25	
			<i>including</i>					1286.1	1286.7	0.6	20.0	
OSK-W-17-1129	2325	Z27	741.0	452213	5434606	325	-49	206.8	209.0	2.2	8.20	
OSK-W-17-1129	2325	Z27	741.0	452213	5434606	325	-49	220.6	222.7	2.1	3.24	
OSK-W-17-1131	3500	Lynx 1	342.0	453329	5435010	337	-60	135.0	137.0	2.0	3.28	
			<i>including</i>					136.4	137.0	0.6	10.8	
OSK-W-17-1132	3600	VNCR	600.0	453202	5435434	129	-49	501.0	503.0	2.0	8.28	
OSK-W-17-1134	2675	VNCR	438.0	452397	5434989	333	-61	366.8	369.1	2.3	16.0	
			<i>including</i>					366.8	367.5	0.7	50.6	
OSK-W-17-1135	2300	Z27	183.0	452085	5434792	147	-51	115.0	117.4	2.4	3.33	
OSK-W-17-1136	3275	Lynx 2	156.0	453105	5434948	331	-45	56.0	58.0	2.0	5.40	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								56.6	57.0	0.4	26.2	
OSK-W-17-1137	2325	Z27	81.0	452136	5434749	132	-61	56.5	58.5	2.0	3.01	
OSK-W-17-1138	3100	Bobcat	402.0	452888	5434989	327	-51	11.0	14.3	3.3	42.4	
<i>including</i>								13.0	14.3	1.3	98.1	
OSK-W-17-1138	3100	Bobcat	402.0	452888	5434989	327	-51	21.0	24.0	3.0	3.28	
OSK-W-17-1138	3100	Epith 1	402.0	452888	5434989	327	-51	142.0	158.0	16.0	6.30	
<i>including</i>								142.0	148.4	6.4	8.10	
<i>including</i>								151.0	156.0	5.0	7.20	
OSK-W-17-1139	2500	SHR	1092.0	452473	5434470	333	-56	77.0	79.0	2.0	4.06	
OSK-W-17-1139	2500	Vein	1092.0	452473	5434470	333	-56	148.0	150.2	2.2	4.29	
OSK-W-17-1139	2500	Vein	1092.0	452473	5434470	333	-56	157.5	160.1	2.6	4.53	
<i>including</i>								159.5	160.1	0.6	9.21	
OSK-W-17-1139	2500	CN1	1092.0	452473	5434470	333	-56	454.7	458.3	3.6	0.47	
OSK-W-17-1139	2500	CN1 FW	1092.0	452473	5434470	333	-56	520.0	523.4	3.4	4.87	
<i>including</i>								521.6	521.9	0.3	19.8	
OSK-W-17-1139	2500	FW2	1092.0	452473	5434470	333	-56	785.0	787.2	2.2	11.1	
<i>including</i>								785.3	785.8	0.5	47.0	
OSK-W-17-1139	2500	FW3	1092.0	452473	5434470	333	-56	888.0	890.0	2.0	6.53	
<i>including</i>								889.1	889.6	0.5	24.5	
OSK-W-17-1139	2500	FW4	1092.0	452473	5434470	333	-56	1007.0	1009.8	2.8	5.43	
<i>including</i>								1009.2	1009.8	0.6	21.9	
OSK-W-17-1140	2975	Vein	975.0	453006	5434522	336	-55	326.0	328.4	2.4	3.94	
<i>including</i>								328.1	328.4	0.3	29.7	
OSK-W-17-1140	2975	Caribou extension	975.0	453006	5434522	336	-55	781.2	783.3	2.1	7.07	
<i>including</i>								783.0	783.3	0.3	48.8	
OSK-W-17-1140	2975	Z27	975.0	453006	5434522	336	-55	937.3	942.0	4.7	3.56	
OSK-W-17-1141	2325	Z27	252.0	452143	5434747	236	-65	59.4	61.8	2.4	30.0	
<i>including</i>								59.4	61.0	1.6	44.7	
OSK-W-17-1141	2325	Z27	252.0	452143	5434747	236	-65	71.7	74.0	2.3	8.04	
<i>including</i>								73.4	74.0	0.6	28.0	
OSK-W-17-1141	2325	Z27	252.0	452143	5434747	236	-65	87.0	91.1	4.1	4.00	
OSK-W-17-1142	2325	CW4	679.5	452202	5434628	324	-45	13.1	15.2	2.1	26.5	
<i>including</i>								14.0	14.6	0.6	84.5	
OSK-W-17-1142	2325	Z27 HW	679.5	452202	5434628	324	-45	142.0	144.0	2.0	3.07	
OSK-W-17-1142-W1	2325	Vein	699.0	452202	5434628	324	-45	370.0	372.0	2.0	160	50.0
OSK-W-17-1143	3425	Lynx 2	159.0	453250	5435004	331	-46	67.5	69.6	2.1	27.9	
<i>including</i>								67.5	68.2	0.7	83.3	
OSK-W-17-1143	3425	Lynx 2	159.0	453250	5435004	331	-46	73.0	75.0	2.0	10.6	
OSK-W-17-1145	2250	Z27 FW	156.6	452041	5434769	146	-49	64.3	67.5	3.2	4.01	
<i>including</i>								66.5	67.5	1.0	10.2	
OSK-W-17-1145	2250	Z27	156.6	452041	5434769	146	-49	90.9	93.3	2.4	12.5	
OSK-W-17-1145	2250	Z27	156.6	452041	5434769	146	-49	95.6	100.4	4.8	9.93	
OSK-W-17-1145	2250	Z27	156.6	452041	5434769	146	-49	120.0	125.9	5.9	7.25	
OSK-W-17-1146	3375	Lynx 2	156.0	453180	5435002	333	-50	38.6	42.2	3.6	0.56	
OSK-W-17-1146	3375	Lynx 3	156.0	453180	5435002	333	-50	63.2	65.6	2.4	1.15	
OSK-W-17-1147-W1	3125	No name	1212.0	453241	5434380	335	-52	798.0	800.4	2.4	3.36	
OSK-W-17-1147-W1	3125	Caribou extension	1212.0	453241	5434380	335	-52	909.0	911.0	2.0	3.94	
OSK-W-17-1147-W1	3125	Caribou extension	1212.0	453241	5434380	335	-52	1116.7	1119.0	2.3	4.63	
OSK-W-17-1147-W1	3125	Caribou extension	1212.0	453241	5434380	335	-52	1129.0	1131.0	2.0	7.52	
<i>including</i>								1130.0	1130.5	0.5	29.2	
OSK-W-17-1149	3825	Lynx HW	489.0	453485	5435424	140	-47	346.8	349.0	2.2	11.0	
OSK-W-17-1152	1750	FW1	885.0	451738	5434293	330	-53	367.0	369.0	2.0	5.67	
<i>including</i>								368.0	368.6	0.6	16.6	
OSK-W-17-1152	1750	FW4	885.0	451738	5434293	330	-53	703.8	706.0	2.2	1.72	
OSK-W-17-1153	3525	Lynx 1	615.0	453375	5434985	341	-45	149.0	151.1	2.1	10.4	
<i>including</i>								150.3	151.1	0.8	25.6	
OSK-W-17-1153	3525	Lynx 2	615.0	453375	5434985	341	-45	160.2	163.0	2.8	1.30	
OSK-W-17-1154	2250	Z27	174.0	452020	5434762	149	-49	91.0	95.2	4.2	18.8	
<i>including</i>								92.0	93.0	1.0	44.1	
OSK-W-17-1155	2725	VNCR	477.0	452451	5435008	332	-71	327.0	329.7	2.7	3.64	
<i>including</i>								329.0	329.7	0.7	12.9	
OSK-W-17-1156	3825	Lynx HW	663.0	453437	5435484	136	-49	520.8	525.0	4.2	26.1	25.0
<i>including</i>								521.1	522.2	1.1	92.2	88.2
OSK-W-17-1158	3175	Caribou extension	696.0	453046	5434871	331	-59	596.0	598.4	2.4	4.12	
<i>including</i>								597.0	597.8	0.8	10.6	
OSK-W-17-1159	3000	Caribou extension	795.4	452863	5434809	331	-70	538.0	540.0	2.0	4.99	
OSK-W-17-1163	2750	No name	477.0	452468	5435030	332	-61	356.0	358.0	2.0	9.60	
<i>including</i>								356.0	357.0	1.0	19.1	
OSK-W-17-1164	2175	Z27	336.0	451960	5434752	143	-58	120.7	123.0	2.3	3.37	
OSK-W-17-1164	2175	Z27	336.0	451960	5434752	143	-58	132.0	139.8	7.8	7.12	
<i>including</i>								139.3	139.8	0.5	64.9	
OSK-W-17-1166	4050	Lynx 4	1182.0	453621	5435639	132	-59	918.5	924.7	6.2	9.05	
OSK-W-17-1166-W1	4050	TBD - Lynx corridor	1516.1	453621	5435639	132	-59	662.0	665.0	3.0	3.32	
OSK-W-17-1166-W1	4050	TBD - Lynx corridor	1516.1	453621	5435639	132	-59	676.3	682.0	5.7	3.13	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1166-W1	4050	Lynx 1	1516.1	453621	5435639	132	-59	799.0	801.0	2.0	3.12	
OSK-W-17-1166-W1	4050	Lynx 4	1516.1	453621	5435639	132	-59	997.7	1006.5	8.8	19.9	12.5
			including					1005.4	1005.7	0.3	317	100
OSK-W-17-1166-W1	4050	Lynx 4	1516.1	453621	5435639	132	-59	1012.0	1014.1	2.1	15.0	
			including					1013.5	1014.1	0.6	49.6	
OSK-W-17-1166-W1	4050	Lynx 4	1516.1	453621	5435639	132	-59	1027.0	1032.9	5.9	415	69.6
			including					1027.0	1027.8	0.8	68.8	
			including					1028.4	1029.3	0.9	1870	100
			including					1029.3	1030.3	0.9	126	100
			including					1031.3	1032.0	0.7	271	100
			including					1032.0	1032.9	0.9	431	100
OSK-W-17-1166-W2	4050	Vein	1197.0	453621	5435639	132	-59	1048.6	1050.8	2.2	5.06	
OSK-W-17-1166-W3	4050	VNCR	1551.0	453621	5435639	132	-59	941.4	944.0	2.6	4.21	
OSK-W-17-1166-W3	4050	QTV	1551.0	453621	5435639	132	-59	969.4	971.5	2.1	6.63	
			including					969.4	970.0	0.6	16.1	
OSK-W-17-1166-W3	4050	Lynx 6	1551.0	453621	5435639	132	-59	1267.0	1269.1	2.1	6.96	
			including					1267.5	1268.2	0.7	16.6	
OSK-W-17-1166-W3	4050	TBD - Lynx corridor	1551.0	453621	5435639	132	-59	1477.0	1479.0	2.0	4.05	
			including					1477.0	1477.4	0.4	16.8	
OSK-W-17-1166-W4	4050	Lynx 4	1236.0	453621	5435639	132	-59	1061.0	1063.0	2.0	3.33	
OSK-W-17-1166-W4	4050	Lynx 4	1236.0	453621	5435639	132	-59	1079.7	1084.5	4.8	17.4	
OSK-W-17-1168	3650	Lynx 3	717.0	453464	5435090	329	-57	213.0	217.0	4.0	6.05	
			including					216.0	217.0	1.0	14.5	
OSK-W-17-1168	3650	VNCR	717.0	453464	5435090	329	-57	544.0	546.6	2.6	3.99	
			including					546.0	546.6	0.6	15.4	
OSK-W-17-1169	3725	Lynx 2	1437.0	453330	5435468	129	-55	573.0	576.5	3.5	4.23	
			including					575.6	576.5	0.9	12.6	
OSK-W-17-1169	3725	Lynx 1	1437.0	453330	5435468	129	-55	624.0	627.0	3.0	9.75	
			including					625.5	627.0	1.5	19.4	
OSK-W-17-1169	3725	Lynx corridor	1437.0	453330	5435468	129	-55	761.0	763.0	2.0	479	30.3
			including					761.9	762.5	0.6	1595	100
OSK-W-17-1169	3725	QTV	1437.0	453330	5435468	129	-55	874.0	876.0	2.0	5.13	
			including					874.4	875.0	0.6	17.0	
OSK-W-17-1169	3725	Lynx 4	1437.0	453330	5435468	129	-55	1037.7	1040.1	2.4	7.14	
			including					1039.7	1040.1	0.4	21.8	
OSK-W-17-1169	3725	Lynx 4	1437.0	453330	5435468	129	-55	1104.2	1108.5	4.3	21.2	
			including					1107.5	1108.5	1.0	42.4	
OSK-W-17-1169	3725	Lynx 5	1437.0	453330	5435468	129	-55	1198.1	1201.6	3.5	2.07	
OSK-W-17-1170	3125	VNCR	594.0	452878	5435048	154	-49	63.3	66.0	2.7	4.87	
OSK-W-17-1170	3125	VNCR	594.0	452878	5435048	154	-49	232.0	234.0	2.0	4.22	
OSK-W-17-1170	3125	Vein	594.0	452878	5435048	154	-49	417.0	419.0	2.0	3.23	
			including					417.0	417.5	0.5	12.3	
OSK-W-17-1177	4225	Lynx 1	1422.0	454113	5435090	340	-67	571.0	576.5	5.5	16.0	
			including					572.2	573.0	0.8	97.6	
OSK-W-17-1177	4225	TBD - Lynx corridor	1422.0	454113	5435090	340	-67	764.0	766.4	2.4	22.9	
			including					765.3	766.0	0.7	77.0	
OSK-W-17-1177	4225	Caribou extension	1422.0	454113	5435090	340	-67	1353.1	1356.5	3.4	7.86	
			including					1354.1	1355.1	1.0	17.1	
OSK-W-17-1178	3150	Bobcat	411.0	452917	5435014	330	-63	78.0	80.1	2.1	5.89	
			including					79.5	80.1	0.6	17.5	
OSK-W-17-1179	1650	Underdog	777.0	451560	5434376	332	-57	742.8	745.5	2.7	4.56	
			including					742.8	743.7	0.9	11.6	
OSK-W-17-1180	2175	Z27	189.0	452066	5434618	322	-45	71.0	74.0	3.0	5.04	
OSK-W-17-1180	2175	Z27	189.0	452066	5434618	322	-45	80.0	85.0	5.0	18.0	
			including					80.9	81.9	1.0	49.6	
OSK-W-17-1180	2175	Z27	189.0	452066	5434618	322	-45	142.8	146.0	3.2	3.98	
OSK-W-17-1180	2175	Z27	189.0	452066	5434618	322	-45	156.5	158.7	2.2	3.47	
OSK-W-17-1181	4275	Lynx 4	1082.0	453789	5435793	133	-58	933.5	936.0	2.5	4.46	
			including					934.3	935.1	0.9	12.7	
OSK-W-17-1181-W1	4275	Lynx 1	1395.0	453789	5435793	133	-58	920.9	923.3	2.4	27.9	25.6
			including					921.5	922.1	0.6	110	100
OSK-W-17-1181-W1	4275	Lynx 4	1395.0	453789	5435793	133	-58	1030.0	1032.3	2.3	14.4	
			including					1031.1	1031.7	0.6	48.2	
OSK-W-17-1181-W1	4275	Lynx 4	1395.0	453789	5435793	133	-58	1040.5	1042.6	2.1	4.66	
			including					1041.0	1041.8	0.8	12.2	
OSK-W-17-1181-W2	4275	Lynx 1	1158.0	453789	5435793	133	-58	909.0	915.0	6.0	5.92	
OSK-W-17-1181-W2	4275	Lynx 4	1158.0	453789	5435793	133	-58	938.0	942.0	4.0	4.60	
OSK-W-17-1181-W2	4275	Lynx 4	1158.0	453789	5435793	133	-58	949.0	954.0	5.0	10.5	
			including					949.5	950.0	0.5	59.5	
OSK-W-17-1181-W2	4275	Lynx 4	1158.0	453789	5435793	133	-58	961.1	963.2	2.1	41.0	
OSK-W-17-1181-W3	4275	Lynx 4	1247.0	453789	5435793	133	-58	1097.5	1101.0	3.5	5.31	
OSK-W-17-1184	2200	Z27 HW	210.0	452066	5434618	320	-51	50.0	52.0	2.0	4.21	
			including					50.5	51.0	0.5	16.8	
OSK-W-17-1184	2200	Z27	210.0	452066	5434618	320	-51	164.9	167.5	2.6	4.64	
			including					166.6	167.5	0.9	13.0	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1185	3125	Z27 corridor	342.0	452904	5435021	334	-47	246.7	249.5	2.8	3.61	
		<i>including</i>						248.6	249.5	0.9	10.4	
OSK-W-17-1186	2475	Caribou	984.0	452419	5434554	331	-54	228.0	237.0	9.0	5.38	
		<i>including</i>						229.1	229.6	0.5	28.4	
		<i>including</i>						236.0	237.0	1.0	23.6	
OSK-W-17-1186	2475	CN2	984.0	452419	5434554	331	-54	407.5	410.5	3.0	12.3	
		<i>including</i>						407.5	409.0	1.5	24.4	
OSK-W-17-1186	2475	Z27 HW	984.0	452419	5434554	331	-54	502.0	504.5	2.5	3.49	
		<i>including</i>						502.0	503.0	1.0	8.61	
OSK-W-17-1186	2475	Z27	984.0	452419	5434554	331	-54	521.5	524.4	2.9	33.1	
		<i>including</i>						523.0	524.0	1.0	87.8	
OSK-W-17-1186	2475	FW3U	984.0	452419	5434554	331	-54	863.0	866.0	3.0	15.7	
		<i>including</i>						863.0	864.6	1.6	27.5	
OSK-W-17-1188	2200	Z27	201.0	452067	5434618	318	-57	99.2	101.8	2.6	16.8	
		<i>including</i>						100.2	100.8	0.6	67.9	
OSK-W-17-1188	2200	Z27	201.0	452067	5434618	318	-57	147.5	149.9	2.4	3.09	
		<i>including</i>						148.9	149.9	1.0	6.97	
OSK-W-17-1188	2200	Z27	201.0	452067	5434618	318	-57	167.8	169.8	2.0	3.28	
OSK-W-17-1189	2950	Caribou	1005.0	452945	5434561	335	-47	718.5	723.7	5.2	6.58	
		<i>including</i>						718.5	719.0	0.5	49.8	
OSK-W-17-1190	3200	Lynx 4 Corridor	1179.0	452905	5435152	151	-49	538.6	541.1	2.5	11.0	
OSK-W-17-1190	3200	Lynx 4 Corridor	1179.0	452905	5435152	151	-49	548.0	552.0	4.0	16.9	
		<i>including</i>						549.0	549.7	0.7	57.2	
OSK-W-17-1190	3200	Lynx 5	1179.0	452905	5435152	151	-49	762.3	764.4	2.1	6.03	
OSK-W-17-1190	3200	Lynx 5	1179.0	452905	5435152	151	-49	798.0	804.0	6.0	4.09	
		<i>including</i>						801.7	804.0	2.3	5.08	
OSK-W-17-1190	3200	Lynx 6	1179.0	452905	5435152	151	-49	998.0	1000.0	2.0	13.6	
OSK-W-17-1191	2200	Z27	255.0	452067	5434617	315	-69	194.2	197.0	2.8	13.9	
		<i>including</i>						194.2	194.8	0.6	63.4	
OSK-W-17-1191	2200	Z27	255.0	452067	5434617	315	-69	200.5	202.6	2.1	7.46	
		<i>including</i>						201.5	202.6	1.1	13.9	
OSK-W-17-1191	2200	Z27 FW	255.0	452067	5434617	315	-69	235.4	237.5	2.1	218	34.6
		<i>including</i>						236.8	237.5	0.7	650	100.0
OSK-W-17-1193	4275	Lynx 4	1803.0	453806	5435726	141	-59	971.3	979.0	7.7	28.3	24.9
		<i>including</i>						971.3	974.4	3.1	66.5	58.1
OSK-W-17-1193-W1	4275	VNCR	1320.0	453806	5435726	141	-59	947.6	952.0	4.4	14.8	
		<i>including</i>						947.6	948.1	0.5	27.7	
		<i>including</i>						950.5	951.5	1.0	45.5	
OSK-W-17-1194	2525	No name	375.0	452266	5434913	332	-53	325.5	331.4	5.9	3.12	
		<i>including</i>						325.5	326.1	0.6	23.8	
OSK-W-17-1196	2200	Z27	210.0	452066	5434618	310	-59	155.5	158.0	2.5	3.26	
OSK-W-17-1196	2200	Z27 FW	210.0	452066	5434618	310	-59	185.0	187.0	2.0	15.7	
		<i>including</i>						186.6	187.0	0.4	72.5	
OSK-W-17-1198	2200	Z27	261.0	452066	5434617	306	-63	186.9	194.4	7.5	3.47	
		<i>including</i>						186.9	188.1	1.2	12.6	
OSK-W-17-1199	3600	Lynx 3	672.0	453416	5435073	333	-53	172.1	174.1	2.0	3.68	
OSK-W-17-1200	2425	New zone	264.0	452147	5434924	332	-46	245.1	248.0	2.9	3.00	
		<i>including</i>						247.1	248.0	0.9	8.74	
OSK-W-17-1202	2975	Caribou extension	932.0	452975	5434581	328	-52	554.8	557.0	2.2	8.71	
		<i>including</i>						554.8	555.6	0.8	23.2	
OSK-W-17-1203	2500	Z27	372.0	452275	5434867	333	-53	27.9	30.0	2.1	128	42.9
		<i>including</i>						27.9	28.8	0.9	298	100
OSK-W-17-1203	2500	Mallard	372.0	452275	5434867	333	-53	269.0	272.0	3.0	6.76	
		<i>including</i>						270.2	270.7	0.5	31.7	
OSK-W-17-1204	3225	Lynx 2	615.0	453092	5434876	338	-61	241.5	243.6	2.1	3.16	
OSK-W-17-1204	3225	Caribou corridor	615.0	453092	5434876	338	-61	472.1	474.3	2.2	3.20	
OSK-W-17-1207	2450	Drake	267.0	452147	5434924	334	-57	8.0	10.3	2.3	5.94	
		<i>including</i>						8.0	8.8	0.8	14.3	
OSK-W-17-1207	2450	Mallard	267.0	452147	5434924	334	-57	147.7	149.7	2.0	6.17	
		<i>including</i>						148.0	148.7	0.7	16.0	
OSK-W-17-1207	2450	Mallard	267.0	452147	5434924	334	-57	182.6	184.9	2.3	3.35	
OSK-W-17-1208	1725	Vein	518.5	451612	5434444	331	-56	440.0	442.0	2.0	3.21	
		<i>including</i>						441.0	442.0	1.0	6.41	
OSK-W-17-1209	1600	FW4	429.0	451456	5434453	331	-60	236.4	239.2	2.8	4.68	
		<i>including</i>						236.4	237.1	0.7	17.2	
OSK-W-17-1210	3250	Caribou extension	317.6	453011	5435050	334	-51	209.5	211.6	2.1	4.26	
OSK-W-17-1212	2550	Mallard	324.0	452303	5434914	330	-62	215.0	217.0	2.0	6.87	
		<i>including</i>						216.0	217.0	1.0	13.2	
OSK-W-17-1215	875	New zone	300.0	450865	5434018	299	-58	105.0	107.0	2.0	4.11	
OSK-W-17-1217	2125	No name	132.0	451884	5434799	331	-50	14.9	17.1	2.2	5.47	
		<i>including</i>						15.6	16.4	0.8	14.4	
OSK-W-17-1218	3225	VNCR	405.0	453004	5435009	327	-62	27.0	29.0	2.0	3.99	
OSK-W-17-1218	3225	Bobcat	405.0	453004	5435009	327	-62	189.0	191.5	2.5	4.46	
OSK-W-17-1218	3225	Caribou extension	405.0	453004	5435009	327	-62	384.0	386.0	2.0	6.88	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
								385.3	385.6	0.3	28.7	
		<i>including</i>										
OSK-W-17-1220	2275	Z27	303.0	452025	5434811	141	-47	179.4	182.0	2.6	12.3	
		<i>including</i>						180.2	181.1	0.9	29.7	
OSK-W-17-1220	2275	Z27	303.0	452025	5434811	141	-47	197.7	202.0	4.3	4.63	
OSK-W-17-1221	3050	Caribou corridor	1079.0	453082	5434544	335	-51	707.4	709.4	2.0	7.28	
		<i>including</i>						707.4	708.0	0.6	23.7	
OSK-W-17-1221	3050	Caribou corridor	1079.0	453082	5434544	335	-51	715.8	719.7	3.9	3.45	
OSK-W-17-1224	2550	Mallard 2	402.0	452304	5434914	333	-70	70.3	73.1	2.8	15.7	
		<i>including</i>						72.7	73.1	0.4	44.2	
OSK-W-17-1224	2550	Mallard	402.0	452304	5434914	333	-70	371.0	373.4	2.4	3.12	
OSK-W-17-1225	2250	New zone	252.0	452041	5434769	335	-48	9.0	12.3	3.3	5.77	
OSK-W-17-1225	2250	Mallard HW	252.0	452041	5434769	335	-48	201.3	203.6	2.3	9.58	
		<i>including</i>						201.3	202.0	0.7	30.3	
OSK-W-17-1225	2250	Mallard	252.0	452041	5434769	335	-48	245.2	247.5	2.3	20.5	
		<i>including</i>						245.2	246.4	1.2	39.1	
OSK-W-17-1226	3400	Caribou corridor	934.3	453371	5434726	331	-51	717.0	721.6	4.6	8.29	
		<i>including</i>						717.8	718.3	0.5	18.1	
		<i>including</i>						720.0	721.6	1.6	11.2	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434726	331	-51	743.4	746.2	2.8	3.43	
		<i>including</i>						743.4	744.0	0.6	8.96	
OSK-W-17-1226	3400	Caribou extension	934.3	453371	5434726	331	-51	765.0	767.0	2.0	3.78	
		<i>including</i>						765.0	765.6	0.6	11.6	
OSK-W-17-1226	3400	CN2	934.3	453371	5434726	331	-51	852.7	855.0	2.3	3.42	
OSK-W-17-1227	3225	Vein	1164.0	453290	5434532	329	-50	419.9	422.0	2.1	4.37	
		<i>including</i>						420.4	421.1	0.7	12.9	
OSK-W-17-1227	3225	TBD	1164.0	453290	5434532	329	-50	619.0	621.0	2.0	3.62	
OSK-W-17-1227	3225	Wolf extension	1164.0	453290	5434532	329	-50	926.0	929.4	3.4	6.56	
		<i>including</i>						926.0	927.0	1.0	15.8	
OSK-W-17-1227	3225	Wolf extension	1164.0	453290	5434532	329	-50	962.0	964.0	2.0	10.5	
OSK-W-17-1227	3225	Wolf extension	1164.0	453290	5434532	329	-50	969.0	971.0	2.0	4.93	
OSK-W-17-1228	1600	Vein	657.0	451443	5434484	328	-59	50.7	53.0	2.3	7.59	
OSK-W-17-1228	1600	FW4	657.0	451443	5434484	328	-59	164.9	168.6	3.7	0.16	
OSK-W-17-1232	2275	Z27	351.0	452025	5434834	154	-47	149.0	151.5	2.5	5.50	
OSK-W-17-1232	2275	Z27	351.0	452025	5434834	154	-47	183.0	186.0	3.0	3.99	
OSK-W-17-1232	2275	Z27	351.0	452025	5434834	154	-47	206.0	208.0	2.0	27.2	
OSK-W-17-1233	2300	No name	228.0	452038	5434840	333	-53	39.9	42.7	2.8	32.7	
		<i>including</i>						40.5	41.6	1.1	81.3	
OSK-W-17-1237	2950	Caribou extension	903.6	452945	5434561	330	-49	550.0	552.0	2.0	3.38	
OSK-W-17-1237	2950	Caribou extension	903.6	452945	5434561	330	-49	563.0	565.0	2.0	3.75	
OSK-W-17-1237	2950	Caribou extension	903.6	452945	5434561	330	-49	586.0	588.0	2.0	3.11	
OSK-W-17-1239	2475	Caribou	939.0	452419	5434554	326	-53	226.0	228.0	2.0	4.11	
OSK-W-17-1239	2475	Caribou corridor	939.0	452419	5434554	326	-53	255.2	258.0	2.8	10.4	
OSK-W-17-1239	2475	FW3U HW	939.0	452419	5434554	326	-53	728.0	730.0	2.0	20.4	
OSK-W-17-1239	2475	FW3U HW	939.0	452419	5434554	326	-53	759.0	761.0	2.0	5.40	
		<i>including</i>						759.0	760.0	1.0	10.3	
OSK-W-17-1241	3225	Caribou corridor	282.0	452947	5435107	130	-45	22.0	25.5	3.5	8.11	
		<i>including</i>						24.6	25.5	0.9	17.9	
OSK-W-17-1242	3950	Lynx 4	1206.0	453570	5435490	144	-58	820.0	822.5	2.5	3.68	
		<i>including</i>						821.3	822.1	0.8	9.25	
OSK-W-17-1242	3950	Lynx 4	1206.0	453570	5435490	144	-58	871.0	873.0	2.0	4.38	
		<i>including</i>						871.7	872.2	0.5	15.3	
OSK-W-17-1242	3950	Lynx 4	1206.0	453570	5435490	144	-58	1032.0	1034.5	2.5	43.8	12.3
		<i>including</i>						1034.2	1034.5	0.3	362	100
OSK-W-17-1242-W2	3950	Lynx HW	1110.0	453570	5435490	144	-58	601.0	603.0	2.0	7.18	
		<i>including</i>						602.1	603.0	0.9	13.2	
OSK-W-17-1243	2275	Z27	189.0	452060	5434781	146	-49	99.6	101.6	2.0	5.23	
		<i>including</i>						101.0	101.6	0.6	13.6	
OSK-W-17-1246	2225	Z27 HW	191.0	452082	5434636	324	-50	34.5	39.9	5.4	5.62	
OSK-W-17-1246	2225	Z27	191.0	452082	5434636	324	-50	175.2	182.0	6.8	2.43	
OSK-W-17-1247	875	New zone	687.0	451015	5433823	330	-46	326.0	329.0	3.0	3.00	
OSK-W-17-1251	3100	Bobcat	372.0	452889	5434989	326	-60	24.0	27.0	3.0	8.89	
		<i>including</i>						24.0	25.0	1.0	21.0	
OSK-W-17-1251	3100	Bobcat	372.0	452889	5434989	326	-60	55.0	59.0	4.0	3.86	
		<i>including</i>						55.0	56.0	1.0	12.3	
OSK-W-17-1251	3100	Bobcat	372.0	452889	5434989	326	-60	192.0	195.0	3.0	4.11	
		<i>including</i>						193.4	193.7	0.3	40.2	
OSK-W-17-1252	2400	Mallard	231.0	452132	5434944	324	-46	8.8	11.6	2.8	0.34	
OSK-W-17-1252	2400	Mallard	231.0	452132	5434944	324	-46	18.5	21.0	2.5	3.55	
		<i>including</i>						19.3	20.3	1.0	8.74	
OSK-W-17-1252	2400	New zone	231.0	452132	5434944	324	-46	168.0	170.0	2.0	8.38	
		<i>including</i>						168.0	169.0	1.0	16.7	
OSK-W-17-1253	2225	Z27	186.0	452081	5434634	337	-52	43.0	47.3	4.3	4.88	
OSK-W-17-1253	2225	Z27	186.0	452081	5434634	337	-52	56.0	59.0	3.0	3.68	
OSK-W-17-1255	3225	Bobcat	276.0	452947	5435107	130	-65	156.0	161.6	5.6	14.1	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								156.6	159.5	2.9	21.1	
OSK-W-17-1256	2475	Mallard	372.0	452254	5434813	334	-50	315.0	317.2	2.2	3.11	
OSK-W-17-1257	2225	Z27	250.0	452081	5434634	322	-71	155.5	157.6	2.1	7.69	
<i>including</i>								156.2	156.5	0.3	44.9	
OSK-W-17-1257	2225	Z27	250.0	452081	5434634	322	-71	161.0	163.3	2.3	3.15	
<i>including</i>								163.0	163.3	0.3	17.2	
OSK-W-17-1257	2225	Z27	250.0	452081	5434634	322	-71	172.0	174.0	2.0	15.4	
<i>including</i>								172.0	173.0	1.0	30.1	
OSK-W-17-1259	1600	FW4	414.0	451520	5434378	332	-54	364.0	366.0	2.0	38.7	
<i>including</i>								365.0	366.0	1.0	77.1	
OSK-W-17-1260	2875	Z27-3	870.0	452863	5434569	329	-49	739.0	741.0	2.0	4.37	
OSK-W-17-1260	2875	Z27	870.0	452863	5434569	329	-49	830.0	832.0	2.0	3.16	
OSK-W-17-1264	2225	Z27 HW	252.0	452081	5434634	332	-73	71.1	74.5	3.4	6.33	
<i>including</i>								71.4	71.9	0.5	41.4	
OSK-W-17-1264	2225	Z27	252.0	452081	5434634	332	-73	166.5	169.0	2.5	6.88	
<i>including</i>								167.4	167.7	0.3	54.0	
OSK-W-17-1265	3050	Lynx 4	1074.0	453083	5434542	334	-53	415.8	418.5	2.7	3.19	
OSK-W-17-1265	3050	Caribou extension	1074.0	453083	5434542	334	-53	738.7	741.0	2.3	5.34	
OSK-W-17-1265	3050	Z27	1074.0	453083	5434542	334	-53	940.8	942.8	2.0	13.0	
<i>including</i>								941.2	942.2	1.0	25.7	
OSK-W-17-1267	3075	Caribou	894.0	452837	5435008	332	-60	101.6	104.0	2.4	3.04	
OSK-W-17-1268	2575	No name	372.0	452273	5435003	160	-58	83.0	85.0	2.0	5.51	
OSK-W-17-1268	2575	Drake	372.0	452273	5435003	160	-58	161.0	163.0	2.0	9.39	
OSK-W-17-1268	2575	Z27 FW	372.0	452273	5435003	160	-58	183.0	186.0	3.0	8.17	
<i>including</i>								183.0	183.9	0.9	23.8	
OSK-W-17-1268	2575	Z27	372.0	452273	5435003	160	-58	266.3	268.4	2.1	4.84	
<i>including</i>								266.3	266.8	0.5	15.0	
OSK-W-17-1269	2225	Z27 HW	201.0	452081	5434634	342	-70	69.5	72.0	2.5	3.10	
OSK-W-17-1269	2225	Z27 HW	201.0	452081	5434634	342	-70	117.5	122.0	4.5	3.69	
<i>including</i>								117.5	118.0	0.5	8.01	
OSK-W-17-1269	2225	Z27	201.0	452081	5434634	342	-70	134.5	137.5	3.0	3.09	
OSK-W-17-1269	2225	Z27	201.0	452081	5434634	342	-70	146.0	148.4	2.4	3.47	
OSK-W-17-1269	2225	Z27	201.0	452081	5434634	342	-70	175.3	178.0	2.7	3.33	
<i>including</i>								176.0	177.0	1.0	7.47	
OSK-W-17-1270	3400	Caribou extension	1251.0	453371	5434726	328	-58	918.2	926.0	7.8	3.07	
OSK-W-17-1270	3400	Vein	1251.0	453371	5434726	328	-58	950.1	953.0	2.9	7.14	
OSK-W-17-1273	2225	Z27 HW	225.0	452081	5434634	338	-66	54.9	57.0	2.1	4.05	
<i>including</i>								54.9	55.4	0.5	14.3	
OSK-W-17-1273	2225	Z27	225.0	452081	5434634	338	-66	155.9	158.0	2.1	6.72	
<i>including</i>								157.1	158.0	0.9	14.1	
OSK-W-17-1273	2225	Z27	225.0	452081	5434634	338	-66	164.5	167.0	2.5	16.4	
<i>including</i>								165.7	166.2	0.5	80.9	
OSK-W-17-1273	2225	Z27	225.0	452081	5434634	338	-66	171.0	173.2	2.2	29.2	
<i>including</i>								171.0	172.0	1.0	63.0	
OSK-W-17-1275	2575	Caribou	912.0	452499	5434592	331	-55	295.7	298.3	2.6	12.4	
<i>including</i>								297.8	298.3	0.5	53.2	
OSK-W-17-1275	2575	FW3U	912.0	452499	5434592	331	-55	844.0	849.0	5.0	76.5	59.9
<i>including</i>								845.4	846.0	0.6	148	100
<i>including</i>								846.9	847.8	0.9	160	100
OSK-W-17-1276	2450	Mallard	312.0	452182	5434887	337	-48	176.0	178.8	2.8	12.6	
<i>including</i>								177.9	178.8	0.9	38.6	
OSK-W-17-1276	2450	Mallard	312.0	452182	5434887	337	-48	195.6	197.6	2.0	13.3	
<i>including</i>								196.0	196.3	0.3	86.9	
OSK-W-17-1279	2225	Z27	201.0	452081	5434634	342	-61	146.7	148.9	2.2	4.56	
OSK-W-17-1280	3050	Caribou extension	466.7	452857	5434931	335	-57	369.8	372.7	2.9	3.19	
OSK-W-17-1281	2475	Caribou corridor	936.0	452378	5434586	327	-55	264.0	266.2	2.2	3.24	
<i>including</i>								264.9	265.4	0.5	13.3	
OSK-W-17-1281	2475	Z27	936.0	452378	5434586	327	-55	425.0	428.0	3.0	3.25	
OSK-W-17-1281	2475	Z27	936.0	452378	5434586	327	-55	447.9	451.9	4.0	3.37	
OSK-W-17-1282	2500	Z27 FW	390.0	452277	5434868	315	-78	95.8	98.9	3.1	8.06	
OSK-W-17-1287	1600	QTV	742.7	451531	5434331	332	-54	231.9	234.0	2.1	9.63	
<i>including</i>								233.1	234.0	0.9	22.4	
OSK-W-17-1288	2950	Caribou extension	912.0	452945	5434561	331	-56	613.3	615.9	2.6	3.44	
OSK-W-17-1288	2950	Caribou extension	912.0	452945	5434561	331	-56	749.0	751.0	2.0	4.41	
OSK-W-17-1289	2500	Z27 FW	375.0	452277	5434866	339	-61	39.6	42.2	2.6	5.76	
<i>including</i>								41.3	41.8	0.5	23.4	
OSK-W-17-1289	2500	Mallard	375.0	452277	5434866	339	-61	314.1	316.7	2.6	5.05	
<i>including</i>								315.7	316.4	0.7	13.8	
OSK-W-17-1289	2500	QTV	375.0	452277	5434866	339	-61	343.0	345.0	2.0	41.9	
<i>including</i>								343.0	344.0	1.0	83.5	
OSK-W-17-1289	2500	Mallard	375.0	452277	5434866	339	-61	368.3	370.8	2.5	3.22	
OSK-W-17-1291	3025	Caribou extension	513.0	452839	5434895	329	-60	282.0	284.0	2.0	3.65	
OSK-W-17-1291	3025	Caribou extension	513.0	452839	5434895	329	-60	305.0	307.0	2.0	11.4	
<i>including</i>								306.0	307.0	1.0	22.6	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1292	2900	Wolf	888.0	452903	5434560	327	-51	682.9	686.0	3.1	7.91	
		<i>including</i>						682.9	683.2	0.3	21.5	
OSK-W-17-1293	3050	Caribou extension	828.0	452904	5434849	329	-70	584.7	590.0	5.3	3.10	
OSK-W-17-1293	3050	Caribou extension	828.0	452904	5434849	329	-70	601.5	608.0	6.5	3.58	
OSK-W-17-1293	3050	Caribou extension	828.0	452904	5434849	329	-70	645.5	648.0	2.5	3.63	
		<i>including</i>						646.4	647.0	0.6	10.2	
OSK-W-17-1295	1600	Underdog	801.0	451559	5434288	334	57	696.9	699.2	2.3	8.14	
		<i>including</i>						697.7	698.5	0.8	20.9	
OSK-W-17-1296	2250	Z27	180.0	452088	5434656	14	-56	125.6	128.0	2.4	5.82	
		<i>including</i>						125.6	126.0	0.4	23.5	
OSK-W-17-1303	3025	Caribou extension	663.0	452839	5434895	334	-65	211.0	213.3	2.3	3.74	
OSK-W-17-1305	2575	Vein	888.0	452499	5434592	330	-54	348.0	351.0	3.0	106	50.1
		<i>including</i>						349.5	351.0	1.5	211	100
OSK-W-17-1305	2575	Caribou	888.0	452499	5434592	330	-54	376.0	378.5	2.5	7.65	
		<i>including</i>						378.1	378.5	0.4	40.9	
OSK-W-17-1305	2575	FW3U HW	888.0	452499	5434592	330	-54	722.9	725.5	2.6	14.5	
		<i>including</i>						722.9	723.2	0.3	51.6	
OSK-W-17-1305-W1	2575	VNCR	951.0	452499	5434592	330	-54	858.5	861.0	2.5	14.8	
		<i>including</i>						860.3	861.0	0.7	47.0	
OSK-W-17-1306	3225	Lynx 4	1210.9	453290	5434532	341	-62	616.0	618.2	2.2	3.60	
OSK-W-17-1306	3225	Caribou extension	1210.9	453290	5434532	341	-62	987.0	989.6	2.6	14.7	
		<i>including</i>						988.2	988.9	0.7	54.2	
OSK-W-17-1308	3125	Lynx 4	1148.0	453209	5434467	332	-53	568.9	571.0	2.1	3.13	
OSK-W-17-1308	3125	Wolf extension	1148.0	453209	5434467	332	-53	884.0	889.4	5.4	11.6	
		<i>including</i>						888.6	888.9	0.3	66.7	
OSK-W-17-1309	2200	Z27 FW	237.0	452073	5434610	330	-69	218.1	220.2	2.1	5.64	
		<i>including</i>						218.1	218.8	0.7	16.5	
OSK-W-17-1312	2200	Z27 HW	55.5	452072	5434611	325	-66	43.0	46.5	3.5	7.56	
OSK-W-17-1313	2375	Vein	876.0	452279	5434573	331	-51	19.0	22.0	3.0	3.05	
OSK-W-17-1313	2375	Caribou	876.0	452279	5434573	331	-51	90.9	93.0	2.1	3.34	
OSK-W-17-1313	2375	Caribou	876.0	452279	5434573	331	-51	122.0	125.0	3.0	5.29	
OSK-W-17-1313	2375	Z27 HW	876.0	452279	5434573	331	-51	211.0	213.0	2.0	11.3	
OSK-W-17-1313	2375	Z27 FW	876.0	452279	5434573	331	-51	425.1	427.3	2.2	5.46	
		<i>including</i>						425.9	426.7	0.8	14.2	
OSK-W-17-1313	2375	Z27 FW	876.0	452279	5434573	331	-51	443.0	445.5	2.5	3.50	
OSK-W-17-1313	2375	Vein RD	876.0	452279	5434573	331	-51	456.0	458.0	2.0	25.2	
		<i>including</i>						456.5	456.8	0.3	168	
OSK-W-17-1317	2200	Z27 HW	274.3	452072	5434611	327	-65	45.0	47.5	2.5	4.31	
OSK-W-17-1317	2200	Z27	274.3	452072	5434611	327	-65	170.0	172.0	2.0	4.60	
OSK-W-17-1317	2200	Z27	274.3	452072	5434611	327	-65	182.9	191.0	8.1	10.0	
		<i>including</i>						186.9	188.0	1.1	54.3	
OSK-W-17-1319	2325	Z27	291.0	452222	5434607	310	-50	215.3	217.3	2.0	7.42	
		<i>including</i>						217.0	217.3	0.3	22.8	
OSK-W-17-1320	3050	Lynx 1	852.0	452904	5434849	328	-76	61.8	64.3	2.5	4.72	
OSK-W-17-1320	3050	Lynx 1	852.0	452904	5434849	328	-76	112.0	114.0	2.0	5.45	
		<i>including</i>						112.4	112.7	0.3	31.0	
OSK-W-17-1320	3050	Caribou extension	852.0	452904	5434849	328	-76	463.0	465.0	2.0	11.9	
		<i>including</i>						463.0	464.0	1.0	23.8	
OSK-W-17-1320	3050	Caribou extension	852.0	452904	5434849	328	-76	472.1	477.3	5.2	5.16	
		<i>including</i>						472.1	473.4	1.3	14.1	
OSK-W-17-1320	3050	Caribou extension	852.0	452904	5434849	328	-76	801.0	803.0	2.0	6.04	
		<i>including</i>						802.0	803.0	1.0	11.8	
OSK-W-17-1323	2975	Vein	597.0	452856	5434800	340	-74	433.0	435.2	2.2	5.48	
OSK-W-17-1325	1500	Underdog	688.5	451431	5434333	331	-69	629.2	631.3	2.1	7.57	
OSK-W-17-1326	2200	Z27	225.0	452072	5434611	328	-61	159.0	161.0	2.0	8.32	
		<i>including</i>						160.0	161.0	1.0	16.0	
OSK-W-17-1326	2200	Z27	225.0	452072	5434611	328	-61	180.0	183.3	3.3	6.13	
		<i>including</i>						183.0	183.3	0.3	45.1	
OSK-W-17-1332	2125	No name	798.0	451896	5434771	280	-45	25.0	27.0	2.0	8.27	
		<i>including</i>						26.2	27.0	0.8	18.8	
OSK-W-17-1333	3300	Caribou extension	852.0	453158	5434899	336	-61	503.0	506.5	3.5	18.4	
		<i>including</i>						504.0	505.0	1.0	53.8	
OSK-W-17-1333	3300	Caribou extension	852.0	453158	5434899	336	-61	593.6	596.0	2.4	4.85	
		<i>including</i>						593.6	594.3	0.7	13.8	
OSK-W-17-1333	3300	Caribou extension	852.0	453158	5434899	336	-61	628.0	630.4	2.4	5.89	
		<i>including</i>						628.0	628.8	0.8	15.3	
OSK-W-17-1334	3025	Caribou extension	657.0	452839	5434895	334	-70	338.2	340.7	2.5	3.31	
		<i>including</i>						338.2	338.7	0.5	16.4	
OSK-W-17-1334	3025	Caribou extension	657.0	452839	5434895	334	-70	459.0	461.5	2.5	74.0	12.2
		<i>including</i>						460.5	460.8	0.3	615	100
OSK-W-17-1334	3025	Caribou extension	657.0	452839	5434895	334	-70	489.0	491.2	2.2	12.8	
		<i>including</i>						490.0	490.7	0.7	33.9	
OSK-W-17-1334	3025	Caribou extension	657.0	452839	5434895	334	-70	498.5	502.0	3.5	3.73	
OSK-W-17-1334	3025	Z27	657.0	452839	5434895	334	-70	557.2	560.1	2.9	29.6	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								558.1	559.1	1.0	83.6	
OSK-W-17-1335	2200	Mallard	201.0	451963	5434778	333	-49	179.0	181.1	2.1	5.66	
<i>including</i>								179.8	180.3	0.5	20.7	
OSK-W-17-1336	2600	FW0	1149.0	452616	5434449	335	-61	816.0	820.0	4.0	24.0	
<i>including</i>								817.5	820.0	2.5	35.6	
OSK-W-17-1336	2600	FW1	1149.0	452616	5434449	335	-61	891.0	893.0	2.0	6.64	
<i>including</i>								891.0	891.3	0.3	22.3	
OSK-W-17-1336	2600	FW3	1149.0	452616	5434449	335	-61	1082.0	1084.5	2.5	15.0	
<i>including</i>								1084.0	1084.5	0.5	67.9	
OSK-W-17-1336-W1	2600	FW1	1335.0	452616	5434449	335	-61	992.9	995.0	2.1	42.9	28.8
<i>including</i>								992.9	993.5	0.6	150	100
OSK-W-17-1336-W1	2600	FW2	1335.0	452616	5434449	335	-61	1064.1	1073.0	8.9	56.1	15.1
<i>including</i>								1067.0	1070.1	3.1	151	33.7
OSK-W-17-1337	2350	Drake	360.0	452053	5434963	140	-57	236.3	238.4	2.1	3.58	
OSK-W-17-1341	2450	Caribou	732.0	452333	5434661	329	-49	84.0	86.0	2.0	3.43	
OSK-W-17-1341	2450	Z27 HW	732.0	452333	5434661	329	-49	169.0	171.3	2.3	17.0	
<i>including</i>								169.6	170.2	0.6	63.1	
OSK-W-17-1341	2450	Z27	732.0	452333	5434661	329	-49	253.4	256.3	2.9	7.79	
OSK-W-17-1341	2450	Z27	732.0	452333	5434661	329	-49	272.8	277.9	5.1	4.52	
OSK-W-17-1341	2450	Z27	732.0	452333	5434661	329	-49	316.6	318.9	2.3	5.23	
OSK-W-17-1342	2300	Mallard	282.0	452086	5434761	333	-50	261.8	263.8	2.0	3.30	
OSK-W-17-1343	3950	Lynx HW	681.0	453570	5435490	137	-56	541.0	546.0	5.0	140	30.8
<i>including</i>								544.7	545.6	0.9	704	100
OSK-W-17-1343-W2	3950	Lynx HW	1323.0	453570	5435490	137	-56	507.3	511.7	4.4	34.1	29.5
<i>including</i>								507.3	509.1	1.8	77.7	66.6
OSK-W-17-1343-W2	3950	Lynx HW	1323.0	453570	5435490	137	-56	636.5	639.0	2.5	3.11	
OSK-W-17-1343-W2	3950	Lynx 4	1323.0	453570	5435490	137	-56	864.8	867.0	2.2	5.79	
OSK-W-17-1343-W2	3950	Lynx 4	1323.0	453570	5435490	137	-56	879.0	881.0	2.0	14.2	
<i>including</i>								879.4	879.7	0.3	69.6	
OSK-W-17-1343-W2	3950	Lynx 6	1323.0	453570	5435490	137	-56	1197.9	1200.0	2.1	7.84	
<i>including</i>								1197.9	1198.2	0.3	54.3	
OSK-W-17-1344	3075	Caribou extension	525.0	452937	5434855	332	-74	446.0	448.4	2.4	9.54	
<i>including</i>								447.8	448.4	0.6	37.5	
OSK-W-17-1345	2900	CS3	894.0	452903	5434560	329	-52	540.8	543.3	2.5	7.40	
OSK-W-17-1345	2900	Wolf	894.0	452903	5434560	329	-52	684.0	688.3	4.3	86.7	13.9
<i>including</i>								687.9	688.3	0.4	883	100
OSK-W-17-1346	3650	Lynx 1 + Lynx 2	396.0	453466	5435070	334	-64	214.0	218.1	4.1	3.26	
OSK-W-17-1348	2975	Caribou extension	573.0	452845	5434804	333	-53	423.0	425.0	2.0	4.25	
<i>including</i>								423.4	423.9	0.5	11.6	
OSK-W-17-1350	2975	Lynx 4	843.0	452993	5434557	328	-55	386.7	388.7	2.0	6.31	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434557	328	-55	538.9	540.9	2.0	9.37	
<i>including</i>								539.6	540.3	0.7	22.7	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434557	328	-55	697.0	699.0	2.0	4.45	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434557	328	-55	776.0	778.0	2.0	6.33	
OSK-W-17-1350	2975	Caribou extension	843.0	452993	5434557	328	-55	826.3	829.7	3.4	6.88	
<i>including</i>								828.7	829.0	0.3	39.0	
OSK-W-17-1351	3225	Caribou extension	814.8	453100	5434875	335	-66	454.0	456.2	2.2	6.14	
OSK-W-17-1351	3225	Caribou extension	814.8	453100	5434875	335	-66	725.8	728.0	2.2	3.65	
OSK-W-17-1351	3225	Caribou extension	814.8	453100	5434875	335	-66	735.4	737.7	2.3	3.64	
OSK-W-17-1353	1575	FW3	750.0	451490	5434337	326	-56	233.9	236.3	2.4	4.66	
<i>including</i>								234.5	235.0	0.5	20.1	
OSK-W-17-1354	1775	FW3	432.0	451642	5434469	333	-50	229.3	231.4	2.1	5.05	
<i>including</i>								229.6	230.0	0.4	22.9	
OSK-W-17-1356	3600	Lynx 1	429.0	453442	5435026	334	-67	195.2	197.5	2.3	10.0	
OSK-W-17-1359	3175	Caribou extension	807.0	453040	5434872	339	-64	467.4	470.0	2.6	5.06	
<i>including</i>								467.4	468.5	1.1	10.8	
OSK-W-17-1359	3175	Caribou extension	807.0	453040	5434872	339	-64	499.0	501.3	2.3	5.37	
<i>including</i>								499.0	499.5	0.5	16.8	
OSK-W-17-1359	3175	Caribou extension	807.0	453040	5434872	339	-64	604.6	606.7	2.1	3.87	
OSK-W-17-1359	3175	Z27 extension	807.0	453040	5434872	339	-64	754.8	757.0	2.2	4.98	
OSK-W-17-1362	1750	FW4	623.7	451642	5434470	347	-50	337.9	339.9	2.0	4.48	
<i>including</i>								339.4	339.9	0.5	15.3	
OSK-W-17-1364	3150	Lynx 1	534.0	452889	5435073	139	-45	301.0	307.1	6.1	15.0	
<i>including</i>								303.8	305.1	1.3	35.0	
OSK-W-17-1368	3100	Caribou extension	762.0	452953	5434874	330	-64	411.0	413.0	2.0	8.71	
OSK-W-17-1369	2550	Z27	786.0	452435	5434680	330	-49	346.0	348.0	2.0	14.8	
OSK-W-17-1371	3225	Caribou extension	980.5	453100	5434875	334	-69	363.0	365.6	2.6	5.63	
<i>including</i>								363.0	363.8	0.8	15.7	
OSK-W-17-1371	3225	Caribou extension	980.5	453100	5434875	334	-69	604.6	607.0	2.4	3.61	
OSK-W-17-1374	2375	Z27 HW	873.0	452273	5434579	317	-59	312.6	315.0	2.4	4.27	
OSK-W-17-1374	2375	Z27 HW	873.0	452273	5434579	317	-59	324.5	328.3	3.8	26.2	
OSK-W-17-1374	2375	Vein RD	873.0	452273	5434579	317	-59	424.7	427.0	2.3	4.11	
OSK-W-17-1374	2375	FW1	873.0	452273	5434579	317	-59	504.0	508.0	4.0	4.84	
OSK-W-17-1374	2375	FW1	873.0	452273	5434579	317	-59	526.1	530.0	3.9	3.04	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-1374	2375	FW3	873.0	452273	5434579	317	-59	721.0	723.7	2.7	3.09	
<i>including</i>								723.0	723.7	0.7	10.5	
OSK-W-17-1378	2750	Caribou corridor	741.0	452688	5434638	331	-56	382.0	384.0	2.0	4.22	
OSK-W-17-1378	2750	Wolf	741.0	452688	5434638	331	-56	477.2	479.3	2.1	5.49	
OSK-W-17-1381	3200	Bobcat	723.0	453018	5434935	329	-63	111.5	113.8	2.3	16.7	
<i>including</i>								112.5	112.9	0.4	94.6	
OSK-W-17-1381	3200	Caribou extension	723.0	453018	5434935	329	-63	299.3	302.5	3.2	7.60	
OSK-W-17-1381	3200	Vein	723.0	453018	5434935	329	-63	653.0	655.3	2.3	52.8	13.2
<i>including</i>								654.2	654.5	0.3	404	100
OSK-W-17-1383	2925	Bobcat	597.0	452767	5434864	331	-63	83.0	87.0	4.0	4.01	
OSK-W-17-1383	2925	Bobcat	597.0	452767	5434864	331	-63	94.9	97.0	2.1	5.01	
OSK-W-17-1383	2925	Bobcat	597.0	452767	5434864	331	-63	102.0	104.1	2.1	5.33	
<i>including</i>								103.1	104.1	1.0	10.5	
OSK-W-17-1385	3400	Caribou extension	906.0	453379	5434741	319	-49	734.7	737.2	2.5	8.40	
<i>including</i>								735.9	736.6	0.7	28.6	
OSK-W-17-1385	3400	Caribou extension	906.0	453379	5434741	319	-49	741.6	745.3	3.7	5.04	
<i>including</i>								744.3	745.3	1.0	13.0	
OSK-W-17-1385	3400	Caribou extension	906.0	453379	5434741	319	-49	820.5	824.0	3.5	6.64	
<i>including</i>								820.5	821.1	0.6	26.2	
OSK-W-17-1386	4275	Lynx 1	998.0	453800	5435749	136	-54	747.5	750.0	2.5	18.1	
<i>including</i>								747.5	748.4	0.9	49.3	
OSK-W-17-1386	4275	Lynx 1	998.0	453800	5435749	136	-54	771.3	775.8	4.5	25.1	15.1
<i>including</i>								771.3	772.3	1.0	104	58.8
OSK-W-17-1388	2775	CS1	762.0	452716	5434605	332	-57	368.6	371.0	2.4	11.9	
OSK-W-17-1388	2775	Wolf FW	762.0	452716	5434605	332	-57	697.0	699.2	2.2	4.59	
OSK-W-17-1390	1975	FW3	657.0	451911	5434437	329	-47	505.0	507.2	2.2	3.44	
OSK-W-17-1391	3150	Bobcat	663.0	452981	5434900	327	-62	297.0	299.9	2.9	12.2	
<i>including</i>								299.4	299.9	0.5	65.4	
OSK-W-17-1393	2900	Bobcat	573.0	452725	5434862	332	-62	157.0	159.0	2.0	3.91	
<i>including</i>								158.3	158.7	0.4	16.7	
OSK-W-17-1397	3450	Lynx 2	732.0	453300	5434964	333	-61	213.0	215.0	2.0	23.4	21.6
<i>including</i>								214.1	214.4	0.3	112	100
OSK-W-17-1399	3500	VNCR	1053.0	453411	5434870	332	-61	353.8	359.0	5.2	6.11	
<i>including</i>								353.8	354.4	0.6	17.0	
<i>including</i>								358.0	359.0	1.0	20.2	
OSK-W-17-1399	3500	Caribou extension	1053.0	453411	5434870	332	-61	574.0	576.0	2.0	3.55	
OSK-W-17-1400	2325	Caribou corridor	768.8	452310	5434408	332	-52	325.6	328.0	2.4	4.05	
OSK-W-17-1404	3000	Bobcat	635.3	452854	5434823	335	-67	141.4	144.0	2.6	4.28	
<i>including</i>								142.0	143.0	1.0	11.0	
OSK-W-17-1404	3000	Bobcat	635.3	452854	5434823	335	-67	168.0	171.0	3.0	4.54	
<i>including</i>								170.7	171.0	0.3	13.4	
OSK-W-17-1404	3000	Caribou extension	635.3	452854	5434823	335	-67	356.8	359.5	2.7	10.4	
<i>including</i>								358.6	359.0	0.4	53.2	
OSK-W-17-1404	3000	Caribou extension	635.3	452854	5434823	335	-67	535.0	537.0	2.0	3.96	
OSK-W-17-1404	3000	Caribou extension	635.3	452854	5434823	335	-67	539.7	543.0	3.3	4.33	
OSK-W-17-1406	3075	VNCR	579.0	452911	5434879	334	-60	79.3	81.8	2.5	6.97	
<i>including</i>								79.7	80.0	0.3	47.7	
OSK-W-17-1406	3075	Bobcat	579.0	452911	5434879	334	-60	248.5	250.9	2.4	3.47	
OSK-W-17-1406	3075	Bobcat	579.0	452911	5434879	334	-60	322.0	324.5	2.5	5.71	
OSK-W-17-466-W1	2575	FW3 Upper	861.0	452484	5434643	330	-52	718.8	724.0	5.2	8.52	
<i>including</i>								718.8	719.8	1.0	35.7	
OSK-W-17-466-W1	2575	FW3 Upper FW	861.0	452484	5434643	330	-52	736.0	738.4	2.4	8.38	
<i>including</i>								737.5	738.4	0.9	20.3	
OSK-W-17-466-W2	2575	FW3 Upper	900.0	452484	5434643	330	-52	721.0	723.0	2.0	26.6	
<i>including</i>								721.3	722.3	1.0	51.5	
OSK-W-17-663-W1	2525	FW3U	822.2	452402	5434658	330	-53	648.0	650.0	2.0	4.64	
OSK-W-17-664-W1	2500	FW3U HW	996.0	452394	5434619	329	-55	653.0	660.0	7.0	0.52	
OSK-W-17-664-W1	2500	FW3U	996.0	452394	5434619	329	-55	754.0	756.4	2.4	4.89	
<i>including</i>								754.9	755.8	0.9	12.8	
OSK-W-17-743-W3	2525	CS1	1473.0	452651	5434237	334	-64	816.9	821.6	4.7	1.28	
OSK-W-17-743-W3	2525	Vein - FW0 corridor	1473.0	452651	5434237	334	-64	1058.0	1060.0	2.0	7.44	
OSK-W-17-743-W3	2525	FW0	1473.0	452651	5434237	334	-64	1066.8	1069.5	2.7	1.43	
OSK-W-17-743-W3	2525	FW3	1473.0	452651	5434237	334	-64	1424.0	1436.0	12.0	0.38	
OSK-W-17-743-W4	2525	CS1	1476.0	452651	5434237	334	-64	796.2	799.0	2.8	585	11.5
<i>including</i>								796.2	796.5	0.3	5450	100
OSK-W-17-743-W4	2525	FW0	1476.0	452651	5434237	334	-64	997.0	1004.5	7.5	0.78	
OSK-W-17-743-W4	2525	QTV	1476.0	452651	5434237	334	-64	1075.2	1078.0	2.8	3.89	
OSK-W-17-743-W4	2525	FW1 HW	1476.0	452651	5434237	334	-64	1100.0	1103.0	3.0	6.86	
<i>including</i>								1101.8	1102.2	0.4	42.6	
OSK-W-17-743-W4	2525	FW1 HW	1476.0	452651	5434237	334	-64	1113.6	1116.1	2.5	3.62	
OSK-W-17-743-W4	2525	FW1	1476.0	452651	5434237	334	-64	1139.0	1142.0	3.0	3.21	
OSK-W-17-743-W4	2525	FW2 HW	1476.0	452651	5434237	334	-64	1194.6	1197.0	2.4	16.6	
<i>including</i>								1195.6	1196.0	0.4	95.1	
OSK-W-17-743-W4	2525	FW2	1476.0	452651	5434237	334	-64	1211.6	1213.1	1.5	4.23	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-743-W4	2525	FW2 FW	1476.0	452651	5434237	334	-64	1282.4	1284.4	2.0	5.42	
		<i>including</i>						1282.4	1283.3	0.9	11.4	
OSK-W-17-743-W4	2525	FW3	1476.0	452651	5434237	334	-64	1381.7	1384.5	2.8	0.57	
OSK-W-17-743-W4	2525	FW3 FW	1476.0	452651	5434237	334	-64	1416.0	1418.6	2.6	1.49	
OSK-W-17-743-W5	2525	UnderDog	1554.0	452651	5434237	331	-64	946.5	951.2	4.7	2.30	
OSK-W-17-743-W5	2525	FW0 HW	1554.0	452651	5434237	331	-64	964.5	967.0	2.5	5.36	
OSK-W-17-743-W5	2525	FW1	1554.0	452651	5434237	331	-64	1187.1	1189.1	2.0	4.27	
OSK-W-17-743-W5	2525	FW2	1554.0	452651	5434237	331	-64	1272.7	1275.3	2.6	55.4	19.4
		<i>including</i>						1273.7	1274.2	0.5	287	100
OSK-W-17-743-W5	2525	FW2 FW	1554.0	452651	5434237	331	-64	1289.3	1291.9	2.6	3.94	
		<i>including</i>						1290.3	1290.8	0.5	12.4	
OSK-W-17-766-W1	2600	CS1 FW	741.0	452690	5434340	328	-55	674.8	680.6	5.8	15.6	
		<i>including</i>						676.5	679.5	3.0	27.6	
OSK-W-17-770	3325		28.5	453095	5435084	327	-61	<i>Abandoned</i>				
OSK-W-17-772	3325	Caribou extension	1218.0	453095	5435085	333	-61	233.5	237.1	3.6	1.06	
OSK-W-17-772	3325	Z27 extension	1218.0	453095	5435085	333	-61	466.5	468.6	2.1	0.21	
OSK-W-17-773	3525	Lynx	1444.5	453362	5435006	332	-63	147.5	150.0	2.5	2.50	
		<i>including</i>						148.7	149.3	0.6	8.95	
OSK-W-17-773	3525	FW4	1444.5	453362	5435006	332	-63	1348.0	1350.2	2.2	1.05	
OSK-W-17-774	2800	CS1	1175.0	452731	5434636	333	-57	339.3	343.1	3.8	0.06	
OSK-W-17-774	2800	Wolf	1175.0	452731	5434636	333	-57	565.5	572.6	7.1	1.49	
		<i>including</i>						572.0	572.6	0.6	9.42	
OSK-W-17-774	2800	CN2	1175.0	452731	5434636	333	-57	604.1	608.5	4.4	0.72	
OSK-W-17-774	2800	FW3	1175.0	452731	5434636	333	-57	932.1	934.1	2.0	0.74	
OSK-W-17-774	2800	FW3	1175.0	452731	5434636	333	-57	1028.3	1031.0	2.7	0.75	
OSK-W-17-776	2800	New- Caribou corridor	857.0	452851	5434432	330	-57	584.5	586.6	2.1	5.00	
OSK-W-17-776	2800	CS1	857.0	452851	5434432	330	-57	628.3	630.5	2.2	0.16	
OSK-W-17-776	2800	CS3	857.0	452851	5434432	330	-57	707.3	711.6	4.3	1.09	
OSK-W-17-776	2800	Caribou corridor	857.0	452851	5434432	330	-57	773.5	775.5	2.0	11.2	
OSK-W-17-776	2800	Caribou	857.0	452851	5434432	330	-57	797.0	803.0	6.0	6.42	
		<i>including</i>						797.7	800.3	2.6	10.1	
OSK-W-17-776	2800	Vein in late dyke	857.0	452851	5434432	330	-57	854.4	857.0	2.6	5.65	
		<i>including</i>						854.4	854.7	0.3	42.0	
OSK-W-17-777	2675	Crustiform vein	712.8	452678	5434499	339	-58	380.4	383.4	3.0	5.79	
OSK-W-17-777	2675	CS1	712.8	452678	5434499	339	-58	492.4	492.7	0.3	0.28	
OSK-W-17-777	2675	CS3	712.8	452678	5434499	339	-58	617.0	621.0	4.0	9.01	
		<i>including</i>						618.0	619.0	1.0	18.5	
OSK-W-17-778	2600	Crustiform vein	698.6	452689	5434338	331	-58	545.0	547.7	2.7	13.5	
		<i>including</i>						546.6	547.0	0.4	90.2	
OSK-W-17-778	2600	CS1	698.6	452689	5434338	331	-58	642.7	646.2	3.5	15.0	
		<i>including</i>						643.5	644.5	1.0	48.7	
OSK-W-17-779	3450	Lynx HW	795.0	453302	5434978	327	-67	111.0	115.8	4.8	0.29	
OSK-W-17-779	3450	Lynx	795.0	453302	5434978	327	-67	129.5	132.0	2.5	5.02	
OSK-W-17-779	3450	Quartz-tourmaline vein - Lynx Corridor	795.0	453302	5434978	327	-67	183.0	183.6	0.6	6.65	
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434978	327	-67	257.0	259.0	2.0	4.59	
		<i>including</i>						258.0	259.0	1.0	7.17	
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434978	327	-67	268.0	275.9	7.9	21.6	16.9
		<i>including</i>						268.0	269.0	1.0	8.85	
		<i>and</i>						270.0	271.0	1.0	21.5	
		<i>and</i>						271.7	272.0	0.3	24.2	
		<i>including</i>						274.3	275.9	1.6	78.9	55.3
		<i>including</i>						274.3	275.0	0.7	154	100
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434978	327	-67	282.0	284.5	2.5	18.1	
		<i>including</i>						282.6	284.5	1.9	23.3	
OSK-W-17-779	3450	Crustiform vein - Lynx FW	795.0	453302	5434978	327	-67	298.0	300.7	2.7	15.6	
		<i>including</i>						298.9	300.0	1.1	33.2	
OSK-W-17-779	3450	Caribou extension	795.0	453302	5434978	327	-67	571.0	573.5	2.5	3.51	
		<i>including</i>						572.9	573.5	0.6	8.54	
OSK-W-17-779	3450	Caribou extension	795.0	453302	5434978	327	-67	605.5	607.5	2.0	4.45	
OSK-W-17-779	3450	Vein	795.0	453302	5434978	327	-67	621.0	622.5	1.5	2.62	
		<i>including</i>						622.1	622.5	0.4	6.92	
OSK-W-17-779	3450	CN2	795.0	453302	5434978	327	-67	676.4	678.7	2.3	1.56	
OSK-W-17-779	3450	Crustiform vein	795.0	453302	5434978	327	-67	725.0	728.2	3.2	4.17	
		<i>including</i>						726.9	727.5	0.6	16.3	
OSK-W-17-780	2850	New - Before Caribou	1551.0	452929	5434374	332	-59	435.9	439.3	3.4	4.46	
		<i>including</i>						435.9	436.3	0.4	10.7	
		<i>including</i>						438.8	439.3	0.5	18.8	
OSK-W-17-780	2850	CS3	1551.0	452929	5434374	332	-59	859.0	862.0	3.0	0.23	
OSK-W-17-780	2850	FW0 HW	1551.0	452929	5434374	332	-59	1036.5	1046.9	10.4	7.41	6.21
		<i>including</i>						1036.5	1037.0	0.5	125	100
OSK-W-17-780	2850	FW0	1551.0	452929	5434374	332	-59	1070.3	1074.3	4.0	3.30	
		<i>including</i>						1072.1	1073.0	0.9	8.61	
OSK-W-17-780	2850	FW0 FW	1551.0	452929	5434374	332	-59	1079.0	1082.0	3.0	3.03	
		<i>including</i>						1079.0	1080.0	1.0	8.21	
OSK-W-17-780	2850	UnderDog	1551.0	452929	5434374	332	-59	1119.0	1121.0	2.0	5.02	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-780	2850	FW1 HW	1551.0	452929	5434374	332	-59	1248.0	1250.0	2.0	3.02	
OSK-W-17-780	2850	FW1	1551.0	452929	5434374	332	-59	1271.6	1278.4	6.8	10.6	
		<i>including</i>						1276.0	1278.4	2.4	28.9	
OSK-W-17-780	2850	FW3	1551.0	452929	5434374	332	-59	1366.0	1370.0	4.0	34.1	
		<i>including</i>						1368.5	1370.0	1.5	90.5	
OSK-W-17-780	2850	FW3 FW	1551.0	452929	5434374	332	-59	1400.0	1404.0	4.0	9.38	
		<i>including</i>						1401.0	1402.5	1.5	24.4	
OSK-W-17-780-W1	2850	FW0	1533.0	452929	5434374	331	-60	1074.0	1091.0	17.0	5.97	
		<i>including</i>						1079.0	1082.8	3.8	19.7	
OSK-W-17-780-W1	2850	FW3 HW	1533.0	452929	5434374	331	-60	1343.8	1347.2	3.4	83.5	29.4
		<i>including</i>						1346.6	1347.2	0.6	407	100
OSK-W-17-780-W1	2850	FW3 HW	1533.0	452929	5434374	331	-60	1358.5	1360.8	2.3	6.55	
		<i>including</i>						1358.5	1359.0	0.5	19.1	
OSK-W-17-780-W1	2850	FW3	1533.0	452929	5434374	331	-60	1396.5	1398.5	2.0	4.76	
OSK-W-17-781	2700	Crustiform vein	1625.5	452845	5434218	331	-60	518.5	520.5	2.0	15.3	
		<i>including</i>						519.5	520.5	1.0	30.4	
OSK-W-17-781	2700	CS1	1625.5	452845	5434218	331	-60	778.0	780.5	2.5	3.05	
OSK-W-17-781	2700	FW0 HW	1625.5	452845	5434218	331	-60	1145.0	1147.7	2.7	1.49	
OSK-W-17-781	2700	FW0	1625.5	452845	5434218	331	-60	1203.0	1204.0	1.0	0.18	
OSK-W-17-781	2700	FW1	1625.5	452845	5434218	331	-60	1401.8	1405.0	3.3	1.18	
OSK-W-17-781	2700	FW2	1625.5	452845	5434218	331	-60	1466.0	1469.4	3.4	0.87	
OSK-W-17-781	2700	FW3	1625.5	452845	5434218	331	-60	1551.0	1553.0	2.0	2.97	
OSK-W-17-783	3775	Crustiform vein - Lynx FW	1326.0	453535	5435181	329	-72	99.6	101.5	1.9	4.57	
OSK-W-17-783	3775	Caribou extension	1326.0	453535	5435181	329	-72	458.0	460.0	2.0	0.21	
OSK-W-17-784	2825	CS1	894.0	452861	5434488	330	-54	578.5	592.7	14.2	0.96	
OSK-W-17-784	2825	CS3	894.0	452861	5434488	330	-54	660.9	663.3	2.4	0.98	
OSK-W-17-784	2825	Wolf HW	894.0	452861	5434488	330	-54	767.0	770.0	3.0	4.89	
		<i>including</i>						769.5	770.0	0.5	15.1	
OSK-W-17-784	2825	Wolf HW	894.0	452861	5434488	330	-54	780.4	786.1	5.7	3.21	
		<i>including</i>						785.1	786.1	1.0	13.6	
OSK-W-17-784	2825	Wolf	894.0	452861	5434488	330	-54	823.0	827.0	4.0	0.42	
OSK-W-17-785	2625		49.5	452673	5434414	329	-56			<i>Abandoned</i>		
OSK-W-17-786	2625	CS1	717.0	452674	5434411	337	-55	570.3	572.4	2.1	0.26	
OSK-W-17-786	2625	CS3 HW	717.0	452674	5434411	337	-55	652.3	660.1	7.8	5.17	
		<i>including</i>						652.3	656.0	3.7	9.85	
OSK-W-17-786	2625	CS3	717.0	452674	5434411	337	-55	664.0	668.9	4.9	6.64	
		<i>including</i>						667.9	668.9	1.0	20.5	
OSK-W-17-787	3500	Lynx FW	1205.8	453325	5435038	333	-63	118.7	121.1	2.4	0.96	
OSK-W-17-787	3500	Caribou extension	1205.8	453325	5435038	333	-63	507.9	514.4	6.5	7.21	
		<i>including</i>						512.6	513.6	1.0	24.1	
OSK-W-17-787	3500	CN2 extension	1205.8	453325	5435038	333	-63	517.0	521.8	4.8	3.48	
		<i>including</i>						521.2	521.8	0.6	13.1	
OSK-W-17-788	3450	Lynx HW	375.0	453329	5434931	332	-66	164.5	166.5	2.0	3.09	
OSK-W-17-788	3450	Lynx	375.0	453329	5434931	332	-66	233.0	250.3	17.3	17.0	12.8
		<i>including</i>						236.4	236.9	0.5	153	100
		<i>and</i>						239.0	240.0	1.0	128	100
OSK-W-17-788	3450	Lynx FW	375.0	453329	5434931	332	-66	295.0	297.0	2.0	6.21	
		<i>including</i>						296.6	297.0	0.4	25.7	
OSK-W-17-788	3450	Lynx FW	375.0	453329	5434931	332	-66	301.0	303.0	2.0	3.76	
OSK-W-17-789	2500	CS1	1278.0	452546	5434388	333	-59	526.1	533.5	7.4	5.12	
		<i>including</i>						527.9	530.0	2.1	16.4	
OSK-W-17-789	2500	CS1 FW	1278.0	452546	5434388	333	-59	538.9	544.1	5.2	7.31	6.39
		<i>including</i>						543.8	544.1	0.3	116	100
OSK-W-17-789	2500	CS1 FW	1278.0	452546	5434388	333	-59	583.2	585.7	2.5	3.30	
		<i>including</i>						584.4	585.0	0.6	13.3	
OSK-W-17-789	2500	FW0	1278.0	452546	5434388	333	-59	796.8	799.9	3.1	3.01	
OSK-W-17-789	2500	FW1	1278.0	452546	5434388	333	-59	853.0	860.9	7.9	19.4	16.4
		<i>including</i>						853.0	857.5	4.5	29.7	
OSK-W-17-789	2500	FW1 FW	1278.0	452546	5434388	333	-59	883.9	885.9	2.0	9.15	
		<i>including</i>						884.9	885.6	0.7	24.1	
OSK-W-17-789	2500	FW3	1278.0	452546	5434388	333	-59	964.0	966.3	2.3	8.20	
		<i>including</i>						965.0	965.3	0.3	61.7	
OSK-W-17-789-W1	2500	FW0	1197.0	452546	5434388	333	-59	799.5	804.4	4.9	5.63	
		<i>including</i>						801.9	802.5	0.6	20.4	
OSK-W-17-789-W1	2500	FW1	1197.0	452546	5434388	333	-59	877.1	880.6	3.5	11.0	
OSK-W-17-789-W1	2500	FW3 HW	1197.0	452546	5434388	333	-59	995.4	997.5	2.1	3.50	
		<i>including</i>						995.4	996.0	0.6	10.5	
OSK-W-17-789-W1	2500	FW3	1197.0	452546	5434388	333	-59	1004.1	1006.7	2.6	14.6	
		<i>including</i>						1005.2	1006.0	0.8	34.3	
OSK-W-17-789-W1	2500	FW3 / Z14-2	1197.0	452546	5434388	333	-59	1119.8	1122.0	2.2	16.4	
		<i>including</i>						1120.4	1121.2	0.8	44.1	
OSK-W-17-789-W2	2500	New / FW0	1194.0	452546	5434388	333	-59	801.0	803.0	2.0	13.2	
OSK-W-17-789-W2	2500	FW1	1194.0	452546	5434388	333	-59	882.0	884.3	2.3	5.00	
OSK-W-17-789-W2	2500	FW1 FW	1194.0	452546	5434388	333	-59	906.5	909.2	2.7	4.79	
OSK-W-17-789-W2	2500	FW3	1194.0	452546	5434388	333	-59	1014.0	1017.0	3.0	8.02	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-789-W2	2500	FW3 / Z14-2	1194.0	452546	5434388	333	-59	1152.1	1155.2	3.1	25.6	
		<i>including</i>						1152.1	1152.7	0.6	44.0	
		<i>including</i>						1154.5	1155.2	0.7	67.9	
OSK-W-17-789-W2	2500	FW3 / Z14-2	1194.0	452546	5434388	333	-59	1163.0	1165.7	2.7	5.62	
OSK-W-17-790	3600	Lynx FW	450.0	453457	5434995	332	-66	261.6	265.2	3.6	11.3	
		<i>including</i>						261.6	262.3	0.7	28.7	
		<i>and</i>						264.7	265.2	0.5	39.9	
OSK-W-17-790	3600	Lynx FW	450.0	453457	5434995	332	-66	269.5	272.5	3.0	4.32	
		<i>including</i>						269.5	270.6	1.1	10.1	
OSK-W-17-790	3600	Lynx 2	450.0	453457	5434995	332	-66	293.0	295.0	2.0	8.61	
OSK-W-17-790	3600	Lynx 2	450.0	453457	5434995	332	-66	303.8	308.8	5.0	6.00	
OSK-W-17-790	3600	Lynx 2	450.0	453457	5434995	332	-66	316.9	325.5	8.6	10.5	10.3
		<i>including</i>						324.8	325.5	0.7	102	100
OSK-W-17-790	3600	VNCR	450.0	453457	5434995	332	-66	392.5	394.7	2.2	10.9	
OSK-W-17-792	3575	Lynx	438.0	453447	5434959	335	-64	309.5	318.7	9.2	42.1	25.2
		<i>including</i>						313.3	314.2	0.9	56.0	
		<i>and</i>						315.6	317.6	2.0	162	100
OSK-W-17-792	3575	Crustiform vein	438.0	453447	5434959	335	-64	380.8	384.5	3.7	2.51	
OSK-W-17-799	3650	Lynx HW	450.0	453481	5435035	332	-74	309.3	311.2	1.9	10.6	
OSK-W-17-799	3650	Lynx	450.0	453481	5435035	332	-74	319.8	324.4	4.6	50.9	49.7
		<i>including</i>						319.8	320.7	0.9	106	100
		<i>and</i>						323.1	324.4	1.3	82.7	
OSK-W-17-799	3650	Lynx FW	450.0	453481	5435035	332	-74	339.8	344.2	4.4	63.8	41.4
		<i>including</i>						341.5	342.3	0.8	223	100
OSK-W-17-799	3650	Crustiform vein	450.0	453481	5435035	332	-74	402.0	408.5	6.5	11.0	
OSK-W-17-800	3500	Lynx 1	414.0	453367	5434941	330	-58	193.6	196.0	2.4	16.5	
		<i>including</i>						194.1	195.0	0.9	40.4	
OSK-W-17-800	3500	VNCR	414.0	453367	5434941	330	-58	306.0	308.8	2.8	35.2	25.4
		<i>including</i>						306.5	307.2	0.7	139	100
OSK-W-17-802	3475	Lynx 2	399.0	453375	5434897	330	-54	293.1	298.0	4.9	10.4	
		<i>including</i>						297.0	298.0	1.0	37.5	
OSK-W-17-802	3475	Crustiform vein - Lynx corridor	399.0	453375	5434897	330	-54	363.0	366.1	3.1	24.9	
		<i>including</i>						365.3	366.1	0.8	73.2	
OSK-W-17-802	3475	Crustiform vein - Lynx corridor	399.0	453375	5434897	330	-54	378.7	381.3	2.6	3.99	
		<i>including</i>						379.3	380.5	1.2	6.77	
OSK-W-17-803	3450	Lynx HW	411.0	453305	5434943	331	-64	137.0	139.3	2.3	5.23	
		<i>including</i>						137.0	138.5	1.5	7.74	
OSK-W-17-803	3450	Lynx	411.0	453305	5434943	331	-64	169.0	171.9	2.9	19.1	
OSK-W-17-803	3450	Crustiform vein - Lynx corridor	411.0	453305	5434943	331	-64	372.0	374.3	2.3	6.38	
		<i>including</i>						372.0	373.2	1.2	11.1	
OSK-W-17-804	2100	Z27 HW	200.5	451941	5434625	342	-42	69.5	71.5	2.0	3.59	
		<i>including</i>						69.5	69.8	0.3	19.1	
OSK-W-17-804	2100	Z27	200.5	451941	5434625	342	-42	83.9	86.6	2.7	3.65	
		<i>including</i>						86.3	86.6	0.3	27.4	
OSK-W-17-804	2100	Z27-1	200.5	451941	5434625	342	-42	97.4	99.5	2.1	1.46	
OSK-W-17-805	3350	Lynx 2	321.0	453200	5434910	332	-56	225.5	230.5	5.0	12.4	
		<i>including</i>						227.4	230.5	3.1	17.7	
		<i>including</i>						230.0	230.5	0.5	64.6	
OSK-W-17-806	3400	Lynx 2	387.0	453262	5434950	331	-60	214.6	217.5	2.9	3.13	
		<i>including</i>						214.6	215.5	0.9	8.24	
OSK-W-17-807	2325	FW0	1170.0	452311	5434423	330	-65	623.5	626.5	3.0	3.89	
OSK-W-17-807	2325	FW1	1170.0	452311	5434423	330	-65	715.5	717.5	2.0	19.2	
		<i>including</i>						715.5	716.0	0.5	51.5	
OSK-W-17-807	2325	FW3 HW	1170.0	452311	5434423	330	-65	861.0	863.5	2.5	2.96	
OSK-W-17-807	2325	FW4	1170.0	452311	5434423	330	-65	1023.0	1028.6	5.6	0.54	
OSK-W-17-807-W1	2325	FW1	1194.0	452311	5434423	330	-65	730.2	734.6	4.4	8.20	
		<i>including</i>						734.0	734.6	0.6	56.3	
OSK-W-17-807-W1	2325	FW3 HW	1194.0	452311	5434423	330	-65	907.0	916.4	9.4	9.01	
		<i>including</i>						913.3	915.7	2.4	20.7	
OSK-W-17-807-W1	2325	FW3 FW	1194.0	452311	5434423	330	-65	1031.9	1034.0	2.1	8.64	
		<i>including</i>						1031.9	1032.5	0.6	27.8	
OSK-W-17-807-W1	2325	FW4	1194.0	452311	5434423	330	-65	1122.8	1127.0	4.2	0.38	
OSK-W-17-807-W2	2325	FW1	1155.0	452311	5434423	330	-65	735.0	738.0	3.0	53.5	35.2
		<i>including</i>						737.0	738.0	1.0	155	100
OSK-W-17-807-W2	2325	UnderDog	1155.0	452311	5434423	330	-65	868.5	870.5	2.0	7.15	
OSK-W-17-807-W2	2325	FW3	1155.0	452311	5434423	330	-65	911.0	913.0	2.0	32.9	
		<i>including</i>						911.0	912.0	1.0	65.4	
OSK-W-17-807-W2	2325	Underdog	1155.0	452311	5434423	330	-65	1070.5	1072.5	2.0	4.29	
		<i>including</i>						1070.5	1071.5	1.0	8.20	
OSK-W-17-810	2100	Z27 HW	224.5	451949	5434615	331	-60	93.1	98.0	4.9	7.25	
		<i>including</i>						93.8	95.7	1.9	16.4	
OSK-W-17-810	2100	Z27	224.5	451949	5434615	331	-60	108.7	111.0	2.3	6.54	
		<i>including</i>						109.2	110.2	1.0	14.9	
OSK-W-17-811	3725	Lynx 1	432.0	453470	5435213	150	-76	152.5	156.0	3.5	3.01	
OSK-W-17-812	3625	Lynx 1	377.7	453461	5435033	330	-65	194.7	196.5	1.8	0.98	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-812	3625	Lynx 2	377.7	453461	5435033	330	-65	298.5	301.0	2.5	26.0	14.0
		<i>including</i>						299.7	300.0	0.3	200	100
OSK-W-17-812	3625	Lynx 2	377.7	453461	5435033	330	-65	304.8	308.9	4.1	18.6	12.5
		<i>including</i>						304.8	305.1	0.3	59.7	
		<i>and</i>						307.3	307.6	0.3	184	100
OSK-W-17-813	2600	CS1	666.0	452612	5434456	332	-63	522.8	525.0	2.2	4.16	
OSK-W-17-813-W1	2600	CS3	660.0	452612	5434456	332	-63	618.3	620.7	2.4	4.53	
OSK-W-17-813-W1	2600	CN1	660.0	452612	5434456	332	-63	626.2	629.1	2.9	9.67	
		<i>including</i>						626.2	627.0	0.8	30.8	
OSK-W-17-814	2075	Z27-1	203.5	451927	5434612	329	-62	118.5	120.5	2.0	189	25.1
		<i>including</i>						120.0	120.5	0.5	756	100
OSK-W-17-816	3725	Lynx 1	1050.0	453470	5435213	147	-69	192.5	194.5	2.0	9.46	
		<i>including</i>						192.5	193.5	1.0	18.7	
OSK-W-17-816	3725	Lynx 1	1050.0	453470	5435213	147	-69	670.0	672.8	2.8	5.24	
		<i>including</i>						672.4	672.8	0.4	14.7	
OSK-W-17-816	3725	Lynx 4	1050.0	453470	5435213	147	-69	797.1	804.8	7.7	11.7	
		<i>including</i>						799.3	800.0	0.8	68.3	
		<i>including</i>						804.5	804.8	0.3	85.9	
OSK-W-17-817	3600	Lynx 2	820.3	453332	5435229	145	-60	273.3	275.3	2.0	4.40	
		<i>including</i>						273.3	273.7	0.4	14.0	
OSK-W-17-817	3600	Lynx 1	820.3	453332	5435229	145	-60	289.5	292.0	2.5	3.46	
		<i>including</i>						291.0	292.0	1.0	8.33	
OSK-W-17-817	3600	New - Lynx corridor	820.3	453332	5435229	145	-60	594.0	596.0	2.0	13.3	
		<i>including</i>						595.3	596.0	0.7	34.2	
OSK-W-17-818	2050	Z27-1	164.5	451868	5434630	329	-61	80.0	82.0	2.0	5.04	
OSK-W-17-818	2050	Vein	164.5	451868	5434630	329	-61	99.0	101.0	2.0	5.86	
		<i>including</i>						100.0	100.4	0.4	29.0	
OSK-W-17-820	2675	CS1	1104.0	452670	5434484	332	-66	558.5	564.5	6.0	31.4	25.4
		<i>including</i>						561.0	563.0	2.0	83.0	65.0
OSK-W-17-820	2675	CS1 FW	1104.0	452670	5434484	332	-66	616.5	619.0	2.5	936	32.1
		<i>including</i>						616.5	617.5	1.0	29.3	
		<i>and</i>						618.5	619.0	0.5	462.0	100
OSK-W-17-820	2675	Vein in late dyke	1104.0	452670	5434484	332	-66	690.0	692.8	2.8	8.05	
		<i>including</i>						690.0	691.5	1.5	14.1	
OSK-W-17-820	2675	FW0 HW	1104.0	452670	5434484	332	-66	821.7	825.0	3.3	3.35	
OSK-W-17-820	2675	FW0 HW	1104.0	452670	5434484	332	-66	840.5	843.6	3.1	3.85	
		<i>including</i>						842.7	843.6	0.9	11.4	
OSK-W-17-820	2675	FW0	1104.0	452670	5434484	332	-66	864.2	867.0	2.8	3.51	
		<i>including</i>						864.2	865.0	0.8	11.9	
OSK-W-17-820	2675	FW0 FW	1104.0	452670	5434484	332	-66	946.0	948.0	2.0	3.85	
OSK-W-17-820	2675	FW0 FW	1104.0	452670	5434484	332	-66	976.3	982.6	6.3	5.79	
		<i>including</i>						982.1	982.6	0.5	28.7	
OSK-W-17-820-W1	2675	FW0	1356.0	452670	5434484	332	-66	876.1	881.3	5.2	3.25	
OSK-W-17-820-W1	2675	FW0 FW	1356.0	452670	5434484	332	-66	943.0	945.0	2.0	5.78	
		<i>including</i>						944.0	945.0	1.0	11.3	
OSK-W-17-820-W1	2675	FW0 FW	1356.0	452670	5434484	332	-66	949.0	951.0	2.0	9.02	
OSK-W-17-820-W1	2675	FW0 FW	1356.0	452670	5434484	332	-66	981.8	985.0	3.2	21.6	
		<i>including</i>						981.8	983.4	1.6	40.4	
OSK-W-17-820-W1	2675	FW1 FW	1356.0	452670	5434484	332	-66	1044.0	1046.0	2.0	4.26	
		<i>including</i>						1044.0	1045.0	1.0	7.92	
OSK-W-17-820-W1	2675	FW3 HW	1356.0	452670	5434484	332	-66	1109.2	1111.4	2.2	31.7	27.7
		<i>including</i>						1110.8	1111.4	0.6	115	100
OSK-W-17-820-W1	2675	FW3	1356.0	452670	5434484	332	-66	1146.7	1149.0	2.3	47.0	18.1
		<i>including</i>						1147.1	1147.5	0.4	266	100
OSK-W-17-821	2725	FW0 FW	1258.6	452739	5434474	332	-65	975.1	977.3	2.2	5.25	
		<i>including</i>						976.1	976.7	0.6	15.4	
OSK-W-17-821	2725	FW1	1258.6	452739	5434474	332	-65	1041.5	1044.0	2.5	1.48	
OSK-W-17-821	2725	FW3	1258.6	452739	5434474	332	-65	1174.5	1177.8	3.3	9.27	
		<i>including</i>						1176.6	1177.8	1.2	21.0	
OSK-W-17-821-W1	2725	CS3	1416.0	452739	5434474	332	-65	670.0	672.0	2.0	0.90	
OSK-W-17-821-W1	2725	FW0 HW	1416.0	452739	5434474	332	-65	865.0	867.0	2.0	7.31	
		<i>including</i>						865.7	866.0	0.3	44.3	
OSK-W-17-821-W1	2725	FW0	1416.0	452739	5434474	332	-65	905.0	907.0	2.0	7.93	
		<i>including</i>						905.0	906.0	1.0	12.2	
OSK-W-17-821-W1	2725	FW0	1416.0	452739	5434474	332	-65	937.0	941.0	4.0	36.7	35.4
		<i>including</i>						938.0	939.0	1.0	105	100
OSK-W-17-821-W1	2725	FW0 FW	1416.0	452739	5434474	332	-65	952.0	954.0	2.0	16.5	
		<i>including</i>						953.0	954.0	1.0	32.6	
OSK-W-17-821-W1	2725	FW1 HW	1416.0	452739	5434474	332	-65	1079.0	1084.0	5.0	4.63	
		<i>including</i>						1082.0	1083.0	1.0	11.3	
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1110.0	1141.0	31.0	24.9	16.4
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1144.0	1150.0	6.0	10.5	
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1158.0	1180.0	22.0	5.33	
		<i>including</i>						1175.6	1176.3	0.7	29.3	
		<i>including</i>						1178.0	1179.0	1.0	19.5	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1192.0	1194.0	2.0	3.35	
OSK-W-17-821-W1	2725	FW1 FW	1416.0	452739	5434474	332	-65	1202.8	1207.0	4.2	5.65	
		<i>including</i>						1202.8	1203.1	0.3	48.0	
OSK-W-17-821-W1	2725	New UnderDog	1416.0	452739	5434474	332	-65	1219.4	1223.0	3.6	15.4	
		<i>including</i>						1222.2	1223.0	0.8	40.8	
OSK-W-17-821-W1	2725	New UnderDog	1416.0	452739	5434474	332	-65	1278.0	1285.0	7.0	3.84	
		<i>including</i>						1278.0	1279.0	1.0	9.58	
		<i>including</i>						1284.0	1285.0	1.0	9.62	
OSK-W-17-821-W1	2725	FW3	1416.0	452739	5434474	332	-65	1330.3	1333.0	2.7	5.04	
		<i>including</i>						1330.9	1331.2	0.3	30.1	
OSK-W-17-823	2550	CS1 HW	620.3	452565	5434415	330	-57	486.9	494.0	7.1	13.5	
		<i>including</i>						490.0	492.0	2.0	37.7	
OSK-W-17-823	2550	CS1	620.3	452565	5434415	330	-57	526.4	533.5	7.1	0.41	
OSK-W-17-823	2550	CS1 FW	620.3	452565	5434415	330	-57	552.2	554.3	2.1	5.43	
OSK-W-17-823	2550	Caribou corridor	620.3	452565	5434415	330	-57	574.6	577.2	2.6	4.70	
		<i>including</i>						575.3	576.4	1.1	10.8	
OSK-W-17-823-W1	2550	CS1 HW	618.0	452565	5434415	330	-57	503.0	508.4	5.4	8.05	
		<i>including</i>						507.1	508.4	1.3	23.8	
OSK-W-17-823-W1	2550	CS1	618.0	452565	5434415	330	-57	535.0	537.4	2.4	18.6	
		<i>including</i>						535.0	536.0	1.0	43.9	
OSK-W-17-824	2100	Z27	209.5	451948	5434608	330	-67	28.4	31.0	2.6	195	16.7
		<i>including</i>						29.6	30.0	0.4	1260	100
OSK-W-17-824	2100	Z27-1	209.5	451948	5434608	330	-67	150.9	152.9	2.0	3.28	
OSK-W-17-825	3525	Lynx 2	579.0	453252	5435182	145	-54	226.1	228.1	2.0	4.06	
OSK-W-17-825	3525	Lynx 2	579.0	453252	5435182	145	-54	237.1	239.1	2.0	3.18	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	265.2	266.9	1.7	3.18	
		<i>including</i>						265.2	265.5	0.3	14.0	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	267.9	270.7	2.8	6.71	
		<i>including</i>						268.9	269.6	0.7	21.6	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	274.0	276.2	2.2	6.88	
		<i>including</i>						274.8	275.2	0.4	21.6	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	280.5	283.9	3.4	23.8	
		<i>including</i>						280.5	281.3	0.8	92.1	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	289.8	292.5	2.7	5.27	
OSK-W-17-826	2825	CS1	1335.0	452799	5434556	331	-66	543.5	544.8	1.3	0.67	
OSK-W-17-826	2825	CS3	1335.0	452799	5434556	331	-66	658.1	661.9	3.8	1.14	
OSK-W-17-826	2825	Caribou Corridor	1335.0	452799	5434556	331	-66	720.3	723.7	3.4	4.49	
OSK-W-17-826	2825	FW0	1335.0	452799	5434556	331	-66	937.0	939.0	2.0	3.79	
OSK-W-17-826	2825	FW1 HW	1335.0	452799	5434556	331	-66	1031.0	1033.0	2.0	6.53	
		<i>including</i>						1031.0	1032.0	1.0	11.3	
OSK-W-17-826	2825	FW1 HW	1335.0	452799	5434556	331	-66	1051.0	1053.0	2.0	6.37	
		<i>including</i>						1052.0	1053.0	1.0	11.9	
OSK-W-17-826	2825	FW3/Z14-2	1335.0	452799	5434556	331	-66	1204.0	1206.2	2.2	9.26	
		<i>including</i>						1205.6	1206.2	0.6	24.7	
OSK-W-17-826	2825	FW3/Z14 HW	1335.0	452799	5434556	331	-66	1246.8	1250.0	3.2	4.61	
OSK-W-17-826	2825	FW3/Z14	1335.0	452799	5434556	331	-66	1298.0	1300.2	2.2	4.67	
OSK-W-17-826	2825	FW3/Z14 FW	1335.0	452799	5434556	331	-66	1308.3	1310.6	2.3	3.37	
		<i>including</i>						1309.0	1309.6	0.6	12.4	
OSK-W-17-826	2825	FW3 FW	1335.0	452799	5434556	331	-66	1316.6	1319.0	2.4	16.0	
		<i>including</i>						1317.2	1319.0	1.8	21.3	
OSK-W-17-826-W1	2825	Caribou corridor	759.0	452799	5434556	331	-66	648.0	650.8	2.8	3.48	
OSK-W-17-827	3425	Lynx 3	957.0	453173	5435126	145	-63	158.0	162.1	4.1	12.1	
		<i>including</i>						160.0	161.5	1.5	30.0	
OSK-W-17-827	3425	Lynx 2	957.0	453173	5435126	145	-63	196.0	198.5	2.5	2.66	
OSK-W-17-827	3425	Lynx 1 FW	957.0	453173	5435126	145	-63	255.0	258.0	3.0	14.6	
OSK-W-17-827	3425	Lynx 1 HW	957.0	453173	5435126	145	-63	354.0	356.5	2.5	7.51	
		<i>including</i>						354.0	355.5	1.5	12.4	
OSK-W-17-827	3425	VNCR - Lynx corridor	957.0	453173	5435126	145	-63	381.0	383.0	2.0	5.84	
		<i>including</i>						381.5	382.3	0.8	12.5	
OSK-W-17-827	3425	Lynx corridor	957.0	453173	5435126	145	-63	469.0	472.0	3.0	3.63	
OSK-W-17-827	3425	Lynx 4	957.0	453173	5435126	145	-63	664.3	667.0	2.7	57.0	50.1
		<i>including</i>						666.0	667.0	1.0	119	100
OSK-W-17-827	3425	Lynx 5	957.0	453173	5435126	145	-63	779.0	781.0	2.0	12.7	
		<i>including</i>						780.0	781.0	1.0	25.0	
OSK-W-17-830	2575	CS1	819.0	452487	5434622	329	-55	292.0	296.2	4.2	1.03	
OSK-W-17-830	2575	Caribou	819.0	452487	5434622	329	-55	343.0	344.0	1.0	7.92	
OSK-W-17-830	2575	Wolf	819.0	452487	5434622	329	-55	419.4	420.8	1.4	1.02	
OSK-W-17-830	2575	Z27	819.0	452487	5434622	329	-55	522.1	524.6	2.5	0.69	
OSK-W-17-830	2575	FW3U HW	819.0	452487	5434622	329	-55	670.5	673.5	3.0	3.59	
OSK-W-17-830	2575	FW3U	819.0	452487	5434622	329	-55	762.0	764.0	2.0	7.56	
OSK-W-17-831	3825	Lynx 1	561.0	453549	5435279	150	-75	457.7	460.0	2.3	4.61	
OSK-W-17-832	3600	Lynx 3	573.0	453332	5435229	146	-55	85.0	87.3	2.3	14.1	
		<i>including</i>						85.8	86.6	0.8	38.9	
OSK-W-17-833	2550	CS1	1149.0	452597	5434393	331	-57	540.0	546.3	6.3	5.91	
		<i>including</i>						544.0	546.3	2.3	13.2	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-833	2550	CN1	1149.0	452597	5434393	331	-57	608.5	614.8	6.3	3.11	
		<i>including</i>						612.9	614.8	1.9	5.93	
OSK-W-17-833	2550	FW0	1149.0	452597	5434393	331	-57	828.2	831.4	3.2	3.48	
OSK-W-17-833	2550	FW2	1149.0	452597	5434393	331	-57	915.3	918.0	2.7	0.94	
OSK-W-17-833	2550	FW2 FW	1149.0	452597	5434393	331	-57	954.0	957.0	3.0	3.40	
OSK-W-17-833	2550	FW3/Z14	1149.0	452597	5434393	331	-57	1086.0	1088.5	2.5	8.94	
		<i>including</i>						1086.0	1087.0	1.0	15.0	
OSK-W-17-833	2550	FW3/Z14-2	1149.0	452597	5434393	331	-57	1125.0	1127.4	2.4	8.97	
		<i>including</i>						1125.0	1126.1	1.1	17.1	
OSK-W-17-833-W1	2550	CS1	1173.0	452597	5434393	331	-57	534.0	536.0	2.0	8.27	
OSK-W-17-833-W1	2550	FW0	1173.0	452597	5434393	331	-57	815.5	818.0	2.5	5.60	
		<i>including</i>						815.5	816.0	0.5	21.6	
OSK-W-17-833-W1	2550	FW0 FW	1173.0	452597	5434393	331	-57	842.0	844.0	2.0	5.66	
		<i>including</i>						842.6	843.3	0.7	15.6	
OSK-W-17-833-W1	2550	FW1 HW	1173.0	452597	5434393	331	-57	853.7	857.7	4.0	11.8	
OSK-W-17-833-W1	2550	New UnderDog	1173.0	452597	5434393	331	-57	862.0	864.0	2.0	5.79	
OSK-W-17-833-W1	2550	FW3	1173.0	452597	5434393	331	-57	1089.0	1091.9	2.9	8.24	
		<i>including</i>						1091.6	1091.9	0.3	76.2	
OSK-W-17-833-W1	2550	FW3	1173.0	452597	5434393	331	-57	1100.0	1102.0	2.0	6.16	
OSK-W-17-833-W2	2550	CS1	1244.2	452597	5434393	331	-57	534.0	544.0	10.0	9.18	
		<i>including</i>						542.0	544.0	2.0	39.0	
OSK-W-17-833-W2	2550	CS1 FW	1244.2	452597	5434393	331	-57	554.0	556.0	2.0	3.87	
OSK-W-17-833-W2	2550	FW1	1244.2	452597	5434393	331	-57	886.0	893.5	7.5	0.21	
OSK-W-17-833-W2	2550	FW2	1244.2	452597	5434393	331	-57	1014.0	1017.0	3.0	43.9	41.6
		<i>including</i>						1014.7	1016.4	1.7	72.8	68.7
		<i>including</i>						1014.7	1015.0	0.3	123	100
OSK-W-17-833-W2	2550	FW3	1244.2	452597	5434393	331	-57	1022.0	1024.6	2.6	2.14	
OSK-W-17-834	3525	Lynx 2	402.0	453248	5435187	144	-59	277.6	280.0	2.4	16.6	
OSK-W-17-834	3525	Lynx 2	402.0	453248	5435187	144	-59	286.1	288.4	2.3	3.52	
		<i>including</i>						286.1	286.5	0.4	16.1	
OSK-W-17-834	3525	Lynx 1	402.0	453248	5435187	144	-59	292.0	295.7	3.7	42.1	27.8
		<i>including</i>						293.1	293.5	0.4	374.0	100
OSK-W-17-836	3825	Lynx HW	1045.4	453549	5435279	145	-68	210.0	214.5	4.5	4.56	
OSK-W-17-836	3825	Lynx HW	1045.4	453549	5435279	145	-68	219.9	222.0	2.1	5.49	
OSK-W-17-836	3825	Crustiform vein - Lynx corridor	1045.4	453549	5435279	145	-68	269.3	272.0	2.7	4.96	
		<i>including</i>						269.3	270.0	0.7	18.7	
OSK-W-17-836	3825	New - Lynx Corridor	1045.4	453549	5435279	145	-68	307.2	309.7	2.5	18.5	
		<i>including</i>						307.2	307.7	0.5	85.2	
OSK-W-17-836	3825	New - Lynx corridor	1045.4	453549	5435279	145	-68	382.4	384.7	2.3	20.7	14.8
		<i>including</i>						382.4	382.7	0.3	146	100
OSK-W-17-836	3825	New - Lynx Corridor	1045.4	453549	5435279	145	-68	421.2	423.5	2.3	3.30	
OSK-W-17-836	3825	New - Lynx Corridor	1045.4	453549	5435279	145	-68	517.0	520.1	3.1	3.82	
OSK-W-17-836	3825	Lynx 5	1045.4	453549	5435279	145	-68	868.0	870.4	2.4	116	46.4
		<i>including</i>						869.3	870.4	1.1	253	100
OSK-W-17-836	3825	New - Lynx corridor	1045.4	453549	5435279	145	-68	890.1	892.7	2.6	16.3	
		<i>including</i>						890.1	890.6	0.5	75.9	
OSK-W-17-837	3650	Lynx 1 HW	465.0	453485	5435060	332	-75	207.0	210.4	3.4	43.9	35.5
		<i>including</i>						210.0	210.4	0.4	172	100
OSK-W-17-837	3650	Lynx 1	465.0	453485	5435060	332	-75	285.8	291.2	5.4	16.8	
		<i>including</i>						285.8	287.2	1.4	45.7	
OSK-W-17-837	3650	Lynx 2	465.0	453485	5435060	332	-75	320.0	328.4	8.4	97.4	33.7
		<i>including</i>						320.7	322.8	2.1	65.0	
		<i>and</i>						324.7	325.4	0.7	865	100
OSK-W-17-837	3650	VNCR - Lynx corridor	465.0	453485	5435060	332	-75	335.9	339.0	3.1	5.77	
OSK-W-17-837	3650	VNCR	465.0	453485	5435060	332	-75	343.7	346.6	2.9	15.6	
OSK-W-17-837	3650	Vein - Lynx corridor	465.0	453485	5435060	332	-75	407.6	408.7	1.1	3.93	
OSK-W-17-838	3275	Caribou Corridor	528.0	453144	5434900	329	-65	488.7	490.7	2.0	7.31	
		<i>including</i>						489.7	490.7	1.0	12.4	
OSK-W-17-838	3275	Caribou Corridor	528.0	453144	5434900	329	-65	497.0	500.0	3.0	4.55	
		<i>including</i>						498.0	499.0	1.0	10.8	
OSK-W-17-839	3525	Lynx 1 HW	449.2	453431	5434889	331	-56	310.0	312.1	2.1	10.5	
		<i>including</i>						310.8	312.1	1.3	16.7	
OSK-W-17-839	3525	Lynx 1	449.2	453431	5434889	331	-56	319.7	328.0	8.3	6.58	
		<i>including</i>						325.2	325.7	0.5	30.4	
		<i>including</i>						326.4	327.1	0.7	24.9	
OSK-W-17-842	2475	CS1 HW	1197.0	452509	5434390	331	-59	505.5	508.0	2.5	3.79	
		<i>including</i>						505.5	505.9	0.4	18.3	
OSK-W-17-842	2475	CS1	1197.0	452509	5434390	331	-59	540.0	545.5	5.5	14.5	8.55
		<i>including</i>						540.0	540.4	0.4	182	100
OSK-W-17-842	2475	FW0	1197.0	452509	5434390	331	-59	799.5	808.5	9.0	0.41	
OSK-W-17-842	2475	FW1	1197.0	452509	5434390	331	-59	923.7	925.8	2.1	4.01	
OSK-W-17-843	3500	Lynx 1	462.0	453427	5434866	330	-50	327.1	331.4	4.3	1.83	
OSK-W-17-843	3500	VNCR	462.0	453427	5434866	330	-50	450.4	452.8	2.4	5.93	
		<i>including</i>						450.4	451.1	0.7	19.0	
OSK-W-17-844	2750	CS1	1092.0	452728	5434545	333	-57	414.3	416.1	1.8	0.89	





Windfall Lake Gold Project  
Quebec, Canada  
Assay Results  
Osisko Mining Inc. 2015-2018

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-855	2300	FW0	717.0	452309	5434384	334	-64	654.0	658.0	4.0	0.43	
OSK-W-17-855-W1	2300	FW1	1197.0	452309	5434384	334	-64	752.0	754.0	2.0	21.0	
			<i>including</i>					752.0	753.0	1.0	41.2	
OSK-W-17-855-W1	2300	FW2	1197.0	452309	5434384	334	-64	843.0	845.2	2.2	3.18	
			<i>including</i>					844.0	844.5	0.5	12.5	
OSK-W-17-855-W1	2300	FW3	1197.0	452309	5434384	334	-64	916.3	919.5	3.2	3.79	
			<i>including</i>					919.0	919.5	0.5	15.8	
OSK-W-17-855-W1	2300	FW3 FW	1197.0	452309	5434384	334	-64	968.0	971.0	3.0	13.5	
			<i>including</i>					969.0	971.0	2.0	18.2	
OSK-W-17-855-W1	2300	FW3	1197.0	452309	5434384	334	-64	985.0	987.0	2.0	4.85	
OSK-W-17-855-W1	2300	QTV	1197.0	452309	5434384	334	-64	1012.0	1014.0	2.0	8.31	
			<i>including</i>					1013.0	1014.0	1.0	16.5	
OSK-W-17-855-W1	2300	FW4	1197.0	452309	5434384	334	-64	1158.0	1166.0	8.0	1.24	
OSK-W-17-855-W2	2300	FW1	1197.0	452309	5434384	334	-64	759.9	762.0	2.1	11.1	
			<i>including</i>					759.9	761.0	1.1	20.8	
OSK-W-17-855-W2	2300	FW2	1197.0	452309	5434384	334	-64	861.0	863.0	2.0	8.88	
			<i>including</i>					862.0	863.0	1.0	17.4	
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	924.8	928.3	3.5	26.1	
			<i>including</i>					924.8	925.5	0.7	33.5	
			<i>including</i>					925.5	925.9	0.4	66.2	
			<i>including</i>					927.0	928.3	1.3	31.5	
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	973.0	975.0	2.0	4.21	
			<i>including</i>					973.0	973.7	0.7	11.2	
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	1095.8	1098.0	2.2	9.20	
			<i>including</i>					1097.0	1098.0	1.0	18.6	
OSK-W-17-855-W3	2300	FW3	1203.0	452309	5434384	334	-64	945.0	947.0	2.0	5.18	
OSK-W-17-856	3425	Lynx 1	291.0	453292	5434909	331	-52	162.4	166.0	3.6	0.25	
OSK-W-17-856	3425	Lynx 2	291.0	453292	5434909	331	-52	270.4	276.0	5.6	5.03	
			<i>including</i>					270.4	271.0	0.6	13.1	
			<i>including</i>					274.0	275.0	1.0	15.2	
OSK-W-17-857	3525	Lynx HW	436.5	453414	5434889	330	-52	248.0	250.0	2.0	4.25	
OSK-W-17-857	3525	Lynx HW	436.5	453414	5434889	330	-52	252.0	254.0	2.0	27.4	
			<i>including</i>					253.1	253.6	0.5	95.0	
OSK-W-17-857	3525	Vein - Lynx corridor	436.5	453414	5434889	330	-52	348.0	350.9	2.9	30.0	
			<i>including</i>					349.2	350.9	1.7	50.8	
OSK-W-17-857	3525	VNCR	436.5	453414	5434889	330	-52	361.5	364.2	2.7	159	17.0
			<i>including</i>					363.8	364.2	0.4	1060	100
OSK-W-17-858	2600	SHR	840.0	452524	5434616	331	-53	46.8	49.0	2.2	3.95	
			<i>including</i>					46.8	47.7	0.9	9.58	
OSK-W-17-858-W1	2600	FW3U	915.0	452524	5434616	331	-53	781.0	784.0	3.0	11.1	
			<i>including</i>					781.0	782.5	1.5	18.3	
OSK-W-17-858-W2	2600	Wolf FW	909.0	452524	5434616	331	-53	486.3	488.6	2.3	8.51	
OSK-W-17-858-W2	2600	Z27	909.0	452524	5434616	331	-53	586.3	588.3	2.0	1.07	
OSK-W-17-858-W2	2600	Vein	909.0	452524	5434616	331	-53	630.1	632.5	2.4	32.6	
			<i>including</i>					631.6	632.5	0.9	76.6	
OSK-W-17-858-W2	2600	FW3U	909.0	452524	5434616	331	-53	806.0	810.0	4.0	0.06	
OSK-W-17-858-W2	2600	VNCR	909.0	452524	5434616	331	-53	810.7	812.7	2.0	9.50	
			<i>including</i>					810.7	811.2	0.5	34.5	
OSK-W-17-859	3550	Lynx 1	414.0	453433	5434905	337	-55	307.0	309.0	2.0	5.66	
OSK-W-17-859	3550	Lynx 2	414.0	453433	5434905	337	-55	326.0	328.0	2.0	2.26	
OSK-W-17-859	3550	Crustiform vein - Lynx corridor	414.0	453433	5434905	337	-55	380.5	382.7	2.2	73.5	29.1
			<i>including</i>					381.4	382.0	0.6	263	100
OSK-W-17-859	3550	Crustiform vein - Lynx corridor	414.0	453433	5434905	337	-55	390.6	393.4	2.8	10.3	
			<i>including</i>					390.6	391.5	0.9	27.3	
OSK-W-17-861	3775	Lynx 2	726.0	453386	5435455	150	-45	388.5	390.5	2.0	9.41	
			<i>including</i>					388.5	389.5	1.0	18.7	
OSK-W-17-861	3775	Lynx HW	726.0	453386	5435455	150	-45	506.7	509.0	2.3	4.06	
			<i>including</i>					508.6	509.0	0.4	12.5	
OSK-W-17-862	2725	Caribou corridor	993.0	452683	5434577	332	-55	369.3	372.2	2.9	17.4	
			<i>including</i>					369.3	370.8	1.5	30.8	
OSK-W-17-862	2725	CS3	993.0	452683	5434577	332	-55	513.0	514.9	1.9	1.27	
OSK-W-17-862	2725	Wolf	993.0	452683	5434577	332	-55	570.7	572.5	1.8	0.29	
OSK-W-17-862-W2	2725	CS3	759.0	452683	5434577	332	-55	465.7	468.3	2.6	4.95	
OSK-W-17-862-W2	2725	CS3	759.0	452683	5434577	332	-55	473.0	477.7	4.7	17.8	
			<i>including</i>					475.0	477.0	2.0	33.3	
OSK-W-17-862-W2	2725	Wolf HW	759.0	452683	5434577	332	-55	551.8	554.0	2.2	6.12	
			<i>including</i>					552.3	552.8	0.5	26.3	
OSK-W-17-862-W2	2725	Wolf	759.0	452683	5434577	332	-55	568.0	570.0	2.0	1.48	
OSK-W-17-862-W2	2725	Wolf FW	759.0	452683	5434577	332	-55	640.0	643.0	3.0	13.4	
			<i>including</i>					642.0	643.0	1.0	38.9	
OSK-W-17-862-W2	2725	Vein	759.0	452683	5434577	332	-55	712.7	714.8	2.1	297	14.5
			<i>including</i>					713.8	714.1	0.3	2080	100
OSK-W-17-864	2525	CS1	813.4	452467	5434581	330	-53	257.0	280.0	23.0	0.90	
OSK-W-17-864	2525	Caribou corridor	813.4	452467	5434581	330	-53	305.0	308.0	3.0	4.17	
OSK-W-17-864	2525	CN2	813.4	452467	5434581	330	-53	338.5	348.0	9.5	0.56	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-864	2525	Z27	813.4	452467	5434581	330	-53	516.0	524.0	8.0	7.90	
OSK-W-17-864	2525	Z27	813.4	452467	5434581	330	-53	518.0	524.0	6.0	8.22	
								518.0	519.0	1.0	22.7	
								522.3	524.0	1.7	14.9	
OSK-W-17-864	2525	FW3U	813.4	452467	5434581	330	-53	768.4	770.7	2.3	4.15	
								769.3	769.6	0.3	15.1	
OSK-W-17-864	2525	FW3U	813.4	452467	5434581	330	-53	790.3	793.0	2.7	14.0	
								792.0	793.0	1.0	28.6	
OSK-W-17-864-W2	2525	FW3U	834.0	452467	5434581	330	-53	800.5	803.0	2.5	3.21	
OSK-W-17-866	2525	New - Caribou corridor	1299.0	452633	5434280	332	-57	347.8	350.4	2.6	3.49	
OSK-W-17-866	2525	Underdog	1299.0	452633	5434280	332	-57	769.7	772.2	2.5	10.2	
								771.6	772.2	0.6	40.0	
OSK-W-17-866	2525	FW1	1299.0	452633	5434280	332	-57	1031.0	1033.4	2.4	1.20	
OSK-W-17-866	2525	FW2	1299.0	452633	5434280	332	-57	1105.0	1107.0	2.0	19.4	
								1105.6	1106.1	0.5	73.2	
OSK-W-17-866	2525	FW3	1299.0	452633	5434280	332	-57	1138.0	1140.0	2.0	13.9	
OSK-W-17-866	2525	FW3 FW	1299.0	452633	5434280	332	-57	1168.4	1172.9	4.5	4.50	
								1168.4	1168.9	0.5	19.9	
OSK-W-17-866	2525	FW3 FW	1299.0	452633	5434280	332	-57	1229.2	1231.5	2.3	14.0	
								1229.2	1229.9	0.7	41.1	
OSK-W-17-866	2525	FW3	1299.0	452633	5434280	332	-57	1272.4	1274.5	2.1	6.29	
								1273.1	1273.9	0.8	16.3	
OSK-W-17-866-W1	2525	Caribou	1359.0	452633	5434280	332	-57	514.7	519.0	4.3	2.43	
OSK-W-17-866-W1	2525	FW1	1359.0	452633	5434280	332	-57	1034.5	1040.0	5.5	3.76	
								1034.5	1035.5	1.0	9.41	
OSK-W-17-866-W1	2525	FW3	1359.0	452633	5434280	332	-57	1100.0	1102.0	2.0	1.35	
OSK-W-17-866-W2	2525	FW0	1332.0	452633	5434280	332	-57	943.5	946.5	3.0	11.6	
								946.1	946.5	0.4	44.0	
OSK-W-17-866-W2	2525	FW0	1332.0	452633	5434280	332	-57	961.2	962.5	1.3	1.64	
OSK-W-17-866-W2	2525	FW0 FW	1332.0	452633	5434280	332	-57	964.0	966.4	2.4	12.9	
								965.1	965.6	0.5	31.1	
OSK-W-17-866-W2	2525	FW1	1332.0	452633	5434280	332	-57	1056.0	1062.0	6.0	4.21	
								1060.5	1062.0	1.5	12.6	
OSK-W-17-866-W2	2525	FW1	1332.0	452633	5434280	332	-57	1095.5	1097.7	2.2	5.40	
								1096.3	1096.7	0.4	29.0	
OSK-W-17-866-W2	2525	FW3	1332.0	452633	5434280	332	-57	1126.1	1128.5	2.4	87.0	37.4
								1126.1	1126.9	0.8	249	100
OSK-W-17-866-W2	2525	FW1	1332.0	452633	5434280	332	-57	1146.7	1149.0	2.3	9.48	
								1147.6	1148.4	0.8	26.3	
OSK-W-17-867	2825	Caribou	1029.0	452800	5434550	315	-50	595.0	598.9	3.9	5.94	
OSK-W-17-867	2825	Wolf	1029.0	452800	5434550	315	-50	637.2	638.5	1.3	1.67	
OSK-W-17-867	2825	Wolf FW	1029.0	452800	5434550	315	-50	714.1	717.5	3.4	36.6	29.9
								715.0	716.0	1.0	123	
OSK-W-17-867	2825	Caribou	1029.0	452800	5434550	315	-50	735.0	737.6	2.6	5.66	
								735.9	736.9	1.0	12.6	
OSK-W-17-867	2825	Z27	1029.0	452800	5434550	315	-50	780.0	784.0	4.0	0.91	
OSK-W-17-868	3575	Lynx HW	435.0	453428	5434977	332	-64	199.8	202.0	2.2	9.77	
								200.5	201.3	0.8	25.2	
OSK-W-17-868	3575	Lynx HW	435.0	453428	5434977	332	-64	221.0	223.0	2.0	26.7	
OSK-W-17-868	3575	Lynx 1	435.0	453428	5434977	332	-64	267.0	269.0	2.0	8.22	
								267.4	268.2	0.8	18.0	
OSK-W-17-868	3575	Lynx 1	435.0	453428	5434977	332	-64	272.0	277.4	5.4	5.54	
OSK-W-17-868	3575	Lynx 2	435.0	453428	5434977	332	-64	301.0	303.5	2.5	12.3	
								302.0	302.6	0.6	50.4	
OSK-W-17-868	3575	VNCR	435.0	453428	5434977	332	-64	381.0	383.2	2.2	4.40	
OSK-W-17-869	3600	VNCR	864.0	453229	5435372	132	-48	388.1	397.2	9.1	4.67	
OSK-W-17-870	3550	Lynx HW	411.0	453419	5434937	332	-50	210.4	213.1	2.7	25.7	
OSK-W-17-870	3550	Lynx 1	411.0	453419	5434937	332	-50	230.9	233.7	2.8	18.9	
								230.9	231.6	0.7	69.0	
OSK-W-17-870	3550	Lynx 3	411.0	453419	5434937	332	-50	353.0	356.0	3.0	3.45	
OSK-W-17-871	2500	TBD	532.6	452402	5434623	328	-54	23.2	25.8	2.6	5.39	
								24.1	25.0	0.9	15.2	
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	152.0	156.8	4.8	17.9	13.4
								155.5	156.0	0.5	100	
								155.5	156.0	0.5	143	100
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	177.3	179.9	2.6	3.47	
								177.3	177.6	0.3	17.4	
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	269.0	271.4	2.4	6.21	
OSK-W-17-871	2500	Z27	532.6	452402	5434623	328	-54	429.3	432.0	2.7	3.18	
OSK-W-17-871	2500	Z27 FW	532.6	452402	5434623	328	-54	480.0	482.0	2.0	3.35	
OSK-W-17-871-W1	2500	QTV	840.0	452402	5434623	328	-54	610.1	612.4	2.3	8.38	
								610.1	610.8	0.7	27.4	
OSK-W-17-871-W1	2500	FW3U	840.0	452402	5434623	328	-54	752.1	754.1	2.0	120	28.7
								753.7	754.1	0.4	557	100
OSK-W-17-872	3400	Crustiform vein - Lynx corridor	307.3	453265	5434914	334	-47	194.7	197.4	2.7	4.27	





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-872	3400	Lynx 2	307.3	453265	5434914	334	-47	210.5	212.4	1.9	0.83	
OSK-W-17-873	3575	Lynx HW	393.0	453427	5434976	326	-61	210.0	212.0	2.0	3.51	
OSK-W-17-873	3575	Lynx 1	393.0	453427	5434976	326	-61	242.0	246.9	4.9	10.7	
OSK-W-17-873	3575	Lynx 1 FW	393.0	453427	5434976	326	-61	254.0	256.0	2.0	3.66	
OSK-W-17-873	3575	Lynx 2	393.0	453427	5434976	326	-61	269.0	271.6	2.6	10.0	
		<i>including</i>						270.6	271.6	1.0	18.4	
OSK-W-17-873	3575	Lynx 2	393.0	453427	5434976	326	-61	300.0	302.0	2.0	9.30	
		<i>including</i>						300.5	300.8	0.3	59.9	
OSK-W-17-873	3575	Lynx 2	393.0	453427	5434976	326	-61	306.2	308.5	2.3	116	31.8
		<i>including</i>						307.8	308.5	0.7	375	100
OSK-W-17-873	3575	VNCR	393.0	453427	5434976	326	-61	320.9	323.3	2.4	10.7	
		<i>including</i>						320.9	321.7	0.8	28.7	
OSK-W-17-873	3575	Crustiform vein	393.0	453427	5434976	326	-61	327.0	329.5	2.5	4.29	
		<i>including</i>						328.0	328.6	0.6	12.4	
OSK-W-17-874	3425	Lynx HW	372.0	453313	5434908	332	-50	154.6	156.0	1.4	0.26	
OSK-W-17-874	3425	Lynx 1	372.0	453313	5434908	332	-50	168.0	170.0	2.0	7.03	
		<i>including</i>						169.1	170.0	0.9	14.9	
OSK-W-17-874	3425	Lynx 2	372.0	453313	5434908	332	-50	258.0	261.0	3.0	1.33	
OSK-W-17-875	3750	Lynx 3	924.0	453374	5435443	144	-51	359.0	359.3	0.3	0.11	
OSK-W-17-875	3750	Lynx 1	924.0	453374	5435443	144	-51	451.5	454.5	3.0	1.52	
OSK-W-17-875	3750	Vein - Lynx corridor	924.0	453374	5435443	144	-51	851.0	853.0	2.0	13.7	
		<i>including</i>						852.0	853.0	1.0	27.3	
OSK-W-17-876	3400	Lynx HW	393.0	453256	5434939	335	-48	93.8	97.0	3.2	1.65	
OSK-W-17-876	3400	Lynx 2	393.0	453256	5434939	335	-48	158.6	161.6	3.0	2.85	
OSK-W-17-876	3400	Lynx 3	393.0	453256	5434939	335	-48	210.0	212.0	2.0	25.9	15.3
		<i>including</i>						210.6	210.9	0.3	171	100
OSK-W-17-877	3400	Lynx HW	360.0	453296	5434888	330	-50	177.7	181.0	3.3	5.02	
		<i>including</i>						179.1	179.6	0.5	30.0	
OSK-W-17-877	3400	Lynx 1	360.0	453296	5434888	330	-50	196.2	198.2	2.0	1.49	
OSK-W-17-877	3400	Crustiform vein	360.0	453296	5434888	330	-50	308.0	310.3	2.3	57.8	
OSK-W-17-878	3600	Lynx HW	417.0	453455	5434983	329	-62	230.7	233.0	2.3	0.74	
OSK-W-17-878	3600	Crustiform vein	417.0	453455	5434983	329	-62	234.2	236.4	2.2	14.6	
		<i>including</i>						235.8	236.4	0.6	51.5	
OSK-W-17-878	3600	Lynx 1	417.0	453455	5434983	329	-62	250.0	252.0	2.0	1.81	
OSK-W-17-878	3600	Lynx 2	417.0	453455	5434983	329	-62	287.0	302.7	15.7	5.32	
		<i>including</i>						292.7	293.0	0.3	100	100
		<i>including</i>						298.2	298.6	0.4	66.1	
OSK-W-17-878	3600	Crustiform vein	417.0	453455	5434983	329	-62	364.0	366.0	2.0	16.8	
		<i>including</i>						364.3	365.3	1.0	33.2	
OSK-W-17-879	3400	Lynx 1	369.0	453241	5434965	335	-46	76.3	77.8	1.5	1.98	
OSK-W-17-879	3400	Lynx HW	369.0	453241	5434965	335	-46	84.2	86.2	2.0	1.93	
OSK-W-17-879	3400	Lynx 2	369.0	453241	5434965	335	-46	108.1	110.4	2.3	52.8	
		<i>including</i>						108.6	109.4	0.8	96.2	
OSK-W-17-879	3400	Lynx 2	369.0	453241	5434965	335	-46	115.8	117.8	2.0	14.5	
		<i>including</i>						115.8	116.8	1.0	28.3	
OSK-W-17-880	2500	Caribou HW	813.0	452425	5434565	327	-50	146.2	149.4	3.2	3.32	
OSK-W-17-880	2500	Z27 HW	813.0	452425	5434565	327	-50	415.5	418.0	2.5	7.92	
		<i>including</i>						415.5	417.0	1.5	13.2	
OSK-W-17-880	2500	Z27	813.0	452425	5434565	327	-50	461.4	463.9	2.5	5.38	
OSK-W-17-880	2500	FW3U	813.0	452425	5434565	327	-50	713.0	719.0	6.0	0.45	
OSK-W-17-880-W1	2500	Z27 HW	801.0	452425	5434565	327	-50	373.0	376.0	3.0	16.5	
		<i>including</i>						373.0	374.5	1.5	33.0	
OSK-W-17-880-W1	2500	Z27	801.0	452425	5434565	327	-50	464.0	466.5	2.5	4.57	
		<i>including</i>						466.0	466.5	0.5	12.1	
OSK-W-17-880-W2	2500	Z27	846.0	452425	5434565	327	-50	475.6	478.0	2.4	2.32	
OSK-W-17-880-W2	2500	FW3U HW	846.0	452425	5434565	327	-50	699.8	706.7	6.9	0.19	
OSK-W-17-880-W2	2500	FW3U	846.0	452425	5434565	327	-50	776.8	779.5	2.7	8.41	
		<i>including</i>						777.5	778.0	0.5	29.1	
OSK-W-17-881	3575	Lynx 2 FW	867.0	453217	5435342	136	-48	360.5	364.7	4.2	6.54	
		<i>including</i>						362.0	363.4	1.4	15.0	
OSK-W-17-881	3575	Lynx 2 FW	867.0	453217	5435342	136	-48	384.0	386.0	2.0	29.8	
		<i>including</i>						385.0	386.0	1.0	59.4	
OSK-W-17-881	3575	Lynx 2	867.0	453217	5435342	136	-48	412.0	414.0	2.0	37.9	30.7
		<i>including</i>						412.7	413.3	0.6	1260	100
OSK-W-17-881	3575	Lynx 1	867.0	453217	5435342	136	-48	445.8	448.2	2.4	2.97	
OSK-W-17-881	3575	Crustiform vein	867.0	453217	5435342	136	-48	732.7	734.8	2.1	4.70	
		<i>including</i>						733.3	733.9	0.6	14.2	
OSK-W-17-882	3450	Lynx HW	471.0	453369	5434846	331	-53	240.2	244.0	3.8	1.62	
OSK-W-17-882	3450	VNCR	471.0	453369	5434846	331	-53	417.0	420.0	3.0	3.39	
		<i>including</i>						418.0	418.5	0.5	18.8	
OSK-W-17-882	3450	VNCR	471.0	453369	5434846	331	-53	426.0	428.0	2.0	2.62	
OSK-W-17-882	3450	VNCR	471.0	453369	5434846	331	-53	426.6	427.1	0.5	9.82	
OSK-W-17-883	3600	Lynx 1 + Lynx 2	396.0	453455	5434983	326	-60	254.0	256.0	2.0	12.4	
		<i>including</i>						254.9	255.4	0.5	36.8	
OSK-W-17-883	3600	Lynx 1 + Lynx 2	396.0	453455	5434983	326	-60	259.0	261.0	2.0	7.52	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					259.7	260.0	0.3	44.4	
OSK-W-17-883	3600	Lynx 2	396.0	453455	5434983	326	-60	274.5	276.5	2.0	18.6	
			<i>including</i>					275.5	276.5	1.0	32.5	
OSK-W-17-883	3600	Lynx 2	396.0	453455	5434983	326	-60	288.5	290.5	2.0	3.89	
OSK-W-17-883	3600	VNCR	396.0	453455	5434983	326	-60	353.0	355.2	2.2	3.07	
OSK-W-17-884	3400	Lynx 1	371.0	453213	5434983	333	-53	49.5	53.0	3.5	1.14	
OSK-W-17-884	3400	Lynx 2	371.0	453213	5434983	333	-53	77.0	80.0	3.0	6.88	
			<i>including</i>					77.0	77.5	0.5	26.0	
OSK-W-17-884	3400	Lynx 3	371.0	453213	5434983	333	-53	120.0	126.1	6.1	0.10	
OSK-W-17-885	2850	Vein	1458.0	452861	5434494	335	-67	472.0	474.0	2.0	21.4	19.8
			<i>including</i>					472.9	473.2	0.3	111	100
OSK-W-17-885	2850	CS3	1458.0	452861	5434494	335	-67	812.3	817.4	5.1	4.75	
			<i>including</i>					812.3	813.0	0.7	11.1	
OSK-W-17-885	2850	FW0 HW	1458.0	452861	5434494	335	-67	1018.0	1020.0	2.0	6.44	
OSK-W-17-885	2850	FW0	1458.0	452861	5434494	335	-67	1051.0	1053.0	2.0	7.81	
			<i>including</i>					1051.0	1052.0	1.0	15.5	
OSK-W-17-885	2850	FW0 FW	1458.0	452861	5434494	335	-67	1092.0	1100.0	8.0	6.69	
			<i>including</i>					1092.0	1093.0	1.0	22.3	
OSK-W-17-885	2850	FW0	1458.0	452861	5434494	335	-67	1119.0	1121.0	2.0	3.37	
OSK-W-17-885	2850	FW3	1458.0	452861	5434494	335	-67	1366.0	1368.6	2.6	6.55	
			<i>including</i>					1367.0	1367.8	0.8	18.2	
OSK-W-17-885-W1	2850	FW0 HW	1383.0	452861	5434494	335	-67	1056.4	1061.0	4.6	5.24	
			<i>including</i>					1060.0	1061.0	1.0	14.3	
OSK-W-17-885-W1	2850	FW0	1383.0	452861	5434494	335	-67	1065.0	1070.0	5.0	3.18	
OSK-W-17-885-W1	2850	FW1 HW	1383.0	452861	5434494	335	-67	1188.0	1190.0	2.0	8.12	
			<i>including</i>					1188.3	1189.3	1.0	15.3	
OSK-W-17-885-W1	2850	FW1 HW	1383.0	452861	5434494	335	-67	1237.0	1239.0	2.0	5.95	
			<i>including</i>					1237.7	1238.5	0.8	11.2	
OSK-W-17-885-W1	2850	FW1	1383.0	452861	5434494	335	-67	1340.0	1345.8	5.8	5.19	
			<i>including</i>					1340.0	1341.0	1.0	15.6	
			<i>including</i>					1345.4	1345.8	0.4	17.8	
OSK-W-17-885-W2	2850	FW0	1245.5	452861	5434494	334	-69	1102.0	1108.0	6.0	0.16	
OSK-W-17-885-W2	2850	FW0 FW	1245.5	452861	5434494	334	-69	1199.0	1201.0	2.0	10.8	
			<i>including</i>					1199.0	1200.0	1.0	21.3	
OSK-W-17-887	3750	Lynx 2	593.5	453375	5435444	144	-54	457.6	461.6	4.0	0.35	
OSK-W-17-887	3750	Crustiform vein	593.5	453375	5435444	144	-54	492.0	494.6	2.6	24.3	
OSK-W-17-887	3750	Lynx 1	593.5	453375	5435444	144	-54	492.0	494.6	2.6	24.3	
			<i>including</i>					492.9	493.5	0.6	91.6	
			<i>including</i>					492.9	493.5	0.6	91.6	
OSK-W-17-888	3500	Lynx 2	402.0	453367	5434941	333	-52	235.2	240.0	4.8	22.6	21.8
			<i>including</i>					236.0	237.2	1.2	52.3	48.9
			<i>including</i>					236.3	236.8	0.5	109	100
OSK-W-17-888	3500	Lynx 2	402.0	453367	5434941	333	-52	238.3	240.0	1.7	23.7	
			<i>including</i>					238.3	238.8	0.5	65.3	
OSK-W-17-888	3500	Lynx 2	402.0	453367	5434941	333	-52	248.0	250.0	2.0	17.8	
			<i>including</i>					248.5	249.1	0.6	58.1	
OSK-W-17-888	3500	Lynx 2	402.0	453367	5434941	333	-52	257.3	259.4	2.1	4.06	
			<i>including</i>					257.3	257.8	0.5	16.2	
OSK-W-17-889	2725	Caribou	786.0	452695	5434564	333	-57	386.5	388.5	2.0	16.2	
			<i>including</i>					388.0	388.5	0.5	58.0	
OSK-W-17-889	2725	Wolf 2	786.0	452695	5434564	333	-57	540.5	544.0	3.5	4.35	
OSK-W-17-889	2725	Wolf HW	786.0	452695	5434564	333	-57	606.0	608.5	2.5	6.79	
			<i>including</i>					606.0	607.0	1.0	15.9	
OSK-W-17-889	2725	Wolf HW	786.0	452695	5434564	333	-57	631.5	634.0	2.5	19.2	
			<i>including</i>					631.5	632.2	0.7	65.0	
OSK-W-17-889	2725	Wolf	786.0	452695	5434564	333	-57	662.0	664.0	2.0	9.68	
OSK-W-17-889	2725	Wolf	786.0	452695	5434564	333	-57	684.0	686.0	2.0	11.4	
			<i>including</i>					684.0	685.5	1.5	15.2	
OSK-W-17-889	2725	Vein	786.0	452695	5434564	333	-57	729.1	731.4	2.3	4.53	
OSK-W-17-895	3475	Lynx HW	444.0	453349	5434937	332	-50	156.0	168.6	12.6	0.17	
OSK-W-17-895	3475	Lynx 1	444.0	453349	5434937	332	-50	179.1	181.3	2.2	24.3	
			<i>including</i>					179.1	180.0	0.9	54.0	
OSK-W-17-895	3475	Lynx 2	444.0	453349	5434937	332	-50	209.0	211.0	2.0	17.5	
			<i>including</i>					209.0	210.0	1.0	34.4	
OSK-W-17-895	3475	Lynx 2	444.0	453349	5434937	332	-50	221.0	227.5	6.5	8.98	
OSK-W-17-895	3475	Lynx 2	444.0	453349	5434937	332	-50	221.0	225.0	4.0	9.81	
			<i>including</i>					221.0	222.0	1.0	34.7	
			<i>and</i>					225.0	227.5	2.5	7.65	
			<i>including</i>					227.0	227.5	0.5	37.4	
OSK-W-17-898	3675	Lynx 2	555.0	453330	5435403	148	-51	411.0	413.5	2.5	12.2	
OSK-W-17-898	3675	Lynx 2	555.0	453330	5435403	148	-51	429.9	432.9	3.0	23.5	
			<i>including</i>					431.2	432.0	0.8	85.2	
OSK-W-17-898	3675	Lynx 1	555.0	453330	5435403	148	-51	449.7	452.0	2.3	17.3	
OSK-W-17-899	3350	Lynx 1	303.0	453219	5434913	334	-57	142.9	145.3	2.4	1.12	
OSK-W-17-899	3350	Lynx 2	303.0	453219	5434913	334	-57	243.0	245.0	2.0	4.46	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-901	2500	Caribou	810.0	452391	5434638	328	-55	122.5	124.6	2.1	16.2	
		<i>including</i>						123.1	123.9	0.8	34.7	
OSK-W-17-901	2500	Caribou corridor	810.0	452391	5434638	328	-55	137.0	139.0	2.0	13.8	
OSK-W-17-901	2500	Caribou corridor	810.0	452391	5434638	328	-55	209.0	211.0	2.0	7.12	
		<i>including</i>						210.0	211.0	1.0	13.3	
OSK-W-17-901	2500	Z27	810.0	452391	5434638	328	-55	403.0	409.0	6.0	0.77	
OSK-W-17-902	3475	Lynx HW	468.0	453390	5434852	331	-50	233.5	236.0	2.5	3.95	
OSK-W-17-902	3475	Lynx 1	468.0	453390	5434852	331	-50	281.1	283.1	2.0	4.56	
		<i>including</i>						281.1	282.1	1.0	9.07	
OSK-W-17-902	3475	QTV	468.0	453390	5434852	331	-50	398.0	400.0	2.0	3.67	
		<i>including</i>						398.8	399.2	0.4	16.8	
OSK-W-17-902	3475	VNCR	468.0	453390	5434852	331	-50	431.0	433.1	2.1	11.7	
		<i>including</i>						431.0	432.1	1.1	22.0	
OSK-W-17-903	2650	Caribou	801.0	452539	5434692	329	-56	228.0	230.5	2.5	5.35	
		<i>including</i>						229.2	229.6	0.4	31.3	
OSK-W-17-903	2650	CN2 FW	801.0	452539	5434692	329	-56	412.5	420.0	7.5	4.97	
		<i>including</i>						412.5	414.0	1.5	19.4	
OSK-W-17-903	2650	Z27	801.0	452539	5434692	329	-56	539.0	543.0	4.0	36.1	34.2
		<i>including</i>						539.0	540.0	1.0	108	100
OSK-W-17-903	2650	Z27	801.0	452539	5434692	329	-56	559.0	561.0	2.0	10.7	
		<i>including</i>						559.8	560.3	0.5	37.7	
OSK-W-17-903	2650	Vein	801.0	452539	5434692	329	-56	668.5	670.5	2.0	251	50.1
		<i>including</i>						668.5	669.5	1.0	501	
OSK-W-17-903	2650	FW3U	801.0	452539	5434692	329	-56	778.0	780.0	2.0	73.6	40.2
		<i>including</i>						779.2	780.0	0.8	184	100
OSK-W-17-903-W1	2650	CN2 FW	657.0	452539	5434692	329	-56	408.9	410.9	2.0	9.30	
		<i>including</i>						408.9	410.0	1.1	16.7	
OSK-W-17-903-W1	2650	Z27 FW	657.0	452539	5434692	329	-56	577.6	580.2	2.6	25.7	
		<i>including</i>						577.6	578.5	0.9	73.7	
OSK-W-17-903-W2	2650	FW3U	795.0	452539	5434692	329	-56	688.4	690.9	2.5	3.22	
		<i>including</i>						689.8	690.4	0.6	9.47	
OSK-W-17-906	3475	Lynx HW	442.0	453349	5434937	331	-56	169.3	172.0	2.7	27.0	
		<i>including</i>						169.3	170.2	0.9	76.9	
OSK-W-17-906	3475	Lynx HW	442.0	453349	5434937	331	-56	174.0	176.5	2.5	4.25	
		<i>including</i>						174.6	175.0	0.4	21.9	
OSK-W-17-906	3475	Lynx 1	442.0	453349	5434937	331	-56	182.0	184.0	2.0	23.9	
		<i>including</i>						182.4	183.0	0.6	79.6	
OSK-W-17-906	3475	Lynx 1 + Lynx 2	442.0	453349	5434937	331	-56	213.0	215.0	2.0	4.45	
		<i>including</i>						213.0	214.0	1.0	8.55	
OSK-W-17-906	3475	Lynx 2 FW	442.0	453349	5434937	331	-56	276.0	280.0	4.0	5.05	
		<i>including</i>						279.0	280.0	1.0	8.37	
OSK-W-17-907	3575	Lynx 3	1317.0	453219	5435340	134	-51	324.0	333.4	9.4	0.39	
OSK-W-17-907	3575	Lynx 4	1317.0	453219	5435340	134	-51	853.3	855.7	2.4	35.6	
		<i>including</i>						853.7	854.7	1.0	83.1	
OSK-W-17-907	3575	Lynx 4	1317.0	453219	5435340	134	-51	861.0	863.0	2.0	6.19	
		<i>including</i>						861.0	862.1	1.1	10.3	
OSK-W-17-907	3575	TBD	1317.0	453219	5435340	134	-51	952.0	954.0	2.0	30.2	
		<i>including</i>						952.4	953.1	0.7	85.2	
OSK-W-17-907	3575	Lynx TBD	1317.0	453219	5435340	134	-51	961.9	964.0	2.1	25.9	
		<i>including</i>						962.3	963.0	0.7	59.5	
OSK-W-17-908	4350	Lynx corridor extension	824.0	453871	5435782	135	-54	738.4	742.6	4.2	10.6	
		<i>including</i>						741.0	742.6	1.6	26.6	
OSK-W-17-908	4350	Lynx corridor extension	824.0	453871	5435782	135	-54	756.0	760.1	4.1	7.34	
		<i>including</i>						756.0	756.4	0.4	15.6	
		<i>including</i>						759.0	760.1	1.1	19.3	
OSK-W-17-908	4350	Lynx corridor extension	824.0	453871	5435782	135	-54	764.0	766.5	2.5	12.6	
		<i>including</i>						765.5	766.5	1.0	26.7	
OSK-W-17-909	4125	VNCR - Lynx corridor	1119.0	453683	5435677	131	-55	869.0	872.7	3.7	4.33	
		<i>including</i>						872.0	872.7	0.7	18.6	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	908.0	910.0	2.0	11.8	
		<i>including</i>						908.5	909.0	0.5	37.0	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	912.0	918.2	6.2	301	53.7
		<i>including</i>						913.0	913.6	0.6	162	100
		<i>and</i>						913.6	914.9	1.3	1230	100
		<i>and</i>						914.9	916.0	1.1	125	100
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	922.0	928.0	6.0	10.7	
		<i>including</i>						923.0	924.2	1.2	37.2	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	933.0	935.0	2.0	4.97	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	959.0	961.0	2.0	3.26	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	982.9	986.0	3.1	4.94	
OSK-W-17-909-W2	4125	Lynx 1	1071.0	453683	5435677	131	-55	795.8	797.9	2.1	19.2	
		<i>including</i>						797.4	797.9	0.5	61.6	
OSK-W-17-909-W3	4125	Lynx 1	1066.0	453683	5435677	131	-55	824.0	826.0	2.0	5.93	
		<i>including</i>						824.7	825.0	0.3	39.0	
OSK-W-17-909-W3	4125	Lynx 1	1066.0	453683	5435677	131	-55	836.2	838.3	2.1	5.86	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-909-W4	4125	Lynx 4	1134.0	453683	5435677	131	-55	950.0	952.5	2.5	8.96	
		<i>including</i>						950.5	951.0	0.5	37.2	
OSK-W-17-909-W4	4125	Lynx 4	1134.0	453683	5435677	131	-55	1049.6	1052.0	2.4	46.3	
OSK-W-17-911	3325	Lynx 2	255.0	453177	5434908	331	-54	210.8	213.0	2.2	11.1	
		<i>including</i>						210.8	211.1	0.3	65.6	
OSK-W-17-912	3675	Lynx 3	569.8	453330	5435402	147	-48	295.7	300.4	4.7	0.03	
OSK-W-17-912	3675	Lynx 2	569.8	453330	5435402	147	-48	373.1	375.3	2.2	14.6	
OSK-W-17-912	3675	Lynx 1	569.8	453330	5435402	147	-48	408.0	410.0	2.0	19.8	
		<i>including</i>						408.4	409.1	0.7	55.2	
OSK-W-17-912	3675	Lynx 1	569.8	453330	5435402	147	-48	415.0	417.8	2.8	6.65	
		<i>including</i>						416.5	416.8	0.3	59.2	
OSK-W-17-913	2825	Caribou corridor	954.0	452878	5434419	334	-52	533.8	536.5	2.7	5.09	
		<i>including</i>						533.8	535.0	1.2	11.1	
OSK-W-17-913	2825	Caribou corridor	954.0	452878	5434419	334	-52	554.0	556.3	2.3	3.45	
OSK-W-17-913	2825	CS1	954.0	452878	5434419	334	-52	631.8	634.0	2.2	1.92	
OSK-W-17-913	2825	Vein	954.0	452878	5434419	334	-52	642.0	644.0	2.0	5.86	
		<i>including</i>						642.0	643.0	1.0	11.7	
OSK-W-17-913	2825	CS3	954.0	452878	5434419	334	-52	699.1	702.9	3.8	2.06	
OSK-W-17-913	2825	Wolf 2	954.0	452878	5434419	334	-52	719.0	721.0	2.0	611	15.4
		<i>including</i>						719.8	720.1	0.3	4070	100
OSK-W-17-913	2825	Wolf HW	954.0	452878	5434419	334	-52	783.0	785.0	2.0	3.37	
OSK-W-17-913	2825	Wolf HW	954.0	452878	5434419	334	-52	791.0	793.0	2.0	13.5	
		<i>including</i>						791.0	792.0	1.0	26.2	
OSK-W-17-913	2825	Wolf FW	954.0	452878	5434419	334	-52	857.0	859.0	2.0	13.6	
		<i>including</i>						857.0	858.0	1.0	26.5	
OSK-W-17-914	3475	Lynx HW	447.0	453390	5434852	332	-53	239.3	241.6	2.3	27.2	26.6
		<i>including</i>						240.7	241.0	0.3	105	100
OSK-W-17-916	3325	Lynx HW	336.0	453172	5434924	331	-54	108.0	111.5	3.5	14.3	
		<i>including</i>						108.0	108.5	0.5	75.1	
OSK-W-17-918	3525	Lynx HW	372.0	453387	5434953	335	-57	179.0	180.0	1.0	0.40	
OSK-W-17-918	3525	Lynx 1	372.0	453387	5434953	335	-57	185.5	187.9	2.4	13.3	13.3
OSK-W-17-918	3525	Lynx 1	372.0	453387	5434953	335	-57	185.5	187.9	2.4	41.4	13.3
		<i>including</i>						186.4	186.7	0.3	100.0	100
		<i>including</i>						186.4	186.7	0.3	325	100
OSK-W-17-918	3525	Lynx 1	372.0	453387	5434953	335	-57	225.0	232.0	7.0	6.84	
		<i>including</i>						229.0	230.0	1.0	31.1	
OSK-W-17-918	3525	Lynx 2	372.0	453387	5434953	335	-57	238.0	240.0	2.0	23.4	
		<i>including</i>						238.7	239.3	0.6	61.3	
OSK-W-17-918	3525	Lynx 2	372.0	453387	5434953	335	-57	258.0	261.0	3.0	12.4	
		<i>including</i>						258.0	259.5	1.5	24.1	
OSK-W-17-919	2200	Mallard	495.0	451943	5434836	329	-54	91.5	94.4	2.9	4.32	
		<i>including</i>						91.5	92.3	0.8	11.0	
OSK-W-17-921	3525	Lynx HW	447.0	453428	5434865	331	-57	328.6	330.6	2.0	3.05	
OSK-W-17-921	3525	Lynx 1	447.0	453428	5434865	331	-57	328.6	330.6	2.0	20.6	
		<i>including</i>						329.3	329.7	0.4	10.00	
		<i>including</i>						329.3	329.7	0.4	97.8	
OSK-W-17-921	3525	Lynx 1	447.0	453428	5434865	331	-57	336.0	343.9	7.9	0.59	
OSK-W-17-921	3525	Lynx 2	447.0	453428	5434865	331	-57	360.0	362.4	2.4	0.78	
OSK-W-17-922	3725	New - Lynx corridor	591.0	453360	5435437	144	-52	364.0	366.2	2.2	3.89	
OSK-W-17-922	3725	Lynx 2	591.0	453360	5435437	144	-52	456.1	459.6	3.5	27.1	20.6
		<i>including</i>						457.5	457.8	0.3	176	100
OSK-W-17-922	3725	Lynx 1	591.0	453360	5435437	144	-52	492.4	495.0	2.6	1.46	
OSK-W-17-923	4025	Caribou	1062.0	453607	5435603	137	-56	309.0	311.0	2.0	6.23	
OSK-W-17-923	4025	Lynx 4	1062.0	453607	5435603	137	-56	890.1	892.5	2.4	210	44.3
		<i>including</i>						890.8	891.8	1.0	498	100
		<i>including</i>						890.8	891.3	0.5	838	100
OSK-W-17-923	4025	Lynx 4 corridor	1062.0	453607	5435603	137	-56	928.2	931.2	3.0	4.33	
OSK-W-17-924	3550	Lynx HW	375.0	453414	5434927	334	-54	220.9	227.0	6.1	9.18	
		<i>including</i>						220.9	222.0	1.1	29.5	
OSK-W-17-924	3550	Lynx 1	375.0	453414	5434927	334	-54	233.0	235.0	2.0	9.12	
		<i>including</i>						233.0	234.0	1.0	15.4	
OSK-W-17-924	3550	Lynx 2	375.0	453414	5434927	334	-54	278.4	280.7	2.3	12.5	
		<i>including</i>						280.0	280.7	0.7	35.0	
OSK-W-17-924	3550	Lynx 2 FW	375.0	453414	5434927	334	-54	308.0	312.0	4.0	25.5	
OSK-W-17-926	2225	Mallard	215.6	451981	5434828	329	-54	123.8	126.3	2.5	5.18	
OSK-W-17-928	3550	Lynx 1	464.6	453433	5434905	333	-64	341.7	344.3	2.6	79.4	14.2
		<i>including</i>						341.7	342.0	0.3	665	100
OSK-W-17-928	3550	Lynx 2	464.6	453433	5434905	333	-64	376.2	378.3	2.1	9.10	
		<i>including</i>						376.7	377.6	0.9	20.0	
OSK-W-17-929	4350	Lynx 1	1218.0	453871	5435782	130	-58	901.5	903.7	2.2	6.58	
		<i>including</i>						902.1	903.0	0.9	14.7	
OSK-W-17-929	4350	Lynx 1	1218.0	453871	5435782	130	-58	936.5	938.5	2.0	18.9	
		<i>including</i>						937.2	937.6	0.4	62.6	
OSK-W-17-930	3500	Lynx HW	372.0	453404	5434873	334	-51	257.0	259.1	2.1	12.7	
		<i>including</i>						257.0	257.9	0.9	27.0	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-930	3500	Lynx 2	372.0	453404	5434873	334	-51	324.0	326.4	2.4	18.0	
OSK-W-17-931	3725	Lynx 4	936.0	453360	5435437	134	-50	683.0	685.0	2.0	42.1	22.4
OSK-W-17-934	3800	Lynx 1	585.0	453406	5435465	144	-55	476.2	479.0	2.8	20.8	
								476.2	477.2	1.0	57.0	
OSK-W-17-935	2275	Mallard HW	474.0	452025	5434827	327	-51	80.0	82.8	2.8	3.34	
OSK-W-17-935	2275	Mallard	474.0	452025	5434827	327	-51	151.0	153.0	2.0	2.74	
OSK-W-17-936	2775	CS3	822.0	452773	5434547	332	-56	518.0	523.5	5.5	3.43	
								523.0	523.5	0.5	19.6	
OSK-W-17-936	2775	Caribou corridor	822.0	452773	5434547	332	-56	616.6	619.6	3.0	16.6	
								616.6	617.6	1.0	38.3	
OSK-W-17-936	2775	Wolf	822.0	452773	5434547	332	-56	666.0	668.0	2.0	6.17	
OSK-W-17-936	2775	Wolf HW	822.0	452773	5434547	332	-56	729.0	732.0	3.0	3.79	
OSK-W-17-936-W1	2775	Wolf HW	808.0	452773	5434547	332	-56	617.3	619.3	2.0	12.6	
								617.3	618.3	1.0	21.3	
OSK-W-17-936-W1	2775	Wolf	808.0	452773	5434547	332	-56	640.8	643.0	2.2	14.2	
								642.4	643.0	0.6	49.2	
OSK-W-17-936-W1	2775	Wolf	808.0	452773	5434547	332	-56	668.5	670.6	2.1	3.55	
								668.9	669.3	0.4	16.9	
OSK-W-17-936-W1	2775	Wolf FW	808.0	452773	5434547	332	-56	697.0	699.0	2.0	204	50.5
								697.0	698.0	1.0	407	100
OSK-W-17-936-W1	2775	Wolf FW	808.0	452773	5434547	332	-56	704.0	706.0	2.0	14.8	
								705.0	706.0	1.0	29.0	
OSK-W-17-936-W1	2775	Z27	808.0	452773	5434547	332	-56	776.0	778.0	2.0	3.65	
								777.2	778.0	0.8	8.07	
OSK-W-17-936-W1	2775	Z27	808.0	452773	5434547	332	-56	785.0	787.7	2.7	4.03	
								787.0	787.7	0.7	7.71	
OSK-W-17-936-W2	2775	Wolf 2	819.0	452773	5434547	332	-56	574.5	577.9	3.4	3.36	
OSK-W-17-936-W2	2775	Wolf HW	819.0	452773	5434547	332	-56	671.1	673.3	2.2	11.1	
OSK-W-17-936-W2	2775	VNCR	819.0	452773	5434547	332	-56	693.9	695.9	2.0	27.7	
								694.9	695.9	1.0	55.4	
OSK-W-17-936-W2	2775	Wolf	819.0	452773	5434547	332	-56	701.6	703.6	2.0	5.80	
OSK-W-17-936-W2	2775	Wolf FW	819.0	452773	5434547	332	-56	735.0	738.3	3.3	6.41	
								735.0	735.9	0.9	14.6	
								738.0	738.3	0.3	16.3	
OSK-W-17-937	2850	Vein	935.2	452897	5434430	333	-57	445.0	448.0	3.0	5.58	
								447.0	448.0	1.0	11.8	
OSK-W-17-937	2850	CS1	935.2	452897	5434430	333	-57	638.0	648.0	10.0	0.66	
OSK-W-17-937	2850	CS3	935.2	452897	5434430	333	-57	757.8	759.8	2.0	11.9	
OSK-W-17-937	2850	Wolf 2	935.2	452897	5434430	333	-57	782.0	784.4	2.4	8.09	
								783.0	783.8	0.8	22.4	
OSK-W-17-937	2850	Wolf HW	935.2	452897	5434430	333	-57	811.0	813.0	2.0	3.94	
OSK-W-17-937-W1	2850	CS1 HW	945.0	452897	5434430	333	-57	583.0	585.6	2.6	14.6	
								583.8	584.9	1.1	34.1	
OSK-W-17-937-W1	2850	CS1	945.0	452897	5434430	333	-57	647.2	650.0	2.8	2.75	
OSK-W-17-937-W1	2850	Wolf HW	945.0	452897	5434430	333	-57	786.4	788.6	2.2	3.21	
OSK-W-17-937-W2	2850	Wolf 2	933.0	452897	5434430	333	-57	749.0	751.5	2.5	16.8	
OSK-W-17-937-W2	2850	Wolf HW	933.0	452897	5434430	333	-57	811.0	813.0	2.0	9.01	
								811.3	811.8	0.5	25.2	
OSK-W-17-937-W2	2850	Wolf HW	933.0	452897	5434430	333	-57	831.4	833.4	2.0	3.16	
OSK-W-17-939	3475	Lynx HW	414.0	453376	5434898	327	-51	193.7	196.1	2.4	0.90	
OSK-W-17-939	3475	Lynx 1	414.0	453376	5434898	327	-51	246.0	248.0	2.0	12.1	
								246.0	247.0	1.0	20.6	
OSK-W-17-939	3475	Lynx 2	414.0	453376	5434898	327	-51	296.0	298.0	2.0	4.71	
								296.7	298.0	1.3	6.96	
OSK-W-17-939	3475	VNCR	414.0	453376	5434898	327	-51	347.0	349.0	2.0	3.25	
OSK-W-17-941	3575	Lynx HW	444.0	453434	5434969	330	-49	188.3	190.5	2.2	13.4	
								189.3	189.6	0.3	85.1	
OSK-W-17-941	3575	Lynx 1	444.0	453434	5434969	330	-49	197.7	200.0	2.3	5.77	
								198.7	199.0	0.3	39.1	
OSK-W-17-945	3750	Lynx 1	556.5	453374	5435444	149	-50	466.6	468.8	2.2	20.6	
OSK-W-17-945	3750	Lynx 1	556.5	453374	5435444	149	-50	466.6	468.8	2.2	20.6	
								466.6	467.6	1.0	44.5	
								466.6	467.6	1.0	44.5	
OSK-W-17-945	3750	Lynx 1	556.5	453374	5435444	149	-50	481.0	483.0	2.0	5.38	
OSK-W-17-947	3475	Lynx HW	444.0	453376	5434896	330	-58	208.0	210.2	2.2	3.62	
OSK-W-17-947	3475	VNCR	444.0	453376	5434896	330	-58	239.8	242.1	2.3	5.45	
								241.2	242.1	0.9	8.87	
OSK-W-17-947	3475	Lynx 1	444.0	453376	5434896	330	-58	299.0	304.0	5.0	4.35	
								302.6	304.0	1.4	8.73	
OSK-W-17-948	3800	Lynx 3	632.5	453406	5435465	144	-52	363.4	366.6	3.2	0.18	
OSK-W-17-948	3800	Lynx 2	632.5	453406	5435465	144	-52	426.8	429.3	2.5	0.03	
OSK-W-17-948	3800	Lynx 1	632.5	453406	5435465	144	-52	475.0	477.0	2.0	4.39	
								475.0	475.5	0.5	17.3	
OSK-W-17-948	3800	Lynx HW	632.5	453406	5435465	144	-52	593.6	596.0	2.4	4.62	
OSK-W-17-949	3575	Lynx HW	423.0	453434	5434969	333	-55	196.0	200.0	4.0	5.18	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					196.5	196.9	0.4	28.3	
OSK-W-17-949	3575	Lynx 1	423.0	453434	5434969	333	-55	214.1	216.1	2.0	4.50	
OSK-W-17-949	3575	Lynx 2	423.0	453434	5434969	333	-55	236.3	238.3	2.0	10.4	
			<i>including</i>					236.9	237.3	0.4	49.1	
OSK-W-17-949	3575	Vein	423.0	453434	5434969	333	-55	403.5	406.5	3.0	3.97	
OSK-W-17-950	4125	Lynx 2	1269.0	453676	5435684	131	-59	689.0	691.6	2.6	1.14	
OSK-W-17-950	4125	Lynx 1	1269.0	453676	5435684	131	-59	888.1	891.0	2.9	1.18	
OSK-W-17-950	4125	VNCR	1269.0	453676	5435684	131	-59	1131.0	1133.0	2.0	4.49	
			<i>including</i>					1132.0	1132.4	0.4	21.7	
OSK-W-17-950	4125	Lynx 4	1269.0	453676	5435684	131	-59	1211.3	1215.5	4.2	6.52	
OSK-W-17-953	3575	Lynx 3	762.0	453218	5435353	131	-48	326.6	329.0	2.4	1.55	
OSK-W-17-953	3575	Lynx 1	762.0	453218	5435353	131	-48	370.0	372.0	2.0	6.02	
			<i>including</i>					370.8	371.1	0.3	38.1	
OSK-W-17-953	3575	Lynx 2	762.0	453218	5435353	131	-48	433.0	435.5	2.5	61.8	33.3
			<i>including</i>					433.7	434.5	0.8	189	100
OSK-W-17-953	3575	Lynx 1	762.0	453218	5435353	131	-48	456.6	458.0	1.4	0.54	
OSK-W-17-957	3475	Lynx 1	228.1	453329	5434973	327	-56	125.3	127.8	2.5	0.42	
OSK-W-17-957	3475	Lynx 1 + Lynx 2	228.1	453329	5434973	327	-56	169.0	171.0	2.0	3.99	
OSK-W-17-957	3475	Lynx 2	228.1	453329	5434973	327	-56	193.7	197.9	4.2	6.02	
			<i>including</i>					197.6	197.9	0.3	64.1	
OSK-W-17-957	3475	Lynx 2	228.1	453329	5434973	327	-56	205.0	207.0	2.0	8.73	
			<i>including</i>					205.0	206.0	1.0	17.1	
OSK-W-17-957	3475	Lynx 2	228.1	453329	5434973	327	-56	212.0	214.0	2.0	21.5	
			<i>including</i>					212.6	213.2	0.6	70.6	
OSK-W-17-958	3725	Lynx 2	1212.0	453359	5435439	143	-55	441.8	444.0	2.2	9.18	
OSK-W-17-958	3725	Lynx 1	1212.0	453359	5435439	143	-55	500.0	502.0	2.0	22.0	
			<i>including</i>					500.0	500.5	0.5	87.0	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435439	143	-55	712.0	717.0	5.0	5.74	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435439	143	-55	828.0	831.0	3.0	3.14	
			<i>including</i>					829.5	831.0	1.5	6.15	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435439	143	-55	996.0	998.0	2.0	4.55	
			<i>including</i>					997.5	998.0	0.5	17.8	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435439	143	-55	1053.0	1058.5	5.5	11.8	
			<i>including</i>					1054.0	1054.3	0.3	68.7	
			<i>including</i>					1057.9	1058.5	0.6	53.5	
OSK-W-17-958	3725	TBD - Lynx corridor	1212.0	453359	5435439	143	-55	1070.0	1072.0	2.0	5.36	
OSK-W-17-958	3725	Lynx 4	1212.0	453359	5435439	143	-55	1076.0	1078.0	2.0	9.51	
			<i>including</i>					1077.0	1078.0	1.0	18.9	
OSK-W-17-958	3725	Lynx 5	1212.0	453359	5435439	143	-55	1116.5	1119.0	2.5	0.29	
OSK-W-17-959	3550	Lynx 1	393.0	453404	5434971	334	-46	178.1	180.2	2.1	3.73	
			<i>including</i>					179.1	179.4	0.3	23.0	
OSK-W-17-960	3625	Lynx 4	960.0	453283	5435344	138	-54	655.9	658.0	2.1	8.63	
			<i>including</i>					656.6	657.0	0.4	43.6	
OSK-W-17-967	3300	Lynx 1	333.0	453176	5434908	337	-62	149.0	151.0	2.0	0.82	
OSK-W-17-967	3300	Lynx 2	333.0	453176	5434908	337	-62	202.2	206.3	4.1	0.81	
OSK-W-17-967	3300	VNCR	333.0	453176	5434908	337	-62	259.0	261.0	2.0	10.9	
			<i>including</i>					259.0	260.0	1.0	21.4	
OSK-W-17-968	2175	Z27	201.0	451948	5434759	152	-51	102.0	109.4	7.4	4.02	
			<i>including</i>					107.4	109.4	2.0	7.77	
OSK-W-17-968	2175	QTV	201.0	451948	5434759	152	-51	118.0	122.3	4.3	11.2	10.5
			<i>including</i>					122.0	122.3	0.3	109	100
OSK-W-17-968	2175	Z27	201.0	451948	5434759	152	-51	160.0	162.4	2.4	5.77	
OSK-W-17-969	2425	Drake	324.0	452200	5434867	328	-48	58.2	61.5	3.3	7.39	
			<i>including</i>					58.2	58.6	0.4	28.4	
OSK-W-17-969	2425	Drake 2	324.0	452200	5434867	328	-48	71.2	74.0	2.8	4.83	
			<i>including</i>					71.6	72.2	0.6	15.0	
OSK-W-17-969	2425	Mallard	324.0	452200	5434867	328	-48	210.6	213.0	2.4	10.1	
			<i>including</i>					210.6	211.0	0.4	53.0	
OSK-W-17-970	3800	Lynx HW	714.0	453406	5435465	143	-51	524.0	526.0	2.0	7.51	
			<i>including</i>					524.9	525.5	0.6	15.0	
OSK-W-17-972	3325	Lynx 1	291.0	453176	5434910	333	-60	144.0	146.0	2.0	0.29	
OSK-W-17-972	3325	QTV	291.0	453176	5434910	333	-60	224.5	226.5	2.0	5.23	
			<i>including</i>					224.5	225.0	0.5	20.5	
OSK-W-17-973	2175	Z27	96.0	451969	5434707	150	-46	57.4	59.8	2.4	60.5	51.6
			<i>including</i>					57.9	58.9	1.0	122	100
OSK-W-17-973	2175	Z27	96.0	451969	5434707	150	-46	64.0	66.1	2.1	5.12	
			<i>including</i>					65.7	66.1	0.4	25.2	
OSK-W-17-974	3450	Lynx 2	357.0	453302	5434978	330	-59	172.0	174.0	2.0	24.2	
			<i>including</i>					172.8	173.3	0.5	94.2	
OSK-W-17-975	3000	Caribou extension	804.0	452862	5434814	334	-64	424.0	426.5	2.5	4.05	
			<i>including</i>					424.6	425.0	0.4	23.2	
OSK-W-17-975	3000	Caribou	804.0	452862	5434814	334	-64	465.0	472.8	7.8	4.31	
			<i>including</i>					465.0	467.0	2.0	8.29	
			<i>including</i>					472.0	472.8	0.8	13.9	
OSK-W-17-975	3000	Z27	804.0	452862	5434814	334	-64	675.0	677.2	2.2	7.09	



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2018**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								675.7	676.5	0.8	15.7	
OSK-W-17-976	2300	Z27	306.0	452038	5434840	140	-49	273.0	275.0	2.0	3.89	
OSK-W-17-977	2425	Z27	540.0	452207	5434816	331	-51	14.3	14.7	0.4	0.43	
OSK-W-17-977	2425	Mallard	540.0	452207	5434816	331	-51	269.5	271.7	2.2	12.0	
<i>including</i>								270.8	271.7	0.9	25.4	
OSK-W-17-977	2425	Underdog	540.0	452207	5434816	331	-51	386.2	389.0	2.8	3.39	
<i>including</i>								386.2	387.0	0.8	9.92	
OSK-W-17-978	2975	VNCR	804.0	452851	5434803	335	-67	98.0	100.0	2.0	65.5	20.1
<i>including</i>								99.6	100.0	0.4	327	100
OSK-W-17-978	2975	New zone	804.0	452851	5434803	335	-67	108.0	110.0	2.0	14.0	
<i>including</i>								109.1	109.4	0.3	92.2	
OSK-W-17-978	2975	Caribou extension	804.0	452851	5434803	335	-67	492.2	495.0	2.8	3.04	
OSK-W-17-978	2975	SHR VN	804.0	452851	5434803	335	-67	677.0	679.3	2.3	3.00	
<i>including</i>								677.5	677.8	0.3	21.5	
OSK-W-17-981	4025	Lynx 1	1110.0	453606	5435603	133	-62	697.7	704.1	6.4	0.58	
OSK-W-17-981	4025	Lynx HW	1110.0	453606	5435603	133	-62	828.9	831.0	2.1	6.21	
<i>including</i>								830.0	831.0	1.0	12.5	
OSK-W-17-981	4025	Lynx 4	1110.0	453606	5435603	133	-62	890.0	892.0	2.0	5.23	
<i>including</i>								890.5	890.9	0.4	24.5	
OSK-W-17-981	4025	TPV	1110.0	453606	5435603	133	-62	1008.0	1010.0	2.0	3.01	
OSK-W-17-984	3450	Lynx 1	366.0	453301	5434978	325	-48	103.5	107.0	3.5	12.1	
<i>including</i>								103.5	103.8	0.3	88.1	
<i>including</i>								106.0	106.5	0.5	26.8	
OSK-W-17-985	2325	Z27	225.0	452074	5434827	144	-49	145.4	150.0	4.6	9.92	
<i>including</i>								145.4	145.7	0.3	42.9	
OSK-W-17-986	3600	Lynx 1	360.0	453447	5435019	328	-66	194.0	198.2	4.2	0.22	
OSK-W-17-986	3600	Lynx 2	360.0	453447	5435019	328	-66	263.0	265.0	2.0	6.74	
<i>including</i>								263.0	264.0	1.0	13.1	
OSK-W-17-986	3600	VNCR - Lynx corridor	360.0	453447	5435019	328	-66	317.0	320.1	3.1	5.69	
<i>including</i>								317.0	318.0	1.0	15.9	
OSK-W-17-987	3350	Lynx HW	327.0	453224	5434909	339	-60	132.7	135.0	2.3	4.97	
<i>including</i>								134.0	135.0	1.0	11.4	
OSK-W-17-987	3350	Lynx 1	327.0	453224	5434909	339	-60	212.3	214.7	2.4	2.12	
OSK-W-17-987	3350	Lynx 2	327.0	453224	5434909	339	-60	224.0	227.0	3.0	0.19	
OSK-W-17-987	3350	VNCR - Lynx corridor	327.0	453224	5434909	339	-60	270.2	272.2	2.0	5.77	
<i>including</i>								270.7	271.9	1.2	9.06	
OSK-W-17-989	2675	Wolf HW	738.0	452660	5434497	335	-56	633.4	635.5	2.1	4.52	
OSK-W-17-989	2675	Wolf	738.0	452660	5434497	335	-56	668.0	670.0	2.0	4.19	
OSK-W-17-989-W1	2675	New zone	751.4	452660	5434497	336	-56	504.0	511.0	7.0	3.59	
OSK-W-17-989-W1	2675	CS1 FW	751.4	452660	5434497	336	-56	514.0	517.0	3.0	7.74	
<i>including</i>								515.0	516.0	1.0	20.5	
OSK-W-17-989-W2	2675	CS1	743.0	452660	5434497	335	-56	506.0	509.0	3.0	6.29	
<i>including</i>								506.0	507.0	1.0	16.0	
OSK-W-17-989-W2	2675	CS3	743.0	452660	5434497	335	-56	542.0	544.7	2.7	5.28	
<i>including</i>								542.0	543.0	1.0	13.0	
OSK-W-17-989-W2	2675	Wolf	743.0	452660	5434497	335	-56	664.6	667.0	2.4	4.56	
OSK-W-17-990	2350	Z27	327.0	452122	5434815	147	-49	104.8	108.1	3.3	3.25	
OSK-W-17-990	2350	Z27	327.0	452122	5434815	147	-49	186.3	189.0	2.7	26.4	15.1
<i>including</i>								187.3	187.7	0.4	176	100
OSK-W-17-991	4550	Lynx 1	1378.2	453980	5435994	128	-58	1149.0	1151.0	2.0	5.11	
OSK-W-17-993	3625	Lynx 2	483.0	453283	5435344	133	-51	394.0	398.1	4.1	10.1	
<i>including</i>								396.9	398.1	1.2	25.3	
OSK-W-17-995	3350	Lynx 1	363.0	453224	5434910	327	-62	134.6	137.3	2.7	5.84	
OSK-W-17-995	3350	VNCR	363.0	453224	5434910	327	-62	305.2	307.3	2.1	5.31	
OSK-W-17-995	3350	Lynx 3	363.0	453224	5434910	327	-62	352.9	355.0	2.1	3.75	
OSK-W-17-996	2500	Mallard	393.0	452270	5434844	328	-56	308.7	311.2	2.5	2.20	
OSK-W-17-996	2500	Mallard	393.0	452270	5434844	328	-56	308.7	311.2	2.5	2.20	
OSK-W-17-996	2500	Mallard FW	393.0	452270	5434844	328	-56	359.0	361.2	2.2	9.62	
<i>including</i>								359.7	360.4	0.7	24.1	
OSK-W-17-998	3425	Lynx 1	372.0	453313	5434909	330	-57	211.0	212.7	1.7	0.05	
OSK-W-17-998	3425	Lynx 1 + Lynx 2	372.0	453313	5434909	330	-57	261.0	263.0	2.0	15.8	
<i>including</i>								261.0	262.0	1.0	31.5	
OSK-W-17-998	3425	Lynx 2	372.0	453313	5434909	330	-57	295.0	307.7	12.7	0.53	
OSK-W-17-998	3425	VNCR	372.0	453313	5434909	330	-57	325.0	329.5	4.5	4.78	
OSK-W-17-999	3000	TBD	516.0	452861	5434813	330	-61	91.5	94.0	2.5	5.18	
<i>including</i>								91.5	93.0	1.5	8.54	
OSK-W-17-999	3000	Caribou extension	516.0	452861	5434813	330	-61	400.7	403.9	3.2	3.68	
OSK-W-17-999	3000	Caribou extension	516.0	452861	5434813	330	-61	432.9	436.4	3.5	5.79	
OSK-W-17-999	3000	Caribou extension	516.0	452861	5434813	330	-61	459.4	462.0	2.6	5.19	
<i>including</i>								460.0	461.0	1.0	10.4	
OSX-W-16-711	N/A		393.0	449352	5434556	329	-47	<i>No significant results</i>				
OSX-W-16-714	N/A		510.0	449299	5435272	330	-45	<i>No significant results</i>				
OSX-W-16-716	N/A		601.0	448895	5435348	332	-45	<i>No significant results</i>				
OSX-W-16-717	N/A	New	525.0	448758	5435642	331	-45	51.5	53.6	2.1	3.16	





Windfall Lake Gold Project  
 Quebec, Canada  
 Assay Results  
 Osisko Mining Inc. 2015-2018

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSX-W-16-717	N/A	New discovery - Fox	525.0	448758	5435642	331	-45	243.9	255.5	11.6	3.22	
OSX-W-16-719	N/A		501.0	448757	5436406	329	-46	<i>No significant results</i>				
OSX-W-16-721	N/A		485.1	448442	5436942	327	-45	<i>No significant results</i>				
OSX-W-16-723	N/A		765.0	447874	5436916	332	-44	<i>No significant results</i>				
OSX-W-16-725	N/A	Quartz-carbonate veinelets	582.0	447947	5436106	330	-50	346.7	347.7	1.0	3.07	