



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2017**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)
EAG-11-269ext	2575	FW3	997.5	452471	5434647	325	53	737.10	744.00	6.9	7.71
<i>including</i>								739.70	740.70	1.0	42.1
EAG-11-269ext	2575	FW4	997.5	452471	5434647	325	53	886.60	898.30	11.7	0.10
EAG-11-254 ext	2500	FW3	754.5	452369	5434676	323	56	684.10	690.90	6.8	24.7
<i>including</i>								686.50	688.70	2.2	59.7
EAG-13-525 ext	2700		698.6	452643	5434618	331.0	-60.2	No significant results			
OBM-15-552	2400	Caribou S1	1247.5	452390	5434440	329	60	449.00	452.00	3.0	5.70
OBM-15-552	2400	-	1247.5	452390	5434440	329	60	707.00	711.00	4.0	2.28
OBM-15-552	2400	FW1	1247.5	452390	5434440	329	60	743.00	757.00	14.0	0.43
OBM-15-552	2400	-	1247.5	452390	5434440	329	60	881.00	882.00	1.0	29.2
<i>including</i>								881.00	881.50	0.5	57.3
OBM-15-552	2400	-	1247.5	452390	5434440	329	60	901.00	901.80	0.8	15.6
OBM-15-552	2402	-	1247.5	452390	5434440	329	60	929.00	931.00	2.0	3.29
<i>including</i>								929.80	930.30	0.5	8.83
OBM-15-552	2400	FW3	1247.5	452390	5434440	329	60	937.00	942.80	5.8	1.98
<i>including</i>								937.70	938.20	0.5	17.5
OBM-15-552	2400	Footwall of FW3	1247.5	452390	5434440	329	60	951.50	951.80	0.3	11.0
OBM-15-552	2400	FW4	1247.5	452390	5434440	329	60	1163.50	1164.50	1.0	8.09
OBM-15-553	2125	-	47.7	452173	5434312	328	60	Hole abandoned			
OBM-15-554	2125	Caribou W2	1135.5	452173	5434312	330	60	335.10	339.00	3.9	0.41
OBM-15-554	2125	FW3	1135.5	452173	5434312	330	60	922.00	924.00	2.0	1.85
OBM-15-554	2125	-	1135.5	452173	5434312	330	60	1082.80	1085.00	2.2	3.10
OBM-15-554	2125	FW4	1135.5	452173	5434312	330	60	1094.00	1097.20	3.2	2.43
OBM-15-554	2125	Footwall of FW4	1135.5	452173	5434312	330	60	1102.00	1105.00	3.0	6.33
<i>including</i>								1102.00	1103.00	1.0	18.2
OBM-15-555	2400	-	285.0	452428	5434395	330	60	282.80	284.20	1.4	14.9
OBM-15-556	1850	FW1	1112.8	451900	5434190	330	60	677.00	677.30	0.3	65.4
OBM-15-556	1850	FW3	1112.8	451900	5434190	330	60	832.80	841.00	8.2	0.07
OBM-15-556	1850	FW4	1112.8	451900	5434190	330	60	1057.10	1062.10	5.0	0.41
OBM-15-557	2400	-	1282.5	452428	5434395	330	60	200.10	202.10	2.0	4.12
<i>including</i>								200.10	200.80	0.7	9.94
OBM-15-557	2400	-	1282.5	452428	5434395	330	60	350.70	351.20	0.5	9.33
OBM-15-557	2400	Caribou S1	1282.5	452428	5434395	330	60	479.50	485.30	5.8	0.75
OBM-15-557	2400	FW1	1282.5	452428	5434395	330	60	852.70	855.00	2.3	4.19
<i>including</i>								853.40	854.30	0.9	7.64
OBM-15-557	2400	-	1282.5	452428	5434395	330	60	894.50	901.30	6.8	5.27
<i>including</i>								894.50	894.80	0.3	2590
OBM-15-557	2400	FW3	1282.5	452428	5434395	330	60	971.00	981.30	10.3	3.80
<i>including</i>								975.90	980.60	4.7	7.46
<i>and</i>								975.90	976.90	1.0	23.4
OBM-15-557	2400	-	1282.5	452428	5434395	330	60	1136.70	1143.00	6.3	3.67
<i>including</i>								1136.70	1137.50	0.8	20.6
OBM-15-558	2750	-	118.5	452750	5434560	330	60	Hole abandoned			
OBM-15-559	2750	-	1321.0	452750	5434560	330	60	271.50	272.50	1.0	6.06
OBM-15-559	2750	Caribou S3 footwall	1321.0	452750	5434560	330	60	545.80	547.00	1.2	6.76
OBM-15-559	2750	Potential new lens	1321.0	452750	5434560	330	60	628.90	631.70	2.8	5.24
OBM-15-559	2750	Potential new lens	1321.0	452750	5434560	330	60	646.50	666.90	20.4	7.04
<i>including</i>								646.50	650.50	4.0	12.9
<i>and</i>								646.50	647.50	1.0	39.0
<i>and</i>								654.00	657.40	3.4	12.8
<i>and</i>								662.50	666.90	4.4	8.90
OBM-15-559	2750	Potential new lens	1321.0	452750	5434560	330	60	681.00	684.70	3.7	10.0
OBM-15-559	2750	Potential new lens	1321.0	452750	5434560	330	60	751.00	761.00	10.0	7.00
OBM-15-559	2750	-	1321.0	452750	5434560	330	60	976.10	979.00	2.9	5.74
<i>including</i>								977.30	978.00	0.7	23.0
OBM-15-560	2550	Caribou S1	1509.5	452670	5434250	333	57	701.90	708.00	6.1	11.0
<i>including</i>								702.30	703.40	1.1	45.7
<i>and</i>								705.10	707.00	2.0	8.38
OBM-15-560	2550	Vein in Red Dog	1509.5	452670	5434250	333	57	737.80	738.30	0.5	69.6
OBM-15-560	2550	FW0	1509.5	452670	5434250	333	57	957.00	959.00	2.0	12.5
<i>including</i>								958.00	959.00	1.0	18.6
OBM-15-560	2550	FW1	1509.5	452670	5434250	333	57	1123.00	1136.00	13.0	5.71
<i>including</i>								1131.50	1132.40	0.9	41.0
<i>and</i>								1132.40	1133.00	0.6	21.3
OBM-15-560	2550	Splay FW3	1509.5	452670	5434250	333	57	1196.80	1203.00	6.2	11.1
<i>including</i>								1199.40	1199.90	0.5	48.1
OBM-15-561	2300	shallow mineralization	61.0	452184	5434596	330	52	21.00	22.00	1.0	121
OBM-15-562	2400	Zone 27	126.0	452195	5434777	150	64	77.00	89.00	12.0	0.98
OBM-15-563	2375	-	232.5	452240	5434676	330	50	No significant results			
OBM-15-564	2675	Potential new lens	1528.5	452755	5434370	330	60	436.60	439.90	3.3	22.3
<i>including</i>								439.50	439.90	0.4	171
OBM-15-564	2675	Caribou S1	1528.5	452755	5434370	330	60	666.70	674.10	7.4	5.59
<i>including</i>								666.70	668.80	2.1	17.9
OBM-15-564	2675	-	1528.5	452755	5434370	330	60	865.40	867.80	2.4	8.29



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2017**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)
OBM-15-564	2675	New potential lens	1528.5	452755	5434370	330	60	947.00	954.00	7.0	7.49
		<i>including</i>						948.80	949.30	0.5	85.4
OBM-15-564	2675	FW1	1528.5	452755	5434370	330	60	1102.90	1105.00	2.1	7.19
OBM-15-564	2675	Hanging wall of FW3	1528.5	452755	5434370	330	60	1268.90	1271.00	2.1	4.09
OBM-15-564	2675	Hanging wall of FW3	1528.5	452755	5434370	330	60	1286.90	1288.90	2.0	5.10
		<i>including</i>						1286.90	1287.40	0.5	18.5
OBM-15-564	2675	FW3	1528.5	452755	5434370	330	60	1295.00	1297.10	2.1	5.32
OBM-15-565	2375	Caribou	286.5	452265	5434632	330	50	30.00	39.00	9.0	3.59
		<i>including</i>						30.50	31.00	0.5	19.3
		<i>and</i>						37.50	39.00	1.5	6.58
OBM-15-565	2375	Zone 27	286.5	452265	5434632	330	50	234.40	241.00	6.6	2.78
		<i>including</i>						234.40	237.00	2.6	4.94
		<i>and</i>						234.40	235.30	0.9	8.18
OBM-15-566	2300	Zone 27	196.5	452097	5434747	150	71	68.50	73.00	4.5	2.37
		<i>including</i>						71.10	72.10	1.0	4.94
OBM-15-567	2250	Zone 27	70.5	452071	5434692	150	62	35.80	39.00	3.2	3.45
OBM-15-568	2400	Upper Zone 27	216.0	452260	5434697	330	50	72.50	92.50	20.0	1.04
		<i>including</i>						82.50	87.00	4.5	2.34
OBM-15-568	2400	Extension Upper Zone 27	216.0	452260	5434697	330	50	98.00	101.00	3.0	4.52
OBM-15-568	2400	Zone 27	216.0	452260	5434697	330	50	179.50	182.00	2.5	1.63
OBM-16-569	2425	Zone 27	232.5	452272	5434688	331	54	79.50	99.50	20.0	0.62
OBM-16-569	2425	New splay of zone 27	232.5	452272	5434688	331	54	125.30	127.50	2.2	18.2
		<i>including</i>						126.50	127.00	0.5	56.3
OBM-16-569	2425	Zone 27	232.5	452272	5434688	331	54	218.30	220.50	2.2	10.6
		<i>including</i>						218.30	218.90	0.6	26.6
OBM-16-570	2150	Caribou W2	202.0	452122	5434403	331	50	107.00	109.60	2.6	31.1
		<i>including</i>						107.90	108.60	0.7	111
OBM-16-571	2150	-	265.0	452148	5434364	331	50	28.40	31.00	2.6	4.20
		<i>including</i>						28.40	29.20	0.8	13.6
OBM-16-571	2150	-	265.0	452148	5434364	331	50	162.00	164.00	2.0	32.3
		<i>including</i>						162.00	162.40	0.4	161
OBM-16-571	2150	Caribou	265.0	452148	5434364	331	50	165.50	172.70	7.2	1.20
		<i>including</i>						168.50	169.50	1.0	4.50
OBM-16-572	2400	Upper Zone 27	262.5	452262	5434661	331	49	101.50	103.50	2.0	97.3
		<i>including</i>						101.50	102.50	1.0	194
OBM-16-572	2400	Hanging wall Zone 27	262.5	452262	5434661	331	49	199.00	203.00	4.0	2.17
		<i>including</i>						200.00	200.60	0.6	10.3
OBM-16-572	2400	Zone 27	262.5	452262	5434661	331	49	226.00	232.00	6.0	1.81
		<i>including</i>						229.30	230.00	0.7	5.83
		<i>and</i>						231.00	232.00	1.0	3.52
OBM-16-573	2725	-	652.5	452640	5434671	332	50	107.00	109.00	2.0	3.77
OBM-16-573	2725	-	652.5	452640	5434671	332	50	302.00	304.00	2.0	5.43
		<i>including</i>						302.00	303.00	1.0	10.6
OBM-16-573	2725	-	652.5	452640	5434671	332	50	313.00	315.00	2.0	32.9
		<i>including</i>						313.50	314.60	1.1	59.7
OBM-16-573	2725	-	652.5	452640	5434671	332	50	443.40	446.10	2.7	4.86
		<i>including</i>						444.40	444.80	0.4	17.3
OBM-16-573	2725	Zone 27-3	652.5	452640	5434671	332	50	569.30	571.80	2.5	15.3
		<i>including</i>						569.30	569.80	0.5	48.8
OBM-16-574	2175	Caribou W2	229.5	452162	5434396	331	50	159.00	168.00	9.0	0.75
		<i>including</i>						165.50	165.80	0.3	4.46
OBM-16-575	2125	Caribou W2	232.5	452118	5434353	331	50	182.40	193.10	10.7	0.68
		<i>including</i>						187.00	193.10	6.1	1.06
OBM-16-576	2075	-	202.0	452068	5434363	331	50	No significant results			
OBM-16-577	2950	-	144.5	452820	5434777	330	62	129.00	133.00	4.0	4.13
		<i>including</i>						132.00	133.00	1.0	11.1
OBM-16-578	2050	Caribou W1	202.5	452040	5434348	331	50	164.00	179.50	15.5	0.39
		<i>including</i>						171.90	172.50	0.6	3.19
OBM-16-579	2300	-	250.5	452186	5434609	331	48	36.60	39.00	2.4	19.7
		<i>including</i>						36.60	37.50	0.9	51.8
OBM-16-579	2300	Zone 27	250.5	452186	5434609	331	48	196.50	199.80	3.3	1.28
OBM-16-580	2950	-	1272.5	452820	5434777	333	63	441.40	446.80	5.4	4.30
OBM-16-580	2950	Zone 27	1272.5	452820	5434777	333	63	672.40	675.80	3.4	9.49
OBM-16-580	2950	FW4	1272.5	452820	5434777	333	63	1162.20	1168.20	6.0	19.6
		<i>including</i>						1162.20	1162.80	0.6	150
		<i>and</i>						1167.90	1168.20	0.3	97.7
OBM-16-581	1950	Caribou W	202.5	451955	5434301	331	50	153.60	166.40	12.8	0.78
		<i>including</i>						153.60	155.10	1.5	3.32
OBM-16-582	2775	-	511.0	452690	5434696	332	51	216.00	218.80	2.8	15.9
OBM-16-583	1700	-	802.5	451770	5434110	332	55	774.00	777.00	3.0	19.0
		<i>including</i>						776.00	777.00	1.0	55.0
OBM-16-584	2900	-	84.0	452718	5434871	330	65	36.00	38.00	2.0	5.67
		<i>including</i>						36.50	37.10	0.6	16.9



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2017**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)
OBM-16-584	2900	Vein	84.0	452718	5434871	330	65	57.00	59.00	2.0	287
<i>including</i>								57.00	58.00	1.0	566
OBM-16-584	2900	-	84.0	452718	5434871	330	65	70.90	74.50	3.6	6.19
<i>including</i>								73.70	74.50	0.8	26.4
OBM-16-585	2950	-	84.0	452766	5434888	330	67	No significant results			
OBM-16-586	2950	-	153.0	452836	5434865	330	65	8.60	10.70	2.1	6.62
OBM-16-586	2950	-	153.0	452836	5434865	330	65	18.00	21.00	3.0	17.6
OBM-16-587	3000	-	84.0	452808	5434914	330	65	12.90	16.30	3.4	3.08
OBM-16-588	3050	-	102.0	452873	5434902	330	67	65.90	67.90	2.0	5.45
<i>including</i>								67.00	67.50	0.5	19.3
OBM-16-589	3050	-	84.0	452855	5434932	330	70	No significant results			
OBM-16-590	1700	-	748.5	451730	5434180	330	55	No significant results			
OBM-16-591	3100	-	120.0	452902	5434951	330	59	No significant results			
OBM-16-592	2750	-	51.0	452560	5434843	330	78	No significant results			
OBM-16-593	2800	Crustiform vein	78.0	452607	5434863	150	72	46.40	48.60	2.2	5.17
OBM-16-593	2800	Crustiform vein	78.0	452607	5434863	150	72	53.00	57.60	4.6	8.43
<i>including</i>								55.30	55.60	0.3	230
OBM-16-594	2850	C-south-2	150.0	452624	5434933	150	78	88.80	100.00	11.2	1.13
OBM-16-594	2850	C-south-2	150.0	452624	5434933	150	78	136.90	139.30	2.4	2.56
OBM-16-595	2950	New zone	75.0	452681	5435035	150	79	63.00	65.50	2.5	4.08
OBM-16-596	2875	-	27.0	452854	5434571	333	60	Hole abandoned			
OBM-16-597	2100	-	277.5	452005	5434510	331	51	No significant results			
OBM-16-598	2875	Caribou S1	1383.5	452855	5434572	333	60	504.70	508.00	3.3	9.44
<i>including</i>								507.00	508.00	1.0	25.1
OBM-16-598	2875	C-south-3	1383.5	452855	5434572	333	60	542.10	558.80	16.7	1.62
OBM-16-598	2875	FW3	1383.5	452855	5434572	333	60	1115.00	1122.40	7.4	5.56
<i>including</i>								1118.00	1119.00	1.0	9.33
<i>including</i>								1121.90	1122.40	0.5	56.8
OBM-16-599	2100	Zone 27	271.5	451987	5434537	331	50	193.00	198.60	5.6	2.11
OBM-16-600	2150	Zone 27 hanging wall	253.5	452030	5434562	331	48	166.60	170.80	4.2	12.9
<i>including</i>								166.60	167.70	1.1	18.9
<i>and</i>								169.70	170.80	1.1	23.5
OBM-16-600	2150	Zone 27	253.5	452030	5434562	331	48	178.50	182.00	3.5	3.36
OBM-16-601	2600	Caribou	507.5	452476	5434677	333	51	231.10	233.50	2.4	5.43
OBM-16-601	2600	Zone 27	507.5	452476	5434677	333	51	425.00	427.30	2.3	0.90
OBM-16-602	1700	-	760.5	451680	5434257	330	55	193.50	196.50	3.0	14.1
<i>including</i>								194.50	195.10	0.6	68.2
OBM-16-602	1700	FW1	760.5	451680	5434257	330	55	407.00	409.00	2.0	7.84
<i>including</i>								407.60	408.10	0.5	25.7
OBM-16-602	1700	FW3	760.5	451680	5434257	330	55	489.50	491.50	2.0	0.35
OBM-16-602	1700	FW4	760.5	451680	5434257	330	55	749.00	751.00	2.0	2.86
OBM-16-603	2150	Zone 27	250.5	452043	5434547	331	50	188.00	207.90	19.9	11.4
<i>including</i>								188.00	189.40	1.4	54.1
<i>and</i>								200.40	207.90	7.5	20.3
<i>and</i>								206.00	207.90	1.9	71.6
<i>and</i>								206.70	207.00	0.3	142
OBM-16-603	2150	Footwall Zone 27	250.5	452043	5434547	331	50	233.00	235.50	2.5	4.31
OBM-16-604	2150	Zone 27	280.5	452045	5434533	331	53	234.00	237.00	3.0	4.29
OBM-16-605	2575	New zone	444.5	452443	5434707	332	51	320.00	322.00	2.0	3.64
OBM-16-605	2575	Zone 27	444.5	452443	5434707	332	51	345.00	347.80	2.8	0.90
OBM-16-606	2175	Zone 27	280.5	452073	5434564	331	50	192.10	197.10	5.0	13.8
<i>including</i>								196.00	196.80	0.8	76.9
OBM-16-607	1700	FW1	625.5	451641	5434332	332	54	No significant results			
OBM-16-607	1700	FW3	625.5	451641	5434332	332	54	No significant results			
OBM-16-607	1700	FW4	625.5	451641	5434332	332	54	No significant results			
OBM-16-608	2225	-						87.00	89.10	2.1	5.64
<i>including</i>								88.30	89.10	0.8	14.2
OBM-16-608	2225	Zone 27	250.5	452099	5434595	331	50	177.30	186.60	9.3	10.3
<i>including</i>								179.50	181.50	2.0	12.9
<i>including</i>								183.00	183.50	0.5	232
<i>including</i>								183.80	184.20	0.4	13.7
OBM-16-608	2225	Footwall of Zone 27	250.5	452099	5434595	331	50	201.20	205.00	3.8	7.21
<i>including</i>								203.20	204.20	1.0	21.4
OBM-16-609	2550	Zone 27	552.5	452457	5434643	332	50	426.50	437.70	11.2	5.21
OBM-16-610	2225	Zone 27	271.5	452108	5434571	331	50	198.10	203.00	4.9	3.81
<i>including</i>								198.10	198.90	0.8	9.06
<i>including</i>								202.10	203.00	0.9	6.82
<i>and</i>								191.00	192.00	1.0	8.15
OBM-16-610	2225	Footwall of Zone 27	271.5	452108	5434571	331	50	221.00	226.00	5.0	24.2
<i>including</i>								223.50	224.50	1.0	419
OBM-16-611	2250	-	250.5	452122	5434597	331	50	87.00	91.50	4.5	4.44
OBM-16-611	2250	Zone 27	250.5	452122	5434597	331	50	177.60	182.00	4.4	3.44
<i>including</i>								177.60	178.50	0.9	5.70



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2017**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)
OBM-16-612	2775		141.5	452850	5434380	333	60	Hole abandoned			
OBM-16-613	2550	Caribou	252.5	452431	5434677	331	50	151.00	153.20	2.2	4.83
OBM-16-613	2550	Footwall Caribou	252.5	452431	5434677	331	50	157.80	160.00	2.2	4.43
OBM-16-614	2775	-	1116.7	452850	5434380	333	60	417.00	419.00	2.0	3.06
OBM-16-614	2775	Caribou S3	1116.7	452850	5434380	333	60	797.10	799.60	2.5	0.69
OBM-16-614	2775	-	1116.7	452850	5434380	333	60	1020.00	1022.10	2.1	3.85
OBM-16-614	2775	New zone between FW1 et FW3	1116.7	452850	5434380	333	60	1026.80	1030.20	3.4	11.2
<i>including</i>								1029.90	1030.20	0.3	84.9
OBM-16-614	2775	New zone between FW1 et FW3	1116.7	452850	5434380	333	60	1036.70	1039.00	2.3	3.99
<i>including</i>								1037.50	1038.00	0.5	13.2
OBM-16-614-W1	2775	New zone below I2F intrusion	1519.5	452850	5434380	333	60	1020.10	1023.00	2.9	4.96
<i>including</i>								1020.70	1021.30	0.6	17.9
OBM-16-614-W1	2775	New zone below I2F intrusion	1519.5	452850	5434380	333	60	1032.00	1034.00	2.0	3.60
OBM-16-614-W1	2775	New zone below I2F intrusion	1519.5	452850	5434380	333	60	1043.70	1046.00	2.3	5.34
OBM-16-614-W1	2775	FW1	1519.5	452850	5434380	333	60	1204.00	1206.00	2.0	3.40
<i>including</i>								1204.00	1205.00	1.0	6.30
OBM-16-614-W1	2775	Quartz veins	1519.5	452850	5434380	333	60	1301.00	1303.00	2.0	3.23
<i>including</i>								1301.00	1302.00	1.0	6.40
OBM-16-614-W1	2775	FW3	1519.5	452850	5434380	333	60	1340.00	1342.00	2.0	4.22
<i>including</i>								1341.00	1342.00	1.0	8.26
OBM-16-615	2200	Zone 27	85.5	452037	5434647	330	64	54.50	57.00	2.5	4.35
OBM-16-616	1675	FW3	403.5	451558	5434466	330	60	122.40	124.80	2.4	18.9
<i>including</i>								123.80	124.50	0.7	37.3
OBM-16-617	2150	Zone 27	97.5	451988	5434638	330	73	44.30	50.00	5.7	6.94
OBM-16-618	2525	Extension Caribou N2	489.5	452426	5434636	333	51	281.30	283.80	2.5	5.77
OBM-16-618	2525	-	489.5	452426	5434636	333	51	286.90	289.00	2.1	6.25
OBM-16-618	2525	Hanging wall Zone 27	489.5	452426	5434636	333	51	398.00	408.00	10.0	1.00
OBM-16-618	2525	footwall Zone 27	489.5	452426	5434636	333	51	433.50	436.30	2.8	8.96
<i>including</i>								435.50	436.30	0.8	23.6
OBM-16-619	2150	Zone 27	127.5	451966	5434679	330	70	69.00	72.10	3.1	1.64
OBM-16-619	2150	Zone 27-1	127.5	451966	5434679	330	70	98.50	101.00	2.5	1.61
<i>including</i>								99.60	100.00	0.4	8.27
OBM-16-620	2200	Mallard	76.5	451908	5434864	330	66	25.00	27.10	2.1	3.70
OBM-16-621	2250	Mallard	55.5	451957	5434873	330	57	No significant results			
OBM-16-622	1875	-	114.5	451606	5434779	330	70	No significant results			
OBM-16-623	2250	-	49.5	451948	5434899	330	57	No significant results			
OBM-16-624	2300	Zone 27	61.5	452116	5434713	150	67	27.40	30.70	3.3	1.60
OBM-16-624	2300	Zone 27	61.5	452116	5434713	150	67	36.70	38.80	2.1	1.09
OBM-16-625	2525	Caribou	626.5	452406	5434677	331	51	No significant results			
OBM-16-625	2525	-	626.5	452406	5434677	331	51	167.00	169.00	2.2	11.2
OBM-16-625	2525	-	626.5	452406	5434677	331	51	269.00	271.00	2.0	4.29
OBM-16-625	2525	Zone 27 HW	626.5	452406	5434677	331	51	333.30	336.00	2.7	7.97
<i>including</i>								333.30	334.20	0.9	15.6
OBM-16-625	2525	Zone 27 FW	626.5	452406	5434677	331	51	349.00	352.00	3.0	3.83
OBM-16-625	2525	-	626.5	452406	5434677	331	51	518.70	521.00	2.3	23.8
OBM-16-626	2350	Caribou (upper extension)	82.5	452221	5434625	150	68	40.50	43.00	2.5	41.8
<i>including</i>								40.50	41.40	0.9	136
OBM-16-626	2350	Crustiform vein	82.5	452221	5434625	150	68	60.90	63.30	2.4	23.3
<i>including</i>								60.90	61.20	0.3	69.6
<i>including</i>								62.60	63.30	0.7	40.3
OBM-16-627	1875	Crustiform vein	103.5	451585	5434770	318	55	No significant results			
OBM-16-628	2350	-	31.3	452252	5434613	331	50	Hole abandoned			
OBM-16-629	1875	Crustiform vein	82.5	451581	5434798	330	67	No significant results			
OBM-16-630	2350	Zone 27	280.5	452253	5434615	331	50	244.30	248.60	4.3	1.13
OBM-16-631	1800	Crustiform vein	121.5	451502	5434778	150	55	No significant results			
OBM-16-632	1750	Crustiform vein	106.5	451461	5434737	150	50	No significant results			
OBM-16-633	2350	Zone 27	273.2	452217	5434635	331	50	203.60	205.80	2.2	7.81
<i>including</i>								204.00	204.30	0.3	51.5
OBM-16-634	1875	Crustiform vein	166.5	451551	5434854	142	54	No significant results			
OBM-16-635	2500	Caribou	100.5	452262	5434868	330	78	No significant results			
OBM-16-636	2350	Caribou	301.5	452242	5434588	330	50	43.60	51.20	7.6	0.51
OBM-16-636	2350	C-west-4	301.5	452242	5434588	330	50	No significant results			
OBM-16-636	2350	Zone 27	301.5	452242	5434588	330	50	253.10	256.00	2.9	0.56
OBX-16-637	Explo	-	166.5	459413	5439271	0	48	No significant results			
OBX-16-638	Explo	-	250.5	459298	5439131	0	48	No significant results			
OBM-16-639	2825	Shear Zone	267.5	452718	5434727	330	60	18.00	20.00	2.0	2.96
OBM-16-640	2325	-	400.5	452212	5434605	330	50	No significant results			
OBX-16-641	Explo	Exploration	379.5	459580	5439413	180	45	249.80	252.30	2.5	1.12
OBX-16-641	Explo	Exploration	379.5	459580	5439413	180	45	256.00	259.00	3.0	1.09
OBM-16-642	2825	New zone	1091.3	452718	5434727	330	60	318.40	321.00	2.6	10.0
OBM-16-642	2825	Caribou North 2	1091.3	452718	5434727	330	60	510.00	521.00	11.0	3.46
OBM-16-642	2825	Closing of Zone 27-3	1091.3	452718	5434727	330	60	610.00	620.60	10.6	1.11



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2017**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)
OBM-16-642	2825	FW3	1091.3	452718	5434727	330	60				
OBM-16-642	2825	New underdog corridor	1091.3	452718	5434727	330	60	934.00	937.90	3.9	17.2
<i>including</i>								934.00	934.30	0.3	264
OBM-16-643	2325	Caribou	301.5	452217	5434581	330	50	35.00	38.00	3.0	4.95
OBM-16-643	2325	New zone	301.5	452217	5434581	330	50	172.00	177.40	5.4	2.48
<i>including</i>								174.00	175.00	1.0	6.93
OBM-16-643	2325	Zone 27	301.5	452217	5434581	330	50	245.60	247.90	2.3	25.2
<i>including</i>								245.60	246.10	0.5	254
OBM-16-643	2325	Zone 27 footwall	301.5	452217	5434581	330	50	261.70	264.00	2.3	5.03
OBX-16-644	Explo		169.5	459109	5439140	0	49	No significant results			
OBM-16-645	2325	Pyrite vein	397.5	452204	5434629	330	50	155.00	155.40	0.4	46.4
OBM-16-645	2325	Zone 27 (pyrite vein)	397.5	452204	5434629	330	50	184.30	187.00	2.7	2.31
<i>including</i>								184.30	184.60	0.3	6.88
OBM-16-645	2325	Zone 27 footwall	397.5	452200	5434630	330	50	219.90	222.00	2.1	5.67
OBX-16-646	Explo		400.5	458695	5439132	0	48	No significant results			
OBM-16-647	2500	Caribou	121.5	452382	5434656	330	46	100.80	103.00	2.2	5.00
OBM-16-648	2450		88.5	452327	5434648	330	65	No significant results			
OBM-16-649	2400	Caribou	127.5	452270	5434646	150	77	37.00	39.10	2.1	4.37
OBM-16-649	2400	Caribou	127.5	452270	5434646	150	77	48.60	51.00	2.4	9.55
OBM-16-649	2400	Caribou	127.5	452270	5434646	150	77	81.00	83.50	2.5	3.33
OBM-16-649	2400	Caribou	127.5	452270	5434646	150	77	95.50	98.00	2.5	3.93
OBM-16-650	2900		139.5	452749	5434818	330	45	No significant results			
OBM-16-651	2350	Zone 27	187.5	452213	5434676	322	46	73.10	79.10	6.0	0.73
OBM-16-651	2350	Zone 27 footwall	187.5	452216	5434672	320	44	158.50	163.80	5.3	8.94
<i>including</i>								163.30	163.80	0.5	30.5
OBX-16-652	Explo	Crustiform vein	235.5	448639	5434175	167	44	208.70	210.20	1.5	12.7
OBM-16-653	2950		112.5	452728	5434959	330	51	No significant results			
OBM-16-654	2253	Zone 27	268.5	452135	5434592	330	52	171.90	183.00	11.1	0.96
OBM-16-655	2400	New zone	955.5	452436	5434355	333	61	207.00	209.50	2.5	3.82
<i>including</i>								208.00	209.50	1.5	6.82
OBM-16-655	2400	Tourmaline vein	955.5	452436	5434355	333	61	410.00	412.00	2.0	10.8
<i>including</i>								410.00	411.00	1.0	21.6
OBM-16-655	2400	Quartz vein in I2F	955.5	452436	5434355	333	61	539.40	539.80	0.4	6.06
OBM-16-655	2400	Quartz-carbonate-chlorite vein in I2F	955.5	452436	5434355	333	61	550.00	550.30	0.3	75.5
OBM-16-655	2400	New zone	955.5	452436	5434355	333	61	917.50	928.50	11.0	5.30
<i>including</i>								924.00	928.50	4.5	10.2
OBM-16-656	2500	Caribou	337.5	452358	5434679	329	48	60.40	62.50	2.1	6.48
OBM-16-656	2500	Caribou footwall	337.5	452358	5434679	329	48	67.70	73.40	5.7	6.19
<i>including</i>								72.50	73.40	0.9	24.4
OBM-16-656	2500	New zone	337.5	452358	5434679	329	48	195.50	198.30	2.8	3.39
<i>including</i>								197.80	198.30	0.5	9.20
OBM-16-656	2500	Hanging wall of Zone 27	337.5	452358	5434679	329	48	255.20	261.00	5.8	9.04
<i>including</i>								260.00	260.50	0.5	73.8
OBM-16-656	2500	Zone 27	337.5	452358	5434679	329	48	273.30	276.40	3.1	30.6
<i>including</i>								274.20	275.30	1.1	70.8
OBM-16-656	2500	Zone 27	337.5	452358	5434679	329	48	296.00	299.00	3.0	8.30
<i>including</i>								296.00	297.00	1.0	22.2
OBX-16-657	Explo		262.5	448718	5433925	360	55	No significant results			
OBM-16-658	2650	Caribou South 1	925.5	452612	5434621	333	60	380.00	382.00	2.0	45.8
<i>including</i>								380.00	381.00	1.0	90.0
OBM-16-658	2650	Caribou South 3	925.5	452612	5434621	333	60	450.00	454.00	4.0	1.66
OBM-16-658	2650	New zone	925.5	452612	5434621	333	60	519.00	527.00	8.0	8.90
<i>including</i>								521.00	521.80	0.8	18.8
<i>and</i>								522.40	523.40	1.0	37.1
OBM-16-658	2650	Caribou North 2	925.5	452612	5434621	333	60	562.40	564.50	2.1	3.96
OBM-16-658	2650	Zone 27-3	925.5	452612	5434621	333	60	675.00	676.80	1.8	3.98
<i>including</i>								676.00	676.80	0.8	8.80
OBM-16-658	2650	FW3	925.5	452612	5434621	333	60	851	854	3.0	0.19
OBX-16-659	Explo		241.5	448629	5433901	356	46	No significant results			
OBM-16-660	2500	Caribou	427.5	452376	5434670	329	52	93.00	98.70	5.7	2.16
OBM-16-660	2500	Caribou	427.5	452376	5434670	329	52	125.10	132.00	6.9	7.25
<i>including</i>								129.60	130.70	1.1	24.3
OBM-16-660	2500	Zone 27	427.5	452376	5434670	329	52	301.70	305.40	3.7	2.24
OBX-16-661	Explo		556.5	448773	5433866	330	59	No significant results			
OBM-16-662	2525	Hanging wall of Caribou	211.5	452422	5434666	330	53	129.30	131.40	2.1	3.09
OBM-16-662	2525	Caribou	211.5	452422	5434666	330	53	173.70	179.70	6.0	0.95
OBM-16-663	2525	New zone	451.5	452402	5434658	330	53	233.70	236.10	2.4	30.2
<i>including</i>								233.70	234.40	0.7	169
OBM-16-663	2525	Zone 27 hanging wall	451.5	452402	5434658	330	53	366.80	371.00	4.2	2.92
<i>including</i>								366.80	367.20	0.4	11.4
<i>and</i>								370.00	371.00	1.0	5.11
OBM-16-663	2525	Zone 27	451.5	452402	5434658	330	53	383.50	395.20	11.7	5.38



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2017**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)
<i>including</i>								384.30	388.50	4.2	10.9
OBM-16-664	2500	Caribou	499.5	452394	5434619	330	54	172.90	175.90	3.0	7.34
<i>including</i>								173.70	174.60	0.9	17.8
OBM-16-664	2500	Zone 27	499.5	452394	5434619	330	54	439.30	449.50	10.2	4.64
<i>including</i>								439.30	440.00	0.7	29.7
<i>and</i>								449.00	449.50	0.5	19.1
OBM-16-664	2500	Crustiform vein	499.5	452394	5434619	330	54	453.00	453.30	0.3	178
OBX-16-665	Explo		21.0	449316	5434379	335	48	Hole abandoned			
OBX-16-666	Explo	New zone	421.5	449316	5434385	335	48	151.50	152.50	1.0	44.1
OBX-16-666	Explo	Sheared vein	421.5	449316	5434385	335	48	284.00	284.30	0.3	184
OBM-16-667	2500	Quartz-tourmaline vein	526.5	452406	5434601	330	55	111.60	114.00	2.4	3.70
<i>including</i>								111.60	112.60	1.0	8.86
OBM-16-667	2500	Caribou	526.5	452406	5434601	330	55	Cross-cut by late felsic dyke			
OBM-16-667	2500	Zone 27	526.5	452406	5434601	330	55	482.50	485.50	3.0	0.81
OBM-16-668	2575	Caribou hanging wall	442.5	452448	5434673	330	45	129.10	131.50	2.4	4.67
OBM-16-668	2575	Caribou	442.5	452448	5434673	330	45	Cross-cut by late felsic dyke			
<i>including</i>								130.00	130.60	0.6	17.6
OBM-16-668	2575	New Zone	442.5	452448	5434673	330	45	197.00	199.00	2.0	6.36
<i>including</i>								198.00	199.00	1.0	12.7
OBM-16-668	2575	New Zone	442.5	452448	5434673	330	45	220.50	223.00	2.5	29.3
<i>including</i>								222.10	223.00	0.9	76.1
OBM-16-668	2575	Zone 27	442.5	452448	5434673	330	45	351.60	355.60	4.0	7.54
OBM-16-669	2625	Caribou South 2	403.5	452502	5434709	330	45	141.00	143.00	2.0	0.66
OBM-16-669	2625	Caribou	403.5	452502	5434709	330	45	175.80	177.80	2.0	2.98
OBM-16-669	2625	Caribou footwall	403.5	452502	5434709	330	45	189.00	192.00	3.0	3.02
<i>including</i>								189.00	189.80	0.8	6.76
OBM-16-669	2625	New zone	403.5	452502	5434709	330	45	307.00	309.00	2.0	5.00
OBM-16-669	2625	Zone 27	403.5	452502	5434709	330	45	330.00	332.30	2.3	0.84
OBM-16-669	2625	Zone 27 footwall	403.5	452502	5434709	330	45	384.70	387.20	2.5	3.92
OBX-16-670	Explo		421.5	448298	5432987	333	45	No significant results			
OBM-16-671	2450	Caribou	490.5	452370	5434591	330	57	Cross-cut by late felsic dike			
OBM-16-671	2450	New zone	490.5	452370	5434591	330	57	89.50	93.00	3.5	3.62
<i>including</i>								92.00	93.00	1.0	8.04
OBM-16-671	2450	Crustiform vein	490.5	452370	5434591	330	57	339.40	342.00	2.6	15.9
<i>including</i>								339.40	339.80	0.4	152
OBM-16-671	2450	New zone	490.5	452370	5434591	330	57	361.40	365.90	4.5	5.99
OBM-16-671	2450	Tourmaline vein	490.5	452370	5434591	330	57	377.10	379.20	2.1	7.37
<i>including</i>								378.60	379.20	0.6	19.5
OBM-16-671	2450	Zone 27	490.5	452370	5434591	330	57	466.50	470.80	4.3	0.49
OBM-16-672	2150	Caribou West 2	352.5	452107	5434431	333	47	82.50	87.00	4.5	1.69
OBM-16-672	2150	Zone 27	352.5	452107	5434431	333	47	Cross-cut by I2F			
OBM-16-673	2650	Crustiform veining	496.5	452518	5434738	330	57	117.00	119.60	2.6	3.19
<i>including</i>								118.80	119.60	0.8	7.61
OBM-16-673	2650	Caribou South 2	496.5	452518	5434738	330	57	132.00	134.30	2.3	2.27
OBM-16-673	2650	Caribou	496.5	452518	5434738	330	57	226.50	236.70	10.2	0.88
OBM-16-673	2650	Zone 27 hanging wall	496.5	452518	5434738	330	57	450.00	453.30	3.3	0.84
OBM-16-674	2125	New zone	172.5	451922	5434714	150	60	17.00	19.00	2.0	7.71
<i>including</i>								17.70	18.00	0.3	50.1
OBM-16-674	2125	Zone 27 footwall	172.5	451922	5434714	150	60	61.00	64.00	3.0	2.98
<i>including</i>								63.00	64.00	1.0	7.19
OBM-16-674	2125	Zone 27 footwall	172.5	451922	5434714	150	60	72.00	74.00	2.0	6.62
<i>including</i>								72.70	74.00	1.3	9.77
OBM-16-674	2125	Zone 27 footwall	172.5	451922	5434714	150	60	76.20	78.80	2.6	4.10
OBM-16-674	2125	Zone 27	172.5	451922	5434714	150	60	106.30	113.00	6.7	16.6
<i>including</i>								106.30	107.00	0.7	47.0
<i>and</i>								110.40	111.80	1.4	45.7
OBM-16-674	2125	Zone 27 hanging wall	172.5	451922	5434714	150	60	159.00	161.20	2.2	10.4
<i>including</i>								159.60	161.20	1.6	14.3
OBM-16-675	2425	Caribou	433.5	452335	5434611	332	55	98.60	101.00	2.4	0.52
OBM-16-675	2425	New zone	433.5	452335	5434611	332	55	297.60	301.70	4.1	8.23
OBM-16-675	2425	Crustiform vein	433.5	452335	5434611	332	55	331.00	333.00	2.0	9.10
<i>including</i>								331.50	331.90	0.4	42.8
OBM-16-675	2425	Zone 27	433.5	452335	5434611	332	55	395.90	400.20	4.3	3.18
OBM-16-676	2350	Quartz vein	157.5	452261	5434544	330	54	25.20	26.00	0.8	43.4
OBM-16-676	2350	Caribou West 4	157.5	452261	5434544	330	54	124.50	127.00	2.5	0.49
OBM-16-677	2350	Zone 27 upper	126.5	452178	5434723	328	51	43.80	46.00	2.2	3.34
<i>including</i>								43.80	45.00	1.2	5.73
OBM-16-677	2350	Zone 27	126.5	452178	5434723	328	51	70.50	73.00	2.5	4.26
OBM-16-678	2475	Caribou	187.5	452349	5434663	328	52	71.00	73.00	2.0	2.07
OBM-16-679	2450	Zone 27 upper	139.5	452254	5434791	325	65	50.00	53.60	3.6	2.09
OBM-16-679	2450	Zone 27	139.5	452254	5434791	325	65	106.50	112.10	5.6	1.35
OBM-16-680	2800		19.5	452622	5434834	331	53	Abandoned			
OBM-16-681	2800	New zone	373.5	452622	5434834	331	53	78.00	80.20	2.2	4.97





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2017**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)
OBM-16-681	2800	Caribou South 2	373.5	452622	5434834	331	53	Cross-cut by late felsic dike			
OBM-16-682	2475	Zone 27	130.5	452271	5434798	331	55	56.00	58.00	2.0	3.47
<i>including</i>								57.60	58.00	0.4	16.4
OBM-16-683	2425		40.5	452314	5434640	330	53	Abandoned			
OBM-16-684	2500	Caribou	211.5	452382	5434627	330	53	130.00	134.00	4.0	5.22
<i>including</i>								132.00	133.00	1.0	15.0
OBM-16-685	2425	Caribou	385.5	452314	5434637	332	53	41.40	43.70	2.3	0.82
OBM-16-685	2425	Zone 27	385.5	452314	5434637	332	53	321.70	333.40	11.7	5.40
<i>including</i>								321.70	325.00	3.3	9.63
OBM-16-686	2475	Zone 27 hanging wall	196.5	452206	5434907	153	57	133.50	139.00	5.5	3.89
<i>including</i>								133.50	134.50	1.0	19.5
OBM-16-686	2475	Zone 27	196.5	452206	5434907	153	57	153.00	155.00	2.0	2.39
<i>including</i>								154.50	155.00	0.5	6.36
OBM-16-686	2475	Zone 27 footwall	196.5	452206	5434907	153	57	179.00	181.40	2.4	1.39
OBM-16-687	2550	New zone	571.5	452475	5434593	330	56	105.00	107.00	2.0	3.36
OBM-16-687	2550	New zone	571.5	452475	5434593	330	56	194.00	197.00	3.0	4.32
OBM-16-687	2550	Caribou - Caribou South 1 connexion	571.5	452475	5434593	330	56	309.00	311.60	2.6	0.35
OBM-16-687	2550	New zone (between Caribou S1 and Caribou N2)	571.5	452475	5434593	330	56	354.00	361.00	7.0	6.61
<i>including</i>								354.80	355.40	0.6	67.0
OBM-16-687	2550	Zone 27	571.5	452475	5434593	330	56	537.90	540.00	2.1	4.78
<i>including</i>								537.90	539.20	1.3	7.69
OBM-16-688	2500		10.1	452247	5434899	148	61	Abandoned			
OBM-16-689	2725	Caribou	688.5	452629	5434689	330	54	359.50	370.10	10.8	1.06
<i>including</i>								359.80	360.80	1.0	3.45
OBM-16-689	2725	New zone	688.5	452629	5434689	330	54	492.30	495.40	3.1	9.12
<i>including</i>								492.30	493.40	1.1	25.1
OBM-16-689	2725	Zone 27 hanging wall	688.5	452629	5434689	330	54	577.00	579.30	2.3	4.54
OBM-16-689	2725	Zone 27 hanging wall	688.5	452629	5434689	330	54	587.30	589.40	2.1	4.65
OBM-16-689	2725	Zone 27	688.5	452629	5434689	330	54	594.00	602.00	8.0	4.36
<i>including</i>								597.40	599.30	1.9	12.1
<i>and</i>								601.00	602.00	1.0	6.81
OBM-16-689	2725	Zone 27 footwall	688.5	452629	5434689	330	54	615.70	618.00	2.3	9.85
<i>including</i>								616.40	617.10	0.7	23.7
OBM-16-690	2500	Zone 27	199.5	452241	5434921	150	54	117.40	124.90	7.2	0.33
OBM-16-691	2250	Caribou	329.1	452454	5434638	331	53	198.40	200.80	2.4	4.26
OBM-16-692	2525	Crustiform vein	183.5	452270	5434933	150	54	42.60	47.00	4.4	13.2
<i>including</i>								42.60	44.90	2.3	23.9
<i>including</i>								43.00	44.00	1.0	27.9
<i>and</i>								44.60	44.90	0.3	81.1
OBM-16-692	2525	Zone 27	183.5	452270	5434933	150	54	161.90	164.00	2.1	0.66
OBM-16-693	2525	Caribou	541.5	452442	5434600	331	54	280.30	283.20	2.9	8.22
<i>including</i>								282.50	283.20	0.7	31.5
OBM-16-693	2525	Caribou - Caribou South 1 connexion	541.5	452442	5434600	331	54	297.00	299.60	2.6	5.14
OBM-16-693	2525	Caribou North 2	541.5	452442	5434600	331	54	336.00	339.90	3.9	0.11
OBM-16-693	2525	Zone 27	541.5	452442	5434600	331	54	499.00	501.00	2.0	3.23
OBM-16-693	2525	Zone 27 footwall	541.5	452442	5434600	331	54	504.80	507.00	2.2	3.28
<i>including</i>								505.50	505.90	0.4	13.3
OBM-16-694	2650	Crustiform vein	91.5	452366	5434998	150	56	19.60	21.60	2.0	7.52
<i>including</i>								19.60	20.30	0.7	20.5
OBM-16-695	2850		148.5	452701	5434784	332	61	Abandoned			
OBM-16-696	2850	Caribou	511.5	452709	5434811	333	61	348.20	351.50	3.3	5.50
<i>including</i>								350.00	351.50	1.5	7.82
OBM-16-697	2575	Quartz tourmaline vein	421.5	452500	5434612	330	54	228.70	230.70	2.0	16.0
<i>including</i>								228.70	229.20	0.5	63.5
OBM-16-697	2575	Caribou hanging wall - cross-cut by late intrusive	421.5	452500	5434612	330	54	260.20	262.80	2.6	1.68
OBM-16-697	2575	Caribou	421.5	452500	5434612	330	54	292.00	302.30	10.3	0.61
OBM-16-697	2575	Caribou South 1	421.5	452500	5434612	330	54	315.00	319.30	4.3	1.17
OBM-16-697	2575	Caribou North 1	421.5	452500	5434612	330	54	338.00	340.00	2.0	1.23
OBM-16-697	2575	Caribou North 2	421.5	452500	5434612	330	54	386.00	388.50	2.5	0.45
OBM-16-698	2850	New zone, shear	685.5	452737	5434750	332.1	59.8	79.50	82.50	3.0	2.97
OBM-16-698	2850	New zone	685.5	452737	5434750	332.1	59.8	156.50	159.00	2.5	8.06
<i>including</i>								156.50	157.50	1.0	19.0
OBM-16-698	2850	Caribou hanging wall - Quartz tourmaline veins	685.5	452737	5434750	332.1	59.8	443.10	446.00	2.9	3.62
OBM-16-698	2850	Caribou North 2	685.5	452737	5434750	332.1	59.8	492.30	495.75	3.4	4.49
<i>including</i>								495.10	495.75	0.6	19.3
OBM-16-699	1600	FW3	352.5	451486	5434418	330	60	118.50	121.00	2.5	0.02
OBM-16-699	1600	New zone	352.5	451486	5434418	330	60	270.00	272.50	2.5	6.63
OBM-16-700	2550		127.5	452468	5434610	331.1	53.1	Abandoned			



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2017**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)
OBM-16-701	2950	New zone	700.5	452818	5434800	327.7	62.5	262.00	264.00	2.0	3.20
<i>including</i>								262.50	263.00	0.5	11.9
OBM-16-701	2950	Tourmaline veins	700.5	452818	5434800	327.7	62.5	310.70	313.00	2.3	3.66
<i>including</i>								310.70	311.00	0.3	12.1
OBM-16-701	2950	Quartz vein	700.5	452818	5434800	327.7	62.5	374.70	377.00	2.3	3.28
<i>including</i>								376.70	377.00	0.3	14.4
OBM-16-701	2950	New zone	700.5	452818	5434800	327.7	62.5	414.70	420.80	6.1	5.14
OBM-16-701	2950	Caribou hanging wall	700.5	452818	5434800	327.7	62.5	463.00	470.00	7.0	4.82
<i>including</i>								463.00	464.00	1.0	22.4
OBM-16-701	2950	Crustiform vein	700.5	452818	5434800	327.7	62.5	469.00	471.20	2.2	4.51
OBM-16-701	2950	Extension of Caribou North 2	700.5	452818	5434800	327.7	62.5	551.10	558.00	6.9	8.86
<i>including</i>								557.00	558.00	1.0	47.7
OBM-16-701	2950	Eastern extension of Zone 27	700.5	452818	5434800	327.7	62.5	620.20	622.30	2.1	6.68
<i>including</i>								621.30	622.30	1.0	13.3
OBM-16-702	2425	Caribou	109.5	452312	5434628	329	55	52.90	55.70	2.8	2.66
<i>including</i>								52.90	53.60	0.7	9.69
OBM-16-703	1625	New zone	679.5	451621	5434235	329	55.5	250.50	252.80	2.3	7.81
<i>including</i>								250.50	251.30	0.8	22.0
OBM-16-703	1625	Quartz-carbonate veins	679.5	451621	5434235	329	55.5	256.10	259.00	2.9	3.34
OBM-16-703	1625	FW1	679.5	451621	5434235	329	55.5	300.70	303.00	2.3	18.4
<i>including</i>								301.40	302.50	1.1	38.2
OBM-16-703	1625	New zone	679.5	451621	5434235	329	55.5	336.50	338.50	2.0	3.17
<i>including</i>								336.50	337.70	1.2	5.09
OBM-16-703	1625	FW3	679.5	451621	5434235	329	55.5	469.50	472.50	3.0	0.60
OBM-16-704	2425	Caribou	409.5	452311	5434627	327	55.9	56.00	58.00	2.0	0.79
OBM-16-704	2425	Zone 27	409.5	452311	5434627	327	55.9	346.00	350.20	4.2	3.55
OBM-16-704	2425	FW3	409.5	452311	5434627	327	55.9	594.90	599.20	4.3	0.72
OSK-W-16-704-W1	2425	FW3 hanging wall	853.5	452311	5434629	328.7	-57.0	641.75	644.50	2.8	6.59
<i>including</i>								643.10	643.50	0.4	39.1
OSK-W-16-704-W1	2425	FW3	853.5	452311	5434629	328.7	-57.0	649.60	652.50	2.9	15.5
<i>including</i>								649.60	650.30	0.7	63.6
OSK-W-16-704-W1	2425	New - Underdog corridor	853.5	452311	5434629	328.7	-57.0	671.20	677.50	6.3	6.10
<i>including</i>								671.20	671.70	0.5	59.3
OSK-W-16-704-W1	2425	FW4	853.5	452311	5434629	328.7	-57.0	797.00	799.00	2.0	25.1
<i>including</i>								797.50	798.10	0.6	50.5
OSK-W-16-705	2650	Caribou South 1	637.5	452598	5434584	332	60	403.50	405.80	2.3	1.31
OSK-W-16-705	2650	Caribou South 3	637.5	452598	5434584	332	60	482.70	485.00	2.3	0.54
OSK-W-16-705	2650	Wolf	637.5	452598	5434584	332	60	565.00	567.00	2.0	4.04
<i>including</i>								565.70	566.40	0.7	10.7
OSK-W-16-705	2650	New Zone	637.5	452598	5434584	332	60	594.00	596.20	2.2	3.64
OSK-W-16-705	2650	FW3	637.5	452598	5434584	332	60	899	901.9	2.9	3.54
<i>including</i>								901.1	901.9	0.8	12.3
OSK-W-16-309-W1	2575	Quartz vein in Red Dog	1225	452548	5434514	330	60	612.20	615.00	2.8	9.11
<i>including</i>								614.00	615.00	1.0	24.5
OSK-W-16-309-W1	2575	FW3	1225	452548	5434514	330	60	965.00	967.00	2.0	1.19
OSK-W-16-309-W1	2575	New	1225	452548	5434514	330	60	1115.00	1117.00	2.0	5.60
<i>including</i>								1116.00	1117.00	1.0	11.2
OSK-W-16-309-W2	2575	Caribou North 1	1111	452548	5434514	330	60	520.80	522.70	1.9	0.84
OSK-W-16-309-W2	2575	FW3	1111	452548	5434514	330	60	924.00	926.00	2.0	0.23
OSK-W-16-309-W2	2575	New - Underdog corridor	1111	452548	5434514	330	60	972.00	975.00	3.0	5.58
OSK-W-16-309-W2	2575	New under Red Dog	1111	452548	5434514	330	60	988.00	992.00	4.0	3.27
OSK-W-16-309-W3	2575	New Zone - Caribou	1174	452548	5434514	325.8	63.2	474.00	476.20	2.2	7.63
OSK-W-16-309-W3	2575	New Zone - Caribou	1174	452548	5434514	325.8	63.2	480.40	482.50	2.1	6.32
<i>including</i>								481.30	482.00	0.7	17.3
OSK-W-16-309-W3	2575	New Zone - Caribou	1174	452548	5434514	325.8	63.2	539.20	543.80	4.6	11.8
<i>including</i>								542.00	543.00	1.0	47.9
OSK-W-16-309-W3	2575	New Zone - Caribou	1174	452548	5434514	325.8	63.2	883.70	886.50	2.8	0.48
OSK-W-16-706	2575	Caribou South 1	1336.5	452610	5434420	329.61	58.4	549.60	552.60	3.0	8.65
OSK-W-16-706	2575	FW1	1336.5	452610	5434420	329.61	58.4	950.30	952.60	2.3	12.3
<i>including</i>								950.30	951.30	1.0	29.4
OSK-W-16-706	2575	FW3	1336.5	452610	5434420	329.61	58.4	1135.00	1138.90	3.9	0.72
OSK-W-16-706-W1	2525	Caribou South 1	1276.5	452610	5434420	329.61	58.4	546.50	563.00	16.5	5.75
OSK-W-16-706-W1	2525	Caribou South 1 - cut to 100 g/t Au	1276.5	452610	5434420	329.61	58.4	546.50	563.00	16.5	3.53
<i>including</i>								549.20	549.50	0.3	222
OSK-W-16-706-W1	2525	Caribou South 1 footwall	1276.5	452610	5434420	329.61	58.4	558.30	563.00	4.7	3.41
<i>including</i>								558.30	558.70	0.4	14.5
OSK-W-16-706-W1	2525	FW0	1276.5	452610	5434420	329.61	58.4	818.80	821.30	2.5	28.1
<i>including</i>								819.40	820.00	0.6	127
OSK-W-16-706-W1	2525	FW1 hanging wall	1276.5	452610	5434420	329.61	58.4	886.20	888.20	2.0	4.93
<i>including</i>								886.20	887.20	1.0	9.72
OSK-W-16-706-W1	2525	FW1	1276.5	452610	5434420	329.61	58.4	902.50	904.50	2.0	2.85
OSK-W-16-706-W1	2525	FW2	1276.5	452610	5434420	329.61	58.4	981.10	992.00	10.9	10.6
<i>including</i>								981.90	983.70	1.8	24.0
<i>including</i>								988.50	992.00	3.5	19.4





**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2017**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)
OSK-W-16-706-W1	2525	FW2	1276.5	452610	5434420	329.61	58.4	1007.00	1012.00	5.0	7.10
<i>including</i>								1008.00	1010.00	2.0	13.8
OSK-W-16-706-W1	2525	FW2	1276.5	452610	5434420	329.61	58.4	1022.00	1024.30	2.3	18.6
<i>including</i>								1022.90	1023.70	0.8	49.9
OSK-W-16-706-W1	2525	FW3	1276.5	452610	5434420	329.61	58.4	1033.00	1041.90	8.9	15.9
<i>including</i>								1033.50	1034.30	0.8	93.6
<i>including</i>								1041.00	1041.40	0.4	117
OSK-W-16-706-W1	2525	FW4	1276.5	452610	5434420	329.61	58.4	1073.10	1077.00	3.9	8.74
OSK-W-16-706-W1	2525	New - under Red Dog	1276.5	452610	5434420	329.61	58.4	1248.40	1250.90	2.5	3.95
OSK-W-16-706-W2	2525	Caribou South 1	1297.5	452610	5434420	329.6	-58.4	552	556.3	4.3	1.87
OSK-W-16-706-W2	2525	Quartz-tourmaline veins	1297.5	452610	5434420	329.6	-58.4	903	905	2.0	3.12
OSK-W-16-706-W2	2525	FW1 (AQ core)	1297.5	452610	5434420	329.6	-58.4	945.10	951.40	6.3	9.17
OSK-W-16-706-W2	2525	New - Underdog Corridor	1297.5	452610	5434420	329.6	-58.4	1018	1020.4	2.4	5.67
OSK-W-16-706-W2	2525	New - Underdog Corridor	1297.5	452610	5434420	329.6	-58.4	1093.8	1098.3	4.5	3.06
<i>including</i>								1093.8	1094.4	0.6	12.7
<i>and</i>								1097.4	1098.3	0.9	6.44
OSK-W-16-706-W2	2525	FW3	1297.5	452610	5434420	329.6	-58.4	1146	1149.5	3.5	4.95
<i>including</i>								1147.8	1148.2	0.4	35.3
OSK-W-16-706-W2	2525	New - Underdog Corridor	1297.5	452610	5434420	329.6	-58.4	1176.5	1179	2.5	3.20
<i>including</i>								1177.5	1178	0.5	15.7
OSK-W-16-706-W2	2525	New - Underdog Corridor	1297.5	452610	5434420	329.6	-58.4	1203.2	1205.2	2.0	7.33
<i>including</i>								1204.2	1204.6	0.4	33.6
OSK-W-16-706-W3	2575	FW1	970.5	452610	5434420	329.6	58.4	944.80	952.50	7.7	7.57
<i>including</i>								944.80	945.90	1.1	9.15
<i>and</i>								949.00	950.10	1.1	30.0
OSK-W-16-707	2675	Caribou South 2	361.5	452571	5434688	331	52	247.30	249.50	2.2	11.3
<i>including</i>								248.30	248.70	0.4	58.6
OSK-W-16-707	2675	Caribou	361.5	452571	5434688	331	52	319.50	328.00	8.5	0.78
OSK-W-16-708	2775	Shear and quartz veins						354.00	356.20	2.2	3.65
<i>including</i>								354.80	355.10	0.3	14.0
OSK-W-16-708	2775	Caribou South 3	1258.5	452816	5434427	331	54	625.50	628.00	2.5	1.50
OSK-W-16-708	2775	New	1258.5	452816	5434427	331	54	755.60	758.00	2.4	3.36
OSK-W-16-708	2775	Wolf hanging wall	1258.5	452816	5434427	331	54	796.00	798.00	2.0	17.1
OSK-W-16-708	2775	New	1258.5	452816	5434427	331	54	889.50	891.80	2.3	5.55
<i>including</i>								891.20	891.80	0.6	19.0
OSK-W-16-708	2775	FW1	1258.5	452816	5434427	331	54	1021.70	1024.50	2.8	3.94
<i>including</i>								1022.50	1023.00	0.5	16.1
OSK-W-16-708	2775	FW3	1258.5	452816	5434427	331	54	1204.50	1206.70	2.2	0.09
OSK-W-16-708-W1	2775	Caribou South 3 footwall	1258.5	452816	5434427	331	54	633.30	635.90	2.6	1.28
OSK-W-16-708-W1	2775	New	1258.5	452816	5434427	331	54	706.30	708.70	2.4	3.25
OSK-W-16-708-W1	2775	New	1258.5	452816	5434427	331	54	729.30	733.00	3.7	3.89
OSK-W-16-708-W1	2775	New	1258.5	452816	5434427	331	54	738.10	740.70	2.6	4.01
<i>including</i>								739.00	739.70	0.7	12.0
OSK-W-16-708-W1	2775	Wolf hanging wall	1258.5	452816	5434427	331	54	765.50	769.50	4.0	12.2
OSK-W-16-708-W1	2775	Wolf	1258.5	452816	5434427	331	54	816.50	820.30	3.8	12.5
OSK-W-16-708-W1	2775	Wolf footwall	1258.5	452816	5434427	331	54	834.00	836.40	2.4	4.79
<i>including</i>								835.60	836.40	0.8	13.9
OSK-W-16-708-W1	2775	New	1258.5	452816	5434427	331	54	838.10	844.50	6.4	15.4
<i>including</i>								840.50	843.40	2.9	31.5
OSK-W-16-708-W1	2775	New	1258.5	452816	5434427	331	54	1069.00	1071.00	2.0	8.27
<i>including</i>								1069.90	1070.20	0.3	41.7
OSK-W-16-708-W1	2775	FW3	1258.5	452816	5434427	331	54	1088.00	1091.00	3.0	3.74
OSK-W-16-708-W1	2775	New	1258.5	452816	5434427	331	54	1163.00	1165.10	2.1	6.14
<i>including</i>								1163.00	1164.00	1.0	11.1
OSK-W-16-708-W2	2775	Caribou South 3	1408.5	452816.9	5434427	331.0	54.0	633.00	635.60	2.6	3.20
OSK-W-16-708-W2	2775	Shear - Caribou Corridor	1408.5	452816.9	5434427	331.0	54.0	668.80	671.00	2.2	7.43
<i>including</i>								668.80	670.20	1.4	11.4
OSK-W-16-708-W2	2775	Caribou - Caribou Corridor	1408.5	452816.9	5434427	331.0	54.0	795.00	798.00	3.0	7.66
OSK-W-16-708-W2	2775	Wolf - Caribou Corridor	1408.5	452816.9	5434427	331.0	54.0	841.90	844.70	2.8	4.47
<i>including</i>								844.30	844.70	0.4	30.3
OSK-W-16-708-W2	2775	New zone - Underdog	1408.5	452816.9	5434427	331.0	54.0	1135.50	1142.10	6.6	13.8
<i>including</i>								1136.10	1138.50	2.4	36.1
OSK-W-16-708-W2	2775	FW3	1408.5	452816.9	5434427	331.0	54.0	1274.30	1276.3	2.0	0.63
OSK-W-16-709	2700	New zone ; Shear	591.5	452647	5434575	330	59	186.00	188.00	2.0	3.01
<i>including</i>								186.00	187.00	1.0	5.61
OSK-W-16-709	2700	New Zone	591.5	452647	5434575	330	59	349.50	351.50	2.0	3.22
OSK-W-16-709	2700	Caribou South 1	591.5	452647	5434575	330	59	418.20	421.90	3.7	4.90
OSK-W-16-709	2700	Caribou South 3	591.5	452647	5434575	330	59	499.20	502.00	2.8	0.8
OSK-W-16-710	2700	Tourmaline breccia	705.5	452649	5434615	331	60	68.00	70.00	2.0	3.25
<i>including</i>								69.30	70.00	0.7	8.93
OSK-W-16-710	2700	New zone	705.5	452649	5434615	331	60	157.00	159.00	2.0	3.13
<i>including</i>								157.00	158.30	1.3	4.72
OSK-W-16-710	2700	New zone	705.5	452649	5434615	331	60	222.00	225.00	3.0	3.48
<i>including</i>								222.00	223.50	1.5	6.94



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2017**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)
OSK-W-16-710	2700	Caribou South 1	705.5	452649	5434615	331	60	402.80	403.50	0.7	1.94
OSK-W-16-710	2700	Caribou South 3 ; cross-cut by late felsic dike	705.5	452649	5434615	331	60	426.70	427.30	0.6	6.97
OSK-W-16-710	2700	Quartz-tourmaline veins	705.5	452649	5434615	331	60	498.00	500.50	2.5	10.8
<i>including</i>								498.00	499.50	1.5	17.8
OSK-W-16-710	2700	New zone	705.5	452649	5434615	331	60	531.00	534.00	3.0	8.32
<i>including</i>								532.50	534.00	1.5	15.5
OSK-W-16-710	2700	Wolf	705.5	452649	5434615	331	60	562.00	568.70	6.7	11.8
<i>including</i>								565.90	566.60	0.7	212
OSK-W-16-710	2700	New zone	705.5	452649	5434615	331	60	586.00	588.30	2.3	16.2
<i>including</i>								586.00	587.90	1.9	19.6
OSK-W-16-710	2700	Caribou North 2	705.5	452649	5434615	331	60	620.00	623.50	3.5	1.12
OSK-W-16-711	Explo		394.5	449352	5434556	328.7	-47.4	No significant results			
OSK-W-16-712	2775		40.5	452678	5434680	330	55	Abandoned hole			
OSK-W-16-713	2775	Caribou	524.5	452678	5434680	330.5	55.9	421.00	423.00	2.0	0.80
OSK-W-16-713	2775	Caribou North 2 footwall	524.5	452678	5434680	330.5	55.9	472.00	479.35	7.4	1.43
OSK-W-16-714	Explo		511.5	449299	5435272	330.0	-44.5	No significant results			
OSK-W-16-715	2800	Eastern extension Caribou South 1	805.5	452785	5434528	333	61	534.50	536.50	2.0	4.85
OSK-W-16-715	2800	New	805.5	452785	5434528	333	61	541.50	543.50	2.0	4.17
OSK-W-16-715	2800	Caribou South 3	805.5	452785	5434528	333	61	646.00	649.00	3.0	22.6
<i>including</i>								647.50	649.00	1.5	41.0
OSK-W-16-715	2800	New	805.5	452785	5434528	333	61	668.50	671.50	3.0	6.84
<i>including</i>								668.50	670.00	1.5	13.1
OSK-W-16-715	2800	New	805.5	452785	5434528	333	61	727.00	729.80	2.8	4.38
OSK-W-16-715	2800	Quartz vein in Red Dog	805.5	452785	5434528	333	61	800.80	801.30	0.5	18.9
OSK-W-16-716	Explo		602.5	448895	5435348	331.6	-45.1	No significant results			
OSK-W-16-717	Explo	New	526.5	448759	5435644	331	45	51.50	53.60	2.1	3.16
OSK-W-16-717	Explo	New discovery - Fox	526.5	448759	5435644	331	45	243.90	255.50	11.6	3.22
OSK-W-16-718	2775	Caribou South 1	799.5	452742	5434575	332.1	60.5	431.90	434.90	3.0	23.2
<i>including</i>								432.90	434.20	1.3	44.5
OSK-W-16-718	2775	Caribou South 3	799.5	452742	5434575	332.1	60.5	515.50	518.00	2.5	1.88
OSK-W-16-718	2775	New	799.5	452742	5434575	332.1	60.5	537.50	539.70	2.2	3.31
OSK-W-16-718	2775	Wolf 2	799.5	452742	5434575	332.1	60.5	570.50	575.20	4.7	8.50
OSK-W-16-718	2775	Quartz-carbonate vein	799.5	452742	5434575	332.1	60.5	679.00	681.20	2.2	10.4
<i>including</i>								680.70	681.20	0.5	44.4
OSK-W-16-718	2775	Wolf	799.5	452742	5434575	332.1	60.5	735.30	737.90	2.6	4.78
OSK-W-16-719	Explo		502.5	448757	5436406	329.1	-46.3	No significant results			
OSK-W-16-720	2775	Caribou	460.5	452665	5434718	332.0	56.0	260.00	265.70	5.7	34.4 (uncut)
OSK-W-16-720	2775	Caribou	460.5	452665	5434718	332.0	56.0	260.00	265.70	5.7	20.9 <sup>(3)</sup>
<i>including</i>								262.00	262.50	0.5	45.9
<i>and</i>								263.10	263.60	0.5	105
<i>and</i>								264.30	264.60	0.3	348
OSK-W-16-720	2775	Caribou	460.5	452665	5434718	332.0	56.0	394.00	398.40	4.4	5.56
<i>including</i>								394.00	394.50	0.5	18.7
OSK-W-16-720	2775	Caribou North 2 extension	460.5	452665	5434718	332.0	56.0	436.50	439.00	2.5	3.07
<i>including</i>								437.00	438.00	1.0	7.25
OSK-W-16-721	Explo		486.6	448442	5436942	327.0	-45.0	No significant results			
OSK-W-16-722	2925	New	774.8	452795	5434813	330	60	53.00	55.00	2.0	6.08
<i>including</i>								53.00	54.00	1.0	12.0
OSK-W-16-723	Explo		766.5	447874	5436916	331.7	-43.8	No significant results			
OSK-W-16-724	3050	New	823.5	452909	5434853	329.3	65.0	157.00	159.00	2.0	3.18
OSK-W-16-724	3050	New - Caribou Corridor	823.5	452909	5434853	329.3	65.0	385.00	387.50	2.5	3.34
<i>including</i>								385.00	386.00	1.0	8.11
OSK-W-16-724	3050	New - Caribou Corridor	823.5	452909	5434853	329.3	65.0	478.60	480.70	2.1	3.64
OSK-W-16-724	3050	Caribou North 2 Zone Extension	823.5	452909	5434853	329.3	65.0	576.70	580.00	3.3	5.06
<i>including</i>								579.70	580.00	0.3	26.7
OSK-W-16-725	Explo	Quartz-carbonate veins	583.5	447947	5436106	330.0	-50.0	346.7	347.7	1.0	3.07
OSK-W-16-726	1850	FW3	997.5	451895.1	5434186.2	328.2	59.5	837.00	839.90	2.9	0.60
OSK-W-16-726	1850	New zone under Red Dog	997.5	451895.1	5434186.2	328.2	59.5	936.60	938.80	2.2	4.49
<i>including</i>								938.50	938.80	0.3	18.5
OSK-W-16-726-W1	1850	FW3	1107.5	451895	5434186	328.2	-59.5	962.90	966.3	3.4	0.27
OSK-W-16-726-W2	1850		565.5	451895	5434186	328.2	-59.5	No significant results			
OSK-W-16-727	1775	FW3 Underdog	382.5	451663	5434448	330.2	52.5	274.40	276.50	2.1	9.45
<i>including</i>								274.90	276.00	1.1	17.2
OSK-W-16-728	3200	Crustiform vein	1420.5	453054	5434890	330.8	65.2	363	365.4	2.4	42.2 (uncut)
OSK-W-16-728	3200	Crustiform vein Cut to 100g/t Au	1420.5	453054	5434890	330.8	65.2	363	365.4	2.4	17.2 <sup>(3)</sup>
<i>including</i>								363.6	364	0.4	250
OSK-W-16-728	3200	Crustiform vein	1420.5	453054	5434890	330.8	65.2	404	404.5	0.5	23.80
OSK-W-16-728	3200	Caribou Zone extension	1420.5	453054	5434890	330.8	65.2	478.10	481.20	3.1	391
OSK-W-16-728	3200	Caribou Zone extension Cut to 100 g/t Au	1420.5	453054	5434890	330.8	65.2	478.10	481.20	3.1	14.7
<i>including</i>								478.10	478.50	0.4	3020



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2017**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)
OSK-W-16-728	3200	New zone - Caribou corridor	1420.5	453054	5434890	330.8	65.2	581.6	584	2.4	3.18
OSK-W-16-728	3200	Zone 27 - Crustiform vein	1420.5	453054	5434890	330.8	65.2	752.2	754.9	2.7	4.69
<i>including</i>								753.1	753.9	0.8	15.6
OSK-U-16-729	Explo		483.5	450104	5433288	330.4	-43.0	No significant results			
OSK-U-16-730	Explo		502.5	449901	5433572	330.4	-44.7	No significant results			
OSK-W-16-311-W1	2325	FW1	1155	452311	5434424	330.3	-62.4	753.50	756.00	2.5	0.4
OSK-W-16-311-W1	2325	FW3 hanging wall	1155	452311	5434424	330.3	-62.4	927.50	930.50	3.0	9.4
<i>including</i>								927.50	929.40	1.9	14.6
OSK-W-16-311-W1	2325	FW3	1155	452311	5434424	330.3	-62.4	991.00	993.00	2.0	1.4
OSK-W-16-311-W1	2325	FW4 Hangingwall	1155	452311	5434424	330.3	-62.4	1118.00	1120.00	2.0	15.7
OSK-W-16-311-W1	2325	FW4	1155	452311	5434424	330.3	-62.4	1131.00	1132.90	1.9	8.32
<i>including</i>								1131.00	1132.00	1.0	15.7
OSK-W-16-311-W2	2325	FW1	1181	452311	5434424	330.3	-62.4	734.30	737.80	3.5	0.8
OSK-W-16-311-W2	2325	FW3 hanging wall	1181	452311	5434424	330.3	-62.4	918.80	921.00	2.2	13.0
<i>including</i>								919.30	919.60	0.3	88.3
OSK-W-16-311-W2	2325	FW3 hanging wall	1181	452311	5434424	330.3	-62.4	970.00	972.00	2.0	6.4
OSK-W-16-311-W2	2325	FW3	1181	452311	5434424	330.3	-62.4	992.50	994.90	2.4	6.5
<i>including</i>								993.30	993.90	0.6	24.7
OSK-W-16-311-W2	2325	FW3 footwall	1181	452311	5434424	330.3	-62.4	1050.70	1053.40	2.7	7.9
<i>including</i>								1052.40	1053.40	1.0	20.9
OSK-W-16-311-W2	2325	FW4	1181	452311	5434424	330.3	-62.4	1149.30	1152.00	2.7	5.21
<i>including</i>								1150.30	1151.00	0.7	19.9
OSK-U-16-731	Explo	New zone	499.5	449764	5433851	330.4	-42.6	358.5	360.5	2.0	6.78
<i>including</i>								358.5	359.35	0.9	11.1
OSK-U-16-732	Explo	Fox	421.5	448759	5435644	330.7	-55.8	65.5	68.5	3.0	8.04
<i>including</i>								67	68.5	1.5	16.1
OSK-U-16-733	Explo	Shear veins	502.5	448759	5435644	358.9	-54.4	47.25	49	1.8	3.40
<i>including</i>								47.25	47.75	0.5	9.99
OSK-U-16-734	Explo	Fox	560.5	448759	5435644	302.0	-45.9	406	409.1	2.1	39.2
<i>including</i>								407	407.7	0.7	96.2
<i>and</i>								408.8	409.1	0.3	48.0
OSK-W-16-735	2375	Shear vein	1111.5	452288	5434576	330.1	-63.8	58.3	60.5	2.2	13.8
<i>including</i>								58.3	58.9	0.6	48.7
OSK-W-16-735	2375	Caribou	1111.5	452288	5434576	330.1	-63.8	101.8	137.2	35.4	17.0
OSK-W-16-735	2375	Caribou Cut to 100g/t Au	1111.5	452288	5434576	330.1	-63.8	101.8	137.2	35.4	6.1 <sup>(3)</sup>
<i>including</i>								103	103.5	0.5	10.1
<i>and</i>								112	113.7	1.7	318
<i>including</i>								112	113	1.0	486
<i>and</i>								113	113.7	0.7	79.2
OSK-W-16-735	2375	Zone 27	1111.5	452288	5434576	330.1	-63.8	322.8	325	2.2	14.6
<i>including</i>								322.8	323.4	0.6	53.0
OSK-W-16-735	2375	FW1	1111.5	452288	5434576	330.1	-63.8	532.4	534.5	2.1	14.1
<i>including</i>								532.4	533.1	0.7	32.8
<i>including</i>								534.2	534.5	0.3	19.6
OSK-W-16-735	2375	FW1 Footwall	1111.5	452288	5434576	330.1	-63.8	554.4	557.8	3.4	10.8
<i>including</i>								554.4	554.8	0.4	76.9
OSK-W-16-735	2375	FW3	1111.5	452288	5434576	330.1	-63.8	676.5	681.1	4.6	0.7
OSK-W-16-735	2375	FW4 Hangingwall	1111.5	452288	5434576	330.1	-63.8	797.8	800	2.2	6.75
<i>including</i>								798.8	799.1	0.3	48.4
OSK-W-16-735	2375	FW4 Hangingwall	1111.5	452288	5434576	330.1	-63.8	812	814.9	2.9	8.57
<i>including</i>								814.4	814.9	0.5	43.0
OSK-W-16-735	2375	FW4	1111.5	452288	5434576	330.1	-63.8	824.2	828.4	4.2	33.6 (uncut)
OSK-W-16-735	2375	FW4 Cut to 100 g/t Au	1111.5	452288	5434576	330.1	-63.8	824.2	828.4	4.2	24.4 <sup>(3)</sup>
<i>including</i>								824.2	824.5	0.3	228
<i>and</i>								826.8	828.4	1.6	36.8
OSK-W-16-735-W1	2375	Z27-2	1072.5	452288	5434576	330.1	-63.8	345.8	348	2.2	4.50
OSK-W-16-735-W1	2375	Zone 27	1072.5	452288	5434576	330.1	-63.8	404.1	406	1.9	1.14
OSK-W-16-735-W1	2375	Quartz vein in Red Dog	1072.5	452288	5434576	330.1	-63.8	427.5	428.5	1.0	5.13
OSK-W-16-735-W1	2375	Quartz vein in Red Dog	1072.5	452288	5434576	330.1	-63.8	477.8	478.1	0.3	11.8
OSK-W-16-735-W1	2375	FW1	1072.5	452288	5434576	330.1	-63.8	520.5	527.3	6.8	11.6 (uncut)
OSK-W-16-735-W1	2375	FW1 Cut to 100 g/t Au	1072.5	452288	5434576	330.1	-63.8	520.5	527.3	6.8	8.7 <sup>(3)</sup>
<i>including</i>								521.5	522	0.5	140 (uncut)
OSK-W-16-735-W1	2375	FW3	1072.5	452288	5434576	330.1	-63.8	743.3	749	5.7	1.04
OSK-W-16-735-W2	2375	FW1	1072.5	452288	5434576	330.1	-63.8	532.2	535.7	3.5	12.2
OSK-W-16-735-W2	2375	FW1	1072.5	452288	5434576	330.1	-63.8	545.8	548.6	2.8	6.80
OSK-W-16-735-W2	2375	FW3	1072.5	452288	5434576	330.1	-63.8	808.5	818.3	9.8	7.92
OSK-W-16-735-W2	2375	FW3	1072.5	452288	5434576	330.1	-63.8	822.7	828	5.3	11.7
<i>including</i>								825	825.5	0.5	54.1
OSK-U-16-736	Explo	Fox	590.5	448759	5435644	302.1	-60.3	260.6	262.7	2.1	5.14
OSK-U-16-736	Explo	Fox	590.5	448759	5435644	302.1	-60.3	313	315.6	2.6	4.32
OSK-W-16-737	3375		73.5	453236	5434928	332.2	-65.6	Abandoned			



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2017**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)
OSK-U-16-738	Explo	Fox	547.5	448758	5935640	275.9	-45.7	217.8	221.7	3.9	2.58
OSK-U-16-738	Explo	Fox	547.5	448758	5935640	275.9	-45.7	272.7	274.4	1.7	2.86
OSK-W-16-739	3375		43.5	453236	5434928	332.0	-65.0	Abandoned			
OSK-W-16-740	3375	Vein	1465.5	453237	5434929	340.0	-65.6	137.4	140	2.6	7.21
		<i>including</i>						138.7	139.2	0.5	23.60
OSK-W-16-740	3375	Lynx	1465.5	453237	5434929	340.0	-65.6	159	161	2.0	4.49
OSK-W-16-740	3375	Lynx FW	1465.5	453237	5434929	340.0	-65.6	248.5	256.7	8.2	4.72
		<i>including</i>						249.5	250.1	0.6	13.00
		<i>including</i>						255.7	256.7	1.0	19.30
OSK-W-16-740	3375	Crustiform Vein	1465.5	453237	5434929	340.0	-65.6	305.4	310	4.6	5.69
		<i>including</i>						305.4	306.1	0.7	11.80
		<i>including</i>						309	310	1.0	16.30
OSK-W-16-740	3375	CN2	1465.5	453237	5434929	340.0	-65.6	720.5	722.8	2.3	9.66
		<i>including</i>						720.5	721.5	1.0	19.50
OSK-W-16-740	3375	New UnderDog	1465.5	453237	5434929	340.0	-65.6	1389	1391.4	2.4	8.71
		<i>including</i>						1390.2	1390.5	0.3	67.90
OSK-W-16-741	2525		247.5	452651	5434237	329.0	-65.0	No significant results			
OSK-W-16-742	2525		31.5	452651	5434237	329.9	-64.2	Abandoned			
OSK-W-16-743	2525	New zone	1561.5	452651	5434237	334.2	-64.3	672.2	674.7	2.5	6.44
OSK-W-16-743	2525	New zone	1561.5	452651	5434237	334.2	-64.3	701.1	703.8	2.7	4.91
		<i>including</i>						703.1	703.8	0.7	15.3
OSK-W-16-743	2525	CS1	1561.5	452651	5434237	334.2	-64.3	776.4	777.3	0.9	1.91
OSK-W-16-743	2525	New zone	1561.5	452651	5434237	334.2	-64.3	790.4	792.8	2.4	4.71
		<i>including</i>						790.4	790.7	0.3	37.1
OSK-W-16-743	2525	FW0	1561.5	452651	5434237	334.2	-64.3	1007	1009.7	2.7	2.52
OSK-W-16-743	2525	FW1	1561.5	452651	5434237	334.2	-64.3	1173.6	1183.3	9.7	3.37
		<i>including</i>						1179.2	1179.8	0.6	13.3
OSK-W-16-743	2525	FW2	1561.5	452651	5434237	334.2	-64.3	1233.7	1236.3	2.6	303 (uncut)
OSK-W-16-743	2525	FW2 Cut to 100 g/t Au	1561.5	452651	5434237	334.2	-64.3	1233.7	1236.3	2.6	47.0 <sup>(3)</sup>
		<i>including</i>						1233.7	1235.8	2.1	375 (uncut)
		<i>including</i>						1233.7	1235.8	2.1	57.7 <sup>(3)</sup>
OSK-W-16-743	2525	FW3	1561.5	452651	5434237	334.2	-64.3	1366	1368.2	2.2	5.55
OSK-W-16-743-W1	2528	CS1	1489.5	452651	5434237	333.3	-64.1	774.0	776.0	2.0	1.10
		<i>including</i>						774.6	775.0	0.4	5.05
OSK-W-16-743-W1	2528	FW0	1489.5	452651	5434237	333.3	-64.1	1000.5	1005.7	5.2	5.77
		<i>including</i>						1001.3	1003.7	2.4	11.0
OSK-W-16-743-W1	2528	FW0 FW	1489.5	452651	5434237	333.3	-64.1	1060.0	1063.0	3.0	3.62
		<i>including</i>						1060.0	1060.5	0.5	7.97
OSK-W-16-743-W1	2528	FW2 HW	1489.5	452651	5434237	333.3	-64.1	1243.5	1245.6	2.1	6.77
OSK-W-16-743-W1	2528	FW2	1489.5	452651	5434237	333.3	-64.1	1251.8	1254.4	2.6	8.13
		<i>including</i>						1252.1	1252.9	0.8	24.0
OSK-W-16-743-W1	2528	FW3	1489.5	452651	5434237	333.3	-64.1	1394.0	1396.0	2.0	6.29
		<i>including</i>						1394.0	1394.9	0.9	12.9
OSK-W-16-743-W2	2528	CS1	1626.7	452651	5434237	333.3	-64.1	748.0	751.0	3.0	10.3
		<i>including</i>						749.6	751.0	1.4	21.5
OSK-W-16-743-W2	2528	FW0	1626.7	452651	5434237	333.3	-64.1	1160.0	1162.9	2.9	3.52
OSK-W-16-743-W2	2528	FW2	1626.7	452651	5434237	333.3	-64.1	1373.7	1376.3	2.6	9.1
		<i>including</i>						1374.5	1375.3	0.8	27.5
OSK-W-16-744	2775	New zone	690.9	452665	5434733	331.0	-55.9	268	270.5	2.5	5.24
		<i>including</i>						269	270.5	1.5	8.35
OSK-W-16-744	2775	Caribou	690.9	452665	5434733	331.0	-55.9	365	374	9.0	5.00
		<i>including</i>						372	373	1.0	31.2
OSK-W-16-744	2775	Caribou North 2	690.9	452665	5434733	331.0	-55.9	417.4	419.9	2.5	4.44
		<i>including</i>						419.5	419.9	0.4	20.0
OSK-W-16-744	2775	Zone 27	690.9	452665	5434733	331.0	-55.9	578	594	16.0	4.92
		<i>including</i>						578	582	4.0	15.2
OSK-W-16-746	2650	Caribou	874.5	452550	5434673	330.5	57.1	343	348.2	5.2	5.50
		<i>including</i>						344.8	345.2	0.4	47.2
OSK-W-16-746	2650	Caribou North 2	874.5	452550	5434673	330.5	57.1	378.2	378.9	0.7	0.16
OSK-W-16-746	2650	New zone	874.5	452550	5434673	330.5	57.1	455.4	457.7	2.3	3.87
		<i>including</i>						456.9	457.7	0.8	9.29
OSK-W-16-746	2650	Vein	874.5	452550	5434673	330.5	57.1	603	606.7	3.7	16.5
OSK-W-16-747	2475	Quartz-tourmaline vein	548.1	452449	5434488	331.0	-56.5	153	155	2.0	3.66
		<i>including</i>						154	154.3	0.3	23.6
OSK-W-16-747	2475	Caribou	548.1	452449	5434488	331.0	-56.5	298.3	300.7	2.4	13.7
		<i>including</i>						298.3	299.3	1.0	31.5
OSK-W-16-747	2475	Caribou South 1	548.1	452449	5434488	331.0	-56.5	417	419	2.0	11.4
		<i>including</i>						417.8	418.3	0.5	45.3
OSK-W-16-747	2475	Caribou North 1	548.1	452449	5434488	331.0	-56.5	467.1	468.9	1.8	2.17
OSK-W-16-747	2475	Zone 27 ; cross-cut by Red Dog	548.1	452449	5434488	331.0	-56.5	527.1	533.5	6.4	0.67
OSK-W-16-749	2458	CS1	553	452486	5434389	332.0	-57.0	504.6	510	5.4	12.7
		<i>including</i>						504.6	505.3	0.7	35.2
		<i>including</i>						506	510	4.0	10.7



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2017**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)
OSK-W-16-749	2458	CS1 FW	553	452486	5434389	332.0	-57.0	522	525.1	3.1	3.4
OSK-W-16-750	3557	Crustiform vein	1580	453439	5434933	332.0	-65.0	418.2	420.5	2.3	17.00
OSK-W-16-750	3557	Caribou	1580	453439	5434933	332.0	-65.0	709	711	2.0	41.80
OSK-W-16-750	3557	UnderDog	1580	453439	5434933	332.0	-65.0	983.5	985.8	2.3	14.80
		including						984.6	985.2	0.6	56.00
OSK-W-16-750	3557	UnderDog	1580	453439	5434933	332.0	-65.0	1430	1432	2.0	4.65
OSK-W-16-751	3200	Caribou - Shear Zone	943.5	453032	5434930	335.0	-63.7	403	407.7	4.7	3.09
OSK-W-16-751	3200	Caribou - Shear Zone	943.5	453032	5434930	335.0	-63.7	466.9	469	2.1	5.21
		including						466.9	467.8	0.9	11.45
OSK-W-16-751	3200	Caribou						504.6	507	2.4	3.17
OSK-W-16-751	3200	CN2	943.5	453032	5434930	335.0	-63.7	519.2	521.5	2.3	6.57
OSK-W-16-751	3200	Zone 27	943.5	453032	5434930	335.0	-63.7	795.6	796.9	1.3	0.07
OSK-W-16-753	2725	Caribou South 3	756.5	452756	5434465	332.0	-58.0	666.5	674	7.5	7.92
		including						666.5	670.1	3.6	14.1
OSK-W-16-753	2725	Caribou	756.5	452756	5434465	332.0	-58.0	688	690.7	2.7	4.09
OSK-W-16-754	2675	CS1	1564.5	452766	5434303	331.0	-59.1	724.4	726.5	2.1	7.15
		including						724.9	725.5	0.6	24.6
OSK-W-16-754	2675	FW0	1564.5	452766	5434303	331.0	-59.1	1108	1111	3.0	4.94
		including						1110	1111	1.0	11.9
OSK-W-16-754	2675	FW0 FW	1564.5	452766	5434303	331.0	-59.1	1128.4	1131	2.6	3.66
		including						1129.2	1129.5	0.3	22.00
OSK-W-16-754	2675	FW3	1564.5	452766	5434303	331.0	-59.1	1422.7	1430	7.3	9.76
		including						1424	1425.6	1.6	34.6
OSK-W-16-755	3379	Lynx	1078.5	453214	5434971	335.0	-64.0	63	69	6.0	11.8
		including						64	64.9	0.9	67.1
OSK-W-16-755	3379	Lynx Footwall	1078.5	453214	5434971	335.0	-64.0	147	149	2.0	8.12
		including						147.4	147.9	0.5	30.4
OSK-W-16-755	3379	Caribou Hangingwall	1078.5	453214	5434971	335.0	-64.0	188.5	191	2.5	3.30
		including						189.5	190.2	0.7	10.6
OSK-W-16-755	3379	Caribou	1078.5	453214	5434971	335.0	-64.0	568	572.9	4.9	2.11
		including						569.7	570.2	0.5	11.6
OSK-W-16-755	3379	CN2	1078.5	453214	5434971	335.0	-64.0	617	621.8	4.8	2.08
OSK-W-16-755	3379	Vein	1078.5	453214	5434971	335.0	-64.0	668	670	2.0	5.60
OSK-W-16-755-W1	3375	CN2	685.5	453213	5434973	335.8	-64.5	670.7	674.5	3.8	0.61
OSK-W-16-756	2750	CS1	803	452809	5434392	331.0	-58.0	672.8	675.4	2.6	3.29
		including						673.8	674.6	0.8	9.66
OSK-W-16-756	2750	Vein	803	452809	5434392	331.0	-58.0	756.6	759.1	2.5	3.70
		including						758.8	759.1	0.3	26.4
OSK-W-16-759	3177	Caribou HW	891.5	452990	5434981	331.8	-64.7	189.1	193.5	4.4	4.20
OSK-W-16-759	3177	CN2	891.5	452990	5434981	331.8	-64.7	377.4	381.3	3.9	1.53
OSK-W-16-759	3177	Zone 27	891.5	452990	5434981	331.8	-64.7	540.2	542.4	2.2	0.46
OSK-W-16-760	3544	Lynx HW	1561.5	453403	5434972	332.0	-65.0	208	211	3.0	14.10
		including						208.5	211	2.5	16.71
OSK-W-16-760	3544	Lynx	1561.5	453403	5434972	332.0	-65.0	223	232	9.0	95.3 (uncut)
OSK-W-16-760	3544	Lynx	1561.5	453403	5434972	332.0	-65.0	223	232	9.0	42.7 <sup>(3)</sup>
		including						226.3	232	5.7	148 (uncut)
		including						226.3	232	5.7	65.0 <sup>(3)</sup>
OSK-W-16-760	3544	Crustiform vein	1561.5	453403	5434972	332.0	-65.0	250.5	255	4.5	7.79
OSK-W-16-760	3544	Crustiform vein	1561.5	453403	5434972	332.0	-65.0	354.3	357	2.7	5.50
OSK-W-16-761	3375	Lynx FW	1387.5	453181	5434996	330.0	-61.0	54.5	56.5	2	19.4
OSK-W-16-761	3375		1387.5	453181	5434996	330.0	-61.0	64.7	67	2.3	71.3 (uncut)
OSK-W-16-761	3375		1387.5	453181	5434996	330.0	-61.0	64.7	67	2.3	64.3 <sup>(5)</sup>
OSK-W-16-762	2675		CS1 HW	775.5	452729	5434411	332.0	-56.0	554	556.8	2.8
		including						555	556.8	1.8	4.95
OSK-W-16-762	2675	Vein	775.5	452729	5434411	332.0	-56.0	589	591.7	2.7	3.12
OSK-W-16-762	2675	CS1 FW	775.5	452729	5434411	332.0	-56.0	622	624	2.0	8.89
		including						623	624	1.0	17.7
OSK-W-16-762	2675	CS3	775.5	452729	5434411	332.0	-56.0	666	673	7.0	7.61
OSK-W-16-762	2675	CS3 FW	775.5	452729	5434411	332.0	-56.0	680	684.05	4.1	4.70
		including						682	684.05	2.1	8.95
OSK-W-16-762	2675	Caribou	775.5	452729	5434411	332.0	-56.0	693	696	3.0	4.47
		including						694	695	1.0	7.24
OSK-W-16-764	3375	Caribou extension	1336.3	453147	5435027	328.8	-59.7	369.9	374.5	4.6	0.73
OSK-W-16-764	3375	CN2 extension	1336.3	453147	5435027	328.8	-59.7	416.5	420	3.5	0.24
OSK-W-16-765	3175	New zone	901.5	452955	5435002	328.9	-62.5	41.3	52.9	11.6	1.11
OSK-W-16-765	3175	New zone	901.5	452955	5435002	328.9	-62.5	82.6	84	1.4	4.52
		including						82.6	82.9	0.3	20.30
		including						137	137.5	0.5	8.82
OSK-W-16-765	3175	Caribou extension	901.5	452955	5435002	328.9	-62.5	137	139	2	2.27
OSK-W-16-765	3175	Caribou extension	901.5	452955	5435002	328.9	-62.5	141.9	144.1	2.2	2.54
OSK-W-16-765	3175	CN2 extension	901.5	452955	5435002	328.9	-62.5	341.1	344	2.9	0.98
OSK-W-16-765	3175	CN2 extension	901.5	452955	5435002	328.9	-62.5	364.3	371	6.7	0.21
OSK-W-16-765	3175	Z27 extension	901.5	452955	5435002	328.9	-62.5	576.1	577.1	1	0.13



**Windfall Lake Gold Project**  
**Quebec, Canada**  
**Assay Results**  
**Osisko Mining Inc. 2015-2017**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)
OSK-W-16-766	2650	Vein - Caribou corridor	709.4	452690	5434340	332.6	-57.5	341.9	345	3.1	5.17
<i>including</i>								343	343.6	0.6	16.2
OSK-W-16-766	2650	CS1	709.4	452690	5434340	332.6	-57.5	651.1	653.9	2.8	3.60
OSK-W-17-766-W1	2600	CS1 FW	742.5	452690	5434340	328.0	-55.4	674.8	680.6	5.8	15.6
<i>including</i>								676.5	679.5	3	27.6
OSK-W-16-767	2775	Vein - Shear	1606.5	452887	5434330	330.8	-59.9	431.7	433.1	1.4	1.70
<i>including</i>								432.8	433.1	0.3	6.72
OSK-W-16-767	2775	Vein in late dyke	1606.5	452887	5434330	330.8	-59.9	865.9	870	4.1	3.68
OSK-W-16-767	2775	FW0	1606.5	452887	5434330	330.8	-59.9	1121	1123	2.0	4.14
<i>including</i>								1122	1123	1.0	7.57
OSK-W-16-767	2775	FW1	1606.5	452887	5434330	330.8	-59.9	1359.7	1368.5	8.8	2.06
<i>including</i>								1359.7	1360.1	0.4	22.2
OSK-W-16-767	2775	FW3	1606.5	452887	5434330	330.8	-59.9	1535.5	1548	12.5	0.49
OSK-W-16-769	3175	Vein	922.5	452932	5435051	330.7	-63.5	235.6	238.7	3.1	3.52
<i>including</i>								237.1	237.7	0.6	13.4
OSK-W-17-770	3325		30	453095	5435084	327.0	-61.0	Abandoned			
OSK-W-17-743-W3	2525	CS1	1474.5	452651	5434237	334.4	-64.4	816.85	821.55	4.7	1.3
OSK-W-17-743-W3	2525	Vein - FW0 corridor	1474.5	452651	5434237	334.4	-64.4	1058	1060	2.0	7.44
OSK-W-17-743-W3	2525	FW0	1474.5	452651	5434237	334.4	-64.4	1066.8	1069.5	2.7	1.43
OSK-W-17-743-W3	2525	FW3	1474.5	452651	5434237	334.4	-64.4	1424	1436	12.0	0.38
OSK-W-17-772	3325	Caribou extension	1219.5	453095	5435085	332.9	-61.3	233.5	237.1	3.6	1.06
OSK-W-17-772	3325	Z27 extension	1219.5	453095	5435085	332.9	-61.3	466.5	468.6	2.1	0.21
OSK-W-17-773	3525	Lynx	1446	453361	5435006	325.5	-61.1	147.5	150	2.5	2.50
<i>including</i>								148.7	149.3	0.6	8.95
OSK-W-17-773	3525	FW4	1446	453361	5435006	325.5	-61.1	1348	1350.2	2.2	1.05
OSK-W-17-774	2700	CS1	1176.5	452731	5434636	333.0	-57.0	339.28	343.08	3.8	0.06
OSK-W-17-774	2700	Wolf	1176.5	452731	5434636	333.0	-57.0	565.5	572.6	7.1	1.49
<i>including</i>								572	572.6	0.6	9.42
OSK-W-17-774	2700	CN2	1176.5	452731	5434636	333.0	-57.0	604.1	608.5	4.4	0.72
OSK-W-17-774	2700	FW3	1176.5	452731	5434636	333.0	-57.0	932.1	934.1	2.0	0.74
OSK-W-17-776	2800	New- Caribou corridor	858.5	452851	5434434	330.0	-57.0	584.5	586.6	2.1	5.00
OSK-W-17-776	2800	CS1	858.5	452851	5434434	330.0	-57.0	628.3	630.5	2.2	0.16
OSK-W-17-776	2800	CS3	858.5	452851	5434434	330.0	-57.0	707.3	711.6	4.3	1.09
OSK-W-17-776	2800	Caribou corridor	858.5	452851	5434434	330.0	-57.0	773.5	775.5	2.0	11.2
OSK-W-17-776	2800	Caribou	858.5	452851	5434434	330.0	-57.0	797	803	6.0	6.42
<i>including</i>								797.7	800.3	2.6	10.1
OSK-W-17-776	2800	Vein in late dyke	858.5	452851	5434434	330.0	-57.0	854.4	857	2.6	5.65
<i>including</i>								854.4	854.7	0.3	42.0
OSK-W-17-777	2675	Crustiform vein	714.3	452678	5434499	339.3	-58.4	380.4	383.4	3.0	5.79
OSK-W-17-777	2675	CS1	714.3	452678	5434499	339.3	-58.4	492.4	492.7	0.3	0.28
OSK-W-17-777	2675	CS3	714.3	452678	5434499	339.3	-58.4	617	621	4.0	9.01
<i>including</i>								618	619	1.0	18.5
OSK-W-17-778	2600	Crustiform vein	700.1	452689	5434338	331.2	-57.8	545	547.7	2.7	13.5
<i>including</i>								546.6	547	0.4	90.2
OSK-W-17-778	2600	CS1	700.1	452689	5434338	331.2	-57.8	642.7	646.2	3.5	15.0
<i>including</i>								643.5	644.5	1.0	48.7
OSK-W-17-779	3450	Lynx HW	796.5	453301	5434978	326.9	-67.3	111.0	115.8	4.8	0.29
OSK-W-17-779	3450	Lynx	796.5	453301	5434978	326.9	-67.3	129.5	132.0	2.5	5.02
OSK-W-17-779	3450	Quartz-tourmaline vein - Lynx Corridor	796.5	453301	5434978	326.9	-67.3	183.0	183.6	0.6	6.65
OSK-W-17-779	3450	Crustiform vein - Lynx FW	796.5	453301	5434978	326.9	-67.3	257.0	259.0	2.0	4.59
<i>including</i>								258.0	259.0	1.0	7.17
OSK-W-17-779	3450	Crustiform vein - Lynx FW	796.5	453301	5434978	326.9	-67.3	268.0	275.9	7.9	21.6 uncut
OSK-W-17-779	3450		796.5	453301	5434978	326.9	-67.3	268.0	275.9	7.9	16.9 <sup>(3)</sup>
<i>including</i>								268.0	269.0	1.0	8.85
<i>and</i>								270.0	271.0	1.0	21.5
<i>and</i>								271.7	272.0	0.3	24.2
<i>and</i>								274.3	275.9	1.6	78.9 uncut
<i>and</i>								274.3	275.9	1.6	55.3 <sup>(3)</sup>
<i>including</i>								274.3	275.0	0.7	154
OSK-W-17-779	3450	Crustiform vein - Lynx FW	796.5	453301	5434978	326.9	-67.3	282.0	284.5	2.5	18.1
<i>including</i>								282.6	284.5	1.9	23.3
OSK-W-17-779	3450	Crustiform vein - Lynx FW	796.5	453301	5434978	326.9	-67.3	298.0	300.7	2.7	15.6
<i>including</i>								298.9	300.0	1.1	33.2
OSK-W-17-779	3450	Caribou extension	796.5	453301	5434978	326.9	-67.3	571.0	573.5	2.5	3.51
<i>including</i>								572.9	573.5	0.6	8.54
OSK-W-17-779	3450	Caribou extension	796.5	453301	5434978	326.9	-67.3	605.5	607.5	2.0	4.45
OSK-W-17-779	3450	Vein	796.5	453301	5434978	326.9	-67.3	621.0	622.5	1.5	2.62
<i>including</i>								622.1	622.5	0.4	6.92
OSK-W-17-779	3450	CN2	796.5	453301	5434978	326.9	-67.3	676.4	678.7	2.3	1.56
OSK-W-17-779	3450	Crustiform vein	796.5	453301	5434978	326.9	-67.3	725.0	728.2	3.2	4.17
<i>including</i>								726.9	727.5	0.6	16.3
OSK-W-17-781	2700	Crustiform vein	1520	452844	5434221	331.8	-60.5	518.5	520.5	2.0	15.3
<i>including</i>								519.5	520.5	1.0	30.4





Windfall Lake Gold Project  
 Quebec, Canada  
 Assay Results  
 Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)
OSK-W-17-781	2700	CS1	1520	452844	5434221	331.8	-60.5	778.0	780.5	2.5	3.05
OSK-W-17-783	3775	Crustiform vein - Lynx FW	1327.5	453535	5435182	328.5	-71.9	99.6	101.5	1.9	4.57
OSK-W-17-783	3775	Caribou extension	1327.5	453535	5435182	328.5	-71.9	458	460	2	0.21
OSK-W-17-785	2625		51	452673	5434412	329.0	-56.0	Abandoned			
OSK-W-17-786	2625	CS3	718.5	452673	5434412	337.0	-55.3	664.0	668.9	4.9	6.64
<i>including</i>								667.9	668.9	1.0	20.5
OSK-W-17-787	3500	Lynx FW	1207.3	453324	5435040	333.4	-62.6	118.7	121.1	2.4	0.96
OSK-W-17-787	3500	Caribou extension	1207.3	453324	5435040	333.4	-62.6	507.9	514.4	6.5	7.21
<i>including</i>								512.6	513.6	1.0	24.1
OSK-W-17-787	3500	CN2 extension	1207.3	453324	5435040	333.4	-62.6	517.0	521.8	4.8	3.48
<i>including</i>								521.2	521.8	0.6	13.1
OSK-W-17-788	3450	Lynx	376.5	453329	5434932	331.5	-66.1	236.4	240	3.6	57.0 (uncut)
OSK-W-17-788	3450		376.5	453329	5434932	331.5	-66.1	236.4	240	3.6	36.6 <sup>(3)</sup>
<i>including</i>								236.4	236.9	0.5	153
<i>and</i>								239	239.5	0.5	194
OSK-W-17-788	3450	Lynx	376.5	453329	5434932	331.5	-66.1	245	248.7	3.7	21.1
<i>including</i>								247.8	248.7	0.9	54.8
OSK-W-17-789	2500	CS1	1279.5	452546	5434390	331.0	-58.0	526.1	533.5	7.4	5.12
<i>including</i>								527.9	530.0	2.1	16.4
OSK-W-17-790	3600	Lynx FW	451.5	453456	5434998	321.0	-58.6	261.6	265.2	3.6	11.3
<i>including</i>								261.6	262.3	0.7	28.7
<i>and</i>								264.7	265.2	0.5	39.9
OSK-W-17-790	3600	Lynx FW	451.5	453456	5434998	321.0	-58.6	269.5	272.5	3	4.32
<i>including</i>								269.5	270.6	1.1	10.1
OSK-W-17-792	3575	Lynx	439.5	453446	5434960	334.5	-64.0	313.3	318.7	5.4	71.4 (uncut)
OSK-W-17-792	3575		439.5	453446	5434960	334.5	-64.0	313.3	318.7	5.4	42.5 <sup>(3)</sup>
<i>including</i>								313.3	314.2	0.9	56.0
<i>and</i>								315.6	317.6	2	162
OSK-W-17-792	3575	Crustiform vein	439.5	453446	5434960	334.5	-64.0	380.8	384.5	3.7	2.51