



**Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								666.7	668.8	2.1	17.9	
OBM-15-564	2675	-	1528.5	452759	5434367	330	-60	865.4	867.8	2.4	8.29	
OBM-15-564	2675	New potential lens	1528.5	452759	5434367	330	-60	947.0	954.0	7.0	7.49	
<i>including</i>								948.8	949.3	0.5	85.4	
OBM-15-564	2675	FW1	1528.5	452759	5434367	330	-60	1102.9	1105.0	2.1	7.19	
OBM-15-564	2675	Hanging wall of FW3	1528.5	452759	5434367	330	-60	1268.9	1271.0	2.1	4.09	
OBM-15-564	2675	Hanging wall of FW3	1528.5	452759	5434367	330	-60	1286.9	1288.9	2.0	5.10	
<i>including</i>								1286.9	1287.4	0.5	18.5	
OBM-15-564	2675	FW3	1528.5	452759	5434367	330	-60	1295.0	1297.1	2.1	5.32	
OBM-15-565	2375	Caribou	286.5	452263	5434628	330	-50	30.0	39.0	9.0	3.59	
<i>including</i>								30.5	31.0	0.5	19.3	
<i>and</i>								37.5	39.0	1.5	6.58	
OBM-15-565	2375	Zone 27	286.5	452263	5434628	330	-50	234.4	241.0	6.6	2.78	
<i>including</i>								234.4	237.0	2.6	4.94	
<i>and</i>								234.4	235.3	0.9	8.18	
OBM-15-566	2300	Zone 27	196.5	452096	5434745	151	-72	68.5	73.0	4.5	2.37	
<i>including</i>								71.1	72.1	1.0	4.94	
OBM-15-567	2250	Zone 27	70.5	452071	5434692	150	-63	35.8	39.0	3.2	3.45	
OBM-15-568	2400	Upper Zone 27	215.9	452259	5434698	330	-50	72.5	92.5	20.0	1.04	
<i>including</i>								82.5	87.0	4.5	2.34	
OBM-15-568	2400	Extension Upper Zone 27	215.9	452259	5434698	330	-50	98.0	101.0	3.0	4.52	
OBM-15-568	2400	Zone 27	215.9	452259	5434698	330	-50	179.5	182.0	2.5	1.63	
OBM-16-569	2425	Zone 27	232.5	452271	5434688	331	-54	79.5	99.5	20.0	0.62	
OBM-16-569	2425	New splay of zone 27	232.5	452271	5434688	331	-54	125.3	127.5	2.2	18.2	
<i>including</i>								126.5	127.0	0.5	56.3	
OBM-16-569	2425	Zone 27	232.5	452271	5434688	331	-54	218.3	220.5	2.2	10.6	
<i>including</i>								218.3	218.9	0.6	26.6	
OBM-16-570	2150	Caribou W2	202.0	452122	5434403	331	-50	107.0	109.6	2.6	31.1	
<i>including</i>								107.9	108.6	0.7	111	100
OBM-16-571	2150	-	265.0	452148	5434364	331	-50	28.4	31.0	2.6	4.20	
<i>including</i>								28.4	29.2	0.8	13.6	
OBM-16-571	2150	-	265.0	452148	5434364	331	-50	162.0	164.0	2.0	32.3	
<i>including</i>								162.0	162.4	0.4	161	100
OBM-16-571	2150	Caribou	265.0	452148	5434364	331	-50	165.5	172.7	7.2	1.20	
<i>including</i>								168.5	169.5	1.0	4.50	
OBM-16-572	2400	Upper Zone 27	262.5	452262	5434662	331	-50	101.5	103.5	2.0	97.3	
<i>including</i>								101.5	102.5	1.0	194	100
OBM-16-572	2400	Hanging wall Zone 27	262.5	452262	5434662	331	-50	199.0	203.0	4.0	2.17	
<i>including</i>								200.0	200.6	0.6	10.3	
OBM-16-572	2400	Zone 27	262.5	452262	5434662	331	-50	226.0	232.0	6.0	1.81	
<i>including</i>								229.3	230.0	0.7	5.83	
<i>and</i>								231.0	232.0	1.0	3.52	
OBM-16-573	2725	-	652.5	452639	5434672	332	-51	107.0	109.0	2.0	3.77	
OBM-16-573	2725	-	652.5	452639	5434672	332	-51	302.0	304.0	2.0	5.43	
<i>including</i>								302.0	303.0	1.0	10.6	
OBM-16-573	2725	-	652.5	452639	5434672	332	-51	313.0	315.0	2.0	32.9	
<i>including</i>								313.5	314.6	1.1	59.7	
OBM-16-573	2725	-	652.5	452639	5434672	332	-51	443.4	446.1	2.7	4.86	
<i>including</i>								444.4	444.8	0.4	17.3	
OBM-16-573	2725	Zone 27-3	652.5	452639	5434672	332	-51	569.3	571.8	2.5	15.3	
<i>including</i>								569.3	569.8	0.5	48.8	
OBM-16-574	2175	Caribou W2	229.5	452162	5434397	331	-50	159.0	168.0	9.0	0.75	
<i>including</i>								165.5	165.8	0.3	4.46	
OBM-16-575	2125	Caribou W2	232.5	452118	5434354	331	-50	182.4	193.1	10.7	0.68	
<i>including</i>								187.0	193.1	6.1	1.06	
OBM-16-576	2075	-	202.5	452068	5434363	331	-50	<i>No significant results</i>				
OBM-16-577	2950	-	144.5	452820	5434777	330	-62	129.0	133.0	4.0	4.13	
<i>including</i>								132.0	133.0	1.0	11.1	
OBM-16-578	2050	Caribou W1	202.5	452040	5434347	331	-50	164.0	179.5	15.5	0.39	
<i>including</i>								171.9	172.5	0.6	3.19	
OBM-16-579	2300	-	250.5	452184	5434611	331	-48	36.6	39.0	2.4	19.7	
<i>including</i>								36.6	37.5	0.9	51.8	
OBM-16-579	2300	Zone 27	250.5	452184	5434611	331	-48	196.5	199.8	3.3	1.28	
OBM-16-580	2950	-	1272.5	452818	5434773	332	-63	441.4	446.8	5.4	4.30	
OBM-16-580	2950	Zone 27	1272.5	452818	5434773	332	-63	672.4	675.8	3.4	9.49	
OBM-16-580	2950	FW4	1272.5	452818	5434773	332	-63	1162.2	1168.2	6.0	19.6	
<i>including</i>								1162.2	1162.8	0.6	150	100
<i>and</i>								1167.9	1168.2	0.3	97.7	
OBM-16-581	1950	Caribou W	202.5	451955	5434301	331	-50	153.6	166.4	12.8	0.78	
<i>including</i>								153.6	155.1	1.5	3.32	
OBM-16-582	2775	-	511.0	452690	5434696	334	-52	216.0	218.8	2.8	15.9	
OBM-16-583	1700	-	802.5	451767	5434110	334	-55	774.0	777.0	3.0	19.0	
<i>including</i>								776.0	777.0	1.0	55.0	
OBM-16-584	2900	-	84.0	452722	5434870	327	-65	36.0	38.0	2.0	5.67	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-16-704	2425	Zone 27	409.5	452311	5434627	329	-57	346.0	350.2	4.2	3.55	
OBM-16-704	2425	FW3	409.5	452311	5434627	329	-57	594.9	599.2	4.3	0.72	
OBX-16-637	N/A		166.5	459413	5439271	360	-49	No significant results				
OBX-16-638	N/A		250.5	459298	5439131	1	-47	No significant results				
OBX-16-641	N/A	Exploration	379.5	459580	5439413	182	-45	249.8	252.3	2.5	1.12	
OBX-16-641	N/A	Exploration	379.5	459580	5439413	182	-45	256.0	259.0	3.0	1.09	
OBX-16-644	N/A		169.5	459109	5439140	358	-48	No significant results				
OBX-16-646	N/A		400.5	458692	5439135	360	-49	No significant results				
OBX-16-652	N/A	Crustiform vein	235.5	448639	5434175	167	-44	208.7	210.2	1.5	12.7	
OBX-16-657	N/A		262.5	448718	5433925	360	-55	No significant results				
OBX-16-659	N/A		241.5	448629	5433901	356	-46	No significant results				
OBX-16-661	N/A		556.5	448773	5433866	330	-59	No significant results				
OBX-16-665	N/A		21.0	449316	5434379	335	-48	No significant results				
OBX-16-666	N/A	New zone	421.5	449316	5434385	335	-48	151.5	152.5	1.0	44.1	
OBX-16-666	N/A	Sheared vein	421.5	449316	5434385	335	-48	284.0	284.3	0.3	184	100
OBX-16-670	N/A		421.5	448298	5432987	333	-45	No significant results				
OSK-EAG-13-494	2750	Wolf	1197.0	452731	5434537	330	-60	738.5	740.6	2.1	6.52	
including								740.0	740.6	0.6	19.6	
OSK-EAG-13-494	2750	Wolf	1197.0	452731	5434537	330	-60	749.0	751.0	2.0	4.56	
OSK-EAG-13-502	2625	FW3U HW	802.5	452507	5434696	330	-57	688.5	690.5	2.0	28.0	
OSK-EAG-13-502	2625	FW3 Upper	802.5	452507	5434696	330	-57	695.5	698.2	2.7	37.9	31.6
including								695.5	695.8	0.3	66.3	
including								695.8	696.1	0.3	38.4	
and								696.1	696.6	0.5	134	100
OSK-EAG-13-503	2075	Underdog	918.0	451969	5434525	330	-56	342.5	344.9	2.4	8.96	
including								343.5	344.9	1.4	13.3	
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	746.9	749.9	3.0	15.9	
OSK-EAG-13-504	2800	Wolf	810.0	452769	5434575	331	-62	753.0	755.1	2.1	4.22	
OSK-OBM-16-601	2600	FW3U	801.0	452476	5434677	332	-51	657.6	659.6	2.0	16.2	
OSK-OBM-16-601	2600	FW4	801.0	452476	5434677	332	-51	795.0	797.8	2.8	5.26	
including								797.1	797.8	0.7	20.7	
OSK-OBM-16-609	2550	FW3U HW	738.0	452459	5434642	331	-49	635.0	637.0	2.0	3.07	
OSK-OBM-16-609	2550	FW3U HW	738.0	452459	5434642	331	-49	641.8	646.0	4.2	1.17	
OSK-OBM-16-609	2550	FW3U	738.0	452459	5434642	331	-49	654.3	662.0	7.7	63.2	23.7
including								656.0	658.0	2.0	18.9	
including								660.0	662.0	2.0	222	69.7
OSK-OBM-16-625	2525	FW3U HW	802.0	452404	5434675	331	-51	588.0	590.1	2.1	4.00	
including								588.5	588.9	0.4	16.9	
OSK-OBM-16-625	2525	FW3U	802.0	452404	5434675	331	-51	605.3	610.6	5.3	0.35	
OSK-OBM-16-664	2500	FW3U HW	810.0	452396	5434618	329	-55	649.0	652.0	3.0	12.8	
OSK-OBM-16-664	2500	FW3U	810.0	452396	5434618	329	-55	725.7	728.4	2.7	1.01	
OSK-OBM-16-667	2500	FW3	852.0	452410	5434597	330	-55	660.5	669.0	8.5	12.5	
including								663.0	665.0	2.0	37.4	
including								663.0	664.2	1.2	50.1	
OSK-OBM-16-697	2575	FW3U	885.0	452501	5434610	330	-54	799.0	801.1	2.1	15.3	
including								800.3	801.1	0.8	40.1	
OSK-OBM-16-697	2575	FW3U	885.0	452501	5434610	330	-54	804.1	806.7	2.6	29.1	
including								804.1	804.7	0.6	90.1	
OSK-U-16-729	N/A		483.5	450104	5433288	330	-43	No significant results				
OSK-U-16-730	N/A		502.5	449901	5433572	330	-45	No significant results				
OSK-U-16-731	N/A	New zone	499.5	449764	5433851	330	-43	358.5	360.5	2.0	6.78	
including								358.5	359.4	0.9	11.1	
OSK-U-16-732	N/A	Fox	421.5	448758	5435641	331	-56	65.5	68.5	3.0	8.04	
including								67.0	68.5	1.5	16.1	
OSK-U-16-733	N/A	Shear veins	502.5	448759	5435642	359	-54	47.3	49.0	1.8	3.40	
including								47.3	47.8	0.5	9.99	
OSK-U-16-734	N/A	Fox	560.5	448758	5435641	302	-46	407.0	409.1	2.1	39.2	
including								407.0	407.7	0.7	96.2	
and								408.8	409.1	0.3	48.0	
OSK-U-16-736	N/A	Fox	590.5	448758	5435640	302	-60	260.6	262.7	2.1	5.14	
OSK-U-16-736	N/A	Fox	590.5	448758	5435640	302	-60	313.0	315.6	2.6	4.32	
OSK-U-16-738	N/A	Fox	547.5	448758	5435640	276	-46	217.8	221.7	3.9	2.58	
OSK-U-16-738	N/A	Fox	547.5	448758	5435640	276	-46	272.7	274.4	1.7	2.86	
OSK-W-16-309-W1	2575	Quartz vein in Red Dog	1225.0	452548	5434514	326	-63	612.2	615.0	2.8	9.11	
including								614.0	615.0	1.0	24.5	
OSK-W-16-309-W1	2575	FW3	1225.0	452548	5434514	326	-63	965.0	967.0	2.0	1.19	
OSK-W-16-309-W1	2575	New	1225.0	452548	5434514	326	-63	1115.0	1117.0	2.0	5.60	
including								1116.0	1117.0	1.0	11.2	
OSK-W-16-309-W2	2575	Caribou North 1	1111.0	452548	5434514	326	-63	520.8	522.7	1.9	0.84	
OSK-W-16-309-W2	2575	FW3	1111.0	452548	5434514	326	-63	924.0	926.0	2.0	0.23	
OSK-W-16-309-W2	2575	New - Underdog corridor	1111.0	452548	5434514	326	-63	972.0	975.0	3.0	5.58	
OSK-W-16-309-W2	2575	New under Red Dog	1111.0	452548	5434514	326	-63	988.0	992.0	4.0	3.27	
OSK-W-16-309-W3	2575	New Zone - Caribou	1174.0	452548	5434514	326	-63	474.0	476.2	2.2	7.63	



**Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017**

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-16-309-W3	2575	New Zone - Caribou	1174.0	452548	5434514	326	-63	480.4	482.5	2.1	6.32	
		including						481.3	482.0	0.7	17.3	
OSK-W-16-309-W3	2575	New Zone - Caribou	1174.0	452548	5434514	326	-63	539.2	543.8	4.6	11.8	
		including						542.0	543.0	1.0	47.9	
OSK-W-16-309-W3	2575	New Zone - Caribou	1174.0	452548	5434514	326	-63	883.7	886.5	2.8	0.48	
OSK-W-16-311-W1	2325	FW1	1155.0	452311	5434424	330	-62	753.5	756.0	2.5	0.42	
OSK-W-16-311-W1	2325	FW3 hanging wall	1155.0	452311	5434424	330	-62	927.5	930.5	3.0	9.40	
		including						927.5	929.4	1.9	14.6	
OSK-W-16-311-W1	2325	FW3	1155.0	452311	5434424	330	-62	991.0	993.0	2.0	1.44	
OSK-W-16-311-W1	2325	FW4 Hanging wall	1155.0	452311	5434424	330	-62	1118.0	1120.0	2.0	15.7	
OSK-W-16-311-W1	2325	FW4	1155.0	452311	5434424	330	-62	1131.0	1132.9	1.9	8.32	
		including						1131.0	1132.0	1.0	15.7	
OSK-W-16-311-W2	2325	FW1	1181.0	452311	5434424	330	-62	734.3	737.8	3.5	0.80	
OSK-W-16-311-W2	2325	FW3 hanging wall	1181.0	452311	5434424	330	-62	918.8	921.0	2.2	13.0	
		including						919.3	919.6	0.3	88.3	
OSK-W-16-311-W2	2325	FW3 hanging wall	1181.0	452311	5434424	330	-62	970.0	972.0	2.0	6.44	
OSK-W-16-311-W2	2325	FW3	1181.0	452311	5434424	330	-62	992.5	994.9	2.4	6.55	
		including						993.3	993.9	0.6	24.7	
OSK-W-16-311-W2	2325	FW3 footwall	1181.0	452311	5434424	330	-62	1050.7	1053.4	2.7	7.87	
		including						1052.4	1053.4	1.0	20.9	
OSK-W-16-311-W2	2325	FW4	1181.0	452311	5434424	330	-62	1149.3	1152.0	2.7	5.21	
		including						1150.3	1151.0	0.7	19.9	
OSK-W-16-704-W1	2425	FW3 hanging wall	853.5	452311	5434627	329	-57	641.8	644.5	2.8	6.59	
		including						643.1	643.5	0.4	39.1	
OSK-W-16-704-W1	2425	FW3	853.5	452311	5434627	329	-57	649.6	652.5	2.9	15.5	
		including						649.6	650.3	0.7	63.6	
OSK-W-16-704-W1	2425	New - Underdog corridor	853.5	452311	5434627	329	-57	671.2	677.5	6.3	6.10	
		including						671.2	671.7	0.5	59.3	
OSK-W-16-704-W1	2425	FW4	853.5	452311	5434627	329	-57	797.0	799.0	2.0	25.1	
		including						797.5	798.1	0.6	50.5	
OSK-W-16-705	2650	Caribou South 1	637.5	452599	5434581	333	-60	403.5	405.8	2.3	1.31	
OSK-W-16-705	2650	Caribou South 3	637.5	452599	5434581	333	-60	482.7	485.0	2.3	0.54	
OSK-W-16-705	2650	Wolf	637.5	452599	5434581	333	-60	565.0	567.0	2.0	4.04	
		including						565.7	566.4	0.7	10.7	
OSK-W-16-705	2650	New Zone	637.5	452599	5434581	333	-60	594.0	596.2	2.2	3.64	
OSK-W-16-705	2650	FW3	637.5	452599	5434581	333	-60	899.0	901.9	2.9	3.54	
		including						901.1	901.9	0.8	12.3	
OSK-W-16-706	2575	Caribou South 1	1336.5	452611	5434418	330	-58	549.6	552.6	3.0	8.65	
OSK-W-16-706	2575	FW0	1336.5	452611	5434418	330	-58	829.5	831.6	2.1	1.44	
OSK-W-16-706	2575	FW1	1336.5	452611	5434418	330	-58	950.3	952.6	2.3	12.3	
		including						950.3	951.3	1.0	29.4	
OSK-W-16-706	2575	FW3	1336.5	452611	5434418	330	-58	1135.0	1138.9	3.9	0.72	
OSK-W-16-706-W1	2575	Caribou South 1	1276.5	452611	5434418	330	-58	546.5	563.0	16.5	5.75	
OSK-W-16-706-W1	2575	Caribou South 1 - cut to 100 g/t Au	1276.5	452611	5434418	330	-58	546.5	563.0	16.5	3.53	
		including						549.2	549.5	0.3	222	100
OSK-W-16-706-W1	2575	Caribou South 1 footwall	1276.5	452611	5434418	330	-58	558.3	563.0	4.7	3.41	
		including						558.3	558.7	0.4	14.5	
OSK-W-16-706-W1	2575	FW0	1276.5	452611	5434418	330	-58	818.8	821.3	2.5	28.1	
		including						819.4	820.0	0.6	127	100
OSK-W-16-706-W1	2575	FW1 hanging wall	1276.5	452611	5434418	330	-58	886.2	888.2	2.0	4.93	
		including						886.2	887.2	1.0	9.72	
OSK-W-16-706-W1	2575	FW1	1276.5	452611	5434418	330	-58	902.5	904.5	2.0	2.85	
OSK-W-16-706-W1	2575	FW2	1276.5	452611	5434418	330	-58	981.1	992.0	10.9	10.6	
		including						981.9	983.7	1.8	24.0	
		including						988.5	992.0	3.5	19.4	
OSK-W-16-706-W1	2575	FW2	1276.5	452611	5434418	330	-58	1007.0	1012.0	5.0	7.10	
		including						1008.0	1010.0	2.0	13.8	
OSK-W-16-706-W1	2575	FW2	1276.5	452611	5434418	330	-58	1022.0	1024.3	2.3	18.6	
		including						1022.9	1023.7	0.8	49.9	
OSK-W-16-706-W1	2575	FW3	1276.5	452611	5434418	330	-58	1033.0	1041.9	8.9	16.6	15.9
		including						1033.5	1034.3	0.8	93.6	
		including						1041.0	1041.4	0.4	117	100
OSK-W-16-706-W1	2575	FW4	1276.5	452611	5434418	330	-58	1073.1	1077.0	3.9	8.74	
OSK-W-16-706-W1	2575	New - under Red Dog	1276.5	452611	5434418	330	-58	1248.4	1250.9	2.5	3.95	
OSK-W-16-706-W2	2575	Caribou South 1	1297.5	452611	5434418	330	-58	552.0	556.3	4.3	1.87	
OSK-W-16-706-W2	2575	FW0	1297.5	452611	5434418	330	-58	827.0	829.0	2.0	2.43	
OSK-W-16-706-W2	2575	Quartz-tourmaline veins	1297.5	452611	5434418	330	-58	903.0	905.0	2.0	3.12	
OSK-W-16-706-W2	2575	FW1 (AQ core)	1297.5	452611	5434418	330	-58	945.1	951.4	6.3	9.17	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1297.5	452611	5434418	330	-58	1018.0	1020.4	2.4	5.67	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1297.5	452611	5434418	330	-58	1093.8	1098.3	4.5	3.06	
		including						1093.8	1094.4	0.6	12.7	
		and						1097.4	1098.3	0.9	6.44	
OSK-W-16-706-W2	2575	FW3	1297.5	452611	5434418	330	-58	1146.0	1149.5	3.5	4.95	
		including						1147.8	1148.2	0.4	35.3	
OSK-W-16-706-W2	2575	New - Underdog Corridor	1297.5	452611	5434418	330	-58	1176.5	1179.0	2.5	3.20	
		including						1177.5	1178.0	0.5	15.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-16-706-W2	2575	New - Underdog Corridor	1297.5	452611	5434418	330	-58	1203.2	1205.2	2.0	7.33	
		including						1204.2	1204.6	0.4	33.6	
OSK-W-16-706-W3	2575	FW1	970.5	452611	5434418	330	-58	944.8	952.5	7.7	7.57	
		including						944.8	945.9	1.1	9.15	
		and						949.0	950.1	1.1	30.0	
OSK-W-16-707	2675	Caribou South 2	361.5	452572	5434688	331	-52	247.3	249.5	2.2	11.3	
		including						248.3	248.7	0.4	58.6	
OSK-W-16-707	2675	Caribou	361.5	452572	5434688	331	-52	319.5	328.0	8.5	0.78	
OSK-W-16-708	2775	Shear and quartz veins	1258.5	452819	5434423	331	-54	354.0	356.2	2.2	3.65	
		including						354.8	355.1	0.3	14.0	
OSK-W-16-708	2775	Caribou South 3	1258.5	452819	5434423	331	-54	625.5	628.0	2.5	1.50	
OSK-W-16-708	2775	New	1258.5	452819	5434423	331	-54	755.6	758.0	2.4	3.36	
OSK-W-16-708	2775	Wolf hanging wall	1258.5	452819	5434423	331	-54	796.0	798.0	2.0	17.1	
OSK-W-16-708	2775	New	1258.5	452819	5434423	331	-54	889.5	891.8	2.3	5.55	
		including						891.2	891.8	0.6	19.0	
OSK-W-16-708	2775	FW1	1258.5	452819	5434423	331	-54	1021.7	1024.5	2.8	3.94	
		including						1022.5	1023.0	0.5	16.1	
OSK-W-16-708	2775	FW3	1258.5	452819	5434423	331	-54	1204.5	1206.7	2.2	0.09	
OSK-W-16-708-W1	2775	Caribou South 3 footwall	1273.5	452819	5434423	331	-54	633.3	635.9	2.6	1.28	
OSK-W-16-708-W1	2775	New	1273.5	452819	5434423	331	-54	706.3	708.7	2.4	3.25	
OSK-W-16-708-W1	2775	New	1273.5	452819	5434423	331	-54	729.3	733.0	3.7	3.89	
OSK-W-16-708-W1	2775	New	1273.5	452819	5434423	331	-54	738.1	740.7	2.6	4.01	
		including						739.0	739.7	0.7	12.0	
OSK-W-16-708-W1	2775	Wolf hanging wall	1273.5	452819	5434423	331	-54	765.5	769.5	4.0	12.2	
OSK-W-16-708-W1	2775	Wolf	1273.5	452819	5434423	331	-54	816.5	820.3	3.8	12.5	
OSK-W-16-708-W1	2775	Wolf footwall	1273.5	452819	5434423	331	-54	834.0	836.4	2.4	4.79	
		including						835.6	836.4	0.8	13.9	
OSK-W-16-708-W1	2775	New	1273.5	452819	5434423	331	-54	838.1	844.5	6.4	15.4	
		including						840.5	843.4	2.9	31.5	
OSK-W-16-708-W1	2775	New	1273.5	452819	5434423	331	-54	1069.0	1071.0	2.0	8.27	
		including						1069.9	1070.2	0.3	41.7	
OSK-W-16-708-W1	2775	FW3	1273.5	452819	5434423	331	-54	1088.0	1091.0	3.0	3.74	
OSK-W-16-708-W1	2775	New	1273.5	452819	5434423	331	-54	1163.0	1165.1	2.1	6.14	
		including						1163.0	1164.0	1.0	11.1	
OSK-W-16-708-W2	2775	Caribou South 3	1408.5	452819	5434423	330	-54	633.0	635.6	2.6	3.20	
OSK-W-16-708-W2	2775	Shear - Caribou Corridor	1408.5	452819	5434423	330	-54	668.8	671.0	2.2	7.43	
		including						668.8	670.2	1.4	11.4	
OSK-W-16-708-W2	2775	Caribou - Caribou Corridor	1408.5	452819	5434423	330	-54	795.0	798.0	3.0	7.66	
OSK-W-16-708-W2	2775	Wolf - Caribou Corridor	1408.5	452819	5434423	330	-54	841.9	844.7	2.8	4.47	
		including						844.3	844.7	0.4	30.3	
OSK-W-16-708-W2	2775	New zone - Underdog	1408.5	452819	5434423	330	-54	1135.5	1142.1	6.6	13.8	
		including						1136.1	1138.5	2.4	36.1	
OSK-W-16-708-W2	2775	FW3	1408.5	452819	5434423	330	-54	1274.3	1276.3	2.0	0.63	
OSK-W-16-709	2700	New zone ; Shear	591.5	452647	5434573	330	-59	186.0	188.0	2.0	3.01	
		including						186.0	187.0	1.0	5.61	
OSK-W-16-709	2700	New Zone	591.5	452647	5434573	330	-59	349.5	351.5	2.0	3.22	
OSK-W-16-709	2700	Caribou South 1	591.5	452647	5434573	330	-59	418.2	421.9	3.7	4.90	
OSK-W-16-709	2700	Caribou South 3	591.5	452647	5434573	330	-59	499.2	502.0	2.8	0.76	
OSK-W-16-710	2700	Tourmaline breccia	705.5	452649	5434613	331	-60	68.0	70.0	2.0	3.25	
		including						69.3	70.0	0.7	8.93	
OSK-W-16-710	2700	New zone	705.5	452649	5434613	331	-60	157.0	159.0	2.0	3.13	
		including						157.0	158.3	1.3	4.72	
OSK-W-16-710	2700	New zone	705.5	452649	5434613	331	-60	222.0	225.0	3.0	3.48	
		including						222.0	223.5	1.5	6.94	
OSK-W-16-710	2700	Caribou South 1	705.5	452649	5434613	331	-60	402.8	403.5	0.7	1.94	
OSK-W-16-710	2700	Quartz-tourmaline veins	705.5	452649	5434613	331	-60	498.0	500.5	2.5	10.8	
		including						498.0	499.5	1.5	17.8	
OSK-W-16-710	2700	New zone	705.5	452649	5434613	331	-60	531.0	534.0	3.0	8.32	
		including						532.5	534.0	1.5	15.5	
OSK-W-16-710	2700	Wolf	705.5	452649	5434613	331	-60	562.0	568.7	6.7	11.8	
		including						565.9	566.6	0.7	21.2	100
OSK-W-16-710	2700	New zone	705.5	452649	5434613	331	-60	586.0	588.3	2.3	16.2	
		including						586.0	587.9	1.9	19.6	
OSK-W-16-710	2700	Caribou North 2	705.5	452649	5434613	331	-60	620.0	623.5	3.5	1.12	
OSK-W-16-712	2775		40.5	452678	5434681	330	-55					
		Abandoned										
OSK-W-16-713	2775	Caribou	524.5	452678	5434681	331	-56	421.0	423.0	2.0	0.80	
OSK-W-16-713	2775	Caribou North 2 footwall	524.5	452678	5434681	331	-56	472.0	479.4	7.4	1.43	
OSK-W-16-715	2800	Eastern extension Caribou South 1	805.5	452786	5434527	334	-61	534.5	536.5	2.0	4.85	
OSK-W-16-715	2800	New	805.5	452786	5434527	334	-61	541.5	543.5	2.0	4.17	
OSK-W-16-715	2800	Caribou South 3	805.5	452786	5434527	334	-61	646.0	649.0	3.0	22.6	
		including						647.5	649.0	1.5	41.0	
OSK-W-16-715	2800	New	805.5	452786	5434527	334	-61	668.5	671.5	3.0	6.84	
		including						668.5	670.0	1.5	13.1	
OSK-W-16-715	2800	New	805.5	452786	5434527	334	-61	727.0	729.8	2.8	4.38	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-16-766	2625	CS1	709.4	452690	5434340	333	-57	651.1	653.9	2.8	3.60	
OSK-W-16-767	2775	Vein - Shear	1606.5	452887	5434330	331	-60	431.7	433.1	1.4	1.70	
		<i>including</i>						432.8	433.1	0.3	6.72	
OSK-W-16-767	2775	Vein in late dyke	1606.5	452887	5434330	331	-60	865.9	870.0	4.1	3.68	
OSK-W-16-767	2775	FW0	1606.5	452887	5434330	331	-60	1121.0	1123.0	2.0	4.14	
		<i>including</i>						1122.0	1123.0	1.0	7.57	
OSK-W-16-767	2775	FW1	1606.5	452887	5434330	331	-60	1359.7	1368.5	8.8	2.06	
		<i>including</i>						1359.7	1360.1	0.4	22.2	
OSK-W-16-767	2775	FW3	1606.5	452887	5434330	331	-60	1535.5	1548.0	12.5	0.49	
OSK-W-16-769	3175	Vein	922.5	452932	5435051	331	-64	235.6	238.7	3.1	3.52	
		<i>including</i>						237.1	237.7	0.6	13.4	
OSK-W-16-769	3175	CN2	922.5	452932	5435051	331	-64	298.0	300.1	2.1	32.8	24.1
OSK-W-17-1003	3350	Lynx 1	366.0	453223	5434910	329	-59	131.1	133.7	2.6	5.18	
		<i>including</i>						131.1	131.9	0.8	16.8	
OSK-W-17-1003	3350	Lynx 2	366.0	453223	5434910	329	-59	213.1	215.1	2.0	19.5	
		<i>including</i>						213.1	213.9	0.8	46.3	
OSK-W-17-1003	3350	Lynx 2	366.0	453223	5434910	329	-59	240.8	243.0	2.2	3.00	
		<i>including</i>						241.8	242.1	0.3	11.5	
OSK-W-17-1006	3625	Lynx 3	762.0	453281	5435348	136	-49	251.3	253.3	2.0	0.28	
OSK-W-17-1006	3625	Lynx 2 FW	762.0	453281	5435348	136	-49	351.0	353.0	2.0	3.78	
		<i>including</i>						351.5	353.0	1.5	4.96	
OSK-W-17-1006	3625	Lynx 2	762.0	453281	5435348	136	-49	383.3	390.2	6.9	36.0	29.9
		<i>including</i>						383.3	384.2	0.9	147	100
		<i>including</i>						384.6	385.7	1.1	62.3	
		<i>including</i>						389.3	390.2	0.9	41.4	
OSK-W-17-1006	3625	Lynx 4	762.0	453281	5435348	136	-49	612.9	615.5	2.6	0.54	
OSK-W-17-1007	3650	Lynx 1	378.0	453477	5435045	334	-68	238.6	240.6	2.0	6.54	
		<i>including</i>						238.6	240.0	1.4	9.31	
OSK-W-17-1007	3650	VNCR	378.0	453477	5435045	334	-68	340.0	342.2	2.2	10.4	
OSK-W-17-1009	2325	Z27	183.0	452107	5434809	147	-49	108.0	110.7	2.7	5.73	
		<i>including</i>						109.0	110.0	1.0	13.7	
OSK-W-17-1010	3425	Lynx HW	369.0	453313	5434908	330	-53	169.9	172.0	2.1	5.84	
		<i>including</i>						170.3	171.0	0.7	16.8	
OSK-W-17-1010	3425	VNCR	369.0	453313	5434908	330	-53	310.5	314.0	3.5	24.3	
		<i>including</i>						310.5	311.5	1.0	62.9	
OSK-W-17-1014	2300	Z27	195.0	452063	5434811	141	-47	133.5	135.6	2.1	5.22	
OSK-W-17-1018	2475	Z27	300.0	452247	5434865	333	-47	10.0	12.0	2.0	3.93	
OSK-W-17-1018	2475	Mallard	300.0	452247	5434865	333	-47	199.7	205.6	5.9	3.55	
		<i>including</i>						200.5	200.8	0.3	30.9	
OSK-W-17-1021	3150	VNCR - Lynx corridor	621.0	452990	5434889	333	-55	68.0	70.2	2.2	9.72	
OSK-W-17-1023	2275	Z27	228.0	452033	5434796	145	-48	134.4	138.0	3.6	4.00	
		<i>including</i>						134.4	135.2	0.8	13.1	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-45	60.3	62.6	2.3	4.57	
		<i>including</i>						62.0	62.6	0.6	16.5	
OSK-W-17-1026	2325	Z27	147.0	452119	5434787	129	-45	124.6	127.0	2.4	4.24	
OSK-W-17-1028	3000	Caribou extension	807.0	452860	5434814	326	-59	370.9	374.0	3.1	11.6	
		<i>including</i>						372.7	374.0	1.3	18.6	
OSK-W-17-1028	3000	Caribou extension	807.0	452860	5434814	326	-59	383.6	385.9	2.3	10.6	
		<i>including</i>						385.5	385.9	0.4	51.1	
OSK-W-17-1028	3000	Caribou extension	807.0	452860	5434814	326	-59	393.0	396.1	3.1	3.12	
OSK-W-17-1031	2525	Z27	390.0	452296	5434867	336	-62	61.5	63.8	2.3	2.38	
OSK-W-17-1031	2525	Drake	390.0	452296	5434867	336	-62	182.0	184.0	2.0	3.14	
		<i>including</i>						182.3	182.6	0.3	18.7	
OSK-W-17-1031	2525	Mallard	390.0	452296	5434867	336	-62	325.6	327.8	2.2	0.58	
OSK-W-17-1034	3150	VNCR	228.0	452978	5434914	330	-53	202.3	206.0	3.7	6.29	
OSK-W-17-1035	2300	Z27	105.0	452101	5434747	133	-45	68.4	71.0	2.6	4.27	
		<i>including</i>						69.1	69.6	0.5	15.2	
OSK-W-17-1036	3550	VNCR	432.0	453231	5435294	139	-55	345.8	350.6	4.8	3.73	
		<i>including</i>						349.6	350.6	1.0	15.7	
OSK-W-17-1036	3550	VNCR	432.0	453231	5435294	139	-55	358.6	361.5	2.9	18.9	
		<i>including</i>						359.6	360.5	0.9	58.1	
OSK-W-17-1038	2275	Z27	120.0	452067	5434773	147	-49	97.4	99.7	2.3	16.4	
OSK-W-17-1039	3725	Lynx 2	513.0	453361	5435436	147	-49	379.1	381.1	2.0	1.06	
OSK-W-17-1039	3725	Lynx 1	513.0	453361	5435436	147	-49	436.9	441.3	4.4	11.6	
		<i>including</i>						436.9	437.9	1.0	34.4	
OSK-W-17-1042	2325	Z27	156.0	452119	5434786	146	-52	62.8	75.0	12.2	3.39	
		<i>including</i>						73.0	74.0	1.0	20.2	
OSK-W-17-1044	3650	Lynx 1	381.0	453477	5435045	333	-70	242.0	244.1	2.1	3.03	
OSK-W-17-1048	3350	Lynx 2	303.0	453215	5434914	333	-52	209.1	212.0	2.9	10.4	
		<i>including</i>						210.3	210.7	0.4	49.2	
OSK-W-17-1048	3350	Lynx 2	303.0	453215	5434914	333	-52	216.0	219.0	3.0	21.3	
		<i>including</i>						217.8	219.0	1.2	37.4	
OSK-W-17-1050	2250	Z27	105.6	452053	5434749	148	-49	76.5	80.0	3.5	6.55	
OSK-W-17-1051	2775	TBD	1248.0	452313	5435323	138	-68	303.0	305.1	2.1	7.85	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					20.9	21.2	0.3	18.6	
OSK-W-17-1106	2325	Mallard	342.0	452152	5434730	330	-50	314.0	316.9	2.9	0.62	
OSK-W-17-1111	3400	Lynx HW	307.0	453275	5434899	335	-50	156.7	158.5	1.8	2.17	
OSK-W-17-1111	3400	Lynx 2	307.0	453275	5434899	335	-50	278.7	285.5	6.8	19.0	
			<i>including</i>					281.0	282.0	1.0	72.1	
OSK-W-17-1119	2550	CN1	609.0	452541	5434452	331	-55	527.4	529.5	2.1	10.7	
			<i>including</i>					528.3	528.7	0.4	44.4	
OSK-W-17-1119	2550	CN1	609.0	452541	5434452	331	-55	534.3	540.4	6.1	3.08	
			<i>including</i>					539.2	540.4	1.2	9.48	
OSK-W-17-1121	3550	Lynx 1	465.0	453436	5434958	335	-64	303.0	305.0	2.0	4.29	
OSK-W-17-1121	3550	Lynx 1	465.0	453436	5434958	335	-64	309.5	313.5	4.0	7.78	
			<i>including</i>					309.5	311.2	1.7	14.9	
OSK-W-17-1121	3550	VNCR	465.0	453436	5434958	335	-64	335.4	337.7	2.3	19.0	
			<i>including</i>					336.2	336.9	0.7	58.8	
OSK-W-17-1121	3550	VNCR	465.0	453436	5434958	335	-64	421.9	424.0	2.1	3.34	
OSK-W-17-1121	3550	VNCR	465.0	453436	5434958	335	-64	435.0	437.7	2.7	8.62	
			<i>including</i>					436.0	437.7	1.7	13.7	
OSK-W-17-1122	2250	Z27	114.0	452063	5434736	150	-47	63.0	65.2	2.2	7.05	
OSK-W-17-1123	3475	Lynx 1	345.0	453313	5434972	336	-46	113.0	116.0	3.0	1.49	
OSK-W-17-1123	3475	Lynx 2	345.0	453313	5434972	336	-46	130.0	132.1	2.1	11.6	
			<i>including</i>					130.9	131.3	0.4	47.5	
OSK-W-17-1123	3475	Lynx 3	345.0	453313	5434972	336	-46	163.0	167.0	4.0	0.74	
OSK-W-17-1124	2250	Mallard	255.0	452015	5434776	331	-51	204.6	207.0	2.4	18.3	
			<i>including</i>					204.6	205.6	1.0	43.4	
OSK-W-17-1125	2625	Z27 HW	975.0	452563	5434568	331	-58	595.0	597.0	2.0	3.19	
OSK-W-17-1128	3625	Lynx 3	1419.0	453272	5435392	129	-53	423.5	429.0	5.5	3.85	
OSK-W-17-1128	3625	Lynx 2	1419.0	453272	5435392	129	-53	459.0	461.0	2.0	5.00	
OSK-W-17-1128	3625	Lynx 2	1419.0	453272	5435392	129	-53	486.9	489.0	2.1	36.1	28.6
			<i>including</i>					487.6	488.0	0.4	140	100
OSK-W-17-1128	3625	Lynx 6	1419.0	453272	5435392	129	-53	1203.9	1206.2	2.3	14.0	
			<i>including</i>					1205.0	1206.2	1.2	25.7	
OSK-W-17-1129	2325	Z27	249.0	452213	5434606	325	-49	206.8	209.0	2.2	8.20	
OSK-W-17-1129	2325	Z27	249.0	452213	5434606	325	-49	220.6	222.7	2.1	3.24	
OSK-W-17-1136	3275	Lynx 2	156.0	453105	5434948	331	-45	56.0	58.0	2.0	5.40	
			<i>including</i>					56.6	57.0	0.4	26.2	
OSK-W-17-1143	3425	Lynx 2	159.0	453250	5435004	331	-46	67.5	69.6	2.1	27.9	
			<i>including</i>					67.5	68.2	0.7	83.3	
OSK-W-17-1143	3425	Lynx 2	159.0	453250	5435004	331	-46	73.0	75.0	2.0	10.6	
OSK-W-17-1147-W1	3125	Caribou extension	1212.0	453241	5434381	335	-52	1116.7	1119.0	2.3	4.63	
OSK-W-17-1147-W1	3125	Caribou extension	1212.0	453241	5434381	335	-52	1129.0	1131.0	2.0	7.52	
			<i>including</i>					1130.0	1130.5	0.5	29.2	
OSK-W-17-1154	2250	Z27	174.0	452020	5434762	149	-49	91.0	95.2	4.2	18.8	
			<i>including</i>					92.0	93.0	1.0	44.1	
OSK-W-17-1164	2175	Z27	336.0	451960	5434752	143	-58	132.0	139.8	7.8	7.12	
			<i>including</i>					139.3	139.8	0.5	64.9	
OSK-W-17-1166	4050	Lynx 4	1182.0	453621	5435639	132	-59	918.5	924.7	6.2	9.05	
OSK-W-17-1169	3725	Lynx 2	1437.0	453330	5435468	129	-55	573.0	576.5	3.5	4.23	
			<i>including</i>					575.6	576.5	0.9	12.6	
OSK-W-17-1169	3725	Lynx 4	1437.0	453330	5435468	129	-55	1037.7	1040.1	2.4	7.14	
			<i>including</i>					1039.7	1040.1	0.4	21.8	
OSK-W-17-1169	3725	Lynx 4	1437.0	453330	5435468	129	-55	1104.2	1108.5	4.3	21.2	
			<i>including</i>					1107.5	1108.5	1.0	42.4	
OSK-W-17-1180	2175	Z27	189.0	452066	5434618	322	-45	71.0	74.0	3.0	5.04	
OSK-W-17-1180	2175	Z27	189.0	452066	5434618	322	-45	80.0	85.0	5.0	18.0	
			<i>including</i>					80.9	81.9	1.0	49.6	
OSK-W-17-1180	2175	Z27	189.0	452066	5434618	322	-45	142.8	146.0	3.2	3.98	
OSK-W-17-1180	2175	Z27	189.0	452066	5434618	322	-45	156.5	158.7	2.2	3.47	
OSK-W-17-1185	3125	Z27 corridor	342.0	452904	5435021	334	-47	246.7	249.5	2.8	3.61	
			<i>including</i>					248.6	249.5	0.9	10.4	
OSK-W-17-1186	2475	Z27	984.0	452419	5434554	331	-54	521.5	524.4	2.9	33.1	
			<i>including</i>					523.0	524.0	1.0	87.8	
OSK-W-17-1189	2950	Caribou	1005.0	452945	5434561	335	-47	718.5	723.7	5.2	6.58	
			<i>including</i>					718.5	719.0	0.5	49.8	
OSK-W-17-1190	3200	Lynx 4 Corridor	1179.0	452905	5435152	151	-49	538.6	541.1	2.5	11.0	
OSK-W-17-1190	3200	Lynx 4 Corridor	1179.0	452905	5435152	151	-49	548.0	552.0	4.0	16.9	
			<i>including</i>					549.0	549.7	0.7	57.2	
OSK-W-17-1190	3200	Lynx 5	1179.0	452905	5435152	151	-49	762.3	764.4	2.1	6.03	
OSK-W-17-1190	3200	Lynx 5	1179.0	452905	5435152	151	-49	798.0	804.0	6.0	4.09	
			<i>including</i>					801.7	804.0	2.3	5.08	
OSK-W-17-1204	3225	Lynx 2	615.0	453092	5434876	338	-61	241.5	243.6	2.1	3.16	
OSK-W-17-1204	3225	Caribou corridor	615.0	453092	5434876	338	-61	472.1	474.3	2.2	3.20	
OSK-W-17-1207	2450	Mallard	267.0	452147	5434924	334	-57	147.7	149.7	2.0	6.17	
			<i>including</i>					148.0	148.7	0.7	16.0	
OSK-W-17-1210	3250	Caribou extension	317.6	453011	5435050	334	-51	209.5	211.6	2.1	4.26	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								1110.8	1111.4	0.6	115	100
OSK-W-17-820-W1	2675	FW3	1357.5	452670	5434484	332	-66	1146.7	1149.0	2.3	47.0	18.1
<i>including</i>								1147.1	1147.5	0.4	266	100
OSK-W-17-821	2725	FW0 FW	1258.6	452739	5434474	332	-65	975.1	977.3	2.2	5.25	
<i>including</i>								976.1	976.7	0.6	15.4	
OSK-W-17-821	2725	FW1	1258.6	452739	5434474	332	-65	1041.5	1044.0	2.5	1.48	
OSK-W-17-821	2725	FW3	1258.6	452739	5434474	332	-65	1174.5	1177.8	3.3	9.27	
<i>including</i>								1176.6	1177.8	1.2	21.0	
OSK-W-17-821-W1	2725	CS3	1416.0	452739	5434474	332	-65	670.0	672.0	2.0	0.90	
OSK-W-17-821-W1	2725	FW0 HW	1416.0	452739	5434474	332	-65	865.0	867.0	2.0	7.31	
<i>including</i>								865.7	866.0	0.3	44.3	
OSK-W-17-821-W1	2725	FW0	1416.0	452739	5434474	332	-65	905.0	907.0	2.0	7.93	
<i>including</i>								905.0	906.0	1.0	12.2	
OSK-W-17-821-W1	2725	FW0	1416.0	452739	5434474	332	-65	937.0	941.0	4.0	36.7	35.4
<i>including</i>								938.0	939.0	1.0	105	100
OSK-W-17-821-W1	2725	FW0 FW	1416.0	452739	5434474	332	-65	952.0	954.0	2.0	16.5	
<i>including</i>								953.0	954.0	1.0	32.6	
OSK-W-17-821-W1	2725	FW1 HW	1416.0	452739	5434474	332	-65	1079.0	1084.0	5.0	4.63	
<i>including</i>								1082.0	1083.0	1.0	11.3	
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1110.0	1141.0	31.0	24.9	16.4
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1144.0	1150.0	6.0	10.5	
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1158.0	1180.0	22.0	5.33	
<i>including</i>								1175.6	1176.3	0.7	29.3	
<i>including</i>								1178.0	1179.0	1.0	19.5	
OSK-W-17-821-W1	2725	FW1	1416.0	452739	5434474	332	-65	1192.0	1194.0	2.0	3.35	
OSK-W-17-821-W1	2725	FW1 FW	1416.0	452739	5434474	332	-65	1202.8	1207.0	4.2	5.65	
<i>including</i>								1202.8	1203.1	0.3	48.0	
OSK-W-17-821-W1	2725	New UnderDog	1416.0	452739	5434474	332	-65	1219.4	1223.0	3.6	15.4	
<i>including</i>								1222.2	1223.0	0.8	40.8	
OSK-W-17-821-W1	2725	New UnderDog	1416.0	452739	5434474	332	-65	1278.0	1285.0	7.0	3.84	
<i>including</i>								1278.0	1279.0	1.0	9.58	
<i>including</i>								1284.0	1285.0	1.0	9.62	
OSK-W-17-821-W1	2725	FW3	1416.0	452739	5434474	332	-65	1330.3	1333.0	2.7	5.04	
<i>including</i>								1330.9	1331.2	0.3	30.1	
OSK-W-17-823	2550	CS1 HW	620.3	452565	5434415	330	-57	486.9	494.0	7.1	13.5	
<i>including</i>								490.0	492.0	2.0	37.7	
OSK-W-17-823	2550	CS1	620.3	452565	5434415	330	-57	526.4	533.5	7.1	0.41	
OSK-W-17-823	2550	CS1 FW	620.3	452565	5434415	330	-57	552.2	554.3	2.1	5.43	
OSK-W-17-823	2550	Caribou corridor	620.3	452565	5434415	330	-57	574.6	577.2	2.6	4.70	
<i>including</i>								575.3	576.4	1.1	10.8	
OSK-W-17-823-W1	2550	CS1 HW	618.0	452565	5434415	330	-57	503.0	508.4	5.4	8.05	
<i>including</i>								507.1	508.4	1.3	23.8	
OSK-W-17-823-W1	2550	CS1	618.0	452565	5434415	330	-57	535.0	537.4	2.4	18.6	
<i>including</i>								535.0	536.0	1.0	43.9	
OSK-W-17-824	2100	Z27	210.0	451948	5434608	330	-67	28.4	31.0	2.6	195	16.7
<i>including</i>								29.6	30.0	0.4	1260	100
OSK-W-17-824	2100	Z27-1	210.0	451948	5434608	330	-67	150.9	152.9	2.0	3.28	
OSK-W-17-825	3525	Lynx 2	579.0	453252	5435182	145	-54	226.1	228.1	2.0	4.06	
OSK-W-17-825	3525	Lynx 2	579.0	453252	5435182	145	-54	237.1	239.1	2.0	3.18	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	265.2	266.9	1.7	3.18	
<i>including</i>								265.2	265.5	0.3	14.0	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	267.9	270.7	2.8	6.71	
<i>including</i>								268.9	269.6	0.7	21.6	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	274.0	276.2	2.2	6.88	
<i>including</i>								274.8	275.2	0.4	21.6	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	280.5	283.9	3.4	23.8	
<i>including</i>								280.5	281.3	0.8	92.1	
OSK-W-17-825	3525	Lynx 1	579.0	453252	5435182	145	-54	289.8	292.5	2.7	5.27	
OSK-W-17-826	2825	CS1	1335.0	452799	5434556	331	-66	543.5	544.8	1.3	0.67	
OSK-W-17-826	2825	CS3	1335.0	452799	5434556	331	-66	658.1	661.9	3.8	1.14	
OSK-W-17-826	2825	Caribou Corridor	1335.0	452799	5434556	331	-66	720.3	723.7	3.4	4.49	
OSK-W-17-826	2825	FW0	1335.0	452799	5434556	331	-66	937.0	939.0	2.0	3.79	
OSK-W-17-826	2825	FW1 HW	1335.0	452799	5434556	331	-66	1031.0	1033.0	2.0	6.53	
<i>including</i>								1031.0	1032.0	1.0	11.3	
OSK-W-17-826	2825	FW1 HW	1335.0	452799	5434556	331	-66	1051.0	1053.0	2.0	6.37	
<i>including</i>								1052.0	1053.0	1.0	11.9	
OSK-W-17-826	2825	FW3/Z14-2	1335.0	452799	5434556	331	-66	1204.0	1206.2	2.2	9.26	
<i>including</i>								1205.6	1206.2	0.6	24.7	
OSK-W-17-826	2825	FW3/Z14 HW	1335.0	452799	5434556	331	-66	1246.8	1250.0	3.2	4.61	
OSK-W-17-826	2825	FW3/Z14	1335.0	452799	5434556	331	-66	1298.0	1300.2	2.2	4.67	
OSK-W-17-826	2825	FW3/Z14 FW	1335.0	452799	5434556	331	-66	1308.3	1310.6	2.3	3.37	
<i>including</i>								1309.0	1309.6	0.6	12.4	
OSK-W-17-826	2825	FW3 FW	1335.0	452799	5434556	331	-66	1316.6	1319.0	2.4	16.0	
<i>including</i>								1317.2	1319.0	1.8	21.3	
OSK-W-17-826-W1	2825	Caribou corridor	759.0	452799	5434556	331	-66	648.0	650.8	2.8	3.48	
OSK-W-17-827	3425	Lynx 3	957.0	453173	5435126	145	-63	158.0	162.1	4.1	12.1	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					280.8	282.0	1.2	19.8	
OSK-W-17-854	2550	CN2	846.0	452485	5434592	331	-53	369.0	371.9	2.9	9.07	
			<i>including</i>					370.5	371.0	0.5	33.0	
OSK-W-17-854	2550	FW3U	846.0	452485	5434592	331	-53	767.0	769.0	2.0	7.48	
			<i>including</i>					767.0	768.0	1.0	14.9	
OSK-W-17-854-W1	2550	Wolf FW	843.8	452485	5434592	331	-53	489.6	492.0	2.4	7.97	
			<i>including</i>					491.3	492.0	0.7	15.1	
OSK-W-17-854-W1	2550	Wolf FW	843.8	452485	5434592	331	-53	498.0	501.0	3.0	5.18	
OSK-W-17-854-W1	2550	FW3U HW	843.8	452485	5434592	331	-53	701.0	703.5	2.5	5.00	
			<i>including</i>					702.0	702.5	0.5	24.7	
OSK-W-17-854-W1	2550	FW3U	843.8	452485	5434592	331	-53	800.5	803.3	2.8	4.65	
OSK-W-17-854-W2	2550	FW3U	873.0	452485	5434592	331	-53	795.7	799.2	3.5	18.6	
			<i>including</i>					798.1	798.6	0.5	80.3	
OSK-W-17-855	2300	Vein	717.0	452309	5434384	334	-64	166.6	169.4	2.8	3.93	
OSK-W-17-855	2300	Caribou corridor	717.0	452309	5434384	334	-64	269.0	271.5	2.5	24.4	
			<i>including</i>					270.5	271.5	1.0	46.6	
OSK-W-17-855	2300	FW0	717.0	452309	5434384	334	-64	654.0	658.0	4.0	0.43	
OSK-W-17-855-W1	2300	FW1	1197.0	452309	5434384	334	-64	752.0	754.0	2.0	21.0	
			<i>including</i>					752.0	753.0	1.0	41.2	
OSK-W-17-855-W1	2300	FW2	1197.0	452309	5434384	334	-64	843.0	845.2	2.2	3.18	
			<i>including</i>					844.0	844.5	0.5	12.5	
OSK-W-17-855-W1	2300	FW3	1197.0	452309	5434384	334	-64	916.3	919.5	3.2	3.79	
			<i>including</i>					919.0	919.5	0.5	15.8	
OSK-W-17-855-W1	2300	FW3 FW	1197.0	452309	5434384	334	-64	968.0	971.0	3.0	13.5	
			<i>including</i>					969.0	971.0	2.0	18.2	
OSK-W-17-855-W1	2300	FW3	1197.0	452309	5434384	334	-64	985.0	987.0	2.0	4.85	
OSK-W-17-855-W1	2300	QTV	1197.0	452309	5434384	334	-64	1012.0	1014.0	2.0	8.31	
			<i>including</i>					1013.0	1014.0	1.0	16.5	
OSK-W-17-855-W1	2300	FW4	1197.0	452309	5434384	334	-64	1158.0	1166.0	8.0	1.24	
OSK-W-17-855-W2	2300	FW1	1197.0	452309	5434384	334	-64	759.9	762.0	2.1	11.1	
			<i>including</i>					759.9	761.0	1.1	20.8	
OSK-W-17-855-W2	2300	FW2	1197.0	452309	5434384	334	-64	861.0	863.0	2.0	8.88	
			<i>including</i>					862.0	863.0	1.0	17.4	
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	924.8	928.3	3.5	26.1	
			<i>including</i>					924.8	925.5	0.7	33.5	
			<i>including</i>					925.5	925.9	0.4	66.2	
			<i>including</i>					927.0	928.3	1.3	31.5	
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	973.0	975.0	2.0	4.21	
			<i>including</i>					973.0	973.7	0.7	11.2	
OSK-W-17-855-W2	2300	FW3	1197.0	452309	5434384	334	-64	1095.8	1098.0	2.2	9.20	
			<i>including</i>					1097.0	1098.0	1.0	18.6	
OSK-W-17-855-W3	2300	FW3	1203.0	452309	5434384	334	-64	945.0	947.0	2.0	5.18	
OSK-W-17-856	3425	Lynx 1	291.0	453292	5434909	331	-52	162.4	166.0	3.6	0.25	
OSK-W-17-856	3425	Lynx 2	291.0	453292	5434909	331	-52	270.4	276.0	5.6	5.03	
			<i>including</i>					270.4	271.0	0.6	13.1	
			<i>including</i>					274.0	275.0	1.0	15.2	
OSK-W-17-857	3525	Lynx HW	436.5	453414	5434889	330	-52	248.0	250.0	2.0	4.25	
OSK-W-17-857	3525	Lynx HW	436.5	453414	5434889	330	-52	252.0	254.0	2.0	27.4	
			<i>including</i>					253.1	253.6	0.5	95.0	
OSK-W-17-857	3525	Vein - Lynx corridor	436.5	453414	5434889	330	-52	348.0	350.9	2.9	30.0	
			<i>including</i>					349.2	350.9	1.7	50.8	
OSK-W-17-857	3525	VNCR	436.5	453414	5434889	330	-52	361.5	364.2	2.7	159	17.0
			<i>including</i>					363.8	364.2	0.4	1060	100
OSK-W-17-858	2600	SHR	840.0	452524	5434616	331	-53	46.8	49.0	2.2	3.95	
			<i>including</i>					46.8	47.7	0.9	9.58	
OSK-W-17-858-W1	2600	FW3U	915.0	452524	5434616	331	-53	781.0	784.0	3.0	11.1	
			<i>including</i>					781.0	782.5	1.5	18.3	
OSK-W-17-858-W2	2600	Wolf FW	909.0	452524	5434616	331	-53	486.3	488.6	2.3	8.51	
OSK-W-17-858-W2	2600	Z27	909.0	452524	5434616	331	-53	586.3	588.3	2.0	1.07	
OSK-W-17-858-W2	2600	Vein	909.0	452524	5434616	331	-53	630.1	632.5	2.4	32.6	
			<i>including</i>					631.6	632.5	0.9	76.6	
OSK-W-17-858-W2	2600	FW3U	909.0	452524	5434616	331	-53	806.0	810.0	4.0	0.06	
OSK-W-17-858-W2	2600	VNCR	909.0	452524	5434616	331	-53	810.7	812.7	2.0	9.50	
			<i>including</i>					810.7	811.2	0.5	34.5	
OSK-W-17-859	3550	Lynx 1	414.0	453433	5434905	337	-55	307.0	309.0	2.0	5.66	
OSK-W-17-859	3550	Lynx 2	414.0	453433	5434905	337	-55	326.0	328.0	2.0	2.26	
OSK-W-17-859	3550	Crustiform vein - Lynx corridor	414.0	453433	5434905	337	-55	380.5	382.7	2.2	73.5	29.1
			<i>including</i>					381.4	382.0	0.6	263	100
OSK-W-17-859	3550	Crustiform vein - Lynx corridor	414.0	453433	5434905	337	-55	390.6	393.4	2.8	10.3	
			<i>including</i>					390.6	391.5	0.9	27.3	
OSK-W-17-861	3775	Lynx 2	726.0	453386	5435455	150	-45	388.5	390.5	2.0	9.41	
			<i>including</i>					388.5	389.5	1.0	18.7	
OSK-W-17-861	3775	Lynx HW	726.0	453386	5435455	150	-45	506.7	509.0	2.3	4.06	
			<i>including</i>					508.6	509.0	0.4	12.5	
OSK-W-17-862	2725	Caribou corridor	993.0	452683	5434577	332	-55	369.3	372.2	2.9	17.4	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								369.3	370.8	1.5	30.8	
OSK-W-17-862	2725	CS3	993.0	452683	5434577	332	-55	513.0	514.9	1.9	1.27	
OSK-W-17-862	2725	Wolf	993.0	452683	5434577	332	-55	570.7	572.5	1.8	0.29	
OSK-W-17-862-W2	2725	CS3	759.0	452683	5434577	332	-55	465.7	468.3	2.6	4.95	
OSK-W-17-862-W2	2725	CS3	759.0	452683	5434577	332	-55	473.0	477.7	4.7	17.8	
<i>including</i>								475.0	477.0	2.0	33.3	
OSK-W-17-862-W2	2725	Wolf HW	759.0	452683	5434577	332	-55	551.8	554.0	2.2	6.12	
<i>including</i>								552.3	552.8	0.5	26.3	
OSK-W-17-862-W2	2725	Wolf	759.0	452683	5434577	332	-55	568.0	570.0	2.0	1.48	
OSK-W-17-862-W2	2725	Wolf FW	759.0	452683	5434577	332	-55	640.0	643.0	3.0	13.4	
<i>including</i>								642.0	643.0	1.0	38.9	
OSK-W-17-862-W2	2725	Vein	759.0	452683	5434577	332	-55	712.7	714.8	2.1	297	14.5
<i>including</i>								713.8	714.1	0.3	2080	100
OSK-W-17-864	2525	CS1	813.4	452467	5434581	330	-53	257.0	280.0	23.0	0.90	
OSK-W-17-864	2525	Caribou corridor	813.4	452467	5434581	330	-53	305.0	308.0	3.0	4.17	
OSK-W-17-864	2525	CN2	813.4	452467	5434581	330	-53	338.5	348.0	9.5	0.56	
OSK-W-17-864	2525	Z27	813.4	452467	5434581	330	-53	516.0	524.0	8.0	7.90	
OSK-W-17-864	2525	Z27	813.4	452467	5434581	330	-53	518.0	524.0	6.0	8.22	
<i>including and</i>								518.0	519.0	1.0	22.7	
<i>including</i>								522.3	524.0	1.7	14.9	
OSK-W-17-864	2525	FW3U	813.4	452467	5434581	330	-53	768.4	770.7	2.3	4.15	
<i>including</i>								769.3	769.6	0.3	15.1	
OSK-W-17-864	2525	FW3U	813.4	452467	5434581	330	-53	790.3	793.0	2.7	14.0	
<i>including</i>								792.0	793.0	1.0	28.6	
OSK-W-17-864-W2	2525	FW3U	834.0	452467	5434581	330	-53	800.5	803.0	2.5	3.21	
OSK-W-17-866	2525	New - Caribou corridor	1299.0	452633	5434280	332	-57	347.8	350.4	2.6	3.49	
OSK-W-17-866	2525	Underdog	1299.0	452633	5434280	332	-57	769.7	772.2	2.5	10.2	
<i>including</i>								771.6	772.2	0.6	40.0	
OSK-W-17-866	2525	FW1	1299.0	452633	5434280	332	-57	1031.0	1033.4	2.4	1.20	
OSK-W-17-866	2525	FW2	1299.0	452633	5434280	332	-57	1105.0	1107.0	2.0	19.4	
<i>including</i>								1105.6	1106.1	0.5	73.2	
OSK-W-17-866	2525	FW3	1299.0	452633	5434280	332	-57	1138.0	1140.0	2.0	13.9	
OSK-W-17-866	2525	FW3 FW	1299.0	452633	5434280	332	-57	1168.4	1172.9	4.5	4.50	
<i>including</i>								1168.4	1168.9	0.5	19.9	
OSK-W-17-866	2525	FW3 FW	1299.0	452633	5434280	332	-57	1229.2	1231.5	2.3	14.0	
<i>including</i>								1229.2	1229.9	0.7	41.1	
OSK-W-17-866	2525	FW3	1299.0	452633	5434280	332	-57	1272.4	1274.5	2.1	6.29	
<i>including</i>								1273.1	1273.9	0.8	16.3	
OSK-W-17-866-W1	2525	Caribou	1359.0	452633	5434280	332	-57	514.7	519.0	4.3	2.43	
OSK-W-17-866-W1	2525	FW1	1359.0	452633	5434280	332	-57	1034.5	1040.0	5.5	3.76	
<i>including</i>								1034.5	1035.5	1.0	9.41	
OSK-W-17-866-W1	2525	FW3	1359.0	452633	5434280	332	-57	1100.0	1102.0	2.0	1.35	
OSK-W-17-867	2825	Caribou	1029.0	452800	5434550	315	-50	595.0	598.9	3.9	5.94	
OSK-W-17-867	2825	Wolf	1029.0	452800	5434550	315	-50	637.2	638.5	1.3	1.67	
OSK-W-17-867	2825	Wolf FW	1029.0	452800	5434550	315	-50	714.1	717.5	3.4	36.6	29.9
<i>including</i>								715.0	716.0	1.0	123	
OSK-W-17-867	2825	Caribou	1029.0	452800	5434550	315	-50	735.0	737.6	2.6	5.66	
<i>including</i>								735.9	736.9	1.0	12.6	
OSK-W-17-867	2825	Z27	1029.0	452800	5434550	315	-50	780.0	784.0	4.0	0.91	
OSK-W-17-868	3575	Lynx HW	435.0	453428	5434977	332	-64	199.8	202.0	2.2	9.77	
<i>including</i>								200.5	201.3	0.8	25.2	
OSK-W-17-868	3575	Lynx HW	435.0	453428	5434977	332	-64	221.0	223.0	2.0	26.7	
OSK-W-17-868	3575	Lynx 1	435.0	453428	5434977	332	-64	267.0	269.0	2.0	8.22	
<i>including</i>								267.4	268.2	0.8	18.0	
OSK-W-17-868	3575	Lynx 1	435.0	453428	5434977	332	-64	272.0	277.4	5.4	5.54	
OSK-W-17-868	3575	Lynx 2	435.0	453428	5434977	332	-64	301.0	303.5	2.5	12.3	
<i>including</i>								302.0	302.6	0.6	50.4	
OSK-W-17-868	3575	VNCR	435.0	453428	5434977	332	-64	381.0	383.2	2.2	4.40	
OSK-W-17-869	3600	VNCR	864.0	453229	5435372	132	-48	388.1	397.2	9.1	4.67	
OSK-W-17-870	3550	Lynx HW	411.0	453419	5434937	332	-50	210.4	213.1	2.7	25.7	
OSK-W-17-870	3550	Lynx 1	411.0	453419	5434937	332	-50	230.9	233.7	2.8	18.9	
<i>including</i>								230.9	231.6	0.7	69.0	
OSK-W-17-870	3550	Lynx 3	411.0	453419	5434937	332	-50	353.0	356.0	3.0	3.45	
OSK-W-17-871	2500	TBD	532.6	452402	5434623	328	-54	23.2	25.8	2.6	5.39	
<i>including</i>								24.1	25.0	0.9	15.2	
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	152.0	156.8	4.8	17.9	13.4
<i>including</i>								155.5	156.0	0.5	100	
<i>including</i>								155.5	156.0	0.5	143	100
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	177.3	179.9	2.6	3.47	
<i>including</i>								177.3	177.6	0.3	17.4	
OSK-W-17-871	2500	Caribou	532.6	452402	5434623	328	-54	269.0	271.4	2.4	6.21	
OSK-W-17-871	2500	Z27	532.6	452402	5434623	328	-54	429.3	432.0	2.7	3.18	
OSK-W-17-871	2500	Z27 FW	532.6	452402	5434623	328	-54	480.0	482.0	2.0	3.35	
OSK-W-17-871-W1	2500	QTV	840.0	452402	5434623	328	-54	610.1	612.4	2.3	8.38	
<i>including</i>								610.1	610.8	0.7	27.4	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
			<i>including</i>					408.9	410.0	1.1	16.7	
OSK-W-17-903-W1	2650	Z27 FW	657.0	452539	5434692	329	-56	577.6	580.2	2.6	25.7	
			<i>including</i>					577.6	578.5	0.9	73.7	
OSK-W-17-906	3475	Lynx HW	442.0	453349	5434937	331	-56	169.3	172.0	2.7	27.0	
			<i>including</i>					169.3	170.2	0.9	76.9	
OSK-W-17-906	3475	Lynx HW	442.0	453349	5434937	331	-56	174.0	176.5	2.5	4.25	
			<i>including</i>					174.6	175.0	0.4	21.9	
OSK-W-17-906	3475	Lynx 1	442.0	453349	5434937	331	-56	182.0	184.0	2.0	23.9	
			<i>including</i>					182.4	183.0	0.6	79.6	
OSK-W-17-906	3475	Lynx 1 + Lynx 2	442.0	453349	5434937	331	-56	213.0	215.0	2.0	4.45	
			<i>including</i>					213.0	214.0	1.0	8.55	
OSK-W-17-906	3475	Lynx 2 FW	442.0	453349	5434937	331	-56	276.0	280.0	4.0	5.05	
			<i>including</i>					279.0	280.0	1.0	8.37	
OSK-W-17-907	3575	Lynx 3	1317.0	453219	5435340	134	-51	324.0	333.4	9.4	0.39	
OSK-W-17-907	3575	Lynx 4	1317.0	453219	5435340	134	-51	853.3	855.7	2.4	35.6	
			<i>including</i>					853.7	854.7	1.0	83.1	
OSK-W-17-907	3575	Lynx 4	1317.0	453219	5435340	134	-51	861.0	863.0	2.0	6.19	
			<i>including</i>					861.0	862.1	1.1	10.3	
OSK-W-17-907	3575	TBD	1317.0	453219	5435340	134	-51	952.0	954.0	2.0	30.2	
			<i>including</i>					952.4	953.1	0.7	85.2	
OSK-W-17-907	3575	Lynx TBD	1317.0	453219	5435340	134	-51	961.9	964.0	2.1	25.9	
			<i>including</i>					962.3	963.0	0.7	59.5	
OSK-W-17-908	4350	Lynx corridor extension	824.0	453871	5435782	135	-54	738.4	742.6	4.2	10.6	
			<i>including</i>					741.0	742.6	1.6	26.6	
OSK-W-17-908	4350	Lynx corridor extension	824.0	453871	5435782	135	-54	756.0	760.1	4.1	7.34	
			<i>including</i>					756.0	756.4	0.4	15.6	
			<i>including</i>					759.0	760.1	1.1	19.3	
OSK-W-17-908	4350	Lynx corridor extension	824.0	453871	5435782	135	-54	764.0	766.5	2.5	12.6	
			<i>including</i>					765.5	766.5	1.0	26.7	
OSK-W-17-909	4125	VNCR - Lynx corridor	1119.0	453683	5435677	131	-55	869.0	872.7	3.7	4.33	
			<i>including</i>					872.0	872.7	0.7	18.6	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	908.0	910.0	2.0	11.8	
			<i>including</i>					908.5	909.0	0.5	37.0	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	912.0	918.2	6.2	301	53.7
			<i>including and and</i>					913.0	913.6	0.6	162	100
			<i>including and and</i>					913.6	914.9	1.3	1230	100
			<i>including and and</i>					914.9	916.0	1.1	125	100
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	922.0	928.0	6.0	10.7	
			<i>including</i>					923.0	924.2	1.2	37.2	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	933.0	935.0	2.0	4.97	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	959.0	961.0	2.0	3.26	
OSK-W-17-909	4125	Lynx 1	1119.0	453683	5435677	131	-55	982.9	986.0	3.1	4.94	
OSK-W-17-911	3325	Lynx 2	255.0	453177	5434908	331	-54	210.8	213.0	2.2	11.1	
			<i>including</i>					210.8	211.1	0.3	65.6	
OSK-W-17-912	3675	Lynx 3	569.8	453330	5435402	147	-48	295.7	300.4	4.7	0.03	
OSK-W-17-912	3675	Lynx 2	569.8	453330	5435402	147	-48	373.1	375.3	2.2	14.6	
OSK-W-17-912	3675	Lynx 1	569.8	453330	5435402	147	-48	408.0	410.0	2.0	19.8	
			<i>including</i>					408.4	409.1	0.7	55.2	
OSK-W-17-912	3675	Lynx 1	569.8	453330	5435402	147	-48	415.0	417.8	2.8	6.65	
			<i>including</i>					416.5	416.8	0.3	59.2	
OSK-W-17-913	2825	Caribou corridor	954.0	452878	5434419	334	-52	533.8	536.5	2.7	5.09	
			<i>including</i>					533.8	535.0	1.2	11.1	
OSK-W-17-913	2825	Caribou corridor	954.0	452878	5434419	334	-52	554.0	556.3	2.3	3.45	
OSK-W-17-913	2825	CS1	954.0	452878	5434419	334	-52	631.8	634.0	2.2	1.92	
OSK-W-17-913	2825	Vein	954.0	452878	5434419	334	-52	642.0	644.0	2.0	5.86	
			<i>including</i>					642.0	643.0	1.0	11.7	
OSK-W-17-913	2825	CS3	954.0	452878	5434419	334	-52	699.1	702.9	3.8	2.06	
OSK-W-17-913	2825	Wolf 2	954.0	452878	5434419	334	-52	719.0	721.0	2.0	611	15.4
			<i>including</i>					719.8	720.1	0.3	4070	100
OSK-W-17-913	2825	Wolf HW	954.0	452878	5434419	334	-52	783.0	785.0	2.0	3.37	
OSK-W-17-913	2825	Wolf HW	954.0	452878	5434419	334	-52	791.0	793.0	2.0	13.5	
			<i>including</i>					791.0	792.0	1.0	26.2	
OSK-W-17-913	2825	Wolf FW	954.0	452878	5434419	334	-52	857.0	859.0	2.0	13.6	
			<i>including</i>					857.0	858.0	1.0	26.5	
OSK-W-17-914	3475	Lynx HW	447.0	453390	5434852	332	-53	239.3	241.6	2.3	27.2	26.6
			<i>including</i>					240.7	241.0	0.3	105	100
OSK-W-17-916	3325	Lynx HW	336.0	453172	5434924	331	-54	108.0	111.5	3.5	14.3	
			<i>including</i>					108.0	108.5	0.5	75.1	
OSK-W-17-918	3525	Lynx HW	372.0	453387	5434953	335	-57	179.0	180.0	1.0	0.40	
OSK-W-17-918	3525	Lynx 1	372.0	453387	5434953	335	-57	185.5	187.9	2.4	13.3	13.3
OSK-W-17-918	3525	Lynx 1	372.0	453387	5434953	335	-57	185.5	187.9	2.4	41.4	13.3
			<i>including</i>					186.4	186.7	0.3	100.0	100
			<i>including</i>					186.4	186.7	0.3	325	100
OSK-W-17-918	3525	Lynx 1	372.0	453387	5434953	335	-57	225.0	232.0	7.0	6.84	
			<i>including</i>					229.0	230.0	1.0	31.1	



Windfall Lake Gold Project
 Quebec, Canada
 Assay Results
 Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-949	3575	Lynx HW	423.0	453434	5434969	333	-55	196.0	200.0	4.0	5.18	
<i>including</i>								196.5	196.9	0.4	28.3	
OSK-W-17-949	3575	Lynx 1	423.0	453434	5434969	333	-55	214.1	216.1	2.0	4.50	
OSK-W-17-949	3575	Lynx 2	423.0	453434	5434969	333	-55	236.3	238.3	2.0	10.4	
<i>including</i>								236.9	237.3	0.4	49.1	
OSK-W-17-949	3575	Vein	423.0	453434	5434969	333	-55	403.5	406.5	3.0	3.97	
OSK-W-17-950	4125	Lynx 2	1269.0	453676	5435684	131	-59	689.0	691.6	2.6	1.14	
OSK-W-17-950	4125	Lynx 1	1269.0	453676	5435684	131	-59	888.1	891.0	2.9	1.18	
OSK-W-17-950	4125	VNCR	1269.0	453676	5435684	131	-59	1131.0	1133.0	2.0	4.49	
<i>including</i>								1132.0	1132.4	0.4	21.7	